Phase I Environmental Site Assessment

for the

Bonita Estero Rail Trail (BERT)
Lee and Collier Counties, Florida

July 21, 2026

Prepared for:

TRUST FOR PUBLIC LAND™

Prepared by:

S&S ENVIRONMENTAL CONSULTANTS, LLC

Notice

This Phase I Environmental Site Assessment (ESA) report is presented for the use of the Trust for Public Land (TPL), the Village of Estero, the City of Bonita Springs, and Collier County (hereinafter referred to jointly as Users or "the client"), their agent(s), successors, and assigns. The information and conclusions reached herein are not intended to be relied on by any other person or entity. Though legal and/or regulatory information may be contained herein, said information is not intended to constitute legal advice or opinion, and, to the extent such legal advice or opinion is required, the client is advised to seek the advice of legal counsel. The findings contained herein are limited by the scope of the field activities specified in the report and the quality and type of information provided and/or made available to S&S Environmental Consultants, LLC (S&S) for review and are subject to revision if additional or more definitive information becomes available.

Executive Summary

S&S Environmental Consultants LLC (S&S) performed a Phase I Environmental Site Assessment (ESA) for the Trust for Public Land (TPL), the Village of Estero, the City of Bonita Springs, and Collier County, i.e., the Users of this Phase I ESA. This Phase I ESA has been prepared in response to the Notice to Proceed (NTP) received from TPL on July 1, 2026.

The purpose of the Phase I ESA was to determine if there are potential recognized environmental conditions (RECs), historical recognized environmental conditions (HRECs), or controlled recognized conditions (CRECs) at the subject property. This Phase I ESA was conducted in general conformance with American Society for Testing and Materials (ASTM) E1527-21, "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process," and the U.S. Environmental Protection Agency's (USEPA's) "Standards and Practices for All Appropriate Inquiries" (AAI) Final Rule, as promulgated on November 1, 2005 (amended December 15, 2022).

The subject property is an approximately 11.4-mile, unused railroad right-of-way (ROW) beginning immediately south of Estero Parkway extending south to Railhead Scrub Preserve in Collier County (see Figures 1, 2A, 2B, and 2C). According to information obtained from the Lee County and the Collier County Property Appraiser offices, the subject property is comprised of sixteen parcels (see Section 1 and Appendix A). The center of the subject property has an approximate latitude and longitude of 26.370759N and -81.802379W in Sections 02, 03, 10, 15, 22, 26, 27, 28, 33 and 35; Townships 46, 47, and 48 South, Range 25 East.

S&S representatives Richard Stephens, the S&S qualified environmental professional (QEP) for this Phase I ESA and Mr. Chris Kennedy, S&S Staff Scientist, conducted the site reconnaissance on July 8, 20263, 2026.

Findings

A site map showing the general findings of the site reconnaissance are provided as Figures ES2A, ES2B and ES2C.

- The subject property was first developed as a railroad corridor in the 1920s. Residual contamination from former railroad operations may exist at the subject property. Some historic railroad operations involved the use of chemicals that may have resulted in the presence of contamination today. The most commonly reported contamination along rail lines includes metals, pesticides (such as lead arsenate), and constituents of oil or fuel (petroleum products). These chemicals have been associated with normal railroad operations and are likely to be found anywhere along the corridor. For example, it would not be uncommon to find arsenic present in the soil along a ROW from old railroad ties dipped in an arsenic solution, arsenic weed-control sprays, and arsenic-laced slag used as railroad bed fill. Lubricating oil and diesel that dripped from the trains are likely sources of the petroleum product found along the lines. Other sources of contaminants associated with historic railroad operation may include coal ash from engines, creosote from ties, and polynuclear aromatic hydrocarbons (PAHs) from the diesel exhaust (Commonwealth of

Massachusetts 2016). The potential presence of heavy metals (arsenic and lead) and PAHs should be considered an REC.

- The Tisch Laundry site (USEPA # FLD981859820; see Section 4.2) is located immediately adjacent to the subject property on West Terry Street in Bonita Springs. Tisch Laundry is under long-term monitoring for groundwater contamination. Based on the site file review and discussion with the USEPA project manager, groundwater beneath the railroad ROW may be impacted by chlorinated drycleaning solvents. The potential presence of contamination in the shallow groundwater beneath the subject should be considered a REC.


Conclusions and Opinions

S&S has performed a Phase I ESA of the subject property in general conformance with the scope and limitations of ASTM E1527-21 and the USEPA AAI. Exceptions to, or deletions from, this practice are described in Sections 1.2 and 1.3. The subject property is an 11.4-mile, unused railroad ROW that begins immediately south of Estero Parkway in the Village of Estero, extends south through the City of Bonita Springs, and then terminates at the southern end of the Railhead Scrub Preserve in Collier County (see Figures ES1, ES2A, ES2B, and ES2C). This assessment has revealed the following RECs in connection with the subject property.

- The subject property has been a railroad ROW since the 1920s and, as such, the soils along the ROW may have been impacted by railroad operations.

- The Tisch Laundry site is under long-term monitoring, and the available site information suggests that groundwater beneath the subject property may be impacted with drycleaning solvents.

It is our opinion that a Phase II ESA is warranted for this subject property.



N


0 ½ 1 Miles

Legend

Subject Property

Figure ES1
Site Location Map
BERT Trail
Lee - Collier County, Florida

7/13/2026



N

0 ¼ ½ Miles


Legend

- Subject Property
- Subject Property within Estero
- Findings in Estero

Figure ES2A
Site Location Aerial Map
BERT Trail - Estero
Lee County, Florida

7/13/2026

Label	Lattitude	Longitude
GT-7	-81.78144872	26.35076075
GT-8	-81.78221567	26.35204456
GT-9	-81.78260603	26.35249643
GT-10	-81.78276116	26.35265949
GT-11	-81.78286324	26.35274688
GT-12	-81.78293769	26.35282412
GT-13	-81.80377673	26.37738061
Trash-2	-81.78779586	26.31721525
HE-1	-81.78763887	26.3178242
HE-3	-81.78359183	26.32808817
RRT-1	-81.7819328	26.35145624



N


0 0.33 0.65 Miles

Legend

- Subject Property
- Bonita Springs
- Findings in Bonita Springs

Figure ES2B
Site Location Aerial Map
BERT Trail - Bonita springs
Lee County, Florida

7/20/2026



N

0 0.07 0.15 Miles

Legend

- Subject Property
- Collier County
- Findings in Collier County

Figure ES2C
Site Location Aerial Map
BERT Trail - Collier County
Collier County, Florida

7/13/2026

Table of Contents

Section Page

Notice ii

Executive Summary iii

List of Tables vii
List of Figures vii
Acronyms and Abbreviations xiii
Glossary of Key Terms xv

1 Introduction 1
1.1 Purpose 4
1.2 Scope of Services 4
1.3 Limitations and Exceptions 4
1.4 Standard of Care 5
1.5 User Reliance 5

2 Site Description 6
2.1 Location and Legal Description 6
2.2 Site and Vicinity General Characteristics 7
2.2.1 Topography, Physiography, and Geology 8
2.2.2 Soils 9
2.2.3 Water Resources 12
2.2.4 Climate 12
2.3 Current Use of the Property 13
2.4 Descriptions of Structures, Roads, and Other Improvements on the Site 13
2.5 Current Use of Adjoining Properties 14

3 User-Provided Information 16
3.1 Title Records 16
3.2 Environmental Liens or Activity and Use Limitations 16

4 Records Review 19
4.1 History of Railroads in Southwest Florida 19
4.2 Standard Environmental Record Sources 19
4.2.1 Environmental Database Search Findings 19
4.2.2 Contaminants of Emerging Concern 21
4.2.3 Unmappable Sites 22
4.3 Physical Setting Sources 22
4.4 Historical Use Information 22
4.4.1 Aerial Photographs from 1944 through 2023 22
4.3.2 Topographic Maps from 1958 through 2025 25

Section Page

4.4 Fire Insurance Maps 28
4.5 Other Information 28
4.5.1 Land Use Records Review 28
4.5.2 City Directories 28
4.5.3 Building Department Records 28
4.5.4 Well Information 28

5 Site Reconnaissance 30
5.1 Methodology and Limiting Conditions 30
5.2 General Site Conditions 30
5.3 Exterior Observations 30
5.4 Interior Observations 31
5.5 Windshield Survey 32

6 Interviews 33
6.1 Interviews with Owners/Operators 33
6.2 Interviews with Future Owners 33
6.3 Interviews with Government Officials 33
6.4 Interviews with Others 34

7 Findings 35

8 Data Gaps 37

9 Conclusions and Opinions 38

10 References 39

11 Qualifications and Signature of the Environmental Professional 40

Appendices

A Lee and Collier County Records

B Title Search

C Envirosite Government Records Report

D Envirosite Historical Topographic Map Report

E NRCS Custom Soil Resource Report for Lee and Collier County, Florida –Bonita Estero Rail Trail

F FEMA Map

G Envirosite Environmental Liens and Activity/Use Limitations (AULs) Report

H Questionnaires

I Envirosite Historical Aerial Photo Report

J Envirosite Historical Fire Insurance Maps Report

K Photographic Log

L Environmental Professional Resume

List of Tables

Table	
1	Key Dates for Continued Viability
2A	Estero - Soil Resource Report
2B	Bonita Springs - Soil Resource Report
2C	Collier County - Soil Resource Report
3	Current Use of Adjoining Properties
4	Aerial Photographs
5	Topographic Maps
6	Findings and Additional Points

List of Figures

Figure	
1	Site Location Map, BERT Trail, Lee - Collier County, Florida
2A	Site Location Aerial Map, BERT Trail – Estero, Lee County, Florida
2B	Site Location Aerial Map, BERT Trail – Bonita Springs, Lee County, Florida
2C	Site Location Aerial Map, BERT Trail – Collier County, Collier County, Florida

Acronyms and Abbreviations

%	percent
°F	degrees Fahrenheit
AAI	all appropriate inquiries
ACL	Atlantic Coast Line
AMSL	above mean sea level
ASTM	ASTM International (*formerly* American Society for Testing and Materials)
AULs	Activity and Use Limitations
BERT	Bonita Estero Rail Trail (*also* subject property)
bls	Below land surface
Bonita Estero Rail Trail	subject property
CCPA	Collier County Property Appraiser
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
CFR	Code of Federal Regulations
client, the	jointly, the Trust for Public Land, the Village of Estero, the City of Bonita Springs, and the Collier County
CREC	Conditioned Recognized Environmental Condition
DRF	Discharge Reporting Form
Envirosite	Envirosite Corporation
EPA	Environmental Protection Agency (*also* USEPA)
ERIC	Environmental Restoration Integrated Cleanup
ESA	Environmental Site Assessment
FDEP	Florida Department of Environmental Protection
FEMA	Federal Emergency Management Agency
FIM	Fire Insurance Map
Fm	formation
ft	feet/foot
HREC	Historical Recognized Environmental Condition
I-75	Interstate 75
LCPA	Lee County Property Appraiser
LLC	Limited Liability Company
LSAR	limited site assessment report

LTGWMP	Long-Term Groundwater Monitoring Plan
LTMW	long-term monitoring wells
NFAP	No Further Action Proposal
NRCS	Natural Resources Conservation Service
NTP	Notice to Proceed
PAH	polynuclear aromatic hydrocarbon
PFAS	polyfluoroalkyl substances
QEP	Qualified Environmental Professional
RCRA	Resource Conservation and Recovery Act
REC	Recognized Environmental Condition
ROW	right-of-way
S&S	S&S Environmental Consultants LLC
SAR	Site Assessment Report
SCL	Seaboard Coast Line
SGLR	Seminole Gulf Railway, L.P.
South Tamiami Trail	U.S. Highway 41
SRCO	Site Rehabilitation Cleanup Order
subject property	Bonita Estero Rail Trail
TPL	Trust for Public Land
USEPA	United States Environmental Protection Agency (*also* EPA)
Users (of this Phase I ESA)	the Trust for Public Land, the Village of Estero, the City of Bonita Springs, and Collier County
USGS	United States Geological Survey
U.S. Highway 41	South Tamiami Trail
UST	underground storage tank
WWTP	wastewater treatment plant

Glossary of Key Terms

Recognized Environmental Condition (REC) — The term *recognized environmental condition* means (1) the presence of hazardous substances or petroleum products in, on, or at the subject property due to a release to the environment; (2) the likely presence of hazardous substances or petroleum products in, on, or at the subject property due to a release or likely release to the environment; or (3) the presence of hazardous substances or petroleum products in, on, or at the subject property under conditions that pose a material threat of a future release to the environment. A *de minimis* condition is not a recognized environmental condition.

Controlled Recognized Environmental Condition (CREC) — A recognized environmental condition affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities with hazardous substances or petroleum products allowed to remain in place subject to implementation of required controls.

***De minimis* condition** — A condition related to a release that generally does not present a threat to human health.

Environmental professional — A person meeting the education, training, and experience requirements as set forth in 40 Code of Federal Regulations (CFR) § 312.10(b).

Historical Recognized Environmental Conditions — A previous release of hazardous substances or petroleum products affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities and meeting unrestricted use criteria established by the applicable regulatory authority or authorities without subjecting the subject property to any controls.

Key site manager — The person identified by the owner or operator of a subject property as having good knowledge of the uses and physical characteristics of the subject property.

Owner — Generally the fee owner of record of a property.

Release — A release of any hazardous substance or petroleum product shall have the same meaning as the definition of "release" in Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) 42 United States Code § 9601(22). There are a number of statutory exclusions from the definition of release that may impact the environmental professional's opinions and conclusions, such as the normal application of fertilizer.

subject property — The property that is the subject of the environmental site assessment described in ASTM International (ASTM) E1527-21, "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process."

User — The party(ies) seeking to use ASTM E1527-21 to complete an environmental site assessment of the subject property.

1 Introduction

S&S Environmental Consultants LLC (S&S) performed a Phase I Environmental Site Assessment (ESA) for the Trust for Public Land (TPL), the Village of Estero, the City of Bonita Springs, and Collier County, i.e., the Users of this Phase I ESA. This Phase I ESA has been prepared in response to the Notice to Proceed (NTP) received from TPL on July 1, 2026.

The Bonita Estero Rail Trail (BERT; subject property) is an approximately 11.4-mile, unused railroad right-of-way (ROW) beginning immediately south of Estero Parkway extending south to Railhead Scrub Preserve in Collier County (see Figures 1 and 2). For the purposes of this Phase I ESA, we have subdivided the subject property into the following three sections.

- **Estero (northern section)** – begins at Estero Parkway and extends south to just north of Bonita Bill Street in Bonita Springs.
- **Bonita Springs (central section)** – extends south from Bonita Bill Street to Channel 30 Drive.
- **Collier County (southern section)** – extends south from Channel 30 Drive and terminates at Railhead Scrub Preserve.

According to information obtained from the Lee County Property Appraiser (LCPA) and Collier County Property Appraiser (CCPA), the subject property is comprised of the following sixteen parcels (Appendix A). Fifteen parcels are in Lee County (seven in Estero and eight in Bonita Springs) and one parcel is in Collier County.

Lee County Parcels:

Estero: 284625E2U19492522, 284625E3U19562448, 334625E2U19562388, 334625E3U19642308, 034725E1U19782168, 104725E1U19792047, and 104725E4U19801966.

Bonita Springs: 154725B1000010000, 224725B4000010000, 274725B2000030000, 264725B1000010000, 354725B1000010010, 354725B4000010000, 024825B1000130000, and 034825B3000040000.

Collier County Parcel: 00145681504

The center of the subject property has an approximate latitude and longitude of 26.370759N and -81.802379W in Sections 02, 03, 10, 15, 22, 26, 27,27, 28, 33 and 35; Townships 46,47, and 48 South, Range 25 East. This report presents the findings, opinions, and conclusions made as a result of assessing the subject property. The following appendices are also provided in support of this Phase I ESA.

- Appendix A – County Records: Lee and Collier County

- Appendix B – Title Search
- Appendix C –Envirosite Government Records Report
- Appendix D – Envirosite Historical Topographic Map Report
- Appendix E – Natural Resources Conservation Service Custom Soil Resource Report for Pinellas County, Florida – Bonita Estero Rail Trail
- Appendix F – Federal Emergency Management Agency Map
- Appendix G – Envirosite Environmental Liens and Activity/Use Limitations Reports
- Appendix H – Questionnaires
- Appendix I – Envirosite Historical Aerial Photo Report
- Appendix J – Envirosite Historical Fire Insurance Maps Report
- Appendix K – Photographic Log
- Appendix L – Environmental Professional Resume

In addition, the following contractor's checklist identifies sections of this report where relevant information can be located by the reader.

Bonita, Estero, Rail Trail (BERT).

EXHIBIT II

CONTRACTOR'S ITEMIZED CHECKLIST

Phase I ESA (ASTM E 1527 and ASTM E 2247); Updated Phase I ESA (ASTM E 1527 and ASTM E 2247)

Directions: Please fill in each blank with the appropriate response. An appendix may be indicated instead of page number(s), if appropriate.

1) YES/NO NA — Have any requests for deviation to the DSL Scope of Services been approved?

2) Page # NA — Certification to the Board of Trustees, with subsections a, b, c, d, and e.

3) Page # None — Determination of whether other or previous ESAs or environmental work has been performed at the Subject Property. If other ESAs or environmental work exists, state the Appendix in which copies of the previous ESAs or environmental work can be found in the report: **Appendix** NA

4) Page # 16/17 Appendix G — Determination of existing environmental liens and AULs on the Subject Property.

5) Page # No — Adjoining property landowner identification.

6) YES/NO — — Were any adjoining landowners interviewed? If so, what page number can this information be found on in the report? **Page #** —

7) Page # 22-25 Appendix I — Summary of current and historical aerial photographs.

8) Page # 30/32 — GPS points and GPS manufacturer and model.

9) Page # Figures 2A, 2B & 2C — Photograph points oriented on a site map to scale or current aerial photograph.

10) Page # 8/9 — Groundwater information.

11) Page # 37 — Data failure information.

12) Page # 35, 36, 38 & Executive Summary — Discussion and evaluation of findings, conclusions and recommendations.

1.1 Purpose

The purpose of this Phase I ESA is to identify actual and potential recognized environmental conditions (RECs), historical recognized environmental conditions (HRECs), or controlled recognized environmental conditions (CRECs) associated with the subject property. This Phase I ESA was conducted in general conformance with American Society for Testing Materials (ASTM) E1527-21, "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process."

On December 15, 2022, the United States Environmental Protection Agency (USEPA) published a Final Rule adopting ASTM E1527-21 as a standard satisfying the "all appropriate inquiries" (AAI) requirement for landowner liability defenses under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). As such, this assessment addresses RECs that indicate: (1) the presence of hazardous substances or petroleum products in, on, or at the subject property due to a release to the environment; (2) the likely presence of hazardous substances or petroleum products in, on, or at the subject property due to a release or likely release to the environment; or (3) the presence of hazardous substances or petroleum products in, on, or at the subject property under conditions that pose a material threat of a future release to the environment. RECs do not include *de minimis* conditions that generally do not present a material risk of harm to public health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate government agencies.

1.2 Scope of Services

This Phase I ESA was performed in accordance with ASTM E1527-21, "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process." S&S reviewed readily available public records to determine the current and historical use of the subject property. S&S also examined readily available historical documents, governmental databases, deed records, aerial photographs, and governmental environmental files; conducted interviews with persons familiar with the subject property and/or surrounding area; and performed a site reconnaissance of the subject property to identify potential RECs that exist or may have existed at the site. Limitations, ASTM deviations, and significant data gaps (if identified) are noted in the applicable sections of this report.

S&S did not complete a chain-of-title search as part of this Phase I ESA; however, property records from Lee and Collier Counties were obtained and reviewed (Appendix A). Additionally, S&S did not perform a property valuation reduction for environmental issues as part of this Phase I ESA.

1.3 Limitations and Exceptions

This Phase I ESA is limited to the subject property, as described by TPL and detailed in Section 2.1. The information provided in this report is based on a review of the documents identified in Section 1.2; interviews with knowledgeable individuals; information provided by TPL, Lee County, Collier County, the Village of Estero, the City of Bonita Springs; and observations by an environmental professional.

The results, findings, opinions, and conclusions of this ESA are valid as of the date of the report. This ESA does not include any environmental sampling. Additionally, this ESA does not include an evaluation of non-scope items, per Section 13 of ASTM E1527-21.

1.4 Standard of Care

This Phase I ESA was performed in accordance with the accepted practices of this profession. Any specific limitations to this accepted standard are discussed in the text of this report and an evaluation of their significance is presented in Section 9. Phase I ESAs are of limited scope, non-invasive, and cannot eliminate the potential that hazardous, toxic, or petroleum substances are present or have been released at the site beyond what is identified by the limited scope of this ESA. No ESA can wholly eliminate uncertainty regarding the potential for RECs in connection with a property. Performance of this Phase I ESA is intended to reduce, but not eliminate, uncertainty regarding the potential for RECs. No warranties, express or implied, are intended or made. The limitations herein must be considered when the User of this report formulates opinions as to risks associated with the site or otherwise uses the report for any other purpose. These risks may be further evaluated—but not eliminated—through additional research or assessment. We will, upon request, advise TPL, the Village of Estero, the City of Bonita Springs, and Collier County of additional research or assessment options that may be available and the associated costs.

1.5 User Reliance

This Phase I ESA was prepared for the exclusive use and reliance of TPL, the Village of Estero, the City of Bonita Springs, and Collier County. The continued viability of this report is subject to ASTM E1527-21, Sections 4.6 and 4.8. If the Phase I ESA will be utilized by a different user (third party) than the one for whom the Phase I ESA was originally prepared, the third party must also satisfy the User's responsibilities in Section 6 of ASTM E1527-21 and the USEPA's AAI Final Rule, as amended. Key viability dates for this Phase I ESA are provided in Table 1.

Table 1: Key Dates for Continued Viability

Action	Date
Historical Topographic Maps	July 1, 2026
Government Search	July 2, 2026
Historical Aerial Photographs	July 2, 2026
Fire Insurance Maps	July 2, 2026
Owner Questionnaire	June 7, 2026
Site Reconnaissance	July 9, 2026
Environmental Lien and Activity/Use Limitations Search 1980	July 20, 2026
Qualified Environmental Professional Signature	July 21, 2026

2 Site Description

2.1 Location and Legal Description

The subject property is an approximately 11.4-mile, unused railroad ROW that begins immediately south of Estero Parkway, extends south through the City of Bonita Springs, and terminates at the southern end of the Railhead Scrub Preserve in Collier County (Figures 1, and 2A through 2C). According to information obtained from the LCPA and CCPA, the subject property is comprised of sixteen parcels (see Section 1 and Appendix A). The center of the subject property has an approximate latitude and longitude of 26.370759N and - 81.802379W in Sections 02, 03, 10, 15, 22, 26, 27, 28, 33 and 35; Townships 46, 47, and 48 South, Range 25 East.

The legal description for the subject property is provided in the Commonwealth Land Title Insurance Company Title Commitment (Appendix B).

> *A strip of land 130 feet wide being 65 feet on each side of the center line of the Fort Myers Southern Railroad as located and constructed through the east halves of Sections 10 and 15, Township 48 South, Range 25 East, extending southerly from the North line of Section 10 Township 48 South, Range 25 East to the Northerly right of way line of Wiggins Pass Road, being in Collier County, Florida. Also being Collier County Property Appraiser's Parcel No. 00145681504.*
>
> *AND*
>
> *A strip of land (variable width) extending southerly from the North line of Estero Parkway in Section 21, Township 46 South, Range 25 East to the South line of Section 3, Township 48 South, Range 25 East, in Lee County, Florida as located and constructed through:*
>
> *The NE 1/4 of Section 28 and the East 1/2 of Section 28, Township 46 South, Range 25 East;*
>
> *The East 1/2 of Section 33, Township 46 South, Range 25 East, lying North of Corkscrew Rd and*
>
> *The East 1/2 of Section 33, Township 46 South, Range 25 East, lying South of Corkscrew Rd;*
>
> *The Northeast corner of Section 4, Township 47 South, Range 25 East and*
>
> *The West 1/2 of Section 3, Township 47 South, Range 25 East;*
>
> *The West 1/2 of Section 10, Township 47 South, Range 25 East, lying North of Coconut Road and lying South of Coconut Road;*

The West 1/2 of Section 15, Township 47 South, Range 25 East;

Southeasterly through Section 22, Township 47 South, Range 25 East;

The Northeast 1/4 of Section 27, Township 47 South, Range 25 East;

Southeasterly through the West 1/2 of Section 26, Township 47 South, Range 25 East (being 100' thru the South 1/2 of Sec 26);

The West 1/2 of Section 35, Township 47 South, Range 25 East, lying North of River and the West 1/2 of Section 35, Township 47 South, Range 25 East, lying South of River, (Less that part in DB 292-458);

The West 1/2 of Section 2, Township 48 South, Range 25 East and

The Southeast 1/4 of Southeast 1/4 of Section 3, Township 48 South, Range 25 East

ALL OF THE ABOVE DESCRIBED LAND ALSO BEING DESCRIBED AS FOLLOWS:

Segment 1: Estero

A segment of the above-described strips of land lying between approximately Mile Post 979.4 and approximately Mile Post 983.5, said segment being approximately 4.1 miles long and located in Lee County.

AND ALSO:

Segment 2: Bonita Springs

A segment of the above-described strips of land lying between approximately Mile Post 983.5 and approximately Mile Post 989.3, said segment being approximately 5.8 miles long and located in Lee County.

AND ALSO:

Segment 3: Unincorporated Collier County

2.2 Site and Vicinity General Characteristics

The following site and vicinity general characteristics were obtained from the Envirosite Radius Map Report with GeoCheck (Appendix C), the Envirosite Historical Topographic Map Report (Appendix D), and other applicable records. Full references for all resources used in the preparation of this report are provided in Section 10.

2.2.1 Topography, Physiography, and Geology

The subject property is generally flat with an average surface elevation of 12 feet (ft) above mean sea level (AMSL; Appendices C and D).

Regional and local geology and hydrogeology were obtained from the 2007 "Site Assessment Report 7-Eleven #32597" (Facility ID: 36/9800973) located at 26975 Old U.S. Highway 41 Bonita Springs, Florida.

The geology of southwestern Florida is comprised of sedimentary rocks of the Cenozoic age. In geologic time, these rocks are of relative young age, 65 million years old to present.

The exposed landmass of southwest Florida is primarily the result of climatic fluctuations from the Pliocene age through the Pleistocene Epoch with the advances and declines in sea level 1.8 million to 8,000 years ago. The underlying limerock formations are also of more recent Cenozoic age, with the Suwannee Limestone formed in the Oligiocene, 34 to 24 million years ago. These rocks are primarily carbonates (limestone) in the lower portion with elastics (sand and clay) in the upper part. The movement of groundwater from the inland areas to the Gulf occurs primarily through the carbonate rocks. In this region of Florida, the geologic units generally consist, from oldest to youngest, of the Suwannee Limestone of Oligocene age, Hawthorn Group (Arcadia and Peace River Formations [Fm]) of Oligocene to Pliocene age, Tamiami Fm of Pliocene age, and undifferentiated sediments of Holocene to Pleistocene age.

The Suwannee Limestone is composed of fossiliferous, calcarenitic limestone with minor amounts of quartz sand. The thickness of the limestone varies widely but is commonly greater than 100 meters in Lee and Collier Counties. The basal Suwannee Limestone generally contains fine-grained, phosphatic, elastic material with interbeds of micritine and clay.

The Hawthorn Group is divided into the Arcadia Fm and the Peace River Fm. The Arcadia Fm, which overlies the Suwannee Limestone, consists of fine-grained carbonate sediments, as well as sandy limestone, shell beds, dolomite, phosphatic and carbonate sand, silt and clay. The predominantly elastic Peace River Fm has a highly irregular erosional and karstic surface. The sediments of the Peace River Fm consist of interbedded, fine to coarse grained quartz sand, quartz silt, gravel, clay carbonate, and phosphatic sand. The Tamiami Fm overlies the Peace River Fm and consists of varying amounts of silt, sandy clay, micritic limestone, sandy and shelly limestone, calcareous sandstone, and quartz sand. The lithology of the Tamiami Fm varies greatly because of the complex nature of the depositional environment. The limestone is slightly phosphatic, variably sandy, and fossiliferous. The sand varies from well sorted, clean sand with abundant shells and traces of silt-size phosphate, to clayey sand with sand-size phosphate, clay-size carbonate matrix, and abundant well-preserved mollusk shells . The indifferentiated sediments of Holocene to Pleistocene age overlie the Tamiami Fm at land surface. These deposits mainly consist of quartz sand with minor amounts of shell and clay, and contain limestones, sandstones, and shell beds. With increasing elevation inland, the sand becomes thicker and less calcareous. The sand varies from fine to coarse grained, non-indurated to poorly indurated, and nonclayey to slightly clayey. Included in this group are marine terrace sediments, aeolian sand dunes, fluvial deposits, freshwater carbonated, peats and clay beds.

The three main water-producing aquifers that underlay the area are the Floridan aquifer, the Intermediate aquifer system, and the Surficial aquifer system.

The Floridan aquifer system underlies an area over 100,000 square miles and is a source of water for many major cities in Florida. The recharge area for this aquifer is north-central Florida. The Floridan aquifer is comprised locally of the lower Hawthorn and Suwannee Limestone Fms. In southwest Florida, the water in this aquifer contains levels of salinity above recommended potable (drinking) water standards and requires extensive treatment for use. This aquifer is used for public water supplies in Lee County where the other shallower aquifers are not available in quantity or have been degraded by saltwater intrusion. The Intermediate aquifer system contains both the Sandstone and the Mid-Hawthorn aquifers, along with the confining basal layers that underlie each within the Hawthorn Group. The Intermediate aquifer system extends beneath a twelve-county area in southwest and west-central Florida. This system contains water that is under confined conditions; that is, the aquifer is underlain and overlaid by confining layers. This aquifer is not as productive as the Floridan, and consequently, not studied as extensively. However, it is of great significance as it is the main water supply of Lee, Charlotte, and Sarasota Counties. The Surficial aquifer system comprises two aquifers: the water table aquifer and the lower Tamiami aquifer. Throughout many areas of Lee County, these two aquifers function as one aquifer with the absence of a confining layer between them.

Site-specific geology does not exist for the subject property. General site lithology was obtained from the 2008 "Pilot Test Plan for the 7-Eleven Store No. 32597" (Florida Department of Environmental Protection [FDEP] Facility ID No. 36/9800973). The site lithology at this site was summarized as follows.

- Surface to 2 ft below land surface (bls): A mix of coarse, medium- to fine-grained, white to light brown, silica sands mixed with limestone fragments ranging from approximately 5 to 15 percent (%).
- 2 to 8 ft bls: a mix of pea gravel; fill sand; and white, tan, gray, and brown, medium- to fine-grained sands.
- 8 to 22 ft bls: clayey sand and gray and brown and light brown, medium- to fine-grained silica sands with shell fragments, in addition to weathered and compacted limestone.
- 22 to 46 ft bls: clayey sands.
- 46 to 50 ft bls: clayey sand mixed with limestone fragments.

Depth to water has ranged from approximately 6.5 to 9.5 ft bls across the site with recent depths being approximately 8 ft bls.

2.2.2 Soils

Soils data on the subject property is provided in Tables 2A (Estero), 2B (Bonita Springs), and 2C (Collier County). Also see Appendix E.

Immokalee sand-Urban land complex, 0 to 2% slopes, is the most prevalent soil unit in the Estero section of the subject property, encompassing 26.5% or 17.7 acres of the subject property.

Table 2A: Estero – Soil Resource Report

Map Unit Name	Acres in Area of Interest	Percent of Area of Interest (%)
Immokalee sand-Urban land complex, 0 to 2 percent slopes	17.7	26.5
Felda fine sand, frequently ponded, 0 to 1 percent slopes	0.6	0.9
Floridana sand, frequently ponded, 0 to 2 percent slopes	0.5	0.7
Brynwood fine sand, wet-Urban land complex, 0 to 2 percent slopes	5.0	7.4
Pineda fine sand, frequently ponded, 0 to 1 percent slopes	0.0	0.0
Cypress Lake fine sand-Urban land complex, 0 to 2 percent slopes	2.8	4.3
Malabar fine sand-Urban land complex, 0 to 2 percent slopes	3.3	5.0
Pineda fine sand-Urban land complex, 0 to 2 percent slopes	8.2	12.3
Pineda fine sand, ponded-Urban land complex, 0 to 1 percent slopes	0.5	0.8
Pompano fine sand-Urban land complex, 0 to 2 percent slopes	3.0	4.5
Pompano fine sand, ponded-Urban land complex, 0 to 1 percent slopes	1.8	2.7
Valkaria fine sand-Urban land complex, 0 to 2 percent slopes	11.1	16.7
Cocoa fine sand-Urban land complex, 0 to 2 percent slopes	10.6	16.0
Brynwood fine sand, slough-Urban land complex, 0 to 1 percent slopes	1.4	2.2
Totals	**66.5**	**100**

Brynwood fine sand, wet-Urban land complex, 0 to 2% slopes, is the most prevalent soil unit in the Bonita Springs section of the subject property, encompassing 22.4% or 19.5 acres of the subject property.

Table 2B: Bonita Springs – Soil Resource Report

Map Unit Name	Acres in Area of Interest	Percent of Area of Interest (%)
Immokalee-Oldsmar, limestone substratum-Urban land complex, 0 to 2 percent slopes	0.1	0.1
Matlacha gravelly fine sand-Urban land complex, 0 to 2 percent slopes	4.2	4.9
Immokalee sand-Urban land complex, 0 to 2 percent slopes	15.5	17.8
Brynwood fine sand, wet-Urban land complex, 0 to 2 percent slopes	19.5	22.4
Waters of the Gulf of America	0.2	0.3
Cypress Lake fine sand-Urban land complex, 0 to 2 percent slopes	7.5	8.6
Copeland fine sandy loam, ponded-Urban land complex, 0 to 1 percent slopes	0.9	1.1
Felda fine sand, ponded-Urban land complex, 0 to 1 percent slopes	1.3	1.5
Isles fine sand, ponded-Urban land complex, 0 to 1 percent slopes	0.8	0.9
Malabar fine sand-Urban land complex, 0 to 2 percent slopes	4.3	4.9
Myakka fine sand-Urban land complex, 0 to 2 percent slopes	3.3	3.8
Myakka fine sand, ponded-Urban land complex, 0 to 1 percent slopes	0.8	0.9
Orsino fine sand-Urban land complex, 0 to 5 percent slopes	3.2	3.6
Pineda fine sand-Urban land complex, 0 to 2 percent slopes	8.8	10.1
Pompano fine sand-Urban land complex, 0 to 2 percent slopes	0.6	0.6
Pompano fine sand, ponded-Urban land complex, 0 to 1 percent slopes	1.0	1.2
Satellite fine sand-Urban land complex, 0 to 2 percent slopes	2.9	3.3
Valkaria fine sand-Urban land complex, 0 to 2 percent slopes	11.9	13.7
Cocoa fine sand-Urban land complex, 0 to 2 percent slopes	0.3	0.3
Totals	**87.1**	**100**

Satellite fine sand-Urban land complex, 0 to 2% slopes, is the most prevalent soil unit in the Collier County section of the subject property, encompassing 34.6% or 8.4 acres of the subject property.

Table 2C: Collier County – Soil Resource Report

Map Unit Name	Acres in Area of Interest	Percent of Area of Interest (%)
Satellite fine sand, 0 to 2 percent slopes	1.5	6.1
Basinger fine sand-Urban land complex, 0 to 2 percent slopes	4.1	16.9
Holopaw-Basinger-Urban land complex, 0 to 2 percent slopes	2.5	10.1
Immokalee fine sand-Urban land complex, 0 to 2 percent slopes	7.2	29.4
Immokalee-Oldsmar, limestone substratum-Urban land complex, 0 to 2 percent slopes	0.7	2.8
Satellite fine sand-Urban land complex, 0 to 2 percent slopes	8.4	34.6
Totals	**24.3**	**100**

2.2.3 Water Resources

The subject property transects nine Federal Emergency Management Agency panels ([FEMA] Panels 12021C0183J, 12021C0191J, 12071C0583G, 12071C0591H, 12071C0593H, 12071C0656G, 12071C0657G, 12071C0658G, and 12071C0659G; see Appendix F). Based on the length of the subject property, it transects several floodplain designations including Zone X, Zone AE, Zone AH, and Regulatory Floodways associated with several river crossings.

2.2.4 Climate

The climate in Lee and Collier Counties is humid subtropical characterized by mild and relatively dry winters and warm and wet summers. The Gulf of Mexico has a moderating influence on the maximum and minimum temperatures in summer and winter, particularly in coastal areas. Colder winter temperatures are closely tied to the advance of cold fronts emanating from the north. However, this cold continental air must pass over water and much of peninsular Florida. As such, the cold air is appreciably modified during that journey. Summer temperatures are also tempered by the shade provided by the formation of cumulus clouds and rain showers. Based on weather records from Fort Myers, Florida, the normal monthly mean temperature ranges from 63.5 degrees Fahrenheit (°F) in January to 82.8°F in August. The mean annual rainfall is approximately 54 inches with the heaviest rainfall, approximately 60%, occurring during the rainy season which extends from June to September. This is the result of afternoon and evening thunderstorms. Thunderstorms occur about 80 days per year. Tropical storms or depressions and hurricanes are often associated with part of the rainy season. The average relative humidity in mid-afternoon is 50 to 60%. At night, just before dawn, the average relative humidity is about 80% (McCarthy 2014 and 2015).

2.3 Current Use of the Property

Based upon available site history, the subject property is an unused rail line ROW corridor, constructed in the 1920s, and last used in 2008. As indicated in Section 1, fifteen of the subject property parcels are in Lee County (seven in Estero and eight in Bonita Springs) and one parcel in Collier County.

The City of Bonita Springs Community Development indicated that the parcels comprising the subject property in Lee County are designated as ROW, making the zoning category not applicable. Additionally, the City of Bonita Springs Comprehensive Plan, Policy 1.2.16 states: "*The City shall investigate railroad and electric power rights-of-way for their potential inclusion in the system of public bike paths and other ancillary recreational uses. Policies under Objective 1.6 of the Transportation Element describe the potential use of the CSX/Seminole Gulf rail corridor for hiking/biking/walking trail"*.

The Transportation components of the Village of Estero Comprehensive Plan (2018, amended in 2019) has a linkage component stating, "*Estero residents want to feel connected to their community's parks, recreation, and centers of activity. Pathways along roadways, greenways that are away from roadways, and blueways along the Estero River are desired to link residents to these community's assets. Opportunities to link to destinations beyond Estero along the CSX rail corridor and FPL corridor are also important*," and further stating, "*Blueways, bikeways, pedestrian paths and use of the CSX rail corridor and FPL corridor are important and viable alternatives to traditional roadway infrastructure. Estero is committed to identifying and expanding these options where and when feasible.*"

The Collier County parcel has a property use of 91 - Utility, Gas, Electric, telephone, local. The railroad corridor transects the 135-acre Railhead Scrub Preserve. The Railhead Scrub Preserve is an imperiled endemic oak scrub habitat with dense populations of gopher tortoise (*Gopherus polyphemus*), rare plant species, and large mammal populations (e.g., bobcats [*Lynx rufus*], coyotes [*Canis latrans*], and Florida black bear [*Ursus americanus floridanus*]). An additional description of the subject property and the adjacent uses is provided in Section 5.

2.4 Descriptions of Structures, Roads, and Other Improvements on the Site

In 1922, Barron Collier and other Fort Myers businessmen formed the Fort Myers Southern Railway through a joint venture with the Atlantic Coast Line (ACL) to construct a railroad to Naples. ACL reached Bonita Springs on October 8, 1924, and western Naples on January 7, 1927. Seaboard Air Line Railway, ACL's main competitor, had its own track through Fort Myers and constructed a line to Naples on December 7, 1926. ACL completed a line to Marco Island on June 27, 1927.

In 1967, ACL and Seaboard Air Line merged to form the Seaboard Coast Line (SCL). This merger proved beneficial to the region by eliminating the duplication of tracks and stations. However, the age

of railroad passenger service was over, replaced by improved airline service and highways, as well as the formation of Amtrak. In May 1971, SCL ended passenger service in southwest Florida. Further industry consolidation led to the 1980 merger of SCL with the Chessie System and other railroads to form CSX. In November 1987, Seminole Gulf Railway, L.P. (SGLR) acquired 118 miles of CSX track between North Naples and Arcadia, including the subject property, as well as between Oneco (Bradenton) and Sarasota.

SGLR filed a Notice with the Surface Transportation Board on June 26, 2026. SGLR filed a verified notice of exemption under 49 Code of Federal Regulations (CFR) part 1152 subpart F, Exempt Abandonments, to abandon a line of railroad from the northern ROW boundary of Estero Parkway at approximately SGLR Milepost AX 979.39 in the Village of Estero, Lee County, Florida, south through the remainder of Estero, and through the City of Bonita Springs, Lee and Collier Counties, Florida, to the corridor's terminus at the conceptual northern ROW extension of Wiggins Pass Road at approximately SGLR Milepost AX 990.80 (the Line). There are three freight stations on the Line. The Line traverses U.S. Postal Service zip codes 33928, 34134, 34135, and 34110.

SGLR has certified that: (1) no local traffic has moved over the Line since 2008; (2) there is no overhead traffic because the Line is not a through line; (3) no formal complaint filed by a user of rail service on the Line (or by a state or local government on behalf of such user) regarding cessation of service over the Line is pending with either the Surface Transportation Board or any U.S. District Court or has been decided in favor of a complainant within the two-year period prior to the filing of the notice; and (4) the requirements at 49 CFR 1105.7(b) and 1105.8(c) (notice of environmental and historic reports), 49 CFR 1105.12 (newspaper publication), and 49 CFR 1152.50(d)(1) (notice to government agencies) have been met.

Since service terminated in 2008, the railroad is overgrown and the tracks remain on the entire length of the subject property.

2.5 Current Use of Adjoining Properties

The 11.4-mile subject property transects multiple use areas in the Village of Estero, the City of Bonita Springs, and Collier County. The following describes the land or properties within the immediate vicinity of the subject property (see Table 3, and Figures 1, 2A through 2C). The information presented was primarily obtained from the LCPA, CCPA, and Google Earth Pro, and was supplemented by observations made during the July 9, 2026, site reconnaissance.

Table 3: Current Use of Adjoining Properties	
Direction	**Description**
North	The northern terminus of the subject property is Estero Parkway. The rail line extends further north through a residential area.
East	**Estero (northern section)** – Most of the properties east of the subject property through Estero are residential, with many golf course neighborhoods occurring toward the southern portion of the Village. The Village of Estero is located east of the railroad off Corkscrew Road, and Estero High School is east of the railroad off Williams Road. **Bonita Springs (central section)** – The properties east of the subject property in the northern section of Bonita Springs are residential until the railroad crosses Old 41 Road where the eastern properties are predominantly commercial. The "old" commercial section of Bonita Springs is located east of the railroad south of Terry Street. The southern section of Bonita Springs is a golf course neighborhood. **Collier (southern section)** – The northern properties to the east of the railroad in Collier County are commercial/light industrial. Railhead Scrub Preserve borders the railroad to the east in the southern section of Collier County.
South	The southern railroad terminus is at the Railhead Scrub Preserve in Collier County. The Cemex Wiggins Pass North Naples Ready-Mix Concrete Plant is located immediately south of the terminus.
West	**Estero (northern section)** – The properties west of the subject property are residential and commercial along the South Tamiami Trail (US Highway 41) which runs parallel to the railroad in a north-south direction. **Bonita Springs (central section) –** The properties west of the subject property in the northern section of Bonita Springs are commercial until the railroad crosses Old 41 Road where the properties are predominantly residential. Depot Park, immediately south of the Imperial River, was the location of the former railroad depot for passenger service. **Collier (southern section)** – Most of the properties to the west of the subject property within Collier County are commercial/light industrial until the southernmost area which is within Railhead Scrub Preserve in Collier County.

3 User-Provided Information

3.1 Title Records

S&S did not perform a title records search as part of the preparation of this Phase I ESA; however, readily accessible property records from Lee and Collier Counties are provided in Appendix A.

- The subject property is currently owned by Seminole Gulf Railway, L.P., which acquired the property from CSX Transportation, Inc., on November 1, 2018 (Collier County Book 5568, Page 941: see Appendix A).

Additionally, TPL provided a Draft Title Commitment completed by Commonwealth Land Title Insurance Company on February 12, 2026 (see Appendix B). Commonwealth Land Title Insurance Company indicated that the Title is, at the Commitment Date, vested in: Seminole Gulf Railway, L.P., a Delaware limited partnership and as disclosed in the Public Records, has been since November 2, 2018, in Collier County, Florida and November 7, 2018, in Lee County, Florida.

3.2 Environmental Liens or Activity and Use Limitations

S&S tasked Envirosite Corporation (Envirosite) to perform an environmental lien and activity/use limitations (AULs) search (see Appendix G). Envirosite searched records from Lee and Collier Counties back to 1980 in compliance with ASTM E1527-21.

Envirosite did not identify any environmental liens for any of the subject property parcels.

Envirosite identified the following activity/use limitations (AULs) for the subject property parcels

Land Use Restrictions as recited in Quit Claim Deed recorded 11/2/2018 in OR Book 5568 Page 941.

and

Land Use Restrictions as recited in Confirmatory Quit Claim Deed recorded 6/26/2019 in OR Book 5645 Page 3121.

S&S reviewed the most recent deed which has a deed restriction for the parcels that form the subject property:

> *Grantee acknowledges that the Land conveyed hereunder has been historically used for railroad industrial operations and other uses and is being conveyed for use only as industrial, commercial or non-residential property, Grantee, by acceptance of this deed, hereby covenants that it, its successors, heirs, legal representatives or assigns shall not use the Land for any purpose other than industrial or commercial purposes, and that the Land will not be used for (a) any residential purpose of any kind or nature (residential use shall be defined broadly*

to include, without limitation, any use of Land by individuals or families for purposes of personal living, dwelling, or overnight accommodations, whether such uses are in single family residences, apartments, duplexes, or other multiple residential dwellings, trailers, trailer parks, camping sites, motels, hotels, or any other dwelling use of any kind), (b) any public or private school, day care, or any organized long-term or short-term child care of any kind, (c) ***any recreational purpose (recreational use shall be defined broadly to include, without limitation, use as a public park, hiking or biking trail, athletic fields or courts, or public gathering place),*** *(d) any agricultural purpose that results in, or could potentially result in, the human consumption of crops or livestock raised on the property (agricultural purpose shall be defined broadly to include, without limitation, activities such as food crop production, dairy farming, livestock breeding and keeping, and cultivation of grazing land that wou1d ultimately produce, or lead to the production of, a product that could be consumed by a human or (e) establishment of a mitigation bank and/or the sale, lease, license, conveyance or in any way distribution of mitigation credits (collectively the ""Environmental Use Restrictions"). Notwithstanding the foregoing, the above restrictions shall not apply to any uses of the Land pursuant to occupancy agreements with Grantee at the time of conveyance from Grantor to Grantee. By acceptance of this deed, Grantee further covenants that it, its successors, heirs, legal representatives or assigns shall not use the groundwater underneath the Land for human consumption, irrigation or other purposes.*

3.3 Specialized Knowledge

Mr. Robert H. Fay, Executive Vice President, Seminole Gulf Railway, L.P., confirmed that the subject property was historically undeveloped prior to the construction of the railroad in the 1920s. Mr. Fay also stated that there was a deed restriction on the future use (see Appendix H and Section 3.2). Neither the current owner nor the Users, provided any specialized knowledge or information pertaining to the presence of RECs, CRECs, and HRECs in connection with the subject property (see Appendix H).

3.4 Commonly Known or Reasonably Ascertainable Information

Representatives for the current owner did not provide S&S with commonly known or reasonably ascertainable information regarding the presence of RECs, CRECs, and HRECs in connection with the subject property (see Appendix H).

3.5 Valuation Reduction for Environmental Issues

S&S did not perform a valuation reduction for environmental issues as part of this Phase I ESA. According to Mr. Doug Hattaway, Southeast Region Conservation Director, TPL, the purchase price

reflects fair market value. As a rail corridor with historic industrial use, contamination is expected, which can be addressed through a soil management plan with capping. The corridor is inactive and all parties have negotiated a purchase price that will ensure project success for a rail-to-trail conversion to support public use and the local economy.

3.6 Owner, Property Manager, and Occupant Information

According to information obtained from LCPA and CCPA, the subject property is owned by SGLR, who acquired the property from CSX (see Appendix A). The entire 11.4-mile section is currently not in use and mostly overgrown.

3.7 Reason for Performing ESA

This Phase I ESA was performed for TPL, the Village of Estero, City of Bonita Springs, and Collier County to support the acquisition of the unused railway line for trail conversion to support public use and the local economy.

4 Records Review

4.1 History of Railroads in Southwest Florida

In 1885, the Florida Southern Railroad began construction of the first rail line from Arcadia to Punta Gorda. By March 1886, the railbed was finished and the first train operated into Punta Gorda on July 24, 1886. This line was originally built as a **3**-foot narrow gauge. The tracks were widened to standard gauge (4 feet, 8.5 inches) on December 17, 1892.

The extension from Punta Gorda to F**or**t Myers was built by ACL. Construction began shortly after the ACL purchased the Plant System and Florida Southern Railroads in 1903. The first locomotive crossed the Caloosahatchee River on February 2, 1904. Nine days later**,** the tracks reached F**or**t Myers city limits and scheduled passenger services began May 10, 1904.

In 1922, Barron Collier and other F**or**t Myers businessmen formed the Fort Myers Southern Railway as a joint venture with ACL to construct a railroad to Naples. The company reached Bonita Springs on October 8, 1924, and western Naples on January 7, 1927. ACL**'**s main competitor, the Seaboard Air Line Railway**,** which had its own track through F**or**t Myers**,** also constructed a line reaching Naples on December 7, 1926. ACL completed a line to Marco Island on June 27, 1927.

In 1967**,** ACL and Seaboard Air Line merged into one company, SCL which proved beneficial to rail travel within the region by eliminating duplicate tracks and stations. However, the age of railroad passenger service was over**,** replaced by improved airline service and highways as well as the formation of Amtrak. SCL ended passenger service in **s**outhwest Florida in May 1971. In 1980**,** SCL merged with the Chessie System and other railroads to form CSX. In November 1987, SGLR acquired 118 miles of CSX track between North Naples and Arcadia, including the subject property, and between Oneco (Bradenton) and Sarasota.

4.2 Standard Environmental Record Sources

4.2.1 Environmental Database Search Findings

S&S tasked Envirosite to perform a search of reasonably ascertainable government and tribal records. Envirosite conducted a site records search compliant with the requirements of ASTM E1527-21 "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process" and the USEPA's "Standards and Practices for All Appropriate Inquiries" (40 CFR Part 312), which included searching a prescribed array of federal, state, local, and tribal databases. The purpose of Envirosite's environmental database search was to identify the available (reasonably ascertainable) government and tribal records for mapped facilities/sites either on the subject property or within the prescribed search radius as defined by ASTM. The complete online Envirosite environmental database search is provided in Appendix C. In addition to the search conducted by Envirosite, S&S completed a site search using the FDEP Contamination Locator Map and the FDEP Storage Tanks and Contamination Monitoring Map.

The Envirosite Government Records Report identified approximately 170 environmental sites and/or addresses (including the subject property) within the ASTM-defined radius of the subject property (see Appendix C). Given the large number of sites identified in the ASTM database search, the table detailing these sites is provided in Appendix C. The subject property is located in a mixed-use area of Lee and Collier Counties. The following provides a summary of the current status of those sites with known environmental investigations identified in proximity to the subject property.

- The Corkscrew Energy, LLC site (FDEP Site # 36/9806315) is located at 8800 Corkscrew Road in Estero. In 2011, a limited site assessment report (LSAR) was completed for the 2007 spill bucket discharge. Based on the findings of the LSAR the contractor recommends no further soil or groundwater assessment. On June 17, 2011, FDEP agreed with the recommendation and issued a Site Rehabilitation Completion Order (SRCO). This closed site would have no impact on the subject property.

- Palmer Cablevision of SW Fl Inc (FDEP Site # 36/8627269) is located at 26790 Old 41 Road in Bonita Springs. The Underground Storage Tank (UST) was removed in 1990 and in 1991 soil contamination was detected in the area of the former tank. An SRCO was issued in 1999 and the wells were abandoned in 2011. This closed site would not have any impact on the subject property.

- The Tisch Coin Laundry site (USEPA Resource Conservation and Recovery Act [RCRA] ID No. FLD981859820) is located at 10450 West Terry Street in Bonita Spring, immediately east of the subject property. Tisch Coin Laundry is currently an active laundromat (known as Tisch Laundry and Dry Cleaning), but historically, it also conducted drycleaning operations. Investigations conducted by FDEP and USEPA in 1999 indicated the facility discharged wastewater into two percolation ponds located south of the facility. Subsequent FDEP and USEPA investigations revealed drycleaning solvents had been discharged into the percolation ponds.

  USEPA issued a Consent Agreement and Final Order (Docket No: RCRA-04-2000-12) on June 1, 2001, requiring the submittal of a Closure Plan to adequately assess and remediate the contamination identified on the property. The Closure Plan was received on October 15, 2007. Pursuant to the Closure Plan, the percolation ponds and associated soils were removed from the site. According to a 2024 Compliance Evaluation Inspection conducted by FDEP, approximately 292 tons of hazardous waste soil and 820 tons of non-hazardous waste soil were excavated. Soil removal and subsequent groundwater assessment activities were completed in 2010.

  A Long-Term Groundwater Monitoring Plan (LTGWMP) was approved by FDEP and USEPA in 2012. The LTGWMP consists of biennial sampling of four long-term monitoring wells (LTMWs) in odd years for volatile organic compounds via USEPA Method 8260B. In addition to water quality analyses, water level data is collected for determination of potentiometric groundwater flow direction at the site.

  According to the 2023 Groundwater Monitoring Report, groundwater samples were collected from all four LTMWs on November 17, 2023. Results indicated most of the monitored constituents showed a general decreasing trend since biennial monitoring began in 2013. However, concentrations of daughter products of trichloroethene and/or tetrachloroethene degradation (notably cis-1,2-dichloroethene and vinyl chloride) continue to significantly exceed Florida Groundwater Cleanup Target Levels and Florida Natural

Attenuation Default Concentrations at source area and downgradient wells. The report for the November 2023 groundwater monitoring event recommended continuation of groundwater monitoring with the next event scheduled in November 2025. The 2025 data was not available from the FDEP OCULUS database.

The available site file indicates that USEPA attempted to gain access to the railroad in 2013 to install temporary monitoring wells on the railroad ROW to further delineate groundwater contamination to the west. Site access was declined and the monitoring wells were never installed. S&S contacted the USEPA Region IV site manager, Mr. Brian Bastek, to obtain the most recent information pertaining to the Tisch site. Mr. Bastek could not provide any additional information but commented that he did not believe there would be chlorinated solvent source on the railroad ROW. He did state that groundwater beneath the railroad ROW could be contaminated with drycleaning solvents attributable to the Tisch Laundry site.

The Bonita Springs Fire Control & Rescue (FDEP Site # 36/8627258) is located at 27490 Old 41 Road in Bonita Springs. After remedial and assessment activities were completed, FDEP issued an SRCO in October 2020 for the 1993 petroleum discharge at this site. This site would not have any impact on the subject property.

- The Naples Tomato Growers site (FDEP Site # 11/8518313) is located at 15000 Old 41N in Collier County. Review of the available site file indicates that a discharge reporting form was submitted to FDEP in 1990. The site received a No Further Action Order on May 10, 1991. This closed site would not have any impact on the subject property.

- The Cemex-Wiggin Pass Ready-Mix, Block and Paver site (FDEP Site # 11/8518892) is located at 1425 Wiggins Pass Road East. A Site Assessment Report (SAR) and No Further Action Proposal (NFAP) was submitted to FDEP in May 2016 for the 1992 and 1993 discharges. FDEP reviewed the SAR/NFAP request and issued an SRCO on February 24, 2017. This closed site would not have any impact on the subject property.

S&S reviewed the location and the current regulatory status of the sites listed in the Envirosite database search (see Appendix C). It is noted that many of the listed sites store or use hazardous materials or petroleum products. However, except for Tisch Laundry, it is our opinion that the sites listed in the Environmental Database Search table and described above would not have a likely impact on the subject property.

4.2.2 Contaminants of Emerging Concern

According to the USEPA, Contaminants of Emerging Concern are increasingly being detected at low levels in ground and surface water. There is concern that these compounds may have an impact on human health and the environment. On July 8, 2024, the USEPA designated two polyfluoroalkyl substances (PFAS)—perfluorooctanoic acid and perfluorooctane sulfonic acid, including their salts and structural isomers—as "hazardous substances" under CERCLA.

Envirosite conducted a search of the publicly available PFAS databases, identifying six facilities in the PFAS Industry database, which are sites where regulators and the public have expressed interest in knowing which regulated entities may be using PFAS (see Appendix C). These facilities include Goodcat LLC, Earth Supplied Products LLC, Etura Corp., MOOG, Inc., March Performance, Inc., and Bonita Springs Utilities

Wastewater Treatment Plant (WWTP)/Water Reclamation Facility. None of these facilities are listed on the FDEP Environmental Restoration Integrated Cleanup (ERIC) PFAS database indicating any ongoing investigative activities. Additionally, the subject property transects several areas of commercial/light industrial facilities that are likely to use materials containing PFAS.

4.2.3 Unmappable Sites

Unmappable orphan sites are sites with poor or inadequate address information that cannot be mapped. The Envirosite search did not identify any unmappable sites.

4.3 Physical Setting Sources

The most recent topographic data were obtained from the Environmental Systems Research Institute, United States Geological Survey (USGS), and the Envirosite government records report (Appendix C). Historical topographic maps are provided in Appendix D.

4.4 Historical Use Information

S&S reviewed the following historical sources to develop a history of the previous uses of the subject property and surrounding area to assist with identifying the past uses for indications of RECs. S&S tasked Envirosite to perform a search of reasonably available historical USGS topographic maps, historical aerial photographs, and historical fire insurance maps. These maps and photos were reviewed to evaluate land development and obtain information concerning the history of development on and near the subject property. Reviewed historical topographic maps, aerial photographs, and Sanborn Maps are summarized below.

4.4.1 Aerial Photographs from 1944 through 2023

Historical aerial photographs from 1944 through 2023 from Envirosite's Historical Aerial Photo Report (Appendix I) were reviewed to identify historical uses on the subject property and the surrounding area. The findings of the historical aerial review are summarized in Table 4.

Table 4: Aerial Photographs

Direction	Comments
Subject Property	The subject property appears as a rail ROW in all reviewed historical aerial photographs (1944–2023). Due to the extent of the historical aerial photographs, it is difficult to discern years of operation.

Table 4: Aerial Photographs	
Direction	Comments
North	**Estero (northern section)** – The areas north of the subject property are mostly out of the extent of all reviewed historical aerial photographs (1944–2023). From what is visible, this area appears mostly undeveloped until the 1999 historical aerial photograph, which showed a roadway traveling west to east, and the 2007 historical aerial photograph, which showed single-family residential development. **Bonita Springs (central section)** – In all reviewed historical aerial photographs (1944–2023), the areas north of the subject property within this segment are a continuation of the rail line ROW corridor. Due to the extent of the historical aerial photographs, it is difficult to discern years of operation. **Collier County (southern section)** - In all reviewed historical aerial photographs (1944–2023) the areas north of the subject property within this segment are the continuation of the rail line ROW corridor. Due to the extent of the historical aerial photographs, it is difficult to discern years of operation.
East	**Estero (northern section)** – Earliest historical aerial photographs (1944–1950) show areas east of the subject property as primarily undeveloped with wetlands visible. Only a small portion along the Estero River is developed, likely for agricultural purposes with a grid pattern observed. In the 1958 historical aerial photograph, an expansion of agricultural land is observed in the northern portion with row crops visible and a reduction in canopy cover within the southern portion. In the 1969 historical aerial photograph, sparse residential development is observed and by the 1978 historical aerial photograph, another expansion of agricultural land is along the northern boundary of the subject property. By the 1995 historical aerial photograph, there is a large increase in development within the northern portion, with single-family residential development surrounding what appears to be manmade ponds. Residential development is observed in the southern portion within the 1999 historical aerial photograph and by the 2007 historical aerial photograph this appears as a golf course surrounded by single-family homes and numerous ponds likely for stormwater retention. The northern area is also dominated by high-density single-family residential development with ponds, likely for stormwater retention, by the 2007 historical aerial photograph. No other significant changes are observed in all other historical aerial photographs (2010–2023) reviewed. **Bonita Springs (central section)** – The earliest historical aerial photographs (1944–1950) depict the areas east of the subject property as mainly undeveloped with wetlands visible. A small portion in the middle of this segment is slightly developed along a grid network of streets. Imperial River is also visible running east to west. While the northern portion remains largely undeveloped with some minimal road development from the 1958 to 1978 historical aerial photographs, the middle to southern portion continues to grow along a grid network with agriculture visible on the outer extents beginning on the 1969 historical aerial photograph. The 1971 to 2015 historical aerial photographs show primarily residential development continuing to gradually increase into a high-density residential area. No other significant changes are observed in all other reviewed historical aerial photographs (2019–2023). **Collier County (southern section)** – The areas east of the subject property remain largely undeveloped in the earliest historical aerial photographs (1944–1958) with Old 41 Road extending northeast of the subject property and continuing southwest. In the 1969 historical aerial photograph, minimal development is depicted with land being used primarily for agricultural purposes further east. Beginning in the 1978 historical aerial photograph, more development occurs with the construction of a golf course and continues to grow through the 1980 historical aerial photograph. By the 1995 historical aerial photograph there appears to be some development directly adjacent to the subject property which can be discerned as being for commercial use in the 1999 historical aerial photograph. No agricultural land exists within the 2007 historical aerial photograph; rather, this land is dominated by golf courses surrounded by single-family residences. No other significant changes are observed in all other reviewed historical aerial photographs (2010–2023).

Table 4: Aerial Photographs	
Direction	Comments
South	**Estero (northern section) –** In all reviewed historical aerial photographs (1944–2023), the areas south of the subject property within this segment are the continuation of the rail line ROW corridor. Due to the extent of the historical aerial photographs, it is difficult to discern years of operation. **Bonita Springs (central section)** – In all reviewed historical aerial photographs (1944–2023), the areas south of the subject property in this segment are the continuation of the rail line ROW corridor. Due to the extent of the historical aerial photographs, it is difficult to discern years of operation. **Collier County (southern section)** – Areas south of the subject property appear undeveloped in the earliest historical aerial photographs (1944–1958) until the 1969 historical aerial photograph when what appears to be a single-family residential neighborhood is being developed southeast of the subject property. Gradual growth continues until the 1995 historical aerial photograph when a substantial growth in development can be seen south of the subject property becoming a high-density residential area. No other significant changes are observed in all other reviewed historical aerial photographs (1999–2023) as areas south of the subject property remain residential.
West	**Estero (northern section) –** In the earliest historical aerial photographs (1944–1950), areas west of the subject property appear mostly undeveloped with some agricultural land. Estero River is visible running east to west near the northern portion of the subject property. South Tamiami Trail is also visible in the northern portion and appears to expand to the southern portion by the 1958 historical aerial photograph. Beginning in the 1969 historical aerial photograph, residential development is observed in the northern portion which appears to develop gradually until the 1995 historical aerial photograph when a significant increase in development is observed. Large agricultural properties remain in the 1999 historical aerial photograph along the subject property's boundary in the northern portion with areas west of South Tamiami Trail being further developed with what appears to be manmade ponds. By the 2007 historical aerial photograph, single-family residential development is depicted surrounding these ponds along with a large commercial development along the boundary of the subject property's southern portion. No other significant changes are observed in all later reviewed historical aerial photographs (2010–2023) with residential and commercial development remaining the prominent use west of the subject property. **Bonita Springs (central section)** – The areas west of the subject property appear as largely undeveloped with wetlands and only a few unimproved roads visible in the earliest historical aerial photographs (1944–1950). In the 1958 historical aerial photograph, South Tamiami Trail is visible extending north to south. Portions of land being used for agricultural purposes are depicted too. Portions of these are visible as row crops in the 1969 historical aerial photograph. Beginning with the 1969 historical aerial photograph, development expands near the central portion of this segment. Development, particularly residential, continues to gradually expand until the 2007 historical aerial photograph with what appears to be manmade ponds and golf courses. The northern portion of this segment experiences a significant increase in residential development by the 1995 historical aerial photograph and continues to grow through the 2007 historical aerial photograph. No other significant changes are observed in all later reviewed historical aerial photographs (2010–2023). **Collier County (southern section)** - The areas west of the subject property remain largely undeveloped in the earliest historical aerial photographs (1944–1958) with Old 41 Road extending from the northeast and continuing southwest. In the 1969 historical aerial photograph, there is development along the subject property's western boundary. This development appears to expand by the 1978 historical aerial photograph and what appears to be high-density residential development begins just west of the subject property's southern boundary. This residential development continues to expand through the 1995 historical aerial photograph. Commercial development near the subject property's western boundary appears to increase through the 1999 historical aerial photograph. No other significant changes are observed in all later reviewed historical aerial photographs (2010–2023).

None of the available historical aerial photographs identified additional sites or sources of concern that were not identified in other historical resources.

4.3.2 Topographic Maps from 1958 through 2025

Topographic data from 1958 through 2025 were obtained from Envirosite's "Historical Topographic Map Report" (Appendix D). The findings of the historical topographic map review are summarized in Table 5.

Table 5: Topographic Maps

Direction	Comments
Subject Property	The subject property appears as an active railroad ROW in the earliest historical topographic maps (1958–1958, revised 1972); the available topographic maps do not show specifically when operations ceased, however it appears they have by the 1958, revised 1987, interlocal topographic map. The subject property is depicted as the Atlantic Coast Line and then the Seaboard Coast Line.
North	**Estero (northern section) –** The area north of the subject property appears mostly undeveloped in the 1958 historical topographic map with what appears to be the beginning of a neighborhood, with only a few structures depicted, slightly north of the subject property. Several lakes are visible within this area, including Pine Lake, Cedar Lake, Spruce Lake, Rose Apple Lake, and Lily Lake. There is only a slight increase in homes visible in the 1958, revised 1972, historical topographic map, however, by the 1958, revised 1987, historical topographic maps an expansive residential area appears to be located between Alico Road and the subject property. This area appears highly developed by the 2012 historical topographic map with San Carlos Park, Three Oaks, and Miromar Lakes identified, in addition to several golf courses. In the 2015 historical topographic map, Florida Gulf Coast University is depicted northeast of the subject property. Despite extensive development, the 2025 historical topographic map depicts some remaining marshes directly north of the subject property. What appears to have been a northern continuation of the subject property, when in operation, is labeled as the Atlantic Coast Line in the 1958 historical topographic map, the Seaboard Coast Line in the 1958, revised 1972, historical topographic map, and by the 1958, revised 1987, historical topographic map, it remains present but no longer labeled. **Bonita Springs (central section)** – The area north of this portion of the subject property is a continuation of the subject property in Estero. It is labeled as the Atlantic Coast Line in the 1958 historical topographic map, the Seaboard Coast Line in the 1958, revised 1972, historical topographic map. By the 1958, revised 1987, historical topographic map, it remains present but no longer labeled. **Collier County (southern section)** – The area north of this portion of the subject property is a continuation of the subject property in Bonita Springs. It is labeled as the Atlantic Coast Line in the 1958 historical topographic map, the Seaboard Coast Line in the 1958, revised 1972, historical topographic map, and by the 1958, revised 1987, historical topographic map, it remains present but no longer labeled.

Table 5: Topographic Maps	
Direction	Comments
East	**Estero (northern portion) –** In the earliest historical topographic maps (1958–1958, revised 1972) the areas directly east of the subject property are depicted as an orchard with numerous flowing wells and a gravel pit. Further east appears undeveloped and highly vegetated with some marshlands. In the 1958, revised 1987, historical topographic map, there appears to be some development proximate to the subject property. Interstate 75 (I-75) is also visible, running north to south. Areas east of I-75 appear to begin experiencing some residential development. By the 2012 historical topographic map, the area east of the subject property appears densely developed with mostly residential and scattered commercial uses along I-75. While a high density of development remains, the 2025 historical topographic map depicts some marshes remaining along I-75 and comprising most of Florida Gulf Coast University which is slightly northeast of the subject property. **Bonita Springs (central portion) –** The area east of the subject property appears primarily undeveloped in the earliest historical topographic map (1958) except in the central portion of this segment within Bonita Springs which has incurred some development along a grid network. Undeveloped areas are depicted as highly vegetated with sporadic marshes. Imperial River is visible extending east to west and a tributary, Leitner Creek, is visible extending further eastward. Scattered flowing wells, a racetrack, and a cemetery are depicted east of the subject property. In the 1958, revised 1972, historical topographic map, roads begin to expand while development is depicted to increase within Bonita Springs. By the 1958, revised 1987, historic topographic map, development begins to expand into areas outside Bonita Springs, scattered both to the northeast and southeast of the subject property. Bonita Springs appears to have a high density of buildings. By the 2012 historical topographic map, the areas east of the subject property appear to have a high-density of residential development and a large amount of local roads. I-75 is shown extending north to south with areas further east remaining undeveloped and highly vegetated and containing small bodies of water. No other significant changes are observed in the remaining historical topographic maps (2015–2025). **Collier County (southern portion)** – In the earliest historical topographic map (1958), the area east of the subject property is undeveloped, highly vegetated with patches of marsh present. Some development is observed beginning in the 1958, revised 1972, historical topographic map with a trailer park depicted adjacent to the subject property and other areas further east appearing to undergo development. However, it remains highly vegetated. The 1958, revised 1987, historical topographic map continues to show large areas undeveloped with high vegetation. More development is occurring along the subject property's boundary and what appears to be the start of a neighborhood is observed slightly east. By the 2012 historical topographic map, the areas east of the subject property appear to be dominated by residential development with small waterbodies. Two schools are depicted off Livingston Road in the 2015 historical topographic map. While this area appears to have a high density of residential development, the 2025 historical topographic map continues to show some scattered marsh areas.

Table 5: Topographic Maps	
Direction	Comments
South	**Estero (northern section) –** The area south of this portion of the subject property is a continuation of the subject property in Bonita Springs. It is labeled as the Atlantic Coast Line in the 1958 historical topographic map, the Seaboard Coast Line in the 1958, revised 1972, historical topographic map, and by the 1958, revised 1987, historical topographic map, it remains present but no longer labeled. **Bonita Springs (central section)** – The area south of this portion of the subject property is a continuation of the subject property in Collier County. It is labeled as the Atlantic Coast Line in the 1958 historical topographic map, the Seaboard Coast Line in the 1958, revised 1972, historical topographic map, and by the 1958, revised 1987, historical topographic map, it remains present but no longer labeled. **Collier County (southern section)** – Areas south of the subject property are largely undeveloped with a few scattered buildings along the Cocohatchee River in the earliest historical topographic map (1958). An increase in development is observed in the 1958, revised 1972, historical topographic map with Palm River Estates depicted. This area appears to include a future golf course. New development is also observed southwest of the subject property, specifically along the Cocohatchee River. By the 1958, revised 1987, historical topographic map, a couple of golf courses are visible coupled with an increase in the number of houses depicted within Palm River Estates. Areas south of the subject property appear to be highly developed residential by the 2012 historical topographic map. No significant changes were observed in the remaining historical topographic maps (2015–2025). An apparent southern continuation of the subject property, when in operation, is labeled as the Atlantic Coast Line in the 1958 historical topographic map, the Seaboard Coast Line in the 1958, revised 1972, historical topographic map, and Old Railroad Gauge by the 1958, revised 1987, historical topographic map. By the 2012 historical topographic map, the rail line is no longer depicted.
West	**Estero (northern section) –** The area west of the subject property is mostly undeveloped in the earliest historical topographic map (1958) with some orchards present just west of the subject property. U.S. Highway 41 (South Tamiami Trail) is visible extending north to south, and Estero River is visible extending west to east. Koreshan Unity Cemetery is also depicted just west of U.S. Highway 41. There is a slight increase in development along U.S. Highway 41 in the 1958, revised 1972, historical topographic map, however, large portions remain undeveloped. Another increase in development is observed in 1958, revised 1987, historical topographic map but the orchards remain present. Several trailer parks and Koreshan State Park are located within the vicinity. By the 2012 historical topographic map, a large increase in residential development occurs with minimal open space left. However, despite these high-density residential areas, the 2025 historical topographic map depicts some marsh areas remaining around Estero River. **Bonita Springs (central section) –** The area west of the subject property appear primarily undeveloped in the earliest historical topographic map (1958) with some development near Bonita Springs and along Imperial River, further west. Marshes are also present. In the 1958, revised 1972, historical topographic map, there is an expansion of development, particularly along Little Hickory Bay and in the 1958, revised 1987, historical topographic map, development appears to expand westward from Bonita Springs. Bonita Shores, which is located further west between Little Hickory Bay and Imperial River, has also grown. By the 2012 historical topographic map, the area west of the subject property is dominated by residential development with little open space and vegetation depicted. Many roads branch off U.S. Highway 41 (South Tamiami Trail) and Bonita Beach Road which appear to lead to neighborhoods surrounding small waterbodies. No other significant changes are observed in the remaining historical topographic maps (2015–2025). **Collier County (southern section)** – The area west of the subject property is undeveloped with large portions of mangroves depicted in the 1958 historical topographic map. A small sandy area is also visible before Wiggins Pass and U.S. Highway 41 (South Tamiami Trail) west of the subject property with a few unimproved roads. Minimal development is observed in the 1958, revised 1972, historical topographic map with a few buildings present along the western boundary of the subject property off U.S. Highway 41 (South Tamiami Trail). Additional development is observed along the

Table 5: Topographic Maps	
Direction	Comments
	subject property in the 1958, revised 1987, subject property; however, large portions remain undeveloped. Further west, Barefoot Beach State Preserve and Delnor-Wiggins Pass State Recreation Area are depicted which appear to comprise mostly mangroves. By the 2012 historical topographic map, a large increase in development is visible with a large residential area along Vanderbilt Drive, just south of the boundary of Lee and Collier Counties. Wiggins Island, Wiggins Pass Marina, and Gulf Harbor are new areas depicted west of the subject property. While these areas appear to have a high density of residential areas, the 2025 historical topographic map depicts some remaining scattered marsh areas.

None of the available topographic maps identified additional sites or sources of concern that were not identified in other historical resources.

4.4 Fire Insurance Maps

Envirosite searched the Historical Information Gatherers, Inc. Historical Map Collection and the United States Library of Congress Map Collection for fire insurance maps (FIMs), real estate atlases, and similar maps for the site location and adjoining properties. No FIMs or similar maps were identified for the site location and/or adjoining properties.

4.5 Other Information

4.5.1 Land Use Records Review

The subject property is an unused rail line ROW. According to available site information, the land was undeveloped prior to railroad construction in the 1920s. The railroad operated until 2008.

4.5.2 City Directories

Based on the size of the subject property and the number of roadways in the search area, S&S did not conduct a City Directory Search as part of this Phase I ESA.

4.5.3 Building Department Records

No building department records were reviewed while conducting this Phase I ESA. According to the available historical records, the railroad was constructed in the 1920s and operated until 2008.

4.5.4 Well Information

Records from the Envirosite database search of federal USGS wells, Federal Reporting Database System Public Water Supply wells, and the State Database indicate that no permitted wells are located on the subject property (see Appendix C). Numerous permitted wells are within the vicinity of the subject property, including several public supply wells within 0.5 mile of the subject property.

- Manna Christian Missions, Inc./Manna Christian/Ed Saldivar-Saldivar/Manna Christian Water Treatment Plant is located at 10421 Pennsylvania Avenue in Bonita Springs,

approximately 0.21 mile east of the subject property. The well is currently inactive but formerly served a population of 499.

- Gulf Coast Camping Resort is located at 24020 Production Circle in Bonita Springs, approximately 0.077 mile west of the subject property. The well is currently inactive but formerly served a population of 450.

- Cemex - Wiggins Pass Ready-Mix, Block and Paver plant is located at 1425 Wiggins Pass Road E, approximately 0.113 mile south of the subject property. This well is listed as active, serving a worker population of 160.

- Bonita Springs Child Care Center is located at 27624 Felts Avenue, approximately 0.131 mile east of the subject property. The well is currently inactive but formerly served a population of 37.

- Naples Tomato Growers is located at 15000 Old 41 North, approximately 0.142 mile west of the subject property. The well is currently inactive but formerly served a population of 30.

- Estero River Trailer Park is located at 20950 US 41 South, approximately 0.248 mile west of the subject property. The well is currently inactive but formerly served a population of 80.

- Sunny Grove Park, a mobile home community, is located at 3401 Coralberry Lane, approximately 0.263 mile west of the subject property. The well is currently inactive but formerly served a population of 195.

- Estero Woods Village, an apartment community, is located at 22700 Tamiami Trail South, approximately 0.456 mile west of the subject property. The two wells on the property are inactive but formerly served a population of 300.

- Pelican Landing Community Center is located at 24501 Walden Center Drive, approximately 0.459 mile west of the subject property. This well is listed as active serving a population of 600.

5 Site Reconnaissance

5.1 Methodology and Limiting Conditions

S&S conducted a site visit on July 9, 2026, that included the following:

- A site reconnaissance of the subject property; and
- A windshield survey of the adjacent properties and key properties identified in the Envirosite database search.

The site reconnaissance consisted of a visual review of the subject property, windshield surveys of the properties immediately adjacent, and windshield surveys of Envirosite database sites. The subject property reconnaissance was conducted in a systematic method to identify any areas that could be RECs.

Site photographs of general site conditions taken during the site reconnaissance are provided in Appendix K. Locational data were collected using a Trimble Juno T41 and Garmin GPSMap 64st global positioning system.

Additionally, details about interviews that were conducted and related questionnaires are provided in Section 6 of this report.

Mr. Richard Stephens, the S&S Qualified Environmental Professional (QEP) and Mr. Chris Kennedy, S&S Scientist, completed the site reconnaissance on July 9, 2026. The qualification statement and resume for the S&S QEP are provided in Section 12 and Appendix L, respectively.

5.2 General Site Conditions

The subject property is an approximately 11.4-mile, unused railroad ROW beginning immediately south of Estero Parkway in Lee County extending south to Railhead Scrub Preserve in Collier County. Aerial photographs illustrating site features are provided as Figures 2A, 2B, and 2C, and relevant photographs are provided in Appendix K.

According to the available site file and history, the subject property was developed as a railway line in the 1920s and operated for nearly 100 years. The rail line is no longer in operation, closing in 2008.

5.3 Exterior Observations

The following is a summary of key features and potential RECs, HRECs, or CRECs, if any, identified during the site reconnaissance and report development (see Figure 2). The S&S QEP walked the entire subject property.

Estero:

- The subject property is an overgrown abandoned railroad ROW that extends south from Estero Parkway in the Village of Estero. A pile of railroad ties was observed, likely staged by SGLR for routine maintenance.
- A gopher tortoise burrow was observed in the ROW close to the intersection of Williams Road.
- One water crossing exists where the ROW crosses the Estero River.

Bonita Springs:

- Tisch Laundry, a former drycleaner under long-term monitoring with USEPA, is located immediately east of the subject property on Terry Street. More information pertaining to the current status of Tisch Landry is provided in Section 4.2.
- A large pile of railroad ties was observed in the central section of this segment.
- Two homeless encampments and a significant trash pile were observed south of Bonita Beach Road SE (County Road 865) in this segment of the subject property. Although unsightly, we did not observe any issues or concerns pertaining to hazardous materials or wastes.
- Six (6) gopher tortoise burrows were observed in the ROW, most in the central area of the ROW within Bonita Springs and to the north of Terry Street. The other gopher tortoise burrow was observed close to the railroad crossing of Old 41 Road.

Collier County:

- A homeless encampment and a pile of pallets were observed near the intersection with Channel 30 Drive in the northern section of this segment. Additionally, we observed a couch and several tires.
- A trash pile was observed in the central area of this segment which contained household construction trash (e.g., concrete block, wall tiles) and other household items including a piano/organ keyboard.
- Six (6) gopher tortoise burrows were observed in the southern area of this segment where the ROW transects the Railhead Scrub Preserve.

5.4 Interior Observations

There are no permanent structures on the ROW requiring internal observations.

Table 6 provides a summary of the photographs taken during the site visit, their locational data, and a brief description. Photographs are presented in Appendix K.

Table 6: Findings and Additional Points			
Location	Latitude	Longitude	Description
GT-1	26.30089593	-81.79187928	Gopher Tortoise Burrow
GT-2	26.29997265	-81.79200577	Gopher Tortoise Burrow
GT-3	26.29987372	-81.79201671	Gopher Tortoise Burrow
GT-4	26.29915623	-81.79203035	Gopher Tortoise Burrow
GT-5	26.29889406	-81.79199164	Gopher Tortoise Burrow
GT-6	26.29734212	-81.79212628	Gopher Tortoise Burrow
GT-7	26.35076075	-81.78144872	Gopher Tortoise Burrow
GT-8	26.35204456	-81.78221567	Gopher Tortoise Burrow
GT-9	26.35249643	-81.78260603	Gopher Tortoise Burrow
GT-10	26.35265949	-81.78276116	Gopher Tortoise Burrow
GT-11	26.35274688	-81.78286324	Gopher Tortoise Burrow
GT-12	26.35282412	-81.78293769	Gopher Tortoise Burrow
GT-13	26.37738061	-81.80377673	Gopher Tortoise Burrow
GT-14	26.41995288	-81.80471046	Gopher Tortoise Burrow
Pallets	26.31612619	-81.7882888	Pile of shipping pallets, a couch and ties, and a large number of convenience store cups
HE-2	26.31626818	-81.78823482	Homeless Encampment is located across the ROW from the pallet area described above.
Trash-2	26.31721525	-81.78779586	Household trash pile
HE-1	26.3178242	-81.78763887	Homeless Encampment
HE-3	26.32808817	-81.78359183	Homeless Encampment
RRT-1	26.35145624	-81.7819328	Railroad ties
RRT-2	26.43205618	-81.80677382	Railroad ties
Trash-1	26.30473409	-81.79154412	Trash – household construction including concrete block, tile, and similar items

5.5 Windshield Survey

During the site reconnaissance, S&S conducted a windshield survey of the adjacent parcels (Figures 2A [Estero - North Section], 2B [Bonita Springs - Central Section], and 2C [Collier County - South Section]).

Given that the subject property is located within a commercial and historically industrial area of the Village of Estero, Bonita Springs, and Collier County, it is likely that many of these adjacent properties stored and used hazardous wastes and materials above *de minimis* quantities. However, other than those sites discussed in Sections 4.2 and 7, S&S did not observe any adjacent sites that have potentially impacted the subject property.

6 Interviews

Completed questionnaires used to conduct interviews are provided in Appendix H.

6.1 Interviews with Owners/Operators

Mr. Robert H. Fay, Executive Vice President, Seminole Gulf Railway, L.P., completed the owner/agent questionnaire (Appendix H). Mr. Fay did not identify any issues or concerns pertaining to RECs, HRECs, or CRECs in connection with the subject property. Mr. Fay stated that there was a deed restriction on the subject property's future use (see Section 3.2).

6.2 Interviews with Future Owners

S&S provided TPL, the Village of Estero, the City of Bonita Springs, and Collier County with the User questionnaire (see Appendix H). The following individuals completed the User questionnaires.

Doug Hattaway, Southeast Region Conservation Director, Trust for Public Land - did not identify any RECs or HRECs associated with the subject property. Mr. Hattaway indicated that the purchase price did reflect fair market value. He further stated that he was aware of a publicly recorded deed of title to Seminole Gulf Railway, L.P., that includes deed restrictive language pertaining to land uses.

Steve Sarkozy, Village Manager, Village of Estero - did not identify any RECs or HRECs associated with the subject property.

Matt Feeney, Assistant City Manager, City of Bonita Springs - did not identify any RECs or HRECs associated with the subject property.

Jennifer A. Belpedio, Manager - Real Property Management, Collier County - did not identify any RECs or HRECs associated with the subject property.

6.3 Interviews with Government Officials

S&S completed a records request from Lee County (Request Number #26-2465) and received the following responses. Lee County Pollution Prevention Program and Lee County Tanks Program did not have any records on file for the subject property.

Mr. Brian Bastek, USEPA Region IV Science and Ecosystem Support Division (SESD) – was contacted to obtain information regarding the adjacent Tisch Coin Laundry, 10450 West Terry Street (USEPA # FLD981859820; see Section 4.2). Mr. Bastek stated that USEPA had not sampled on the railroad ROW and that based on the known site history and waste stream he did not think that soils on the ROW would be impacted by the former drycleaner. However, he did state that groundwater beneath the ROW could be impacted as that is a data gap in the USEPA investigations.

6.4 Interviews with Others

S&S did not interview any others in the preparation of this Phase I ESA.

7 Findings

This Phase I ESA of the subject property was performed in general conformance with ASTM E1527-21 "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process." On December 15, 2022, the USEPA published a Final Rule adopting ASTM E1527-21 as a standard satisfying the AAI requirement for landowner liability defenses under the CERCLA.

S&S representatives Richard Stephens, the QEP for this Phase I ESA, and Mr. Chris Keneedy, S&S Scientist, conducted the site reconnaissance on July 9, 2026.

The subject property is an approximately 11.4-mile, unused railroad ROW beginning immediately south of Estero Parkway and extending south to Railhead Scrub Preserve in Collier County (see Figures 1, 2A, 2B, and 2C). According to information obtained from the LCPA and CCPA, the subject property is comprised of sixteen parcels (see Section 1 and Appendix A). The center of the subject property has an approximate latitude and longitude of 26.370759N and - 81.802379W in Sections 02, 03, 10, 15, 22, 26, 27, 28, 33 and 35; Townships 46, 47, and 48 South, Range 25 East.

Findings are summarized in the following subsection. Complete details are not discussed in this section alone; the report must be read in its entirety for a comprehensive understanding of the items contained herein.

General Findings

A site map showing the general findings of the site reconnaissance is provided as Figure 2. A photographic log of site features is presented in Appendix K.

- The subject property was first developed as a railroad corridor in the 1920s. Residual contamination from former railroad operations may exist at the subject property. Some historic railroad operations involved the use of chemicals that may have resulted in the presence of contamination today. The most commonly reported contamination along rail lines includes metals, pesticides (such as lead arsenate), and constituents of oil or fuel (petroleum products). These chemicals have been associated with normal railroad operations and are likely to be found anywhere along the corridor. For example, it would not be uncommon to find arsenic present in the soil along a ROW from old railroad ties dipped in an arsenic solution, arsenic weed-control sprays, and arsenic-laced slag used as railroad bed fill. Lubricating oil and diesel that dripped from the trains are likely sources of the petroleum product found along the lines. Other sources of contaminants associated with historic railroad operation may include coal ash from engines, creosote from ties, and PAHs from the diesel exhaust (Commonwealth of Massachusetts 2016). The potential presence of heavy metals (arsenic and lead) and PAHs should be considered an REC.

- The Tisch Laundry site (USEPA # FLD981859820; see Section 4.2) is located immediately adjacent to the subject property on West Terry Street in Bonita Springs. Tisch Laundry is under long-term monitoring for groundwater contamination. Based on the site file review and discussion with the USEPA project manager, groundwater beneath the railroad ROW

may be impacted by chlorinated drycleaning solvents. The potential presence of contamination in the shallow groundwater beneath the subject should be considered a REC.

8 Data Gaps

ASTM E1527-21 defines a data gap as "a lack or inability to obtain information required by this practice despite good faith efforts by the environmental professional to gather such information." A significant data gap is further defined as "a data gap that affects the ability of the environmental professional to identify a recognized environmental condition." Data gaps may result from incompleteness in any of the activities required by this practice, including, but not limited to the site reconnaissance and interviews. The standard allows the environmental professional to use professional experience to assess the significance of the data gap.

S&S did not conduct a City Directories search for this Phase I ESA. S&S believes that the City Directories cannot be practically reviewed given the size of the project and the large number of potential cross streets and adjacent streets. However, based upon known site history and the review of other historical data sources, we do not believe this is a significant data gap.

9 Conclusions and Opinions

S&S has performed a Phase I ESA of the subject property in general conformance with the scope and limitations of ASTM E1527-21 and the USEPA AAI. Exceptions to, or deletions from, this practice are described in Sections 1.2 and 1.3. The subject property is a 11.4-mile, unused railroad ROW that begins immediately south of Estero Parkway in the Village of Estero, extends south through the City of Bonita Springs, and then terminates at the southern end of the Railhead Scrub Preserve in Collier County (see Figures 1, 2A, 2B, and 2C). This assessment has revealed the following RECs in connection with the subject property.

- The subject property has been a railroad ROW since the 1920s and, as such, the soils along the ROW may have been impacted by railroad operations.
- Tisch Laundry, and site, under long-term monitoring and the available site information suggests that groundwater beneath the subject property maybe impacted with drycleaning solvents.

It is our opinion that a Phase II ESA is warranted for this subject property.

10 References

Commonwealth of Massachusetts. 2016. Best Management Practices for Controlling Exposure to Soil during the Development of Rail Trails. Commonwealth of Massachusetts, Executive Office of Environmental Affairs, Department of Environmental Protection. https://www.mass.gov/files/documents/2016/08/wm/railtrai.pdf. Accessed March 16, 2026.

McCarthy. A. James. Jr. P.G. 2014. Florida Department of Environmental Protection - DOD, Brownfields & CERCLA Programs Section. Geology of Collier County.

McCarthy. A. James. Jr. P.G. 2015. Florida Department of Environmental Protection - DOD, Brownfields & CERCLA Programs Section. Geology of Lee County.

Shaw Environmental, Inc. 2007. Site Assessment Report. 7-Eleven #32597, 26975 Old U.S. Highway 41 Bonita Springs, Florida. Facility ID: 36/9800973. September 20, 2007

Shaw Environmental, Inc. 2008. Pilot Test Plan. 7-Eleven #32597, 26975 Old U.S. Highway 41 Bonita Springs, Florida. Facility ID: 36/9800973. June 27, 2008

Village of Estero. 2019. Comprehensive Plan. Adopted June 13, 2018: Ordinance 2018-01. Amended September 25, 2019: Ordinance 2019-24

11 Qualifications and Signature of the Environmental Professional

I, Richard Stephens, am the qualified environmental professional who conducted the site assessment for this Phase I ESA.


I declare that, to the best of my knowledge and belief, I meet the definition of an Environmental Professional as defined in §312.10 of 40 CFR Part 312.

I have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. I have developed and performed all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.



Richard Stephens Date: July 21, 2026

Figures



N


0 ½ 1 Miles

Legend

Subject Property

Figure 1
Site Location Map
BERT Trail
Lee - Collier County, Florida

7/13/2026



N

0 ¼ ½ Miles


Legend

- Subject Property
- Subject Property within Estero
- Findings in Estero

Figure 2A
Site Location Aerial Map
BERT Trail - Estero
Lee County, Florida

7/13/2026

Label	Lattitude	Longitude
GT-7	-81.78144872	26.35076075
GT-8	-81.78221567	26.35204456
GT-9	-81.78260603	26.35249643
GT-10	-81.78276116	26.35265949
GT-11	-81.78286324	26.35274688
GT-12	-81.78293769	26.35282412
GT-13	-81.80377673	26.37738061
Trash-2	-81.78779586	26.31721525
HE-1	-81.78763887	26.3178242
HE-3	-81.78359183	26.32808817
RRT-1	-81.7819328	26.35145624



N

0 0.33 0.65 Miles

Legend

- Subject Property
- Bonita Springs
- Findings in Bonita Springs

Figure 2B
Site Location Aerial Map
BERT Trail - Bonita springs
Lee County, Florida

7/20/2026



N

0 0.07 0.15 Miles

Legend

- Subject Property
- Collier County
- Findings in Collier County

Figure 2C
Site Location Aerial Map
BERT Trail - Collier County
Collier County, Florida

7/13/2026

Appendix A

County Records

Collier County Property Appraiser
Summary

Parcel ID	00145681504	**Site Location**	1439 WIGGINS PASS RD, NAPLES 34110

Name / Address	SEMINOLE GULF RAILWAY LP				
	4110 CENTERPOINTE DRIVE				
	STE 207				
City	FORT MYERS	**State**	FL	**Zip**	33916

Legal	10 48 25 A PORTION OF SEC 10 & SEC 15 AS DESC IN OR 5568 PG 941				
Sub./Condo	100 - ACREAGE HEADER				
Use Code	91 - UTILITY, GAS, ELECTRIC, TELEPHONE, LOCAL	**Millage Area**	143	**Municipality**	UNINCORPORATED

Map No.	Strap No.	Section	Township	Range	Acres *Estimated
3A10	000100 060 03A10	10	48	25	24.3

Latest Sales History

(Not all Sales are listed due to Confidentiality)

Date	Book-Page	V/I	Q	Amount
06/21/19	5645-3121	V	N	$0
11/01/18	5568-941	V	N	$0

2025 Certified Tax Roll

(Subject to Change)

Just Values		Amount
Land		$72,900
(=) Total Just		$72,900
Assessed Values		
(=) Assessed		$72,900
Taxable Values	**Millage Rates**	
(=) Taxable	9.5058	$72,900
Tax Amounts		
Ad Valorem Taxes		$692.96
(=) Total Tax		$692.96

Important: This is not a tax bill. Do not rely on current taxes to estimate taxes after a change in ownership. A transfer may significantly affect the taxable value due to loss of exemptions, reset of Save Our Homes or the 10% Cap, and/or market changes. Use our Tax Estimator to estimate taxes under new ownership. Values reflect conditions as of January 1st each year and may differ from the actual tax bill due to millage changes or additional non-ad valorem assessments. For the most accurate and up-to-date tax information, please visit the Collier County Tax Collector's Office.

Collier County Property Appraiser



Disclaimer: The Collier County Property Appraiser provides all information and services "as is" without warranties of any kind. No guarantees are made regarding accuracy, completeness, functionality, or uninterrupted access. All content is subject to change without notice, and users assume all risks associated with its use. For the full disclaimer, please visit www.collierappraiser.com.

INSTR 5731597 OR 5645 PG 3121 E-RECORDED 6/26/2019 9:27 AM PAGES 27
CLERK OF THE CIRCUIT COURT AND COMPTROLLER, COLLIER COUNTY FLORIDA
DOC@.70 $0.70 REC $231.00
CONS $10.00

This instrument prepared by
or under the direction of:

Kim R. Bongiovanni
Assistant General Counsel
Law Department
500 Water Street
Jacksonville, Florida 32202

NOT OFFICIAL RECORD

THIS CORRECTIVE CONFIRMATORY QUITCLAIM DEED, made this 24th day of June, 2019, between CSX TRANSPORTATION, INC., a Virginia corporation, whose mailing address is 500 Water Street, Jacksonville, Florida 32202, and ATLANTIC LAND AND IMPROVEMENT COMPANY, a Virginia corporation, whose mailing address is 500 Water Street, Jacksonville, Florida 32202, collectively hereinafter called "Grantor", and SEMINOLE GULF RAILWAY, L.P., a Delaware limited partnership, whose mailing address is 4110 Centerpointe Drive, Suite 207, Fort Myers, FL 33916, hereinafter called "Grantee".

(Wherever used herein, the terms "Grantor" and "Grantee" may be construed in the singular or plural as the context may require or admit, and for purposes of exceptions, reservations and/or covenants, shall include the heirs, legal representatives and assigns of individuals or the successors and assigns of corporations.)

WHEREAS, by deed dated November 1, 2018, recorded among the Public Land Records of Sarasota, Manatee, Desoto, Charlotte, Collier, and Lee Counties in Florida (the "Deed"), Grantor conveyed to Grantee a parcel or tract containing 1537.81 acres, more or less, of land in Sarasota, Manatee, Desoto, Charlotte, Collier, and Lee Counties, Florida (the "Premises") as shown on the maps in Exhibit A-1 and Exhibit A-2, described in Exhibit B, and more specifically shown on the map in Exhibit B-1, and

WHEREAS, the Deed did not include Atlantic Land and Improvement Company as grantor to quitclaim its interest, if any, to Seminole Gulf Railway, L.P., and

WHEREAS, Grantor is agreeable to executing a corrective deed for the purposes of including Atlantic Land and Improvement Company in the Deed to quitclaim its interest, if any, to Seminole Gulf Railway, L.P.

NOW, THEREFORE, for and in consideration of the sum of TEN AND NO/100 DOLLARS ($10.00), to it in hand paid by Grantee, the receipt of which is hereby acknowledged, Grantor does hereby RELEASE, REMISE and forever QUITCLAIM unto Grantee, its heirs, legal representatives and assigns, all right title and interest, if any, in the Premises shown on the maps in Exhibit A-1 and Exhibit A-2, described in Exhibit B, and more specifically shown on the map in Exhibit B-1, attached hereto and incorporated herein, and containing 1537.81 acres, more or less.

NOTE: THIS DEED HAS BEEN EXECUTED IN DUPLICATE FOR SIMULTANEOUS RECORDING IN SARASOTA, MANATEE, DESOTO, CHARLOTTE, COLLIER AND LEE COUNTIES.

EXCLUDING and excepting unto Grantor, its successors and assigns, that parcel located at 2919 South Street, Fort Myers, FL, as shown on Exhibit A-3, attached hereto and incorporated herein, being retained by Grantor.

TO HAVE AND TO HOLD the Premises, and all the estate, right, title, lien, interest and claim whatsoever of Grantor therein, either in law or equity, and all improvements thereon and appurtenances thereto, unto the proper use, benefit and enjoyment of Grantee, Grantee's heirs and assigns or successors and assigns, forever; SUBJECT to reservations, easements, covenants, restrictions and limitations of record or platted, all existing public utilities and roadways, and all existing encroachments, ways and servitudes, howsoever created.

Grantee acknowledges that the Land conveyed hereunder has been historically used for railroad industrial operations and other uses and is being conveyed for use only as industrial, commercial or non-residential property, Grantee, by acceptance of this deed, hereby covenants that it, its successors, heirs, legal representatives or assigns shall not use the Land for any purpose other than industrial or commercial purposes, and that the Land will not be used for (a) any residential purpose of any kind or nature (residential use shall be defined broadly to include, without limitation, any use of the Land by individuals or families for purposes of personal living, dwelling, or overnight accommodations, whether such uses are in single family residences, apartments, duplexes, or other multiple residential dwellings, trailers, trailer parks, camping sites, motels, hotels, or any other dwelling use of any kind), (b) any public or private school, day care, or any organized long-term or short term child care of any kind, (c) any recreational purpose (recreational use shall be defined broadly to include, without limitation, use as a public park, hiking or biking trail, athletic fields or courts, or public gathering place), (d) any agricultural purpose that results in, or could potentially result in, the human consumption of crops or livestock raised on the property (agricultural purpose shall be defined broadly to include, without limitation, activities such as food crop production, dairy farming, livestock breeding and keeping, and cultivation of grazing land that would ultimately produce, or lead to the production of, a product that could be consumed by a human) or (e) the establishment of a mitigation bank and/or the sale, lease, license, conveyance or in any way distribution of mitigation credits (collectively the "Environmental Use Restrictions"). Notwithstanding the foregoing, the above restrictions shall not apply to any uses of the Land pursuant to occupancy agreements with Grantee at the time of conveyance from Grantor to Grantee. By acceptance of this deed, Grantee further covenants that it, its successors, heirs, legal representatives or assigns shall not use the groundwater underneath the Land for human consumption, irrigation, or other purposes.

Grantee, by acceptance of this deed, hereby covenants that it, its successors, heirs, legal representatives or assigns shall not use the Land, or any tracks located thereon, for the long distance or commuter transportation of passengers, other than passenger excursions or similar local use (the "Passenger Use Restrictions").

By acceptance of this deed, Grantee further covenants that it, its successors, heirs, legal representatives and assigns shall abide by and be governed by this deed, including any Exhibits.

Grantee and Grantor agree and acknowledge that the covenants and easements contained in this Deed shall be covenants "in gross" and easements "in gross" which shall remain binding on Grantee, its successors, heirs, legal representatives and assigns regardless of whether Grantor continues to own the Land. Grantee acknowledges Grantor will continue to have a substantial interest in enforcement of the said covenants and easements whether or not Grantor retains title to the Land.

Said covenant(s) shall run with title to the Premises conveyed, and bind upon Grantee, Grantee's heirs, legal representatives and assigns, or corporate successors and assigns, and anyone claiming title to or holding Premises through Grantee.

This conveyance is made to correct an error made in a prior conveyance for which documentary stamp tax was previously made; therefore, minimum documentary stamp tax is due in accordance with Section 12B-4.014(3).

THIS CORRECTIVE CONFIRMATORY QUITCLAIM DEED IS BEING RECORDED TO INCLUDE ATLANTIC LAND AND IMPROVEMENT COMPANY, A VIRGINIA CORPORATION, AS A GRANTOR, WHO WAS NOT INCLUDED IN THAT CERTAIN QUITCLAIM DEED RECORDED IN OFFICIAL RECORDS INSTRUMENT #2018144543, OF THE PUBLIC RECORDS OF SARASOTA COUNTY, FLORIDA; INSTRUMENT #201841110518 AND OFFICIAL RECORDS BOOK 2754, PAGE 5154, OF THE PUBLIC RECORDS OF MANATEE COUNTY, FLORIDA; INSTRUMENT #201814006376, OF THE PUBLIC RECORDS OF DESOTO COUNTY, FLORIDA; OFFICIAL RECORDS BOOK 4375, PAGE 367, OF THE PUBLIC RECORDS OF CHARLOTTE COUNTY, FLORIDA; INSTRUMENT #2018000262032, OF THE PUBLIC RECORDS OF LEE COUNTY, FLORIDA; AND OFFICIAL RECORDS BOOK 5568, PAGE 941, OF THE PUBLIC RECORDS OF COLLIER COUNTY, FLORIDA.

NOT A CERTIFIED COPY

REMAINDER OF PAGE INTENTIALLY LEFT BLANK

SIGNATURE PAGES TO FOLLOW

IN WITNESS WHEREOF, CSX TRANSPORTATION, INC. pursuant to due corporate authority, have caused their names to be signed hereto by its officers hereunto duly authorized and its corporate seal, duly attested, to be hereunto affixed.

Signed, sealed and delivered
in the presence of:

CSX TRANSPORTATION, INC.:

By: _____
Name: Shantel N. Davis
Title: Vice President - Real Estate and Facilities

Attest _____ (SEAL)

Print Name: Steven Armbrust
Assistant Corporate Secretary

STATE OF FLORIDA)
) SS.
COUNTY OF DUVAL)

I, Jennifer Bryan, a Notary Public of the State of Florida and the County of Duval, do certify that, on the date below, before me in said County came Shantel N. Davis (X) to me known, and/or ( ) proven by satisfactory current evidence to be the person whose name is subscribed to the above instrument, who, being by me first duly sworn, did make oath, acknowledge and say that: she is Vice President - Real Estate and Facilities of CSX Transportation, Inc., the corporation described in and which executed said instrument; she is fully informed of the contents of the instrument; she knows the seal of said corporation; the seal affixed to said instrument is such seal; it was so affixed by authority of the Board of Directors of said corporation; she signed her name thereto for said corporation pursuant to Board authority; and instrument is the free act and deed of said corporation; and the conveyance herein is not part of a transaction, sale, lease, exchange or other transfer or conveyance of all or substantially all of the property and/or assets of the Grantor.

IN WITNESS WHEREOF, I hereunto set my hand and official seal, this 19 day of June, 2019.

My commission expires on:

JENNIFER BRYAN
Notary Public – State of Florida
Commission # GG 155399
My Comm. Expires Dec 10, 2021
Bonded through National Notary Assn.

_____ (SEAL)
Notary Public
Print Name: Jennifer Bryan

NOT A CERTIFIED COPY

IN WITNESS WHEREOF, ATLANTIC LAND AND IMPROVEMENT COMPANY, pursuant to due corporate authority, has caused its name to be signed hereto by its officers hereunto duly authorized and its corporate seal, duly attested, to be hereunto affixed.

Signed, sealed and delivered
in the presence of:

ATLANTIC LAND AND IMPROVEMENT COMPANY:

By: _____
Name: Shantel N. Davis
Title: General Manager

_____ Attest _____ (SEAL)
Secretary
Print Name: Kim Bongiovanni

NOT CERTIFIED COPY

STATE OF FLORIDA)
) SS.
COUNTY OF DUVAL)

I, Jennifer Bryan, a Notary Public of the State of Florida and the County of Duval, do certify that, on the date below, before me in said County came Shantel N. Davis (X) to me known, and/or ( ) proven by satisfactory current evidence to be the person whose name is subscribed to the above instrument, who, being by me first duly sworn, did make oath, acknowledge and say that: she is General Manager of Atlantic Land and Improvement Company, the corporation described in and which executed said instrument; she is fully informed of the contents of the instrument; she knows the seal of said corporation; the seal affixed to said instrument is such seal; and the conveyance herein is not part of a transaction, sale, lease, exchange or other transfer or conveyance of all or substantially all of the property and/or assets of the Grantor.

IN WITNESS WHEREOF, I hereunto set my hand and official seal, this 19 day of June, 2019.

My commission expires on:

_____ (SEAL)
Notary Public
Print Name: Jennifer Bryan

JENNIFER BRYAN
Notary Public – State of Florida
Commission # GG 155399
My Comm. Expires Dec 10, 2021

IN WITNESS WHEREOF, to acknowledge the making of this Corrective Confirmatory Quitclaim Deed, SEMINOLE GULF RAILWAY, L.P., pursuant to due limited partnership authority, has caused its name to be signed hereto by its officers hereunto duly authorized and its corporate seal, duly attested, to be hereunto affixed.

Signed, sealed and delivered
in the presence of:

Lisa Lewis
Lisa Lewis

Jean Compare
Jean Compare

SEMINOLE GULF RAILWAY, L.P.
By its general partner, SEMINOLE GULF RAILWAY, INC.

By: G. B. Fay
Name: G. BRUCE FAY
Title: PRESIDENT

Attest Laura A Fay (SEAL)
Secretary
Print Name: Laura A. Fay

STATE OF Florida)
) SS.
COUNTY OF Lee)

The foregoing instrument was acknowledged before me this 21st day of June, 2019, by G Bruce Fay, the President of Seminole Gulf Railway, Inc., general partner of Seminole Gulf Railway, L.P., a Delaware limited partnership, on behalf of the partnership. He ( ) is personally known to me or (✓) has produced FL Drivers License as identification.

IN WITNESS WHEREOF, I hereunto set my hand and official seal, this 21st day of June, 2019.

My commission expires on: 11/11/20

Lisa R Curry (SEAL)
Notary Public
Print Name: LISA R CURRY

Notary Public State of Florida
Lisa R Curry
My Commission GG 044875
Expires 11/11/2020


NOT A CERTIFIED COPY

EXHIBIT A-1

NOT A CERTIFIED COPY

A-1	GIS #
#	04338-001
14	04337-001
13	04340-001
15A	04341-001
15B	04470-001
9	04471-001
9A	04472-001
9B	04473-001
10	04474-001
11	04480-001
1	04512-001
3	04513-001
13	04521-001
1	04737-001
	04738-001
	06517-001
C	06521-001
	06522-001
7	06523-001
	06525-001
	06526-001
9	06527-001
	06529-001
0	06530-001
	06532-001
A	06535-001
2B	06536-001
2D	06538-001
3	06539-001
4	06540-001
5	06541-001
6	06542-001
7	06543-001
8	06544-001
28	06545-001
29A	06548-001
9B	06549-001
9C	06550-001
9D	06551-001
1	06553-001
1	06554-001
2	06555-001
3	06556-001
4	06557-001
5	06559-001
6	06560-001
6	06561-001
7	06562-001
8	06563-001
9	06564-001
0	06565-001
1	06566-001
2	06567-001
13	06568-001
5	06589-001
16	06591-001
16B	06593-001
7	06594-001
7A	06595-001
9E	07274-001
16A	07739-001
28	40003-001

2 MI




TRANSPORTATION, INC.
TIAL SALE TO SGR - LEASED PROPERTY
L-015-1084827
TE, COLLIER, DESOTO, LEE, MANATE, & SARASOTA COUNTIES, FL
AX 913.48 - AX 990.69; AX S 975.75 - AX S 960.80; AZA 922.66 - AZA 928.21; AZA 930.30 - AZA 930.65;
- SVC 684.61; SVX 884.29 - SVX 885.20; SW 875.00 - SW 883.12; SW 882.71 - SW 883.75

DIVISION: JACKSONVILLE
SUBDIVISION: BREWSTER, PALMETTO
DATE: 09/18/2018
REVISED: 09/18/2018
DRAWN BY: v5180

- Engineering Milepost
- Premises - 1,537.81 ± Acres
- CSX Real Estate

THIS RAILROAD MAP EXHIBIT GRAPHICALLY REPRESENTS A PROPOSED REAL ESTATE TRANSACTION. IT MAY NOT REFLECT CURRENT "ON THE GROUND" CONDITIONS AND/OR ACTUAL LOCATIONS OF FEATURES. ALL DIMENSIONS, OFFSET DISTANCES, AREA CALCULATIONS AND MEASUREMENT NOTATIONS SHOWN ON THIS EXHIBIT ARE APPROXIMATE.

NOT A GENERATED DOCUMENT



POTENTIAL SALE TO SGR - LEASED PROPERTY

SITE: FL-015-1084827

CHARLOTTE, COLLIER, DESOTO, LEE, MANATEE, AND SARASOTA COUNTIES, FL


JACKSONVILLE - BREWSTER & PALMETTO

0 6 12

Miles

A-2	GIS #
#	04336-001
4	04337-001
3	04340-001
5A	04341-001
5B	04470-001
9	04471-001
9A	04472-001
9B	04473-001
10	04474-001
1	04460-001
1	04512-001
1	04513-001
3	04521-001
1	04737-001
	04738-001
	06517-001
	06521-001
C	06522-001
	06523-001
7	06525-001
	06526-001
	06527-001
9	06529-001
1	06530-001
	06532-001
	06535-001
2A	06536-001
2B	06538-001
2D	06539-001
3	06540-001
4	06541-001
5	06542-001
6	06543-001
7	06544-001
8	06546-001
28	06548-001
29A	06549-001
9B	06550-001
9C	06551-001
9D	06553-001
1	06554-001
51	06555-001
2	06556-001
3	06557-001
4	06559-001
5	06560-001
6	06561-001
55	06562-001
7	06563-001
8	06564-001
9	06565-001
10	06566-001
11	06567-001
12	06568-001
13	06589-001
15	06591-001
16	06593-001
16B	06594-001
17	06595-001
17A	07274-001
29E	07739-001
16A	40003-001
28	

10 MI



TRANSPORTATION, INC.
NTIAL SALE TO SGR - LEASED PROPERTY
FL-015-1084827
TTE, COLLIER, DESOTO, LEE, MANATE, & SARASOTA COUNTIES, FL
T: AX 913.48 - AX 990.69; AX S 975.75 - AX S 980.80; AZA 922.65 - AZA 928.21; AZA 930.30 - AZA 930.85;
00 - SVC 884.61; SVX 884.28 - SVX 885.20; SW 875.00 - SW 883.12; SW 882.71 - SW 883.75

DIVISION: JACKSONVILLE
SUBDIVISION: BREWSTER, PALMETTO
DATE: 09/25/2018
REVISED: 09/25/2018
DRAWN BY: v5180

- Engineering Milepost
- Premises - 1,537.81 ± Acres
- Excluded Parcel
- CSX Real Estate


THIS RAILROAD MAP EXHIBIT GRAPHICALLY REPRESENTS A PROPOSED REAL ESTATE TRANSACTION. IT MAY NOT REFLECT CURRENT "ON THE GROUND" CONDITIONS AND/OR ACTUAL LOCATIONS OF FEATURES. ALL DIMENSIONS, OFFSET DISTANCES, AREA CALCULATIONS AND MEASUREMENT NOTATIONS SHOWN ON THIS EXHIBIT ARE APPROXIMATE.

C:\EXHIBITS\DWG_FL_015_1084827\EXHIBITS\Exhibit A-2_FL_015_1084827.mxd

EXHIBIT A-3

Excluded Parcels

NOT A CERTIFIED COPY




POTENTIAL SALE TO SGR - EXCLUDED PROPERTY

SITE: FL-015-1084827

CHARLOTTE, COLLIER, DESOTO, LEE, MANATEE, AND SARASOTA COUNTIES, FL

CSX
How tomorrow moves

0 100 200
Feet



TRANSPORTATION, INC.
ITIAL SALE TO SGR - EXCLUDED PROPERTY
FL-015-1084827
TTE, COLLIER, DESOTO, LEE, MANATE, & SARASOTA COUNTIES, FL
T; AX 913.48 - AX 950.69; AX S 975.75 - AX S 980.80; AZA 922.66 - AZA 926.21; AZA 930.30 - AZA 930.55;
00 - SVC 884.61; SVX 884.28 - SVX 885.20; SW 875.00 - SW 883.12; SW 882.71 - SW 883.75

DIVISION: JACKSONVILLE
SUBDIVISION: BREWSTER, PALMETTO
DATE: 09/17/2018
REVISED: 09/17/2018
DRAWN BY: v5180

- Engineering Milepost
- Excluded Parcel - 2.09 ± AC
- Premises - 1,537.81 ± Acres
- CSX Real Estate

THIS RAILROAD MAP EXHIBIT GRAPHICALLY REPRESENTS A PROPOSED REAL ESTATE TRANSACTION. IT MAY NOT REFLECT CURRENT "ON THE GROUND" CONDITIONS AND/OR ACTUAL LOCATIONS OF FEATURES. ALL DIMENSIONS, OFFSET DISTANCES, AREA CALCULATIONS AND MEASUREMENT NOTATIONS SHOWN ON THIS EXHIBIT ARE APPROXIMATE.


CSX TRANSPORTATION

hereof, and as further shown in detail on Grantor's Right-of-Way and Track Maps: shown on Grantor's Right-of-Way and Track Maps: Charlotte Harbor & Northern Railway Arcadia dated 06/30/1918 maps V11/L2A/1, dated 06/30/1917 map V6FL/S16C, all of which are incorporated herein by reference and copies of which have been provided to Grantee.
Section 3 (AX line and AX S line): BEGINNING at a point in the centerline of grantor's track at or near Railroad Valuation Station 3274+06, approximately Milepost AX 913.48, as shown on Right-of-Way and Track Map Atlantic Coast Line Rail Road Co. Lakeland to Fort Myers map V6FL/S16C (V06521); thence extending in a general southeasterly direction an approximate distance of 403,674 feet more or less or 77.21 miles more or less by milepost distance and acres 388.92 acres in Charlotte county, 21.46 acres in Collier county, 206.15 acres in DeSoto county, 566.94 in Lee county, more or less, to the place of ENDING, at or near Railroad Valuation Station 1384+56, approximately Milepost AX 990.69 as shown on Right-of-Way and Track Map Fort Myers Southern Railroad map V18FL/S13 (V06568); and including the AX S line BEGINNING at a point in the centerline of grantor's track at or near Railroad Valuation Station 01+50, approximately Milepost AXS 975.75, as shown on Right-of-Way and Track Map Fort Myers Southern Rail Road map V18FL/S6 (V06561); thence extending in a general easterly direction an approximate distance of 26,612 feet more or less or 5.05 miles more or less by milepost distance and acres 27.47 acres in Charlotte county more or less, to the place of ENDING, at or near Railroad Valuation Station 267+62, approximately Milepost AXS 980.80 as shown on said V18FL/S6, less the area from station all as indicated on Exhibit A-2 attached hereto and made a part hereof, and as further shown in detail on Grantor's Right-of-Way and Track Maps: shown on Grantor's Right-of-Way and Track Maps: Atlantic Coast Line Rail Road Co. Lakeland to Fort Myers dated 06/30/1917 map V6FL/S16C; and Seaboard All Florida Railway Fort Ogden to Estero River dated 12/31/1927 maps V8FL/L30/9, V8FL/L30/S9A, V8FL/L30/S9B, V8FL/L30/10, V8FL/L30/11; and Seaboard All Florida Railway Fort Ogden La Belle Branch dated 12/31/1927 map V8FL/L32/1; and Atlantic Coast Rail Road Lakeland to Fort Myers dated 06/30/1917 maps V6FL/16, V6FL/S16C, V6FL/17, V6FL/S17, V6FL/18, V6FL/19, V6FL/S19, V6FL/20, V6FL/21, V6FL/22, V6FL/S22A, V6FL/S22B, V6FL/23, V6FL/24, V6FL/25, V6FL/26, V6FL/27, V6FL/28, V6FL/S28-29A, V6FL/S29D, dated 03/05/1928 map V6FL/S22D, dated 01/23/1929 map V6FL/S29B, dated 12/31/1928 map V6FL/S29C, dated 10/02/1962 map V6FL/S29E, dated 07/23/1927 map V6FL/S28; and Fort Myers Southern Rail Road dated 11/20/1923 map V18FL/1, dated 11/22/1923 map V18FL/2, dated 11/24/1923 map V18FL/3, dated 11/27/1923 map V18FL/4, dated 11/29/1923 map V18FL/5, dated 12/03/1923 map V18FL/6, dated 06/15/1977 map V18FL/S6, dated 12/04/1923 map V18FL/7, dated 12/06/1923 map V18FL/8, dated 12/07/1923 map V18FL/9, dated 12/10/1923 map V18FL/10, dated 12/13/1923 map V18FL/11, dated 12/14/1923 map V18FL/12, dated 12/31/1927 map V18FL/S13; and Seaboard Coast Line Rail Road Fort Myers Southern Rail Road dated 12/06/1972 map V18FL/S1; all of which are incorporated herein by reference and copies of which have been provided to Grantee.


Excluding therefrom all that certain parcel of land located in Lee County, FL, as indicated on Exhibit A-3, further shown in detail on Grantor's Right-of-Way and Track Map, Atlantic Coast Rail Road Lakeland to Fort Myers dated 10/02/1962 map V6FL/S29E as parcel No 3 being a portion of the property described by warranty deed from the City of Fort Myers to Atlantic Coast Railroad Company dated 10/17/1961, ORB:89 Page:364, records of Lee County FL.


EXHIBIT B-1

NOT A CERTIFIED COPY



POTENTIAL SALE TO SEMINOLE GULF
SITE: FL-015-1084827
CHARLOTTE, COLLIER, DESOTO, LEE,
MANATEE, AND SARASOTA COUNTIES, FL
JACKSONVILLE - BREWSTER & PALMETTO SUBS



A-1, Sect. 1
(Sarasota County)
59.52 ± AC
A-1, Sect. 2
(Sarasota County)
67.77 ± AC
Mileposts
A-1, Section 1 (SW Line)
A-1, Section 2 (AZA Line)
CSX Real Estate
SW 883
SW 884
SW 885
SW 886
SW 887
SW 888
SW 889
SW 890
AZA 928
AZA 929
AZA 930
AZA 931
AZA 932
Lime Ave
Briggs Ave
Bailey Rd
Pelican Dr
Payne Pkwy
Rawls Ave
East Ave
Pompano Ave
Golden Sands Dr
Cornelius Cir
Oakwood Blvd
Prairie View Dr
Lake Dr
Bunyan St
King Richard Dr
Woodview Dr
Little John Trl
Pine Dr
Circle Dr
Gatewood Dr
Eastwood Dr
Stone Ridge Trl
Trails Dr
Oak View Dr
Collins St
Patrison Ave
Saratoga Dr
1st St
Brink Ave
Broadmoor Blvd
Cambridge Dr
Ardale St
Stratford Dr
Linwood Dr
Mango Ave
Audubon Pl
3rd St
Fletcher Ave
Wallace Ave
Shopping Ave
East St
Payne Park
Riviera Dr
Forest Lake Dr
Betty Dr
Teal Ave
Papal Dr
Taco Pl
Hicks St
Dunn Dr
Oakmont Cir
Wilkinson Rd
Country Manor Dr
Sawyer Rd
Bear Ridge
Falcrest Cir
Reno Dr
Glengary St
6th Ave
Shade
Lake Shore Dr
South Sarasota
Riverwood Ave
Landings Blvd
Easy St
Golden Sands Dr
Cornelius Cir
Lockleaf Ave
Shortcrest Dr
America Dr
Granada Dr
Blount Ave
Derek Ave
Sarah Ave
Fruitville
Sarasota
Bradenton
Palmetto
Venice
Englewood
Nokomis
Osprey
Siesta Key
Longboat Key
Anna Maria Island
Bradenton Beach
Holmes Beach
Cortez
Myakka City
Ellenton
Parrish
Duette
Gulf of Mexico
Sarasota Bay
Manatee River
Tampa Bay
Little Sarasota Bay
Roberts Bay
Palma Sola Bay
Terra Ceia Bay
Lake Manatee
Braden River
Myakka River
Myakka State Forest
Myakka River State Park
Oscar Scherer State Park
Myakka Wildlife Management Area
Myakka Prairie
Myakka Head
Myakka Pine
Myakka Estates
Myakka Ranchettes
Myakka Valley Ranches
Myakka Valley Ranches Unit 2
Myakka Valley Ranches Unit 3
Myakka Valley Ranches Unit 4
Myakka Valley Ranches Unit 5
Myakka Valley Ranches Unit 6
Myakka Valley Ranches Unit 7
Myakka Valley Ranches Unit 8
Myakka Valley Ranches Unit 9
Myakka Valley Ranches Unit



POTENTIAL SALE TO SEMINOLE GULF
SITE: FL-015-1084827
CHARLOTTE, COLLIER, DESOTO, LEE,
MANATEE, AND SARASOTA COUNTIES, FL
JACKSONVILLE - BREWSTER & PALMETTO SUBS


CSX How tomorrow moves

0 0.2 0.4
Miles



POTENTIAL SALE TO SEMINOLE GULF
SITE: FL-015-1084827
CHARLOTTE, COLLIER, DESOTO, LEE,
MANATEE, AND SARASOTA COUNTIES, FL
JACKSONVILLE - BREWSTER & PALMETTO SUBS


0 0.4 0.8
Miles




POTENTIAL SALE TO SEMINOLE GULF
SITE: FL-015-1084827
CHARLOTTE, COLLIER, DESOTO, LEE,
MANATEE, AND SARASOTA COUNTIES, FL
JACKSONVILLE - BREWSTER & PALMETTO SUBS


CSX How tomorrow moves

0 0.4 0.8
Miles


Mileposts
A-2, Section 3 (AX Line)
CSX Real Estate
A-2, Sect. 3
(Charlotte County)
388.92 ± AC
776A
AX 932
AX 933
AX 934
AX 935
AX 936
AX 937
AX 938
AX 939
AX 940
AX 941
AX 942
AX 943
AX 944
769
764
41
17
75
74
768
765
762
Punta Gorda
Peace River
Taylor St
Elizabeth St
Education Ave
Cooley Dr
Sunset Blvd
Pinewood Ln
Cleveland Dr
Quail Dr
Sabal Palm Ln
Maze Dr
Pahokee Dr
Sweden Blvd
Strasse Blvd
Acorn Blvd
Austrian Blvd
Grove Blvd
Piper Rd
Roberts Rd
Via Formia
Via Tripoli
Ash St
Palm Dr
Tripoli Blvd
Dellona Dr
Macedonia Dr
Plum Tree
Blue Sage
Borax Ave
Charlotte Harbor State Park
POTENTIAL SALE TO SEMINOLE GULF
SITE: FL-015-1084827
CHARLOTTE, COLLIER, DESOTO, LEE,
MANATEE, AND SARASOTA COUNTIES, FL
JACKSONVILLE - BREWSTER & PALMETTO SUBS
0 0.4 0.8
Miles




POTENTIAL SALE TO SEMINOLE GULF
SITE: FL-015-1084827
CHARLOTTE, COLLIER, DESOTO, LEE,
MANATEE, AND SARASOTA COUNTIES, FL
JACKSONVILLE - BREWSTER & PALMETTO SUBS




POTENTIAL SALE TO SEMINOLE GULF
SITE: FL-015-1084827
CHARLOTTE, COLLIER, DESOTO, LEE,
MANATEE, AND SARASOTA COUNTIES, FL
JACKSONVILLE - BREWSTER & PALMETTO SUBS

0 0.4 0.8
Miles



POTENTIAL SALE TO SEMINOLE GULF
SITE: FL-015-1084827
CHARLOTTE, COLLIER, DESOTO, LEE,
MANATEE, AND SARASOTA COUNTIES, FL
JACKSONVILLE - BREWSTER & PALMETTO SUBS


0 0.2 0.4
Miles



POTENTIAL SALE TO SEMINOLE GULF
SITE: FL-015-1084827
CHARLOTTE, COLLIER, DESOTO, LEE,
MANATEE, AND SARASOTA COUNTIES, FL
JACKSONVILLE - BREWSTER & PALMETTO SUBS

CSX
How tomorrow moves


0 0.4 0.8
Miles



POTENTIAL SALE TO SEMINOLE GULF
SITE: FL-015-1084827
CHARLOTTE, COLLIER, DESOTO, LEE,
MANATEE, AND SARASOTA COUNTIES, FL
JACKSONVILLE - BREWSTER & PALMETTO SUBS

CSX How tomorrow moves

0 0.4 0.8
Miles


Mileposts
A-2, Section 3 (AX Line)
CSX Real Estate
A-2, Sect. 3
(Lee County)
594.41 ± AC
A-2, Sect. 3
(Collier County)
21.46 ± AC
AX 987
AX 988
AX 989
AX 990
AX 991
865
41
Bonita Springs
Riverside Dr
Hacienda Blvd
Wisconsin St
Washington St
Iowa St
Falls Ave
Tangelo Ter
Windsor Rd
Shanna Ln
Lake Shore Dr
Del Lago Way
Sombrero Dr
Verde Ln
Ortega Ln
Tasca Dr
Meiterra Ln
Corso Mediterra Cir
El Greco Cir
Winthrop Cir
Ashburton Dr
Burnaby Dr
Sterling Oaks Dr
Turtle Creek Dr
Glen Eden Dr
Tarpon Cove Dr
Gulf Coast Dr
Marino Dr
Regal Way
Imperial Golf Course Blvd
Empress Ct
Princess Ct
Supreme Ct
Imperial Golf Club
Arezzo Way
Corso Lucca Way
Bay Dr
Clarkston Dr
Day Landing Dr
Harbor Dr
Del Ln
Esther Dr
Flamingo Dr
Barefoot Ln
Richview Ct
Lavinka St
Noble Ln
Woods Ct
Jarvis Rd
Allen St
Elwood Dr
Dee Dr
Oliver Dr
Oak Ln
Allesso Way
Pienza Ct
Lo D Arezzo
Bonita Springs Golf Club
Bonita Fairways Cir
Bonita Springs
White Sands Country Club
Bonita Bay Golf Club
Bonita Bay Golf Club
Bonita Bay Golf

INSTR 5632382 OR 5568 PG 941 E-RECORDED 11/2/2018 10:34 AM PAGES 28
CLERK OF THE CIRCUIT COURT AND COMPTROLLER, COLLIER COUNTY FLORIDA
DOC@.70 $0.70 REC $239.50

NOT A CERTIFIED COPY

This instrument prepared by
or under the direction of:

Kim R. Bongiovanni
Assistant General Counsel
Law Department
500 Water Street
Jacksonville, Florida 32202
Purchase Price: $5,379,000.00

QUITCLAIM DEED

THIS QUITCLAIM DEED, made this 1 day of November, 2018, between CSX TRANSPORTATION, INC., a Virginia corporation, whose mailing address is 500 Water Street, Jacksonville, Florida 32202, hereinafter called "Grantor", and Seminole Gulf Railway, L.P., a Delaware limited partnership ,whose mailing address is 4110 Centerpointe Drive, Suite 207, Fort Myers, FL 33916, hereinafter called "Grantee", WITNESSETH:

THAT Grantor, for and in consideration of the sum of TEN AND NO/100 DOLLARS ($10.00), and other good and valuable consideration, to it in hand paid by Grantee, the receipt of which is hereby acknowledged, does hereby RELEASE, REMISE and forever QUITCLAIM unto Grantee, its successors and assigns, all right, title and interest of Grantor, if any, in and to that certain tract or parcel of land situate, lying and being in the Counties of Manatee, Sarasota, DeSoto, Charlotte, Lee, and Collier, State of Florida, hereinafter designated "the Premises," as generally shown on the maps in Exhibit A-1 and Exhibit A-2, described in Exhibit B, and more specifically shown on the map in Exhibit B-1, attached hereto and incorporated herein.

EXCLUDING and excepting unto Grantor, its successors and assigns, that parcel located at 2919 South Street, Fort Myers, FL, as shown on Exhibit A-3, attached hereto and incorporated herein, being retained by Grantor.

TO HAVE AND TO HOLD the Premises, and all the estate, right, title, lien, interest and claim whatsoever of Grantor therein, either in law or equity, and all improvements thereon and appurtenances thereto, unto the proper use, benefit and enjoyment of Grantee, Grantee's heirs and assigns or successors and assigns, forever; SUBJECT to reservations, easements, covenants, restrictions and limitations of record or platted, all existing public utilities and roadways, and all existing encroachments, ways and servitudes, howsoever created.

NOTE: This Deed has been executed in duplicate for simultaneous recording in Sarasota, Manatee, Desoto, Charlotte, Collier and Lee Counties. All documentary stamp taxes have been paid and cancelled in Sarasota County.

Grantee acknowledges that the Land conveyed hereunder has been historically used for railroad industrial operations and other uses and is being conveyed for use only as industrial, commercial or non-residential property, Grantee, by acceptance of this deed, hereby covenants that it, its successors, heirs, legal representatives or assigns shall not use the Land for any purpose other than industrial or commercial purposes, and that the Land will not be used for (a) any residential purpose of any kind or nature (residential use shall be defined broadly to include, without limitation, any use of the Land by individuals or families for purposes of personal living, dwelling, or overnight accommodations, whether such uses are in single family residences, apartments, duplexes, or other multiple residential dwellings, trailers, trailer parks, camping sites, motels, hotels, or any other dwelling use of any kind), (b) any public or private school, day care, or any organized long-term or short term child care of any kind, (c) any recreational purpose (recreational use shall be defined broadly to include, without limitation, use as a public park, hiking or biking trail, athletic fields or courts, or public gathering place), (d) any agricultural purpose that results in, or could potentially result in, the human consumption of crops or livestock raised on the property (agricultural purpose shall be defined broadly to include, without limitation, activities such as food crop production, dairy farming, livestock breeding and keeping, and cultivation of grazing land that would ultimately produce, or lead to the production of, a product that could be consumed by a human) or (e) the establishment of a mitigation bank and/or the sale, lease, license, conveyance or in any way distribution of mitigation credits (collectively the "Environmental Use Restrictions"). Notwithstanding the foregoing, the above restrictions shall not apply to any uses of the Land pursuant to occupancy agreements with Grantee at the time of conveyance from Grantor to Grantee. By acceptance of this deed, Grantee further covenants that it, its successors, heirs, legal representatives or assigns shall not use the groundwater underneath the Land for human consumption, irrigation, or other purposes.

Grantee, by acceptance of this deed, hereby covenants that it, its successors, heirs, legal representatives or assigns shall not use the Land, or any tracks located thereon, for the long distance or commuter transportation of passengers, other than passenger excursions or similar local use (the "Passenger Use Restrictions").

By acceptance of this deed, Grantee further covenants that it, its successors, heirs, legal representatives and assigns shall abide by and be governed by this deed, including any Exhibits.

Grantee and Grantor agree and acknowledge that the covenants and easements contained in this Deed shall be covenants "in gross" and easements "in gross" which shall remain binding on Grantee, its successors, heirs, legal representatives and assigns regardless of whether Grantor continues to own the Land. Grantee acknowledges Grantor will continue to have a substantial interest in enforcement of the said covenants and easements whether or not Grantor retains title to the Land.

Said covenant(s) shall run with title to the Premises conveyed, and bind upon Grantee, Grantee's heirs, legal representatives and assigns, or corporate successors and assigns, and anyone claiming title to or holding Premises through Grantee.

IN WITNESS WHEREOF, CSX TRANSPORTATION, INC., pursuant to due corporate authority, has caused its name to be signed hereto by its officers hereunto duly authorized and its corporate seal, duly attested, to be hereunto affixed.

Signed, sealed and delivered
in the presence of:

Regina A Taylor Murphy

Dona Jadwisa

CSX TRANSPORTATION, INC.:

By: Shantel N Davis

Name: Shantel N. Davis
Title: Vice President
Real Estate and Facilities

Attest _____ (SEAL)
Secretary

Print Name: STEVEN ARMBRUST
ASST. CORPORATE SECRETARY

NOT A CERTIFIED COPY

STATE OF FLORIDA)
) SS.
COUNTY OF DUVAL)

I, Regina A. Taylor-Murphy, a Notary Public of the State of Florida and the County of Duval, do certify that, on the date below, before me in said County came Shantel N. Davis (X) to me known, and/or ( ) proven by satisfactory current evidence to be the person whose name is subscribed to the above instrument, who, being by me first duly sworn, did make oath, acknowledge and say that: she is Vice President - Real Estate and Facilities of CSX Transportation, Inc., the corporation described in and which executed said instrument; she is fully informed of the contents of the instrument; she knows the seal of said corporation; the seal affixed to said instrument is such seal; it was so affixed by authority of the Board of Directors of said corporation; she signed her name thereto for said corporation pursuant to Board authority; and instrument is the free act and deed of said corporation; and the conveyance herein is not part of a transaction, sale, lease, exchange or other transfer or conveyance of all or substantially all of the property and/or assets of the Grantor.

IN WITNESS WHEREOF, I hereunto set my hand and official seal, this 30th day of October, 2018.

My commission expires on: 3-15-2019

X _____ (SEAL)
Notary Public
Print Name: Regina A. Taylor-Murphy

REGINA A. TAYLOR-MURPHY
Notary Public - State of Florida
My Comm. Expires Mar 15, 2019
Commission # FF 178182
Bonded through National Notary Assn.

UNOFFICIAL DOCUMENT


EXHIBIT A-1

NOT A CERTIFIED COPY

EXHIBIT A-1 INTEL #	GIS #
V2FL/L24/14	04336-001
V2FL/L24/13	04337-001
V2FL/L24/S15A	04340-001
V2FL/L24/S15B	04341-001
V8FL/L30/9	04470-001
V8FL/L30/S9A	04471-001
V8FL/L30/S9B	04472-001
V8FL/L30/10	04473-001
V8FL/L30/11	04474-001
V8FL/L32/1	04480-001
V11/L2/13	04512-001
V11/L2/S13	04513-001
V11/L2A/1	04521-001
V19/13	04737-001
V19/14	04738-001
V6FL/16	06517-001
V6FL/S16C	06521-001
V6FL/17	06522-001
V6FL/S17	06523-001
V6FL/18	06525-001
V6FL/19	06526-001
V6FL/S19	06527-001
V6FL/20	06529-001
V6FL/21	06530-001
V6FL/22	06532-001
V6FL/S22A	06535-001
V6FL/S22B	06536-001
V6FL/S22D	06538-001
V6FL/23	06539-001
V6FL/24	06540-001
V6FL/25	06541-001
V6FL/26	06542-001
V6FL/27	06543-001
V6FL/28	06544-001
V6FL/SL28	06545-001
V6FL/S28-29A	06548-001
V6FL/S29B	06549-001
V6FL/S29C	06550-001
V6FL/S29D	06551-001
V18FL/1	06553-001
V18FL/S1	06554-001
V18FL/2	06555-001
V18FL/3	06556-001
V18FL/4	06557-001
V18FL/5	06559-001
V18FL/6	06560-001
V18FL/S6	06561-001
V18FL/7	06562-001
V18FL/8	06563-001
V18FL/9	06564-001
V18FL/10	06565-001
V18FL/11	06566-001
V18FL/12	06567-001
V18FL/S13	06568-001
V19FL/15	06589-001
V19FL/S16	06591-001
V19FL/S16B	06593-001
V19FL/17	06594-001
V19FL/17A	06595-001
V6FL/S29E	07274-001
V19FL/S16A	07739-001
V6FL/S28	40003-001

N

1 " = 2 MI



NOT A CERTIFIED COPY

CSX TRANSPORTATION, INC.

POTENTIAL SALE TO SGR - LEASED PROPERTY

SITE: FL-015-1084827

CHARLOTTE, COLLIER, DESOTO, LEE, MANATE, & SARASOTA COUNTIES, FL

MILEPOST: AX 913.48 - AX 990.69; AX S 975.75 - AX S 980.60; AZA 922.66 - AZA 928.21; AZA 930.30 - AZA 930.65; SVC 883.00 - SVC 884.61; SVX 884.28 - SVX 885.20; SW 875.00 - SW 883.12; SW 882.71 - SW 883.75

DIVISION: JACKSONVILLE
SUBDIVISION: BREWSTER, PALMETTO
DATE: 09/18/2018
REVISED: 09/18/2018
DRAWN BY: v5180

o Engineering Milepost


Premises - 1,537.81 ± Acres

CSX Real Estate

THIS RAILROAD MAP EXHIBIT GRAPHICALLY REPRESE
PROPOSED REAL ESTATE TRANSACTION. IT MAY NOT
CURRENT "ON THE GROUND" CONDITIONS AND/OR AC
LOCATIONS OF FEATURES. ALL DIMENSIONS, OFFSET
AREA CALCULATIONS AND MEASUREMENT NOTATIONS
ON THIS EXHIBIT ARE APPROXIMATE.

C:\EXHIBITS\DWG\...015-1084827\EXHIBITS\Exhibit A-1_FL-015-...

OR 5568 PG 946




POTENTIAL SALE TO SGR - LEASED PROPERTY
SITE: FL-015-1084827
CHARLOTTE, COLLIER, DESOTO, LEE,
MANATEE, AND SARASOTA COUNTIES, FL
JACKSONVILLE - BREWSTER & PALMETTO

CSX How tomorrow moves

0 6 12
Miles

EXHIBIT A-2

NOT A CERTIFIED COPY



A-2 GIS #

04335-001
04337-001
04340-001
04341-001
04470-001
04471-001
04472-001
04473-001
04474-001
04480-001
04512-001
04513-001
04521-001
04737-001
04738-001
06517-001
06521-001
06522-001
06523-001
06525-001
06526-001
06527-001
06529-001
06530-001
06532-001
06535-001
06536-001
06538-001
06539-001
06540-001
06541-001
06542-001
06543-001
06544-001
06546-001
06548-001
06549-001
06550-001
06551-001
06553-001
06554-001
06555-001
06556-001
06557-001
06559-001
06560-001
06561-001
06562-001
06563-001
06564-001
06565-001
06566-001
06567-001
06568-001
06589-001
06591-001
06593-001
06594-001
06595-001
07274-001
07739-001
40003-001

MI

ANSPORTATION, INC.
AL SALE TO SGR - LEASED PROPERTY
015-1084827
, COLLIER, DESOTO, LEE, MANATE, & SARASOTA COUNTIES, FL
913.48 - AX 990.69; AX S 975.75 - AX S 980.80; AZA 922.66 - AZA 928.21; AZA 930.30 - AZA 930.65;
SVC 884.61; SVX 884.28 - SVX 885.20; SW 875.00 - SW 883.12; SW 862.71 - SW 863.75

DIVISION: JACKSONVILLE
SUBDIVISION: BREWSTER, PALMETTO
DATE: 09/25/2018
REVISED: 09/25/2018
DRAWN BY: v5180

Engineering Milepost
Premises - 1,537.81 ± Acres
Excluded Parcel
CSX Real Estate

THIS RAILROAD MAP EXHIBIT GRAPHICALLY REPRESENTS A PROPOSED REAL ESTATE TRANSACTION. IT MAY NOT REFLECT CURRENT "ON THE GROUND" CONDITIONS AND/OR ACTUAL LOCATIONS OF FEATURES. ALL DIMENSIONS, OFFSET DISTANCES, AREA CALCULATIONS AND MEASUREMENT NOTATIONS SHOWN ON THIS EXHIBIT ARE APPROXIMATE.

C:\EXHIBITS\DWG\ 015-1084827\EXHIBITS\Exhibit A-2 - FL 015-1084827.mxd

EXHIBIT A-3

Excluded Parcels


NOT A CERTIFIED COPY



POTENTIAL SALE TO SGR - EXCLUDED PROPERTY
SITE: FL-015-1084827
CHARLOTTE, COLLIER, DESOTO, LEE,

[CSX]

0 100 200
Feet



ANSPORTATION, INC.
AL SALE TO SGR - EXCLUDED PROPERTY
15-1084827
COLLIER, DESOTO, LEE, MANATE & SARASOTA COUNTIES, FL
913.48 - AX 990.69; AX S 975.75 - AX S 980.80; AZA 922.66 - AZA 928.21; AZA 930.30 - AZA 930.65;
VC 884.61; SVX 884.28 - SVX 885.20; SW 875.00 - SW 883.12; SW 882.71 - SW 883.75

DIVISION: JACKSONVILLE
SUBDIVISION: BREWSTER, PALMETTO
DATE: 09/17/2018
REVISED: 09/17/2018
DRAWN BY: v5180

- Engineering Milepost
- Excluded Parcel - 2.09 ± AC
- Premises - 1,537.81 ± Acres
- CSX Real Estate

THIS RAILROAD MAP EXHIBIT GRAPHICALLY REPRESENTS A PROPOSED REAL ESTATE TRANSACTION. IT MAY NOT REFLECT CURRENT "ON THE GROUND" CONDITIONS AND/OR ACTUAL LOCATIONS OF FEATURES. ALL DIMENSIONS, OFFSET DISTANCES, AREA CALCULATIONS AND MEASUREMENT NOTATIONS SHOWN ON THIS EXHIBIT ARE APPROXIMATE.

EXHIBIT B

Description of property in: Manatee, Sarasota, DeSoto, Charlotte, Lee, and Collier Counties, Florida
To: Seminole Gulf Railway, L.P.
CSXT Deed File No.: 2018-945

Parcel A-1
All those portions of Grantor's operating rail lines lying and being situate in the counties of Manatee and Sarasota, FL being strips of land in varying width, the centerlines of which are individually described as follows:
Section 1 (SW line): BEGINNING at a point in the centerline of grantor's track at or near Railroad Valuation Station 2483+05, approximately Milepost SW 875.00, as shown on Right-of-Way and Track Map Seaboard Air Line Railway Co Venice Branch map V2FL/L24/13 (V04337); thence extending in a general southeasterly direction an approximate distance of 42,923 feet more or less or 8.13 miles by milepost distance, more or less, to the place of ENDING, at or near Railroad Valuation Station 2912+22, approximately Milepost SW 883.12 as shown on Right-of-Way and Track Map Seaboard Air Line Rail Road Co Venice Branch map V2FL/L24/S15B (V04341), additionally BEGINNING at a point in the centerline of grantor's track at or near Railroad Valuation Station 2889+46, approximately Milepost SW 882.71, as shown on Right-of-Way and Track Map Seaboard Air Line Railway Co Venice Branch map V2FL/L24/15 (V04340); thence extending in a general southeasterly direction an approximate distance of 5,586 feet more or less or 1.06 miles by milepost distance, more or less, to the place of ENDING, at or near Railroad Valuation Station 2771+10, approximately Milepost SW 883.75 as shown on Right-of-Way and Track Map Tampa Southern Rail Road Bradenton to Sarasota map V19FL/S16 (V06591), aforesaid SW line segments containing 60.78 acres in Manatee county and 59.52 acres in Sarasota County, more or less, all as indicated on Exhibit A-1 attached hereto and made a part hereof, and as further shown in detail on Grantor's Right-of-Way and Track Maps: Seaboard Air Line Railway Co Venice Branch dated 12/31/1917 map, V2FL/L24/14, V2FL/L24/S15A, V2FL/L24/S15B; and Tampa Southern Rail Road Bradenton to Sarasota dated 06/01/1928 maps V19FL/S16, and Atlantic Coast Rail Road Tampa Southern Rail Road Bradenton to Sarasota dated 01/10/1929 map V19FL/S16A, all of which are incorporated herein by reference and copies of which have been provided to Grantee and partially as shown in detail on Grantor's Right-of-Way and Track Maps: Tampa Southern Rail Road Bradenton to Sarasota dated 06/01/1928 map V19FL/S16B, Seaboard Air Line Railway Co Venice Branch dated 12/31/1917 map V2FL/L24/13 and Atlantic Coast Rail Road Tampa Southern Rail Road Fort Ogden Extension dated 12/08/1928 map V19FL/17.
Section 2 (AZA line) BEGINNING at a point in the centerline of grantor's track at or near Railroad Valuation Station 2496+98, approximately Milepost AZA 922.66, as shown on Right-of-Way and Track Map Tampa Southern Rail Road Bradenton to Sarasota map V19/13 (V04737); thence extending in a general southeasterly direction an approximate distance of 29,299 feet more or less or 5.58 miles more or less by milepost distance, more or less, to the place of ENDING, at or near Railroad Valuation Station 2791+92, approximately Milepost AZA 928.21 as shown on Right-of-Way and Atlantic Coast Rail Road Tampa Southern Rail Road Fort Ogden Extension map V19FL/17 (V06594), additionally BEGINNING at a point in the

centerline of grantor's track at or near Railroad Valuation Station 3080+40, approximately Milepost AZA 930.30, as shown on Right-of-Way and Track Map Seaboard Air Line Rail Road Co Venice Branch map V2FL/L24/16 (V04342); thence extending in a general northeasterly direction an approximate distance of 1,815 feet more or less or 0.35 miles more or less by milepost distance, more or less, to the place of ENDING, at or near Railroad Valuation Station 2919+95.9, approximately Milepost AZA 930.65 as shown on Right-of-Way and Atlantic Coast Rail Road Tampa Southern Rail Road Fort Ogden Extension map V19FL/17 (V06594), and containing 32.82acres in Manatee county and 67.77 acres in Sarasota county, more or less, all as indicated on Exhibit A-1 attached hereto and made a part hereof, and as further shown in detail on Grantor's Right-of-Way and Track Maps: Tampa Southern Rail Road Bradenton to Sarasota dated 05/15/1923 maps V19/13, V19/14; and Atlantic Coast Rail Road Tampa Southern Rail Road Bradenton to Sarasota dated 05/15/1923 map V19FL/15; and Tampa Southern Rail Road Bradenton to Sarasota dated 06/01/1928 maps V19FL/S16, V19FL/S16B; and Atlantic Coast Rail Road Tampa Southern Rail Road Fort Ogden Extension, dated 12/08/1928 maps V19FL/17; and Atlantic Coast Rail Road Tampa Southern Rail Road Ringling Spur dated 09/16/1957 map V19FL/17A, all of which are incorporated herein by reference and copies of which have been provided to Grantee, and partially as shown in detail on Grantor's Right-of-Way and Track Maps: Tampa Southern Rail Road Bradenton to Sarasota dated 06/01/1928 mapsV19FL/S16B; and Atlantic Coast Rail Road Tampa Southern Rail Road Fort Ogden Extension dated 12/08/1928 map V19FL/17.

Parcel A-2

All those portions Grantor's operating rail corridor lying and being situate in the counties of DeSoto, Charlotte, Lee, Collier, FL and being strips of land in varying width, the centerlines of which are described as follows:

Section 1 (SVC line): BEGINNING at a point in the centerline of grantor's track at or near Railroad Valuation Station 2603+90, approximately Milepost SVC 883.00, as shown on Right-of-Way and Track Map Charlotte Harbor & Northern Railway map V11FL/L2/13 (V04512); thence extending in a general southeasterly direction an approximate distance of 12,921 feet more or less or 2.46 miles more or less by milepost distance and 89.55 acres in DeSoto county, more or less, to the place of ENDING, at or near Railroad Valuation Station 2473+65, approximately Milepost SVC 885.46 as shown on the aforementioned Right-of-Way and Track Map, as indicated on Exhibit A attached hereto and made a part hereof, all as shown in detail on Exhibit A-2, and as further shown in detail on Grantor's Right-of-Way and Track Maps: Charlotte Harbor & Northern Railway dated 06/30/1918 maps V11/L2/13, V11/L2/14, V11/L2A/1, dated 10/20/1920 map V11/L2/S13, all of which are incorporated herein by reference and copies of which have been provided to Grantee.


Section 2 (SVX): BEGINNING at a point in the centerline of grantor's track at or near Railroad Valuation Station 2537+73, approximately Milepost SVX 884.28, as shown on Right-of-Way and Track Map Charlotte Harbor & Northern Railway Arcadia map V11/L2A/1 (V04251); thence extending in a general southeasterly direction an approximate distance of 5,326 feet more or less or 0.92 miles by milepost distance more or less and 16.43 acres DeSoto county, more or less, to the place of ENDING, at or near Railroad Valuation Station 3278+94, approximately Milepost SVX 885.20 as shown on Right-of-Way and Track Atlantic Coast Rail Road Lakeland to Fort Myers map V6FL/S16C, all as indicated on Exhibit A-2 attached hereto and made a part

hereof, and as further shown in detail on Grantor's Right-of-Way and Track Maps: shown on Grantor's Right-of-Way and Track Maps: Charlotte Harbor & Northern Railway Arcadia dated 06/30/1918 maps V11/L2A/1, dated 06/30/1917 map V6FL/S16C, all of which are incorporated herein by reference and copies of which have been provided to Grantee.
Section 3 (AX line and AX S line): BEGINNING at a point in the centerline of grantor's track at or near Railroad Valuation Station 3274+06, approximately Milepost AX 913.48, as shown on Right-of-Way and Track Map Atlantic Coast Line Rail Road Co. Lakeland to Fort Myers map V6FL/S16C (V06521); thence extending in a general southeasterly direction an approximate distance of 403,674 feet more or less or 77.21 miles more or less by milepost distance and acres 388.92 acres in Charlotte county, 21.46 acres in Collier county, 206.15 acres in DeSoto county, 566.94 in Lee county, more or less, to the place of ENDING, at or near Railroad Valuation Station 1384+56, approximately Milepost AX 990.69 as shown on Right-of-Way and Track Map Fort Myers Southern Railroad map V18FL/S13 (V06568); and including the AX S line BEGINNING at a point in the centerline of grantor's track at or near Railroad Valuation Station 01+50, approximately Milepost AXS 975.75, as shown on Right-of-Way and Track Map Fort Myers Southern Rail Road map V18FL/S6 (V06561); thence extending in a general easterly direction an approximate distance of 26,612 feet more or less or 5.05 miles more or less by milepost distance and acres 27.47 acres in Charlotte county more or less, to the place of ENDING, at or near Railroad Valuation Station 267+62, approximately Milepost AXS 980.80 as shown on said V18FL/S6, less the area from station all as indicated on Exhibit A-2 attached hereto and made a part hereof, and as further shown in detail on Grantor's Right-of-Way and Track Maps: shown on Grantor's Right-of-Way and Track Maps: Atlantic Coast Line Rail Road Co. Lakeland to Fort Myers dated 06/30/1917 map V6FL/S16C; and Seaboard All Florida Railway Fort Ogden to Estero River dated 12/31/1927 maps V8FL/L30/9, V8FL/L30/S9A, V8FL/L30/S9B, V8FL/L30/10, V8FL/L30/11; and Seaboard All Florida Railway Fort Ogden La Belle Branch dated 12/31/1927 map V8FL/L32/1; and Atlantic Coast Rail Road Lakeland to Fort Myers dated 06/30/1917 maps V6FL/16, V6FL/S16C, V6FL/17, V6FL/S17, V6FL/18, V6FL/19, V6FL/S19, V6FL/20, V6FL/21, V6FL/22, V6FL/S22A, V6FL/S22B, V6FL/23, V6FL/24, V6FL/25, V6FL/26, V6FL/27, V6FL/28, V6FL/S28-29A, V6FL/S29D, dated 03/05/1928 map V6FL/S22D, dated 01/23/1929 map V6FL/S29B, dated 12/31/1928 map V6FL/S29C, dated 10/02/1962 map V6FL/S29E, dated 07/23/1927 map V6FL/S28; and Fort Myers Southern Rail Road dated 11/20/1923 map V18FL/1, dated 11/22/1923 map V18FL/2, dated 11/24/1923 map V18FL/3, dated 11/27/1923 map V18FL/4, dated 11/29/1923 map V18FL/5, dated 12/03/1923 map V18FL/6, dated 06/15/1977 map V18FL/S6, dated 12/04/1923 map V18FL/7, dated 12/06/1923 map V18FL/8, dated 12/07/1923 map V18FL/9, dated 12/10/1923 map V18FL/10, dated 12/13/1923 map V18FL/11, dated 12/14/1923 map V18FL/12, dated 12/31/1927 map V18FL/S13; and Seaboard Coast Line Rail Road Fort Myers Southern Rail Road dated 12/06/1972 map V18FL/S1; all of which are incorporated herein by reference and copies of which have been provided to Grantee.


Excluding therefrom all that certain parcel of land located in Lee County, FL, as indicated on Exhibit A-3, further shown in detail on Grantor's Right-of-Way and Track Map, Atlantic Coast Rail Road Lakeland to Fort Myers dated 10/02/1962 map V6FL/S29E as parcel No 3 being a portion of the property described by warranty deed from the City of Fort Myers to Atlantic Coast Railroad Company dated 10/17/1961, ORB:89 Page:364, records of Lee County FL.

EXHIBIT B-1

NOT A CERTIFIED COPY




POTENTIAL SALE TO SEMINOLE GULF
SITE: FL-015-1084827
CHARLOTTE, COLLIER, DESOTO, LEE,
MANATEE, AND SARASOTA COUNTIES, FL



POTENTIAL SALE TO SEMINOLE GULF
SITE: FL-015-1084827
CHARLOTTE, COLLIER, DESOTO, LEE,
MANATEE, AND SARASOTA COUNTIES, FL

CSX How tomorrow moves


0 0.25 0.5
Miles



POTENTIAL SALE TO SEMINOLE GULF
SITE: FL-015-1084827
CHARLOTTE, COLLIER, DESOTO, LEE,
MANATEE, AND SARASOTA COUNTIES, FL


CSX How tomorrow moves

0 0.2 0.4
Miles




POTENTIAL SALE TO SEMINOLE GULF
SITE: FL-015-1084827
CHARLOTTE, COLLIER, DESOTO, LEE,
MANATEE, AND SARASOTA COUNTIES, FL

0 0.4 0.8
Miles



POTENTIAL SALE TO SEMINOLE GULF
SITE: FL-015-1084827
CHARLOTTE, COLLIER, DESOTO, LEE,
MANATEE, AND SARASOTA COUNTIES, FL


0 0.4 0.8
Miles



POTENTIAL SALE TO SEMINOLE GULF
SITE: FL-015-1084827
CHARLOTTE, COLLIER, DESOTO, LEE,
MANATEE, AND SARASOTA COUNTIES, FL

CSX How tomorrow moves


0 0.4 0.8
Miles




POTENTIAL SALE TO SEMINOLE GULF
SITE: FL-015-1084827
CHARLOTTE, COLLIER, DESOTO, LEE,
MANATEE, AND SARASOTA COUNTIES, FL

CSX
How tomorrow moves

0 0.4 0.8
Miles




POTENTIAL SALE TO SEMINOLE GULF
SITE: FL-015-1084827
CHARLOTTE, COLLIER, DESOTO, LEE,
MANATEE, AND SARASOTA COUNTIES, FL



POTENTIAL SALE TO SEMINOLE GULF
SITE: FL-015-1084827
CHARLOTTE, COLLIER, DESOTO, LEE,
MANATEE, AND SARASOTA COUNTIES, FL

CSX How tomorrow moves


0 0.2 0.4
Miles



POTENTIAL SALE TO SEMINOLE GULF
SITE: FL-015-1084827
CHARLOTTE, COLLIER, DESOTO, LEE,
MANATEE, AND SARASOTA COUNTIES, FL

CSX
How tomorrow moves


0 0.4 0.8
Miles



POTENTIAL SALE TO SEMINOLE GULF
SITE: FL-015-1084827
CHARLOTTE, COLLIER, DESOTO, LEE,
MANATEE, AND SARASOTA COUNTIES, FL

CSX
How tomorrow moves

0 0.4 0.8
Miles



POTENTIAL SALE TO SEMINOLE GULF
SITE: FL-015-1084827

Property Data

STRAP: 02-48-25-B1-00013.0000 Folio ID: 10295169

Tax Roll Value Letter

Generated on 7/13/2026 4:08 PM

Owner Of Record - Sole Owner

[Change Mailing Address]

SEMINOLE GULF RAILWAY L P
4110 CENTER POINT DR #207
FORT MYERS FL 33916

Site Address

Site Address maintained by E911 Program Addressing

RAILROAD R/W
BONITA SPRINGS FL 34135

Property Description

Do not use for legal documents!

STRIP OF LAND RUNNING SWLY ACROSS W 1/2 SEC FOR RR R/W.

Attributes and Location Details

Total Bedrooms / Bathrooms	0
1st Year Building on Tax Roll	N/A
Historic Designation	No

Township	Range	Section	Block	Lot
N/A	N/A	N/A		
Municipality	**Latitude**	**Longitude**		
City of Bonita Springs	26.32468	-81.78494		

View Parcel on Google Maps

[Tax Map Viewer] [View Comparables]



[Pictometry Aerial Viewer]

Image of Structure



Property Values / Exemptions / TRIM Notices

Generated on 7/13/2026 4:08 PM

No existing exemptions found for this property.

TRIM Notices	Tax Year	Just	Land	Market Assessed	Capped Assessed	Exemptions	Classified Use	Taxable
2025 / Additional Info	2025 (Final Value)	0	0	0	0	0	0	0
2024 / Additional Info	2024 (Final Value)	0	0	0	0	0	0	0
2023 / Additional Info	2023 (Final Value)	0	0	0	0	0	0	0
2022 / Additional Info	2022 (Final Value)	0	0	0	0	0	0	0
2021 / Additional Info	2021 (Final Value)	0	0	0	0	0	0	0

2020 / Additional Info	2020 (Final Value)	0	0	0	0	0	0	0
2019 / Additional Info	2019 (Final Value)	0	0	0	0	0	0	0
2018 / Additional Info	2018 (Final Value)	0	0	0	0	0	0	0
2017 / Additional Info	2017 (Final Value)	0	0	0	0	0	0	0
2016	2016 (Final Value)	0	0	0	0	0	0	0
2015	2015 (Final Value)	0	0	0	0	0	0	0
2014	2014 (Corrected Value)	0	0	0	0	0	0	0
	2013 (Final Value)	0	0	0	0	0	0	0
	2012 (Final Value)	0	0	0	0	0	0	0
	2011 (Final Value)	0	0	0	0	0	0	0
	2010 (Final Value)	0	0	0	0	0	0	0
	2009 (Final Value)	0	0	0	0	0	0	0
	2008 (Final Value)	0	0	0	0	0	0	0
	2007 (Final Value)	0	0	0	0	0	0	0
	2006 (Final Value)	0	0	0	0	0	0	0
	2005 (Final Value)	0	0	0	0	0	0	0
	2004 (Final Value)	0	0	0	0	0	0	0
	2003 (Final Value)	0	0	0	0	0	0	0
	2002 (Final Value)	0	0	0	0	0	0	0
	2001 (Final Value)	0	0	0	0	0	0	0
	2000 (Final Value)	0	0	0	0	0	0	0
	1999 (Final Value)	0	0	0	0	0	0	0
	1998 (Final Value)	0	0	0	0	0	0	0
	1997 (Final Value)	0	0	0	0	0	0	0
	1996 (Final Value)	0	0	0	0	0	0	0
	1995 (Final Value)	0	0	0	0	0	0	0
	1994 (Final Value)	0	0	0	0	0	0	0
	1993 (Final Value)	0	0	0	0	0	0	0
	1992 (Final Value)	0	0	0	0	0	0	0

The **Just** value is the total parcel assessment (less any considerations for the cost of sale). This is the closest value to *Fair Market Value* we produce and is dated as of January 1st of the tax year in question (F.A.C. 12D-1.002).

The **Land** value is the portion of the total parcel assessment attributed to the land.

The **Market Assessed** value is the total parcel assessment (less any considerations for the cost of sale) based upon the assessment standard. Most parcels are assessed based either upon the *Highest and Best Use* standard or the *Present Use* standard (*F.S. 193.011)* . For *Agriculturally Classified* parcels (or parts thereof), only agricultural uses are considered in the assessment (*F.S. 193.461 (6) (a)*). The difference between the *Highest and Best Use/Present Use* and the *Agricultural Use* is often referred to as the *Agricultural Exemption*.
(i.e. Market Assessed = Just - Agricultural Exemption)

The **Capped Assessed** value is the *Market Assessment* after any *Save Our Homes* or *10% Assessment Limitation* cap is applied. This assessment cap is applied to all properties and limits year-to-year assessment increases to either the *Consumer Price Index* or 3%, whichever is lower for Homestead properties OR 10% for non-Homestead properties.

The **Exemptions** value is the total amount of all exemptions on the parcel.

The **Taxable** value is the *Capped Assessment* after exemptions (*Homestead, etc.*) are applied to it. This is the value that most taxing authorities use to calculate a parcel's taxes.
(i.e. Taxable = Capped Assessed - Exemptions)

Property Details (Current as of 7/12/2026)

Generated on 7/13/2026 4:08 PM

Property Details (2025 Tax Roll)

Generated on 7/13/2026 4:08 PM

Taxing Authorities

Generated on 7/13/2026 4:08 PM

CENTRALLY ASSESSED / 000

Name / Code	Category	Mailing Address
LEE CO GENERAL REVENUE / 044	County	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO ALL HAZARDS PROTECTION DIST / 101	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO UNINCORPORATED MSTU / 020	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE COUNTY LIBRARY DIST / 052	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
SAN CARLOS PARK UNIT MSTU / 078	Dependent District	LEE COUNTY MSTU/MSBU PO BOX 398 FORT MYERS FL 33902-0398
BAYSHORE FIRE & RESCUE SRVC / 006	Independent District	BAYSHORE FIRE DISTRICT 17350 NALLE RD NORTH FORT MYERS FL 33917
BONITA SPRINGS FIRE DISTRICT / 009	Independent District	BONITA SPRINGS FIRE 27701 BONITA GRANDE DR BONITA SPRINGS FL 34135
ESTERO FIRE RESCUE DIST / 029	Independent District	ESTERO FIRE RESCUE DIST 21500 THREE OAKS PKWY ESTERO FL 33928
LEE CO HYACINTH CONTROL DIST / 051	Independent District	LEE CO HYACINTH CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
LEE CO MOSQUITO CONTROL DIST / 053	Independent District	LEE CO MOSQUITO CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
NORTH FORT MYERS FIRE DISTRICT / 063	Independent District	NORTH FORT MYERS FIRE DISTRICT PO BOX 3507 NORTH FORT MYERS FL 33918-3507
SAN CARLOS PARK FIRE DISTRICT / 077	Independent District	SAN CARLOS PARK FIRE DISTRICT 19591 BEN HILL GRIFFIN PKWY FORT MYERS FL 33913-8989
SOUTH TRAIL FIRE DISTRICT / 085	Independent District	SOUTH TRAIL FIRE DISTRICT 5531 HALIFAX AVE FORT MYERS FL 33912
TICE FIRE DISTRICT / 088	Independent District	TICE FIRE DISTRICT 9351 WORKMEN WAY FORT MYERS FL 33905
WEST COAST INLAND NAVIGATION DIST / 098	Independent District	WEST COAST INLAND NAVIGATION DIST 200 MIAMI AVE E VENICE FL 34285-2408
CITY OF BONITA SPRINGS / 157	Municipal	CITY OF BONITA SPRINGS 9101 BONITA BEACH RD BONITA SPRINGS FL 34135
CITY OF FORT MYERS / 031	Municipal	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
VILLAGE OF ESTERO / 340	Municipal	VILLAGE OF ESTERO 9401 CORKSCREW PALMS CIR ESTERO FL 33928
PUBLIC SCHOOL - BY LOCAL BOARD / 012	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966
PUBLIC SCHOOL - BY STATE LAW / 013	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966

CITY OF BONITA SPRINGS STORMWATER / 387	Special District	CITY OF BONITA SPRINGS 9101 BONITA BEACH RD BONITA SPRINGS FL 34135
FLORIDA GREEN FINANCE AUTHORITY / 358	Special District	SPECIAL DISTRICT SERVICES INC 2501A BURNS RD PALM BEACH GARDENS FL 33410
FLORIDA RESILIENCY & ENERGY DISTRICT / 359	Special District	
GREEN CORRIDOR PACE / 363	Special District	
CITY OF FORT MYERS PARKS VOTED DEBT SVC / 418	Voter Approved	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
SFWMD-DISTRICT-WIDE / 110	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-EVERGLADES CONSTRUCTION PROJECT / 084	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-OKEECHOBEE BASIN / 308	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406

Sales / Transactions

Generated on 7/13/2026 4:08 PM

Sale Price	Date	Clerk File Number	Type	Notes	Vacant/ Improved
10.00	11/01/2018	2019000150246	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 08-46-25-00-00007.0000 *Remaining parcels not listed.*	I
0.00	11/01/2018	2018000262032	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 08-46-25-00-00007.0000 *Remaining parcels not listed.*	I

Help safeguard your home against property fraud. Sign up for the Lee Clerk's free Property Fraud Alert.

Building / Construction Permit Data

Generated on 7/13/2026 4:08 PM

Permit Number	Permit Type	Date

IMPORTANT: THIS MAY NOT BE A COMPREHENSIVE OR TIMELY LISTING OF PERMITS ISSUED FOR THIS PROPERTY.

Note: The Lee County Property Appraiser's Office does not issue or maintain any permit information. The Building / Construction permit data displayed here represents only those records this Office may find necessary to conduct Property Appraiser business. Use of this information is with the understanding that

in no way is this to be considered a comprehensive listing of permits for this or any other parcel.

The Date field represents the date the property appraiser received information regarding permit activity; it may or not represent the actual date of permit issuance or completion.

Full, accurate, active and valid permit information for parcels can only be obtained from the appropriate permit issuing agency.

Parcel Numbering History

Generated on 7/13/2026 4:08 PM

Prior STRAP	Prior Folio ID	Renumber Reason	Renumber Date
02-48-25-00-00013.0000	N/A	Reserved for Renumber ONLY	05/06/2000

Solid Waste (Garbage) Roll Data

Generated on 7/13/2026 4:08 PM

Solid Waste District	Roll Type	Category	Unit / Area	Tax Amount
001 - Service Area 1	-		0	0.00

Flood and Storm Information

Generated on 7/13/2026 4:08 PM

Flood Insurance Rate Map data is not available for parcels within a municipality. To obtain flood information, contact your municipality directly.

Flood Insurance **Find my flood zone**

Subsurface Rights

Generated on 7/13/2026 4:08 PM

Subsurface Rights	Subsurface STRAP	Subsurface Folio ID	Surface STRAP	Surface Folio ID
UNKNOWN				

Generated on 7/13/2026 4:08 PM

Property Data

STRAP: 03-47-25-E1-U1978.2168 Folio ID: 10276688

Tax Roll Value Letter

Generated on 7/13/2026 2:54 PM

Owner Of Record - Sole Owner

[Change Mailing Address]

SEMINOLE GULF RAILWAY L P
4110 CENTER POINT DR #207
FORT MYERS FL 33916

Site Address

Site Address maintained by E911 Program Addressing

RAILROAD R/W
ESTERO FL

Property Description

Do not use for legal documents!

STRIP OF LAND FOR RR R/W IN SEC 03 TWN 47 RGE 25

Attributes and Location Details

Total Bedrooms / Bathrooms	0
1st Year Building on Tax Roll	N/A
Historic Designation	No

Township	Range	Section	Block	Lot
N/A	N/A	N/A		
Municipality	**Latitude**	**Longitude**		
Village of Estero	26.41302	-81.80454		

View Parcel on Google Maps

[Tax Map Viewer] [View Comparables]



[Pictometry Aerial Viewer]

Image of Structure



Property Values / Exemptions / TRIM Notices

Generated on 7/13/2026 2:54 PM

No existing exemptions found for this property.

TRIM Notices	Tax Year	Just	Land	Market Assessed	Capped Assessed	Exemptions	Classified Use	Taxable
2025 / Additional Info	2025 (Final Value)	0	0	0	0	0	0	0
2024 / Additional Info	2024 (Final Value)	0	0	0	0	0	0	0
2023 / Additional Info	2023 (Final Value)	0	0	0	0	0	0	0
2022 / Additional Info	2022 (Final Value)	0	0	0	0	0	0	0
2021 / Additional Info	2021 (Final Value)	0	0	0	0	0	0	0

2020 / Additional Info	2020 (Final Value)	0	0	0	0	0	0	0
2019 / Additional Info	2019 (Final Value)	0	0	0	0	0	0	0
2018 / Additional Info	2018 (Final Value)	0	0	0	0	0	0	0
2017 / Additional Info	2017 (Final Value)	0	0	0	0	0	0	0
2016	2016 (Final Value)	0	0	0	0	0	0	0
2015	2015 (Final Value)	0	0	0	0	0	0	0
2014	2014 (Corrected Value)	0	0	0	0	0	0	0
	2013 (Final Value)	0	0	0	0	0	0	0
	2012 (Final Value)	0	0	0	0	0	0	0
	2011 (Final Value)	0	0	0	0	0	0	0
	2010 (Final Value)	0	0	0	0	0	0	0
	2009 (Final Value)	0	0	0	0	0	0	0
	2008 (Final Value)	0	0	0	0	0	0	0
	2007 (Final Value)	0	0	0	0	0	0	0
	2006 (Final Value)	0	0	0	0	0	0	0
	2005 (Final Value)	0	0	0	0	0	0	0
	2004 (Final Value)	0	0	0	0	0	0	0
	2003 (Final Value)	0	0	0	0	0	0	0
	2002 (Final Value)	0	0	0	0	0	0	0
	2001 (Final Value)	0	0	0	0	0	0	0
	2000 (Final Value)	0	0	0	0	0	0	0
	1999 (Final Value)	0	0	0	0	0	0	0
	1998 (Final Value)	0	0	0	0	0	0	0
	1997 (Final Value)	0	0	0	0	0	0	0
	1996 (Final Value)	0	0	0	0	0	0	0
	1995 (Final Value)	0	0	0	0	0	0	0
	1994 (Final Value)	0	0	0	0	0	0	0
	1993 (Final Value)	0	0	0	0	0	0	0
	1992 (Final Value)	0	0	0	0	0	0	0

The **Just** value is the total parcel assessment (less any considerations for the cost of sale). This is the closest value to *Fair Market Value* we produce and is dated as of January 1st of the tax year in question (F.A.C. 12D-1.002).

The **Land** value is the portion of the total parcel assessment attributed to the land.

The **Market Assessed** value is the total parcel assessment (less any considerations for the cost of sale) based upon the assessment standard. Most parcels are assessed based either upon the *Highest and Best Use* standard or the *Present Use* standard (*F.S. 193.011)* . For *Agriculturally Classified* parcels (or parts thereof), only agricultural uses are considered in the assessment (*F.S. 193.461 (6) (a)*). The difference between the *Highest and Best Use/Present Use* and the *Agricultural Use* is often referred to as the *Agricultural Exemption*.
(i.e. Market Assessed = Just - Agricultural Exemption)

The **Capped Assessed** value is the *Market Assessment* after any *Save Our Homes* or *10% Assessment Limitation* cap is applied. This assessment cap is applied to all properties and limits year-to-year assessment increases to either the *Consumer Price Index* or 3%, whichever is lower for Homestead properties OR 10% for non-Homestead properties.

The **Exemptions** value is the total amount of all exemptions on the parcel.

The **Taxable** value is the *Capped Assessment* after exemptions (*Homestead, etc.*) are applied to it. This is the value that most taxing authorities use to calculate a parcel's taxes.
(i.e. Taxable = Capped Assessed - Exemptions)

Property Details (Current as of 7/12/2026)

Generated on 7/13/2026 2:54 PM

Property Details (2025 Tax Roll)

Generated on 7/13/2026 2:54 PM

Taxing Authorities

Generated on 7/13/2026 2:55 PM

CENTRALLY ASSESSED / 000

Name / Code	Category	Mailing Address
LEE CO GENERAL REVENUE / 044	County	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO ALL HAZARDS PROTECTION DIST / 101	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO UNINCORPORATED MSTU / 020	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE COUNTY LIBRARY DIST / 052	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
SAN CARLOS PARK UNIT MSTU / 078	Dependent District	LEE COUNTY MSTU/MSBU PO BOX 398 FORT MYERS FL 33902-0398
BAYSHORE FIRE & RESCUE SRVC / 006	Independent District	BAYSHORE FIRE DISTRICT 17350 NALLE RD NORTH FORT MYERS FL 33917
BONITA SPRINGS FIRE DISTRICT / 009	Independent District	BONITA SPRINGS FIRE 27701 BONITA GRANDE DR BONITA SPRINGS FL 34135
ESTERO FIRE RESCUE DIST / 029	Independent District	ESTERO FIRE RESCUE DIST 21500 THREE OAKS PKWY ESTERO FL 33928
LEE CO HYACINTH CONTROL DIST / 051	Independent District	LEE CO HYACINTH CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
LEE CO MOSQUITO CONTROL DIST / 053	Independent District	LEE CO MOSQUITO CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
NORTH FORT MYERS FIRE DISTRICT / 063	Independent District	NORTH FORT MYERS FIRE DISTRICT PO BOX 3507 NORTH FORT MYERS FL 33918-3507
SAN CARLOS PARK FIRE DISTRICT / 077	Independent District	SAN CARLOS PARK FIRE DISTRICT 19591 BEN HILL GRIFFIN PKWY FORT MYERS FL 33913-8989
SOUTH TRAIL FIRE DISTRICT / 085	Independent District	SOUTH TRAIL FIRE DISTRICT 5531 HALIFAX AVE FORT MYERS FL 33912
TICE FIRE DISTRICT / 088	Independent District	TICE FIRE DISTRICT 9351 WORKMEN WAY FORT MYERS FL 33905
WEST COAST INLAND NAVIGATION DIST / 098	Independent District	WEST COAST INLAND NAVIGATION DIST 200 MIAMI AVE E VENICE FL 34285-2408
CITY OF BONITA SPRINGS / 157	Municipal	CITY OF BONITA SPRINGS 9101 BONITA BEACH RD BONITA SPRINGS FL 34135
CITY OF FORT MYERS / 031	Municipal	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
VILLAGE OF ESTERO / 340	Municipal	VILLAGE OF ESTERO 9401 CORKSCREW PALMS CIR ESTERO FL 33928
PUBLIC SCHOOL - BY LOCAL BOARD / 012	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966
PUBLIC SCHOOL - BY STATE LAW / 013	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966

FLORIDA GREEN FINANCE AUTHORITY / 358	Special District	SPECIAL DISTRICT SERVICES INC 2501A BURNS RD PALM BEACH GARDENS FL 33410
GREEN CORRIDOR PACE / 363	Special District	
VILLAGE OF ESTERO PUENTE LN CORKSCREW RD / 395	Special District	VILLAGE OF ESTERO 9401 CORKSCREW PALMS CIR ESTERO FL 33928
CITY OF FORT MYERS PARKS VOTED DEBT SVC / 418	Voter Approved	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
SFWMD-DISTRICT-WIDE / 110	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-EVERGLADES CONSTRUCTION PROJECT / 084	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-OKEECHOBEE BASIN / 308	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406

Sales / Transactions

Generated on 7/13/2026 2:55 PM

Sale Price	Date	Clerk File Number	Type	Notes	Vacant/ Improved
10.00	11/01/2018	2019000150246	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 08-46-25-00-00007.0000 *Remaining parcels not listed.*	I
0.00	11/01/2018	2018000262032	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 08-46-25-00-00007.0000 *Remaining parcels not listed.*	I

Help safeguard your home against property fraud. Sign up for the Lee Clerk's free Property Fraud Alert.

Building / Construction Permit Data

Generated on 7/13/2026 2:55 PM

Permit Number	Permit Type	Date
FNC2006-00493	Fence	04/21/2006

IMPORTANT: THIS MAY NOT BE A COMPREHENSIVE OR TIMELY LISTING OF PERMITS ISSUED FOR THIS PROPERTY.

Note: The Lee County Property Appraiser's Office does not issue or maintain any permit information. The Building / Construction permit data displayed here represents only those records this Office may find necessary to conduct Property Appraiser business. Use of this information is with the understanding that

in no way is this to be considered a comprehensive listing of permits for this or any other parcel.

The Date field represents the date the property appraiser received information regarding permit activity; it may or not represent the actual date of permit issuance or completion.

Full, accurate, active and valid permit information for parcels can only be obtained from the appropriate permit issuing agency.

Parcel Numbering History

Generated on 7/13/2026 2:55 PM

Prior STRAP	Prior Folio ID	Renumber Reason	Renumber Date
03-47-25-00-00001.0000	N/A	Reserved for Renumber ONLY	01/14/2015

Solid Waste (Garbage) Roll Data

Generated on 7/13/2026 2:55 PM

Solid Waste District	Roll Type	Category	Unit / Area	Tax Amount
003 - Service Area 3	-		0	0.00

Flood and Storm Information

Generated on 7/13/2026 2:55 PM

Flood Insurance Rate Map data is not available for parcels within a municipality. To obtain flood information, contact your municipality directly.

Flood Insurance **Find my flood zone**

Subsurface Rights

Generated on 7/13/2026 2:55 PM

Subsurface Rights	Subsurface STRAP	Subsurface Folio ID	Surface STRAP	Surface Folio ID
UNKNOWN				

Generated on 7/13/2026 2:55 PM

Property Data

STRAP: 03-48-25-B3-00004.0000 Folio ID: 10295371

Tax Roll Value Letter

Generated on 7/13/2026 4:09 PM

Owner Of Record - Sole Owner

[Change Mailing Address]

SEMINOLE GULF RAILWAY L P
4110 CENTER POINT DR #207
FORT MYERS FL 33916

Site Address

Site Address maintained by E911 Program Addressing

RAILROAD R/W
BONITA SPRINGS FL 34135

Property Description

Do not use for legal documents!

STRIP OF LAND RUNNING SWLY ACROSS SE 1/4 SEC FOR RR R/W.

Attributes and Location Details

Total Bedrooms / Bathrooms	0
1st Year Building on Tax Roll	N/A
Historic Designation	No

Township	Range	Section	Block	Lot
N/A	N/A	N/A		
Municipality	**Latitude**	**Longitude**		
City of Bonita Springs	26.31801	-81.78757		

View Parcel on Google Maps

[Tax Map Viewer] [View Comparables]



[Pictometry Aerial Viewer]

Image of Structure



Property Values / Exemptions / TRIM Notices

Generated on 7/13/2026 4:09 PM

No existing exemptions found for this property.

TRIM Notices	Tax Year	Just	Land	Market Assessed	Capped Assessed	Exemptions	Classified Use	Taxable
2025 / Additional Info	2025 (Final Value)	0	0	0	0	0	0	0
2024 / Additional Info	2024 (Final Value)	0	0	0	0	0	0	0
2023 / Additional Info	2023 (Final Value)	0	0	0	0	0	0	0
2022 / Additional Info	2022 (Final Value)	0	0	0	0	0	0	0
2021 / Additional Info	2021 (Final Value)	0	0	0	0	0	0	0

2020 / Additional Info	2020 (Final Value)	0	0	0	0	0	0	0
2019 / Additional Info	2019 (Final Value)	0	0	0	0	0	0	0
2018 / Additional Info	2018 (Final Value)	0	0	0	0	0	0	0
2017 / Additional Info	2017 (Final Value)	0	0	0	0	0	0	0
2016	2016 (Final Value)	0	0	0	0	0	0	0
2015	2015 (Final Value)	0	0	0	0	0	0	0
2014	2014 (Corrected Value)	0	0	0	0	0	0	0
	2013 (Final Value)	0	0	0	0	0	0	0
	2012 (Final Value)	0	0	0	0	0	0	0
	2011 (Final Value)	0	0	0	0	0	0	0
	2010 (Final Value)	0	0	0	0	0	0	0
	2009 (Final Value)	0	0	0	0	0	0	0
	2008 (Final Value)	0	0	0	0	0	0	0
	2007 (Final Value)	0	0	0	0	0	0	0
	2006 (Final Value)	0	0	0	0	0	0	0
	2005 (Final Value)	0	0	0	0	0	0	0
	2004 (Final Value)	0	0	0	0	0	0	0
	2003 (Final Value)	0	0	0	0	0	0	0
	2002 (Final Value)	0	0	0	0	0	0	0
	2001 (Final Value)	0	0	0	0	0	0	0
	2000 (Final Value)	0	0	0	0	0	0	0
	1999 (Final Value)	0	0	0	0	0	0	0
	1998 (Final Value)	0	0	0	0	0	0	0
	1997 (Final Value)	0	0	0	0	0	0	0
	1996 (Final Value)	0	0	0	0	0	0	0
	1995 (Final Value)	0	0	0	0	0	0	0
	1994 (Final Value)	0	0	0	0	0	0	0
	1993 (Final Value)	0	0	0	0	0	0	0
	1992 (Final Value)	0	0	0	0	0	0	0

The **Just** value is the total parcel assessment (less any considerations for the cost of sale). This is the closest value to *Fair Market Value* we produce and is dated as of January 1st of the tax year in question (F.A.C. 12D-1.002).

The **Land** value is the portion of the total parcel assessment attributed to the land.

The **Market Assessed** value is the total parcel assessment (less any considerations for the cost of sale) based upon the assessment standard. Most parcels are assessed based either upon the *Highest and Best Use* standard or the *Present Use* standard (*F.S. 193.011)* . For *Agriculturally Classified* parcels (or parts thereof), only agricultural uses are considered in the assessment (*F.S. 193.461 (6) (a)*). The difference between the *Highest and Best Use/Present Use* and the *Agricultural Use* is often referred to as the *Agricultural Exemption*.
(i.e. Market Assessed = Just - Agricultural Exemption)

The **Capped Assessed** value is the *Market Assessment* after any *Save Our Homes* or *10% Assessment Limitation* cap is applied. This assessment cap is applied to all properties and limits year-to-year assessment increases to either the *Consumer Price Index* or 3%, whichever is lower for Homestead properties OR 10% for non-Homestead properties.

The **Exemptions** value is the total amount of all exemptions on the parcel.

The **Taxable** value is the *Capped Assessment* after exemptions (*Homestead, etc.*) are applied to it. This is the value that most taxing authorities use to calculate a parcel's taxes.
(i.e. Taxable = Capped Assessed - Exemptions)

Property Details (Current as of 7/12/2026)

Generated on 7/13/2026 4:09 PM

Property Details (2025 Tax Roll)

Generated on 7/13/2026 4:09 PM

Taxing Authorities

Generated on 7/13/2026 4:09 PM

CENTRALLY ASSESSED / 000

Name / Code	Category	Mailing Address
LEE CO GENERAL REVENUE / 044	County	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO ALL HAZARDS PROTECTION DIST / 101	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO UNINCORPORATED MSTU / 020	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE COUNTY LIBRARY DIST / 052	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
SAN CARLOS PARK UNIT MSTU / 078	Dependent District	LEE COUNTY MSTU/MSBU PO BOX 398 FORT MYERS FL 33902-0398
BAYSHORE FIRE & RESCUE SRVC / 006	Independent District	BAYSHORE FIRE DISTRICT 17350 NALLE RD NORTH FORT MYERS FL 33917
BONITA SPRINGS FIRE DISTRICT / 009	Independent District	BONITA SPRINGS FIRE 27701 BONITA GRANDE DR BONITA SPRINGS FL 34135
ESTERO FIRE RESCUE DIST / 029	Independent District	ESTERO FIRE RESCUE DIST 21500 THREE OAKS PKWY ESTERO FL 33928
LEE CO HYACINTH CONTROL DIST / 051	Independent District	LEE CO HYACINTH CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
LEE CO MOSQUITO CONTROL DIST / 053	Independent District	LEE CO MOSQUITO CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
NORTH FORT MYERS FIRE DISTRICT / 063	Independent District	NORTH FORT MYERS FIRE DISTRICT PO BOX 3507 NORTH FORT MYERS FL 33918-3507
SAN CARLOS PARK FIRE DISTRICT / 077	Independent District	SAN CARLOS PARK FIRE DISTRICT 19591 BEN HILL GRIFFIN PKWY FORT MYERS FL 33913-8989
SOUTH TRAIL FIRE DISTRICT / 085	Independent District	SOUTH TRAIL FIRE DISTRICT 5531 HALIFAX AVE FORT MYERS FL 33912
TICE FIRE DISTRICT / 088	Independent District	TICE FIRE DISTRICT 9351 WORKMEN WAY FORT MYERS FL 33905
WEST COAST INLAND NAVIGATION DIST / 098	Independent District	WEST COAST INLAND NAVIGATION DIST 200 MIAMI AVE E VENICE FL 34285-2408
CITY OF BONITA SPRINGS / 157	Municipal	CITY OF BONITA SPRINGS 9101 BONITA BEACH RD BONITA SPRINGS FL 34135
CITY OF FORT MYERS / 031	Municipal	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
VILLAGE OF ESTERO / 340	Municipal	VILLAGE OF ESTERO 9401 CORKSCREW PALMS CIR ESTERO FL 33928
PUBLIC SCHOOL - BY LOCAL BOARD / 012	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966
PUBLIC SCHOOL - BY STATE LAW / 013	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966

CITY OF BONITA SPRINGS STORMWATER / 387	Special District	CITY OF BONITA SPRINGS 9101 BONITA BEACH RD BONITA SPRINGS FL 34135
FLORIDA GREEN FINANCE AUTHORITY / 358	Special District	SPECIAL DISTRICT SERVICES INC 2501A BURNS RD PALM BEACH GARDENS FL 33410
FLORIDA RESILIENCY & ENERGY DISTRICT / 359	Special District	
GREEN CORRIDOR PACE / 363	Special District	
CITY OF FORT MYERS PARKS VOTED DEBT SVC / 418	Voter Approved	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
SFWMD-DISTRICT-WIDE / 110	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-EVERGLADES CONSTRUCTION PROJECT / 084	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-OKEECHOBEE BASIN / 308	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406

Sales / Transactions

Generated on 7/13/2026 4:09 PM

Sale Price	Date	Clerk File Number	Type	Notes	Vacant/ Improved
10.00	11/01/2018	2019000150246	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 08-46-25-00-00007.0000 *Remaining parcels not listed.*	I
0.00	11/01/2018	2018000262032	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 08-46-25-00-00007.0000 *Remaining parcels not listed.*	I

Help safeguard your home against property fraud. Sign up for the Lee Clerk's free Property Fraud Alert.

Building / Construction Permit Data

Generated on 7/13/2026 4:09 PM

Permit Number	Permit Type	Date

IMPORTANT: THIS MAY NOT BE A COMPREHENSIVE OR TIMELY LISTING OF PERMITS ISSUED FOR THIS PROPERTY.

Note: The Lee County Property Appraiser's Office does not issue or maintain any permit information. The Building / Construction permit data displayed here represents only those records this Office may find necessary to conduct Property Appraiser business. Use of this information is with the understanding that

in no way is this to be considered a comprehensive listing of permits for this or any other parcel.

The Date field represents the date the property appraiser received information regarding permit activity; it may or not represent the actual date of permit issuance or completion.

Full, accurate, active and valid permit information for parcels can only be obtained from the appropriate permit issuing agency.

Parcel Numbering History

Generated on 7/13/2026 4:09 PM

Prior STRAP	Prior Folio ID	Renumber Reason	Renumber Date
03-48-25-00-00004.0000	N/A	Reserved for Renumber ONLY	05/06/2000

Solid Waste (Garbage) Roll Data

Generated on 7/13/2026 4:09 PM

Solid Waste District	Roll Type	Category	Unit / Area	Tax Amount
001 - Service Area 1	-		0	0.00

Flood and Storm Information

Generated on 7/13/2026 4:09 PM

Flood Insurance Rate Map data is not available for parcels within a municipality. To obtain flood information, contact your municipality directly.

Flood Insurance **Find my flood zone**

Subsurface Rights

Generated on 7/13/2026 4:09 PM

Subsurface Rights	Subsurface STRAP	Subsurface Folio ID	Surface STRAP	Surface Folio ID
UNKNOWN				

Generated on 7/13/2026 4:09 PM

Property Data

STRAP: 10-47-25-E1-U1979.2047 Folio ID: 10557145

Tax Roll Value Letter

Generated on 7/13/2026 2:56 PM

Owner Of Record - Sole Owner

[Change Mailing Address]

SEMINOLE GULF RAILWAY L P
4110 CENTER POINT DR #207
FORT MYERS FL 33916

Site Address

Site Address maintained by E911 Program Addressing

RAILROAD R/W
ESTERO FL

Property Description

Do not use for legal documents!

STRIP OF LAND IN SEC 10 47 25 FOR RR R/W LYING NORTH OF COCONUT ROW

Attributes and Location Details

Total Bedrooms / Bathrooms	0
1st Year Building on Tax Roll	N/A
Historic Designation	No

Township	Range	Section	Block	Lot
N/A	N/A	N/A		
Municipality	**Latitude**	**Longitude**		
Village of Estero	26.40219	-81.80418		

View Parcel on Google Maps

[Tax Map Viewer] [View Comparables]



[Pictometry Aerial Viewer]

Image of Structure



Property Values / Exemptions / TRIM Notices

Generated on 7/13/2026 2:56 PM

No existing exemptions found for this property.

TRIM Notices	Tax Year	Just	Land	Market Assessed	Capped Assessed	Exemptions	Classified Use	Taxable
2025 / Additional Info	2025 (Final Value)	0	0	0	0	0	0	0
2024 / Additional Info	2024 (Final Value)	0	0	0	0	0	0	0
2023 / Additional Info	2023 (Final Value)	0	0	0	0	0	0	0
2022 / Additional Info	2022 (Final Value)	0	0	0	0	0	0	0
2021 / Additional Info	2021 (Final Value)	0	0	0	0	0	0	0

2020 / Additional Info	2020 (Final Value)	0	0	0	0	0	0	0
2019 / Additional Info	2019 (Final Value)	0	0	0	0	0	0	0
2018 / Additional Info	2018 (Final Value)	0	0	0	0	0	0	0
2017 / Additional Info	2017 (Final Value)	0	0	0	0	0	0	0
2016	2016 (Final Value)	0	0	0	0	0	0	0
2015	2015 (Final Value)	0	0	0	0	0	0	0
2014	2014 (Corrected Value)	0	0	0	0	0	0	0
	2013 (Final Value)	0	0	0	0	0	0	0
	2012 (Final Value)	0	0	0	0	0	0	0
	2011 (Final Value)	0	0	0	0	0	0	0

The **Just** value is the total parcel assessment (less any considerations for the cost of sale). This is the closest value to *Fair Market Value* we produce and is dated as of January 1st of the tax year in question (F.A.C. 12D-1.002).

The **Land** value is the portion of the total parcel assessment attributed to the land.

The **Market Assessed** value is the total parcel assessment (less any considerations for the cost of sale) based upon the assessment standard. Most parcels are assessed based either upon the *Highest and Best Use* standard or the *Present Use* standard (*F.S. 193.011)* . For *Agriculturally Classified* parcels (or parts thereof), only agricultural uses are considered in the assessment (*F.S. 193.461 (6) (a)*). The difference between the *Highest and Best Use/Present Use* and the *Agricultural Use* is often referred to as the *Agricultural Exemption*.
(i.e. Market Assessed = Just - Agricultural Exemption)

The **Capped Assessed** value is the *Market Assessment* after any *Save Our Homes* or *10% Assessment Limitation* cap is applied. This assessment cap is applied to all properties and limits year-to-year assessment increases to either the *Consumer Price Index* or 3%, whichever is lower for Homestead properties OR 10% for non-Homestead properties.

The **Exemptions** value is the total amount of all exemptions on the parcel.

The **Taxable** value is the *Capped Assessment* after exemptions (*Homestead, etc.*) are applied to it. This is the value that most taxing authorities use to calculate a parcel's taxes.
(i.e. Taxable = Capped Assessed - Exemptions)

Property Details (Current as of 7/12/2026)

Generated on 7/13/2026 2:56 PM

Property Details (2025 Tax Roll)

Generated on 7/13/2026 2:56 PM

Taxing Authorities

Generated on 7/13/2026 2:56 PM

CENTRALLY ASSESSED / 000

Name / Code	Category	Mailing Address
LEE CO GENERAL REVENUE / 044	County	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO ALL HAZARDS PROTECTION DIST / 101	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO UNINCORPORATED MSTU / 020	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE COUNTY LIBRARY DIST / 052	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398

SAN CARLOS PARK UNIT MSTU / 078	Dependent District	LEE COUNTY MSTU/MSBU PO BOX 398 FORT MYERS FL 33902-0398
BAYSHORE FIRE & RESCUE SRVC / 006	Independent District	BAYSHORE FIRE DISTRICT 17350 NALLE RD NORTH FORT MYERS FL 33917
BONITA SPRINGS FIRE DISTRICT / 009	Independent District	BONITA SPRINGS FIRE 27701 BONITA GRANDE DR BONITA SPRINGS FL 34135
ESTERO FIRE RESCUE DIST / 029	Independent District	ESTERO FIRE RESCUE DIST 21500 THREE OAKS PKWY ESTERO FL 33928
LEE CO HYACINTH CONTROL DIST / 051	Independent District	LEE CO HYACINTH CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
LEE CO MOSQUITO CONTROL DIST / 053	Independent District	LEE CO MOSQUITO CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
NORTH FORT MYERS FIRE DISTRICT / 063	Independent District	NORTH FORT MYERS FIRE DISTRICT PO BOX 3507 NORTH FORT MYERS FL 33918-3507
SAN CARLOS PARK FIRE DISTRICT / 077	Independent District	SAN CARLOS PARK FIRE DISTRICT 19591 BEN HILL GRIFFIN PKWY FORT MYERS FL 33913-8989
SOUTH TRAIL FIRE DISTRICT / 085	Independent District	SOUTH TRAIL FIRE DISTRICT 5531 HALIFAX AVE FORT MYERS FL 33912
TICE FIRE DISTRICT / 088	Independent District	TICE FIRE DISTRICT 9351 WORKMEN WAY FORT MYERS FL 33905
WEST COAST INLAND NAVIGATION DIST / 098	Independent District	WEST COAST INLAND NAVIGATION DIST 200 MIAMI AVE E VENICE FL 34285-2408
CITY OF BONITA SPRINGS / 157	Municipal	CITY OF BONITA SPRINGS 9101 BONITA BEACH RD BONITA SPRINGS FL 34135
CITY OF FORT MYERS / 031	Municipal	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
VILLAGE OF ESTERO / 340	Municipal	VILLAGE OF ESTERO 9401 CORKSCREW PALMS CIR ESTERO FL 33928
PUBLIC SCHOOL - BY LOCAL BOARD / 012	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966
PUBLIC SCHOOL - BY STATE LAW / 013	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966
FLORIDA GREEN FINANCE AUTHORITY / 358	Special District	SPECIAL DISTRICT SERVICES INC 2501A BURNS RD PALM BEACH GARDENS FL 33410
GREEN CORRIDOR PACE / 363	Special District	
VILLAGE OF ESTERO PUENTE LN CORKSCREW RD / 395	Special District	VILLAGE OF ESTERO 9401 CORKSCREW PALMS CIR ESTERO FL 33928
CITY OF FORT MYERS PARKS VOTED DEBT SVC / 418	Voter Approved	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
SFWMD-DISTRICT-WIDE / 110	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-EVERGLADES CONSTRUCTION PROJECT / 084	Water District	SFWMD 3301 GUN CLUB RD

		WEST PALM BEACH FL 33406
SFWMD-OKEECHOBEE BASIN / 308	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406

Sales / Transactions

Generated on 7/13/2026 2:56 PM

Sale Price	Date	Clerk File Number	Type	Notes	Vacant/ Improved
10.00	11/01/2018	2019000150246	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I
0.00	11/01/2018	2018000262032	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I

Help safeguard your home against property fraud. Sign up for the Lee Clerk's free Property Fraud Alert.

Building / Construction Permit Data

Generated on 7/13/2026 2:56 PM

Permit Number	Permit Type	Date

IMPORTANT: THIS MAY NOT BE A COMPREHENSIVE OR TIMELY LISTING OF PERMITS ISSUED FOR THIS PROPERTY.

Note: The Lee County Property Appraiser's Office does not issue or maintain any permit information. The Building / Construction permit data displayed here represents only those records this Office may find necessary to conduct Property Appraiser business. Use of this information is with the understanding that in no way is this to be considered a comprehensive listing of permits for this or any other parcel.

The Date field represents the date the property appraiser received information regarding permit activity; it may or not represent the actual date of permit issuance or completion.

Full, accurate, active and valid permit information for parcels can only be obtained from the appropriate permit issuing agency.

Parcel Numbering History

Generated on 7/13/2026 2:56 PM

Prior STRAP	Prior Folio ID	Renumber Reason	Renumber Date
10-47-25-00-00001.0000	N/A	Split (From another Parcel)	07/25/2011
10-47-25-00-00001.0010	N/A	Reserved for Renumber ONLY	01/14/2015

Solid Waste (Garbage) Roll Data

Generated on 7/13/2026 2:56 PM

Solid Waste District	Roll Type	Category	Unit / Area	Tax Amount
003 - Service Area 3	-		0	0.00

Flood and Storm Information

Generated on 7/13/2026 2:56 PM

Flood Insurance Rate Map data is not available for parcels within a municipality. To obtain flood information, contact your municipality directly.

Flood Insurance Find my flood zone

Subsurface Rights

Generated on 7/13/2026 2:56 PM

Subsurface Rights	Subsurface STRAP	Subsurface Folio ID	Surface STRAP	Surface Folio ID
UNKNOWN				

Generated on 7/13/2026 2:56 PM

Property Data

STRAP: 10-47-25-E4-U1980.1966 Folio ID: 10278088

Tax Roll Value Letter

Generated on 7/13/2026 4:03 PM

Owner Of Record - Sole Owner

[Change Mailing Address]

SEMINOLE GULF RAILWAY L P
4110 CENTER POINT DR #207
FORT MYERS FL 33916

Site Address

Site Address maintained by E911 Program Addressing

RAILROAD R/W
ESTERO FL 34134

Property Description

Do not use for legal documents!

STRIP OF LAND IN SEC 10 47 25 FOR RR R/W LYING SOUTH OF COCONUT ROW

Attributes and Location Details

Total Bedrooms / Bathrooms	0
1st Year Building on Tax Roll	N/A
Historic Designation	No

Township	Range	Section	Block	Lot
N/A	N/A	N/A		
Municipality	**Latitude**	**Longitude**		
Village of Estero	26.39487	-81.80406		

View Parcel on Google Maps

[Tax Map Viewer] [View Comparables]



[Pictometry Aerial Viewer]

Image of Structure



Property Values / Exemptions / TRIM Notices

Generated on 7/13/2026 4:03 PM

No existing exemptions found for this property.

TRIM Notices	Tax Year	Just	Land	Market Assessed	Capped Assessed	Exemptions	Classified Use	Taxable
2025 / Additional Info	2025 (Final Value)	0	0	0	0	0	0	0
2024 / Additional Info	2024 (Final Value)	0	0	0	0	0	0	0
2023 / Additional Info	2023 (Final Value)	0	0	0	0	0	0	0
2022 / Additional Info	2022 (Final Value)	0	0	0	0	0	0	0
2021 / Additional Info	2021 (Final Value)	0	0	0	0	0	0	0

2020 / Additional Info	2020 (Final Value)	0	0	0	0	0	0	0
2019 / Additional Info	2019 (Final Value)	0	0	0	0	0	0	0
2018 / Additional Info	2018 (Final Value)	0	0	0	0	0	0	0
2017 / Additional Info	2017 (Final Value)	0	0	0	0	0	0	0
2016	2016 (Final Value)	0	0	0	0	0	0	0
2015	2015 (Final Value)	0	0	0	0	0	0	0
2014	2014 (Corrected Value)	0	0	0	0	0	0	0
	2013 (Final Value)	0	0	0	0	0	0	0
	2012 (Final Value)	0	0	0	0	0	0	0
	2011 (Final Value)	0	0	0	0	0	0	0
	2010 (Final Value)	0	0	0	0	0	0	0
	2009 (Final Value)	0	0	0	0	0	0	0
	2008 (Final Value)	0	0	0	0	0	0	0
	2007 (Final Value)	0	0	0	0	0	0	0
	2006 (Final Value)	0	0	0	0	0	0	0
	2005 (Final Value)	0	0	0	0	0	0	0
	2004 (Final Value)	0	0	0	0	0	0	0
	2003 (Final Value)	0	0	0	0	0	0	0
	2002 (Final Value)	0	0	0	0	0	0	0
	2001 (Final Value)	0	0	0	0	0	0	0
	2000 (Final Value)	0	0	0	0	0	0	0
	1999 (Final Value)	0	0	0	0	0	0	0
	1998 (Final Value)	0	0	0	0	0	0	0
	1997 (Final Value)	0	0	0	0	0	0	0
	1996 (Final Value)	0	0	0	0	0	0	0
	1995 (Final Value)	0	0	0	0	0	0	0
	1994 (Final Value)	0	0	0	0	0	0	0
	1993 (Final Value)	0	0	0	0	0	0	0
	1992 (Final Value)	0	0	0	0	0	0	0

The **Just** value is the total parcel assessment (less any considerations for the cost of sale). This is the closest value to *Fair Market Value* we produce and is dated as of January 1st of the tax year in question (F.A.C. 12D-1.002).

The **Land** value is the portion of the total parcel assessment attributed to the land.

The **Market Assessed** value is the total parcel assessment (less any considerations for the cost of sale) based upon the assessment standard. Most parcels are assessed based either upon the *Highest and Best Use* standard or the *Present Use* standard (*F.S. 193.011)* . For *Agriculturally Classified* parcels (or parts thereof), only agricultural uses are considered in the assessment (*F.S. 193.461 (6) (a)*). The difference between the *Highest and Best Use/Present Use* and the *Agricultural Use* is often referred to as the *Agricultural Exemption*.
(i.e. Market Assessed = Just - Agricultural Exemption)

The **Capped Assessed** value is the *Market Assessment* after any *Save Our Homes* or *10% Assessment Limitation* cap is applied. This assessment cap is applied to all properties and limits year-to-year assessment increases to either the *Consumer Price Index* or 3%, whichever is lower for Homestead properties OR 10% for non-Homestead properties.

The **Exemptions** value is the total amount of all exemptions on the parcel.

The **Taxable** value is the *Capped Assessment* after exemptions (*Homestead, etc.*) are applied to it. This is the value that most taxing authorities use to calculate a parcel's taxes.
(i.e. Taxable = Capped Assessed - Exemptions)

Property Details (Current as of 7/12/2026)

Generated on 7/13/2026 4:03 PM

Property Details (2025 Tax Roll)

Generated on 7/13/2026 4:03 PM

Taxing Authorities

Generated on 7/13/2026 4:03 PM

CENTRALLY ASSESSED / 000

Name / Code	Category	Mailing Address
LEE CO GENERAL REVENUE / 044	County	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO ALL HAZARDS PROTECTION DIST / 101	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO UNINCORPORATED MSTU / 020	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE COUNTY LIBRARY DIST / 052	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
SAN CARLOS PARK UNIT MSTU / 078	Dependent District	LEE COUNTY MSTU/MSBU PO BOX 398 FORT MYERS FL 33902-0398
BAYSHORE FIRE & RESCUE SRVC / 006	Independent District	BAYSHORE FIRE DISTRICT 17350 NALLE RD NORTH FORT MYERS FL 33917
BONITA SPRINGS FIRE DISTRICT / 009	Independent District	BONITA SPRINGS FIRE 27701 BONITA GRANDE DR BONITA SPRINGS FL 34135
ESTERO FIRE RESCUE DIST / 029	Independent District	ESTERO FIRE RESCUE DIST 21500 THREE OAKS PKWY ESTERO FL 33928
LEE CO HYACINTH CONTROL DIST / 051	Independent District	LEE CO HYACINTH CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
LEE CO MOSQUITO CONTROL DIST / 053	Independent District	LEE CO MOSQUITO CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
NORTH FORT MYERS FIRE DISTRICT / 063	Independent District	NORTH FORT MYERS FIRE DISTRICT PO BOX 3507 NORTH FORT MYERS FL 33918-3507
SAN CARLOS PARK FIRE DISTRICT / 077	Independent District	SAN CARLOS PARK FIRE DISTRICT 19591 BEN HILL GRIFFIN PKWY FORT MYERS FL 33913-8989
SOUTH TRAIL FIRE DISTRICT / 085	Independent District	SOUTH TRAIL FIRE DISTRICT 5531 HALIFAX AVE FORT MYERS FL 33912
TICE FIRE DISTRICT / 088	Independent District	TICE FIRE DISTRICT 9351 WORKMEN WAY FORT MYERS FL 33905
WEST COAST INLAND NAVIGATION DIST / 098	Independent District	WEST COAST INLAND NAVIGATION DIST 200 MIAMI AVE E VENICE FL 34285-2408
CITY OF BONITA SPRINGS / 157	Municipal	CITY OF BONITA SPRINGS 9101 BONITA BEACH RD BONITA SPRINGS FL 34135
CITY OF FORT MYERS / 031	Municipal	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
VILLAGE OF ESTERO / 340	Municipal	VILLAGE OF ESTERO 9401 CORKSCREW PALMS CIR ESTERO FL 33928
PUBLIC SCHOOL - BY LOCAL BOARD / 012	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966
PUBLIC SCHOOL - BY STATE LAW / 013	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966

FLORIDA GREEN FINANCE AUTHORITY / 358	Special District	SPECIAL DISTRICT SERVICES INC 2501A BURNS RD PALM BEACH GARDENS FL 33410
GREEN CORRIDOR PACE / 363	Special District	
VILLAGE OF ESTERO PUENTE LN CORKSCREW RD / 395	Special District	VILLAGE OF ESTERO 9401 CORKSCREW PALMS CIR ESTERO FL 33928
CITY OF FORT MYERS PARKS VOTED DEBT SVC / 418	Voter Approved	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
SFWMD-DISTRICT-WIDE / 110	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-EVERGLADES CONSTRUCTION PROJECT / 084	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-OKEECHOBEE BASIN / 308	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406

Sales / Transactions

Generated on 7/13/2026 4:03 PM

Sale Price	Date	Clerk File Number	Type	Notes	Vacant/ Improved
10.00	11/01/2018	2019000150246	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I
0.00	11/01/2018	2018000262032	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I

Help safeguard your home against property fraud. Sign up for the Lee Clerk's free Property Fraud Alert.

Building / Construction Permit Data

Generated on 7/13/2026 4:03 PM

Permit Number	Permit Type	Date

IMPORTANT: THIS MAY NOT BE A COMPREHENSIVE OR TIMELY LISTING OF PERMITS ISSUED FOR THIS PROPERTY.

Note: The Lee County Property Appraiser's Office does not issue or maintain any permit information. The Building / Construction permit data displayed here represents only those records this Office may find necessary to conduct Property Appraiser business. Use of this information is with the understanding that in no way is this to be considered a comprehensive listing of permits for this or any other parcel.

The Date field represents the date the property appraiser received information regarding permit activity; it may or not represent the actual date of permit issuance or completion.

Full, accurate, active and valid permit information for parcels can only be obtained from the appropriate permit issuing agency.

Parcel Numbering History

Generated on 7/13/2026 4:03 PM

Prior STRAP	Prior Folio ID	Renumber Reason	Renumber Date
10-47-25-00-00001.0010	N/A	Split (From another Parcel)	07/25/2011
10-47-25-00-00001.0000	N/A	Reserved for Renumber ONLY	01/14/2015

Solid Waste (Garbage) Roll Data

Generated on 7/13/2026 4:03 PM

Solid Waste District	Roll Type	Category	Unit / Area	Tax Amount
003 - Service Area 3	-		0	0.00

Flood and Storm Information

Generated on 7/13/2026 4:03 PM

Flood Insurance Rate Map data is not available for parcels within a municipality. To obtain flood information, contact your municipality directly.

Flood Insurance Find my flood zone

Subsurface Rights

Generated on 7/13/2026 4:03 PM

Subsurface Rights	Subsurface STRAP	Subsurface Folio ID	Surface STRAP	Surface Folio ID
UNKNOWN				

Generated on 7/13/2026 4:03 PM

Property Data

STRAP: 15-47-25-B1-00001.0000 Folio ID: 10278558

Tax Roll Value Letter

Generated on 7/13/2026 4:03 PM

Owner Of Record - Sole Owner

[Change Mailing Address]

SEMINOLE GULF RAILWAY L P
4110 CENTER POINT DR #207
FORT MYERS FL 33916

Site Address

Site Address maintained by E911 Program Addressing

RAILROAD R/W
BONITA SPRINGS FL 34135

Property Description

Do not use for legal documents!

STRIP OF LAND THRU SEC 15 47 25 FOR RR R/W

Attributes and Location Details

Total Bedrooms / Bathrooms	0
1st Year Building on Tax Roll	N/A
Historic Designation	No

Township	Range	Section	Block	Lot
N/A	N/A	N/A		
Municipality	**Latitude**	**Longitude**		
City of Bonita Springs	26.38337	-81.80384		

View Parcel on Google Maps

[Tax Map Viewer] [View Comparables]



[Pictometry Aerial Viewer]

Image of Structure



Property Values / Exemptions / TRIM Notices

Generated on 7/13/2026 4:03 PM

No existing exemptions found for this property.

TRIM Notices	Tax Year	Just	Land	Market Assessed	Capped Assessed	Exemptions	Classified Use	Taxable
2025 / Additional Info	2025 (Final Value)	0	0	0	0	0	0	0
2024 / Additional Info	2024 (Final Value)	0	0	0	0	0	0	0
2023 / Additional Info	2023 (Final Value)	0	0	0	0	0	0	0
2022 / Additional Info	2022 (Final Value)	0	0	0	0	0	0	0
2021 / Additional Info	2021 (Final Value)	0	0	0	0	0	0	0

2020 / Additional Info	2020 (Final Value)	0	0	0	0	0	0	0
2019 / Additional Info	2019 (Final Value)	0	0	0	0	0	0	0
2018 / Additional Info	2018 (Final Value)	0	0	0	0	0	0	0
2017 / Additional Info	2017 (Final Value)	0	0	0	0	0	0	0
2016	2016 (Final Value)	0	0	0	0	0	0	0
2015	2015 (Final Value)	0	0	0	0	0	0	0
2014	2014 (Corrected Value)	0	0	0	0	0	0	0
	2013 (Final Value)	0	0	0	0	0	0	0
	2012 (Final Value)	0	0	0	0	0	0	0
	2011 (Final Value)	0	0	0	0	0	0	0
	2010 (Final Value)	0	0	0	0	0	0	0
	2009 (Final Value)	0	0	0	0	0	0	0
	2008 (Final Value)	0	0	0	0	0	0	0
	2007 (Final Value)	0	0	0	0	0	0	0
	2006 (Final Value)	0	0	0	0	0	0	0
	2005 (Final Value)	0	0	0	0	0	0	0
	2004 (Final Value)	0	0	0	0	0	0	0
	2003 (Final Value)	0	0	0	0	0	0	0
	2002 (Final Value)	0	0	0	0	0	0	0
	2001 (Final Value)	0	0	0	0	0	0	0
	2000 (Final Value)	0	0	0	0	0	0	0
	1999 (Final Value)	0	0	0	0	0	0	0
	1998 (Final Value)	0	0	0	0	0	0	0
	1997 (Final Value)	0	0	0	0	0	0	0
	1996 (Final Value)	0	0	0	0	0	0	0
	1995 (Final Value)	0	0	0	0	0	0	0
	1994 (Final Value)	0	0	0	0	0	0	0
	1993 (Final Value)	0	0	0	0	0	0	0
	1992 (Final Value)	0	0	0	0	0	0	0

The **Just** value is the total parcel assessment (less any considerations for the cost of sale). This is the closest value to *Fair Market Value* we produce and is dated as of January 1st of the tax year in question (F.A.C. 12D-1.002).

The **Land** value is the portion of the total parcel assessment attributed to the land.

The **Market Assessed** value is the total parcel assessment (less any considerations for the cost of sale) based upon the assessment standard. Most parcels are assessed based either upon the *Highest and Best Use* standard or the *Present Use* standard (*F.S. 193.011)* . For *Agriculturally Classified* parcels (or parts thereof), only agricultural uses are considered in the assessment (*F.S. 193.461 (6) (a)*). The difference between the *Highest and Best Use/Present Use* and the *Agricultural Use* is often referred to as the *Agricultural Exemption*.
(i.e. Market Assessed = Just - Agricultural Exemption)

The **Capped Assessed** value is the *Market Assessment* after any *Save Our Homes* or *10% Assessment Limitation* cap is applied. This assessment cap is applied to all properties and limits year-to-year assessment increases to either the *Consumer Price Index* or 3%, whichever is lower for Homestead properties OR 10% for non-Homestead properties.

The **Exemptions** value is the total amount of all exemptions on the parcel.

The **Taxable** value is the *Capped Assessment* after exemptions (*Homestead, etc.*) are applied to it. This is the value that most taxing authorities use to calculate a parcel's taxes.
(i.e. Taxable = Capped Assessed - Exemptions)

Property Details (Current as of 7/12/2026)

Generated on 7/13/2026 4:03 PM

Property Details (2025 Tax Roll)

Generated on 7/13/2026 4:03 PM

Taxing Authorities

Generated on 7/13/2026 4:03 PM

CENTRALLY ASSESSED / 000

Name / Code	Category	Mailing Address
LEE CO GENERAL REVENUE / 044	County	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO ALL HAZARDS PROTECTION DIST / 101	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO UNINCORPORATED MSTU / 020	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE COUNTY LIBRARY DIST / 052	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
SAN CARLOS PARK UNIT MSTU / 078	Dependent District	LEE COUNTY MSTU/MSBU PO BOX 398 FORT MYERS FL 33902-0398
BAYSHORE FIRE & RESCUE SRVC / 006	Independent District	BAYSHORE FIRE DISTRICT 17350 NALLE RD NORTH FORT MYERS FL 33917
BONITA SPRINGS FIRE DISTRICT / 009	Independent District	BONITA SPRINGS FIRE 27701 BONITA GRANDE DR BONITA SPRINGS FL 34135
ESTERO FIRE RESCUE DIST / 029	Independent District	ESTERO FIRE RESCUE DIST 21500 THREE OAKS PKWY ESTERO FL 33928
LEE CO HYACINTH CONTROL DIST / 051	Independent District	LEE CO HYACINTH CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
LEE CO MOSQUITO CONTROL DIST / 053	Independent District	LEE CO MOSQUITO CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
NORTH FORT MYERS FIRE DISTRICT / 063	Independent District	NORTH FORT MYERS FIRE DISTRICT PO BOX 3507 NORTH FORT MYERS FL 33918-3507
SAN CARLOS PARK FIRE DISTRICT / 077	Independent District	SAN CARLOS PARK FIRE DISTRICT 19591 BEN HILL GRIFFIN PKWY FORT MYERS FL 33913-8989
SOUTH TRAIL FIRE DISTRICT / 085	Independent District	SOUTH TRAIL FIRE DISTRICT 5531 HALIFAX AVE FORT MYERS FL 33912
TICE FIRE DISTRICT / 088	Independent District	TICE FIRE DISTRICT 9351 WORKMEN WAY FORT MYERS FL 33905
WEST COAST INLAND NAVIGATION DIST / 098	Independent District	WEST COAST INLAND NAVIGATION DIST 200 MIAMI AVE E VENICE FL 34285-2408
CITY OF BONITA SPRINGS / 157	Municipal	CITY OF BONITA SPRINGS 9101 BONITA BEACH RD BONITA SPRINGS FL 34135
CITY OF FORT MYERS / 031	Municipal	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
VILLAGE OF ESTERO / 340	Municipal	VILLAGE OF ESTERO 9401 CORKSCREW PALMS CIR ESTERO FL 33928
PUBLIC SCHOOL - BY LOCAL BOARD / 012	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966
PUBLIC SCHOOL - BY STATE LAW / 013	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966

CITY OF FORT MYERS PARKS VOTED DEBT SVC / 418	Voter Approved	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
SFWMD-DISTRICT-WIDE / 110	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-EVERGLADES CONSTRUCTION PROJECT / 084	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-OKEECHOBEE BASIN / 308	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406

Sales / Transactions

Generated on 7/13/2026 4:03 PM

Sale Price	Date	Clerk File Number	Type	Notes	Vacant/ Improved
10.00	11/01/2018	2019000150246	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I
0.00	11/01/2018	2018000262032	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I

Help safeguard your home against property fraud. Sign up for the Lee Clerk's free Property Fraud Alert.

Building / Construction Permit Data

Generated on 7/13/2026 4:03 PM

Permit Number	Permit Type	Date

IMPORTANT: THIS MAY NOT BE A COMPREHENSIVE OR TIMELY LISTING OF PERMITS ISSUED FOR THIS PROPERTY.

Note: The Lee County Property Appraiser's Office does not issue or maintain any permit information. The Building / Construction permit data displayed here represents only those records this Office may find necessary to conduct Property Appraiser business. Use of this information is with the understanding that in no way is this to be considered a comprehensive listing of permits for this or any other parcel.

The Date field represents the date the property appraiser received information regarding permit activity; it may or not represent the actual date of permit issuance or completion.

Full, accurate, active and valid permit information for parcels can only be obtained from the appropriate permit issuing agency.

Parcel Numbering History

Generated on 7/13/2026 4:03 PM

Prior STRAP	Prior Folio ID	Renumber Reason	Renumber Date
15-47-25-00-00001.0000	N/A	Reserved for Renumber ONLY	05/06/2000

Solid Waste (Garbage) Roll Data

Generated on 7/13/2026 4:03 PM

Solid Waste District	Roll Type	Category	Unit / Area	Tax Amount
001 - Service Area 1	-		0	0.00

Flood and Storm Information

Generated on 7/13/2026 4:03 PM

Flood Insurance Rate Map data is not available for parcels within a municipality. To obtain flood information, contact your municipality directly.

Flood Insurance Find my flood zone

Subsurface Rights

Generated on 7/13/2026 4:03 PM

Subsurface Rights	Subsurface STRAP	Subsurface Folio ID	Surface STRAP	Surface Folio ID
UNKNOWN				

Generated on 7/13/2026 4:03 PM

Property Data

STRAP: 22-47-25-B4-00001.0000 Folio ID: 10282184

Tax Roll Value Letter

Generated on 7/13/2026 4:05 PM

Owner Of Record - Sole Owner

[Change Mailing Address]

SEMINOLE GULF RAILWAY L P
4110 CENTER POINT DR #207
FORT MYERS FL 33916

Site Address

Site Address maintained by E911 Program Addressing

RAILROAD R/W
BONITA SPRINGS FL 34135

Property Description

Do not use for legal documents!

STRIP OF LAND IN SEC 22 47 25 FOR RR R/W

Attributes and Location Details

Total Bedrooms / Bathrooms	0
1st Year Building on Tax Roll	N/A
Historic Designation	No

Township	Range	Section	Block	Lot
N/A	N/A	N/A		
Municipality	**Latitude**	**Longitude**		
City of Bonita Springs	26.36856	-81.79811		

View Parcel on Google Maps

[Tax Map Viewer] [View Comparables]



[Pictometry Aerial Viewer]

Image of Structure



Property Values / Exemptions / TRIM Notices

Generated on 7/13/2026 4:05 PM

No existing exemptions found for this property.

TRIM Notices	Tax Year	Just	Land	Market Assessed	Capped Assessed	Exemptions	Classified Use	Taxable
2025 / Additional Info	2025 (Final Value)	0	0	0	0	0	0	0
2024 / Additional Info	2024 (Final Value)	0	0	0	0	0	0	0
2023 / Additional Info	2023 (Final Value)	0	0	0	0	0	0	0
2022 / Additional Info	2022 (Final Value)	0	0	0	0	0	0	0
2021 / Additional Info	2021 (Final Value)	0	0	0	0	0	0	0

2020 / Additional Info	2020 (Final Value)	0	0	0	0	0	0	0
2019 / Additional Info	2019 (Final Value)	0	0	0	0	0	0	0
2018 / Additional Info	2018 (Final Value)	0	0	0	0	0	0	0
2017 / Additional Info	2017 (Final Value)	0	0	0	0	0	0	0
2016	2016 (Final Value)	0	0	0	0	0	0	0
2015	2015 (Final Value)	0	0	0	0	0	0	0
2014	2014 (Corrected Value)	0	0	0	0	0	0	0
	2013 (Final Value)	0	0	0	0	0	0	0
	2012 (Final Value)	0	0	0	0	0	0	0
	2011 (Final Value)	0	0	0	0	0	0	0
	2010 (Final Value)	0	0	0	0	0	0	0
	2009 (Final Value)	0	0	0	0	0	0	0
	2008 (Final Value)	0	0	0	0	0	0	0
	2007 (Final Value)	0	0	0	0	0	0	0
	2006 (Final Value)	0	0	0	0	0	0	0
	2005 (Final Value)	0	0	0	0	0	0	0
	2004 (Final Value)	0	0	0	0	0	0	0
	2003 (Final Value)	0	0	0	0	0	0	0
	2002 (Final Value)	0	0	0	0	0	0	0
	2001 (Final Value)	0	0	0	0	0	0	0
	2000 (Final Value)	0	0	0	0	0	0	0
	1999 (Final Value)	0	0	0	0	0	0	0
	1998 (Final Value)	0	0	0	0	0	0	0
	1997 (Final Value)	0	0	0	0	0	0	0
	1996 (Final Value)	0	0	0	0	0	0	0
	1995 (Final Value)	0	0	0	0	0	0	0
	1994 (Final Value)	0	0	0	0	0	0	0
	1993 (Final Value)	0	0	0	0	0	0	0
	1992 (Final Value)	0	0	0	0	0	0	0

The **Just** value is the total parcel assessment (less any considerations for the cost of sale). This is the closest value to *Fair Market Value* we produce and is dated as of January 1st of the tax year in question (F.A.C. 12D-1.002).

The **Land** value is the portion of the total parcel assessment attributed to the land.

The **Market Assessed** value is the total parcel assessment (less any considerations for the cost of sale) based upon the assessment standard. Most parcels are assessed based either upon the *Highest and Best Use* standard or the *Present Use* standard (*F.S. 193.011)* . For *Agriculturally Classified* parcels (or parts thereof), only agricultural uses are considered in the assessment (*F.S. 193.461 (6) (a)*). The difference between the *Highest and Best Use/Present Use* and the *Agricultural Use* is often referred to as the *Agricultural Exemption*.
(i.e. Market Assessed = Just - Agricultural Exemption)

The **Capped Assessed** value is the *Market Assessment* after any *Save Our Homes* or *10% Assessment Limitation* cap is applied. This assessment cap is applied to all properties and limits year-to-year assessment increases to either the *Consumer Price Index* or 3%, whichever is lower for Homestead properties OR 10% for non-Homestead properties.

The **Exemptions** value is the total amount of all exemptions on the parcel.

The **Taxable** value is the *Capped Assessment* after exemptions (*Homestead, etc.*) are applied to it. This is the value that most taxing authorities use to calculate a parcel's taxes.
(i.e. Taxable = Capped Assessed - Exemptions)

Property Details (Current as of 7/12/2026)

Generated on 7/13/2026 4:05 PM

Property Details (2025 Tax Roll)

Generated on 7/13/2026 4:05 PM

Taxing Authorities

Generated on 7/13/2026 4:05 PM

CENTRALLY ASSESSED / 000

Name / Code	Category	Mailing Address
LEE CO GENERAL REVENUE / 044	County	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO ALL HAZARDS PROTECTION DIST / 101	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO UNINCORPORATED MSTU / 020	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE COUNTY LIBRARY DIST / 052	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
SAN CARLOS PARK UNIT MSTU / 078	Dependent District	LEE COUNTY MSTU/MSBU PO BOX 398 FORT MYERS FL 33902-0398
BAYSHORE FIRE & RESCUE SRVC / 006	Independent District	BAYSHORE FIRE DISTRICT 17350 NALLE RD NORTH FORT MYERS FL 33917
BONITA SPRINGS FIRE DISTRICT / 009	Independent District	BONITA SPRINGS FIRE 27701 BONITA GRANDE DR BONITA SPRINGS FL 34135
ESTERO FIRE RESCUE DIST / 029	Independent District	ESTERO FIRE RESCUE DIST 21500 THREE OAKS PKWY ESTERO FL 33928
LEE CO HYACINTH CONTROL DIST / 051	Independent District	LEE CO HYACINTH CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
LEE CO MOSQUITO CONTROL DIST / 053	Independent District	LEE CO MOSQUITO CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
NORTH FORT MYERS FIRE DISTRICT / 063	Independent District	NORTH FORT MYERS FIRE DISTRICT PO BOX 3507 NORTH FORT MYERS FL 33918-3507
SAN CARLOS PARK FIRE DISTRICT / 077	Independent District	SAN CARLOS PARK FIRE DISTRICT 19591 BEN HILL GRIFFIN PKWY FORT MYERS FL 33913-8989
SOUTH TRAIL FIRE DISTRICT / 085	Independent District	SOUTH TRAIL FIRE DISTRICT 5531 HALIFAX AVE FORT MYERS FL 33912
TICE FIRE DISTRICT / 088	Independent District	TICE FIRE DISTRICT 9351 WORKMEN WAY FORT MYERS FL 33905
WEST COAST INLAND NAVIGATION DIST / 098	Independent District	WEST COAST INLAND NAVIGATION DIST 200 MIAMI AVE E VENICE FL 34285-2408
CITY OF BONITA SPRINGS / 157	Municipal	CITY OF BONITA SPRINGS 9101 BONITA BEACH RD BONITA SPRINGS FL 34135
CITY OF FORT MYERS / 031	Municipal	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
VILLAGE OF ESTERO / 340	Municipal	VILLAGE OF ESTERO 9401 CORKSCREW PALMS CIR ESTERO FL 33928
PUBLIC SCHOOL - BY LOCAL BOARD / 012	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966
PUBLIC SCHOOL - BY STATE LAW / 013	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966

CITY OF FORT MYERS PARKS VOTED DEBT SVC / 418	Voter Approved	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
SFWMD-DISTRICT-WIDE / 110	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-EVERGLADES CONSTRUCTION PROJECT / 084	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-OKEECHOBEE BASIN / 308	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406

Sales / Transactions

Generated on 7/13/2026 4:05 PM

Sale Price	Date	Clerk File Number	Type	Notes	Vacant/ Improved
10.00	11/01/2018	2019000150246	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I
0.00	11/01/2018	2018000262032	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I

Help safeguard your home against property fraud. Sign up for the Lee Clerk's free Property Fraud Alert.

Building / Construction Permit Data

Generated on 7/13/2026 4:05 PM

Permit Number	Permit Type	Date

IMPORTANT: THIS MAY NOT BE A COMPREHENSIVE OR TIMELY LISTING OF PERMITS ISSUED FOR THIS PROPERTY.

Note: The Lee County Property Appraiser's Office does not issue or maintain any permit information. The Building / Construction permit data displayed here represents only those records this Office may find necessary to conduct Property Appraiser business. Use of this information is with the understanding that in no way is this to be considered a comprehensive listing of permits for this or any other parcel.

The Date field represents the date the property appraiser received information regarding permit activity; it may or not represent the actual date of permit issuance or completion.

Full, accurate, active and valid permit information for parcels can only be obtained from the appropriate permit issuing agency.

Parcel Numbering History

Generated on 7/13/2026 4:05 PM

Prior STRAP	Prior Folio ID	Renumber Reason	Renumber Date
22-47-25-00-00001.0000	N/A	Reserved for Renumber ONLY	05/06/2000

Solid Waste (Garbage) Roll Data

Generated on 7/13/2026 4:05 PM

Solid Waste District	Roll Type	Category	Unit / Area	Tax Amount
001 - Service Area 1	-		0	0.00

Flood and Storm Information

Generated on 7/13/2026 4:05 PM

Flood Insurance Rate Map data is not available for parcels within a municipality. To obtain flood information, contact your municipality directly.

Flood Insurance Find my flood zone

Subsurface Rights

Generated on 7/13/2026 4:05 PM

Subsurface Rights	Subsurface STRAP	Subsurface Folio ID	Surface STRAP	Surface Folio ID
UNKNOWN				

Generated on 7/13/2026 4:05 PM

Property Data

STRAP: 26-47-25-B1-00001.0000 Folio ID: 10284160

Tax Roll Value Letter

Generated on 7/13/2026 4:06 PM

Owner Of Record - Sole Owner

[Change Mailing Address]

SEMINOLE GULF RAILWAY L P
4110 CENTER POINT DR #207
FORT MYERS FL 33916

Site Address

Site Address maintained by E911 Program Addressing

RAILROAD R/W
BONITA SPRINGS FL 34135

Property Description

Do not use for legal documents!

STRIP OF LAND THRU SEC 26 47 25 FOR RR R/W

Attributes and Location Details

Total Bedrooms / Bathrooms	0
1st Year Building on Tax Roll	N/A
Historic Designation	No

Township	Range	Section	Block	Lot
N/A	N/A	N/A		
Municipality	**Latitude**	**Longitude**		
City of Bonita Springs	26.35112	-81.7837		

View Parcel on Google Maps

[Tax Map Viewer] [View Comparables]



[Pictometry Aerial Viewer]

Image of Structure



Property Values / Exemptions / TRIM Notices

Generated on 7/13/2026 4:06 PM

No existing exemptions found for this property.

TRIM Notices	Tax Year	Just	Land	Market Assessed	Capped Assessed	Exemptions	Classified Use	Taxable
2025 / Additional Info	2025 (Final Value)	0	0	0	0	0	0	0
2024 / Additional Info	2024 (Final Value)	0	0	0	0	0	0	0
2023 / Additional Info	2023 (Final Value)	0	0	0	0	0	0	0
2022 / Additional Info	2022 (Final Value)	0	0	0	0	0	0	0
2021 / Additional Info	2021 (Final Value)	0	0	0	0	0	0	0

2020 / Additional Info	2020 (Final Value)	0	0	0	0	0	0	0
2019 / Additional Info	2019 (Final Value)	0	0	0	0	0	0	0
2018 / Additional Info	2018 (Final Value)	0	0	0	0	0	0	0
2017 / Additional Info	2017 (Final Value)	0	0	0	0	0	0	0
2016	2016 (Final Value)	0	0	0	0	0	0	0
2015	2015 (Final Value)	0	0	0	0	0	0	0
2014	2014 (Corrected Value)	0	0	0	0	0	0	0
	2013 (Final Value)	0	0	0	0	0	0	0
	2012 (Final Value)	0	0	0	0	0	0	0
	2011 (Final Value)	0	0	0	0	0	0	0
	2010 (Final Value)	0	0	0	0	0	0	0
	2009 (Final Value)	0	0	0	0	0	0	0
	2008 (Final Value)	0	0	0	0	0	0	0
	2007 (Final Value)	0	0	0	0	0	0	0
	2006 (Final Value)	0	0	0	0	0	0	0
	2005 (Final Value)	34,730	34,730	0	34,730	34,730	0	0
	2004 (Final Value)	34,730	34,730	0	34,730	34,730	0	0
	2003 (Final Value)	34,730	34,730	0	34,730	34,730	0	0
	2002 (Final Value)	28,940	28,940	0	28,940	28,940	0	0
	2001 (Final Value)	28,940	28,940	0	28,940	28,940	0	0
	2000 (Final Value)	28,940	28,940	0	28,940	28,940	0	0
	1999 (Final Value)	28,940	28,940	0	28,940	28,940	0	0
	1998 (Final Value)	28,940	28,940	0	28,940	28,940	0	0
	1997 (Final Value)	28,940	28,940	0	28,940	28,940	0	0
	1996 (Final Value)	28,940	28,940	0	28,940	28,940	0	0
	1995 (Final Value)	28,940	28,940	0	28,940	28,940	0	0
	1994 (Final Value)	28,940	28,940	0	28,940	28,940	0	0
	1993 (Final Value)	28,940	28,940	0	28,940	28,940	0	0
	1992 (Final Value)	28,940	28,940	0	28,940	28,940	0	0

The **Just** value is the total parcel assessment (less any considerations for the cost of sale). This is the closest value to *Fair Market Value* we produce and is dated as of January 1st of the tax year in question (F.A.C. 12D-1.002).

The **Land** value is the portion of the total parcel assessment attributed to the land.

The **Market Assessed** value is the total parcel assessment (less any considerations for the cost of sale) based upon the assessment standard. Most parcels are assessed based either upon the *Highest and Best Use* standard or the *Present Use* standard (*F.S. 193.011)* . For *Agriculturally Classified* parcels (or parts thereof), only agricultural uses are considered in the assessment (*F.S. 193.461 (6) (a)*). The difference between the *Highest and Best Use/Present Use* and the *Agricultural Use* is often referred to as the *Agricultural Exemption*.
(i.e. Market Assessed = Just - Agricultural Exemption)

The **Capped Assessed** value is the *Market Assessment* after any *Save Our Homes* or *10% Assessment Limitation* cap is applied. This assessment cap is applied to all properties and limits year-to-year assessment increases to either the *Consumer Price Index* or 3%, whichever is lower for Homestead properties OR 10% for non-Homestead properties.

The **Exemptions** value is the total amount of all exemptions on the parcel.

The **Taxable** value is the *Capped Assessment* after exemptions (*Homestead, etc.*) are applied to it. This is the value that most taxing authorities use to calculate a parcel's taxes.
(i.e. Taxable = Capped Assessed - Exemptions)

Property Details (Current as of 7/12/2026)

Generated on 7/13/2026 4:06 PM

Property Details (2025 Tax Roll)

Generated on 7/13/2026 4:06 PM

Taxing Authorities

Generated on 7/13/2026 4:06 PM

CENTRALLY ASSESSED / 000

Name / Code	Category	Mailing Address
LEE CO GENERAL REVENUE / 044	County	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO ALL HAZARDS PROTECTION DIST / 101	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO UNINCORPORATED MSTU / 020	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE COUNTY LIBRARY DIST / 052	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
SAN CARLOS PARK UNIT MSTU / 078	Dependent District	LEE COUNTY MSTU/MSBU PO BOX 398 FORT MYERS FL 33902-0398
BAYSHORE FIRE & RESCUE SRVC / 006	Independent District	BAYSHORE FIRE DISTRICT 17350 NALLE RD NORTH FORT MYERS FL 33917
BONITA SPRINGS FIRE DISTRICT / 009	Independent District	BONITA SPRINGS FIRE 27701 BONITA GRANDE DR BONITA SPRINGS FL 34135
ESTERO FIRE RESCUE DIST / 029	Independent District	ESTERO FIRE RESCUE DIST 21500 THREE OAKS PKWY ESTERO FL 33928
LEE CO HYACINTH CONTROL DIST / 051	Independent District	LEE CO HYACINTH CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
LEE CO MOSQUITO CONTROL DIST / 053	Independent District	LEE CO MOSQUITO CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
NORTH FORT MYERS FIRE DISTRICT / 063	Independent District	NORTH FORT MYERS FIRE DISTRICT PO BOX 3507 NORTH FORT MYERS FL 33918-3507
SAN CARLOS PARK FIRE DISTRICT / 077	Independent District	SAN CARLOS PARK FIRE DISTRICT 19591 BEN HILL GRIFFIN PKWY FORT MYERS FL 33913-8989
SOUTH TRAIL FIRE DISTRICT / 085	Independent District	SOUTH TRAIL FIRE DISTRICT 5531 HALIFAX AVE FORT MYERS FL 33912
TICE FIRE DISTRICT / 088	Independent District	TICE FIRE DISTRICT 9351 WORKMEN WAY FORT MYERS FL 33905
WEST COAST INLAND NAVIGATION DIST / 098	Independent District	WEST COAST INLAND NAVIGATION DIST 200 MIAMI AVE E VENICE FL 34285-2408
CITY OF BONITA SPRINGS / 157	Municipal	CITY OF BONITA SPRINGS 9101 BONITA BEACH RD BONITA SPRINGS FL 34135
CITY OF FORT MYERS / 031	Municipal	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
VILLAGE OF ESTERO / 340	Municipal	VILLAGE OF ESTERO 9401 CORKSCREW PALMS CIR ESTERO FL 33928
PUBLIC SCHOOL - BY LOCAL BOARD / 012	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966
PUBLIC SCHOOL - BY STATE LAW / 013	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966

CITY OF BONITA SPRINGS STORMWATER / 387	Special District	CITY OF BONITA SPRINGS 9101 BONITA BEACH RD BONITA SPRINGS FL 34135
FLORIDA GREEN FINANCE AUTHORITY / 358	Special District	SPECIAL DISTRICT SERVICES INC 2501A BURNS RD PALM BEACH GARDENS FL 33410
FLORIDA RESILIENCY & ENERGY DISTRICT / 359	Special District	
GREEN CORRIDOR PACE / 363	Special District	
CITY OF FORT MYERS PARKS VOTED DEBT SVC / 418	Voter Approved	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
SFWMD-DISTRICT-WIDE / 110	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-EVERGLADES CONSTRUCTION PROJECT / 084	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-OKEECHOBEE BASIN / 308	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406

Sales / Transactions

Generated on 7/13/2026 4:06 PM

Sale Price	Date	Clerk File Number	Type	Notes	Vacant/ Improved
10.00	11/01/2018	2019000150246	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I
0.00	11/01/2018	2018000262032	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I

Help safeguard your home against property fraud. Sign up for the Lee Clerk's free Property Fraud Alert.

Building / Construction Permit Data

Generated on 7/13/2026 4:06 PM

Permit Number	Permit Type	Date

IMPORTANT: THIS MAY NOT BE A COMPREHENSIVE OR TIMELY LISTING OF PERMITS ISSUED FOR THIS PROPERTY.

Note: The Lee County Property Appraiser's Office does not issue or maintain any permit information. The Building / Construction permit data displayed here represents only those records this Office may find necessary to conduct Property Appraiser business. Use of this information is with the understanding that

in no way is this to be considered a comprehensive listing of permits for this or any other parcel.

The Date field represents the date the property appraiser received information regarding permit activity; it may or not represent the actual date of permit issuance or completion.

Full, accurate, active and valid permit information for parcels can only be obtained from the appropriate permit issuing agency.

Parcel Numbering History

Generated on 7/13/2026 4:06 PM

Prior STRAP	Prior Folio ID	Renumber Reason	Renumber Date
26-47-25-00-00001.0000	N/A	Reserved for Renumber ONLY	05/06/2000

Solid Waste (Garbage) Roll Data

Generated on 7/13/2026 4:06 PM

Solid Waste District	Roll Type	Category	Unit / Area	Tax Amount
001 - Service Area 1	-		0	0.00

Flood and Storm Information

Generated on 7/13/2026 4:06 PM

Flood Insurance Rate Map data is not available for parcels within a municipality. To obtain flood information, contact your municipality directly.

Flood Insurance **Find my flood zone**

Subsurface Rights

Generated on 7/13/2026 4:06 PM

Subsurface Rights	Subsurface STRAP	Subsurface Folio ID	Surface STRAP	Surface Folio ID
UNKNOWN				

Generated on 7/13/2026 4:06 PM

Property Data

STRAP: 27-47-25-B2-00003.0000 Folio ID: 10285058

Tax Roll Value Letter

Generated on 7/13/2026 4:05 PM

Owner Of Record - Sole Owner

[Change Mailing Address]

SEMINOLE GULF RAILWAY L P
4110 CENTER POINT DR #207
FORT MYERS FL 33916

Site Address

Site Address maintained by E911 Program Addressing

RAILROAD R/W
BONITA SPRINGS FL 34135

Property Description

Do not use for legal documents!

STRIP OF LAND THRU SEC. 27 47 25 FOR RR R/W

Attributes and Location Details

Total Bedrooms / Bathrooms	0
1st Year Building on Tax Roll	N/A
Historic Designation	No

Township	Range	Section	Block	Lot
N/A	N/A	N/A		
Municipality	**Latitude**	**Longitude**		
City of Bonita Springs	26.35847	-81.79018		

View Parcel on Google Maps

[Tax Map Viewer] [View Comparables]



[Pictometry Aerial Viewer]

Image of Structure



Property Values / Exemptions / TRIM Notices

Generated on 7/13/2026 4:05 PM

No existing exemptions found for this property.

TRIM Notices	Tax Year	Just	Land	Market Assessed	Capped Assessed	Exemptions	Classified Use	Taxable
2025 / Additional Info	2025 (Final Value)	0	0	0	0	0	0	0
2024 / Additional Info	2024 (Final Value)	0	0	0	0	0	0	0
2023 / Additional Info	2023 (Final Value)	0	0	0	0	0	0	0
2022 / Additional Info	2022 (Final Value)	0	0	0	0	0	0	0
2021 / Additional Info	2021 (Final Value)	0	0	0	0	0	0	0

2020 / Additional Info	2020 (Final Value)	0	0	0	0	0	0	0
2019 / Additional Info	2019 (Final Value)	0	0	0	0	0	0	0
2018 / Additional Info	2018 (Final Value)	0	0	0	0	0	0	0
2017 / Additional Info	2017 (Final Value)	0	0	0	0	0	0	0
2016	2016 (Final Value)	0	0	0	0	0	0	0
2015	2015 (Final Value)	0	0	0	0	0	0	0
2014	2014 (Corrected Value)	0	0	0	0	0	0	0
	2013 (Final Value)	0	0	0	0	0	0	0
	2012 (Final Value)	0	0	0	0	0	0	0
	2011 (Final Value)	0	0	0	0	0	0	0
	2010 (Final Value)	0	0	0	0	0	0	0
	2009 (Final Value)	0	0	0	0	0	0	0
	2008 (Final Value)	0	0	0	0	0	0	0
	2007 (Final Value)	0	0	0	0	0	0	0
	2006 (Final Value)	0	0	0	0	0	0	0
	2005 (Final Value)	0	0	0	0	0	0	0
	2004 (Final Value)	0	0	0	0	0	0	0
	2003 (Final Value)	0	0	0	0	0	0	0
	2002 (Final Value)	0	0	0	0	0	0	0
	2001 (Final Value)	0	0	0	0	0	0	0
	2000 (Final Value)	0	0	0	0	0	0	0
	1999 (Final Value)	0	0	0	0	0	0	0
	1998 (Final Value)	0	0	0	0	0	0	0
	1997 (Final Value)	0	0	0	0	0	0	0
	1996 (Final Value)	0	0	0	0	0	0	0
	1995 (Final Value)	0	0	0	0	0	0	0
	1994 (Final Value)	0	0	0	0	0	0	0
	1993 (Final Value)	0	0	0	0	0	0	0
	1992 (Final Value)	0	0	0	0	0	0	0

The **Just** value is the total parcel assessment (less any considerations for the cost of sale). This is the closest value to *Fair Market Value* we produce and is dated as of January 1st of the tax year in question (F.A.C. 12D-1.002).

The **Land** value is the portion of the total parcel assessment attributed to the land.

The **Market Assessed** value is the total parcel assessment (less any considerations for the cost of sale) based upon the assessment standard. Most parcels are assessed based either upon the *Highest and Best Use* standard or the *Present Use* standard (*F.S. 193.011)* . For *Agriculturally Classified* parcels (or parts thereof), only agricultural uses are considered in the assessment (*F.S. 193.461 (6) (a)*). The difference between the *Highest and Best Use/Present Use* and the *Agricultural Use* is often referred to as the *Agricultural Exemption*.
(i.e. Market Assessed = Just - Agricultural Exemption)

The **Capped Assessed** value is the *Market Assessment* after any *Save Our Homes* or *10% Assessment Limitation* cap is applied. This assessment cap is applied to all properties and limits year-to-year assessment increases to either the *Consumer Price Index* or 3%, whichever is lower for Homestead properties OR 10% for non-Homestead properties.

The **Exemptions** value is the total amount of all exemptions on the parcel.

The **Taxable** value is the *Capped Assessment* after exemptions (*Homestead, etc.*) are applied to it. This is the value that most taxing authorities use to calculate a parcel's taxes.
(i.e. Taxable = Capped Assessed - Exemptions)

Property Details (Current as of 7/12/2026)

Generated on 7/13/2026 4:05 PM

Property Details (2025 Tax Roll)

Generated on 7/13/2026 4:05 PM

Taxing Authorities

Generated on 7/13/2026 4:06 PM

CENTRALLY ASSESSED / 000

Name / Code	Category	Mailing Address
LEE CO GENERAL REVENUE / 044	County	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO ALL HAZARDS PROTECTION DIST / 101	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO UNINCORPORATED MSTU / 020	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE COUNTY LIBRARY DIST / 052	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
SAN CARLOS PARK UNIT MSTU / 078	Dependent District	LEE COUNTY MSTU/MSBU PO BOX 398 FORT MYERS FL 33902-0398
BAYSHORE FIRE & RESCUE SRVC / 006	Independent District	BAYSHORE FIRE DISTRICT 17350 NALLE RD NORTH FORT MYERS FL 33917
BONITA SPRINGS FIRE DISTRICT / 009	Independent District	BONITA SPRINGS FIRE 27701 BONITA GRANDE DR BONITA SPRINGS FL 34135
ESTERO FIRE RESCUE DIST / 029	Independent District	ESTERO FIRE RESCUE DIST 21500 THREE OAKS PKWY ESTERO FL 33928
LEE CO HYACINTH CONTROL DIST / 051	Independent District	LEE CO HYACINTH CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
LEE CO MOSQUITO CONTROL DIST / 053	Independent District	LEE CO MOSQUITO CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
NORTH FORT MYERS FIRE DISTRICT / 063	Independent District	NORTH FORT MYERS FIRE DISTRICT PO BOX 3507 NORTH FORT MYERS FL 33918-3507
SAN CARLOS PARK FIRE DISTRICT / 077	Independent District	SAN CARLOS PARK FIRE DISTRICT 19591 BEN HILL GRIFFIN PKWY FORT MYERS FL 33913-8989
SOUTH TRAIL FIRE DISTRICT / 085	Independent District	SOUTH TRAIL FIRE DISTRICT 5531 HALIFAX AVE FORT MYERS FL 33912
TICE FIRE DISTRICT / 088	Independent District	TICE FIRE DISTRICT 9351 WORKMEN WAY FORT MYERS FL 33905
WEST COAST INLAND NAVIGATION DIST / 098	Independent District	WEST COAST INLAND NAVIGATION DIST 200 MIAMI AVE E VENICE FL 34285-2408
CITY OF BONITA SPRINGS / 157	Municipal	CITY OF BONITA SPRINGS 9101 BONITA BEACH RD BONITA SPRINGS FL 34135
CITY OF FORT MYERS / 031	Municipal	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
VILLAGE OF ESTERO / 340	Municipal	VILLAGE OF ESTERO 9401 CORKSCREW PALMS CIR ESTERO FL 33928
PUBLIC SCHOOL - BY LOCAL BOARD / 012	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966
PUBLIC SCHOOL - BY STATE LAW / 013	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966

CITY OF BONITA SPRINGS STORMWATER / 387	Special District	CITY OF BONITA SPRINGS 9101 BONITA BEACH RD BONITA SPRINGS FL 34135
FLORIDA GREEN FINANCE AUTHORITY / 358	Special District	SPECIAL DISTRICT SERVICES INC 2501A BURNS RD PALM BEACH GARDENS FL 33410
FLORIDA RESILIENCY & ENERGY DISTRICT / 359	Special District	
GREEN CORRIDOR PACE / 363	Special District	
CITY OF FORT MYERS PARKS VOTED DEBT SVC / 418	Voter Approved	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
SFWMD-DISTRICT-WIDE / 110	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-EVERGLADES CONSTRUCTION PROJECT / 084	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-OKEECHOBEE BASIN / 308	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406

Sales / Transactions

Generated on 7/13/2026 4:06 PM

Sale Price	Date	Clerk File Number	Type	Notes	Vacant/ Improved
10.00	11/01/2018	2019000150246	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I
0.00	11/01/2018	2018000262032	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I

Help safeguard your home against property fraud. Sign up for the Lee Clerk's free Property Fraud Alert.

Building / Construction Permit Data

Generated on 7/13/2026 4:06 PM

Permit Number	Permit Type	Date

IMPORTANT: THIS MAY NOT BE A COMPREHENSIVE OR TIMELY LISTING OF PERMITS ISSUED FOR THIS PROPERTY.

Note: The Lee County Property Appraiser's Office does not issue or maintain any permit information. The Building / Construction permit data displayed here represents only those records this Office may find necessary to conduct Property Appraiser business. Use of this information is with the understanding that

in no way is this to be considered a comprehensive listing of permits for this or any other parcel.

The Date field represents the date the property appraiser received information regarding permit activity; it may or not represent the actual date of permit issuance or completion.

Full, accurate, active and valid permit information for parcels can only be obtained from the appropriate permit issuing agency.

Parcel Numbering History

Generated on 7/13/2026 4:06 PM

Prior STRAP	Prior Folio ID	Renumber Reason	Renumber Date
27-47-25-00-00003.0000	N/A	Reserved for Renumber ONLY	05/06/2000

Solid Waste (Garbage) Roll Data

Generated on 7/13/2026 4:06 PM

Solid Waste District	Roll Type	Category	Unit / Area	Tax Amount
001 - Service Area 1	-		0	0.00

Flood and Storm Information

Generated on 7/13/2026 4:06 PM

Flood Insurance Rate Map data is not available for parcels within a municipality. To obtain flood information, contact your municipality directly.

Flood Insurance **Find my flood zone**

Subsurface Rights

Generated on 7/13/2026 4:06 PM

Subsurface Rights	Subsurface STRAP	Subsurface Folio ID	Surface STRAP	Surface Folio ID
UNKNOWN				

Generated on 7/13/2026 4:06 PM

Property Data

STRAP: 28-46-25-E2-U1949.2522 Folio ID: 10273608

Tax Roll Value Letter

Generated on 7/13/2026 2:49 PM

Owner Of Record - Sole Owner

[Change Mailing Address]

SEMINOLE GULF RAILWAY L P
4110 CENTER POINT DR #207
FORT MYERS FL 33916

Site Address

Site Address maintained by E911 Program Addressing

RAILROAD R/W
ESTERO FL 33928

Property Description

Do not use for legal documents!

STRIP OF LAND RR R/W RUNNING SELY + SLY ACROSS SEC LYING N OF BROADWAY

Attributes and Location Details

Total Bedrooms / Bathrooms	0
1st Year Building on Tax Roll	N/A
Historic Designation	No

Township	Range	Section	Block	Lot
N/A	N/A	N/A		
Municipality	**Latitude**	**Longitude**		
Village of Estero	26.4455	-81.80848		

View Parcel on Google Maps

[Tax Map Viewer] [View Comparables]



[Pictometry Aerial Viewer]

Image of Structure



Property Values / Exemptions / TRIM Notices

Generated on 7/13/2026 2:49 PM

No existing exemptions found for this property.

TRIM Notices	Tax Year	Just	Land	Market Assessed	Capped Assessed	Exemptions	Classified Use	Taxable
2025 / Additional Info	2025 (Final Value)	0	0	0	0	0	0	0
2024 / Additional Info	2024 (Final Value)	0	0	0	0	0	0	0
2023 / Additional Info	2023 (Final Value)	0	0	0	0	0	0	0
2022 / Additional Info	2022 (Final Value)	0	0	0	0	0	0	0
2021 / Additional Info	2021 (Final Value)	0	0	0	0	0	0	0

2020 / Additional Info	2020 (Final Value)	0	0	0	0	0	0	0
2019 / Additional Info	2019 (Final Value)	0	0	0	0	0	0	0
2018 / Additional Info	2018 (Final Value)	0	0	0	0	0	0	0
2017 / Additional Info	2017 (Final Value)	0	0	0	0	0	0	0
2016	2016 (Final Value)	0	0	0	0	0	0	0
2015	2015 (Final Value)	0	0	0	0	0	0	0
2014	2014 (Corrected Value)	0	0	0	0	0	0	0
	2013 (Final Value)	0	0	0	0	0	0	0
	2012 (Final Value)	0	0	0	0	0	0	0
	2011 (Final Value)	0	0	0	0	0	0	0
	2010 (Final Value)	0	0	0	0	0	0	0
	2009 (Final Value)	0	0	0	0	0	0	0
	2008 (Final Value)	0	0	0	0	0	0	0
	2007 (Final Value)	0	0	0	0	0	0	0
	2006 (Final Value)	0	0	0	0	0	0	0
	2005 (Final Value)	0	0	0	0	0	0	0
	2004 (Final Value)	0	0	0	0	0	0	0
	2003 (Final Value)	0	0	0	0	0	0	0
	2002 (Final Value)	0	0	0	0	0	0	0
	2001 (Final Value)	0	0	0	0	0	0	0
	2000 (Final Value)	0	0	0	0	0	0	0
	1999 (Final Value)	0	0	0	0	0	0	0
	1998 (Final Value)	0	0	0	0	0	0	0
	1997 (Final Value)	0	0	0	0	0	0	0
	1996 (Final Value)	0	0	0	0	0	0	0
	1995 (Final Value)	0	0	0	0	0	0	0
	1994 (Final Value)	0	0	0	0	0	0	0
	1993 (Final Value)	0	0	0	0	0	0	0
	1992 (Final Value)	0	0	0	0	0	0	0

The **Just** value is the total parcel assessment (less any considerations for the cost of sale). This is the closest value to *Fair Market Value* we produce and is dated as of January 1st of the tax year in question (F.A.C. 12D-1.002).

The **Land** value is the portion of the total parcel assessment attributed to the land.

The **Market Assessed** value is the total parcel assessment (less any considerations for the cost of sale) based upon the assessment standard. Most parcels are assessed based either upon the *Highest and Best Use* standard or the *Present Use* standard (*F.S. 193.011)* . For *Agriculturally Classified* parcels (or parts thereof), only agricultural uses are considered in the assessment (*F.S. 193.461 (6) (a)*). The difference between the *Highest and Best Use/Present Use* and the *Agricultural Use* is often referred to as the *Agricultural Exemption*.
(i.e. Market Assessed = Just - Agricultural Exemption)

The **Capped Assessed** value is the *Market Assessment* after any *Save Our Homes* or *10% Assessment Limitation* cap is applied. This assessment cap is applied to all properties and limits year-to-year assessment increases to either the *Consumer Price Index* or 3%, whichever is lower for Homestead properties OR 10% for non-Homestead properties.

The **Exemptions** value is the total amount of all exemptions on the parcel.

The **Taxable** value is the *Capped Assessment* after exemptions (*Homestead, etc.*) are applied to it. This is the value that most taxing authorities use to calculate a parcel's taxes.
(i.e. Taxable = Capped Assessed - Exemptions)

Property Details (Current as of 7/12/2026)

Generated on 7/13/2026 2:49 PM

Property Details (2025 Tax Roll)

Generated on 7/13/2026 2:49 PM

Taxing Authorities

Generated on 7/13/2026 2:49 PM

CENTRALLY ASSESSED / 000

Name / Code	Category	Mailing Address
LEE CO GENERAL REVENUE / 044	County	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO ALL HAZARDS PROTECTION DIST / 101	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO UNINCORPORATED MSTU / 020	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE COUNTY LIBRARY DIST / 052	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
SAN CARLOS PARK UNIT MSTU / 078	Dependent District	LEE COUNTY MSTU/MSBU PO BOX 398 FORT MYERS FL 33902-0398
BAYSHORE FIRE & RESCUE SRVC / 006	Independent District	BAYSHORE FIRE DISTRICT 17350 NALLE RD NORTH FORT MYERS FL 33917
BONITA SPRINGS FIRE DISTRICT / 009	Independent District	BONITA SPRINGS FIRE 27701 BONITA GRANDE DR BONITA SPRINGS FL 34135
ESTERO FIRE RESCUE DIST / 029	Independent District	ESTERO FIRE RESCUE DIST 21500 THREE OAKS PKWY ESTERO FL 33928
LEE CO HYACINTH CONTROL DIST / 051	Independent District	LEE CO HYACINTH CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
LEE CO MOSQUITO CONTROL DIST / 053	Independent District	LEE CO MOSQUITO CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
NORTH FORT MYERS FIRE DISTRICT / 063	Independent District	NORTH FORT MYERS FIRE DISTRICT PO BOX 3507 NORTH FORT MYERS FL 33918-3507
SAN CARLOS PARK FIRE DISTRICT / 077	Independent District	SAN CARLOS PARK FIRE DISTRICT 19591 BEN HILL GRIFFIN PKWY FORT MYERS FL 33913-8989
SOUTH TRAIL FIRE DISTRICT / 085	Independent District	SOUTH TRAIL FIRE DISTRICT 5531 HALIFAX AVE FORT MYERS FL 33912
TICE FIRE DISTRICT / 088	Independent District	TICE FIRE DISTRICT 9351 WORKMEN WAY FORT MYERS FL 33905
WEST COAST INLAND NAVIGATION DIST / 098	Independent District	WEST COAST INLAND NAVIGATION DIST 200 MIAMI AVE E VENICE FL 34285-2408
CITY OF BONITA SPRINGS / 157	Municipal	CITY OF BONITA SPRINGS 9101 BONITA BEACH RD BONITA SPRINGS FL 34135
CITY OF FORT MYERS / 031	Municipal	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
VILLAGE OF ESTERO / 340	Municipal	VILLAGE OF ESTERO 9401 CORKSCREW PALMS CIR ESTERO FL 33928
PUBLIC SCHOOL - BY LOCAL BOARD / 012	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966
PUBLIC SCHOOL - BY STATE LAW / 013	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966

CITY OF FORT MYERS PARKS VOTED DEBT SVC / 418	Voter Approved	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
SFWMD-DISTRICT-WIDE / 110	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-EVERGLADES CONSTRUCTION PROJECT / 084	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-OKEECHOBEE BASIN / 308	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406

Sales / Transactions

Generated on 7/13/2026 2:49 PM

Sale Price	Date	Clerk File Number	Type	Notes	Vacant/ Improved
10.00	11/01/2018	2019000150246	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I
0.00	11/01/2018	2018000262032	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I

Help safeguard your home against property fraud. Sign up for the Lee Clerk's free Property Fraud Alert.

Building / Construction Permit Data

Generated on 7/13/2026 2:49 PM

Permit Number	Permit Type	Date

IMPORTANT: THIS MAY NOT BE A COMPREHENSIVE OR TIMELY LISTING OF PERMITS ISSUED FOR THIS PROPERTY.

Note: The Lee County Property Appraiser's Office does not issue or maintain any permit information. The Building / Construction permit data displayed here represents only those records this Office may find necessary to conduct Property Appraiser business. Use of this information is with the understanding that in no way is this to be considered a comprehensive listing of permits for this or any other parcel.

The Date field represents the date the property appraiser received information regarding permit activity; it may or not represent the actual date of permit issuance or completion.

Full, accurate, active and valid permit information for parcels can only be obtained from the appropriate permit issuing agency.

Parcel Numbering History

Generated on 7/13/2026 2:49 PM

Prior STRAP	Prior Folio ID	Renumber Reason	Renumber Date
28-46-25-00-00040.0000	N/A	Split (From another Parcel)	08/17/2011
28-46-25-00-00039.0000	N/A	Reserved for Renumber ONLY	01/14/2015

Solid Waste (Garbage) Roll Data

Generated on 7/13/2026 2:49 PM

Solid Waste District	Roll Type	Category	Unit / Area	Tax Amount
003 - Service Area 3	-		0	0.00

Flood and Storm Information

Generated on 7/13/2026 2:49 PM

Flood Insurance Rate Map data is not available for parcels within a municipality. To obtain flood information, contact your municipality directly.

Flood Insurance Find my flood zone

Subsurface Rights

Generated on 7/13/2026 2:49 PM

Subsurface Rights	Subsurface STRAP	Subsurface Folio ID	Surface STRAP	Surface Folio ID
UNKNOWN				

Generated on 7/13/2026 2:49 PM

Property Data

STRAP: 28-46-25-E3-U1956.2448 Folio ID: 10557204

Tax Roll Value Letter

Generated on 7/13/2026 2:52 PM

Owner Of Record - Sole Owner

[Change Mailing Address]

SEMINOLE GULF RAILWAY L P
4110 CENTER POINT DR #207
FORT MYERS FL 33916

Site Address

Site Address maintained by E911 Program Addressing

RAILROAD R/W
ESTERO FL

Property Description

Do not use for legal documents!

STRIP OF LAND RR R/W RUNNING SELY + SLY ACROSS SECLYING S OF BROADWAY

Attributes and Location Details

Total Bedrooms / Bathrooms	0
1st Year Building on Tax Roll	N/A
Historic Designation	No

Township	Range	Section	Block	Lot
N/A	N/A	N/A		
Municipality	**Latitude**	**Longitude**		
Village of Estero	26.43836	-81.80674		

View Parcel on Google Maps

[Tax Map Viewer] [View Comparables]



[Pictometry Aerial Viewer]

Image of Structure



Property Values / Exemptions / TRIM Notices

Generated on 7/13/2026 2:52 PM

No existing exemptions found for this property.

TRIM Notices	Tax Year	Just	Land	Market Assessed	Capped Assessed	Exemptions	Classified Use	Taxable
2025 / Additional Info	2025 (Final Value)	0	0	0	0	0	0	0
2024 / Additional Info	2024 (Final Value)	0	0	0	0	0	0	0
2023 / Additional Info	2023 (Final Value)	0	0	0	0	0	0	0
2022 / Additional Info	2022 (Final Value)	0	0	0	0	0	0	0
2021 / Additional Info	2021 (Final Value)	0	0	0	0	0	0	0

2020 / Additional Info	2020 (Final Value)	0	0	0	0	0	0	0
2019 / Additional Info	2019 (Final Value)	0	0	0	0	0	0	0
2018 / Additional Info	2018 (Final Value)	0	0	0	0	0	0	0
2017 / Additional Info	2017 (Final Value)	0	0	0	0	0	0	0
2016	2016 (Final Value)	0	0	0	0	0	0	0
2015	2015 (Final Value)	0	0	0	0	0	0	0
2014	2014 (Corrected Value)	0	0	0	0	0	0	0
	2013 (Final Value)	0	0	0	0	0	0	0
	2012 (Final Value)	0	0	0	0	0	0	0
	2011 (Final Value)	0	0	0	0	0	0	0

The **Just** value is the total parcel assessment (less any considerations for the cost of sale). This is the closest value to *Fair Market Value* we produce and is dated as of January 1st of the tax year in question (F.A.C. 12D-1.002).

The **Land** value is the portion of the total parcel assessment attributed to the land.

The **Market Assessed** value is the total parcel assessment (less any considerations for the cost of sale) based upon the assessment standard. Most parcels are assessed based either upon the *Highest and Best Use* standard or the *Present Use* standard (*F.S. 193.011)* . For *Agriculturally Classified* parcels (or parts thereof), only agricultural uses are considered in the assessment (*F.S. 193.461 (6) (a)*). The difference between the *Highest and Best Use/Present Use* and the *Agricultural Use* is often referred to as the *Agricultural Exemption*.
(i.e. Market Assessed = Just - Agricultural Exemption)

The **Capped Assessed** value is the *Market Assessment* after any *Save Our Homes* or *10% Assessment Limitation* cap is applied. This assessment cap is applied to all properties and limits year-to-year assessment increases to either the *Consumer Price Index* or 3%, whichever is lower for Homestead properties OR 10% for non-Homestead properties.

The **Exemptions** value is the total amount of all exemptions on the parcel.

The **Taxable** value is the *Capped Assessment* after exemptions (*Homestead, etc.*) are applied to it. This is the value that most taxing authorities use to calculate a parcel's taxes.
(i.e. Taxable = Capped Assessed - Exemptions)

Property Details (Current as of 7/12/2026)

Generated on 7/13/2026 2:52 PM

Property Details (2025 Tax Roll)

Generated on 7/13/2026 2:52 PM

Taxing Authorities

Generated on 7/13/2026 2:52 PM

CENTRALLY ASSESSED / 000

Name / Code	Category	Mailing Address
LEE CO GENERAL REVENUE / 044	County	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO ALL HAZARDS PROTECTION DIST / 101	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO UNINCORPORATED MSTU / 020	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE COUNTY LIBRARY DIST / 052	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398

SAN CARLOS PARK UNIT MSTU / 078	Dependent District	LEE COUNTY MSTU/MSBU PO BOX 398 FORT MYERS FL 33902-0398
BAYSHORE FIRE & RESCUE SRVC / 006	Independent District	BAYSHORE FIRE DISTRICT 17350 NALLE RD NORTH FORT MYERS FL 33917
BONITA SPRINGS FIRE DISTRICT / 009	Independent District	BONITA SPRINGS FIRE 27701 BONITA GRANDE DR BONITA SPRINGS FL 34135
ESTERO FIRE RESCUE DIST / 029	Independent District	ESTERO FIRE RESCUE DIST 21500 THREE OAKS PKWY ESTERO FL 33928
LEE CO HYACINTH CONTROL DIST / 051	Independent District	LEE CO HYACINTH CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
LEE CO MOSQUITO CONTROL DIST / 053	Independent District	LEE CO MOSQUITO CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
NORTH FORT MYERS FIRE DISTRICT / 063	Independent District	NORTH FORT MYERS FIRE DISTRICT PO BOX 3507 NORTH FORT MYERS FL 33918-3507
SAN CARLOS PARK FIRE DISTRICT / 077	Independent District	SAN CARLOS PARK FIRE DISTRICT 19591 BEN HILL GRIFFIN PKWY FORT MYERS FL 33913-8989
SOUTH TRAIL FIRE DISTRICT / 085	Independent District	SOUTH TRAIL FIRE DISTRICT 5531 HALIFAX AVE FORT MYERS FL 33912
TICE FIRE DISTRICT / 088	Independent District	TICE FIRE DISTRICT 9351 WORKMEN WAY FORT MYERS FL 33905
WEST COAST INLAND NAVIGATION DIST / 098	Independent District	WEST COAST INLAND NAVIGATION DIST 200 MIAMI AVE E VENICE FL 34285-2408
CITY OF BONITA SPRINGS / 157	Municipal	CITY OF BONITA SPRINGS 9101 BONITA BEACH RD BONITA SPRINGS FL 34135
CITY OF FORT MYERS / 031	Municipal	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
VILLAGE OF ESTERO / 340	Municipal	VILLAGE OF ESTERO 9401 CORKSCREW PALMS CIR ESTERO FL 33928
PUBLIC SCHOOL - BY LOCAL BOARD / 012	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966
PUBLIC SCHOOL - BY STATE LAW / 013	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966
CITY OF FORT MYERS PARKS VOTED DEBT SVC / 418	Voter Approved	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
SFWMD-DISTRICT-WIDE / 110	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-EVERGLADES CONSTRUCTION PROJECT / 084	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-OKEECHOBEE BASIN / 308	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406

Sales / Transactions

Generated on 7/13/2026 2:52 PM

Sale Price	Date	Clerk File Number	Type	Notes	Vacant/ Improved
10.00	11/01/2018	2019000150246	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I
0.00	11/01/2018	2018000262032	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I

Help safeguard your home against property fraud. Sign up for the Lee Clerk's free Property Fraud Alert.

Building / Construction Permit Data

Generated on 7/13/2026 2:52 PM

Permit Number	Permit Type	Date

IMPORTANT: THIS MAY NOT BE A COMPREHENSIVE OR TIMELY LISTING OF PERMITS ISSUED FOR THIS PROPERTY.

Note: The Lee County Property Appraiser's Office does not issue or maintain any permit information. The Building / Construction permit data displayed here represents only those records this Office may find necessary to conduct Property Appraiser business. Use of this information is with the understanding that in no way is this to be considered a comprehensive listing of permits for this or any other parcel.

The Date field represents the date the property appraiser received information regarding permit activity; it may or not represent the actual date of permit issuance or completion.

Full, accurate, active and valid permit information for parcels can only be obtained from the appropriate permit issuing agency.

Parcel Numbering History

Generated on 7/13/2026 2:52 PM

Prior STRAP	Prior Folio ID	Renumber Reason	Renumber Date
28-46-25-00-00039.0000	N/A	Split (From another Parcel)	08/17/2011
28-46-25-00-00040.0000	N/A	Reserved for Renumber ONLY	01/14/2015

Solid Waste (Garbage) Roll Data

Generated on 7/13/2026 2:52 PM

Solid Waste District	Roll Type	Category	Unit / Area	Tax Amount
003 - Service Area 3	-		0	0.00

Flood and Storm Information

Generated on 7/13/2026 2:52 PM

Flood Insurance Rate Map data is not available for parcels within a municipality. To obtain flood information, contact your municipality directly.

Flood Insurance **Find my flood zone**

Subsurface Rights

Generated on 7/13/2026 2:52 PM

Subsurface Rights	Subsurface STRAP	Subsurface Folio ID	Surface STRAP	Surface Folio ID
UNKNOWN				

Generated on 7/13/2026 2:52 PM

Property Data

STRAP: 33-46-25-E2-U1956.2388 Folio ID: 10275671

Tax Roll Value Letter

Generated on 7/13/2026 2:52 PM

Owner Of Record - Sole Owner

[Change Mailing Address]

SEMINOLE GULF RAILWAY L P
4110 CENTER POINT DR #207
FORT MYERS FL 33916

Site Address

Site Address maintained by E911 Program Addressing

RAILROAD R/W
ESTERO FL 33928

Property Description

Do not use for legal documents!

A STRIP OF LAND RR R/W RUNNING SELY ACROSS E 1/2 OF SEC LYING N OF CORKSCREW RD

Attributes and Location Details

Total Bedrooms / Bathrooms	0
1st Year Building on Tax Roll	N/A
Historic Designation	No

Township	Range	Section	Block	Lot
N/A	N/A	N/A		
Municipality	**Latitude**	**Longitude**		
Village of Estero	26.43296	-81.80673		

View Parcel on Google Maps

[Tax Map Viewer] [View Comparables]



[Pictometry Aerial Viewer]

Image of Structure



Property Values / Exemptions / TRIM Notices

Generated on 7/13/2026 2:52 PM

No existing exemptions found for this property.

TRIM Notices	Tax Year	Just	Land	Market Assessed	Capped Assessed	Exemptions	Classified Use	Taxable
2025 / Additional Info	2025 (Final Value)	0	0	0	0	0	0	0
2024 / Additional Info	2024 (Final Value)	0	0	0	0	0	0	0
2023 / Additional Info	2023 (Final Value)	0	0	0	0	0	0	0
2022 / Additional Info	2022 (Final Value)	0	0	0	0	0	0	0
2021 / Additional Info	2021 (Final Value)	0	0	0	0	0	0	0

2020 / Additional Info	2020 (Final Value)	0	0	0	0	0	0	0
2019 / Additional Info	2019 (Final Value)	0	0	0	0	0	0	0
2018 / Additional Info	2018 (Final Value)	0	0	0	0	0	0	0
2017 / Additional Info	2017 (Final Value)	0	0	0	0	0	0	0
2016	2016 (Final Value)	0	0	0	0	0	0	0
2015	2015 (Final Value)	0	0	0	0	0	0	0
2014	2014 (Corrected Value)	0	0	0	0	0	0	0
	2013 (Final Value)	0	0	0	0	0	0	0
	2012 (Final Value)	0	0	0	0	0	0	0
	2011 (Final Value)	0	0	0	0	0	0	0
	2010 (Final Value)	0	0	0	0	0	0	0
	2009 (Final Value)	0	0	0	0	0	0	0
	2008 (Final Value)	0	0	0	0	0	0	0
	2007 (Final Value)	0	0	0	0	0	0	0
	2006 (Final Value)	0	0	0	0	0	0	0
	2005 (Final Value)	0	0	0	0	0	0	0
	2004 (Final Value)	0	0	0	0	0	0	0
	2003 (Final Value)	0	0	0	0	0	0	0
	2002 (Final Value)	0	0	0	0	0	0	0
	2001 (Final Value)	0	0	0	0	0	0	0
	2000 (Final Value)	0	0	0	0	0	0	0
	1999 (Final Value)	0	0	0	0	0	0	0
	1998 (Final Value)	0	0	0	0	0	0	0
	1997 (Final Value)	0	0	0	0	0	0	0
	1996 (Final Value)	0	0	0	0	0	0	0
	1995 (Final Value)	0	0	0	0	0	0	0
	1994 (Final Value)	0	0	0	0	0	0	0
	1993 (Final Value)	0	0	0	0	0	0	0
	1992 (Final Value)	0	0	0	0	0	0	0

The **Just** value is the total parcel assessment (less any considerations for the cost of sale). This is the closest value to *Fair Market Value* we produce and is dated as of January 1st of the tax year in question (F.A.C. 12D-1.002).

The **Land** value is the portion of the total parcel assessment attributed to the land.

The **Market Assessed** value is the total parcel assessment (less any considerations for the cost of sale) based upon the assessment standard. Most parcels are assessed based either upon the *Highest and Best Use* standard or the *Present Use* standard (*F.S. 193.011)* . For *Agriculturally Classified* parcels (or parts thereof), only agricultural uses are considered in the assessment (*F.S. 193.461 (6) (a)*). The difference between the *Highest and Best Use/Present Use* and the *Agricultural Use* is often referred to as the *Agricultural Exemption*.
(i.e. Market Assessed = Just - Agricultural Exemption)

The **Capped Assessed** value is the *Market Assessment* after any *Save Our Homes* or *10% Assessment Limitation* cap is applied. This assessment cap is applied to all properties and limits year-to-year assessment increases to either the *Consumer Price Index* or 3%, whichever is lower for Homestead properties OR 10% for non-Homestead properties.

The **Exemptions** value is the total amount of all exemptions on the parcel.

The **Taxable** value is the *Capped Assessment* after exemptions (*Homestead, etc.*) are applied to it. This is the value that most taxing authorities use to calculate a parcel's taxes.
(i.e. Taxable = Capped Assessed - Exemptions)

Property Details (Current as of 7/12/2026)

Generated on 7/13/2026 2:52 PM

Property Details (2025 Tax Roll)

Generated on 7/13/2026 2:52 PM

Taxing Authorities

Generated on 7/13/2026 2:52 PM

CENTRALLY ASSESSED / 000

Name / Code	Category	Mailing Address
LEE CO GENERAL REVENUE / 044	County	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO ALL HAZARDS PROTECTION DIST / 101	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO UNINCORPORATED MSTU / 020	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE COUNTY LIBRARY DIST / 052	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
SAN CARLOS PARK UNIT MSTU / 078	Dependent District	LEE COUNTY MSTU/MSBU PO BOX 398 FORT MYERS FL 33902-0398
BAYSHORE FIRE & RESCUE SRVC / 006	Independent District	BAYSHORE FIRE DISTRICT 17350 NALLE RD NORTH FORT MYERS FL 33917
BONITA SPRINGS FIRE DISTRICT / 009	Independent District	BONITA SPRINGS FIRE 27701 BONITA GRANDE DR BONITA SPRINGS FL 34135
ESTERO FIRE RESCUE DIST / 029	Independent District	ESTERO FIRE RESCUE DIST 21500 THREE OAKS PKWY ESTERO FL 33928
LEE CO HYACINTH CONTROL DIST / 051	Independent District	LEE CO HYACINTH CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
LEE CO MOSQUITO CONTROL DIST / 053	Independent District	LEE CO MOSQUITO CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
NORTH FORT MYERS FIRE DISTRICT / 063	Independent District	NORTH FORT MYERS FIRE DISTRICT PO BOX 3507 NORTH FORT MYERS FL 33918-3507
SAN CARLOS PARK FIRE DISTRICT / 077	Independent District	SAN CARLOS PARK FIRE DISTRICT 19591 BEN HILL GRIFFIN PKWY FORT MYERS FL 33913-8989
SOUTH TRAIL FIRE DISTRICT / 085	Independent District	SOUTH TRAIL FIRE DISTRICT 5531 HALIFAX AVE FORT MYERS FL 33912
TICE FIRE DISTRICT / 088	Independent District	TICE FIRE DISTRICT 9351 WORKMEN WAY FORT MYERS FL 33905
WEST COAST INLAND NAVIGATION DIST / 098	Independent District	WEST COAST INLAND NAVIGATION DIST 200 MIAMI AVE E VENICE FL 34285-2408
CITY OF BONITA SPRINGS / 157	Municipal	CITY OF BONITA SPRINGS 9101 BONITA BEACH RD BONITA SPRINGS FL 34135
CITY OF FORT MYERS / 031	Municipal	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
VILLAGE OF ESTERO / 340	Municipal	VILLAGE OF ESTERO 9401 CORKSCREW PALMS CIR ESTERO FL 33928
PUBLIC SCHOOL - BY LOCAL BOARD / 012	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966
PUBLIC SCHOOL - BY STATE LAW / 013	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966

FLORIDA GREEN FINANCE AUTHORITY / 358	Special District	SPECIAL DISTRICT SERVICES INC 2501A BURNS RD PALM BEACH GARDENS FL 33410
GREEN CORRIDOR PACE / 363	Special District	
VILLAGE OF ESTERO PUENTE LN CORKSCREW RD / 395	Special District	VILLAGE OF ESTERO 9401 CORKSCREW PALMS CIR ESTERO FL 33928
CITY OF FORT MYERS PARKS VOTED DEBT SVC / 418	Voter Approved	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
SFWMD-DISTRICT-WIDE / 110	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-EVERGLADES CONSTRUCTION PROJECT / 084	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-OKEECHOBEE BASIN / 308	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406

Sales / Transactions

Generated on 7/13/2026 2:52 PM

Sale Price	Date	Clerk File Number	Type	Notes	Vacant/ Improved
10.00	11/01/2018	2019000150246	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I
0.00	11/01/2018	2018000262032	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I
100.00	04/02/1924	70/167	04		V

Help safeguard your home against property fraud. Sign up for the Lee Clerk's free Property Fraud Alert.

Building / Construction Permit Data

Generated on 7/13/2026 2:52 PM

Permit Number	Permit Type	Date

IMPORTANT: THIS MAY NOT BE A COMPREHENSIVE OR TIMELY LISTING OF PERMITS ISSUED FOR THIS PROPERTY.

Note: The Lee County Property Appraiser's Office does not issue or maintain any permit information. The Building / Construction permit data displayed here represents only those records this Office may find necessary to conduct Property Appraiser business. Use of this information is with the understanding that

in no way is this to be considered a comprehensive listing of permits for this or any other parcel.

The Date field represents the date the property appraiser received information regarding permit activity; it may or not represent the actual date of permit issuance or completion.

Full, accurate, active and valid permit information for parcels can only be obtained from the appropriate permit issuing agency.

Parcel Numbering History

Generated on 7/13/2026 2:52 PM

Prior STRAP	Prior Folio ID	Renumber Reason	Renumber Date
33-46-25-00-00023.0000	N/A	Split (From another Parcel)	08/17/2011
33-46-25-00-00020.0000	N/A	Reserved for Renumber ONLY	01/14/2015

Solid Waste (Garbage) Roll Data

Generated on 7/13/2026 2:52 PM

Solid Waste District	Roll Type	Category	Unit / Area	Tax Amount
003 - Service Area 3	-		0	0.00

Flood and Storm Information

Generated on 7/13/2026 2:52 PM

Flood Insurance Rate Map data is not available for parcels within a municipality. To obtain flood information, contact your municipality directly.

Flood Insurance **Find my flood zone**

Subsurface Rights

Generated on 7/13/2026 2:52 PM

Subsurface Rights	Subsurface STRAP	Subsurface Folio ID	Surface STRAP	Surface Folio ID
UNKNOWN				

Generated on 7/13/2026 2:52 PM

Property Data

STRAP: 33-46-25-E3-U1964.2308 Folio ID: 10557205

Tax Roll Value Letter

Generated on 7/13/2026 2:54 PM

Owner Of Record - Sole Owner

[Change Mailing Address]

SEMINOLE GULF RAILWAY L P
4110 CENTER POINT DR #207
FORT MYERS FL 33916

Site Address

Site Address maintained by E911 Program Addressing

RAILROAD R/W
ESTERO FL

Property Description

Do not use for legal documents!

A STRIP OF LAND RR R/W RUNNING SELY ACROSS E 1/2 OF SEC LYING S OF CORKSCREW RD

Attributes and Location Details

Total Bedrooms / Bathrooms	0
1st Year Building on Tax Roll	N/A
Historic Designation	No

Township	Range	Section	Block	Lot
N/A	N/A	N/A		
Municipality	**Latitude**	**Longitude**		
Village of Estero	26.42578	-81.80578		

View Parcel on Google Maps

[Tax Map Viewer] [View Comparables]



[Pictometry Aerial Viewer]

Image of Structure



Property Values / Exemptions / TRIM Notices

Generated on 7/13/2026 2:54 PM

No existing exemptions found for this property.

TRIM Notices	Tax Year	Just	Land	Market Assessed	Capped Assessed	Exemptions	Classified Use	Taxable
2025 / Additional Info	2025 (Final Value)	0	0	0	0	0	0	0
2024 / Additional Info	2024 (Final Value)	0	0	0	0	0	0	0
2023 / Additional Info	2023 (Final Value)	0	0	0	0	0	0	0
2022 / Additional Info	2022 (Final Value)	0	0	0	0	0	0	0
2021 / Additional Info	2021 (Final Value)	0	0	0	0	0	0	0

2020 / Additional Info	2020 (Final Value)	0	0	0	0	0	0	0
2019 / Additional Info	2019 (Final Value)	0	0	0	0	0	0	0
2018 / Additional Info	2018 (Final Value)	0	0	0	0	0	0	0
2017 / Additional Info	2017 (Final Value)	0	0	0	0	0	0	0
2016	2016 (Final Value)	0	0	0	0	0	0	0
2015	2015 (Final Value)	0	0	0	0	0	0	0
2014	2014 (Corrected Value)	0	0	0	0	0	0	0
	2013 (Final Value)	0	0	0	0	0	0	0
	2012 (Final Value)	0	0	0	0	0	0	0
	2011 (Final Value)	0	0	0	0	0	0	0

The **Just** value is the total parcel assessment (less any considerations for the cost of sale). This is the closest value to *Fair Market Value* we produce and is dated as of January 1st of the tax year in question (F.A.C. 12D-1.002).

The **Land** value is the portion of the total parcel assessment attributed to the land.

The **Market Assessed** value is the total parcel assessment (less any considerations for the cost of sale) based upon the assessment standard. Most parcels are assessed based either upon the *Highest and Best Use* standard or the *Present Use* standard (*F.S. 193.011)* . For *Agriculturally Classified* parcels (or parts thereof), only agricultural uses are considered in the assessment (*F.S. 193.461 (6) (a)*). The difference between the *Highest and Best Use/Present Use* and the *Agricultural Use* is often referred to as the *Agricultural Exemption*.
(i.e. Market Assessed = Just - Agricultural Exemption)

The **Capped Assessed** value is the *Market Assessment* after any *Save Our Homes* or *10% Assessment Limitation* cap is applied. This assessment cap is applied to all properties and limits year-to-year assessment increases to either the *Consumer Price Index* or 3%, whichever is lower for Homestead properties OR 10% for non-Homestead properties.

The **Exemptions** value is the total amount of all exemptions on the parcel.

The **Taxable** value is the *Capped Assessment* after exemptions (*Homestead, etc.*) are applied to it. This is the value that most taxing authorities use to calculate a parcel's taxes.
(i.e. Taxable = Capped Assessed - Exemptions)

Property Details (Current as of 7/12/2026)

Generated on 7/13/2026 2:54 PM

Property Details (2025 Tax Roll)

Generated on 7/13/2026 2:54 PM

Taxing Authorities

Generated on 7/13/2026 2:54 PM

CENTRALLY ASSESSED / 000

Name / Code	Category	Mailing Address
LEE CO GENERAL REVENUE / 044	County	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO ALL HAZARDS PROTECTION DIST / 101	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO UNINCORPORATED MSTU / 020	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE COUNTY LIBRARY DIST / 052	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398

SAN CARLOS PARK UNIT MSTU / 078	Dependent District	LEE COUNTY MSTU/MSBU PO BOX 398 FORT MYERS FL 33902-0398
BAYSHORE FIRE & RESCUE SRVC / 006	Independent District	BAYSHORE FIRE DISTRICT 17350 NALLE RD NORTH FORT MYERS FL 33917
BONITA SPRINGS FIRE DISTRICT / 009	Independent District	BONITA SPRINGS FIRE 27701 BONITA GRANDE DR BONITA SPRINGS FL 34135
ESTERO FIRE RESCUE DIST / 029	Independent District	ESTERO FIRE RESCUE DIST 21500 THREE OAKS PKWY ESTERO FL 33928
LEE CO HYACINTH CONTROL DIST / 051	Independent District	LEE CO HYACINTH CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
LEE CO MOSQUITO CONTROL DIST / 053	Independent District	LEE CO MOSQUITO CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
NORTH FORT MYERS FIRE DISTRICT / 063	Independent District	NORTH FORT MYERS FIRE DISTRICT PO BOX 3507 NORTH FORT MYERS FL 33918-3507
SAN CARLOS PARK FIRE DISTRICT / 077	Independent District	SAN CARLOS PARK FIRE DISTRICT 19591 BEN HILL GRIFFIN PKWY FORT MYERS FL 33913-8989
SOUTH TRAIL FIRE DISTRICT / 085	Independent District	SOUTH TRAIL FIRE DISTRICT 5531 HALIFAX AVE FORT MYERS FL 33912
TICE FIRE DISTRICT / 088	Independent District	TICE FIRE DISTRICT 9351 WORKMEN WAY FORT MYERS FL 33905
WEST COAST INLAND NAVIGATION DIST / 098	Independent District	WEST COAST INLAND NAVIGATION DIST 200 MIAMI AVE E VENICE FL 34285-2408
CITY OF BONITA SPRINGS / 157	Municipal	CITY OF BONITA SPRINGS 9101 BONITA BEACH RD BONITA SPRINGS FL 34135
CITY OF FORT MYERS / 031	Municipal	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
VILLAGE OF ESTERO / 340	Municipal	VILLAGE OF ESTERO 9401 CORKSCREW PALMS CIR ESTERO FL 33928
PUBLIC SCHOOL - BY LOCAL BOARD / 012	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966
PUBLIC SCHOOL - BY STATE LAW / 013	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966
FLORIDA GREEN FINANCE AUTHORITY / 358	Special District	SPECIAL DISTRICT SERVICES INC 2501A BURNS RD PALM BEACH GARDENS FL 33410
GREEN CORRIDOR PACE / 363	Special District	
VILLAGE OF ESTERO PUENTE LN CORKSCREW RD / 395	Special District	VILLAGE OF ESTERO 9401 CORKSCREW PALMS CIR ESTERO FL 33928
CITY OF FORT MYERS PARKS VOTED DEBT SVC / 418	Voter Approved	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
SFWMD-DISTRICT-WIDE / 110	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-EVERGLADES CONSTRUCTION PROJECT / 084	Water District	SFWMD 3301 GUN CLUB RD

		WEST PALM BEACH FL 33406
SFWMD-OKEECHOBEE BASIN / 308	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406

Sales / Transactions

Generated on 7/13/2026 2:54 PM

Sale Price	Date	Clerk File Number	Type	Notes	Vacant/ Improved
10.00	11/01/2018	2019000150246	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I
0.00	11/01/2018	2018000262032	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I
100.00	04/02/1924	70/167	04		V

Help safeguard your home against property fraud. Sign up for the Lee Clerk's free Property Fraud Alert.

Building / Construction Permit Data

Generated on 7/13/2026 2:54 PM

Permit Number	Permit Type	Date

IMPORTANT: THIS MAY NOT BE A COMPREHENSIVE OR TIMELY LISTING OF PERMITS ISSUED FOR THIS PROPERTY.

Note: The Lee County Property Appraiser's Office does not issue or maintain any permit information. The Building / Construction permit data displayed here represents only those records this Office may find necessary to conduct Property Appraiser business. Use of this information is with the understanding that in no way is this to be considered a comprehensive listing of permits for this or any other parcel.

The Date field represents the date the property appraiser received information regarding permit activity; it may or not represent the actual date of permit issuance or completion.

Full, accurate, active and valid permit information for parcels can only be obtained from the appropriate permit issuing agency.

Parcel Numbering History

Generated on 7/13/2026 2:54 PM

Prior STRAP	Prior Folio ID	Renumber Reason	Renumber Date
33-46-25-00-00020.0000	N/A	Split (From another Parcel)	08/17/2011
33-46-25-00-00023.0000	N/A	Reserved for Renumber ONLY	01/14/2015

Solid Waste (Garbage) Roll Data

Generated on 7/13/2026 2:54 PM

Solid Waste District	Roll Type	Category	Unit / Area	Tax Amount
003 - Service Area 3	-		0	0.00

Flood and Storm Information

Generated on 7/13/2026 2:54 PM

Flood Insurance Rate Map data is not available for parcels within a municipality. To obtain flood information, contact your municipality directly.

Flood Insurance Find my flood zone

Subsurface Rights

Generated on 7/13/2026 2:54 PM

Subsurface Rights	Subsurface STRAP	Subsurface Folio ID	Surface STRAP	Surface Folio ID
UNKNOWN				

Generated on 7/13/2026 2:54 PM

Property Data

STRAP: 35-47-25-B1-00001.0010 Folio ID: 10555816

Tax Roll Value Letter

Generated on 7/13/2026 4:07 PM

Owner Of Record - Sole Owner

[Change Mailing Address]

SEMINOLE GULF RAILWAY L P
4110 CENTER POINT DR #207
FORT MYERS FL 33916

Site Address

Site Address maintained by E911 Program Addressing

RAILROAD R/W
BONITA SPRINGS FL

Property Description

Do not use for legal documents!

RR R/W OR 343 PG 420 + DB 292 PG 458 + OR 1651 PG 3493 LYING N OF RIVER

View Recorded Plat at LeeClerk.org - Use this link to do an Official Records search on the Lee County Clerk of Courts website, using 343 and 420 for the book and page numbers.

Attributes and Location Details

Total Bedrooms / Bathrooms	0
1st Year Building on Tax Roll	N/A
Historic Designation	No

Township	Range	Section	Block	Lot
N/A	N/A	N/A		
Municipality	**Latitude**	**Longitude**		
City of Bonita Springs	26.34397	-81.78016		

View Parcel on Google Maps

[Tax Map Viewer] [View Comparables]



[Pictometry Aerial Viewer]

Image of Structure



Property Values / Exemptions / TRIM Notices

Generated on 7/13/2026 4:07 PM

No existing exemptions found for this property.

TRIM Notices	Tax Year	Just	Land	Market Assessed	Capped Assessed	Exemptions	Classified Use	Taxable
2025 / Additional Info	2025 (Final Value)	0	0	0	0	0	0	0
2024 / Additional Info	2024 (Final Value)	0	0	0	0	0	0	0
2023 / Additional Info	2023 (Final Value)	0	0	0	0	0	0	0
2022 / Additional Info	2022 (Final Value)	0	0	0	0	0	0	0
2021 / Additional Info	2021 (Final Value)	0	0	0	0	0	0	0

2020 / Additional Info	2020 (Final Value)	0	0	0	0	0	0	0
2019 / Additional Info	2019 (Final Value)	0	0	0	0	0	0	0
2018 / Additional Info	2018 (Final Value)	0	0	0	0	0	0	0
2017 / Additional Info	2017 (Final Value)	0	0	0	0	0	0	0
2016	2016 (Final Value)	0	0	0	0	0	0	0
2015	2015 (Final Value)	0	0	0	0	0	0	0
2014	2014 (Corrected Value)	0	0	0	0	0	0	0
	2013 (Final Value)	0	0	0	0	0	0	0
	2012 (Final Value)	0	0	0	0	0	0	0
2011	2011 (Final Value)	0	0	0	0	0	0	0

The **Just** value is the total parcel assessment (less any considerations for the cost of sale). This is the closest value to *Fair Market Value* we produce and is dated as of January 1st of the tax year in question (F.A.C. 12D-1.002).

The **Land** value is the portion of the total parcel assessment attributed to the land.

The **Market Assessed** value is the total parcel assessment (less any considerations for the cost of sale) based upon the assessment standard. Most parcels are assessed based either upon the *Highest and Best Use* standard or the *Present Use* standard (*F.S. 193.011)* . For *Agriculturally Classified* parcels (or parts thereof), only agricultural uses are considered in the assessment (*F.S. 193.461 (6) (a)*). The difference between the *Highest and Best Use/Present Use* and the *Agricultural Use* is often referred to as the *Agricultural Exemption*.
(i.e. Market Assessed = Just - Agricultural Exemption)

The **Capped Assessed** value is the *Market Assessment* after any *Save Our Homes* or *10% Assessment Limitation* cap is applied. This assessment cap is applied to all properties and limits year-to-year assessment increases to either the *Consumer Price Index* or 3%, whichever is lower for Homestead properties OR 10% for non-Homestead properties.

The **Exemptions** value is the total amount of all exemptions on the parcel.

The **Taxable** value is the *Capped Assessment* after exemptions (*Homestead, etc.*) are applied to it. This is the value that most taxing authorities use to calculate a parcel's taxes.
(i.e. Taxable = Capped Assessed - Exemptions)

Property Details (Current as of 7/12/2026)

Generated on 7/13/2026 4:07 PM

Property Details (2025 Tax Roll)

Generated on 7/13/2026 4:07 PM

Taxing Authorities

Generated on 7/13/2026 4:07 PM

CENTRALLY ASSESSED / 000

Name / Code	Category	Mailing Address
LEE CO GENERAL REVENUE / 044	County	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO ALL HAZARDS PROTECTION DIST / 101	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO UNINCORPORATED MSTU / 020	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE COUNTY LIBRARY DIST / 052	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398

SAN CARLOS PARK UNIT MSTU / 078	Dependent District	LEE COUNTY MSTU/MSBU PO BOX 398 FORT MYERS FL 33902-0398
BAYSHORE FIRE & RESCUE SRVC / 006	Independent District	BAYSHORE FIRE DISTRICT 17350 NALLE RD NORTH FORT MYERS FL 33917
BONITA SPRINGS FIRE DISTRICT / 009	Independent District	BONITA SPRINGS FIRE 27701 BONITA GRANDE DR BONITA SPRINGS FL 34135
ESTERO FIRE RESCUE DIST / 029	Independent District	ESTERO FIRE RESCUE DIST 21500 THREE OAKS PKWY ESTERO FL 33928
LEE CO HYACINTH CONTROL DIST / 051	Independent District	LEE CO HYACINTH CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
LEE CO MOSQUITO CONTROL DIST / 053	Independent District	LEE CO MOSQUITO CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
NORTH FORT MYERS FIRE DISTRICT / 063	Independent District	NORTH FORT MYERS FIRE DISTRICT PO BOX 3507 NORTH FORT MYERS FL 33918-3507
SAN CARLOS PARK FIRE DISTRICT / 077	Independent District	SAN CARLOS PARK FIRE DISTRICT 19591 BEN HILL GRIFFIN PKWY FORT MYERS FL 33913-8989
SOUTH TRAIL FIRE DISTRICT / 085	Independent District	SOUTH TRAIL FIRE DISTRICT 5531 HALIFAX AVE FORT MYERS FL 33912
TICE FIRE DISTRICT / 088	Independent District	TICE FIRE DISTRICT 9351 WORKMEN WAY FORT MYERS FL 33905
WEST COAST INLAND NAVIGATION DIST / 098	Independent District	WEST COAST INLAND NAVIGATION DIST 200 MIAMI AVE E VENICE FL 34285-2408
CITY OF BONITA SPRINGS / 157	Municipal	CITY OF BONITA SPRINGS 9101 BONITA BEACH RD BONITA SPRINGS FL 34135
CITY OF FORT MYERS / 031	Municipal	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
VILLAGE OF ESTERO / 340	Municipal	VILLAGE OF ESTERO 9401 CORKSCREW PALMS CIR ESTERO FL 33928
PUBLIC SCHOOL - BY LOCAL BOARD / 012	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966
PUBLIC SCHOOL - BY STATE LAW / 013	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966
CITY OF FORT MYERS PARKS VOTED DEBT SVC / 418	Voter Approved	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
SFWMD-DISTRICT-WIDE / 110	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-EVERGLADES CONSTRUCTION PROJECT / 084	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-OKEECHOBEE BASIN / 308	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406

Sales / Transactions

Generated on 7/13/2026 4:07 PM

Sale Price	Date	Clerk File Number	Type	Notes	Vacant/ Improved
10.00	11/01/2018	2019000150246	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I
0.00	11/01/2018	2018000262032	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I

View Recorded Plat at LeeClerk.org

Use the above link to do a search on the Lee County Clerk of Courts website, using **343** and **420** for the book and page numbers and **Official Records** for the book type.

Help safeguard your home against property fraud. Sign up for the Lee Clerk's free Property Fraud Alert.

Building / Construction Permit Data

Generated on 7/13/2026 4:07 PM

Permit Number	Permit Type	Date

IMPORTANT: THIS MAY NOT BE A COMPREHENSIVE OR TIMELY LISTING OF PERMITS ISSUED FOR THIS PROPERTY.

Note: The Lee County Property Appraiser's Office does not issue or maintain any permit information. The Building / Construction permit data displayed here represents only those records this Office may find necessary to conduct Property Appraiser business. Use of this information is with the understanding that in no way is this to be considered a comprehensive listing of permits for this or any other parcel.

The Date field represents the date the property appraiser received information regarding permit activity; it may or not represent the actual date of permit issuance or completion.

Full, accurate, active and valid permit information for parcels can only be obtained from the appropriate permit issuing agency.

Parcel Numbering History

Generated on 7/13/2026 4:07 PM

Prior STRAP	Prior Folio ID	Renumber Reason	Renumber Date
35-47-25-B4-00001.0000	10291998	Split (From another Parcel)	12/21/2010

Solid Waste (Garbage) Roll Data

Generated on 7/13/2026 4:07 PM

Solid Waste District	Roll Type	Category	Unit / Area	Tax Amount

001 - Service Area 1	-	0	0.00

Flood and Storm Information

Generated on 7/13/2026 4:07 PM

Flood Insurance Rate Map data is not available for parcels within a municipality. To obtain flood information, contact your municipality directly.

Flood Insurance **Find my flood zone**

Subsurface Rights

Generated on 7/13/2026 4:07 PM

Subsurface Rights	Subsurface STRAP	Subsurface Folio ID	Surface STRAP	Surface Folio ID
UNKNOWN				

Generated on 7/13/2026 4:07 PM

Property Data

STRAP: 35-47-25-B4-00001.0000 Folio ID: 10291998

Tax Roll Value Letter

Generated on 7/13/2026 4:08 PM

Owner Of Record - Sole Owner

[Change Mailing Address]

SEMINOLE GULF RAILWAY L P
4110 CENTER POINT DR #207
FORT MYERS FL 33916

Site Address

Site Address maintained by E911 Program Addressing

RAILROAD R/W
BONITA SPRINGS FL 34135

Property Description

Do not use for legal documents!

RR R/W OR 343 PG 420 + DB 292 PG 458 + OR 1651 PG 3493 LYING S OF RIVER

View Recorded Plat at LeeClerk.org - Use this link to do an Official Records search on the Lee County Clerk of Courts website, using 343 and 420 for the book and page numbers.

Attributes and Location Details

Total Bedrooms / Bathrooms	0
1st Year Building on Tax Roll	N/A
Historic Designation	No

Township	Range	Section	Block	Lot
N/A	N/A	N/A		
Municipality	**Latitude**	**Longitude**		
City of Bonita Springs	26.33681	-81.7812		

View Parcel on Google Maps

[Tax Map Viewer] [View Comparables]



[Pictometry Aerial Viewer]

Image of Structure



Property Values / Exemptions / TRIM Notices

Generated on 7/13/2026 4:08 PM

No existing exemptions found for this property.

TRIM Notices	Tax Year	Just	Land	Market Assessed	Capped Assessed	Exemptions	Classified Use	Taxable
2025 / Additional Info	2025 (Final Value)	0	0	0	0	0	0	0
2024 / Additional Info	2024 (Final Value)	0	0	0	0	0	0	0
2023 / Additional Info	2023 (Final Value)	0	0	0	0	0	0	0
2022 / Additional Info	2022 (Final Value)	0	0	0	0	0	0	0
2021 / Additional Info	2021 (Final Value)	0	0	0	0	0	0	0

2020 / Additional Info	2020 (Final Value)	0	0	0	0	0	0	0
2019 / Additional Info	2019 (Final Value)	0	0	0	0	0	0	0
2018 / Additional Info	2018 (Final Value)	0	0	0	0	0	0	0
2017 / Additional Info	2017 (Final Value)	0	0	0	0	0	0	0
2016	2016 (Final Value)	0	0	0	0	0	0	0
2015	2015 (Final Value)	0	0	0	0	0	0	0
2014	2014 (Corrected Value)	0	0	0	0	0	0	0
	2013 (Final Value)	0	0	0	0	0	0	0
	2012 (Final Value)	0	0	0	0	0	0	0
2011	2011 (Final Value)	0	0	0	0	0	0	0
	2010 (Final Value)	0	0	0	0	0	0	0
	2009 (Final Value)	0	0	0	0	0	0	0
	2008 (Final Value)	0	0	0	0	0	0	0
	2007 (Final Value)	0	0	0	0	0	0	0
	2006 (Final Value)	0	0	0	0	0	0	0
	2005 (Final Value)	0	0	0	0	0	0	0
	2004 (Final Value)	0	0	0	0	0	0	0
	2003 (Final Value)	0	0	0	0	0	0	0
	2002 (Final Value)	0	0	0	0	0	0	0
	2001 (Final Value)	0	0	0	0	0	0	0
	2000 (Final Value)	0	0	0	0	0	0	0
	1999 (Final Value)	0	0	0	0	0	0	0
	1998 (Final Value)	0	0	0	0	0	0	0
	1997 (Final Value)	0	0	0	0	0	0	0
	1996 (Final Value)	0	0	0	0	0	0	0
	1995 (Final Value)	0	0	0	0	0	0	0
	1994 (Final Value)	0	0	0	0	0	0	0
	1993 (Final Value)	0	0	0	0	0	0	0
	1992 (Final Value)	0	0	0	0	0	0	0

The **Just** value is the total parcel assessment (less any considerations for the cost of sale). This is the closest value to *Fair Market Value* we produce and is dated as of January 1st of the tax year in question (F.A.C. 12D-1.002).

The **Land** value is the portion of the total parcel assessment attributed to the land.

The **Market Assessed** value is the total parcel assessment (less any considerations for the cost of sale) based upon the assessment standard. Most parcels are assessed based either upon the *Highest and Best Use* standard or the *Present Use* standard (*F.S. 193.011)* . For *Agriculturally Classified* parcels (or parts thereof), only agricultural uses are considered in the assessment (*F.S. 193.461 (6) (a)*). The difference between the *Highest and Best Use/Present Use* and the *Agricultural Use* is often referred to as the *Agricultural Exemption*.
(i.e. Market Assessed = Just - Agricultural Exemption)

The **Capped Assessed** value is the *Market Assessment* after any *Save Our Homes* or *10% Assessment Limitation* cap is applied. This assessment cap is applied to all properties and limits year-to-year assessment increases to either the *Consumer Price Index* or 3%, whichever is lower for Homestead properties OR 10% for non-Homestead properties.

The **Exemptions** value is the total amount of all exemptions on the parcel.

The **Taxable** value is the *Capped Assessment* after exemptions (*Homestead, etc.*) are applied to it. This is the value that most taxing authorities use to calculate a parcel's taxes.
(i.e. Taxable = Capped Assessed - Exemptions)

Property Details (Current as of 7/12/2026)

Generated on 7/13/2026 4:08 PM

Property Details (2025 Tax Roll)

Generated on 7/13/2026 4:08 PM

Taxing Authorities

Generated on 7/13/2026 4:08 PM

CENTRALLY ASSESSED / 000

Name / Code	Category	Mailing Address
LEE CO GENERAL REVENUE / 044	County	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO ALL HAZARDS PROTECTION DIST / 101	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE CO UNINCORPORATED MSTU / 020	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
LEE COUNTY LIBRARY DIST / 052	Dependent District	LEE COUNTY OFFICE OF MGMT & BUDGET PO BOX 398 FORT MYERS FL 33902-0398
SAN CARLOS PARK UNIT MSTU / 078	Dependent District	LEE COUNTY MSTU/MSBU PO BOX 398 FORT MYERS FL 33902-0398
BAYSHORE FIRE & RESCUE SRVC / 006	Independent District	BAYSHORE FIRE DISTRICT 17350 NALLE RD NORTH FORT MYERS FL 33917
BONITA SPRINGS FIRE DISTRICT / 009	Independent District	BONITA SPRINGS FIRE 27701 BONITA GRANDE DR BONITA SPRINGS FL 34135
ESTERO FIRE RESCUE DIST / 029	Independent District	ESTERO FIRE RESCUE DIST 21500 THREE OAKS PKWY ESTERO FL 33928
LEE CO HYACINTH CONTROL DIST / 051	Independent District	LEE CO HYACINTH CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
LEE CO MOSQUITO CONTROL DIST / 053	Independent District	LEE CO MOSQUITO CONTROL DIST 15191 HOMESTEAD RD LEHIGH ACRES FL 33971
NORTH FORT MYERS FIRE DISTRICT / 063	Independent District	NORTH FORT MYERS FIRE DISTRICT PO BOX 3507 NORTH FORT MYERS FL 33918-3507
SAN CARLOS PARK FIRE DISTRICT / 077	Independent District	SAN CARLOS PARK FIRE DISTRICT 19591 BEN HILL GRIFFIN PKWY FORT MYERS FL 33913-8989
SOUTH TRAIL FIRE DISTRICT / 085	Independent District	SOUTH TRAIL FIRE DISTRICT 5531 HALIFAX AVE FORT MYERS FL 33912
TICE FIRE DISTRICT / 088	Independent District	TICE FIRE DISTRICT 9351 WORKMEN WAY FORT MYERS FL 33905
WEST COAST INLAND NAVIGATION DIST / 098	Independent District	WEST COAST INLAND NAVIGATION DIST 200 MIAMI AVE E VENICE FL 34285-2408
CITY OF BONITA SPRINGS / 157	Municipal	CITY OF BONITA SPRINGS 9101 BONITA BEACH RD BONITA SPRINGS FL 34135
CITY OF FORT MYERS / 031	Municipal	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
VILLAGE OF ESTERO / 340	Municipal	VILLAGE OF ESTERO 9401 CORKSCREW PALMS CIR ESTERO FL 33928
PUBLIC SCHOOL - BY LOCAL BOARD / 012	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966
PUBLIC SCHOOL - BY STATE LAW / 013	Public Schools	LEE COUNTY SCHOOL BOARD BUDGET DEPARTMENT 2855 COLONIAL BLVD FORT MYERS FL 33966

CITY OF FORT MYERS PARKS VOTED DEBT SVC / 418	Voter Approved	CITY OF FORT MYERS BUDGET MANAGER PO DRAWER 2217 FORT MYERS FL 33902
SFWMD-DISTRICT-WIDE / 110	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-EVERGLADES CONSTRUCTION PROJECT / 084	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406
SFWMD-OKEECHOBEE BASIN / 308	Water District	SFWMD 3301 GUN CLUB RD WEST PALM BEACH FL 33406

Sales / Transactions

Generated on 7/13/2026 4:08 PM

Sale Price	Date	Clerk File Number	Type	Notes	Vacant/ Improved
10.00	11/01/2018	2019000150246	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I
0.00	11/01/2018	2018000262032	11	There are 58 additional parcel(s) with this document (may have been split after the transaction date)... 01-43-24-00-00004.0000 02-43-24-00-00006.0000 02-48-25-B1-00013.0000 03-47-25-E1-U1978.2168 03-48-25-B3-00004.0000 04-44-25-00-00002.0000 05-44-25-P3-00017.0000 06-45-25-00-00001.0000 06-45-25-00-00001.0010 06-46-25-00-00004.0000 07-43-25-00-00001.0000 07-44-25-P3-00003.0000 07-45-25-00-00001.0000 07-46-25-00-00016.0000 08-44-25-P1-00001.0000 *Remaining parcels not listed.*	I

View Recorded Plat at LeeClerk.org

Use the above link to do a search on the Lee County Clerk of Courts website, using **343** and **420** for the book and page numbers and **Official Records** for the book type.

Help safeguard your home against property fraud. Sign up for the Lee Clerk's free Property Fraud Alert.

Building / Construction Permit Data

Generated on 7/13/2026 4:08 PM

Permit Number	Permit Type	Date

IMPORTANT: THIS MAY NOT BE A COMPREHENSIVE OR TIMELY LISTING OF PERMITS ISSUED FOR THIS PROPERTY.

Note: The Lee County Property Appraiser's Office does not issue or maintain any permit information. The Building / Construction permit data displayed here represents only those records this Office may find necessary to conduct Property Appraiser business. Use of this information is with the understanding that in no way is this to be considered a comprehensive listing of permits for this or any other parcel.

The Date field represents the date the property appraiser received information regarding permit activity; it may or not represent the actual date of permit issuance or completion.

Full, accurate, active and valid permit information for parcels can only be obtained from the appropriate permit issuing agency.

Parcel Numbering History

Generated on 7/13/2026 4:08 PM

Prior STRAP	Prior Folio ID	Renumber Reason	Renumber Date
35-47-25-00-00001.0000	N/A	Reserved for Renumber ONLY	05/06/2000
35-47-25-B4-00001.00CE	N/A	Delete Parcel-add back to roll under new STRAP(same value)	03/10/2006
35-47-25-B1-00001.0010	10555816	Split (From another Parcel)	12/21/2010

Solid Waste (Garbage) Roll Data

Generated on 7/13/2026 4:08 PM

Solid Waste District	Roll Type	Category	Unit / Area	Tax Amount
001 - Service Area 1	-		0	0.00

Flood and Storm Information

Generated on 7/13/2026 4:08 PM

Flood Insurance Rate Map data is not available for parcels within a municipality. To obtain flood information, contact your municipality directly.

Flood Insurance **Find my flood zone**

Subsurface Rights

Generated on 7/13/2026 4:08 PM

Subsurface Rights	Subsurface STRAP	Subsurface Folio ID	Surface STRAP	Surface Folio ID
UNKNOWN				

Generated on 7/13/2026 4:08 PM

Appendix B

Title Search

Transaction Identification Data, for which the Company assumes no liability as set forth in Commitment Condition 5.e.:
Issuing Agent: Commonwealth Land Title Insurance Company
Issuing Office: 6420 Southpoint Parkway, Suite 100
Jacksonville, FL 32216
Issuing Office's ALTA® Registry ID:
Loan ID Number:
Commitment Number: 11739453
Issuing Office File Number: TPL/BERT
Property Address:
Revision Number: 2 (WES 02/26/2026)

SCHEDULE A

1. Commitment Date: ~~07/09~~02/12/202~~4~~6 at: 5:00 PM

2. Policy to be issued:

   A. 2021 ALTA Owner's Policy with Florida Modifications
   Proposed Insured: The Trust for Public Land, a non-profit California corporation
   Proposed Amount of Insurance: $10,000.00
   The estate or interest to be insured: Fee Simple

3. The estate or interest in the Land at the Commitment Date is: *(Identify each estate or interest covered, i.e., fee, leasehold, etc.)*

   Fee Simple

4. The Title is, at the Commitment Date, vested in: *(Identify vesting for each estate or interest identified in Item 3 above)*

   Seminole Gulf Railway, L.P., a Delaware limited partnership and, as disclosed in the Public Records, has been since November 2, 2018, in Collier County, Florida and November 7, 2018 in Lee County, Florida.

5. The Land is described as follows in Exhibit "A" attached hereto and made part hereof.

Countersigned: ~~By:~~

By: Weidus Shouse Digitally signed by Weidus Shouse DN: cn=Weidus Shouse, c=US, o=FNF Florida Agency (Jacksonville), email=weidus.shouse@fnf.com Date: 2026.02.26 08:09:50 -05'00'
Authorized Officer or Agent

Copyright 2021 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

SCHEDULE B, PART I Requirements

All of the following Requirements must be met:

1. The Proposed Insured must notify the Company in writing of the name of any party not referred to in this Commitment who will obtain an interest in the Land or who will make a loan on the Land. The Company may then make additional Requirements or Exceptions.

2. Pay the agreed amount for the estate or interest to be insured.

3. Pay the premiums, fees, and charges for the Policy to the Company.

4. Documents satisfactory to the Company that convey the Title or create the Mortgage to be insured, or both, must be properly authorized, executed, delivered, and recorded in the Public Records.

A. Duly executed Deed from Seminole Gulf Railway, L.P., a Delaware limited partnership, (the "Limited Partnership"), executed by a general partner(s), to the Proposed Insured, conveying the Land.

The Company will require the following as to the Limited Partnership:

1. Proof that the Limited Partnership was created prior to acquiring title and is currently in good standing.
2. Present for review a copy of the Limited Partnership agreement and any amendments thereto and proof of compliance with the terms of the agreement.
3. Unless the Limited Partnership agreement provides otherwise, if the transaction is a sale of all or substantially all of the Limited Partnership's assets or is outside the ordinary course of its business, proof that all general partners and the limited partners owning a majority in interest have consented to the transaction, as required by sections 620.1402 and 620.1406, Florida Statutes.
4. Record in the Official Records an affidavit executed by a general partner stating:

a) The name of the current general partner(s);
b) The general partner(s) executing the deed has authority to convey;
c) Whether the transaction is a sale of all or substantially all of the assets of the Limited Partnership;
d) Whether the transaction is in the ordinary course of the Limited Partnership's business;
e) If the transaction is a sale of all or substantially all of the Limited Partnership's assets or is outside the ordinary course of its business, that all general partners and the limited partners owning a majority in interest have consented to the transaction; and
f) Neither the general partner(s) executing the deed, nor the Limited Partnership, has been a debtor in bankruptcy during the existence of the Limited Partnership.

5. If any general partner(s) executing the deed is a business entity, proof of the good standing of the entity and proof of authority of the person(s) who will sign on behalf of the entity.

The Company reserves the right to make additional requirements upon review of the information above.

5. Proof of payment of any outstanding assessments in favor of Collier County, Florida, any special taxing district and any municipality. NOTE: If this requirement is not satisfied the following exception will appear on

Copyright 2021 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

Any outstanding assessments in favor of Collier County, Florida, any special taxing district and any municipality.

Copyright 2021 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

6. Proof of payment of service charges for water, sewer, waste and gas, if any, through the date of closing.
   NOTE: If this requirement is not met the following exception will appear on Schedule B:

Copyright 2021 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

Any lien provided for by Florida Statutes in favor of any city, town, village or port authority for unpaid service charges for service by any water, sewer, waste or gas system supplying the insured land or service facilities.

7. An Affidavit in form acceptable to Commonwealth Land Title Insurance Company ("Company") and executed by or on behalf of the current record owner(s) of the subject property stating: (1) that there are no parties in possession of the subject property other than said current record owner(s); (2) that there are no encumbrances upon the subject property other than as may be set forth in this Commitment and (3) there are no unrecorded assessments which are due and payable to Collier County, Florida, and if located within a municipality, service charges for water, sewer, waste and gas, if any, are in fact paid through the date of this Affidavit; and (4) that there have been no improvements made to or upon the subject property within the ninety
(90) day period last past (from the date of such affidavit) for which there remain any outstanding and unpaid bills for labor, materials or supplies for which a lien or liens may be claimed must be furnished to Commonwealth Land Title Insurance Company, or, in lieu thereof, an exception to those matters set forth in said Affidavit which are inconsistent with or deviate from the foregoing requirements will appear in the policy or policies to be issued pursuant to this Commitment.

8. Satisfaction and release of that certain Leasehold Mortgage and Security Agreement executed by Seminole Gulf Railway, L.P., a Delaware limited partnership, Mortgagor, in favor of First Union National Bank of Florida, Mortgagee, dated September 26, 1996, in the original principal amount of $5,400,000.00, recorded September 27, 1996, in Official Records Book 2233, Page 1475 as modified by Leasehold Mortgage Modification and Extension Agreement recorded in Official Records Book 2473, page 1605 and Second Leasehold Mortgage Modification and Extension Agreement recorded in Official Records Book 3066, page 702, of the public records of Collier County, Florida and release of the following collateral security instrument(s):

   a) Assignment of Leases, Rents, Profits, Permits, Approvals Licenses, Warranties and Agreements recorded September 27, 1996, in Official Records Book 2233, page 1521.

   AND

   That certain Leasehold Mortgage and Security Agreement executed by Seminole Gulf Railway, L.P., a Delaware limited partnership, Mortgagor, in favor of First Union National Bank of Florida, Mortgagee, dated September 26, 1996, in the original principal amount of $5,400,000.00, recorded September 27, 1996, in Official Records Book 2748, page 2347 as modified by Leasehold Mortgage Modification and Extension Agreement recorded in Official Records Book 3026, page 3848 and Second Leasehold Mortgage Modification and Extension Agreement recorded in Official Records Book 3674, page 852, of the public records of Lee County, Florida and release of the following collateral security instrument(s):

   a) Assignment of Leases, Rents, Profits, Permits, Approvals Licenses, Warranties and Agreements recorded September 27, 1996, in Official Records Book 2748, page 2393.

   Note: The original promissory note secured by the above described mortgage must be produced and cancelled and if this is an equity line mortgage, in addition to satisfying the mortgage, the equity line must be closed and terminated prior to closing.

Copyright 2021 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

~~SCHEDULE B, PART I Requirements~~(as to Segments 1, 2 and 3)

9. Release of that Memorandum of Additional Consideration Agreement dated November 1, 2018, by and between CSX Transportation, Inc. and Seminole Gulf Railway L.P. and recorded November 2, 2018 in Official Records 5568, page 978, public records of Collier County, Florida.

Copyright 2021 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

AND

Release of that Memorandum of Additional Consideration Agreement dated November 1, 2018, by and between CSX Transportation, Inc. and Seminole Gulf Railway L.P. and recorded November 7, 2018 in Official Records Instr.# 2018000262034, public records of Lee County, Florida.

(as to Segments 1, 2 and 3)

10. Satisfaction and release of that certain Mortgage executed by Seminole Gulf Railway L.P., Mortgagor, in favor of Lake Michigan Credit Union, Mortgagee, dated November 1, 2018, in the original principal amount of $3,500,000.00, recorded November 9, 2018, in Official Records Book 5570, page 2507 as modified by Modification of Note, Mortgage and Other Loan Documents recorded in Official Records Book 5993, page 2192, of the public records of Collier County, Florida and release of the following collateral security instrument(s):

a) Assignment of Rents, Leases, Profits and Contracts recorded November 9, 2018, in Official Records Book 5570, page 2518;

b) UCC-1 Financing Statement recorded November 9, 2018, in Official Records Book 5570, page 2528.

AND

That certain Mortgage executed by Seminole Gulf Railway L.P., Mortgagor, in favor of Lake Michigan Credit Union, Mortgagee, dated November 1, 2018, in the original principal amount of $3,500,000.00, recorded November 8, 2018, in Official Records Instr. #2018000263960 as modified by Modification of Note, Mortgage and Other Loan Documents recorded in Official Records Instr.#2021000256375, of the public records of Lee County, Florida and release of the following collateral security instrument(s):

a) Assignment of Rents, Leases, Profits and Contracts recorded November 8, 2018, in Official Records Instr.#2018000263961;

b) UCC-1 Financing Statement recorded November 8, 2018, in Official Records Instr.#2018000263962.

Note: The original promissory note secured by the above described mortgage must be produced and cancelled and if this is an equity line mortgage, in addition to satisfying the mortgage, the equity line must be closed and terminated prior to closing.

(as to Segments 1, 2 and 3)

11. Release of the Right of First Refusal by and between CSX Transportation, Inc. and Seminole Gulf Railway L.P. as set out in Memorandum of Additional Consideration Agreement recorded November 2, 2018, in Official Records 5568, page 978, public records of Collier County, Florida.

AND

Right of First Refusal by and between CSX Transportation, Inc. and Seminole Gulf Railway L.P. as set out in Memorandum of Additional Consideration Agreement dated November 1, 2018 by and between CSX

Copyright 2021 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

SCHEDULE B, PART I Requirements

Transportation, Inc. and Seminole Gulf Railway L.P. and recorded November 7, 2018, in Official Records Instr.# 2018000262034, public records of Lee County, Florida.

(as to Segments 1, 2 and 3)

Copyright 2021 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

12. Satisfaction and release of that certain Mortgage executed by Seminole Gulf Railway L.P., Mortgagor, in favor of Lake Michigan Credit Union, Mortgagee, dated November 20, 2018, in the original principal amount of $1,000,000.00, recorded November 27, 2018, in Official Records Book 5574, page 3830, of the public records of Collier County, Florida and release of the following collateral security instrument(s):

    a) Assignment of Rents, Leases, Profits and Contracts recorded November 27, 2018, in Official Records Book 5574, page 3841.

    AND

    That certain Mortgage executed by Seminole Gulf Railway L.P., Mortgagor, in favor of Lake Michigan Credit Union, Mortgagee, dated November 20, 2018, in the original principal amount of $1,000,000.00, recorded November 26, 2018, in Official Records Instr.#2018000275401, of the public records of Lee County, Florida and release of the following collateral security instrument(s):

    a) Assignment of Rents, Leases, Profits and Contracts recorded November 28, 2018, in Official Records Instr.#2018000275402.

    Note: The original promissory note secured by the above described mortgage must be produced and cancelled and if this is an equity line mortgage, in addition to satisfying the mortgage, the equity line must be closed and terminated prior to closing.

    (as to Segments 1, 2 and 3)

13. A more adequate legal description together with a satisfactory survey, in conformity with the minimum technical standards for land surveys, certified to the Company, and/or its agent, dated no more than 90 days prior to the closing of the subject transaction, disclosing the nature and extent of any encroachment, encumbrance, violation, variation or adverse circumstance affecting the title to the land. Additional requirements and/or exceptions will be made for any such matters disclosed.

14. Compliance with the Terms and Conditions of the Memorandum of Option in favor of The Trust For Public Land recorded March 1, 2024 and recorded in Official Records Book 6335, Page 39, public records of Collier County, Florida.

    AND

    Memorandum of Option in favor of The Trust For Public Land recorded March 1, 2024 and recorded in Official Records Instr.#2024000059058, public records of Lee County, Florida.

    (as to Segments 1, 2 and 3)

15. Obtain and review the Decision and Notice of Interim Trail Use or Abandonment entered into by the Surface Transportation Board and providing for the imposition of an interim trail use on the Land.
    In addition, obtain, review and record in the public records of Lee County, Florida, of an affidavit acceptable to the Company by counsel for The Trust for Public Land, confirming that (1) attached to the affidavit is a true and correct copy of the Decision and Notice of Interim Trail Use or Abandonment entered into by the Surface Transportation Board and providing for the imposition of an interim trail use on the Land ("the Decision"); (2) all of the conditions of the Decision have been met; (3) the Surface Transportation Board has been duly

Copyright 2021 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

SCHEDULE B, PART I Requirements

notified that the Trail Use Agreement has been negotiated; and (4) upon closing of the transaction contemplated by this commitment the Trail Use Agreement will be in effect.
The Company reserves the right to make additional requirements and/or exceptions upon its review of same.

Copyright 2021 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

16. The Proposed Policy Amount(s) must be disclosed to the Company, and subject to approval by the Company, entered as the Proposed Policy Amount. An owner's policy should reflect the purchase price or full value of the Land. A loan policy should reflect the loan amount or value of the property as collateral. Proposed Policy Amount(s) will be revised and premiums charged consistent therewith when the final amounts are approved.

17. This is a preliminary commitment that requires the review and approval by the state and/or national underwriting office for the company. Accordingly, this commitment is not effective to bind the company until the necessary approval is obtained from the state and/or national underwriting office for the company. The company reserves the right to add additional requirements and/or exceptions as deemed necessary upon said review.

18. Record in the Public Records a termination of the UCC Financing Statement in favor of Paradise Bank recorded in Official Records Book 6427, Page 1304, Public Records of Collier County, Florida.

(as to Segment 3)

19. To terminate the following:

Notice of Commencement recorded on 06/26/2025 in Official Records Book 6482, Page 3396, Public Records of Collier County, Florida.

1. Record a notice of termination, together with a contractor's final payment affidavit (with lien waiver). A separate notice of termination, and contractor's final payment affidavit (with lien waiver), is required for each notice of commencement.

2. Obtain an owner's construction affidavit identifying all parties who have a direct contract with the owner, all parties who served a notice to owner, and all parties who began furnishing labor, services or materials within the last 45 days.

3. Obtain a waiver and release of lien upon final payment from (i) all lienors showing as unpaid in the contractor's final payment affidavit (with lien waiver), (ii) all those who served a notice to owner or had a direct contract with the owner as listed in the owner's construction affidavit, and (iii) all those who began furnishing labor, services or materials within the last 45 days.

4. Obtain the Company's indemnity agreement signed by the owner/borrower.

NOTE: If the notice of commencement is being terminated prior to completion of the construction or if the subject transaction exceeds your agency's authorized limits, then approval of a Company State or Regional Underwriter is required.

(as to Segment 3)

20. To terminate the following:

Notice of Commencement recorded on 07/23/2025 in Official Records Book 6491, Page 1345, Public Records of Collier County, Florida.

1. Record a notice of termination, together with a contractor's final payment affidavit (with lien waiver). A separate notice of termination, and contractor's final payment affidavit (with lien waiver), is required for each notice of commencement.

Copyright 2021 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

2. Obtain an owner's construction affidavit identifying all parties who have a direct contract with the owner, all parties who served a notice to owner, and all parties who began furnishing labor, services or materials within the last 45 days.

3. Obtain a waiver and release of lien upon final payment from (i) all lienors showing as unpaid in the contractor's final payment affidavit (with lien waiver), (ii) all those who served a notice to owner or had a direct contract with the owner as listed in the owner's construction affidavit, and (iii) all those who began furnishing labor, services or materials within the last 45 days.

4. Obtain the Company's indemnity agreement signed by the owner/borrower.

NOTE: If the notice of commencement is being terminated prior to completion of the construction or if the subject transaction exceeds your agency's authorized limits, then approval of a Company State or Regional Underwriter is required.

(as to Segment 3)

21. To terminate the following:

Notice of Commencement recorded on 11/18/2025 in Official Records Inst. No. 2025000306077, Public Records of Lee County, Florida.

1. Record a notice of termination, together with a contractor's final payment affidavit (with lien waiver). A separate notice of termination, and contractor's final payment affidavit (with lien waiver), is required for each notice of commencement.

2. Obtain an owner's construction affidavit identifying all parties who have a direct contract with the owner, all parties who served a notice to owner, and all parties who began furnishing labor, services or materials within the last 45 days.

3. Obtain a waiver and release of lien upon final payment from (i) all lienors showing as unpaid in the contractor's final payment affidavit (with lien waiver), (ii) all those who served a notice to owner or had a direct contract with the owner as listed in the owner's construction affidavit, and (iii) all those who began furnishing labor, services or materials within the last 45 days.

4. Obtain the Company's indemnity agreement signed by the owner/borrower.

NOTE: If the notice of commencement is being terminated prior to completion of the construction or if the subject transaction exceeds your agency's authorized limits, then approval of a Company State or Regional Underwriter is required.

(as to Segment 2)

22. Proof of payment, satisfactory to the Company, of all real estate taxes and assessments for the year 2023~~3~~5 and all prior years~~.~~, for the following Tax ID No.'s: 03-48-25-B3-00004.0000, 02-48-25-B1-00013.0000, 35-47- 25-B4-00001.0000, 35-47-25-B1-00001.0010, 26-47-25-B1-00001.0000, 27-47-25-B2-00003.0000, 22-47-25- B4-00001.0000, 15-47-25-B1-00001.0000, 10-47-25-E4-U1980.1966, 10-47-25-E1-U1979.2047, 03-47-25- E1-U1978.2168, 33-46-25-E3-U1964.2308, 33-46-25-E2-U1956.2388, 28-46-25-E3-U1956.2448, 28-46-25-
E2-U1949.2522 and 21-46-25-E1-U1868.2652 (caption and other lands). (as to Lee County, FL property)

NOTE: Taxes are centrally assessed.

Copyright 2021 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

Copyright 2021 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

NOTE: 2023~~3~~5 Real Property Taxes in the gross amount of $~~715.27~~692.96 are Paid, under Tax I~~.~~D~~.~~ No. 00145681504. (Collier County, ~~Florida)~~FL)

~~NOTE:~~
~~2023 Real Property Taxes in the gross amount of $0 are Paid, under Tax I.D. No. 07-46-25-00-00016.0000. (Lee Co. Florida)~~
~~2023 Real Property Taxes in the gross amount of $0 are Paid, under Tax I.D. No. 28-46-25-E2-U1949.2522. (Lee Co. Florida)~~
~~2023 Real Property Taxes in the gross amount of $0 are Paid, under Tax I.D. No. 22-47-25-B4-00001.0000. (Lee Co. Florida)~~
~~2023 Real Property Taxes in the gross amount of $0 are Paid, under Tax I.D. No. 26-47-25-B1-00001.0000. (Lee Co. Florida)~~

NOTE: Effective July 1, 2023, the Conveyances to Foreign Entities Act in sections 692.201 - 692.205, Florida Statutes (the “Act”), limits and regulates the purchase, sale and ownership of Florida real property by certain buyers who are associated with “foreign countries of concern,” specifically the People’s Republic of China, the Russian Federation, the Islamic Republic of Iran, the Democratic People’s Republic of Korea, the Republic of Cuba, the Venezuelan regime of Nicolás Maduro and the Syrian Arab Republic. In connection with the purchase of real property, the Act requires each buyer to provide an affidavit confirming the purchaser is in compliance with the Act. Any loss or damage resulting from a violation of the Act is excluded from coverage under the terms of the Policy.

NOTE: Starting January 1, 2024, section 695.26 (1)(c), F.S., provides that no instrument conveying, assigning, encumbering or otherwise disposing of an interest in real property which is executed or acknowledged in Florida shall be recorded by the clerk of court unless the post office address of each witness is legibly printed, typed or stamped upon the instrument. If an instrument containing one or more witnesses is recorded, the witnesses’ addresses, as well as their names, should appear below their signatures. A business address may be used.

Copyright 2021 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

SCHEDULE B, PART I Requirements

~~Order Number: 11739453~~
~~TPL/BERT~~

NOTE: Because the contemplated transaction involves an all-cash closing, the Company has not performed searches on the names of the purchasers/proposed insured. If the Company is asked to insure a Mortgage from said purchasers, we will require notification of same and we reserve the right to make additional requirements and/or exceptions which we may deem necessary after conducting name searches on the purchasers.

Copyright 2021 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

SCHEDULE B, PART II Exceptions

Some historical land records contain Discriminatory Covenants that are illegal and unenforceable by law. This Commitment and the Policy treat any Discriminatory Covenant in a document referenced in Schedule B as if each Discriminatory Covenant is redacted, repudiated, removed, and not republished or recirculated. Only the remaining provisions of the document will be excepted from coverage.

The Policy will not insure against loss or damage resulting from the terms and conditions of any lease or easement identified in Schedule A, and will include the following Exceptions unless cleared to the satisfaction of the Company:

1. Defects, liens, encumbrances, adverse claims or other matters, if any, created, first appearing in the public records or attaching subsequent to the effective date hereof but prior to the date the proposed insured acquires for value of record the estate or interest or mortgage thereon covered by this form.

2. Taxes and assessments for the year 20246 and subsequent years, which are not yet due and payable.

3. Standard Exceptions:

   A. Any encroachment, encumbrance, violation, variation, or adverse circumstance affecting the Title that would be disclosed by an accurate and complete land survey of the Land.

   B. Rights or claims of parties in possession not shown by the public records.

   C. Any lien, or right to a lien, for services, labor, or materials heretofore or hereafter furnished, imposed by law and not shown by the public records.

   D. Taxes or assessments which are not shown as existing liens in the public records.

4. Any claim that any portion of the insured land is sovereign lands of the State of Florida, including submerged, filled or artificially exposed lands accreted to such land.

5. Any lien provided by County Ordinance or by Chapter 159, Florida Statutes, in favor of any city, town, village or port authority for unpaid service charges for service by any water, sewer or gas system supplying the insured land.

IN COLLIER COUNTY, FLORIDA:

6. Crossings for roads and highways over and/or through all rights of way as set out in Deed Book 4, page 573, public records of Collier County, Florida. (as to Segment 3)

7. License Agreement by and between Seaboard Coast Line Railroad Company and Collier County as evidenced by Affidavit recorded April 4, 1996 in Official Records Book 2166, page 1735, public records of Collier County Florida. (as to Segment 3)

8. Restrictions and Easements as set out in Quit Claim Deed recorded in Official Records Book 5568, Page 941 and Corrective Quit Claim Deed recorded in Official Records Book 5645, page 3121, of the public records of Collier County, Florida. (as to Segment 3)

Copyright 2021 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

AMERICAN LAND TITLE ASSOCIATION

~~SCHEDULE B, PART II Exceptions~~

9. Terms and conditions of the lease from Seminole Gulf Railway, L.P., a Delaware Limited Partnership to Hahn Towers, Inc., a Florida corporation dated December 15, 2023, a memorandum of said lease being recorded in Official Records Book 6320, Page 2807, of the public records of Collier County, Florida. (as to Segment 3)

Copyright 2021 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

IN LEE COUNTY, FLORIDA:

10. Right of Reverter as set forth in Deeds recorded in Deed Book 68, page 433, and Deed Book 71, page 262, of the public records of Lee County, Florida; provided, however that as long as the Land is used by the insured for public purposes consistent with the provisions of Section 8(d) of the National Trails System Act, 16 U.S.C. Section 1247(d), and consistent with and subject to the terms and conditions of the Surface Transportation Board's "Decision and Notice of Interim Trail Use or Abandonment" decided _____, and recorded in Official Records Instr.#_____, public records of Lee County, Florida, the Land would not be divested from the insured as a result of such right of reverter. (Deed Book 68, Page 433 applies to lands in Section 26, Township 47 South, Range 25 East; Deed Book 71, Page 262 applies to lands in Section 17, Township 46 South, Range 25 East; Affected segment cannot be determined without survey)

11. Any right, title or interest in those certain oil, gas, and mineral interests referenced in that certain Deed, recorded in Deed Book 68, Page 433, of the public records of Lee County, Florida. (~~Section 26-47S-25E)~~ applies to lands in Section 26, Township 47 South, Range 25 East; Affected segment cannot be determined without survey)
    NOTE: No further search of title has been made as to this outstanding interest or of the holders of such interest.

12. License Agreement as set forth by instrument recorded in Official Records Book 1754, Page 2904, of the public records of Lee County, Florida. (Affected segment cannot be determined without survey)

13. Bonita Beach Road Easement Agreement as set forth by instrument recorded in recorded in Official Records Book 2027, Page 4453, of the public records of Lee County, Florida. (as to Segment 2)

14. Easement Agreement as set forth by instrument recorded in Official Records Book 2220, Page 2893, of the public records of Lee County, Florida. (as to Segment 1)

15. Easement Agreement as set forth by instrument recorded in Official Records Book 2220, Page 2907, public records of Lee County, Florida. (as to Segment 1)

16. Easement as set out in Order of Taking recorded in Official Records Book 2303, Page 3426 as amended in Stipulated Final Judgment recorded in Official Records Book 2355, page 2048, of the public records of Lee County, Florida. (applies to lands in Section 35, Township 47 South, Range 25 East; Affected segment cannot be determined without survey)

17. License Agreement as set forth by instrument recorded in Official Records Book 2871, Page 1289 and Amendment to License Agreement recorded in Official Records Book 2938, page 3052, public records of Lee County, Florida. (Affected segment cannot be determined without survey)

18. License Agreement for Culvert Construction and Occupation as set out by instrument recorded in Official Records Book 3051, Page 1126, public records of Lee County, Florida. (as to Segment 1)

19. License Agreement for Culvert Construction and Occupation as set out by instrument recorded in Official Records Book 3144, Page 542 and Assignment of License Agreement recorded in Official Records Book 3338, page 599, public records of Lee County, Florida. (as to Segment 1)

20. ~~License Agreement for Public Grade Crossing as set forth by instrument recorded in Official Records Book~~

Copyright 2021 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

~~Order No.: 11739453~~

3497, Page 4562, public records of Lee County, Florida. (applies to lands in Section 10, Township 47 South, Range 25 East; Affected segment cannot be determined without survey)

Copyright 2021 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

~~SCHEDULE B, PART II Exceptions~~

21. Restrictions and Easements as set out in Quit Claim Deed recorded in Official Records Instr.#201800023~~6~~2032, and Corrective Quit Claim Deed recorded in Official Records Instr.#2019000150246, public records of Lee County, Florida. (Affected segment cannot be determined without survey)

22. Crossings for roads and highways over and/or through all right of ways in Lee County, Florida. (Affected segment cannot be determined without survey)

23. The nature, extent or existence of riparian rights or littoral rights is not insured. (Affected segment cannot be determined without survey)

24. Easement(s) in favor of Florida Power & Light Company, set forth in instrument(s) recorded in Official Records Book 6456, Page 2172, Public Records of Collier County, Florida. (as to Segment 3)

NOTE: Exception 1 above shall be deemed deleted as of the time the settlement funds or proceeds of the loan to be secured by the insured mortgage, as applicable, are disbursed by the Company or its authorized agent. Neither the Company nor its agent shall, however, be under any duty to disburse any sum except upon a determination that no such adverse intervening matters have appeared of record or occurred.

NOTES ON STANDARD EXCEPTIONS:

Item 3A will be deleted from the policy(ies) upon receipt of an accurate survey of the Land acceptable to the Company. Exception will be made for any encroachment, setback line violation, overlap, boundary line dispute or other adverse matter disclosed by the survey.

Items 3B, 3C, and 3D will be deleted from the policy(ies) upon receipt of an affidavit acceptable to the Company, affirming that, except as disclosed therein (i) no parties in possession of the Land exist other than the record owner(s); (ii) no improvements have been made to the Land within 90 days prior to closing which have not have been paid for in full; and (iii) no unpaid taxes or assessments are against the Land which are not shown as existing liens in the public records. Exception will be made for matters disclosed in the affidavit.

NOTE: All recording references in this form shall refer to the public records of Collier County, Florida, unless otherwise noted.

NOTE: In accordance with Florida Statutes section 627.4131, please be advised that the insured hereunder may present inquiries, obtain information about coverage, or receive assistance in resolving complaints, by contacting Commonwealth Land Title Insurance Company, 6420 Southpoint Parkway, Jacksonville, FL 32216; Telephone 904-633-9494.

Searched By: Susan Masdea

Copyright 2021 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

EXHIBIT "A"

A strip of land 130 feet wide being 65 feet on each side of the center line of the Fort Myers Southern Railroad as located and constructed through the east halves of Sections 10 and 15, Township 48 South, Range 25 East, extending southerly from the North line of Section 10 Township 48 South, Range 25 East to the Northerly right of way line of Wiggins Pass Road, being in Collier County, Florida. Also being Collier County Property Appraiser's Parcel No. 00145681504.

AND

A strip of land (variable width) extending southerly from the SouthNorth line of Alico RoadEstero Parkway in Section 621, Township 46 South, Range 25 East to the South line of Section 3, Township 48 South, Range 25 East, in Lee County, Florida as located and constructed through:

The SE 1/4 of Section 6, Township 46 South, Range 25 East;
The East 1/2 of the NE 1/4 of Section 7, Township 46 South, Range 25 East;
The West 1/2 of Section 8, Township 46 South, Range 25 East;

The North 1/2 and the East 1/2 of Section 17, Township 46 South, Range 25 East; The Southwest 1/4 of Section 16, Township 46 South, Range 25 East; Southeasterly thru Section 21, Township 46 South, Range 25 East;
The NE 1/4 of Section 28 and the East 1/2 of Section 28, Township 46 South, Range 25 East;
The East 1/2 of Section 33, Township 46 South, Range 25 East, lying North of Corkscrew Rd and
The East 1/2 of Section 33, Township 46 South, Range 25 East, lying South of Corkscrew Rd;
The Northeast corner of Section 4, Township 47 South, Range 25 East and
The West 1/2 of Section 3, Township 47 South, Range 25 East;
The West 1/2 of Section 10, Township 47 South, Range 25 East, lying North of Coconut Road and lying South of Coconut Road;
The West 1/2 of Section 15, Township 47 South, Range 25 East;
Southeasterly through Section 22, Township 47 South, Range 25 East;
The Northeast 1/4 of Section 27, Township 47 South, Range 25 East;
Southeasterly through the West 1/2 of Section 26, Township 47 South, Range 25 East (being 100' thru the South 1/2 of Sec 26);
A strip of land being 65 feet off the West side of Lot 9 of Bonita Farms also a strip 65 feet wide off the East side of Lot 10, of Bonita Farms as shown by plat recorded in Plat Book 3 page 27, public records of Lee County, Florida;
The West 1/2 of Section 35, Township 47 South, Range 25 East, lying North of River
and the West 1/2 of Section 35, Township 47 South, Range 25 East, lying South of River, (Less that part in DB 292-458);
The West 1/2 of Section 2, Township 48 South, Range 25 East and
The Southeast 1/4 of Southeast 1/4 of Section 3, Township 48 South, Range 25 East

ALL OF THE ABOVE DESCRIBED LAND ALSO BEING DESCRIBED AS FOLLOWS:

Segment 1: Estero

A segment of the above-described strips of land lying between approximately Mile Post 979.4 and approximately Mile Post 983.5, said segment being approximately 4.1 miles long and located in Lee County.

AND ALSO:

Segment 2: Bonita Springs

A segment of the above-described strips of land lying between approximately Mile Post 983.5 and approximately
Copyright 2021 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

Mile Post 989.3, said segment being approximately 5.8 miles long and located in Lee County.

AND ALSO:

Segment 3: Unincorporated Collier County

Copyright 2021 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

Exhibit "A"

A segment of the above-described strips of land lying between approximately Mile Post 989.3 and approximately Mile Post 990.8, said segment being approximately 1.5 miles long and located in Collier County.

LESS AND EXCEPT THOSE CERTAIN CARVEOUTS LYING NEAR MILEPOST 989, NEAR BONITA BEACH RD SE, AND BETWEEN MILEPOST 984 AND 985, WHICH A NEW LEGAL DESCRIPTION IS REQUIRED PRIOR TO CLOSING FOR ALL OF THE ABOVE DESCRIBED LANDS IN BOTH COLLIER COUNTY AND LEE COUNTY, FLORIDA.

Copyright 2021 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

Appendix C

Envirosite **Government Records Report**

ENVIROSITE

Government Records Report

With Platinum Review

with Envirosite Atlas

BERT Rail-Trail
8888 Bernwood Pkwy
Bonita Springs, Florida 34135

Order Number: 119475
Report Generated: 07/02/2026

Project Name:
Project Number:

© 2026 Envirosite Inc. | All Rights Reserved | (866) 211-2028 | www.envirositecorp.com

Table of Contents

2026

Section	Page
Executive Summary	1
Executive Summary by Distance	2
Executive Summary by Database	7
Property Proximity Map	59
Area Map	60
Map Findings Summary	61
Map Findings	68
Unmappable Summary	1372
Environmental Records Searched	1373
Geological Landscape Section	1396
Geological Landscape Section Soil Map	1399
Geological Landscape Section Summary	1400
Geological Findings Map	1579
Geological Landscape Section Map Findings	1580
Geological Landscape Section Map Findings Radon	1789
Geological Landscape Records Searched	1790

Disclaimer - Copyright and Trademark Notice

All information contained in this report are based on data available from various public, government and other sources and are based upon the best data available from those sources. The information available in this report may be available from other sources and is not exclusive or the exclusive property of Envirosite Corporation.

NO WARRANTY EXPRESSED OR IMPLIED, IS MADE IN CONNECTION WITH THIS REPORT, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ALL RISK IS ASSUMED BY USER AND Envirosite assumes no liability for faulty or inaccurate information. The Reports may utilize a variety of public and other sources reasonably available to Envirosite. Envirosite cannot, and does not assure, warrant, guarantee or assume any liability for the correctness, comprehensiveness, timeliness or completeness of any of such information, nor is the information in any Report to be construed as legal advice with respect to environmental risks associated with any property. Envirosite shall not be liable to anyone for any claims, causes of action, suits, damages, losses, costs and expenses (including, without limitation, attorneys' fees and costs) arising out of or caused by this report regardless of the acts, errors or omissions, or negligence of Envirosite. Any damages shall be limited to the purchase price of the report.

Purchaser of the report accepts the report "As Is". The report is intended only to provide information only and should not be considered as providing any legal advice, prediction, forecast, or fact as to the environmental risk for any specific property. Reports are proprietary to Envirosite, and contain copyrighted material and trademarks of Envirosite. All other trademarks used herein are the property of their respective owners. All rights of Envirosite as to the Reports are reserved.

Envirosite Corporation has conducted a search of all reasonably ascertainable records in accordance with EPA's AAI (40 CFR Part 312) requirements and the ASTM E-1527-21 Environmental Site Assessments standard.

SUBJECT PROPERTY INFORMATION:

ADDRESS:

BERT Rail-Trail
8888 Bernwood Pkwy
Bonita Springs, Florida 34135

COORDINATES:

Latitude (North):	26.370759 - 26°22'14.7"
Longitude (West):	-81.802379 - -81°48'8.6"
Universal Transverse Mercator:	Zone 17N
UTM X (Meters):	419951.96
UTM Y (Meters):	2916993.04
State Plane Coordinates:	0902 - Florida West (US Survey Feet)
X Coordinate (Feet):	720870.409 E
Y Coordinate (Feet):	740497.853 N

ELEVATION:

Elevation:	12 ft. above sea level

TOPOGRAPHIC MAP ASSOCIATED WITH SUBJECT PROPERTY:

Subject Property Map: 26081-C7 Bonita Springs, FL
Most Recent Revision: 2021

Subject Property Map: 26081-D7 Estero, FL
Most Recent Revision: 2021

MAP ID	SITE NAME	ADDRESS	DATABASE(S)	RELATIVE ELEVATION	DIRECTION / DISTANCE
A1	OAK CREEK CENTER	11090 & 111100 BONITA BEA...	ECHO, FRS, ICIS, INACTIVE PCS		SP
B2	AAI4568	16210 OLD US 41 HIGHWAY |...	DEDB - FL		SP
C3	Bontia Springs Public Works | Nationa...	27300 Old 41	SPILLS - FL		SP
A4	Thompson Gas	10350 Bonita Beach Rd SE	ALT FUELING	Higher	SSE / 0.012 mi., 63 ft.
B5	AAI4568 | NORTH COLLIER COLLISION...	16210 OLD US 41 S | 16210...	DEDB - FL, ECHO, FRS, MANIFEST EPA, RCRA ...	Higher	SSE / 0.013 mi., 69 ft.
A6	BONAVILLA BONITA AUTO SALES	INDUSTRIAL STREET	RAATS, RCRA SQG, SQG - FL	Lower	SSE / 0.014 mi., 72 ft.
B7	AAI4567	16300 OLD US 41 HWY	DEDB - FL	Higher	SSE / 0.016 mi., 84 ft.
B8	WSFP STUDIOS	28950 OLD US 41	EPA UST, UST - FL	Higher	SSE / 0.023 mi., 121 ft.
B9	PERFECTLY PAINTED OF COLLIER COUNTY	1076 BUSINESS LN # 6&7	ECHO, FRS, RCRA VSQG	Higher	S / 0.026 mi., 139 ft.
A10	TEDS SHEDS INC	10311 BONITA BEACH RD	ECHO, FRS, RCRA NONGEN	Lower	SSE / 0.027 mi., 145 ft.
B11	AFFORDABLE CARTS LLC	12500 OLD 41	ECHO, FRS, RCRA VSQG	Higher	SSE / 0.029 mi., 151 ft.
D12	CORKSCREW ENERGY LLC | SUNSHINE...	8800 CORKSCREW RD	ALT FUELING, DWM CONTAM - FL, EPA LUST, ...	Higher	N / 0.030 mi., 156 ft.
A13	SPANISH WELLS COUNTRY CLUB	PO BOX 2288	ECHO, FRS, RCRA VSQG	Higher	SSE / 0.030 mi., 158 ft.
E14	BONITA SPRINGS FIRE CONTROL & RE...	27490 OLD 41 RD | 27490 O...	AST - FL, CS - FL, DWM CONTAM - FL, ECHO, E...	Lower	SE / 0.032 mi., 169 ft.
B15	EAST TRAIL BATCH PLANT | CEMEX C...	15555 US 41	AFS, AIRS - FL, T 2 - FL	Higher	SSE / 0.034 mi., 180 ft.
F16	Yacht Sign	25150 Bernwood Dr Ste 3	MANIFEST EPA	Higher	ESE / 0.034 mi., 181 ft.
B17	MOOG INC | NAPLES MOOG INDUSTRI...	1400 RAIL HEAD BLVD	BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS...	Higher	S / 0.035 mi., 183 ft.
C18	BONITA AUTO CENTER INC	26950 OLD 41 RD	ECHO, FRS, RCRA VSQG	Lower	SE / 0.035 mi., 186 ft.
C19	COPE | KWIK PICK CONV STORE	27010 OLD US 41	AST - FL, DWM CONTAM - FL, ECHO, EPA LUST...	Lower	SE / 0.036 mi., 192 ft.
B20	SOUTH FLORIDA EXCAVATION, INC. | ...	1455 RAIL HEAD BLVD STE 3...	AIRS - FL, ECHO, FRS, ICIS, NPDES - FL, PCS FA...	Higher	SSE / 0.037 mi., 196 ft.
F21	Bonita Springs Utilities, Inc. - WWRF |...	8890 Ten-eight St	NPDES - FL, T 2 - FL	Higher	NNW / 0.037 mi., 197 ft.
B22	SERVICE PAINTING OF FLORIDA INC | ...	1447 RAIL HEAD BLVD | 144...	ECHO, ERNS, FRS, RCRA NONGEN, SPILLS - FL	Higher	SSE / 0.039 mi., 205 ft.
C23	ABANDONED LAWHONS GENERAL ST ...	27306 & 27308 OLS 41 RD	EPA UST, UST - FL	Lower	SE / 0.039 mi., 208 ft.
B24	FORMER GULFSTREAM LUMBER CO | ...	16000 OLD US HWY 41	CS - FL, DEDB - FL, DWM CONTAM - FL, EPA L...	Higher	SSE / 0.039 mi., 208 ft.
B25	LEISURE FURNITURE & VINYL SERVICE	16990 OLD HWY 41 & BOX 1 ...	CERCLIS NFRAP, ECHO, FRS, RCRA VSQG, RES...	Higher	SSE / 0.042 mi., 223 ft.
A26	BONITA REPAIR SERVICE	27715 INDUSTRIAL ST	EPA UST, UST - FL	Lower	SSE / 0.044 mi., 231 ft.
B27	RELIABLE DISPOSAL & RECYCLING IN...	1401 RAIL HEAD BLVD STE B	SWRCY - FL	Higher	S / 0.045 mi., 240 ft.
F28	EXECUTIVE DRY CLEANING | CLASSIC ...	9201 BROOKWOOD COURT #...	AFS, AIRS - FL, DRYCLEANERS - FL, ECHO, FRS...	Higher	N / 0.049 mi., 257 ft.
F29	SHAW DEVELOPMENT | BERNWOOD	25190 BERNWOOD DR	ECHO, FRS, NPDES - FL, RCRA VSQG, T 2 - FL	Higher	SE / 0.050 mi., 265 ft.
D30	PUBLIX SUPER MARKET #614 | PUBLI...	21301 S TAMIAMI TRL STE 2...	AST - FL, ECHO, FA 3 - FL, FRS, MANIFEST EPA...	Higher	N / 0.052 mi., 274 ft.
C31	PALMER CABLEVISION OF SW FL INC |...	26790 OLD 41 RD | 26790 O...	DWM CONTAM - FL, EPA LUST, EPA UST, GWIF...	Lower	SE / 0.052 mi., 274 ft.
F32	CALIBER COLLISION | Caliber Collision...	24901 OLD 41 RD	ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA...	Higher	NNW / 0.054 mi., 284 ft.
C33	ETURA CORP | ETURA, INC. (DBA MAR...	26340 OLD 41 RD	AIRS - FL, EJ TOXIC RELEASE, RCRA NONGEN, ...	Higher	SE / 0.054 mi., 287 ft.
C34	BAMBOO MOBILE VILLAGE	27131 OLD 41 RD	EPA UST, UST - FL	Lower	SE / 0.055 mi., 291 ft.
C35	BONITA AUTO SALES INC	26750 OLD 41 RD | 26750 O...	CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, ...	Lower	SE / 0.058 mi., 306 ft.
C36	T+K FARMS	SPRING CREEK DRIVE	ECHO, FRS, RCRA NONGEN	Lower	SE / 0.060 mi., 316 ft.
G37	RESOURCE CONSERVATION SYSTEMS...	9300 SPRING RUN RD	T 2 - FL	Higher	N / 0.061 mi., 324 ft.
C38	SCOTTISH VENTURES LLC	26740 OLD US-41	SWRCY - FL	Lower	SE / 0.065 mi., 344 ft.

MAP ID	SITE NAME	ADDRESS	DATABASE(S)	RELATIVE ELEVATION	DIRECTION / DISTANCE
D39	N R	20960 Sandy Lane Estero	SPILLS - FL	Lower	N / 0.067 mi., 353 ft.
F40	AAC4009	24020 PRODUCTION CIR	DEDB - FL	Higher	N / 0.068 mi., 357 ft.
B41	GOODCAT LLC	26.31003, -81.78888	PFAS INDUSTRY	Higher	SSE / 0.069 mi., 365 ft.
B42	GOODCAT LLC | FLORIDA WATER PRO...	1485 RAIL HEAD BLVD | 148...	BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MA...	Higher	SSE / 0.069 mi., 365 ft.
A43	Bonita Pit	26.33676, -81.78155	MINES USGS	Lower	SSE / 0.069 mi., 365 ft.
A44	A&S Transportation, Inc. | DEP Distric...	27885 N. Industrial Stree...	SPILLS - FL	Lower	SSE / 0.069 mi., 365 ft.
E45	AAC7514 | AAE1583A	27421 OLD US HWY 41 RD | ...	DEDB - FL	Lower	SE / 0.070 mi., 368 ft.
C46	SPEEDWAY #6568 | HESS STATION #...	27001 OLD US 41 SE | 2700...	DWM CONTAM - FL, ECHO, EPA LUST, EPA UST...	Lower	SE / 0.070 mi., 369 ft.
C47	BENSONS GROCERY STORE	27301 OLD 41 RD	UST - FL	Lower	SE / 0.070 mi., 369 ft.
F48	SIGNAL STOP | VIP ONE PRICE DRY CL...	25091 BERNWOOD DR | 25091...	DRYCLEANERS - FL, ECHO, FRS, ICIS, INACTIV...	Higher	NNE / 0.071 mi., 374 ft.
B49	GOODCAT LLC | GOODCAT LABS	1440 RAIL HEAD BLVD UNIT ...	BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MA...	Higher	SSE / 0.072 mi., 380 ft.
F50	PREFERRED MATERIALS INC | PREFER...	25091 OLD 41 RD | 25091 O...	AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTA...	Higher	N / 0.073 mi., 387 ft.
G51	TARGET STORE T2317 | TARGET STOR...	8040 MEDITERRANEAN DR | 8...	AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL,...	Higher	N / 0.077 mi., 405 ft.
C52	7-ELEVEN STORE NO. 32597 | 7-ELEV...	26975 OLD 41 RD | 26975 O...	DWM CONTAM - FL, ECHO, EPA LUST, EPA UST...	Lower	SE / 0.077 mi., 407 ft.
B53	EHC INC	1360 RAIL HEAD BLVD	ECHO, FRS, RCRA VSQG	Higher	S / 0.077 mi., 409 ft.
C54	STRONGS ENGINE MACHINE SHOP IN...	26330 OLD 41 RD | 26330 O...	ECHO, FRS, RAATS, RCRA NONGEN, RCRA VSQ...	Higher	SE / 0.080 mi., 425 ft.
B55	AUTO TRAN INC | MILLENNIUM MARBL...	1466 RAIL HEAD BLVD	ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL	Higher	SSE / 0.082 mi., 431 ft.
B56	EARTH SUPPLIED PRODUCTS LLC	26.30287, -81.79321	PFAS INDUSTRY	Higher	S / 0.083 mi., 436 ft.
B57	EARTH SUPPLIED PRODUCTS LLC | PE...	1060 COLLIER CENTER WAY	ECHO, FRS, MANIFEST EPA, RCRA NONGEN, R...	Higher	S / 0.083 mi., 437 ft.
C58	BONITA RENT ALL & SALES CO	26891 OLD 41 RD	EPA UST, UST - FL	Lower	SE / 0.086 mi., 456 ft.
B59	AFFORDABLE AUTO & TIRE SERVICE	1161 SUN CENTURY RD	ECHO, FRS, RCRA VSQG	Higher	S / 0.087 mi., 462 ft.
E60	LEE CNTY SHERIFF DEPT-SUBSTATION	10520 REYNOLDS ST	EPA UST, UST - FL	Lower	SE / 0.090 mi., 477 ft.
F61	Phoenix Construction	Strike Lane @ Red Robin D...	SPILLS - FL	Lower	N / 0.094 mi., 497 ft.
F62	BONITA SPRINGS UTILITIES WWTP | B...	25051 S TAMIAMI TRAIL | 2...	AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, ...	Higher	NNW / 0.096 mi., 509 ft.
A63	Responsible Party	27665 Old US 41	SPILLS - FL	Lower	SE / 0.096 mi., 509 ft.
64	ESTERO ENTERTAINMENT DISTRICT | PMI	9000 WILLIAMS RD	ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SP...	Higher	N / 0.097 mi., 510 ft.
F65	FPL IMPERIAL SUBSTATION	8812 STRIKE LA | 8812 STR...	ECHO, FRS, RCRA NONGEN, RCRA VSQG	Higher	NNW / 0.097 mi., 513 ft.
A66	CONSTANCE & JAMES HARRIS | GLURI...	27683 OLD HWY 41 | 27683 ...	AST - FL, DWM CONTAM - FL, EPA LUST, EPA U...	Lower	SE / 0.101 mi., 532 ft.
F67	Coastland Auto	24073 Production Cir	MANIFEST EPA	Higher	NNW / 0.103 mi., 542 ft.
F68	CORDERS LANDSCAPE SUPPLY OF NA...	24119 PRODUCTION CIR	ECHO, FRS, RCRA NONGEN	Higher	N / 0.103 mi., 542 ft.
A69	CAUSEWAY LUMBER CO | MIKES AUTO...	28280 OLD US 41 RD | 2838...	AST - FL, DRYCLEANERS - FL, ECHO, EPA UST,...	Lower	SSE / 0.103 mi., 544 ft.
B70	LEXTECH AUTOMOTIVE INC	1153 SUN CENTURY RD	ECHO, FRS, RCRA VSQG	Higher	S / 0.104 mi., 548 ft.
B71	Railhead	1490 Rail Head Blvd.	T 2 - FL	Higher	SSE / 0.104 mi., 551 ft.
F72	AAD4350	24051 PRODUCTION CIR	DEDB - FL	Higher	NNW / 0.106 mi., 558 ft.
F73	AAG3724	24033 PRODUCTION CIR	DEDB - FL	Higher	NNW / 0.106 mi., 560 ft.
C74	IMPERIAL 41 | CITY OF BONITA SPRIN...	10580 GOODWIN ST	FRS, NPDES - FL, SWF LF - FL	Lower	SE / 0.106 mi., 561 ft.
B75	ARTISANS GUILD	1450 RAILHEAD BLVD	MANIFEST EPA	Higher	SSE / 0.107 mi., 565 ft.
F76	e2 Companies	8901 Quality Road	T 2 - FL	Higher	NNW / 0.109 mi., 575 ft.

MAP ID	SITE NAME	ADDRESS	DATABASE(S)	RELATIVE ELEVATION	DIRECTION / DISTANCE
C77	THE SHERWIN-WILLIAMS CO #2249	26751 OLD 41 RD	ECHO, FRS, RCRA NONGEN	Lower	SE / 0.109 mi., 577 ft.
G78	LEE HEALTH COCONUT POINT-BONITA...	23450 VIA COCONUT POINT |...	AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE...	Higher	N / 0.110 mi., 579 ft.
F79	SUMMIT BROADBAND INC.	24017 PRODUCTION CIR	AST - FL, FA 3 - FL	Higher	NNW / 0.110 mi., 580 ft.
C80	AAC5355	26671 OLD US HWY 41 RD | ...	DEDB - FL	Lower	SE / 0.113 mi., 598 ft.
H81	CEMEX - WIGGINS PASS RM, BLOCK A...	1425 WIGGINS PASS RD E | ...	AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTA...	Lower	S / 0.113 mi., 598 ft.
C82	ETURA CORP	26.355771, -81.783456	PFAS INDUSTRY	Higher	SE / 0.114 mi., 602 ft.
A83	POOL SHOP	27745 OLD US HWY 41 RD	ECHO, FRS, RAATS, RCRA SQG, SQG - FL	Lower	SSE / 0.119 mi., 631 ft.
F84	FORESTRY RESOURCES INC | FOREST...	25211 OLD 41 RD	ECHO, FRS, RCRA NONGEN, SWRCY - FL	Higher	NNE / 0.120 mi., 634 ft.
A85	GRIFFITH PAVING	10461 SOUTHLAND DR	AST - FL, ECHO, FA 3 - FL, FRS, RCRA NONGEN	Lower	SSE / 0.121 mi., 636 ft.
B86	MATCHS AUTO BODY	1330 RAIL HEAD BLVD	MANIFEST EPA	Higher	S / 0.121 mi., 640 ft.
B87	DENNIS ARD	1141 SUN CENTURY RD	ECHO, FRS, RCRA NONGEN	Higher	S / 0.122 mi., 646 ft.
B88	ARTISANS GUILD CUSTOM CABINETRY...	1510 RAIL HEAD BLVD	ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL	Higher	SSE / 0.132 mi., 697 ft.
G89	APPLE INC. # R185	23151 FASHION DRIVE	MANIFEST EPA	Higher	N / 0.132 mi., 698 ft.
F90	NAPLES AUTO INC	25241 BERNWOOD DR, UNIT #...	ECHO, FRS, RCRA VSQG	Higher	ESE / 0.135 mi., 710 ft.
G91	HOL 30509	23131 Fashion Drive	MANIFEST EPA	Higher	N / 0.138 mi., 727 ft.
D92	ESTERO FL GROVES RLS CO	20720 HIGHLAND AVE	T 2 - FL	Lower	N / 0.138 mi., 730 ft.
A93	B & L FIX IT	10382 SOUTHLAND DR	ECHO, FRS, RAATS, RCRA NONGEN, SQG - FL	Higher	SSE / 0.140 mi., 737 ft.
A94	TISCH COIN LAUNDRY | AAG3717 | TD...	10450 W TERRY ST | 10450 ...	AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTI...	Higher	SSE / 0.140 mi., 737 ft.
B95	NAPLES TOMATO GROWERS | FL5110...	15000 OLD 41 N | 15000 OL...	DWM CONTAM - FL, EPA LUST, EPA UST, FRS, ...	Lower	S / 0.142 mi., 749 ft.
C96	HOLE IN ONE FAIRWAYS LLC | CIRCLE...	10530 ROSEMARY DR	CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, ...	Higher	SE / 0.142 mi., 751 ft.
G97	SPRING RUN GOLF COURSE MAINTENANCE	9350 SPRING RUN BLVD	AST - FL, FA 3 - FL	Higher	N / 0.143 mi., 753 ft.
F98	OTT WELDING | AAG3723	24241 PRODUCTION CIR	DEDB - FL, ECHO, FRS, HIST PCS ENF, ICIS, IN...	Higher	NNW / 0.143 mi., 756 ft.
G99	NORDSTROM INC 7767 | BB&B # 1048	8020 MEDITERRANEAN DR | 8...	ECHO, FRS, MANIFEST EPA, RCRA VSQG	Higher	N / 0.144 mi., 760 ft.
C100	FL POWER & LIGHT CO #NAB-545-BO...	26191 OLD 41 RD | 26191 O...	DWM CONTAM - FL, EPA LUST, EPA UST, LUST...	Higher	SE / 0.145 mi., 764 ft.
A101	MEDIAONE FACILITY (AKA COLONY, P...	27820 OLD 41 RD	RESP PARTY - FL, SHWS ERIC - FL	Lower	SSE / 0.148 mi., 783 ft.
F102	AAG3722	24263 PRODUCTION CIR | 24...	DEDB - FL	Higher	NNW / 0.152 mi., 800 ft.
F103	AAG3725	24349 PRODUCTION CIR	DEDB - FL	Higher	NNW / 0.154 mi., 811 ft.
G104	ULTA BEAUTY	8054 MEDITERRANEAN DRIVE	MANIFEST EPA	Higher	N / 0.155 mi., 820 ft.
A105	CIRCLE K #2709767 | SHELL STATION	10460 BONITA BCH RD SE & ...	CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, ...	Higher	SSE / 0.156 mi., 824 ft.
F106	MODERN RECYCLING INC OF FL	24297 PRODUCTION CR	AST - FL, FA 3 - FL	Higher	NNW / 0.156 mi., 825 ft.
B107	MOOG INC	26.312488, -81.786684	PFAS INDUSTRY	Higher	SSE / 0.157 mi., 828 ft.
B108	MARCH PERFORMANCE INC	26.315607, -81.791356	PFAS INDUSTRY	Higher	SSE / 0.159 mi., 840 ft.
C109	BASEWIDE- BONITA SPRING RADIO AX...	26.353333, -81.78	FUDS, SHWS ERIC - FL	Higher	SE / 0.161 mi., 849 ft.
F110	PRODUCTION TIRE | AAD4348	24367 PRODUCTION CIR	DEDB - FL, ECHO, FRS, RCRA NONGEN	Higher	NNW / 0.161 mi., 849 ft.
B111	COASTAL CONSTRUCTION PROD INC	1320 RAIL HEAD BLVD STE 8	ECHO, FRS, RCRA VSQG	Higher	S / 0.162 mi., 855 ft.
A112	RICK JOHNSON AUTO & TIRE	10100 BONITA BEACH RD SE	ECHO, FRS, RCRA VSQG	Higher	SSE / 0.163 mi., 863 ft.
B113	AMERICAN EQUIPMENT	15200 OLD US 41 N	DWM CONTAM - FL, EPA LUST, EPA UST, LUST...	Higher	S / 0.169 mi., 893 ft.
D114	TRACEYS RADIATOR	ROUTE 2 BOX 1038	RAATS, RCRA NONGEN, SQG - FL	Lower	N / 0.171 mi., 901 ft.

MAP ID	SITE NAME	ADDRESS	DATABASE(S)	RELATIVE ELEVATION	DIRECTION / DISTANCE
C115	O'REILLY - BONITA SPRINGS | O'REILL...	26501 OLD 41 RD	ECHO, FRS, ICIS, INACTIVE PCS, NPDES - FL, P...	Higher	SE / 0.171 mi., 902 ft.
D116	COCONUT CAR WASH	8800 COMMONS WAY	ECHO, FRS, RCRA NONGEN, WASTEWATER - FL	Higher	N / 0.171 mi., 904 ft.
G117	MICHAELS	8018 MEDITERRANEAN DRIVE	MANIFEST EPA	Higher	N / 0.174 mi., 920 ft.
D118	AAC5388	8661 CORK SCREW RD	DEDB - FL	Higher	N / 0.182 mi., 960 ft.
F119	COASTAL LANDSCAPE SUPPLY OF BON...	24226 PRODUCTION CIR	RCRA VSQG, SWRCY - FL	Higher	NNW / 0.186 mi., 980 ft.
G120	SALLY BEAUTY #10698	8016 MEDITERRANEAN DR, ST...	MANIFEST EPA	Higher	N / 0.189 mi., 997 ft.
A121	M L CAR AUDIO INC	10060 BONITA BEACH RD SE	ECHO, FRS, RCRA NONGEN	Higher	SSE / 0.192 mi., 1012 ft.
F122	SARLO POWER MOWERS INC	24242 PRODUCTION CIR	ECHO, FRS, RCRA VSQG	Higher	NNW / 0.192 mi., 1016...
F123	SITE FOOD MART #108	24651 S TAMIAMI TRL	GWIF - FL	Higher	NNW / 0.197 mi., 1043...
F124	MODERN RECYCLING INC. OF FLORIDA	24296 PRODUCTION CIRCLE	SWRCY - FL	Higher	NNW / 0.200 mi., 1055...
F125	CIRCLE K #7462	24931 S TAMIAMI TR | 2493...	CS - FL, DWM CONTAM - FL, EPA LUST, EPA US...	Higher	NNW / 0.207 mi., 1093...
F126	AAK7782	24266 PRODUCTION CIR	DEDB - FL	Higher	NNW / 0.211 mi., 1115...
F127	AAC5354	24260 PRODUCTION CIR	DEDB - FL	Higher	NNW / 0.214 mi., 1132...
D128	MAYFIELD CORNORS CO LLC | KORES...	21481 S TAMIAMI TRL	DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 ...	Higher	N / 0.215 mi., 1136 ft.
F129	7-ELEVEN FOOD STORE #34151	24651 OLD 41ST RD	DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 ...	Higher	NNW / 0.217 mi., 1144...
A130	LEE COUNTY - NAPLES DOG TRACK SITE	28191 OLD 41 RD.	SWF LF - FL	Lower	SSE / 0.218 mi., 1150 ft.
G131	Coconut Point Ford	23106 Fashion Dr	ALT FUELING	Higher	N / 0.222 mi., 1173 ft.
F132	GULF SHUTTER SYSTEMS INC	24430 PRODUCTION CIRCLE	ECHO, FRS, RCRA NONGEN	Higher	NNW / 0.223 mi., 1177...
D133	ESTERO BAY PRESERVE STATE PARK |...	US 41 AND CORKSCREW RD	AST - FL, ECHO, FRS, RCRA VSQG	Higher	N / 0.235 mi., 1242 ft.
G134	FLORIDA CANCER SPECIALISTS NEW ...	8440 MURANO DEL LAGO DR	ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA...	Higher	NNW / 0.238 mi., 1255...
F135	BONITA SPRINGS UTILITIES WWTP | B...	26.375034, -81.807777	PFAS INDUSTRY	Lower	NW / 0.242 mi., 1276 ft.
F136	AAD5735	9275 STRIKE LN N	DEDB - FL	Higher	NNE / 0.252 mi., 1329...
F137	AAD5731	25231 TUCK DR	DEDB - FL	Higher	NNE / 0.252 mi., 1330...
I138	AAC5384 | ESTERO CITY-FIRE DEPT	20241 S TAMIAMI TRL | 202...	AST - FL, DEDB - FL	Higher	N / 0.255 mi., 1347 ft.
D139	AAC4008 | COVERED WAGON TRAILE...	21450 S TAMIAMI TRL UNIT ...	DEDB - FL, ECHO, FRS, RCRA NONGEN, SPILLS...	Higher	N / 0.270 mi., 1428 ft.
F140	LEE CNTY SCHOOL BD-SPRING CREEK...	25571 US HWY 41	AST - FL, CS - FL, DWM CONTAM - FL, EPA LUS...	Higher	WNW / 0.272 mi., 143...
H141	LAKE SAN MARINO RV RESORT	1000 WIGGINS PASS ROAD	RESP PARTY - FL, SHWS ERIC - FL	Lower	S / 0.284 mi., 1501 ft.
I142	LEECORP HOMES | AAC7548 | LEE CO...	20251 S TAMIAMI TRL | 202...	DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA...	Higher	N / 0.285 mi., 1502 ft.
I143	360001901	US HWY 41	DEDB - FL	Higher	N / 0.309 mi., 1633 ft.
F144	AAD5734	25294 CATSKILL DR	DEDB - FL	Higher	NE / 0.312 mi., 1646 ft.
F145	7-ELEVEN STORE #34838 | EXXONMO...	24530 S TAMIAMI TRL	CS - FL, DWM CONTAM - FL, ECHO, EPA UST, F...	Higher	NNW / 0.312 mi., 1648...
C146	LEE CNTY SCHOOL BD-BONITA SPRIN...	10141 W TERRY ST	AST - FL, CS - FL, DWM CONTAM - FL, EPA LUS...	Lower	SE / 0.334 mi., 1765 ft.
I147	TRAILSIDE DRIVE | AAD4489 | AAG3706	20350 TRAILSIDE DR	DEDB - FL, ECHO, FRS, ICIS, INACTIVE PCS, NP...	Higher	N / 0.335 mi., 1770 ft.
F148	AUTO CREDIT OF LEE COUNTY | CONG...	24270 S TAMIAMI TRL	DWM CONTAM - FL, ECHO, EPA LUST, EPA UST...	Higher	NNW / 0.339 mi., 1792...
I149	ZMILLION OIL INC | AAC4007	20260 S TAMIAMI TRAIL | 2...	DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA...	Higher	N / 0.340 mi., 1798 ft.
I150	AAG3702 | AAD4488	20361 POINCIANA AVE	DEDB - FL	Higher	N / 0.342 mi., 1806 ft.
I151	AAG3701	20371 POINCIANA AVE	DEDB - FL	Higher	N / 0.345 mi., 1819 ft.
I152	AAG3704	20381 POINCIANA AVE	DEDB - FL	Higher	N / 0.347 mi., 1831 ft.

MAP ID	SITE NAME	ADDRESS	DATABASE(S)	RELATIVE ELEVATION	DIRECTION / DISTANCE
I153	AAG3705	20399 POINCIANA AVE | 203...	DEDB - FL	Higher	N / 0.353 mi., 1865 ft.
I154	AAC5389 | GREENWAY LANDSCAPE S...	20190 S TAMIAMI TRL | 201...	DEDB - FL, SWF LF - FL, SWRCY - FL	Higher	N / 0.364 mi., 1921 ft.
G155	COCONUT RD TRACT	US 41	AST - FL, DWM CONTAM - FL, EPA LUST, LAST ...	Lower	NNW / 0.371 mi., 1960...
I156	AAG3700	20280 TRAILSIDE DR	DEDB - FL	Higher	N / 0.376 mi., 1985 ft.
I157	AAD4485 | MARCO PROPERTY | BUESI...	20170 S TAMIAMI TRL | 201...	DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUS...	Higher	N / 0.390 mi., 2060 ft.
I158	AAG3703	3531 WESTWOOD DR	DEDB - FL	Higher	N / 0.411 mi., 2171 ft.
I159	AAK7772	20241 NORTHWEST DR	DEDB - FL	Higher	N / 0.420 mi., 2216 ft.
I160	AAD4493	20160 TRAILSIDE DR	DEDB - FL	Higher	N / 0.424 mi., 2237 ft.
F161	COASTAL LANDSCAPE SUPPLY OF BONITA	24300 S Tamiami Trl	SWRCY - FL	Higher	NNW / 0.431 mi., 2278...
I162	AAD4495	20240 NORTHWEST DR	DEDB - FL	Higher	N / 0.451 mi., 2383 ft.
H163	MANLEY FARMS	SE CRNR OF US 41 & IMMOKA...	AST - FL, DWM CONTAM - FL, EPA LUST, LAST ...	Lower	S / 0.453 mi., 2390 ft.
A164	NAPLES-FT MYERS KENNEL CLUB | BE...	10601 BONITA BCH RD | 106...	AST - FL, CS - FL, DWM CONTAM - FL, EPA LUS...	Higher	SSE / 0.464 mi., 2448 ft.
G165	WOODFIELD COCONUT | LEE COUNTY...	23281 LYDEN DR.	ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, S...	Higher	NNW / 0.470 mi., 2480...
I166	AAK7774	20200 PARK AVE	DEDB - FL	Higher	N / 0.484 mi., 2556 ft.
H167	CIRCLE K #7356	13550 TAMIAMI TRL N	CS - FL, DWM CONTAM - FL, EPA LUST, EPA US...	Lower	S / 0.592 mi., 3128 ft.
H168	GERMAIN LINCOLN | GERMAIN TOYOT...	13315 TAMIAMI TRL N	ECHO, FRS, HIST PCS ENF, HIST PCS FACILITY,...	Lower	S / 0.633 mi., 3341 ft.
A169	HICKORY CORP OF BONITA | AIR CLIM...	11100 BONITA BCH RD | 111...	AIRS MIAMI-DADE COUNTY - FL, CS - FL, LUST ...	Lower	SE / 0.786 mi., 4148 ft.
J170	AUTO CREDIT OF LEE COUNTY	24280 TAMIAMI TRL	CS - FL, DWM CONTAM - FL, LUST - FL, UST - FL	Higher	S / 0.916 mi., 4836 ft.
J171	BENTLEY VILLAGE SITE WORK ONLY | ...	850 RETREAT DR	ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, S...	Higher	S / 0.924 mi., 4880 ft.
172	FORMER BONITA SPRINGS COUNTRY ...	23950 COCKLESHELL DR	SHWS ERIC - FL	Higher	ENE / 0.996 mi., 5258 ft.

SUBJECT PROPERTY SEARCH RESULTS:

The subject property was identified in the following records. For more information on this property, see Map Findings section on page 68.

MAP ID	SITE	DATABASE(S)	EPA ID	PAGE
A1	*OAK CREEK CENTER 11090 & 111100 BONITA BEACH ROAD | 11090 & 111100 BONITA BEACH RO AD | 11090 & 111100 BONITA BEACH RO BONITA SPRINGS, FL 34135*	*ECHO, FRS, ICIS, INACTIVE PCS*	*N/R*	*68*
B2	*AAI4568 16210 OLD US 41 HIGHWAY | 16210 OLS US HWY 41 NAPLES, FL*	*DEDB - FL*	*N/R*	*71*
C3	*Bontia Springs Public Works | National Response Center | Office of Emergency Response 27300 Old 41 Bonita Springs, FL*	*SPILLS - FL*	*N/R*	*72*

SPILLS - FL

- ID: 64021 Status: Pending-HQ Date: 2019-08-30

SURROUNDING PROPERTIES SEARCH RESULTS:

STANDARD ENVIRONMENTAL RECORDS

FEDERAL CERCLIS LIST

CERCLIS NFRAP: The CERCLIS sites with No Further Remedial Action Planned from the CERCLIS program database. The Environmental Protection Agency decommissioned the CERCLIS data in 2014. The last update was November 12, 2013. **1 SITE FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
B25	*LEISURE FURNITURE & VINYL SERVICE*	*16990 OLD HWY 41 & BOX 1 | 16990 OLD HIGHWAY 41 N | 16990 OLD HWY 41*	*SSE / 0.042 mi., 223 ft.*	*264*
	- ID: FLD094948700	Status: NFRAP-Site does not qualify for the NPL based on existing information	Date: 1994-07-14	

SEMS_8R_ARCHIVED SITES: The Archived Site Inventory displays site and location information at sites archived from SEMS. An archived site is one at which EPA has determined that assessment has been completed and no further remedial action is planned under the Superfund program at this time. **1 SITE FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
B25	*LEISURE FURNITURE & VINYL SERVICE*	*16990 OLD HWY 41 & BOX 1 | 16990 OLD HIGHWAY 41 N | 16990 OLD HWY 41*	*SSE / 0.042 mi., 223 ft.*	*264*
	- ID: 0405319	Status: NFRAP-Site does not qualify for the NPL based on existing information	Date: N/A	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL RCRA CORRACTS FACILITIES LIST

CORRACTS: List of facilities where Resource Conservation and Recovery Act Corrective Action Program used to investigate and remediate hazardous releases **1 SITE FOUND WITHIN 1 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
A94	*TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION*	*10450 W TERRY ST | 10450 WEST TERRY STREET*	*SSE / 0.140 mi., 737 ft.*	*926*

- ID: FLD981859820	Status: N/A	Date: N/A
- ID: CONTAMINATED GW BENEATH ENTIRE FACILITY	Status: READY FOR ANTICIPATED USE DETERMINATION - READY FOR ANTICIPATED USE	Date: 2015-06-09
- ID: CONTAMINATED GW BENEATH ENTIRE FACILITY	Status: REMEDY CONSTRUCTION-REMEDY CONSTRUCTED	Date: 2013-11-04
- ID: CONTAMINATED GW BENEATH ENTIRE FACILITY	Status: RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE	Date: 2012-08-16
- ID: CONTAMINATED GW BENEATH ENTIRE FACILITY	Status: HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE	Date: 2012-08-16

There are an additional 28 status records, see site details.

FEDERAL RCRA NON-CORRACTS TSD FACILITIES LIST

RCRA TSDF: Resource Conservation and Recovery Act hazardous waste transportation storage disposal and treatment facilities
1 SITE FOUND WITHIN .5 MILE

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
A94	*TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION*	*10450 W TERRY ST | 10450 WEST TERRY STREET*	*SSE / 0.140 mi., 737 ft.*	*926*

- ID: FLD981859820	Status: Treatment	Date: 2026-01-08

FEDERAL RCRA GENERATORS LIST

RCRA LQG: Resource Conservation and Recovery Act listing of licensed large quantity generators **3 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
B17	*MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP*	*1400 RAIL HEAD BLVD*	*S / 0.035 mi., 183 ft.*	*158*

- ID: FLR000154252	Status: Generators - General	Date: Violation 2019-11-06 - Achieved Compliance 2019-12-19
- ID: FLR000154252	Status: Generators - General	Date: Violation 2019-11-06 - Achieved Compliance 2020-08-11
- ID: FLR000154252	Status: Generators - General	Date: Violation 2019-11-06 - Achieved Compliance 2019-11-08

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL RCRA GENERATORS LIST *(cont.)*

RCRA LQG: Resource Conservation and Recovery Act listing of licensed large quantity generators **3 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
	- ID: FLR000154252	Status: Generators - General	Date: Violation 2019-11-06 - Achieved Compliance 2019-12-23	
	- ID: FLR000154252	Status: Generators - Manifest	Date: Violation 2019-11-06 - Achieved Compliance 2019-12-23	
	There are an additional 11 status records, see site details.			
B42	*GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691*	*1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30*	*SSE / 0.069 mi., 365 ft.*	*370*
	- ID: FLR000232207	Status: Generators - Manifest	Date: Violation 2019-10-03 - Achieved Compliance 2019-10-03	
	- ID: FLR000232207	Status: Preparedness, Prevention, and Emergency Procedures	Date: Violation 2019-10-03 - Achieved Compliance 2019-11-27	
B49	*GOODCAT LLC | GOODCAT LABS*	*1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5*	*SSE / 0.072 mi., 380 ft.*	*470*
	- ID: FLR000233106	Status: Generators - General	Date: Violation 2019-10-03 - Achieved Compliance 2019-11-04	
	- ID: FLR000233106	Status: Generators - Manifest	Date: Violation 2019-10-03 - Achieved Compliance 2019-11-04	
	- ID: FLR000233106	Status: Preparedness, Prevention, and Emergency Procedures	Date: Violation 2019-10-03 - Achieved Compliance 2019-11-27	

RCRA SQG: Resource Conservation and Recovery Act listing of licensed small quantity generators **8 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
B5	*AAI4568 | NORTH COLLIER COLLISION INC*	*16210 OLD US 41 S | 16210 OLD US HWY 41 HWY | 16210 Old 41 N*	*SSE / 0.013 mi., 69 ft.*	*77*
	- ID: FLD982081267	Status: Generators - General	Date: Violation 2009-12-08 - Achieved Compliance 2010-03-12	
	- ID: FLD982081267	Status: Generators - Pre-transport	Date: Violation 2009-12-08 - Achieved Compliance 2010-03-12	
	- ID: FLD982081267	Status: State Statute or Regulation	Date: Violation 2009-12-08 - Achieved Compliance 2010-03-12	
	- ID: FLD982081267	Status: TSD IS-Container Use and Management	Date: Violation 2009-12-08 - Achieved Compliance 2010-03-12	
	- ID: FLD982081267	Status: TSD IS-Preparedness and Prevention	Date: Violation 2009-12-08 - Achieved Compliance 2010-03-12	
	There are an additional 2 status records, see site details.			

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL RCRA GENERATORS LIST *(cont.)*

RCRA SQG: Resource Conservation and Recovery Act listing of licensed small quantity generators **8 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
F28	*EXECUTIVE DRY CLEANING | CLASSIC CLEANERS | CLASSIC CLEANERS OF PELICAN LANDING INC*	*9201 BROOKWOOD COURT #7 | 9201 BROOKWOOD CT STE 7 | 9001 Strike Ln*	*N / 0.049 mi., 257 ft.*	*278*
	- ID: FLR000095695	Status: Generators - Pre-transport	Date: Violation 2015-03-19 - Achieved Compliance 2015-03-26	
	- ID: FLR000095695	Status: Generators - Pre-transport	Date: Violation 2005-04-05 - Achieved Compliance 2005-05-04	
	- ID: FLR000095695	Status: State Statute or Regulation	Date: Violation 2005-04-05 - Achieved Compliance 2005-05-04	
	- ID: FLR000095695	Status: No Violation/Inspections	Date: N/A	
G51	*TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384*	*8040 MEDITERRANEAN DR | 8040?Mediterranean?Dr*	*N / 0.077 mi., 405 ft.*	*560*
	- ID: FLR000145086	Status: Generators - General	Date: Violation 2019-01-29 - Achieved Compliance 2019-02-13	
	- ID: FLR000145086	Status: Generators - General	Date: Violation 2019-01-29 - Achieved Compliance 2019-01-29	
	- ID: FLR000145086	Status: No Violation/Inspections	Date: N/A	
B55	*AUTO TRAN INC | MILLENNIUM MARBLE CORP*	*1466 RAIL HEAD BLVD*	*SSE / 0.082 mi., 431 ft.*	*624*
	- ID: FLR000156604	Status: Listing - General	Date: Violation 2009-11-03 - Achieved Compliance 2009-12-17	
	- ID: FLR000156604	Status: Generators - General	Date: Violation 2009-06-23 - Achieved Compliance 2009-12-17	
	- ID: FLR000156604	Status: State Statute or Regulation	Date: Violation 2009-06-23 - Achieved Compliance 2009-12-17	
	- ID: FLR000156604	Status: Used Oil - Generators	Date: Violation 2009-06-23 - Achieved Compliance 2009-12-17	
B57	*EARTH SUPPLIED PRODUCTS LLC | PERFECTLY PAINTED*	*1060 COLLIER CENTER WAY*	*S / 0.083 mi., 437 ft.*	*634*
	- ID: FLR000225185	Status: Generators - General	Date: Violation 2025-11-19 - Achieved Compliance 2025-12-16	
B88	*ARTISANS GUILD CUSTOM CABINETRY | ARTISANS GUILD*	*1510 RAIL HEAD BLVD*	*SSE / 0.132 mi., 697 ft.*	*896*
	- ID: FLR000031724	Status: Generators - Pre-transport	Date: Violation 2007-03-16 - Achieved Compliance 2007-07-25	
	- ID: FLR000031724	Status: TSD IS-Container Use and Management	Date: Violation 2007-03-16 - Achieved Compliance 2007-07-25	
	- ID: FLR000031724	Status: No Violation/Inspections	Date: N/A	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL RCRA GENERATORS LIST *(cont.)*

RCRA SQG: Resource Conservation and Recovery Act listing of licensed small quantity generators **8 SITES FOUND WITHIN .25 MILE**

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
A6	*BONAVILLA BONITA AUTO SALES*	*INDUSTRIAL STREET*	*SSE / 0.014 mi., 72 ft.*	*93*
	- ID: FLD982166142	Status: No Violation/Inspections	Date: N/A	
A83	*POOL SHOP*	*27745 OLD US HWY 41 RD*	*SSE / 0.119 mi., 631 ft.*	*876*
	- ID: FLD984242305	Status: No Violation/Inspections	Date: N/A	

RCRA VSQG: Resource Conservation and Recovery Act listing of licensed very small quantity generators. **27 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
B9	*PERFECTLY PAINTED OF COLLIER COUNTY*	*1076 BUSINESS LN # 6&7*	*S / 0.026 mi., 139 ft.*	*99*
	- ID: FLR000100917	Status: No Violation/Inspections	Date: N/A	
B11	*AFFORDABLE CARTS LLC*	*12500 OLD 41*	*SSE / 0.029 mi., 151 ft.*	*108*
	- ID: FLR000213132	Status: Listing - General	Date: Violation 2014-10-17 - Achieved Compliance 2014-11-24	
A13	*SPANISH WELLS COUNTRY CLUB*	*PO BOX 2288*	*SSE / 0.030 mi., 158 ft.*	*126*
	- ID: FLD982090763	Status: Generators - General	Date: Violation 1987-06-03 - Achieved Compliance 1996-05-18	
	- ID: FLD982090763	Status: No Violation/Inspections	Date: N/A	
B25	*LEISURE FURNITURE & VINYL SERVICE*	*16990 OLD HWY 41 & BOX 1 | 16990 OLD HIGHWAY 41 N | 16990 OLD HWY 41*	*SSE / 0.042 mi., 223 ft.*	*264*
	- ID: FLD982109464	Status: Generators - Pre-transport	Date: Violation 1999-05-24 - Achieved Compliance 1999-09-27	
	- ID: FLD982109464	Status: No Violation/Inspections	Date: N/A	
F29	*SHAW DEVELOPMENT | BERNWOOD*	*25190 BERNWOOD DR*	*SE / 0.050 mi., 265 ft.*	*294*
	- ID: FLR000176479	Status: State Statute or Regulation	Date: Violation 2011-06-15 - Achieved Compliance 2011-06-28	
	- ID: FLR000176479	Status: No Violation/Inspections	Date: N/A	
D30	*PUBLIX SUPER MARKET #614 | PUBLIX | Publix ESP*	*21301 S TAMIAMI TRL STE 200 | 21301 S TAMIAMI TRAIL STE 200*	*N / 0.052 mi., 274 ft.*	*307*
	- ID: FLR000244103	Status: No Violation/Inspections	Date: N/A	
B42	*GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691*	*1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30*	*SSE / 0.069 mi., 365 ft.*	*370*
	- ID: FLT240090357	Status: No Violation/Inspections	Date: N/A	
	- ID: FLR000171512	Status: No Violation/Inspections	Date: N/A	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL RCRA GENERATORS LIST *(cont.)*

RCRA VSQG: Resource Conservation and Recovery Act listing of licensed very small quantity generators. **27 SITES FOUND WITHIN . 25 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
G51	*TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384*	*8040 MEDITERRANEAN DR | 8040?Mediterranean?Dr*	*N / 0.077 mi., 405 ft.*	*560*
	- ID: FLR000273623	Status: No Violation/Inspections	Date: N/A	
B53	*EHC INC*	*1360 RAIL HEAD BLVD*	*S / 0.077 mi., 409 ft.*	*612*
	- ID: FLR000162438	Status: Listing - General	Date: Violation 2009-12-08 - Achieved Compliance 2010-02-19	
	- ID: FLR000162438	Status: State Statute or Regulation	Date: Violation 2009-12-08 - Achieved Compliance 2010-01-08	
C54	*STRONGS ENGINE MACHINE SHOP INC | BONITA MUFFLER SERVICE*	*26330 OLD 41 RD | 26330 OLD 41 RD # D*	*SE / 0.080 mi., 425 ft.*	*616*
	- ID: FLD982173213	Status: No Violation/Inspections	Date: N/A	
B59	*AFFORDABLE AUTO & TIRE SERVICE*	*1161 SUN CENTURY RD*	*S / 0.087 mi., 462 ft.*	*649*
	- ID: FLR000163881	Status: Listing - General	Date: Violation 2010-01-22 - Achieved Compliance 2010-03-25	
	- ID: FLR000163881	Status: State Statute or Regulation	Date: Violation 2010-01-22 - Achieved Compliance 2010-03-25	
F65	*FPL IMPERIAL SUBSTATION*	*8812 STRIKE LA | 8812 STRIKE LANE | 8812 STRIKE LN*	*NNW / 0.097 mi., 513 ft.*	*686*
	- ID: FLR000090415	Status: No Violation/Inspections	Date: N/A	
B70	*LEXTECH AUTOMOTIVE INC*	*1153 SUN CENTURY RD*	*S / 0.104 mi., 548 ft.*	*721*
	- ID: FLR000164111	Status: Listing - General	Date: Violation 2010-01-22 - Achieved Compliance 2010-03-12	
	- ID: FLR000164111	Status: State Statute or Regulation	Date: Violation 2010-01-22 - Achieved Compliance 2010-03-12	
F90	*NAPLES AUTO INC*	*25241 BERNWOOD DR, UNIT # 10*	*ESE / 0.135 mi., 710 ft.*	*908*
	- ID: FLR000132464	Status: Used Oil - Generators	Date: Violation 2007-02-23 - Achieved Compliance 2007-06-27	
	- ID: FLR000132464	Status: Used Oil - Generators	Date: Violation 2006-09-28 - Achieved Compliance 2006-12-06	
	- ID: FLR000132464	Status: No Violation/Inspections	Date: N/A	
C96	*HOLE IN ONE FAIRWAYS LLC | CIRCLE K #7312 | LA FIESTA*	*10530 ROSEMARY DR*	*SE / 0.142 mi., 751 ft.*	*976*
	- ID: FLD984251892	Status: No Violation/Inspections	Date: N/A	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL RCRA GENERATORS LIST *(cont.)*

RCRA VSQG: Resource Conservation and Recovery Act listing of licensed very small quantity generators. **27 SITES FOUND WITHIN . 25 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
G99	*NORDSTROM INC 7767 | BB&B # 1048*	*8020 MEDITERRANEAN DR | 8020 MEDITERRANEAN DR BLDG 24*	*N / 0.144 mi., 760 ft.*	*1000*
	- ID: FLR000275834	Status: No Violation/Inspections	Date: N/A	
C100	*FL POWER & LIGHT CO #NAB-545-BONITA CT | FPL BONITA SPRINGS SERVICE CENTER*	*26191 OLD 41 RD | 26191 OID 41 RD SE*	*SE / 0.145 mi., 764 ft.*	*1010*
	- ID: FLD000733709	Status: No Violation/Inspections	Date: N/A	
B111	*COASTAL CONSTRUCTION PROD INC*	*1320 RAIL HEAD BLVD STE 8*	*S / 0.162 mi., 855 ft.*	*1054*
	- ID: FLR000058347	Status: No Violation/Inspections	Date: N/A	
A112	*RICK JOHNSON AUTO & TIRE*	*10100 BONITA BEACH RD SE*	*SSE / 0.163 mi., 863 ft.*	*1058*
	- ID: FLR000161588	Status: State Statute or Regulation	Date: Violation 2009-11-03 - Achieved Compliance 2010-01-21	
C115	*O'REILLY - BONITA SPRINGS | O'REILLY AUTO PARTS #6505*	*26501 OLD 41 RD*	*SE / 0.171 mi., 902 ft.*	*1069*
	- ID: FLR000265314	Status: No Violation/Inspections	Date: N/A	
F119	*COASTAL LANDSCAPE SUPPLY OF BONITA | COASTAL LANDSCAPE SUPPLY OF BONITA - PRODUCTION CIRCLE*	*24226 PRODUCTION CIR*	*NNW / 0.186 mi., 980 ft.*	*1090*
	- ID: FLD982164618	Status: Listing - General	Date: Violation 2011-08-10 - Achieved Compliance 2011-09-02	
	- ID: FLD982164618	Status: State Statute or Regulation	Date: Violation 2011-08-10 - Achieved Compliance 2011-09-02	
	- ID: FLD982164618	Status: State Statute or Regulation	Date: Violation 1998-08-24 - Achieved Compliance 1998-11-09	
	- ID: FLD982164618	Status: Used Oil - Generators	Date: Violation 1998-08-24 - Achieved Compliance 1998-11-09	
	- ID: FLD982164618	Status: Generators - General	Date: Violation 1997-03-12 - Achieved Compliance 1997-09-18	
	There are an additional 3 status records, see site details.			
F122	*SARLO POWER MOWERS INC*	*24242 PRODUCTION CIR*	*NNW / 0.192 mi., 1016 ft.*	*1110*
	- ID: FLR000177964	Status: State Statute or Regulation	Date: Violation 2011-08-10 - Achieved Compliance 2011-08-30	
	- ID: FLR000177964	Status: State Statute or Regulation	Date: Violation 2011-08-10 - Achieved Compliance 2011-08-15	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL RCRA GENERATORS LIST *(cont.)*

RCRA VSQG: Resource Conservation and Recovery Act listing of licensed very small quantity generators. **27 SITES FOUND WITHIN . 25 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
D133	*ESTERO BAY PRESERVE STATE PARK | STATE PARK-KORESHAN*	*US 41 AND CORKSCREW RD*	*N / 0.235 mi., 1242 ft.*	*1157*
	- ID: FLR000141382	Status: No Violation/Inspections	Date: N/A	
G134	*FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY | FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE*	*8440 MURANO DEL LAGO DR*	*NNW / 0.238 mi., 1255 ft.*	*1163*
	- ID: FLR000240291	Status: No Violation/Inspections	Date: N/A	

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
C18	*BONITA AUTO CENTER INC*	*26950 OLD 41 RD*	*SE / 0.035 mi., 186 ft.*	*208*
	- ID: FLR000177865	Status: Listing - General	Date: Violation 2011-08-10 - Achieved Compliance 2011-09-16	
	- ID: FLR000177865	Status: State Statute or Regulation	Date: Violation 2011-08-10 - Achieved Compliance 2011-09-16	
A69	*CAUSEWAY LUMBER CO | MIKES AUTO REPAIR | OLD 41 VETERINARY EMERGENCY CLINIC INC*	*28280 OLD US 41 RD | 28380 OLD 41 RD | 28380 OLD 41 RD #6B*	*SSE / 0.103 mi., 544 ft.*	*706*
	- ID: FLR000157826	Status: No Violation/Inspections	Date: N/A	
	- ID: FLR000157834	Status: Generators - General	Date: Violation 2009-07-16 - Achieved Compliance 2009-11-13	
H81	*CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH*	*1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD*	*S / 0.113 mi., 598 ft.*	*797*
	- ID: FLD984222844	Status: No Violation/Inspections	Date: N/A	

RCRA NONGEN: Resource Conservation and Recovery Act listing of licensed non-generators **26 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
B17	*MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP*	*1400 RAIL HEAD BLVD*	*S / 0.035 mi., 183 ft.*	*158*
	- ID: FLR000154252	Status: Generators - General	Date: Violation 2019-11-06 - Achieved Compliance 2019-12-19	
	- ID: FLR000154252	Status: Generators - General	Date: Violation 2019-11-06 - Achieved Compliance 2020-08-11	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL RCRA GENERATORS LIST *(cont.)*

RCRA NONGEN: Resource Conservation and Recovery Act listing of licensed non-generators **26 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
	- ID: FLR000154252	Status: Generators - General	Date: Violation 2019-11-06 - Achieved Compliance 2019-11-08	
	- ID: FLR000154252	Status: Generators - General	Date: Violation 2019-11-06 - Achieved Compliance 2019-12-23	
	- ID: FLR000154252	Status: Generators - Manifest	Date: Violation 2019-11-06 - Achieved Compliance 2019-12-23	
	There are an additional 11 status records, see site details.			
B22	*SERVICE PAINTING OF FLORIDA INC | EPA | Environmental Protection Agency*	*1447 RAIL HEAD BLVD | 1447 RAIL HEAD BLVD UNIT 8*	*SSE / 0.039 mi., 205 ft.*	*239*
	- ID: FLR000063917	Status: No Violation/Inspections	Date: N/A	
C33	*ETURA CORP | ETURA, INC. (DBA MARBLE FANTASY) | Responsible Party*	*26340 OLD 41 RD*	*SE / 0.054 mi., 287 ft.*	*338*
	- ID: FLD984260646	Status: Generators - General	Date: Violation 1993-03-26 - Achieved Compliance 1993-12-23	
	- ID: FLD984260646	Status: Generators - Pre-transport	Date: Violation 1993-03-26 - Achieved Compliance 1993-12-23	
	- ID: FLD984260646	Status: No Violation/Inspections	Date: N/A	
F48	*SIGNAL STOP | VIP ONE PRICE DRY CLEANERS | A TOUCH OF CLASS DRY CLEANERS*	*25091 BERNWOOD DR | 25091 BERNWOOD DR UNIT #4 | 25091 Bernwood Dr., Bonita Springs, FL*	*NNE / 0.071 mi., 374 ft.*	*457*
	- ID: FLR000163071	Status: Listing - General	Date: Violation 2012-01-12 - Achieved Compliance 2012-04-26	
	- ID: FLR000163071	Status: State Statute or Regulation	Date: Violation 2012-01-12 - Achieved Compliance 2012-04-26	
	- ID: FLR000163071	Status: Listing - General	Date: Violation 2009-12-29 - Achieved Compliance 2010-02-11	
	- ID: FLR000163071	Status: State Statute or Regulation	Date: Violation 2009-12-29 - Achieved Compliance 2010-02-11	
	- ID: FLR000163071	Status: No Violation/Inspections	Date: N/A	
F50	*PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT*	*25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD*	*N / 0.073 mi., 387 ft.*	*490*
	- ID: FLR000057307	Status: State Statute or Regulation	Date: Violation 2011-06-15 - Achieved Compliance 2011-06-24	
	- ID: FLR000057307	Status: No Violation/Inspections	Date: N/A	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL RCRA GENERATORS LIST *(cont.)*

RCRA NONGEN: Resource Conservation and Recovery Act listing of licensed non-generators **26 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
C54	*STRONGS ENGINE MACHINE SHOP INC | BONITA MUFFLER SERVICE*	*26330 OLD 41 RD | 26330 OLD 41 RD # D*	*SE / 0.080 mi., 425 ft.*	*616*
	- ID: FLD984229633	Status: No Violation/Inspections	Date: N/A	
B57	*EARTH SUPPLIED PRODUCTS LLC | PERFECTLY PAINTED*	*1060 COLLIER CENTER WAY*	*S / 0.083 mi., 437 ft.*	*634*
	- ID: FLT100081033	Status: No Violation/Inspections	Date: N/A	
F65	*FPL IMPERIAL SUBSTATION*	*8812 STRIKE LA | 8812 STRIKE LANE | 8812 STRIKE LN*	*NNW / 0.097 mi., 513 ft.*	*686*
	- ID: FLR000101667	Status: No Violation/Inspections	Date: N/A	
F68	*CORDERS LANDSCAPE SUPPLY OF NAPLES, INC.*	*24119 PRODUCTION CIR*	*N / 0.103 mi., 542 ft.*	*702*
	- ID: FLR000180885	Status: No Violation/Inspections	Date: N/A	
F84	*FORESTRY RESOURCES INC | FORESTRY RESOURCES, INC. - BONITA*	*25211 OLD 41 RD*	*NNE / 0.120 mi., 634 ft.*	*880*
	- ID: FLR000154997	Status: Generators - General	Date: Violation 2009-04-23 - Achieved Compliance 2009-07-08	
	- ID: FLR000154997	Status: State Statute or Regulation	Date: Violation 2009-04-23 - Achieved Compliance 2009-08-10	
	- ID: FLR000154997	Status: No Violation/Inspections	Date: N/A	
B87	*DENNIS ARD*	*1141 SUN CENTURY RD*	*S / 0.122 mi., 646 ft.*	*892*
	- ID: FLR000011965	Status: No Violation/Inspections	Date: N/A	
A93	*B & L FIX IT*	*10382 SOUTHLAND DR*	*SSE / 0.140 mi., 737 ft.*	*922*
	- ID: FLD982144453	Status: No Violation/Inspections	Date: N/A	
A94	*TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION*	*10450 W TERRY ST | 10450 WEST TERRY STREET*	*SSE / 0.140 mi., 737 ft.*	*926*
	- ID: FLD981859820	Status: State Statute or Regulation	Date: Violation 2011-08-10 - Achieved Compliance 2011-08-10	
	- ID: FLD981859820	Status: State Statute or Regulation	Date: Violation 2007-08-06 - Achieved Compliance 2007-09-12	
	- ID: FLD981859820	Status: State Statute or Regulation	Date: Violation 2005-07-05 - Achieved Compliance 2005-08-23	
	- ID: FLD981859820	Status: State Statute or Regulation	Date: Violation 2003-02-19 - Achieved Compliance 2003-04-09	
	- ID: FLD981859820	Status: Generators - General	Date: Violation 1999-03-08 - Achieved Compliance 1999-03-08	

There are an additional 3 status records, see site details.

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL RCRA GENERATORS LIST *(cont.)*

RCRA NONGEN: Resource Conservation and Recovery Act listing of licensed non-generators **26 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
A105	*CIRCLE K #2709767 | SHELL STATION*	*10460 BONITA BCH RD SE & OLD 41 | 10460 BONITA BEACH RD*	*SSE / 0.156 mi., 824 ft.*	*1027*
	- ID: FLD984223438	Status: No Violation/Inspections	Date: N/A	
F110	*PRODUCTION TIRE | AAD4348*	*24367 PRODUCTION CIR*	*NNW / 0.161 mi., 849 ft.*	*1049*
	- ID: FLD984217653	Status: State Statute or Regulation	Date: Violation 2011-08-10 - Achieved Compliance 2011-09-16	
	- ID: FLD984217653	Status: No Violation/Inspections	Date: N/A	
D116	*COCONUT CAR WASH*	*8800 COMMONS WAY*	*N / 0.171 mi., 904 ft.*	*1079*
	- ID: FLR000207431	Status: No Violation/Inspections	Date: N/A	
A121	*M L CAR AUDIO INC*	*10060 BONITA BEACH RD SE*	*SSE / 0.192 mi., 1012 ft.*	*1107*
	- ID: FLR000161604	Status: No Violation/Inspections	Date: N/A	
F132	*GULF SHUTTER SYSTEMS INC*	*24430 PRODUCTION CIRCLE*	*NNW / 0.223 mi., 1177 ft.*	*1153*
	- ID: FLD982171431	Status: No Violation/Inspections	Date: N/A	

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
A10	*TEDS SHEDS INC*	*10311 BONITA BEACH RD*	*SSE / 0.027 mi., 145 ft.*	*103*
	- ID: FL0000072744	Status: State Statute or Regulation	Date: Violation 1993-10-29 - Achieved Compliance 1994-02-04	
	- ID: FL0000072744	Status: No Violation/Inspections	Date: N/A	
C19	*COPE | KWIK PICK CONV STORE*	*27010 OLD US 41*	*SE / 0.036 mi., 192 ft.*	*213*
	- ID: FLR000062232	Status: No Violation/Inspections	Date: N/A	
C36	*T+K FARMS*	*SPRING CREEK DRIVE*	*SE / 0.060 mi., 316 ft.*	*356*
	- ID: FLTMP9203511	Status: No Violation/Inspections	Date: N/A	
C46	*SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840*	*27001 OLD US 41 SE | 27001 OLD US 41*	*SE / 0.070 mi., 369 ft.*	*431*
	- ID: FLT040073645	Status: No Violation/Inspections	Date: N/A	
C77	*THE SHERWIN-WILLIAMS CO #2249*	*26751 OLD 41 RD*	*SE / 0.109 mi., 577 ft.*	*750*
	- ID: FLR000171504	Status: No Violation/Inspections	Date: N/A	
A85	*GRIFFITH PAVING*	*10461 SOUTHLAND DR*	*SSE / 0.121 mi., 636 ft.*	*886*
	- ID: FLR000150714	Status: Used Oil - Generators	Date: Violation 2008-10-31 - Achieved Compliance 2009-01-09	
B95	*NAPLES TOMATO GROWERS | FL5110348 | FL5114116*	*15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH*	*S / 0.142 mi., 749 ft.*	*964*
	- ID: FLT960055986	Status: No Violation/Inspections	Date: N/A	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL RCRA GENERATORS LIST *(cont.)*

RCRA NONGEN: Resource Conservation and Recovery Act listing of licensed non-generators **26 SITES FOUND WITHIN .25 MILE**

LOWER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
D114	*TRACEYS RADIATOR*	*ROUTE 2 BOX 1038*	*N / 0.171 mi., 901 ft.*	*1067*
	- ID: FLD981480114	Status: No Violation/Inspections	Date: N/A	

EJ HAZ WASTE: Hazardous waste facilities from Environmental Justice. **3 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
B17	*MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP*	*1400 RAIL HEAD BLVD*	*S / 0.035 mi., 183 ft.*	*158*
	- ID: EPA ID FLR000154252	Status: N/A	Date: N/A	
B42	*GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691*	*1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30*	*SSE / 0.069 mi., 365 ft.*	*370*
	- ID: EPA ID FLR000232207	Status: N/A	Date: N/A	
B49	*GOODCAT LLC | GOODCAT LABS*	*1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5*	*SSE / 0.072 mi., 380 ft.*	*470*
	- ID: EPA ID FLR000233106	Status: N/A	Date: N/A	

STATE- AND TRIBAL - EQUIVALENT CERCLIS

SHWS ERIC - FL: Environmental Restoration Integrated Cleanup (ERIC) contains these datasets: Superfund National Priorities List (NPL) Sites, CERCLA Site Screening Program, State Funded Cleanup Program, State-owned Lands Cleanup Program, Site Rehabilitation Program, Hazardous Waste Cleanup Program, Petroleum Restoration Program, Department of Defense, Formerly Used Defense Site, Drycleaning Solvent Cleanup Program, Responsible Party Cleanup, Site Investigation Section, Brownfield Site Rehabilitation, Hillsborough EPC Brownfields. **8 SITES FOUND WITHIN 1 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
B25	*LEISURE FURNITURE & VINYL SERVICE*	*16990 OLD HWY 41 & BOX 1 | 16990 OLD HIGHWAY 41 N | 16990 OLD HWY 41*	*SSE / 0.042 mi., 223 ft.*	*264*
	- ID: ERIC ID ERIC_15044	Status: CLOSED	Date: N/A	
A94	*TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION*	*10450 W TERRY ST | 10450 WEST TERRY STREET*	*SSE / 0.140 mi., 737 ft.*	*926*
	- ID: ERIC ID ERIC_17149	Status: OPEN	Date: N/A	
C109	*BASEWIDE- BONITA SPRING RADIO AX 5 | BONITA SPRING RADIO AX 5*	*26.353333, -81.78*	*SE / 0.161 mi., 849 ft.*	*1048*
	- ID: ERIC ID ERIC_17472	Status: OPEN	Date: N/A	
J171	*BENTLEY VILLAGE SITE WORK ONLY | VI AT BENTLEY VILLAGE*	*850 RETREAT DR*	*S / 0.924 mi., 4880 ft.*	*1366*
	- ID: ERIC ID ERIC_18018	Status: OPEN	Date: N/A	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

STATE- AND TRIBAL - EQUIVALENT CERCLIS *(cont.)*

SHWS ERIC - FL: Environmental Restoration Integrated Cleanup (ERIC) contains these datasets: Superfund National Priorities List (NPL) Sites, CERCLA Site Screening Program, State Funded Cleanup Program, State-owned Lands Cleanup Program, Site Rehabilitation Program, Hazardous Waste Cleanup Program, Petroleum Restoration Program, Department of Defense, Formerly Used Defense Site, Drycleaning Solvent Cleanup Program, Responsible Party Cleanup, Site Investigation Section, Brownfield Site Rehabilitation, Hillsborough EPC Brownfields. **8 SITES FOUND WITHIN 1 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
172	FORMER BONITA SPRINGS COUNTRY CLUB MAINTENANCE FACILITY	23950 COCKLESHELL DR	ENE / 0.996 mi., 5258 ft.	*1370*
	- ID: ERIC ID ERIC_18359	Status: OPEN	Date: N/A	

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
A101	*MEDIAONE FACILITY (AKA COLONY, PALMER:SEE 93835 & 222576)*	*27820 OLD 41 RD*	*SSE / 0.148 mi., 783 ft.*	*1016*
	- ID: ERIC ID ERIC_11232	Status: CLOSED	Date: N/A	
H141	*LAKE SAN MARINO RV RESORT*	*1000 WIGGINS PASS ROAD*	*S / 0.284 mi., 1501 ft.*	*1205*
	- ID: ERIC ID ERIC_11893	Status: CLOSED	Date: N/A	
H168	*GERMAIN LINCOLN | GERMAIN TOYOTA | GERMAIN TOYOTA (PIPE)*	*13315 TAMIAMI TRL N*	*S / 0.633 mi., 3341 ft.*	*1346*
	- ID: ERIC ID ERIC_11906	Status: CLOSED	Date: N/A	

CS - FL: All cleanup sites in the state of Florida **16 SITES FOUND WITHIN 1 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
B24	*FORMER GULFSTREAM LUMBER CO | AAC5500 | HD SUPPLY #WB6600*	*16000 OLD US HWY 41*	*SSE / 0.039 mi., 208 ft.*	*257*
	- ID: 9802542	Status: ACTIVE	Date: 2011-07-26	
F50	*PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT*	*25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD*	*N / 0.073 mi., 387 ft.*	*490*
	- ID: 8519018	Status: ACTIVE	Date: 2003-09-30	
A94	*TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION*	*10450 W TERRY ST | 10450 WEST TERRY STREET*	*SSE / 0.140 mi., 737 ft.*	*926*
	- ID: ERIC_17149	Status: OPEN	Date: 2004-01-26	
C96	*HOLE IN ONE FAIRWAYS LLC | CIRCLE K #7312 | LA FIESTA*	*10530 ROSEMARY DR*	*SE / 0.142 mi., 751 ft.*	*976*
	- ID: 8519083	Status: ACTIVE	Date: 2003-09-30	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

STATE- AND TRIBAL - EQUIVALENT CERCLIS *(cont.)*

CS - FL: All cleanup sites in the state of Florida **16 SITES FOUND WITHIN 1 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
A105	*CIRCLE K #2709767 | SHELL STATION*	*10460 BONITA BCH RD SE & OLD 41 | 10460 BONITA BEACH RD*	*SSE / 0.156 mi., 824 ft.*	*1027*
	- ID: 8622650	Status: ACTIVE	Date: 2003-10-03	
F125	*CIRCLE K #7462*	*24931 S TAMIAMI TR | 24931 S TAMIAMI TRL*	*NNW / 0.207 mi., 1093 ft.*	*1117*
	- ID: 8518903	Status: ACTIVE	Date: 2003-09-30	
F140	*LEE CNTY SCHOOL BD-SPRING CREEK ES*	*25571 US HWY 41*	*WNW / 0.272 mi., 1434 ft.*	*1197*
	- ID: 8733921	Status: PENDING	Date: 2003-12-17	
F145	*7-ELEVEN STORE #34838 | EXXONMOBIL OIL CORP #12581*	*24530 S TAMIAMI TRL*	*NNW / 0.312 mi., 1648 ft.*	*1218*
	- ID: 9700582	Status: ACTIVE	Date: 2024-04-04	
A164	*NAPLES-FT MYERS KENNEL CLUB | BER | City of Plant City Police Department*	*10601 BONITA BCH RD | 10601 Bonita Beach Road*	*SSE / 0.464 mi., 2448 ft.*	*1315*
	- ID: 8627259	Status: ACTIVE	Date: 2009-09-11	
J170	*AUTO CREDIT OF LEE COUNTY*	*24280 TAMIAMI TRL*	*S / 0.916 mi., 4836 ft.*	*1363*
	- ID: 9101041	Status: ACTIVE	Date: 2004-10-22	

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
E14	*BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL*	*27490 OLD 41 RD | 27490 OLD US HWY 41 RD*	*SE / 0.032 mi., 169 ft.*	*131*
	- ID: 8627258	Status: PENDING	Date: 2015-07-14	
C35	*BONITA AUTO SALES INC*	*26750 OLD 41 RD | 26750 OLD US HWY 41 RD*	*SE / 0.058 mi., 306 ft.*	*347*
	- ID: 8519464	Status: ACTIVE	Date: 2004-09-29	
H81	*CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH*	*1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD*	*S / 0.113 mi., 598 ft.*	*797*
	- ID: 8518892	Status: ACTIVE	Date: 2003-04-14	
C146	*LEE CNTY SCHOOL BD-BONITA SPRINGS MS*	*10141 W TERRY ST*	*SE / 0.334 mi., 1765 ft.*	*1229*
	- ID: 8944049	Status: ACTIVE	Date: 2004-08-27	
H167	*CIRCLE K #7356*	*13550 TAMIAMI TRL N*	*S / 0.592 mi., 3128 ft.*	*1337*
	- ID: 8518920	Status: ACTIVE	Date: 2003-04-22	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

STATE- AND TRIBAL - EQUIVALENT CERCLIS *(cont.)*

CS - FL: All cleanup sites in the state of Florida **16 SITES FOUND WITHIN 1 MILE**

LOWER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
A169	*HICKORY CORP OF BONITA | AIR CLIMA , INC.*	*11100 BONITA BCH RD | 11100 BONITA BEACH RD (103-B)*	*SE / 0.786 mi., 4148 ft.*	*1361*
	- ID: 8518325	Status: PENDING	Date: 2009-11-06	

STATE RCRA GENERATORS LIST

LQG - FL: Listing of permitted large quantity hazardous waste generators **4 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
B17	*MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP*	*1400 RAIL HEAD BLVD*	*S / 0.035 mi., 183 ft.*	*158*
B42	*GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691*	*1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30*	*SSE / 0.069 mi., 365 ft.*	*370*
B49	*GOODCAT LLC | GOODCAT LABS*	*1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5*	*SSE / 0.072 mi., 380 ft.*	*470*
G51	*TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384*	*8040 MEDITERRANEAN DR | 8040?Mediterranean?Dr*	*N / 0.077 mi., 405 ft.*	*560*

SQG - FL: Listing of permitted small quantity hazardous waste generators **11 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
B5	*AAI4568 | NORTH COLLIER COLLISION INC*	*16210 OLD US 41 S | 16210 OLD US HWY 41 HWY | 16210 Old 41 N*	*SSE / 0.013 mi., 69 ft.*	*77*
B17	*MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP*	*1400 RAIL HEAD BLVD*	*S / 0.035 mi., 183 ft.*	*158*
F28	*EXECUTIVE DRY CLEANING | CLASSIC CLEANERS | CLASSIC CLEANERS OF PELICAN LANDING INC*	*9201 BROOKWOOD COURT #7 | 9201 BROOKWOOD CT STE 7 | 9001 Strike Ln*	*N / 0.049 mi., 257 ft.*	*278*
G51	*TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384*	*8040 MEDITERRANEAN DR | 8040?Mediterranean?Dr*	*N / 0.077 mi., 405 ft.*	*560*
C54	*STRONGS ENGINE MACHINE SHOP INC | BONITA MUFFLER SERVICE*	*26330 OLD 41 RD | 26330 OLD 41 RD # D*	*SE / 0.080 mi., 425 ft.*	*616*
B55	*AUTO TRAN INC | MILLENNIUM MARBLE CORP*	*1466 RAIL HEAD BLVD*	*SSE / 0.082 mi., 431 ft.*	*624*
B88	*ARTISANS GUILD CUSTOM CABINETRY | ARTISANS GUILD*	*1510 RAIL HEAD BLVD*	*SSE / 0.132 mi., 697 ft.*	*896*
A93	*B & L FIX IT*	*10382 SOUTHLAND DR*	*SSE / 0.140 mi., 737 ft.*	*922*

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
A6	*BONAVILLA BONITA AUTO SALES*	*INDUSTRIAL STREET*	*SSE / 0.014 mi., 72 ft.*	*93*
A83	*POOL SHOP*	*27745 OLD US HWY 41 RD*	*SSE / 0.119 mi., 631 ft.*	*876*

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

STATE RCRA GENERATORS LIST *(cont.)*

SQG - FL: Listing of permitted small quantity hazardous waste generators **11 SITES FOUND WITHIN .25 MILE**

LOWER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
D114	*TRACEYS RADIATOR*	*ROUTE 2 BOX 1038*	*N / 0.171 mi., 901 ft.*	*1067*

TSD - FL: Treatment storage and disposal facility listing **1 SITE FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
A94	*TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION*	*10450 W TERRY ST | 10450 WEST TERRY STREET*	*SSE / 0.140 mi., 737 ft.*	*926*
	- ID: N/R	Status: N/R	Date: 2024-11-22	

STATE AND TRIBAL LANDFILL AND/OR SOLID WASTE DISPOSAL SITE LISTS

SWF/LF - FL: Solid waste facility and landfill listing **4 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
I154	*AAC5389 | GREENWAY LANDSCAPE SUPPLY*	*20190 S TAMIAMI TRL | 20190 TAMIAMI TRAIL | 20190 TAMIAMI TRL S*	*N / 0.364 mi., 1921 ft.*	*1270*
	- ID: Facility ID 95357	Status: INVALID COMPLAINT (M)	Date: N/A	
G165	*WOODFIELD COCONUT | LEE COUNTY - LYDEN DRIVE*	*23281 LYDEN DR.*	*NNW / 0.470 mi., 2480 ft.*	*1331*
	- ID: Facility ID 105835	Status: PRE-AUTHORIZED (B)	Date: N/A	

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
C74	*IMPERIAL 41 | CITY OF BONITA SPRINGS-BAMBOO SITE*	*10580 GOODWIN ST*	*SE / 0.106 mi., 561 ft.*	*734*
	- ID: Facility ID 104942	Status: INACTIVE (I)	Date: N/A	
A130	LEE COUNTY - NAPLES DOG TRACK SITE	28191 OLD 41 RD.	SSE / 0.218 mi., 1150 ft.	*1151*
	- ID: Facility ID 98005	Status: PRE-AUTHORIZED (B)	Date: N/A	

FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS

EPA LUST: Releases listed in the EPA UST Finder database **28 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
D12	*CORKSCREW ENERGY LLC | SUNSHINE #16 | CHEVRON*	*8800 CORKSCREW RD*	*N / 0.030 mi., 156 ft.*	*112*
	- ID: Facility ID FL9806315 - ID: LUST ID FL2986	Status: N/A Status: No Further Action	Date: N/A Date: N/A	
B24	*FORMER GULFSTREAM LUMBER CO | AAC5500 | HD SUPPLY #WB6600*	*16000 OLD US HWY 41*	*SSE / 0.039 mi., 208 ft.*	*257*
	- ID: Facility ID FL9802542	Status: N/A	Date: N/A	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS *(cont.)*

EPA LUST: Releases listed in the EPA UST Finder database **28 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
	- ID: LUST ID FL8111	Status: No Further Action	Date: N/A	
F50	*PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT*	*25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD*	*N / 0.073 mi., 387 ft.*	*490*
	- ID: Facility ID FL8519018	Status: N/A	Date: N/A	
	- ID: LUST ID FL12101	Status: Open	Date: N/A	
C96	*HOLE IN ONE FAIRWAYS LLC | CIRCLE K #7312 | LA FIESTA*	*10530 ROSEMARY DR*	*SE / 0.142 mi., 751 ft.*	*976*
	- ID: Facility ID FL8519083	Status: N/A	Date: N/A	
	- ID: LUST ID FL11176	Status: Open	Date: N/A	
	- ID: Facility ID FL8519083	Status: N/A	Date: N/A	
	- ID: LUST ID FL20428	Status: Open	Date: N/A	
C100	*FL POWER & LIGHT CO #NAB-545-BONITA CT | FPL BONITA SPRINGS SERVICE CENTER*	*26191 OLD 41 RD | 26191 OID 41 RD SE*	*SE / 0.145 mi., 764 ft.*	*1010*
	- ID: Facility ID FL8519462	Status: N/A	Date: N/A	
	- ID: LUST ID FL12325	Status: No Further Action	Date: N/A	
A105	*CIRCLE K #2709767 | SHELL STATION*	*10460 BONITA BCH RD SE & OLD 41 | 10460 BONITA BEACH RD*	*SSE / 0.156 mi., 824 ft.*	*1027*
	- ID: Facility ID FL8622650	Status: N/A	Date: N/A	
	- ID: LUST ID FL24317	Status: No Further Action	Date: N/A	
B113	*AMERICAN EQUIPMENT*	*15200 OLD US 41 N*	*S / 0.169 mi., 893 ft.*	*1063*
	- ID: Facility ID FL8945040	Status: N/A	Date: N/A	
	- ID: LUST ID FL24460	Status: No Further Action	Date: N/A	
F125	*CIRCLE K #7462*	*24931 S TAMIAMI TR | 24931 S TAMIAMI TRL*	*NNW / 0.207 mi., 1093 ft.*	*1117*
	- ID: Facility ID FL8518903	Status: N/A	Date: N/A	
	- ID: LUST ID FL28360	Status: Open	Date: N/A	
D128	*MAYFIELD CORNORS CO LLC | KORESHAN GAS INC*	*21481 S TAMIAMI TRL*	*N / 0.215 mi., 1136 ft.*	*1130*
	- ID: Facility ID FL9800466	Status: N/A	Date: N/A	
	- ID: LUST ID FL2861	Status: No Further Action	Date: N/A	
	- ID: Facility ID FL9800466	Status: N/A	Date: N/A	
	- ID: LUST ID FL5596	Status: No Further Action	Date: N/A	
F129	*7-ELEVEN FOOD STORE #34151*	*24651 OLD 41ST RD*	*NNW / 0.217 mi., 1144 ft.*	*1144*
	- ID: Facility ID FL9803198	Status: N/A	Date: N/A	
	- ID: LUST ID FL5336	Status: No Further Action	Date: N/A	
F140	*LEE CNTY SCHOOL BD-SPRING CREEK ES*	*25571 US HWY 41*	*WNW / 0.272 mi., 1434 ft.*	*1197*
	- ID: Facility ID FL8733921	Status: N/A	Date: N/A	
	- ID: LUST ID FL26810	Status: No Further Action	Date: N/A	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS *(cont.)*

EPA LUST: Releases listed in the EPA UST Finder database **28 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
I142	*LEECORP HOMES | AAC7548 | LEE CORP HOMES*	*20251 S TAMIAMI TRL | 20251 TAMIAMI TRL S*	*N / 0.285 mi., 1502 ft.*	*1207*
	- ID: Facility ID FL8519467	Status: N/A	Date: N/A	
	- ID: LUST ID FL23953	Status: No Further Action	Date: N/A	
F148	*AUTO CREDIT OF LEE COUNTY | CONGO RIVER GOLF DEVELOPMENT*	*24270 S TAMIAMI TRL*	*NNW / 0.339 mi., 1792 ft.*	*1242*
	- ID: Facility ID FL9101041	Status: N/A	Date: N/A	
	- ID: LUST ID FL21559	Status: No Further Action	Date: N/A	
I149	*ZMILLION OIL INC | AAC4007*	*20260 S TAMIAMI TRAIL | 20260 S TAMIAMI TRL | 20260 TAMIAMI TRL*	*N / 0.340 mi., 1798 ft.*	*1251*
	- ID: Facility ID FL8518908	Status: N/A	Date: N/A	
	- ID: LUST ID FL14144	Status: No Further Action	Date: N/A	
	- ID: Facility ID FL8518908	Status: N/A	Date: N/A	
	- ID: LUST ID FL28359	Status: No Further Action	Date: N/A	
I157	*AAD4485 | MARCO PROPERTY | BUESING'S SERVICE & REPAIR*	*20170 S TAMIAMI TRL | 20170 TAMIAMI TRL*	*N / 0.390 mi., 2060 ft.*	*1282*
	- ID: Facility ID FL8942774	Status: N/A	Date: N/A	
	- ID: LUST ID FL26492	Status: No Further Action	Date: N/A	
A164	*NAPLES-FT MYERS KENNEL CLUB | BER | City of Plant City Police Department*	*10601 BONITA BCH RD | 10601 Bonita Beach Road*	*SSE / 0.464 mi., 2448 ft.*	*1315*
	- ID: Facility ID FL8627259	Status: N/A	Date: N/A	
	- ID: LUST ID FL28705	Status: Open	Date: N/A	
	- ID: Facility ID FL8627259	Status: N/A	Date: N/A	
	- ID: LUST ID FL13850	Status: Open	Date: N/A	
	- ID: Facility ID FL8627259	Status: N/A	Date: N/A	
	There is an additional 1 status record, see site details.			

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
E14	*BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL*	*27490 OLD 41 RD | 27490 OLD US HWY 41 RD*	*SE / 0.032 mi., 169 ft.*	*131*
	- ID: Facility ID FL8627258	Status: N/A	Date: N/A	
	- ID: LUST ID FL14325	Status: Open	Date: N/A	
C19	*COPE | KWIK PICK CONV STORE*	*27010 OLD US 41*	*SE / 0.036 mi., 192 ft.*	*213*
	- ID: Facility ID FL8519466	Status: N/A	Date: N/A	
	- ID: LUST ID FL34614	Status: No Further Action	Date: N/A	
C31	*PALMER CABLEVISION OF SW FL INC | COMCAST*	*26790 OLD 41 RD | 26790 OLD US HWY 41 RD*	*SE / 0.052 mi., 274 ft.*	*323*
	- ID: Facility ID FL8627269	Status: N/A	Date: N/A	
	- ID: LUST ID FL18867	Status: No Further Action	Date: N/A	
	- ID: Facility ID FL8627269	Status: N/A	Date: N/A	
	- ID: LUST ID FL15826	Status: No Further Action	Date: N/A	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS *(cont.)*

EPA LUST: Releases listed in the EPA UST Finder database **28 SITES FOUND WITHIN .5 MILE**

LOWER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
	- ID: Facility ID FL8627269	Status: N/A	Date: N/A	
	There is an additional 1 status record, see site details.			
C35	*BONITA AUTO SALES INC*	*26750 OLD 41 RD | 26750 OLD US HWY 41 RD*	*SE / 0.058 mi., 306 ft.*	*347*
	- ID: Facility ID FL8519464	Status: N/A	Date: N/A	
	- ID: LUST ID FL9513	Status: Open	Date: N/A	
C46	*SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840*	*27001 OLD US 41 SE | 27001 OLD US 41*	*SE / 0.070 mi., 369 ft.*	*431*
	- ID: Facility ID FL8520477	Status: N/A	Date: N/A	
	- ID: LUST ID FL34095	Status: No Further Action	Date: N/A	
	- ID: Facility ID FL8520477	Status: N/A	Date: N/A	
	- ID: LUST ID FL34633	Status: No Further Action	Date: N/A	
	- ID: Facility ID FL8520477	Status: N/A	Date: N/A	
	There are an additional 5 status records, see site details.			
C52	*7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN*	*26975 OLD 41 RD | 26975 OLD US HWY 41 RD*	*SE / 0.077 mi., 407 ft.*	*595*
	- ID: Facility ID FL9800973	Status: N/A	Date: N/A	
	- ID: LUST ID FL3313	Status: No Further Action	Date: N/A	
	- ID: Facility ID FL9800973	Status: N/A	Date: N/A	
	- ID: LUST ID FL3182	Status: No Further Action	Date: N/A	
A66	*CONSTANCE & JAMES HARRIS | GLURI INVESTMENTS, INC. | LEXTECH AUTO*	*27683 OLD HWY 41 | 27683 OLD US HWY 41 RD*	*SE / 0.101 mi., 532 ft.*	*692*
	- ID: Facility ID FL8519457	Status: N/A	Date: N/A	
	- ID: LUST ID FL14923	Status: No Further Action	Date: N/A	
H81	*CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH*	*1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD*	*S / 0.113 mi., 598 ft.*	*797*
	- ID: Facility ID FL8518892	Status: N/A	Date: N/A	
	- ID: LUST ID FL14293	Status: No Further Action	Date: N/A	
	- ID: Facility ID FL8518892	Status: N/A	Date: N/A	
	- ID: LUST ID FL17918	Status: No Further Action	Date: N/A	
B95	*NAPLES TOMATO GROWERS | FL5110348 | FL5114116*	*15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH*	*S / 0.142 mi., 749 ft.*	*964*
	- ID: Facility ID FL8518313	Status: N/A	Date: N/A	
	- ID: LUST ID FL22928	Status: No Further Action	Date: N/A	
C146	*LEE CNTY SCHOOL BD-BONITA SPRINGS MS*	*10141 W TERRY ST*	*SE / 0.334 mi., 1765 ft.*	*1229*
	- ID: Facility ID FL8944049	Status: N/A	Date: N/A	
	- ID: LUST ID FL26654	Status: Open	Date: N/A	
G155	*COCONUT RD TRACT*	*US 41*	*NNW / 0.371 mi., 1960 ft.*	*1276*
	- ID: Facility ID FL8942875	Status: N/A	Date: N/A	
	- ID: LUST ID FL27417	Status: No Further Action	Date: N/A	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS *(cont.)*

EPA LUST: Releases listed in the EPA UST Finder database **28 SITES FOUND WITHIN .5 MILE**

LOWER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
H163	*MANLEY FARMS*	*SE CRNR OF US 41 & IMMOKALEE RD*	*S / 0.453 mi., 2390 ft.*	*1309*
	- ID: Facility ID FL8942692	Status: N/A	Date: N/A	
	- ID: LUST ID FL25746	Status: No Further Action	Date: N/A	

LUST - FL: Leaking underground storage tank sites listing **29 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
D12	*CORKSCREW ENERGY LLC | SUNSHINE #16 | CHEVRON*	*8800 CORKSCREW RD*	*N / 0.030 mi., 156 ft.*	*112*
	- ID: Facility ID 9806315	Status: OPEN	Date: N/A	
	- ID: N/A	Status: SRCR COMPLETE	Date: 2011-06-17	
B24	*FORMER GULFSTREAM LUMBER CO | AAC5500 | HD SUPPLY #WB6600*	*16000 OLD US HWY 41*	*SSE / 0.039 mi., 208 ft.*	*257*
	- ID: Facility ID 9802542	Status: CLOSED	Date: N/A	
	- ID: N/A	Status: SRCR COMPLETE	Date: 2014-10-10	
F50	*PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT*	*25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD*	*N / 0.073 mi., 387 ft.*	*490*
	- ID: Facility ID 8519018	Status: OPEN	Date: N/A	
	- ID: N/A	Status: CLEANUP NOT REQUIRED	Date: 2024-05-24	
	- ID: N/A	Status: SRCR COMPLETE	Date: 2024-05-28	
C96	*HOLE IN ONE FAIRWAYS LLC | CIRCLE K #7312 | LA FIESTA*	*10530 ROSEMARY DR*	*SE / 0.142 mi., 751 ft.*	*976*
	- ID: Facility ID 8519083	Status: OPEN	Date: N/A	
	- ID: N/A	Status: SRCR COMPLETE	Date: 2020-07-16	
C100	*FL POWER & LIGHT CO #NAB-545-BONITA CT | FPL BONITA SPRINGS SERVICE CENTER*	*26191 OLD 41 RD | 26191 OID 41 RD SE*	*SE / 0.145 mi., 764 ft.*	*1010*
	- ID: Facility ID 8519462	Status: CLOSED	Date: N/A	
	- ID: N/A	Status: NFA COMPLETE	Date: 2002-06-04	
A105	*CIRCLE K #2709767 | SHELL STATION*	*10460 BONITA BCH RD SE & OLD 41 | 10460 BONITA BEACH RD*	*SSE / 0.156 mi., 824 ft.*	*1027*
	- ID: Facility ID 8622650	Status: OPEN	Date: N/A	
	- ID: N/A	Status: SRCR COMPLETE	Date: 2014-07-03	
B113	*AMERICAN EQUIPMENT*	*15200 OLD US 41 N*	*S / 0.169 mi., 893 ft.*	*1063*
	- ID: Facility ID 8945040	Status: CLOSED	Date: N/A	
	- ID: N/A	Status: NFA COMPLETE	Date: 1996-07-02	
F125	*CIRCLE K #7462*	*24931 S TAMIAMI TR | 24931 S TAMIAMI TRL*	*NNW / 0.207 mi., 1093 ft.*	*1117*
	- ID: Facility ID 8518903	Status: OPEN	Date: N/A	
	- ID: N/A	Status: SRCR COMPLETE	Date: 2020-04-20	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS *(cont.)*

LUST - FL: Leaking underground storage tank sites listing **29 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
D128	*MAYFIELD CORNORS CO LLC | KORESHAN GAS INC*	*21481 S TAMIAMI TRL*	*N / 0.215 mi., 1136 ft.*	*1130*
	- ID: Facility ID 9800466	Status: OPEN	Date: N/A	
	- ID: N/A	Status: SRCR COMPLETE	Date: 2012-10-24	
F129	*7-ELEVEN FOOD STORE #34151*	*24651 OLD 41ST RD*	*NNW / 0.217 mi., 1144 ft.*	*1144*
	- ID: Facility ID 9803198	Status: OPEN	Date: N/A	
	- ID: N/A	Status: SRCR COMPLETE	Date: 2006-01-11	
F140	*LEE CNTY SCHOOL BD-SPRING CREEK ES*	*25571 US HWY 41*	*WNW / 0.272 mi., 1434 ft.*	*1197*
	- ID: Facility ID 8733921	Status: OPEN	Date: N/A	
	- ID: N/A	Status: NFA COMPLETE	Date: 2014-04-07	
I142	*LEECORP HOMES | AAC7548 | LEE CORP HOMES*	*20251 S TAMIAMI TRL | 20251 TAMIAMI TRL S*	*N / 0.285 mi., 1502 ft.*	*1207*
	- ID: Facility ID 8519467	Status: CLOSED	Date: N/A	
	- ID: N/A	Status: SRCR COMPLETE	Date: 2006-12-18	
F145	*7-ELEVEN STORE #34838 | EXXONMOBIL OIL CORP #12581*	*24530 S TAMIAMI TRL*	*NNW / 0.312 mi., 1648 ft.*	*1218*
	- ID: Facility ID 9700582	Status: OPEN	Date: N/A	
	- ID: N/A	Status: RA ONGOING	Date: 2022-07-29	
F148	*AUTO CREDIT OF LEE COUNTY | CONGO RIVER GOLF DEVELOPMENT*	*24270 S TAMIAMI TRL*	*NNW / 0.339 mi., 1792 ft.*	*1242*
	- ID: Facility ID 9101041	Status: CLOSED	Date: N/A	
	- ID: N/A	Status: SRCR COMPLETE	Date: 2018-04-11	
I149	*ZMILLION OIL INC | AAC4007*	*20260 S TAMIAMI TRAIL | 20260 S TAMIAMI TRL | 20260 TAMIAMI TRL*	*N / 0.340 mi., 1798 ft.*	*1251*
	- ID: Facility ID 8518908	Status: OPEN	Date: N/A	
	- ID: N/A	Status: SRCR COMPLETE	Date: 1996-09-12	
	- ID: N/A	Status: SRCR COMPLETE	Date: 1993-09-09	
I157	*AAD4485 | MARCO PROPERTY | BUESING'S SERVICE & REPAIR*	*20170 S TAMIAMI TRL | 20170 TAMIAMI TRL*	*N / 0.390 mi., 2060 ft.*	*1282*
	- ID: Facility ID 8942774	Status: CLOSED	Date: N/A	
	- ID: N/A	Status: SRCR COMPLETE	Date: 2010-03-25	
A164	*NAPLES-FT MYERS KENNEL CLUB | BER | City of Plant City Police Department*	*10601 BONITA BCH RD | 10601 Bonita Beach Road*	*SSE / 0.464 mi., 2448 ft.*	*1315*
	- ID: Facility ID 8627259	Status: OPEN	Date: N/A	
	- ID: N/A	Status: SA ONGOING	Date: 2021-03-17	
	- ID: N/A	Status: SA ONGOING	Date: 2020-12-29	
	- ID: N/A	Status: RA ONGOING	Date: 2023-07-11	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS *(cont.)*

LUST - FL: Leaking underground storage tank sites listing **29 SITES FOUND WITHIN .5 MILE**

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
E14	*BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL*	*27490 OLD 41 RD | 27490 OLD US HWY 41 RD*	*SE / 0.032 mi., 169 ft.*	*131*
	- ID: Facility ID 8627258	Status: OPEN	Date: N/A	
	- ID: N/A	Status: SRCR COMPLETE	Date: 2020-10-06	
C19	*COPE | KWIK PICK CONV STORE*	*27010 OLD US 41*	*SE / 0.036 mi., 192 ft.*	*213*
	- ID: Facility ID 8519466	Status: OPEN	Date: N/A	
	- ID: N/A	Status: SRCR COMPLETE	Date: 2012-03-12	
C31	*PALMER CABLEVISION OF SW FL INC | COMCAST*	*26790 OLD 41 RD | 26790 OLD US HWY 41 RD*	*SE / 0.052 mi., 274 ft.*	*323*
	- ID: Facility ID 8627269	Status: CLOSED	Date: N/A	
	- ID: N/A	Status: SRCR COMPLETE	Date: 1999-04-23	
	- ID: N/A	Status: CLEANUP NOT REQUIRED	Date: 2001-05-29	
C35	*BONITA AUTO SALES INC*	*26750 OLD 41 RD | 26750 OLD US HWY 41 RD*	*SE / 0.058 mi., 306 ft.*	*347*
	- ID: Facility ID 8519464	Status: CLOSED	Date: N/A	
	- ID: N/A	Status: SRCR COMPLETE	Date: 2021-04-29	
C46	*SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840*	*27001 OLD US 41 SE | 27001 OLD US 41*	*SE / 0.070 mi., 369 ft.*	*431*
	- ID: Facility ID 8520477	Status: OPEN	Date: N/A	
	- ID: N/A	Status: NFA COMPLETE	Date: 2009-04-01	
	- ID: N/A	Status: CLEANUP NOT REQUIRED	Date: 2001-05-29	
	- ID: N/A	Status: NFA COMPLETE	Date: 2009-07-17	
	- ID: Facility ID 8520477	Status: OPEN	Date: N/A	
	There are an additional 9 status records, see site details.			
C52	*7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN*	*26975 OLD 41 RD | 26975 OLD US HWY 41 RD*	*SE / 0.077 mi., 407 ft.*	*595*
	- ID: Facility ID 9800973	Status: OPEN	Date: N/A	
	- ID: N/A	Status: SRCR COMPLETE	Date: 2013-11-07	
A66	*CONSTANCE & JAMES HARRIS | GLURI INVESTMENTS, INC. | LEXTECH AUTO*	*27683 OLD HWY 41 | 27683 OLD US HWY 41 RD*	*SE / 0.101 mi., 532 ft.*	*692*
	- ID: Facility ID 8519457	Status: OPEN	Date: N/A	
	- ID: N/A	Status: CLEANUP NOT REQUIRED	Date: 2010-03-25	
H81	*CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH*	*1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD*	*S / 0.113 mi., 598 ft.*	*797*
	- ID: Facility ID 8518892	Status: OPEN	Date: N/A	
	- ID: N/A	Status: NFA COMPLETE	Date: 2017-02-24	
B95	*NAPLES TOMATO GROWERS | FL5110348 | FL5114116*	*15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH*	*S / 0.142 mi., 749 ft.*	*964*
	- ID: Facility ID 8518313	Status: CLOSED	Date: N/A	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS *(cont.)*

LUST - FL: Leaking underground storage tank sites listing **29 SITES FOUND WITHIN .5 MILE**

LOWER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
	- ID: N/A	Status: CLEANUP NOT REQUIRED	Date: 2005-05-24	
C146	*LEE CNTY SCHOOL BD-BONITA SPRINGS MS*	*10141 W TERRY ST*	*SE / 0.334 mi., 1765 ft.*	*1229*
	- ID: Facility ID 8944049	Status: OPEN	Date: N/A	
	- ID: N/A	Status: SRCR COMPLETE	Date: 2019-07-10	
G155	*COCONUT RD TRACT*	*US 41*	*NNW / 0.371 mi., 1960 ft.*	*1276*
	- ID: Facility ID 8942875	Status: CLOSED	Date: N/A	
	- ID: N/A	Status: NFA COMPLETE	Date: 1995-10-10	
H163	*MANLEY FARMS*	*SE CRNR OF US 41 & IMMOKALEE RD*	*S / 0.453 mi., 2390 ft.*	*1309*
	- ID: Facility ID 8942692	Status: OPEN	Date: N/A	
	- ID: N/A	Status: NFA COMPLETE	Date: 1991-08-19	

LAST - FL: Leaking Aboveground Storage Tank Listing **10 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
F50	*PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT*	*25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD*	*N / 0.073 mi., 387 ft.*	*490*
	- ID: Facility ID 8519018	Status: OPEN	Date: N/A	
	- ID: N/A	Status: CLEANUP NOT REQUIRED	Date: 2024-05-24	
	- ID: N/A	Status: SRCR COMPLETE	Date: 2024-05-28	
F140	*LEE CNTY SCHOOL BD-SPRING CREEK ES*	*25571 US HWY 41*	*WNW / 0.272 mi., 1434 ft.*	*1197*
	- ID: Facility ID 8733921	Status: OPEN	Date: N/A	
	- ID: N/A	Status: NFA COMPLETE	Date: 2014-04-07	
A164	*NAPLES-FT MYERS KENNEL CLUB | BER | City of Plant City Police Department*	*10601 BONITA BCH RD | 10601 Bonita Beach Road*	*SSE / 0.464 mi., 2448 ft.*	*1315*
	- ID: Facility ID 8627259	Status: OPEN	Date: N/A	
	- ID: N/A	Status: RA ONGOING	Date: 2023-07-11	
	- ID: N/A	Status: SA ONGOING	Date: 2021-03-17	
	- ID: N/A	Status: SA ONGOING	Date: 2020-12-29	

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
E14	*BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL*	*27490 OLD 41 RD | 27490 OLD US HWY 41 RD*	*SE / 0.032 mi., 169 ft.*	*131*
	- ID: Facility ID 8627258	Status: OPEN	Date: N/A	
	- ID: N/A	Status: SRCR COMPLETE	Date: 2020-10-06	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS *(cont.)*

LAST - FL: Leaking Aboveground Storage Tank Listing **10 SITES FOUND WITHIN .5 MILE**

LOWER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
C19	*COPE | KWIK PICK CONV STORE*	*27010 OLD US 41*	*SE / 0.036 mi., 192 ft.*	*213*
	- ID: Facility ID 8519466	Status: OPEN	Date: N/A	
	- ID: N/A	Status: SRCR COMPLETE	Date: 2012-03-12	
A66	*CONSTANCE & JAMES HARRIS | GLURI INVESTMENTS, INC. | LEXTECH AUTO*	*27683 OLD HWY 41 | 27683 OLD US HWY 41 RD*	*SE / 0.101 mi., 532 ft.*	*692*
	- ID: Facility ID 8519457	Status: OPEN	Date: N/A	
	- ID: N/A	Status: CLEANUP NOT REQUIRED	Date: 2010-03-25	
H81	*CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH*	*1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD*	*S / 0.113 mi., 598 ft.*	*797*
	- ID: Facility ID 8518892	Status: OPEN	Date: N/A	
	- ID: N/A	Status: NFA COMPLETE	Date: 2017-02-24	
C146	*LEE CNTY SCHOOL BD-BONITA SPRINGS MS*	*10141 W TERRY ST*	*SE / 0.334 mi., 1765 ft.*	*1229*
	- ID: Facility ID 8944049	Status: OPEN	Date: N/A	
	- ID: N/A	Status: SRCR COMPLETE	Date: 2019-07-10	
G155	*COCONUT RD TRACT*	*US 41*	*NNW / 0.371 mi., 1960 ft.*	*1276*
	- ID: Facility ID 8942875	Status: CLOSED	Date: N/A	
	- ID: N/A	Status: NFA COMPLETE	Date: 1995-10-10	
H163	*MANLEY FARMS*	*SE CRNR OF US 41 & IMMOKALEE RD*	*S / 0.453 mi., 2390 ft.*	*1309*
	- ID: Facility ID 8942692	Status: OPEN	Date: N/A	
	- ID: N/A	Status: NFA COMPLETE	Date: 1991-08-19	

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS

EPA UST: Facilities listed in the EPA UST Finder database **26 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
B8	*WSFP STUDIOS*	*28950 OLD US 41*	*SSE / 0.023 mi., 121 ft.*	*97*
	- ID: Facility ID FL9400385	Status: Closed UST(s)	Date: N/A	
	- ID: Tank ID FL9400385-1	Status: Closed	Date: Removal Date N/R	
D12	*CORKSCREW ENERGY LLC | SUNSHINE #16 | CHEVRON*	*8800 CORKSCREW RD*	*N / 0.030 mi., 156 ft.*	*112*
	- ID: Facility ID FL9806315	Status: Open UST(s)	Date: N/A	
	- ID: Tank ID FL9806315-1	Status: Open	Date: Removal Date N/R	
	- ID: Tank ID FL9806315-2	Status: Open	Date: Removal Date N/R	
B24	*FORMER GULFSTREAM LUMBER CO | AAC5500 | HD SUPPLY #WB6600*	*16000 OLD US HWY 41*	*SSE / 0.039 mi., 208 ft.*	*257*
	- ID: Facility ID FL9802542	Status: Closed UST(s)	Date: N/A	
	- ID: Tank ID FL9802542-1	Status: Closed	Date: Removal Date N/R	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS *(cont.)*

EPA UST: Facilities listed in the EPA UST Finder database **26 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
F50	*PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT*	*25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD*	*N / 0.073 mi., 387 ft.*	*490*
	- ID: Facility ID FL8519018	Status: Closed UST(s)	Date: N/A	
	- ID: Tank ID FL8519018-1	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8519018-2	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8519018-3	Status: Closed	Date: Removal Date N/R	
C96	*HOLE IN ONE FAIRWAYS LLC | CIRCLE K #7312 | LA FIESTA*	*10530 ROSEMARY DR*	*SE / 0.142 mi., 751 ft.*	*976*
	- ID: Facility ID FL8519083	Status: Open UST(s)	Date: N/A	
	- ID: Tank ID FL8519083-1	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8519083-2	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8519083-3	Status: Open	Date: Removal Date N/R	
	- ID: Tank ID FL8519083-4	Status: Open	Date: Removal Date N/R	
C100	*FL POWER & LIGHT CO #NAB-545-BONITA CT | FPL BONITA SPRINGS SERVICE CENTER*	*26191 OLD 41 RD | 26191 OID 41 RD SE*	*SE / 0.145 mi., 764 ft.*	*1010*
	- ID: Facility ID FL8519462	Status: Closed UST(s)	Date: N/A	
	- ID: Tank ID FL8519462-1	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8519462-2	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8519462-3	Status: Closed	Date: Removal Date N/R	
A105	*CIRCLE K #2709767 | SHELL STATION*	*10460 BONITA BCH RD SE & OLD 41 | 10460 BONITA BEACH RD*	*SSE / 0.156 mi., 824 ft.*	*1027*
	- ID: Facility ID FL8622650	Status: Open UST(s)	Date: N/A	
	- ID: Tank ID FL8622650-1	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8622650-2	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8622650-3	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8622650-4	Status: Closed	Date: Removal Date N/R	
	There are an additional 3 status records, see site details.			
B113	*AMERICAN EQUIPMENT*	*15200 OLD US 41 N*	*S / 0.169 mi., 893 ft.*	*1063*
	- ID: Facility ID FL8945040	Status: Closed UST(s)	Date: N/A	
	- ID: Tank ID FL8945040-1	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8945040-2	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8945040-3	Status: Closed	Date: Removal Date N/R	
F125	*CIRCLE K #7462*	*24931 S TAMIAMI TR | 24931 S TAMIAMI TRL*	*NNW / 0.207 mi., 1093 ft.*	*1117*
	- ID: Facility ID FL8518903	Status: Open UST(s)	Date: N/A	
	- ID: Tank ID FL8518903-1	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8518903-2	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8518903-3	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8518903-4	Status: Closed	Date: Removal Date N/R	
	There are an additional 4 status records, see site details.			
D128	*MAYFIELD CORNORS CO LLC | KORESHAN GAS INC*	*21481 S TAMIAMI TRL*	*N / 0.215 mi., 1136 ft.*	*1130*
	- ID: Facility ID FL9800466	Status: Open UST(s)	Date: N/A	
	- ID: Tank ID FL9800466-1	Status: Open	Date: Removal Date N/R	
	- ID: Tank ID FL9800466-2	Status: Open	Date: Removal Date N/R	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS *(cont.)*

EPA UST: Facilities listed in the EPA UST Finder database **26 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
	- ID: Tank ID FL9800466-3	Status: Open	Date: Removal Date N/R	
F129	*7-ELEVEN FOOD STORE #34151*	*24651 OLD 41ST RD*	*NNW / 0.217 mi., 1144 ft.*	*1144*
	- ID: Facility ID FL9803198	Status: Open UST(s)	Date: N/A	
	- ID: Tank ID FL9803198-1	Status: Open	Date: Removal Date N/R	
	- ID: Tank ID FL9803198-2	Status: Open	Date: Removal Date N/R	
	- ID: Tank ID FL9803198-3	Status: Open	Date: Removal Date N/R	

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
E14	*BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL*	*27490 OLD 41 RD | 27490 OLD US HWY 41 RD*	*SE / 0.032 mi., 169 ft.*	*131*
	- ID: Facility ID FL8627258	Status: Closed UST(s)	Date: N/A	
	- ID: Tank ID FL8627258-1	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8627258-2	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8627258-3	Status: Closed	Date: Removal Date N/R	
C19	*COPE | KWIK PICK CONV STORE*	*27010 OLD US 41*	*SE / 0.036 mi., 192 ft.*	*213*
	- ID: Facility ID FL8519466	Status: Closed UST(s)	Date: N/A	
	- ID: Tank ID FL8519466-1	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8519466-1R1	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8519466-2	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8519466-2R1	Status: Closed	Date: Removal Date N/R	
	There is an additional 1 status record, see site details.			
C23	*ABANDONED LAWHONS GENERAL ST/TEXACO FILLING ST*	*27306 & 27308 OLS 41 RD*	*SE / 0.039 mi., 208 ft.*	*254*
	- ID: Facility ID FL9814845	Status: Closed UST(s)	Date: N/A	
	- ID: Tank ID FL9814845-1	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL9814845-2	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL9814845-3	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL9814845-4	Status: Closed	Date: Removal Date N/R	
	There are an additional 2 status records, see site details.			
A26	*BONITA REPAIR SERVICE*	*27715 INDUSTRIAL ST*	*SSE / 0.044 mi., 231 ft.*	*275*
	- ID: Facility ID FL8733938	Status: Closed UST(s)	Date: N/A	
	- ID: Tank ID FL8733938-1	Status: Closed	Date: Removal Date N/R	
C31	*PALMER CABLEVISION OF SW FL INC | COMCAST*	*26790 OLD 41 RD | 26790 OLD US HWY 41 RD*	*SE / 0.052 mi., 274 ft.*	*323*
	- ID: Facility ID FL8627269	Status: Closed UST(s)	Date: N/A	
	- ID: Tank ID FL8627269-1	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8627269-2	Status: Closed	Date: Removal Date N/R	
C34	*BAMBOO MOBILE VILLAGE*	*27131 OLD 41 RD*	*SE / 0.055 mi., 291 ft.*	*345*
	- ID: Facility ID FL8944100	Status: Closed UST(s)	Date: N/A	
	- ID: Tank ID FL8944100-1	Status: Closed	Date: Removal Date N/R	
C35	*BONITA AUTO SALES INC*	*26750 OLD 41 RD | 26750 OLD US HWY 41 RD*	*SE / 0.058 mi., 306 ft.*	*347*
	- ID: Facility ID FL8519464	Status: Closed UST(s)	Date: N/A	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS *(cont.)*

EPA UST: Facilities listed in the EPA UST Finder database **26 SITES FOUND WITHIN .25 MILE**

LOWER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
	- ID: Tank ID FL8519464-1	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8519464-2	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8519464-3	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8519464-4	Status: Closed	Date: Removal Date N/R	
	There is an additional 1 status record, see site details.			
C46	*SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840*	*27001 OLD US 41 SE | 27001 OLD US 41*	*SE / 0.070 mi., 369 ft.*	*431*
	- ID: Facility ID FL8520477	Status: Open UST(s)	Date: N/A	
	- ID: Tank ID FL8520477-1	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8520477-2	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8520477-3	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8520477-4	Status: Open	Date: Removal Date N/R	
	There is an additional 1 status record, see site details.			
C52	*7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN*	*26975 OLD 41 RD | 26975 OLD US HWY 41 RD*	*SE / 0.077 mi., 407 ft.*	*595*
	- ID: Facility ID FL9800973	Status: Open UST(s)	Date: N/A	
	- ID: Tank ID FL9800973-1	Status: Open	Date: Removal Date N/R	
	- ID: Tank ID FL9800973-2	Status: Open	Date: Removal Date N/R	
	- ID: Tank ID FL9800973-3	Status: Open	Date: Removal Date N/R	
	- ID: Tank ID FL9800973-4	Status: Closed	Date: Removal Date N/R	
C58	*BONITA RENT ALL & SALES CO*	*26891 OLD 41 RD*	*SE / 0.086 mi., 456 ft.*	*647*
	- ID: Facility ID FL8627268	Status: Closed UST(s)	Date: N/A	
	- ID: Tank ID FL8627268-2	Status: Closed	Date: Removal Date N/R	
E60	*LEE CNTY SHERIFF DEPT-SUBSTATION*	*10520 REYNOLDS ST*	*SE / 0.090 mi., 477 ft.*	*653*
	- ID: Facility ID FL8630864	Status: Closed UST(s)	Date: N/A	
	- ID: Tank ID FL8630864-1	Status: Closed	Date: Removal Date N/R	
A66	*CONSTANCE & JAMES HARRIS | GLURI INVESTMENTS, INC. | LEXTECH AUTO*	*27683 OLD HWY 41 | 27683 OLD US HWY 41 RD*	*SE / 0.101 mi., 532 ft.*	*692*
	- ID: Facility ID FL8519457	Status: Closed UST(s)	Date: N/A	
	- ID: Tank ID FL8519457-1	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8519457-1R1	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8519457-2	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8519457-2R1	Status: Closed	Date: Removal Date N/R	
	There are an additional 5 status records, see site details.			
A69	*CAUSEWAY LUMBER CO | MIKES AUTO REPAIR | OLD 41 VETERINARY EMERGENCY CLINIC INC*	*28280 OLD US 41 RD | 28380 OLD 41 RD | 28380 OLD 41 RD #6B*	*SSE / 0.103 mi., 544 ft.*	*706*
	- ID: Facility ID FL8519469	Status: Closed UST(s)	Date: N/A	
	- ID: Tank ID FL8519469-1	Status: Closed	Date: Removal Date N/R	
H81	*CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH*	*1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD*	*S / 0.113 mi., 598 ft.*	*797*
	- ID: Facility ID FL8518892	Status: Closed UST(s)	Date: N/A	
	- ID: Tank ID FL8518892-1	Status: Closed	Date: Removal Date N/R	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS *(cont.)*

EPA UST: Facilities listed in the EPA UST Finder database **26 SITES FOUND WITHIN .25 MILE**

LOWER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
	- ID: Tank ID FL8518892-2	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8518892-3	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8518892-4	Status: Closed	Date: Removal Date N/R	
B95	*NAPLES TOMATO GROWERS | FL5110348 | FL5114116*	*15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH*	*S / 0.142 mi., 749 ft.*	*964*
	- ID: Facility ID FL8518313	Status: Closed UST(s)	Date: N/A	
	- ID: Tank ID FL8518313-1	Status: Closed	Date: Removal Date N/R	
	- ID: Tank ID FL8518313-2	Status: Closed	Date: Removal Date N/R	

UST - FL: Underground storage tank listing **27 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
B8	*WSFP STUDIOS*	*28950 OLD US 41*	*SSE / 0.023 mi., 121 ft.*	*97*
	- ID: Facility ID 9400385	Status: CLOSED	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: 1993-09-30	
D12	*CORKSCREW ENERGY LLC | SUNSHINE #16 | CHEVRON*	*8800 CORKSCREW RD*	*N / 0.030 mi., 156 ft.*	*112*
	- ID: Facility ID 9806315	Status: OPEN	Date: N/A	
	- ID: Tank ID 1	Status: In Service	Date: 2003-08-01	
	- ID: Tank ID 2	Status: In Service	Date: 2003-08-01	
B24	*FORMER GULFSTREAM LUMBER CO | AAC5500 | HD SUPPLY #WB6600*	*16000 OLD US HWY 41*	*SSE / 0.039 mi., 208 ft.*	*257*
	- ID: Facility ID 9802542	Status: CLOSED	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: 2000-02-14	
F50	*PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT*	*25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD*	*N / 0.073 mi., 387 ft.*	*490*
	- ID: Facility ID 8519018	Status: OPEN	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: 1999-05-01	
	- ID: Tank ID 2	Status: Removed from Site	Date: 1999-05-01	
	- ID: Tank ID 3	Status: Removed from Site	Date: 1995-05-01	
C96	*HOLE IN ONE FAIRWAYS LLC | CIRCLE K #7312 | LA FIESTA*	*10530 ROSEMARY DR*	*SE / 0.142 mi., 751 ft.*	*976*
	- ID: Facility ID 8519083	Status: OPEN	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: 1996-03-12	
	- ID: Tank ID 2	Status: Removed from Site	Date: 1996-03-12	
	- ID: Tank ID 3	Status: In Service	Date: 1996-03-01	
	- ID: Tank ID 4	Status: In Service	Date: 1996-03-01	
C100	*FL POWER & LIGHT CO #NAB-545-BONITA CT | FPL BONITA SPRINGS SERVICE CENTER*	*26191 OLD 41 RD | 26191 OID 41 RD SE*	*SE / 0.145 mi., 764 ft.*	*1010*
	- ID: Facility ID 8519462	Status: CLOSED	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: 1995-01-01	
	- ID: Tank ID 2	Status: Removed from Site	Date: 1995-01-01	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS *(cont.)*

UST - FL: Underground storage tank listing **27 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
	- ID: Tank ID 3	Status: Removed from Site	Date: 1995-01-01	
A105	*CIRCLE K #2709767 | SHELL STATION*	*10460 BONITA BCH RD SE & OLD 41 | 10460 BONITA BEACH RD*	*SSE / 0.156 mi., 824 ft.*	*1027*
	- ID: Facility ID 8622650	Status: OPEN	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: 2004-11-01	
	- ID: Tank ID 2	Status: Removed from Site	Date: 2004-11-01	
	- ID: Tank ID 3	Status: Removed from Site	Date: 2004-11-01	
	- ID: Tank ID 4	Status: Removed from Site	Date: 2004-11-01	
	There are an additional 3 status records, see site details.			
B113	*AMERICAN EQUIPMENT*	*15200 OLD US 41 N*	*S / 0.169 mi., 893 ft.*	*1063*
	- ID: Facility ID 8945040	Status: CLOSED	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: 1989-09-30	
	- ID: Tank ID 2	Status: Removed from Site	Date: 1989-09-30	
	- ID: Tank ID 3	Status: Removed from Site	Date: 1989-09-30	
F125	*CIRCLE K #7462*	*24931 S TAMIAMI TR | 24931 S TAMIAMI TRL*	*NNW / 0.207 mi., 1093 ft.*	*1117*
	- ID: Facility ID 8518903	Status: OPEN	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: 1995-11-01	
	- ID: Tank ID 2	Status: Removed from Site	Date: 1995-11-01	
	- ID: Tank ID 3	Status: Removed from Site	Date: 1995-11-01	
	- ID: Tank ID 4	Status: Removed from Site	Date: 1995-11-01	
	There are an additional 4 status records, see site details.			
D128	*MAYFIELD CORNORS CO LLC | KORESHAN GAS INC*	*21481 S TAMIAMI TRL*	*N / 0.215 mi., 1136 ft.*	*1130*
	- ID: Facility ID 9800466	Status: OPEN	Date: N/A	
	- ID: Tank ID 1	Status: In Service	Date: 1997-09-01	
	- ID: Tank ID 2	Status: In Service	Date: 1997-09-01	
	- ID: Tank ID 3	Status: In Service	Date: 1997-09-01	
F129	*7-ELEVEN FOOD STORE #34151*	*24651 OLD 41ST RD*	*NNW / 0.217 mi., 1144 ft.*	*1144*
	- ID: Facility ID 9803198	Status: OPEN	Date: N/A	
	- ID: Tank ID 1	Status: In Service	Date: 2000-04-01	
	- ID: Tank ID 2	Status: In Service	Date: 2000-04-01	
	- ID: Tank ID 3	Status: In Service	Date: 2000-04-01	

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
E14	*BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL*	*27490 OLD 41 RD | 27490 OLD US HWY 41 RD*	*SE / 0.032 mi., 169 ft.*	*131*
	- ID: Facility ID 8627258	Status: OPEN	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: 1993-10-31	
	- ID: Tank ID 2	Status: Removed from Site	Date: 1993-10-31	
	- ID: Tank ID 3	Status: Removed from Site	Date: 1993-10-31	
C19	*COPE | KWIK PICK CONV STORE*	*27010 OLD US 41*	*SE / 0.036 mi., 192 ft.*	*213*
	- ID: Facility ID 8519466	Status: OPEN	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: 1987-08-31	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS *(cont.)*

UST - FL: Underground storage tank listing **27 SITES FOUND WITHIN .25 MILE**

LOWER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
	- ID: Tank ID 1R1	Status: Removed from Site	Date: 1992-11-30	
	- ID: Tank ID 2	Status: Removed from Site	Date: 1987-08-31	
	- ID: Tank ID 2R1	Status: Removed from Site	Date: 1992-11-30	
	There is an additional 1 status record, see site details.			
C23	*ABANDONED LAWHONS GENERAL ST/TEXACO FILLING ST*	*27306 & 27308 OLS 41 RD*	*SE / 0.039 mi., 208 ft.*	*254*
	- ID: Facility ID 9814845	Status: CLOSED	Date: N/A	
	- ID: Tank ID 1	Status: Closed In Place	Date: 2015-11-01	
	- ID: Tank ID 2	Status: Closed In Place	Date: 2015-12-04	
	- ID: Tank ID 3	Status: Closed In Place	Date: 2015-11-01	
	- ID: Tank ID 4	Status: Closed In Place	Date: 2015-12-04	
	There are an additional 2 status records, see site details.			
A26	*BONITA REPAIR SERVICE*	*27715 INDUSTRIAL ST*	*SSE / 0.044 mi., 231 ft.*	*275*
	- ID: Facility ID 8733938	Status: CLOSED	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: 1989-12-31	
C31	*PALMER CABLEVISION OF SW FL INC | COMCAST*	*26790 OLD 41 RD | 26790 OLD US HWY 41 RD*	*SE / 0.052 mi., 274 ft.*	*323*
	- ID: Facility ID 8627269	Status: CLOSED	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: N/R	
	- ID: Tank ID 2	Status: Removed from Site	Date: N/R	
C34	*BAMBOO MOBILE VILLAGE*	*27131 OLD 41 RD*	*SE / 0.055 mi., 291 ft.*	*345*
	- ID: Facility ID 8944100	Status: CLOSED	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: 1993-05-31	
C35	*BONITA AUTO SALES INC*	*26750 OLD 41 RD | 26750 OLD US HWY 41 RD*	*SE / 0.058 mi., 306 ft.*	*347*
	- ID: Facility ID 8519464	Status: CLOSED	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: 1999-11-01	
	- ID: Tank ID 2	Status: Removed from Site	Date: 1999-11-01	
	- ID: Tank ID 3	Status: Removed from Site	Date: 1999-11-01	
	- ID: Tank ID 4	Status: Removed from Site	Date: 1999-11-01	
	There is an additional 1 status record, see site details.			
C46	*SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840*	*27001 OLD US 41 SE | 27001 OLD US 41*	*SE / 0.070 mi., 369 ft.*	*431*
	- ID: Facility ID 8520477	Status: OPEN	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: 2007-07-30	
	- ID: Tank ID 2	Status: Removed from Site	Date: 2007-07-30	
	- ID: Tank ID 3	Status: Removed from Site	Date: 2007-07-30	
	- ID: Tank ID 4	Status: In Service	Date: 2007-07-01	
	There is an additional 1 status record, see site details.			
C47	BENSONS GROCERY STORE	27301 OLD 41 RD	SE / 0.070 mi., 369 ft.	*456*
	- ID: Facility ID 9814942	Status: CLOSED	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: 2016-02-01	
	- ID: Tank ID 2	Status: Removed from Site	Date: 2016-02-01	
	- ID: Tank ID 3	Status: Removed from Site	Date: 2016-02-01	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS *(cont.)*

UST - FL: Underground storage tank listing **27 SITES FOUND WITHIN .25 MILE**

LOWER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
C52	*7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN*	*26975 OLD 41 RD | 26975 OLD US HWY 41 RD*	*SE / 0.077 mi., 407 ft.*	*595*
	- ID: Facility ID 9800973	Status: OPEN	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: 2022-03-09	
	- ID: Tank ID 2	Status: Removed from Site	Date: 2022-03-09	
	- ID: Tank ID 3	Status: Removed from Site	Date: 2022-03-09	
	- ID: Tank ID 4	Status: Removed from Site	Date: 2022-03-15	
	There are an additional 2 status records, see site details.			
C58	*BONITA RENT ALL & SALES CO*	*26891 OLD 41 RD*	*SE / 0.086 mi., 456 ft.*	*647*
	- ID: Facility ID 8627268	Status: CLOSED	Date: N/A	
	- ID: Tank ID 1	Status: Closed In Place	Date: N/R	
	- ID: Tank ID 2	Status: Closed In Place	Date: N/R	
E60	*LEE CNTY SHERIFF DEPT-SUBSTATION*	*10520 REYNOLDS ST*	*SE / 0.090 mi., 477 ft.*	*653*
	- ID: Facility ID 8630864	Status: CLOSED	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: 1987-02-28	
A66	*CONSTANCE & JAMES HARRIS | GLURI INVESTMENTS, INC. | LEXTECH AUTO*	*27683 OLD HWY 41 | 27683 OLD US HWY 41 RD*	*SE / 0.101 mi., 532 ft.*	*692*
	- ID: Facility ID 8519457	Status: OPEN	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: 1988-09-30	
	- ID: Tank ID 1R1	Status: Removed from Site	Date: 1993-05-31	
	- ID: Tank ID 2	Status: Removed from Site	Date: 1988-09-30	
	- ID: Tank ID 2R1	Status: Removed from Site	Date: 1993-05-31	
	There are an additional 5 status records, see site details.			
A69	*CAUSEWAY LUMBER CO | MIKES AUTO REPAIR | OLD 41 VETERINARY EMERGENCY CLINIC INC*	*28280 OLD US 41 RD | 28380 OLD 41 RD | 28380 OLD 41 RD #6B*	*SSE / 0.103 mi., 544 ft.*	*706*
	- ID: Facility ID 8519469	Status: CLOSED	Date: N/A	
	- ID: Tank ID 1	Status: Closed In Place	Date: N/R	
H81	*CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH*	*1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD*	*S / 0.113 mi., 598 ft.*	*797*
	- ID: Facility ID 8518892	Status: OPEN	Date: N/A	
	- ID: Tank ID 1	Status: Closed In Place	Date: 1997-04-01	
	- ID: Tank ID 2	Status: Closed In Place	Date: 1997-04-01	
	- ID: Tank ID 3	Status: Closed In Place	Date: 1997-04-01	
	- ID: Tank ID 4	Status: Removed from Site	Date: 1992-05-31	
B95	*NAPLES TOMATO GROWERS | FL5110348 | FL5114116*	*15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH*	*S / 0.142 mi., 749 ft.*	*964*
	- ID: Facility ID 8518313	Status: CLOSED	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: 1990-07-31	
	- ID: Tank ID 2	Status: Removed from Site	Date: 1990-07-31	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS *(cont.)*

AST - FL: Aboveground storage tank listing **15 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
D30	*PUBLIX SUPER MARKET #614 | PUBLIX | Publix ESP*	*21301 S TAMIAMI TRL STE 200 | 21301 S TAMIAMI TRAIL STE 200*	*N / 0.052 mi., 274 ft.*	*307*
	- ID: Facility ID 9808812	Status: OPEN	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: 2021-04-28	
	- ID: Tank ID 2	Status: In Service	Date: 2021-04-01	
F50	*PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT*	*25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD*	*N / 0.073 mi., 387 ft.*	*490*
	- ID: Facility ID 8519018	Status: OPEN	Date: N/A	
	- ID: Tank ID 4	Status: In Service	Date: N/R	
	- ID: Tank ID 5	Status: In Service	Date: N/R	
	- ID: Tank ID 6	Status: In Service	Date: 2000-07-01	
G51	*TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384*	*8040 MEDITERRANEAN DR | 8040?Mediterranean?Dr*	*N / 0.077 mi., 405 ft.*	*560*
	- ID: Facility ID 9817019	Status: OPEN	Date: N/A	
	- ID: Tank ID 1	Status: In Service	Date: 2019-05-22	
F62	*BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC*	*25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail*	*NNW / 0.096 mi., 509 ft.*	*656*
	- ID: Facility ID 9401166	Status: OPEN	Date: N/A	
	- ID: Tank ID 1	Status: In Service	Date: 1998-11-05	
	- ID: Tank ID 2	Status: In Service	Date: 2015-02-01	
	- ID: Tank ID 95TK-3	Status: Removed from Site	Date: 2015-01-01	
	- ID: Tank ID ACID1	Status: In Service	Date: 2014-02-01	
G78	*LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT*	*23450 VIA COCONUT POINT | 23450 VIA COCONUT PT*	*N / 0.110 mi., 579 ft.*	*754*
	- ID: Facility ID 9816100	Status: OPEN	Date: N/A	
	- ID: Tank ID 1	Status: In Service	Date: 2018-01-01	
	- ID: Tank ID 2	Status: In Service	Date: 2018-01-01	
F79	*SUMMIT BROADBAND INC.*	*24017 PRODUCTION CIR*	*NNW / 0.110 mi., 580 ft.*	*793*
	- ID: Facility ID 9815652	Status: OPEN	Date: N/A	
	- ID: Tank ID SW1	Status: In Service	Date: 2017-06-02	
G97	*SPRING RUN GOLF COURSE MAINTENANCE*	*9350 SPRING RUN BLVD*	*N / 0.143 mi., 753 ft.*	*990*
	- ID: Facility ID 9801048	Status: OPEN	Date: N/A	
	- ID: Tank ID 1	Status: In Service	Date: 1998-10-01	
F106	*MODERN RECYCLING INC OF FL*	*24297 PRODUCTION CR*	*NNW / 0.156 mi., 825 ft.*	*1046*
	- ID: Facility ID 9502622	Status: CLOSED	Date: N/A	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS *(cont.)*

AST - FL: Aboveground storage tank listing **15 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
	- ID: Tank ID 1	Status: Removed from Site	Date: 2010-09-01	
	- ID: Tank ID 2	Status: Removed from Site	Date: 2010-09-01	
D133	*ESTERO BAY PRESERVE STATE PARK | STATE PARK-KORESHAN*	*US 41 AND CORKSCREW RD*	*N / 0.235 mi., 1242 ft.*	*1157*
	- ID: Facility ID 8943398	Status: CLOSED	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: 1989-05-31	
	- ID: Tank ID 2	Status: Removed from Site	Date: 1989-05-31	

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
E14	*BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL*	*27490 OLD 41 RD | 27490 OLD US HWY 41 RD*	*SE / 0.032 mi., 169 ft.*	*131*
	- ID: Facility ID 8627258	Status: OPEN	Date: N/A	
	- ID: Tank ID 4	Status: In Service	Date: 1993-12-01	
C19	*COPE | KWIK PICK CONV STORE*	*27010 OLD US 41*	*SE / 0.036 mi., 192 ft.*	*213*
	- ID: Facility ID 8519466	Status: OPEN	Date: N/A	
	- ID: Tank ID 4	Status: In Service	Date: N/R	
A66	*CONSTANCE & JAMES HARRIS | GLURI INVESTMENTS, INC. | LEXTECH AUTO*	*27683 OLD HWY 41 | 27683 OLD US HWY 41 RD*	*SE / 0.101 mi., 532 ft.*	*692*
	- ID: Facility ID 8519457	Status: OPEN	Date: N/A	
	- ID: Tank ID 6	Status: Out of Service	Date: 1991-12-31	
A69	*CAUSEWAY LUMBER CO | MIKES AUTO REPAIR | OLD 41 VETERINARY EMERGENCY CLINIC INC*	*28280 OLD US 41 RD | 28380 OLD 41 RD | 28380 OLD 41 RD #6B*	*SSE / 0.103 mi., 544 ft.*	*706*
	- ID: Facility ID 8519469	Status: CLOSED	Date: N/A	
	- ID: Tank ID 2	Status: Closed In Place	Date: 1991-03-31	
	- ID: Tank ID 3	Status: Closed In Place	Date: 1991-03-31	
	- ID: Tank ID 4	Status: Removed from Site	Date: 2009-10-01	
H81	*CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH*	*1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD*	*S / 0.113 mi., 598 ft.*	*797*
	- ID: Facility ID 8518892	Status: OPEN	Date: N/A	
	- ID: Tank ID 1R1	Status: In Service	Date: 1997-01-01	
	- ID: Tank ID 5	Status: Removed from Site	Date: 1990-09-30	
	- ID: Tank ID 6	Status: Removed from Site	Date: 1997-04-01	
A85	*GRIFFITH PAVING*	*10461 SOUTHLAND DR*	*SSE / 0.121 mi., 636 ft.*	*886*
	- ID: Facility ID 9808348	Status: CLOSED	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: 2014-02-01	

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS *(cont.)*

HIST UST - FL: List of underground storage tanks that is no longer in current agency list. **1 SITE FOUND WITHIN .25 MILE**

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
C46	*SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840*	*27001 OLD US 41 SE | 27001 OLD US 41*	*SE / 0.070 mi., 369 ft.*	*431*
	- ID: Facility ID 8520477	Status: OPEN	Date: N/A	
	- ID: Tank ID 5	Status: In Service	Date: 2007-07-01	
	- ID: Tank ID 4	Status: In Service	Date: 2007-07-01	

HIST AST - FL: List of aboveground storage tank that are no longer in current agency list. **1 SITE FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
F62	*BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC*	*25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail*	*NNW / 0.096 mi., 509 ft.*	*656*
	- ID: Facility ID 9401166	Status: OPEN	Date: N/A	
	- ID: Tank ID ACID1	Status: Out of Service	Date: 2009-09-04	
	- ID: Tank ID 95TK-3	Status: In Service	Date: 2001-04-01	
	- ID: Tank ID 1	Status: In Service	Date: 1998-11-05	

ADDITIONAL ENVIRONMENTAL RECORDS

LOCAL LISTS OF LANDFILL / SOLID WASTE DISPOSAL SITES

SWRCY - FL: Permitted recycling centers **9 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
B20	*SOUTH FLORIDA EXCAVATION, INC. | SOUTH FLORIDA EXCAVATION, INC CRUSHER #2*	*1455 RAIL HEAD BLVD STE 3 | 1455 RAIL HEAD BLVD*	*SSE / 0.037 mi., 196 ft.*	*225*
	- ID: Facility ID 108066	Status: INACTIVE (I)	Date: N/A	
B27	RELIABLE DISPOSAL & RECYCLING INC | RAILHEAD RECYCLING @ OLD 41	1401 RAIL HEAD BLVD STE B	S / 0.045 mi., 240 ft.	*277*
	- ID: Facility ID 105767	Status: ACTIVE (A)	Date: N/A	
F84	*FORESTRY RESOURCES INC | FORESTRY RESOURCES, INC. - BONITA*	*25211 OLD 41 RD*	*NNE / 0.120 mi., 634 ft.*	*880*
	- ID: Facility ID 95174	Status: ACTIVITY NOT PERMITTED/REGISTERED (N)	Date: N/A	
F119	*COASTAL LANDSCAPE SUPPLY OF BONITA | COASTAL LANDSCAPE SUPPLY OF BONITA - PRODUCTION CIRCLE*	*24226 PRODUCTION CIR*	*NNW / 0.186 mi., 980 ft.*	*1090*
	- ID: Facility ID 99108	Status: REGISTERED (R)	Date: N/A	

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

LOCAL LISTS OF LANDFILL / SOLID WASTE DISPOSAL SITES *(cont.)*

SWRCY - FL: Permitted recycling centers **9 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
F124	MODERN RECYCLING INC. OF FLORIDA	24296 PRODUCTION CIRCLE	NNW / 0.200 mi., 1055 ft.	*1116*
	- ID: Facility ID 89584	Status: CLOSED, NO GW MONITORING (J)	Date: N/A	
	- ID: Facility ID 89584	Status: INACTIVE (I)	Date: N/A	
I154	*AAC5389 | GREENWAY LANDSCAPE SUPPLY*	*20190 S TAMIAMI TRL | 20190 TAMIAMI TRAIL | 20190 TAMIAMI TRL S*	*N / 0.364 mi., 1921 ft.*	*1270*
	- ID: Facility ID 95357	Status: CLOSED, NO GW MONITORING (J)	Date: N/A	
F161	COASTAL LANDSCAPE SUPPLY OF BONITA	24300 S Tamiami Trl	NNW / 0.431 mi., 2278 ft.	*1304*
	- ID: Facility ID 98565	Status: CLOSED, NO GW MONITORING (J)	Date: N/A	

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
C38	SCOTTISH VENTURES LLC	26740 OLD US-41	SE / 0.065 mi., 344 ft.	*367*
	- ID: Facility ID 98881	Status: INACTIVE (I)	Date: N/A	
A66	*CONSTANCE & JAMES HARRIS | GLURI INVESTMENTS, INC. | LEXTECH AUTO*	*27683 OLD HWY 41 | 27683 OLD US HWY 41 RD*	*SE / 0.101 mi., 532 ft.*	*692*
	- ID: Facility ID 102729	Status: REGISTERED (R)	Date: N/A	

LOCAL LISTS OF HAZARDOUS WASTE / CONTAMINATED SITES

DWM CONTAM - FL: Listing of known contaminated sites (primarily petroleum and drycleaning) **29 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
D12	*CORKSCREW ENERGY LLC | SUNSHINE #16 | CHEVRON*	*8800 CORKSCREW RD*	*N / 0.030 mi., 156 ft.*	*112*
	- ID: Facility ID 9806315	Status: OPEN	Date: N/A	
B24	*FORMER GULFSTREAM LUMBER CO | AAC5500 | HD SUPPLY #WB6600*	*16000 OLD US HWY 41*	*SSE / 0.039 mi., 208 ft.*	*257*
	- ID: Facility ID 9802542	Status: CLOSED	Date: N/A	
F50	*PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT*	*25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD*	*N / 0.073 mi., 387 ft.*	*490*
	- ID: Facility ID 8519018	Status: OPEN	Date: N/A	
C96	*HOLE IN ONE FAIRWAYS LLC | CIRCLE K #7312 | LA FIESTA*	*10530 ROSEMARY DR*	*SE / 0.142 mi., 751 ft.*	*976*
	- ID: Facility ID 8519083	Status: OPEN	Date: N/A	

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

LOCAL LISTS OF HAZARDOUS WASTE / CONTAMINATED SITES *(cont.)*

DWM CONTAM - FL: Listing of known contaminated sites (primarily petroleum and drycleaning) **29 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
C100	*FL POWER & LIGHT CO #NAB-545-BONITA CT | FPL BONITA SPRINGS SERVICE CENTER*	*26191 OLD 41 RD | 26191 OID 41 RD SE*	*SE / 0.145 mi., 764 ft.*	*1010*
	- ID: Facility ID 8519462	Status: CLOSED	Date: N/A	
A105	*CIRCLE K #2709767 | SHELL STATION*	*10460 BONITA BCH RD SE & OLD 41 | 10460 BONITA BEACH RD*	*SSE / 0.156 mi., 824 ft.*	*1027*
	- ID: Facility ID 8622650	Status: OPEN	Date: N/A	
B113	*AMERICAN EQUIPMENT*	*15200 OLD US 41 N*	*S / 0.169 mi., 893 ft.*	*1063*
	- ID: Facility ID 8945040	Status: CLOSED	Date: N/A	
F125	*CIRCLE K #7462*	*24931 S TAMIAMI TR | 24931 S TAMIAMI TRL*	*NNW / 0.207 mi., 1093 ft.*	*1117*
	- ID: Facility ID 8518903	Status: OPEN	Date: N/A	
D128	*MAYFIELD CORNORS CO LLC | KORESHAN GAS INC*	*21481 S TAMIAMI TRL*	*N / 0.215 mi., 1136 ft.*	*1130*
	- ID: Facility ID 9800466	Status: OPEN	Date: N/A	
F129	*7-ELEVEN FOOD STORE #34151*	*24651 OLD 41ST RD*	*NNW / 0.217 mi., 1144 ft.*	*1144*
	- ID: Facility ID 9803198	Status: OPEN	Date: N/A	
F140	*LEE CNTY SCHOOL BD-SPRING CREEK ES*	*25571 US HWY 41*	*WNW / 0.272 mi., 1434 ft.*	*1197*
	- ID: Facility ID 8733921	Status: OPEN	Date: N/A	
I142	*LEECORP HOMES | AAC7548 | LEE CORP HOMES*	*20251 S TAMIAMI TRL | 20251 TAMIAMI TRL S*	*N / 0.285 mi., 1502 ft.*	*1207*
	- ID: Facility ID 8519467	Status: CLOSED	Date: N/A	
F145	*7-ELEVEN STORE #34838 | EXXONMOBIL OIL CORP #12581*	*24530 S TAMIAMI TRL*	*NNW / 0.312 mi., 1648 ft.*	*1218*
	- ID: Facility ID 9700582	Status: OPEN	Date: N/A	
F148	*AUTO CREDIT OF LEE COUNTY | CONGO RIVER GOLF DEVELOPMENT*	*24270 S TAMIAMI TRL*	*NNW / 0.339 mi., 1792 ft.*	*1242*
	- ID: Facility ID 9101041	Status: CLOSED	Date: N/A	
I149	*ZMILLION OIL INC | AAC4007*	*20260 S TAMIAMI TRAIL | 20260 S TAMIAMI TRL | 20260 TAMIAMI TRL*	*N / 0.340 mi., 1798 ft.*	*1251*
	- ID: Facility ID 8518908	Status: OPEN	Date: N/A	
I157	*AAD4485 | MARCO PROPERTY | BUESING'S SERVICE & REPAIR*	*20170 S TAMIAMI TRL | 20170 TAMIAMI TRL*	*N / 0.390 mi., 2060 ft.*	*1282*
	- ID: Facility ID 8942774	Status: CLOSED	Date: N/A	

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

LOCAL LISTS OF HAZARDOUS WASTE / CONTAMINATED SITES *(cont.)*

DWM CONTAM - FL: Listing of known contaminated sites (primarily petroleum and drycleaning) **29 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
A164	*NAPLES-FT MYERS KENNEL CLUB | BER | City of Plant City Police Department*	*10601 BONITA BCH RD | 10601 Bonita Beach Road*	*SSE / 0.464 mi., 2448 ft.*	*1315*
	- ID: Facility ID 8627259	Status: OPEN	Date: N/A	

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
E14	*BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL*	*27490 OLD 41 RD | 27490 OLD US HWY 41 RD*	*SE / 0.032 mi., 169 ft.*	*131*
	- ID: Facility ID 8627258	Status: OPEN	Date: N/A	
C19	*COPE | KWIK PICK CONV STORE*	*27010 OLD US 41*	*SE / 0.036 mi., 192 ft.*	*213*
	- ID: Facility ID 8519466	Status: OPEN	Date: N/A	
C31	*PALMER CABLEVISION OF SW FL INC | COMCAST*	*26790 OLD 41 RD | 26790 OLD US HWY 41 RD*	*SE / 0.052 mi., 274 ft.*	*323*
	- ID: Facility ID 8627269	Status: CLOSED	Date: N/A	
C35	*BONITA AUTO SALES INC*	*26750 OLD 41 RD | 26750 OLD US HWY 41 RD*	*SE / 0.058 mi., 306 ft.*	*347*
	- ID: Facility ID 8519464	Status: CLOSED	Date: N/A	
C46	*SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840*	*27001 OLD US 41 SE | 27001 OLD US 41*	*SE / 0.070 mi., 369 ft.*	*431*
	- ID: Facility ID 8520477	Status: OPEN	Date: N/A	
C52	*7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN*	*26975 OLD 41 RD | 26975 OLD US HWY 41 RD*	*SE / 0.077 mi., 407 ft.*	*595*
	- ID: Facility ID 9800973	Status: OPEN	Date: N/A	
A66	*CONSTANCE & JAMES HARRIS | GLURI INVESTMENTS, INC. | LEXTECH AUTO*	*27683 OLD HWY 41 | 27683 OLD US HWY 41 RD*	*SE / 0.101 mi., 532 ft.*	*692*
	- ID: Facility ID 8519457	Status: OPEN	Date: N/A	
H81	*CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH*	*1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD*	*S / 0.113 mi., 598 ft.*	*797*
	- ID: Facility ID 8518892	Status: OPEN	Date: N/A	
B95	*NAPLES TOMATO GROWERS | FL5110348 | FL5114116*	*15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH*	*S / 0.142 mi., 749 ft.*	*964*
	- ID: Facility ID 8518313	Status: CLOSED	Date: N/A	
C146	*LEE CNTY SCHOOL BD-BONITA SPRINGS MS*	*10141 W TERRY ST*	*SE / 0.334 mi., 1765 ft.*	*1229*
	- ID: Facility ID 8944049	Status: OPEN	Date: N/A	

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

LOCAL LISTS OF HAZARDOUS WASTE / CONTAMINATED SITES *(cont.)*

DWM CONTAM - FL: Listing of known contaminated sites (primarily petroleum and drycleaning) **29 SITES FOUND WITHIN .5 MILE**

LOWER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
G155	*COCONUT RD TRACT*	*US 41*	*NNW / 0.371 mi., 1960 ft.*	*1276*
	- ID: Facility ID 8942875	Status: CLOSED	Date: N/A	
H163	*MANLEY FARMS*	*SE CRNR OF US 41 & IMMOKALEE RD*	*S / 0.453 mi., 2390 ft.*	*1309*
	- ID: Facility ID 8942692	Status: OPEN	Date: N/A	

RESP PARTY - FL: Responsible party waste cleanups - Open, Closed, Inactive **3 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
B25	*LEISURE FURNITURE & VINYL SERVICE*	*16990 OLD HWY 41 & BOX 1 | 16990 OLD HIGHWAY 41 N | 16990 OLD HWY 41*	*SSE / 0.042 mi., 223 ft.*	*264*
	- ID: Project ID 325128	Status: CLOSED	Date: ISDR Date 2010-12-22	

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
A101	*MEDIAONE FACILITY (AKA COLONY, PALMER:SEE 93835 & 222576)*	*27820 OLD 41 RD*	*SSE / 0.148 mi., 783 ft.*	*1016*
	- ID: Project ID 233147	Status: CLOSED	Date: ISDR Date 1992-12-07	
H141	*LAKE SAN MARINO RV RESORT*	*1000 WIGGINS PASS ROAD*	*S / 0.284 mi., 1501 ft.*	*1205*
	- ID: Project ID 72282	Status: CLOSED	Date: ISDR Date 1992-05-06	

RECORDS OF EMERGENCY RELEASE REPORTS

SPILLS - FL: Listing of chemical spills and incidents referred to the emergency response unit **10 SITES FOUND WITHIN .125 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
B22	*SERVICE PAINTING OF FLORIDA INC | EPA | Environmental Protection Agency*	*1447 RAIL HEAD BLVD | 1447 RAIL HEAD BLVD UNIT 8*	*SSE / 0.039 mi., 205 ft.*	*239*
	- ID: 60351	Status: Pending-DM	Date: 2018-03-29	
C33	*ETURA CORP | ETURA, INC. (DBA MARBLE FANTASY) | Responsible Party*	*26340 OLD 41 RD*	*SE / 0.054 mi., 287 ft.*	*338*
	- ID: 19048	Status: Closed	Date: 1999-12-18	
F48	*SIGNAL STOP | VIP ONE PRICE DRY CLEANERS | A TOUCH OF CLASS DRY CLEANERS*	*25091 BERNWOOD DR | 25091 BERNWOOD DR UNIT #4 | 25091 Bernwood Dr., Bonita Springs, FL*	*NNE / 0.071 mi., 374 ft.*	*457*
	- ID: 55411	Status: Saved	Date: 2016-05-25	

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

RECORDS OF EMERGENCY RELEASE REPORTS *(cont.)*

SPILLS - FL: Listing of chemical spills and incidents referred to the emergency response unit **10 SITES FOUND WITHIN .125 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
F62	*BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC*	*25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail*	*NNW / 0.096 mi., 509 ft.*	*656*
	- ID: 44611	Status: Closed	Date: 2010-12-20	
64	*ESTERO ENTERTAINMENT DISTRICT | PMI*	*9000 WILLIAMS RD*	*N / 0.097 mi., 510 ft.*	*679*
	- ID: 73158	Status: Saved	Date: 2025-09-12	

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
D39	N/R	20960 Sandy Lane Estero	N / 0.067 mi., 353 ft.	*368*
	- ID: 14369	Status: Closed	Date: 1996-10-26	
A44	A&S Transportation, Inc. | DEP District Office | Moore Donald	27885 N. Industrial Street	SSE / 0.069 mi., 365 ft.	*426*
	- ID: 54431	Status: Closed	Date: 2015-12-04	
F61	Phoenix Construction	Strike Lane @ Red Robin Drive	N / 0.094 mi., 497 ft.	*654*
	- ID: 26633	Status: Closed	Date: 2005-12-04	
A63	Responsible Party	27665 Old US 41	SE / 0.096 mi., 509 ft.	*678*
	- ID: 19019	Status: Closed	Date: 1999-11-02	

OTHER ASCERTAINABLE RECORDS

FUDS: Defense sites that require cleanup **1 SITE FOUND WITHIN 1 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
C109	*BASEWIDE- BONITA SPRING RADIO AX 5 | BONITA SPRING RADIO AX 5*	*26.353333, -81.78*	*SE / 0.161 mi., 849 ft.*	*1048*

CORRECTIVE ACTIONS 2020: In 2009 the EPA created the 2020 Corrective Action Baseline list of contaminated or potentially contaminated sites with a cleanup goal to complete 95% by the year 2020. The names on the list indicate the facility owners who may or may not have caused the contamination. **1 SITE FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
A94	*TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION*	*10450 W TERRY ST | 10450 WEST TERRY STREET*	*SSE / 0.140 mi., 737 ft.*	*926*

PFAS INDUSTRY: List of Industries potentially handling PFAS **6 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
B41	GOODCAT LLC	26.31003, -81.78888	SSE / 0.069 mi., 365 ft.	*369*

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

OTHER ASCERTAINABLE RECORDS *(cont.)*

PFAS INDUSTRY: List of Industries potentially handling PFAS **6 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
B56	EARTH SUPPLIED PRODUCTS LLC	26.30287, -81.79321	S / 0.083 mi., 436 ft.	*634*
C82	ETURA CORP	26.355771, -81.783456	SE / 0.114 mi., 602 ft.	*875*
B107	MOOG INC	26.312488, -81.786684	SSE / 0.157 mi., 828 ft.	*1047*
B108	MARCH PERFORMANCE INC	26.315607, -81.791356	SSE / 0.159 mi., 840 ft.	*1048*

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
F135	BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY	26.375034, -81.807777	NW / 0.242 mi., 1276 ft.	*1183*

ALT FUELING: Alternative Fueling Stations by fuel type. **3 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
A4	Thompson Gas	10350 Bonita Beach Rd SE	SSE / 0.012 mi., 63 ft.	*76*
D12	*CORKSCREW ENERGY LLC | SUNSHINE #16 | CHEVRON*	*8800 CORKSCREW RD*	*N / 0.030 mi., 156 ft.*	*112*
G131	Coconut Point Ford	23106 Fashion Dr	N / 0.222 mi., 1173 ft.	*1152*

MINES USGS: Listing of all active mines and mineral plants in 2003 **1 SITE FOUND WITHIN .25 MILE**

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
A43	Bonita Pit	26.33676, -81.78155	SSE / 0.069 mi., 365 ft.	*425*

RMP: Facilities producing/handling/ process/ distribute/ store specific chemicals report plans required by the Clean Air Act **1 SITE FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
F62	*BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC*	*25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail*	*NNW / 0.096 mi., 509 ft.*	*656*

MANIFEST EPA: EPA Hazardous Waste Electronic Manifest System (e-Manifest) **22 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
B5	*AAI4568 | NORTH COLLIER COLLISION INC*	*16210 OLD US 41 S | 16210 OLD US HWY 41 HWY | 16210 Old 41 N*	*SSE / 0.013 mi., 69 ft.*	*77*
	- ID: Manifest Number 006731086SKS	Status: Signed	Date: Updated Date 2019-09-13	
F16	Yacht Sign	25150 Bernwood Dr Ste 3	ESE / 0.034 mi., 181 ft.	*154*
	- ID: Manifest Number 007238461SKS	Status: Signed	Date: Updated Date 2020-01-30	
	- ID: Manifest Number 006918090SKS	Status: Signed	Date: Updated Date 2020-01-09	

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

OTHER ASCERTAINABLE RECORDS *(cont.)*

MANIFEST EPA: EPA Hazardous Waste Electronic Manifest System (e-Manifest) **22 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
	- ID: Manifest Number 006893290SKS	Status: Signed	Date: Updated Date 2019-09-23	
	- ID: Manifest Number 006917945SKS	Status: Signed	Date: Updated Date 2019-07-18	
	- ID: Manifest Number 006917827SKS	Status: Signed	Date: Updated Date 2019-06-17	
B17	*MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP*	*1400 RAIL HEAD BLVD*	*S / 0.035 mi., 183 ft.*	*158*
	- ID: Manifest Number 015747073FLE	Status: Signed	Date: Updated Date 2021-10-20	
	- ID: Manifest Number 022113647JJK	Status: Signed	Date: Updated Date 2021-11-08	
	- ID: Manifest Number 015747051FLE	Status: Signed	Date: Updated Date 2021-10-11	
	- ID: Manifest Number 015747053FLE	Status: Signed	Date: Updated Date 2021-10-27	
	- ID: Manifest Number 015747054FLE	Status: Signed	Date: Updated Date 2021-11-12	
D30	*PUBLIX SUPER MARKET #614 | PUBLIX | Publix ESP*	*21301 S TAMIAMI TRL STE 200 | 21301 S TAMIAMI TRAIL STE 200*	*N / 0.052 mi., 274 ft.*	*307*
	- ID: Manifest Number 201110011CLE	Status: Signed	Date: Updated Date 2025-04-24	
	- ID: Manifest Number 200995360CLE	Status: Signed	Date: Updated Date 2024-12-26	
	- ID: Manifest Number 200871332CLE	Status: Signed	Date: Updated Date 2024-08-26	
	- ID: Manifest Number 200016142CLE	Status: Signed	Date: Updated Date 2022-05-09	
	- ID: Manifest Number 014971144FLE	Status: Signed	Date: Updated Date 2022-05-09	
F32	*CALIBER COLLISION | Caliber Collision - Bonita Springs #2027*	*24901 OLD 41 RD*	*NNW / 0.054 mi., 284 ft.*	*329*
	- ID: Manifest Number 007237610SKS	Status: Signed	Date: Updated Date 2020-03-30	
	- ID: Manifest Number 007238462SKS	Status: Signed	Date: Updated Date 2020-01-30	
	- ID: Manifest Number 006918092SKS	Status: Signed	Date: Updated Date 2020-01-09	
	- ID: Manifest Number 006917317SKS	Status: Signed	Date: Updated Date 2019-10-14	
	- ID: Manifest Number 006917661SKS	Status: Corrected	Date: Updated Date 2019-09-01	
B42	*GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691*	*1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30*	*SSE / 0.069 mi., 365 ft.*	*370*
	- ID: Manifest Number 008771751SKS	Status: Signed	Date: Updated Date 2025-06-19	
	- ID: Manifest Number 201141306CLE	Status: Signed	Date: Updated Date 2025-06-09	

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

OTHER ASCERTAINABLE RECORDS *(cont.)*

MANIFEST EPA: EPA Hazardous Waste Electronic Manifest System (e-Manifest) **22 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
	- ID: Manifest Number 009068459SKS	Status: Signed	Date: Updated Date 2025-04-21	
	- ID: Manifest Number 009068460SKS	Status: Signed	Date: Updated Date 2025-04-25	
	- ID: Manifest Number 009068217SKS	Status: Signed	Date: Updated Date 2025-02-10	
B49	*GOODCAT LLC | GOODCAT LABS*	*1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5*	*SSE / 0.072 mi., 380 ft.*	*470*
	- ID: Manifest Number 008771752SKS	Status: Signed	Date: Updated Date 2025-06-19	
	- ID: Manifest Number 009068500SKS	Status: Signed	Date: Updated Date 2025-04-25	
	- ID: Manifest Number 009386806SKS	Status: Signed	Date: Updated Date 2025-03-13	
	- ID: Manifest Number 009068219SKS	Status: Signed	Date: Updated Date 2025-02-24	
	- ID: Manifest Number 009068104SKS	Status: Signed	Date: Updated Date 2025-02-03	
G51	*TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384*	*8040 MEDITERRANEAN DR | 8040?Mediterranean?Dr*	*N / 0.077 mi., 405 ft.*	*560*
	- ID: Manifest Number 201137625CLE	Status: Signed	Date: Updated Date 2025-05-26	
	- ID: Manifest Number 201122184CLE	Status: Signed	Date: Updated Date 2025-05-26	
	- ID: Manifest Number 201071942CLE	Status: Signed	Date: Updated Date 2025-03-28	
	- ID: Manifest Number 201040140CLE	Status: Signed	Date: Updated Date 2025-02-13	
	- ID: Manifest Number 201004113CLE	Status: Signed	Date: Updated Date 2025-01-02	
B55	*AUTO TRAN INC | MILLENNIUM MARBLE CORP*	*1466 RAIL HEAD BLVD*	*SSE / 0.082 mi., 431 ft.*	*624*
	- ID: Manifest Number 026622129JJK	Status: Signed	Date: Updated Date 2025-02-09	
	- ID: Manifest Number 023880705JJK	Status: Signed	Date: Updated Date 2023-01-05	
	- ID: Manifest Number 022873298JJK	Status: Signed	Date: Updated Date 2022-03-30	
	- ID: Manifest Number 022139787JJK	Status: Signed	Date: Updated Date 2021-07-25	
	- ID: Manifest Number 006731712SKS	Status: Signed	Date: Updated Date 2020-03-16	
B57	*EARTH SUPPLIED PRODUCTS LLC | PERFECTLY PAINTED*	*1060 COLLIER CENTER WAY*	*S / 0.083 mi., 437 ft.*	*634*
	- ID: Manifest Number 026687546JJK	Status: Signed	Date: Updated Date 2025-02-28	
	- ID: Manifest Number 026686776JJK	Status: Signed	Date: Updated Date 2024-10-21	
	- ID: Manifest Number 026681363JJK	Status: Signed	Date: Updated Date 2024-08-09	

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

OTHER ASCERTAINABLE RECORDS *(cont.)*

MANIFEST EPA: EPA Hazardous Waste Electronic Manifest System (e-Manifest) **22 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
	- ID: Manifest Number 026681009JJK	Status: Signed	Date: Updated Date 2024-06-07	
	- ID: Manifest Number 026466133JJK	Status: Signed	Date: Updated Date 2024-04-25	
F67	Coastland Auto	24073 Production Cir	NNW / 0.103 mi., 542 ft.	*702*
	- ID: Manifest Number 006893394SKS	Status: Signed	Date: Updated Date 2019-03-10	
B75	ARTISANS GUILD	1450 RAILHEAD BLVD	SSE / 0.107 mi., 565 ft.	*736*
	- ID: Manifest Number 024943633JJK	Status: Signed	Date: Updated Date 2023-02-15	
	- ID: Manifest Number 023662419JJK	Status: Signed	Date: Updated Date 2022-07-29	
	- ID: Manifest Number 022029268JJK	Status: Signed	Date: Updated Date 2022-03-27	
	- ID: Manifest Number 022031589JJK	Status: Signed	Date: Updated Date 2021-10-07	
	- ID: Manifest Number 022237839JJK	Status: Signed	Date: Updated Date 2021-06-25	
G78	*LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT*	*23450 VIA COCONUT POINT | 23450 VIA COCONUT PT*	*N / 0.110 mi., 579 ft.*	*754*
	- ID: Manifest Number 020547552FLE	Status: Signed	Date: Updated Date 2025-06-13	
	- ID: Manifest Number 022236933JJK	Status: Signed	Date: Updated Date 2025-05-26	
	- ID: Manifest Number 022236934JJK	Status: Signed	Date: Updated Date 2025-05-26	
	- ID: Manifest Number 022236676JJK	Status: Signed	Date: Updated Date 2025-06-10	
	- ID: Manifest Number 022237530JJK	Status: Signed	Date: Updated Date 2025-04-09	
B86	MATCHS AUTO BODY	1330 RAIL HEAD BLVD	S / 0.121 mi., 640 ft.	*891*
	- ID: Manifest Number 001230897VES	Status: Signed	Date: Updated Date 2018-11-02	
B88	*ARTISANS GUILD CUSTOM CABINETRY | ARTISANS GUILD*	*1510 RAIL HEAD BLVD*	*SSE / 0.132 mi., 697 ft.*	*896*
	- ID: Manifest Number 022031440JJK	Status: Signed	Date: Updated Date 2024-07-23	
	- ID: Manifest Number 024936585JJK	Status: Signed	Date: Updated Date 2023-08-15	
	- ID: Manifest Number 025209792JJK	Status: Signed	Date: Updated Date 2023-07-31	
	- ID: Manifest Number 015333565FLE	Status: Signed	Date: Updated Date 2023-12-15	
	- ID: Manifest Number 012934575JJK	Status: Signed	Date: Updated Date 2020-05-18	

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

OTHER ASCERTAINABLE RECORDS *(cont.)*

MANIFEST EPA: EPA Hazardous Waste Electronic Manifest System (e-Manifest) **22 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
G89	APPLE INC. # R185	23151 FASHION DRIVE	N / 0.132 mi., 698 ft.	*905*
	- ID: Manifest Number 020321306FLE	Status: Signed	Date: Updated Date 2025-06-09	
	- ID: Manifest Number 019130949FLE	Status: Signed	Date: Updated Date 2024-12-28	
	- ID: Manifest Number 019527837FLE	Status: Corrected	Date: Updated Date 2024-10-23	
G91	HOL 30509	23131 Fashion Drive	N / 0.138 mi., 727 ft.	*912*
	- ID: Manifest Number 019660957FLE	Status: Signed	Date: Updated Date 2025-03-24	
	- ID: Manifest Number 015231676FLE	Status: Signed	Date: Updated Date 2020-11-17	
G99	*NORDSTROM INC 7767 | BB&B # 1048*	*8020 MEDITERRANEAN DR | 8020 MEDITERRANEAN DR BLDG 24*	*N / 0.144 mi., 760 ft.*	*1000*
	- ID: Manifest Number 003086684CLE	Status: Signed	Date: Updated Date 2021-03-05	
	- ID: Manifest Number 002956046PSC	Status: Signed	Date: Updated Date 2020-11-18	
	- ID: Manifest Number 002324314PSC	Status: Signed	Date: Updated Date 2019-07-29	
G104	ULTA BEAUTY	8054 MEDITERRANEAN DRIVE	N / 0.155 mi., 820 ft.	*1022*
	- ID: Manifest Number 201127511CLE	Status: Signed	Date: Updated Date 2025-05-26	
	- ID: Manifest Number 201066792CLE	Status: Signed	Date: Updated Date 2025-03-04	
	- ID: Manifest Number 201016046CLE	Status: Corrected	Date: Updated Date 2025-04-22	
	- ID: Manifest Number 200967747CLE	Status: Signed	Date: Updated Date 2024-11-21	
	- ID: Manifest Number 200881009CLE	Status: Signed	Date: Updated Date 2024-09-12	
G117	MICHAELS	8018 MEDITERRANEAN DRIVE	N / 0.174 mi., 920 ft.	*1084*
	- ID: Manifest Number 200834340CLE	Status: Signed	Date: Updated Date 2024-08-07	
	- ID: Manifest Number 011358204FLE	Status: Signed	Date: Updated Date 2019-04-16	
G120	SALLY BEAUTY #10698	8016 MEDITERRANEAN DR, STE 103	N / 0.189 mi., 997 ft.	*1097*
	- ID: Manifest Number 018953994FLE	Status: Signed	Date: Updated Date 2025-02-14	
	- ID: Manifest Number 024193391JJK	Status: Signed	Date: Updated Date 2024-08-23	
	- ID: Manifest Number 024193272JJK	Status: Signed	Date: Updated Date 2024-02-29	
	- ID: Manifest Number 024196676JJK	Status: Signed	Date: Updated Date 2023-09-15	
	- ID: Manifest Number 024195795JJK	Status: Corrected	Date: Updated Date 2023-06-09	

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

OTHER ASCERTAINABLE RECORDS *(cont.)*

MANIFEST EPA: EPA Hazardous Waste Electronic Manifest System (e-Manifest) **22 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
G134	*FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY | FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE*	*8440 MURANO DEL LAGO DR*	*NNW / 0.238 mi., 1255 ft.*	*1163*
	- ID: Manifest Number 026687729JJK	Status: Signed	Date: Updated Date 2025-03-17	
	- ID: Manifest Number 026687730JJK	Status: Signed	Date: Updated Date 2025-03-24	
	- ID: Manifest Number 026686642JJK	Status: Signed	Date: Updated Date 2024-09-26	
	- ID: Manifest Number 023006352JJK	Status: Signed	Date: Updated Date 2022-04-01	

DEDB - FL: Drinking water wells contaminated with ethylene dibromide **38 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
B5	*AAI4568 | NORTH COLLIER COLLISION INC*	*16210 OLD US 41 S | 16210 OLD US HWY 41 HWY | 16210 Old 41 N*	*SSE / 0.013 mi., 69 ft.*	*77*
B7	AAI4567	16300 OLD US 41 HWY	SSE / 0.016 mi., 84 ft.	*96*
B24	*FORMER GULFSTREAM LUMBER CO | AAC5500 | HD SUPPLY #WB6600*	*16000 OLD US HWY 41*	*SSE / 0.039 mi., 208 ft.*	*257*
F40	AAC4009	24020 PRODUCTION CIR	N / 0.068 mi., 357 ft.	*369*
F72	AAD4350	24051 PRODUCTION CIR	NNW / 0.106 mi., 558 ft.	*731*
F73	AAG3724	24033 PRODUCTION CIR	NNW / 0.106 mi., 560 ft.	*733*
A94	*TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION*	*10450 W TERRY ST | 10450 WEST TERRY STREET*	*SSE / 0.140 mi., 737 ft.*	*926*
F98	*OTT WELDING | AAG3723*	*24241 PRODUCTION CIR*	*NNW / 0.143 mi., 756 ft.*	*993*
F102	AAG3722	24263 PRODUCTION CIR | 24263 PRODUCTIN CIR	NNW / 0.152 mi., 800 ft.	*1017*
F103	AAG3725	24349 PRODUCTION CIR	NNW / 0.154 mi., 811 ft.	*1019*
F110	*PRODUCTION TIRE | AAD4348*	*24367 PRODUCTION CIR*	*NNW / 0.161 mi., 849 ft.*	*1049*
D118	AAC5388	8661 CORK SCREW RD	N / 0.182 mi., 960 ft.	*1086*
F126	AAK7782	24266 PRODUCTION CIR	NNW / 0.211 mi., 1115 ft.	*1127*
F127	AAC5354	24260 PRODUCTION CIR	NNW / 0.214 mi., 1132 ft.	*1128*
F136	AAD5735	9275 STRIKE LN N	NNE / 0.252 mi., 1329 ft.	*1184*
F137	AAD5731	25231 TUCK DR	NNE / 0.252 mi., 1330 ft.	*1185*
I138	*AAC5384 | ESTERO CITY-FIRE DEPT*	*20241 S TAMIAMI TRL | 20241 S TAMIAMI TRL S*	*N / 0.255 mi., 1347 ft.*	*1186*
D139	*AAC4008 | COVERED WAGON TRAILER PARK | Mason E. Tony*	*21450 S TAMIAMI TRL UNIT 140 | 21450 TAMIAMI TRL S | 21450 S TAMIAMI TRL*	*N / 0.270 mi., 1428 ft.*	*1191*
I142	*LEECORP HOMES | AAC7548 | LEE CORP HOMES*	*20251 S TAMIAMI TRL | 20251 TAMIAMI TRL S*	*N / 0.285 mi., 1502 ft.*	*1207*
I143	360001901	US HWY 41	N / 0.309 mi., 1633 ft.	*1216*
F144	AAD5734	25294 CATSKILL DR	NE / 0.312 mi., 1646 ft.	*1216*
I147	*TRAILSIDE DRIVE | AAD4489 | AAG3706*	*20350 TRAILSIDE DR*	*N / 0.335 mi., 1770 ft.*	*1236*
I149	*ZMILLION OIL INC | AAC4007*	*20260 S TAMIAMI TRAIL | 20260 S TAMIAMI TRL | 20260 TAMIAMI TRL*	*N / 0.340 mi., 1798 ft.*	*1251*

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

OTHER ASCERTAINABLE RECORDS *(cont.)*

DEDB - FL: Drinking water wells contaminated with ethylene dibromide **38 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
I150	AAG3702 | AAD4488	20361 POINCIANA AVE	N / 0.342 mi., 1806 ft.	*1264*
I151	AAG3701	20371 POINCIANA AVE	N / 0.345 mi., 1819 ft.	*1266*
I152	AAG3704	20381 POINCIANA AVE	N / 0.347 mi., 1831 ft.	*1267*
I153	AAG3705	20399 POINCIANA AVE | 20399 POINCIANNA DR	N / 0.353 mi., 1865 ft.	*1269*
I154	*AAC5389 | GREENWAY LANDSCAPE SUPPLY*	*20190 S TAMIAMI TRL | 20190 TAMIAMI TRAIL | 20190 TAMIAMI TRL S*	*N / 0.364 mi., 1921 ft.*	*1270*
I156	AAG3700	20280 TRAILSIDE DR	N / 0.376 mi., 1985 ft.	*1280*
I157	*AAD4485 | MARCO PROPERTY | BUESING'S SERVICE & REPAIR*	*20170 S TAMIAMI TRL | 20170 TAMIAMI TRL*	*N / 0.390 mi., 2060 ft.*	*1282*
I158	AAG3703	3531 WESTWOOD DR	N / 0.411 mi., 2171 ft.	*1298*
I159	AAK7772	20241 NORTHWEST DR	N / 0.420 mi., 2216 ft.	*1299*
I160	AAD4493	20160 TRAILSIDE DR	N / 0.424 mi., 2237 ft.	*1300*
I162	AAD4495	20240 NORTHWEST DR	N / 0.451 mi., 2383 ft.	*1305*
I166	AAK7774	20200 PARK AVE	N / 0.484 mi., 2556 ft.	*1336*

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
E45	AAC7514 | AAE1583A	27421 OLD US HWY 41 RD | 27421 OLD 41 RD	SE / 0.070 mi., 368 ft.	*429*
C80	AAC5355	26671 OLD US HWY 41 RD | 26671 OLD 41 RD	SE / 0.113 mi., 598 ft.	*794*

DRYCLEANERS - FL: Drycleaner facility listing **3 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
F28	*EXECUTIVE DRY CLEANING | CLASSIC CLEANERS | CLASSIC CLEANERS OF PELICAN LANDING INC*	*9201 BROOKWOOD COURT #7 | 9201 BROOKWOOD CT STE 7 | 9001 Strike Ln*	*N / 0.049 mi., 257 ft.*	*278*
	- ID: 9805423	Status: OPEN	Date: N/A	
F48	*SIGNAL STOP | VIP ONE PRICE DRY CLEANERS | A TOUCH OF CLASS DRY CLEANERS*	*25091 BERNWOOD DR | 25091 BERNWOOD DR UNIT #4 | 25091 Bernwood Dr., Bonita Springs, FL*	*NNE / 0.071 mi., 374 ft.*	*457*
	- ID: 9811071	Status: OPEN	Date: N/A	
	- ID: 9811071	Status: CLOSED	Date: N/A	

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
A69	*CAUSEWAY LUMBER CO | MIKES AUTO REPAIR | OLD 41 VETERINARY EMERGENCY CLINIC INC*	*28280 OLD US 41 RD | 28380 OLD 41 RD | 28380 OLD 41 RD #6B*	*SSE / 0.103 mi., 544 ft.*	*706*
	- ID: 9812614	Status: OPEN	Date: N/A	

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

OTHER ASCERTAINABLE RECORDS *(cont.)*

T 2 - FL: List of facilities that must submit an Emergency and Hazardous Chemical Inventory Form **14 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
B15	*EAST TRAIL BATCH PLANT | CEMEX CONSTRUCTION MATERIALS, LP | CEMEX - EAST TRAIL READY MIX*	*15555 US 41*	*SSE / 0.034 mi., 180 ft.*	*145*
F21	*Bonita Springs Utilities, Inc. - WWRF | Bonita Springs Utilities WWTP*	*8890 Ten-eight St*	*NNW / 0.037 mi., 197 ft.*	*230*
F28	*EXECUTIVE DRY CLEANING | CLASSIC CLEANERS | CLASSIC CLEANERS OF PELICAN LANDING INC*	*9201 BROOKWOOD COURT #7 | 9201 BROOKWOOD CT STE 7 | 9001 Strike Ln*	*N / 0.049 mi., 257 ft.*	*278*
F29	*SHAW DEVELOPMENT | BERNWOOD*	*25190 BERNWOOD DR*	*SE / 0.050 mi., 265 ft.*	*294*
G37	RESOURCE CONSERVATION SYSTEMS - SPRING ROAD	9300 SPRING RUN RD	N / 0.061 mi., 324 ft.	*360*
B42	*GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691*	*1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30*	*SSE / 0.069 mi., 365 ft.*	*370*
F50	*PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT*	*25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD*	*N / 0.073 mi., 387 ft.*	*490*
G51	*TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384*	*8040 MEDITERRANEAN DR | 8040?Mediterranean?Dr*	*N / 0.077 mi., 405 ft.*	*560*
B71	Railhead	1490 Rail Head Blvd.	SSE / 0.104 mi., 551 ft.	*725*
F76	e2 Companies	8901 Quality Road	NNW / 0.109 mi., 575 ft.	*740*
G78	*LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT*	*23450 VIA COCONUT POINT | 23450 VIA COCONUT PT*	*N / 0.110 mi., 579 ft.*	*754*

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
H81	*CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH*	*1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD*	*S / 0.113 mi., 598 ft.*	*797*
D92	ESTERO FL GROVES RLS CO	20720 HIGHLAND AVE	N / 0.138 mi., 730 ft.	*914*
B95	*NAPLES TOMATO GROWERS | FL5110348 | FL5114116*	*15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH*	*S / 0.142 mi., 749 ft.*	*964*

GWIF - FL: Groundwater Monitoring sites that are inspected and monitored. **16 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
D12	*CORKSCREW ENERGY LLC | SUNSHINE #16 | CHEVRON*	*8800 CORKSCREW RD*	*N / 0.030 mi., 156 ft.*	*112*

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

OTHER ASCERTAINABLE RECORDS *(cont.)*

GWIF - FL: Groundwater Monitoring sites that are inspected and monitored. **16 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
B24	*FORMER GULFSTREAM LUMBER CO | AAC5500 | HD SUPPLY #WB6600*	*16000 OLD US HWY 41*	*SSE / 0.039 mi., 208 ft.*	*257*
F50	*PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT*	*25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD*	*N / 0.073 mi., 387 ft.*	*490*
C96	*HOLE IN ONE FAIRWAYS LLC | CIRCLE K #7312 | LA FIESTA*	*10530 ROSEMARY DR*	*SE / 0.142 mi., 751 ft.*	*976*
A105	*CIRCLE K #2709767 | SHELL STATION*	*10460 BONITA BCH RD SE & OLD 41 | 10460 BONITA BEACH RD*	*SSE / 0.156 mi., 824 ft.*	*1027*
F123	SITE FOOD MART #108	24651 S TAMIAMI TRL	NNW / 0.197 mi., 1043 ft.	*1115*
F125	*CIRCLE K #7462*	*24931 S TAMIAMI TR | 24931 S TAMIAMI TRL*	*NNW / 0.207 mi., 1093 ft.*	*1117*

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
E14	*BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL*	*27490 OLD 41 RD | 27490 OLD US HWY 41 RD*	*SE / 0.032 mi., 169 ft.*	*131*
C19	*COPE | KWIK PICK CONV STORE*	*27010 OLD US 41*	*SE / 0.036 mi., 192 ft.*	*213*
C31	*PALMER CABLEVISION OF SW FL INC | COMCAST*	*26790 OLD 41 RD | 26790 OLD US HWY 41 RD*	*SE / 0.052 mi., 274 ft.*	*323*
C35	*BONITA AUTO SALES INC*	*26750 OLD 41 RD | 26750 OLD US HWY 41 RD*	*SE / 0.058 mi., 306 ft.*	*347*
C46	*SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840*	*27001 OLD US 41 SE | 27001 OLD US 41*	*SE / 0.070 mi., 369 ft.*	*431*
C52	*7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN*	*26975 OLD 41 RD | 26975 OLD US HWY 41 RD*	*SE / 0.077 mi., 407 ft.*	*595*
A66	*CONSTANCE & JAMES HARRIS | GLURI INVESTMENTS, INC. | LEXTECH AUTO*	*27683 OLD HWY 41 | 27683 OLD US HWY 41 RD*	*SE / 0.101 mi., 532 ft.*	*692*
H81	*CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH*	*1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD*	*S / 0.113 mi., 598 ft.*	*797*
B95	*NAPLES TOMATO GROWERS | FL5110348 | FL5114116*	*15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH*	*S / 0.142 mi., 749 ft.*	*964*

No unmappable sites reported.

DATABASE(S) WITH NO MAPPED SITES:

FEDERAL NPL SITE LIST

NPL	National Priority List
PART NPL	Part National Priority List
SEMS_FINAL NPL	Sites included on the Final National Priorities List
SEMS_PROPOSED NPL	Sites Proposed to be Added to the National Priorities List
PROPOSED NPL	Proposed National Priority List
NPL EPA GIS	GIS for EPA NPL Sites
NPL LIENS	National Priority List Liens

FEDERAL DELISTED NPL SITE LIST

DELISTED NPL	Delisted National Priority List
DELISTED PROPOSED NPL	Delisted proposed National Priority List
SEMS_DELETED NPL	Sites Deleted from National Priorities List

FEDERAL CERCLIS LIST

SEMS_8R_ACTIVE SITES	Sites on SEMS Active Site Inventory
FEDERAL FACILITY	Federal Facility sites
CERCLIS-HIST	Comprehensive Environmental Response Compensation and Liability Act
EPA SAA	EPA Superfund Alternative Approach

FEDERAL RCRA CORRACTS FACILITIES LIST

HIST CORRACTS 2	Historical Hazardous Waste Corrective Action

FEDERAL RCRA NON-CORRACTS TSD FACILITIES LIST

ARCHIVED RCRA TSDF	Archived Resource Conservation and Recovery Act: Treatment Storage and Disposal Facilities

FEDERAL RCRA GENERATORS LIST

HIST RCRA LQG	Historical Resource Conservation and Recovery Act_ Large Quantity Generators
HIST RCRA SQG	Historical Resource Conservation and Recovery Act_Small Quantity Generators
HIST RCRA CESQG	Historical Resource Conservation and Recovery Act_Conditionally Exempt Small Quantity Generators
HIST RCRA NONGEN	Historical Resource Conservation and Recovery Act_Non Generators

FEDERAL INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES

LUCIS	Land Use Control Information Systems
LUCIS 2	Land Use Control Information Systems 2
FED E C	Engineering Controls
FED I C	Institutional Controls
RCRA IC EC	RCRA sites with Institutional and Engineering Controls

FEDERAL ERNS LIST

ERNS	Emergency Response Notification System

STATE- AND TRIBAL - EQUIVALENT CERCLIS

SITES - FL	The Sites List
SHWS - FL	State hazardous waste sites

STATE RCRA GENERATORS LIST

TRA - FL	State Hazardous Waste Transporters
HIST TSD - FL	Historical State Treatment Storage & Disposal Facility List

FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS

INDIAN LUST R4	Leaking Underground Storage Tanks on Indian Land in EPA Region 4
HIST INDIAN LUST R4	Historical Leaking Underground Storage Tanks on Indian Land in EPA Region 4

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS

FEMA UST	FEMA Underground Storage Tanks
AST PBS	ASTs at Bulk Petroleum Terminals
INDIAN UST R4	Underground Storage Tanks on Indian Land in EPA Region 4
HIST INDIAN UST R4	Historical Underground Storage Tanks on Indian Land in EPA Region 4

STATE INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES

E C - FL	Engineering Controls
I C - FL	Institutional Controls

STATE AND TRIBAL VOLUNTARY CLEANUP SITES

VCP - FL	Voluntary Cleanup Program

STATE AND TRIBAL BROWNFIELD SITES

BROWNFIELDS - FL	Brownfields
BROWNFIELDS_SITES - FL	Brownfields
TRIBAL BROWNFIELDS	Tribal Brownfields

LOCAL BROWNFIELD LISTS

FED BROWNFIELDS	Federal Brownfields
HIST FED BROWNFIELDS	Historical Federal Brownfields
BROWNFIELDS-ACRES	EPA ACRES Brownfields
EJ BROWNFIELDS	Brownfields Sites
BROWNFIELDS_AREAS - FL	Brownfield Redevelopment Areas

LOCAL LISTS OF LANDFILL / SOLID WASTE DISPOSAL SITES

EPA LF MOP	EPA Landfill Methane Outreach Project Database
ODI	Open Dump Inventory
HIST SWRCY - FL	Historical Recycling Centers
TRIBAL ODI	Indian Open Dump Inventory Sites

LOCAL LISTS OF HAZARDOUS WASTE / CONTAMINATED SITES

FED CDL	DOJ Clandestine Drug Labs
US HIST CDL	Historical Clandestine Drug Labs

LOCAL LAND RECORDS

LIENS 2	CERCLA Lien Information

RECORDS OF EMERGENCY RELEASE REPORTS

HMIRS (DOT)	Hazardous Materials Information Reporting Systems

OTHER ASCERTAINABLE RECORDS

NPL AOC	Areas related to US EPA NPL sites
FUDS MRA	FUDS Munition Response Areas
FUDS MRS	FUDS Munition Response Sites
DOD	Department of Defense
HIST DOD	Department of Defense historical sites
FEDLAND	Federal Lands
CDC HAZDAT	Hazardous Substance Release and Health Effects Information
COAL GAS	Coal Gas Plants
MGP	Manufactured Gas Plant Sites
PIPELINES	Gas & Oil Pipelines
ROD	Record of Decision
CONSENT (DECREES)	Superfund Consent Decree
BRS	Biennial Reporting Systems
INDIAN RESERVATION	American Indian Lands
EPA WATCH	EPA Watch List
COAL ASH DOE	Coal Ash: Department of Energy
COAL ASH EPA	Coal Ash: Environmental Protection Agency
DEBRIS EPA LF	EPA Disaster Debris Landfill Sites
DEBRIS EPA SWRCY	EPA Disaster Debris Recovery Sites

OTHER ASCERTAINABLE RECORDS *(cont.)*


PFAS FED SITES	PFAS Federal Sites
PFAS MANIFEST	PFAS Manifest
PFAS NPL	PFAS NPL Sites
PFAS PROD	PFAS Production
PFAS SPILLS	PFAS Spill Sites
PFAS TRIS	PFAS TRIS Sites
PFAS UCMR3	PFAS UCMR Samples
PFAS WQP	PFAS Water Quality Portal
UMTRA	Uranium Mill Tailing Sites
VAPOR	EPA Vapor Intrusion
SCRD DRYCLEANERS	SCRD Drycleaners
MINE OPERATIONS	Mines list from USGS
MINES	Mines
ASBESTOS NOA	Naturally Occurring Asbestos (2011)
HIST ASBESTOS NOA	Historic Naturally Occurring Asbestos (2007)
EPA OSC	EPA On-Site Coordinator
RAATS	RCRA Administrative Action Tracking Systems
TRIS	Toxic Release Inventory Systems
SSTS	Section 7 Tracking Systems
HIST SSTS	Historical Section 7 Tracking Systems
EJ TOXIC RELEASE	Toxic Release Inventory
FA HWF	Financial Assurance for Hazardous Waste Facilities
PADS	PCB Activity Database Systems
FTTS	FIFRA/TSCA Tracking System
FTTS INSP	FIFRA/TSCA Tracking System: Inspections
MLTS	Material Licensing Tracking Systems
HIST MLTS	Historical Material Licensing Tracking Systems
RADINFO	Radiation Information Systems
PCB TRANSFORMER	Polychlorinated Biphenyl (PCB) Waste
HIST PCB TRANS	Historical Polychlorinated Biphenyl (PCB) Facilities
DOT OPS	Department of Transportation Office of Pipeline Safety
SEMS_SMELTER	Sites on SEMS Potential Smelter Activity
HIST LEAD_SMELTER	Historical Lead Smelter Sites
TOSCA-PLANT	Toxic Substance Control Act: Plants
HWC DOCKET	Hazardous Waste Compliance Docket
AFS	Air Facility Systems
HIST AFS	Historical Air Facility Systems
HIST AFS 2	Historical Air Facility Systems
DOCKET CRIM PROS 2	Additional Docket criminal prosecution cases
PCS ENF	Enforced Permit Compliance Facilities
PCS FACILITY	Permit Compliance Facilities
HIST PCS ENF	Historical Enforced Permit Compliance Facilities
HIST PCS FACILITY	Historical Permit Compliance Facilities
ENOI	Electronic Notice of Intent
EPA FUELS	EPA Fuels Registration, Reporting, and Compliance List
OSHA	Occupational Safety & Health Administration
STORMWATER	Storm Water Permits
PRIORITY CLEANERS - FL	Drycleaner Priority Ranking List
CATTLE DIPPING VATS - FL	Cattle Dipping Vats
COAL ASH - FL	COAL ASH
SIS - FL	Site investigation section sites
GWCA - FL	Ground water contaminated areas
PFAS - FL	PFAS Site Listing
PFAS AFFF - FL	PFAS AFFF Sites
HIST CATTLE DIPPING VATS - FL	Historical Cattle Dipping Vats
HIST DEDB - FL	Historical Ethylene Dibromide
FF TANKS - FL	Federal Facility Tank Listing
HIST FF TANKS - FL	Historical Federal Facility Tank Listing

OTHER ASCERTAINABLE RECORDS *(cont.)*

MINES - FL	State mine records
HIST MINES - FL	State mine records
FA 1 - FL	Financial Assurance 1
FA 2 - FL	Financial Assurance 2
FA 3 - FL	Financial Assurance - UST
AIRS - FL	Air Permitted Facilities
NPDES - FL	State Wastewater and NPDES Permits
UIC - FL	Underground Injection Wells
WASTEWATER - FL	Wastewater Facilities
ARENAS	ARENAS
ARENAS 2	ARENAS (additional)
CHURCHES	CHURCHES
HOSPITALS	HOSPITALS
NURSING HOMES	NURSING HOMES
GOV MANSIONS	Governors Mansions
SCHOOLS PRIVATE	SCHOOLS PRIVATE
SCHOOLS PUBLIC	SCHOOLS PUBLIC
COLLEGES	COLLEGES
COLLEGES 2	COLLEGES 2
PRISONS	PRISONS
EJ CHURCH	CHURCHES
EJ SCHOOLS	Schools List
EJ HOSPITALS	Hospitals List
DAYCARE	DAYCARE
DAYCARE - FL	Daycares

SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida,...
LAT/LONG: 26.370759 / -81.802379


PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: July 02, 2026



- Subject Property
- CDC HAZDAT (No Data)
- Federal Lands (No Data)
- FUDS MRS (No Data)
- National Priority List (No Data)
- Equal/Higher Elevation
- Department of Defense (No Data)
- FEMA FloodZone 100
- Ground Water Contaminants (No Data)
- NWI
- Lower Elevation
- DFIRM Floodzone 100
- FEMA FloodZone 500
- Historical DOD (No Data)
- State Pipelines (No Data)
- Brownfields Areas (No Data)
- DFIRM Floodzone 500
- FUDS MRA (No Data)
- Indian Reservation (No Data)
- Wetlands

SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida,...
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: July 02, 2026



- Subject Property
- CDC HAZDAT (No Data)
- Federal Lands (No Data)
- FUDS MRS (No Data)
- National Priority List (No Data)
- Equal/Higher Elevation
- Department of Defense (No Data)
- FEMA FloodZone 100
- Ground Water Contaminants (No Data)
- NWI
- Lower Elevation
- DFIRM Floodzone 100
- FEMA FloodZone 500
- Historical DOD (No Data)
- State Pipelines (No Data)
- Brownfields Areas (No Data)
- DFIRM Floodzone 500
- FUDS MRA (No Data)
- Indian Reservation (No Data)
- Wetlands

DATABASE	SUBJECT PROPERTY	SEARCH DISTANCE (MILES)	<1/8	1/8-1/4	1/4-1/2	1/2-1	>1	TOTAL MAPPED
STANDARD ENVIRONMENTAL RECORDS								
FEDERAL NPL SITE LIST								
NPL		1.000	0	0	0	0	--	0
PART NPL		1.000	0	0	0	0	--	0
SEMS_FINAL NPL		1.000	0	0	0	0	--	0
SEMS_PROPOSED NPL		1.000	0	0	0	0	--	0
PROPOSED NPL		1.000	0	0	0	0	--	0
NPL EPA GIS		1.000	0	0	0	0	--	0
NPL LIENS		SP	0	-	-	-	--	0
FEDERAL DELISTED NPL SITE LIST								
DELISTED NPL		1.000	0	0	0	0	--	0
DELISTED PROPOSED NPL		1.000	0	0	0	0	--	0
SEMS_DELETED NPL		1.000	0	0	0	0	--	0
FEDERAL CERCLIS LIST								
SEMS_8R_ACTIVE SITES		0.500	0	0	0	0	--	0
FEDERAL FACILITY		1.000	0	0	0	0	--	0
CERCLIS NFRAP		0.500	1	0	0	0	--	1
CERCLIS-HIST		0.500	0	0	0	0	--	0
SEMS_8R_ARCHIVED SITES		0.500	1	0	0	0	--	1
EPA SAA		0.500	0	0	0	0	--	0
FEDERAL RCRA CORRACTS FACILITIES LIST								
CORRACTS		1.000	0	1	0	0	--	1
HIST CORRACTS 2		1.000	0	0	0	0	--	0
FEDERAL RCRA NON-CORRACTS TSD FACILITIES LIST								
RCRA TSDF		0.500	0	1	0	0	--	1
ARCHIVED RCRA TSDF		0.500	0	0	0	0	--	0
FEDERAL RCRA GENERATORS LIST								
RCRA LQG		0.250	3	0	0	-	--	3
RCRA SQG		0.250	7	1	0	-	--	8
RCRA VSQG		0.250	16	11	0	-	--	27
RCRA NONGEN		0.250	17	9	0	-	--	26
HIST RCRA LQG		0.250	0	0	0	-	--	0
HIST RCRA SQG		0.250	0	0	0	-	--	0
HIST RCRA CESQG		0.250	0	0	0	-	--	0
HIST RCRA NONGEN		0.250	0	0	0	-	--	0
EJ HAZ WASTE		0.250	3	0	0	-	--	3

DATABASE	SUBJECT PROPERTY	SEARCH DISTANCE (MILES)	<1/8	1/8-1/4	1/4-1/2	1/2-1	>1	TOTAL MAPPED
STANDARD ENVIRONMENTAL RECORDS *(cont.)*								
FEDERAL INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES								
LUCIS		0.500	0	0	0	0	--	0
LUCIS 2		0.500	0	0	0	0	--	0
FED E C		0.500	0	0	0	0	--	0
FED I C		0.500	0	0	0	0	--	0
RCRA IC EC		0.250	0	0	0	-	--	0
FEDERAL ERNS LIST								
ERNS		SP	0	-	-	-	--	0
STATE- AND TRIBAL - EQUIVALENT CERCLIS								
SITES - FL		1.000	0	0	0	0	--	0
SHWS ERIC - FL		1.000	1	3	1	3	--	8
SHWS - FL		1.000	0	0	0	0	--	0
CS - FL		1.000	5	4	4	3	--	16
STATE RCRA GENERATORS LIST								
LQG - FL		0.250	4	0	0	-	--	4
SQG - FL		0.250	8	3	0	-	--	11
TRA - FL		0.250	0	0	0	-	--	0
TSD - FL		0.500	0	1	0	0	--	1
HIST TSD - FL		0.500	0	0	0	0	--	0
STATE AND TRIBAL LANDFILL AND/OR SOLID WASTE DISPOSAL SITE LISTS								
SWF/LF - FL		0.500	1	1	2	0	--	4
FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS								
EPA LUST		0.500	11	8	9	0	--	28
LUST - FL		0.500	11	8	10	0	--	29
LAST - FL		0.500	5	0	5	0	--	10
INDIAN LUST R4		0.500	0	0	0	0	--	0
HIST INDIAN LUST R4		0.500	0	0	0	0	--	0
FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS								
FEMA UST		0.250	0	0	0	-	--	0
EPA UST		0.250	18	8	0	-	--	26
AST PBS		0.250	0	0	0	-	--	0
UST - FL		0.250	19	8	0	-	--	27
AST - FL		0.250	12	3	0	-	--	15
HIST UST - FL		0.250	1	0	0	-	--	1

DATABASE	SUBJECT PROPERTY	SEARCH DISTANCE (MILES)	<1/8	1/8-1/4	1/4-1/2	1/2-1	>1	TOTAL MAPPED
STANDARD ENVIRONMENTAL RECORDS *(cont.)*								
FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS *(cont.)*								
HIST AST - FL		0.250	1	0	0	-	--	1
INDIAN UST R4		0.250	0	0	0	-	--	0
HIST INDIAN UST R4		0.250	0	0	0	-	--	0
STATE INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES								
E C - FL		0.500	0	0	0	0	--	0
I C - FL		0.500	0	0	0	0	--	0
STATE AND TRIBAL VOLUNTARY CLEANUP SITES								
VCP - FL		0.500	0	0	0	0	--	0
STATE AND TRIBAL BROWNFIELD SITES								
BROWNFIELDS - FL		0.500	0	0	0	0	--	0
BROWNFIELDS_SITES - FL		0.500	0	0	0	0	--	0
TRIBAL BROWNFIELDS		0.500	0	0	0	0	--	0
ADDITIONAL ENVIRONMENTAL RECORDS								
LOCAL BROWNFIELD LISTS								
FED BROWNFIELDS		0.500	0	0	0	0	--	0
HIST FED BROWNFIELDS		0.500	0	0	0	0	--	0
BROWNFIELDS-ACRES		0.500	0	0	0	0	--	0
EJ BROWNFIELDS		0.500	0	0	0	0	--	0
BROWNFIELDS_AREAS - FL		SP	0	-	-	-	--	0
LOCAL LISTS OF LANDFILL / SOLID WASTE DISPOSAL SITES								
EPA LF MOP		0.500	0	0	0	0	--	0
ODI		0.500	0	0	0	0	--	0
SWRCY - FL		0.500	5	2	2	0	--	9
HIST SWRCY - FL		0.500	0	0	0	0	--	0
TRIBAL ODI		0.500	0	0	0	0	--	0
LOCAL LISTS OF HAZARDOUS WASTE / CONTAMINATED SITES								
FED CDL		SP	0	-	-	-	--	0
US HIST CDL		SP	0	-	-	-	--	0
DWM CONTAM - FL		0.500	11	8	10	0	--	29
RESP PARTY - FL		0.500	1	1	1	0	--	3
LOCAL LAND RECORDS								
LIENS 2		SP	0	-	-	-	--	0

DATABASE	SUBJECT PROPERTY	SEARCH DISTANCE (MILES)	<1/8	1/8-1/4	1/4-1/2	1/2-1	>1	TOTAL MAPPED
ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*								
RECORDS OF EMERGENCY RELEASE REPORTS								
HMIRS (DOT)		SP	0	-	-	-	--	0
SPILLS - FL	1	0.125	9	0	-	-	--	10
OTHER ASCERTAINABLE RECORDS								
NPL AOC		1.000	0	0	0	0	--	0
FUDS		1.000	0	1	0	0	--	1
FUDS MRA		1.000	0	0	0	0	--	0
FUDS MRS		1.000	0	0	0	0	--	0
DOD		1.000	0	0	0	0	--	0
HIST DOD		1.000	0	0	0	0	--	0
FEDLAND		1.000	0	0	0	0	--	0
CDC HAZDAT		1.000	0	0	0	0	--	0
COAL GAS		1.000	0	0	0	0	--	0
MGP		1.000	0	0	0	0	--	0
PIPELINES		1.000	0	0	0	0	--	0
ROD		1.000	0	0	0	0	--	0
CONSENT (DECREES)		1.000	0	0	0	0	--	0
BRS		SP	0	-	-	-	--	0
INDIAN RESERVATION		1.000	0	0	0	0	--	0
EPA WATCH		SP	0	-	-	-	--	0
CORRECTIVE ACTIONS 2020		0.500	0	1	0	0	--	1
COAL ASH DOE		0.500	0	0	0	0	--	0
COAL ASH EPA		0.500	0	0	0	0	--	0
DEBRIS EPA LF		0.500	0	0	0	0	--	0
DEBRIS EPA SWRCY		0.500	0	0	0	0	--	0
PFAS FED SITES		0.500	0	0	0	0	--	0
PFAS INDUSTRY		0.500	3	3	0	0	--	6
PFAS MANIFEST		0.500	0	0	0	0	--	0
PFAS NPL		0.500	0	0	0	0	--	0
PFAS PROD		0.500	0	0	0	0	--	0
PFAS SPILLS		0.500	0	0	0	0	--	0
PFAS TRIS		0.500	0	0	0	0	--	0
PFAS UCMR3		0.500	0	0	0	0	--	0
PFAS WQP		0.500	0	0	0	0	--	0
UMTRA		0.500	0	0	0	0	--	0
VAPOR		0.500	0	0	0	0	--	0
SCRD DRYCLEANERS		0.250	0	0	0	-	--	0

DATABASE	SUBJECT PROPERTY	SEARCH DISTANCE (MILES)	<1/8	1/8-1/4	1/4-1/2	1/2-1	>1	TOTAL MAPPED
ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*								
OTHER ASCERTAINABLE RECORDS *(cont.)*								
ALT FUELING		0.250	2	1	0	-	--	3
MINES USGS		0.250	1	0	0	-	--	1
MINE OPERATIONS		0.250	0	0	0	-	--	0
MINES		0.250	0	0	0	-	--	0
ASBESTOS NOA		0.250	0	0	0	-	--	0
HIST ASBESTOS NOA		0.250	0	0	0	-	--	0
RMP		0.250	1	0	0	-	--	1
MANIFEST EPA		0.250	14	8	0	-	--	22
EPA OSC		0.125	0	0	-	-	--	0
RAATS		SP	0	-	-	-	--	0
TRIS		SP	0	-	-	-	--	0
SSTS		SP	0	-	-	-	--	0
HIST SSTS		SP	0	-	-	-	--	0
EJ TOXIC RELEASE		SP	0	-	-	-	--	0
FA HWF		SP	0	-	-	-	--	0
PADS		SP	0	-	-	-	--	0
ICIS	1	SP	0	-	-	-	--	1
FTTS		SP	0	-	-	-	--	0
FTTS INSP		SP	0	-	-	-	--	0
MLTS		SP	0	-	-	-	--	0
HIST MLTS		SP	0	-	-	-	--	0
RADINFO		SP	0	-	-	-	--	0
PCB TRANSFORMER		SP	0	-	-	-	--	0
HIST PCB TRANS		SP	0	-	-	-	--	0
DOT OPS		SP	0	-	-	-	--	0
SEMS_SMELTER		SP	0	-	-	-	--	0
HIST LEAD_SMELTER		SP	0	-	-	-	--	0
TOSCA-PLANT		SP	0	-	-	-	--	0
HWC DOCKET		SP	0	-	-	-	--	0
AFS		SP	0	-	-	-	--	0
HIST AFS		SP	0	-	-	-	--	0
HIST AFS 2		SP	0	-	-	-	--	0
FRS	1	SP	0	-	-	-	--	1
ECHO	1	SP	0	-	-	-	--	1
DOCKET CRIM PROS 2		SP	0	-	-	-	--	0
PCS ENF		SP	0	-	-	-	--	0

DATABASE	SUBJECT PROPERTY	SEARCH DISTANCE (MILES)	<1/8	1/8-1/4	1/4-1/2	1/2-1	>1	TOTAL MAPPED
ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*								
OTHER ASCERTAINABLE RECORDS *(cont.)*								
INACTIVE PCS	1	SP	0	-	-	-	--	1
PCS FACILITY		SP	0	-	-	-	--	0
HIST PCS ENF		SP	0	-	-	-	--	0
HIST PCS FACILITY		SP	0	-	-	-	--	0
ENOI		SP	0	-	-	-	--	0
EPA FUELS		SP	0	-	-	-	--	0
OSHA		SP	0	-	-	-	--	0
STORMWATER		SP	0	-	-	-	--	0
PRIORITY CLEANERS - FL		0.500	0	0	0	0	--	0
CATTLE DIPPING VATS - FL		0.500	0	0	0	0	--	0
COAL ASH - FL		0.500	0	0	0	0	--	0
DEDB - FL	1	0.500	8	8	21	0	--	38
SIS - FL		0.500	0	0	0	0	--	0
GWCA - FL		0.500	0	0	0	0	--	0
PFAS - FL		0.500	0	0	0	0	--	0
PFAS AFFF - FL		0.500	0	0	0	0	--	0
HIST CATTLE DIPPING VATS - FL		0.500	0	0	0	0	--	0
HIST DEDB - FL		0.500	0	0	0	0	--	0
DRYCLEANERS - FL		0.250	3	0	0	-	--	3
FF TANKS - FL		0.250	0	0	0	-	--	0
HIST FF TANKS - FL		0.250	0	0	0	-	--	0
MINES - FL		0.250	0	0	0	-	--	0
HIST MINES - FL		0.250	0	0	0	-	--	0
T 2 - FL		0.250	12	2	0	-	--	14
FA 1 - FL		SP	0	-	-	-	--	0
FA 2 - FL		SP	0	-	-	-	--	0
FA 3 - FL		SP	0	-	-	-	--	0
AIRS - FL		SP	0	-	-	-	--	0
NPDES - FL		SP	0	-	-	-	--	0
UIC - FL		SP	0	-	-	-	--	0
WASTEWATER - FL		SP	0	-	-	-	--	0
GWIF - FL		0.250	11	5	0	-	--	16
ARENAS		SP	0	-	-	-	--	0
ARENAS 2		SP	0	-	-	-	--	0
CHURCHES		SP	0	-	-	-	--	0
HOSPITALS		SP	0	-	-	-	--	0

DATABASE	SUBJECT PROPERTY	SEARCH DISTANCE (MILES)	<1/8	1/8-1/4	1/4-1/2	1/2-1	>1	TOTAL MAPPED
ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*								
OTHER ASCERTAINABLE RECORDS *(cont.)*								
NURSING HOMES		SP	0	-	-	-	--	0
GOV MANSIONS		SP	0	-	-	-	--	0
SCHOOLS PRIVATE		SP	0	-	-	-	--	0
SCHOOLS PUBLIC		SP	0	-	-	-	--	0
COLLEGES		SP	0	-	-	-	--	0
COLLEGES 2		SP	0	-	-	-	--	0
PRISONS		SP	0	-	-	-	--	0
EJ CHURCH		SP	0	-	-	-	--	0
EJ SCHOOLS		SP	0	-	-	-	--	0
EJ HOSPITALS		SP	0	-	-	-	--	0
DAYCARE		SP	0	-	-	-	--	0
DAYCARE - FL		SP	0	-	-	-	--	0

Map Id: A1
Direction:
Distance:
Elevation:
Relative:

Site Name : OAK CREEK CENTER
11090 & 111100 BONITA BEACH ROAD |
11090 & 111100 BONITA BEACH RO AD |
11090 & 111100 BONITA BEACH RO
BONITA SPRINGS, FL 34135

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS]

Envirosite ID: 1668186
EPA ID: N/R

ECHO

Facility Name :	OAK CREEK CENTER
Facility Address :	11090 & 111100 BONITA BEACH RO, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	N/R
Registry ID :	110020522870
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	N/R
Three-Year Compliance Status :	N/R
Collection Method :	UNKNOWN
Reference Point :	FACILITY CENTROID
Accuracy Meters :	17400
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040105
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710506023000
MYRTK Universe :	NNN
NPDES IDs :	FLR10P563
CWA Permit Types :	Non-M
CWA Compliance Tracking :	Off
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	Terminated Permit
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R

Map Id: A1
Direction:
Distance:
Elevation:
Relative:

Site Name : OAK CREEK CENTER
11090 & 111100 BONITA BEACH ROAD |
11090 & 111100 BONITA BEACH RO AD |
11090 & 111100 BONITA BEACH RO
BONITA SPRINGS, FL 34135

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS] ***(cont.)***

Envirosite ID: 1668186
EPA ID: N/R

ECHO ***(cont.)***

Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.329167
Longitude :	-81.783333
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	OAK CREEK CENTER
Facility Address :	11090 & 111100 BONITA BEACH RO AD, BONITA SPRINGS, FL 34135
County :	LEE

Site Details

Registry ID :	110020522870
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.
The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

Map Id: A1
Direction:
Distance:
Elevation:
Relative:

Site Name : OAK CREEK CENTER
11090 & 111100 BONITA BEACH ROAD |
11090 & 111100 BONITA BEACH RO AD |
11090 & 111100 BONITA BEACH RO
BONITA SPRINGS, FL 34135

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS] ***(cont.)***

Envirosite ID: 1668186
EPA ID: N/R

FRS ***(cont.)***

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 21837 ICIS - FLR10P563

ICIS

Facility Name :	OAK CREEK CENTER
Facility Address :	11090 & 111100 BONITA BEACH RO AD, BONITA SPRINGS, FL 34135

Site Details

NPDES ID :	FLR10P563
ICIS Facility Interest ID :	2400057122
Facility UIN :	110020522870
Facility Type Code :	Privately Owned Facility
Impaired Waters :	303(D) Listed
Latitude :	26.329167
Longitude :	-81.783333
Last Date in Agency List :	2026-02-25

INACTIVE PCS

Issue Date :	2004-01-14
Original Issue Date :	2004-01-14
Effective Date :	2004-01-14
Expiration Date :	2009-01-13
Retirement Date :	N/R
Termination Date :	2012-04-20
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	2400017176
External Permit Number :	FLR10P563
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Terminated
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	OAK CREEK CENTER
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR100000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2026-02-26

Map Id: B2
Direction:
Distance:
Elevation:
Relative:

Site Name : AAI4568
16210 OLD US 41 HIGHWAY | 16210 OLS US HWY 41
NAPLES, FL

Database(s) : [DEDB - FL]

Envirosite ID: 8374359
EPA ID: N/R

DEDB - FL

Sample Date :	2011-07-20
Sample ID :	110713-066
Sample Type :	FIRST SAMPLE
FLUW ID :	AAI4568
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	NORTH COLLIER COLLISION
Well Address :	16210 OLD US 41 HWY
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	COLLIER
Job Name :	COLLIER-110713-012
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2007-08-23
Sample ID :	070820-112
Sample Type :	FIRST SAMPLE
FLUW ID :	AAI4568
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	NORTH COLLIER COLLISION
Well Address :	16210 OLS US HWY 41
Well Type :	NONE GIVEN
Well Status :	ACTIVE
City :	N/R
County :	COLLIER
Job Name :	COLLIER-070820-028
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2012-09-28
Sample ID :	120917-002
Sample Type :	FIRST SAMPLE
FLUW ID :	AAI4568
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.15
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	NORTH COLLIER COLLISION
Well Address :	16210 OLD US 41 HIGHWAY
Well Type :	45 - NON-TRANSIENT/NON-COMMUNITY WATER SYSTEM
Well Status :	ACTIVE
City :	N/R

Map Id: B2
Direction:
Distance:
Elevation:
Relative:

Site Name : AAI4568
16210 OLD US 41 HIGHWAY | 16210 OLS US HWY 41
NAPLES, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 8374359
EPA ID: N/R

DEDB - FL ***(cont.)***

County :	COLLIER
Job Name :	COLLIER-120917-002
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2010-08-17
Sample ID :	100727-003
Sample Type :	FIRST SAMPLE
FLUW ID :	AAI4568
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	NORTH COLLIER COLLISION
Well Address :	16210 OLD US 41 HIGHWAY
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	COLLIER
Job Name :	COLLIER-100727-002
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Map Id: C3
Direction:
Distance:
Elevation:
Relative:

Site Name : Bontia Springs Public Works | National Response Center | Office of Emergency Response
27300 Old 41
Bonita Springs, FL

Database(s) : [SPILLS - FL]

Envirosite ID: 68173845
EPA ID: N/R

SPILLS - FL

Facility Name :	Bontia Springs Public Works
Facility Address :	27300 Old 41, Bonita Springs
County :	Lee

Incident Details

Incident Number :	64021
Incident Date :	2019-08-30
Incident Status :	Pending-HQ
Incident Type :	Coastal
Descriptions :	Discharge
On-scene Response :	N

Map Id: C3
Direction:
Distance:
Elevation:
Relative:

Site Name : Bontia Springs Public Works | National Response Center | Office of Emergency Response
27300 Old 41
Bonita Springs, FL

Database(s) : [SPILLS - FL] ***(cont.)***

Envirosite ID: 68173845
EPA ID: N/R

SPILLS - FL ***(cont.)***

State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2019-10-30

Pollutants

Pollutant Name :	Petroleum sheen
Pollutant Actual Volume :	1.00 gallon
Pollutant Category :	Petroleum

Facility Name :	National Response Center
Facility Address :	27300 Old 41, Bonita Springs
County :	Lee

Incident Details

Incident Number :	64021
Incident Date :	2019-08-30
Incident Status :	Pending-HQ
Incident Type :	Coastal
Descriptions :	Discharge
On-scene Response :	N
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2019-10-30

Pollutants

Pollutant Name :	Petroleum sheen
Pollutant Actual Volume :	1.00 gallon
Pollutant Category :	Petroleum

Facility Name :	Office of Emergency Response
Facility Address :	27300 Old 41, Bonita Springs
County :	Lee

Map Id: C3
Direction:
Distance:
Elevation:
Relative:

Site Name : Bontia Springs Public Works | National Response Center | Office of Emergency Response
27300 Old 41
Bonita Springs, FL

Database(s) : [SPILLS - FL] ***(cont.)***

Envirosite ID: 68173845
EPA ID: N/R

SPILLS - FL ***(cont.)***

Incident Details

Incident Number :	64021
Incident Date :	2019-08-30
Incident Status :	Pending-HQ
Incident Type :	Coastal
Descriptions :	Discharge
On-scene Response :	N
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2019-10-30

Pollutants

Pollutant Name :	Petroleum sheen
Pollutant Actual Volume :	1.00 gallon
Pollutant Category :	Petroleum

Facility Name :	RP UNKNOWN
Facility Address :	27300 Old 41, Bonita Springs
County :	Lee

Incident Details

Incident Number :	64021
Incident Date :	2019-08-30
Incident Status :	Pending-HQ
Incident Type :	Coastal
Descriptions :	Discharge
On-scene Response :	N
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2019-10-30

Pollutants

Pollutant Name :	Petroleum sheen
Pollutant Actual Volume :	1.00 gallon

Map Id: C3
Direction:
Distance:
Elevation:
Relative:

Site Name : Bontia Springs Public Works | National Response Center | Office of Emergency Response
27300 Old 41
Bonita Springs, FL

Database(s) : [SPILLS - FL] ***(cont.)***

Envirosite ID: 68173845
EPA ID: N/R

SPILLS - FL ***(cont.)***

Pollutant Category : Petroleum

Facility Name : State Watch Office
Facility Address : 27300 Old 41, Bonita Springs
County : Lee

Incident Details
Incident Number : 64021
Incident Date : 2019-08-30
Incident Status : Pending-HQ
Incident Type : Coastal
Descriptions : Discharge
On-scene Response : N
State Warning Point Date : N/R
State Warning Point Code : N/R
Sector Code : N/R
Facility Reported : N/R
Business Type : N/R
Petroleum Flag : N/R
Off-site Release Flag : N/R
Release Source Code : N/R
Release Description : N/R
Last Date in Agency List : 2019-10-30

Pollutants
Pollutant Name : Petroleum sheen
Pollutant Actual Volume : 1.00 gallon
Pollutant Category : Petroleum

Facility Name : United States Coast Guard
Facility Address : 27300 Old 41, Bonita Springs
County : Lee

Incident Details
Incident Number : 64021
Incident Date : 2019-08-30
Incident Status : Pending-HQ
Incident Type : Coastal
Descriptions : Discharge
On-scene Response : N
State Warning Point Date : N/R
State Warning Point Code : N/R
Sector Code : N/R
Facility Reported : N/R
Business Type : N/R
Petroleum Flag : N/R
Off-site Release Flag : N/R

Map Id: C3
Direction:
Distance:
Elevation:
Relative:

Site Name : Bontia Springs Public Works | National Response Center | Office of Emergency Response
27300 Old 41
Bonita Springs, FL

Database(s) : [SPILLS - FL] ***(cont.)***

Envirosite ID: 68173845
EPA ID: N/R

SPILLS - FL ***(cont.)***

Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2019-10-30

Pollutants

Pollutant Name :	Petroleum sheen
Pollutant Actual Volume :	1.00 gallon
Pollutant Category :	Petroleum

Map Id: A4
Direction: SSE
Distance: 0.012 mi., 63 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : Thompson Gas
10350 Bonita Beach Rd SE
Bonita Springs, FL 34135

Database(s) : [ALT FUELING]

Envirosite ID: 68173730
EPA ID: N/R

ALT FUELING

Facility Name :	Thompson Gas
Facility Address :	10350 Bonita Beach Rd SE, Bonita Springs, FL 34135
ID Number :	33073
Date Last Confirmed :	2025-09-12
Status :	Open: The station is open.
Station Phone :	239-992-7942
Expected Date :	N/R
Groups With Access Code :	Public
Access Days Time :	8am-5pm M-F
Cards Accepted :	A Cash D M V
Date Updated :	2025-09-12 21:23:31
BD Blends :	N/R
Open Date :	2008-06-15
Fuel Type :	Propane (LPG)
NG Fill Type :	N/R
NG PSI :	N/R
EV Level 1 EVSE Number :	N/R
EV Level 2 EVSE Number :	N/R
EV DC Fast Count :	N/R
EV Other Information :	N/R
EV Network :	N/R
EV Network Website :	N/R
Hydrogen Status Link :	N/R
NG Vehicle Class :	N/R
LPG Primary :	true
E85 Blender Pump :	N/R
EV Connector Types :	N/R
Hydrogen is Retail :	N/R

Map Id: A4
Direction: SSE
Distance: 0.012 mi., 63 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : Thompson Gas
10350 Bonita Beach Rd SE
Bonita Springs, FL 34135

Database(s) : [ALT FUELING] ***(cont.)***

Envirosite ID: 68173730
EPA ID: N/R

ALT FUELING ***(cont.)***

Access Code :	public
Access Detail Code :	N/R
Intersection Directions :	Next to the railroad tracks
Geocode Status :	200-9
Geocode Status Description :	Premise (building name, property name, shopping center, etc.) level accuracy.
Owner Type :	Privately owned
Federal Agency ID :	N/R
Federal Agency Name :	N/R
Facility Type :	FUEL_RESELLER
CNG Dispenser Num :	N/R
CNG On-Site Renewable Source :	N/R
CNG Total Compression Capacity :	N/R
CNG Storage Capacity :	N/R
LNG On-Site Renewable Source :	N/R
E85 Other Ethanol Blends :	N/R
EV Pricing :	N/R
LPG Nozzle Types :	ACME
Hydrogen Pressures :	N/R
Hydrogen Standards :	N/R
CNG Fill Type :	N/R
CNG PSI :	N/R
CNG Vehicle Class :	N/R
LNG Vehicle Class :	N/R
Latitude :	26.33137
Longitude :	-81.781965
EV On-Site Renewable Source :	N/R
Last Date in Agency List :	2026-03-03

Map Id: B5
Direction: SSE
Distance: 0.013 mi., 69 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : AAI4568 | NORTH COLLIER COLLISION INC
16210 OLD US 41 S | 16210 OLD US HWY 41 HWY | 16210 Old 41 N
NAPLES | Naples, FL 34110

Database(s) : [DEDB - FL, ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL]

Envirosite ID: 68173765
EPA ID: N/R

DEDB - FL

Sample Date :	2012-09-28
Sample ID :	120917-002
Sample Type :	FIRST SAMPLE
FLUW ID :	AAI4568
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.15
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	NORTH COLLIER COLLISION

Map Id: B5
Direction: SSE
Distance: 0.013 mi., 69 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : AAI4568 | NORTH COLLIER COLLISION INC
16210 OLD US 41 S | 16210 OLD US HWY 41 HWY | 16210 Old 41 N
NAPLES | Naples, FL 34110

Database(s) : [DEDB - FL, ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173765
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Address :	16210 OLD US HWY 41 HWY
Well Type :	45
Well Status :	ACTIVE
City :	NAPLES
County :	COLLIER
Job Name :	COLLIER-120917-002
Customer ID :	N/R
Description :	Non Transient
Last Date in Agency List :	2015-11-25

Sample Date :	2011-07-20
Sample ID :	110713-066
Sample Type :	FIRST SAMPLE
FLUW ID :	AAI4568
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	NORTH COLLIER COLLISION
Well Address :	16210 OLD US HWY 41 HWY
Well Type :	45
Well Status :	ACTIVE
City :	NAPLES
County :	COLLIER
Job Name :	COLLIER-110713-012
Customer ID :	N/R
Description :	Non Transient
Last Date in Agency List :	2015-11-25

Sample Date :	2010-08-17
Sample ID :	100727-003
Sample Type :	FIRST SAMPLE
FLUW ID :	AAI4568
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	NORTH COLLIER COLLISION
Well Address :	16210 OLD US HWY 41 HWY
Well Type :	45
Well Status :	ACTIVE
City :	NAPLES
County :	COLLIER
Job Name :	COLLIER-100727-002
Customer ID :	N/R
Description :	Non Transient
Last Date in Agency List :	2015-11-25

Sample Date :	2009-07-28
Sample ID :	090715-051

Map Id: B5
Direction: SSE
Distance: 0.013 mi., 69 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : AAI4568 | NORTH COLLIER COLLISION INC
16210 OLD US 41 S | 16210 OLD US HWY 41 HWY | 16210 Old 41 N
NAPLES | Naples, FL 34110

Database(s) : [DEDB - FL, ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173765
EPA ID: N/R

DEDB - FL ***(cont.)***

Sample Type :	COMPLIANCE MONITORING
FLUW ID :	AAI4568
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	NORTH COLLIER COLLISION
Well Address :	16210 OLD US HWY 41 HWY
Well Type :	45
Well Status :	ACTIVE
City :	NAPLES
County :	COLLIER
Job Name :	COLLIER-090715-009
Customer ID :	N/R
Description :	Non Transient
Last Date in Agency List :	2015-11-25

Sample Date :	2008-08-28
Sample ID :	080731-153
Sample Type :	RESAMPLE
FLUW ID :	AAI4568
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U,Y
Resident Last Name :	N/R
Well Business Name :	NORTH COLLIER COLLISION
Well Address :	16210 OLD US HWY 41 HWY
Well Type :	45
Well Status :	ACTIVE
City :	NAPLES
County :	COLLIER
Job Name :	COLLIER-080731-043
Customer ID :	N/R
Description :	Non Transient
Last Date in Agency List :	2015-11-25

Sample Date :	2008-08-28
Sample ID :	080731-154
Sample Type :	RESAMPLE
FLUW ID :	AAI4568
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U,Y
Resident Last Name :	N/R
Well Business Name :	NORTH COLLIER COLLISION
Well Address :	16210 OLD US HWY 41 HWY
Well Type :	45
Well Status :	ACTIVE
City :	NAPLES
County :	COLLIER

Map Id: B5
Direction: SSE
Distance: 0.013 mi., 69 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : AAI4568 | NORTH COLLIER COLLISION INC
16210 OLD US 41 S | 16210 OLD US HWY 41 HWY | 16210 Old 41 N
NAPLES | Naples, FL 34110

Database(s) : [DEDB - FL, ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173765
EPA ID: N/R

DEDB - FL ***(cont.)***

Job Name :	COLLIER-080731-043
Customer ID :	N/R
Description :	Non Transient
Last Date in Agency List :	2015-11-25
Sample Date :	2007-08-23
Sample ID :	070820-112
Sample Type :	FIRST SAMPLE
FLUW ID :	AAI4568
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	NORTH COLLIER COLLISION
Well Address :	16210 OLD US HWY 41 HWY
Well Type :	45
Well Status :	ACTIVE
City :	NAPLES
County :	COLLIER
Job Name :	COLLIER-070820-028
Customer ID :	N/R
Description :	Non Transient
Last Date in Agency List :	2015-11-25
Sample Date :	2009-07-28
Sample ID :	090715-051
Sample Type :	COMPLIANCE MONITORING
FLUW ID :	AAI4568
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	NORTH COLLIER COLLISION
Well Address :	16210 OLD US 41
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	COLLIER
Job Name :	COLLIER-090715-009
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2008-08-28
Sample ID :	080731-154
Sample Type :	RESAMPLE
FLUW ID :	AAI4568
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L

Map Id: B5
Direction: SSE
Distance: 0.013 mi., 69 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : AAI4568 | NORTH COLLIER COLLISION INC
16210 OLD US 41 S | 16210 OLD US HWY 41 HWY | 16210 Old 41 N
NAPLES | Naples, FL 34110

Database(s) : [DEDB - FL, ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173765
EPA ID: N/R

DEDB - FL ***(cont.)***

Qualifier :	U,Y
Resident Last Name :	N/R
Well Business Name :	NORTH COLLIER COLLISION
Well Address :	16210 OLD US 41
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	COLLIER
Job Name :	COLLIER-080731-043
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2008-08-28
Sample ID :	080731-153
Sample Type :	RESAMPLE
FLUW ID :	AAI4568
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U,Y
Resident Last Name :	N/R
Well Business Name :	NORTH COLLIER COLLISION
Well Address :	16210 OLD US 41
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	COLLIER
Job Name :	COLLIER-080731-043
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2012-09-28
Sample ID :	120917-002
Sample Type :	FIRST SAMPLE
FLUW ID :	AAI4568
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.15
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	NORTH COLLIER COLLISION
Well Address :	16210 OLD US HWY 41 HWY
Well Type :	45 - NON-TRANSIENT/NON-COMMUNITY WATER SYSTEM
Well Status :	ACTIVE
City :	N/R
County :	COLLIER
Job Name :	COLLIER-120917-002
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

Map Id: B5
Direction: SSE
Distance: 0.013 mi., 69 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : AAI4568 | NORTH COLLIER COLLISION INC
16210 OLD US 41 S | 16210 OLD US HWY 41 HWY | 16210 Old 41 N
NAPLES | Naples, FL 34110

Database(s) : [DEDB - FL, ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173765
EPA ID: N/R

DEDB - FL ***(cont.)***

Sample Date :	2011-07-20
Sample ID :	110713-066
Sample Type :	FIRST SAMPLE
FLUW ID :	AAI4568
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	NORTH COLLIER COLLISION
Well Address :	16210 OLD US HWY 41 HWY
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	COLLIER
Job Name :	COLLIER-110713-012
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

Sample Date :	2010-08-17
Sample ID :	100727-003
Sample Type :	FIRST SAMPLE
FLUW ID :	AAI4568
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	NORTH COLLIER COLLISION
Well Address :	16210 OLD US HWY 41 HWY
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	COLLIER
Job Name :	COLLIER-100727-002
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

Sample Date :	2009-07-28
Sample ID :	090715-051
Sample Type :	COMPLIANCE MONITORING
FLUW ID :	AAI4568
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	NORTH COLLIER COLLISION
Well Address :	16210 OLD US HWY 41 HWY
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE

Map Id: B5
Direction: SSE
Distance: 0.013 mi., 69 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : AAI4568 | NORTH COLLIER COLLISION INC
16210 OLD US 41 S | 16210 OLD US HWY 41 HWY | 16210 Old 41 N
NAPLES | Naples, FL 34110

Database(s) : [DEDB - FL, ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173765
EPA ID: N/R

DEDB - FL ***(cont.)***

City :	N/R
County :	COLLIER
Job Name :	COLLIER-090715-009
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17
Sample Date :	2008-08-28
Sample ID :	080731-153
Sample Type :	RESAMPLE
FLUW ID :	AAI4568
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U,Y
Resident Last Name :	N/R
Well Business Name :	NORTH COLLIER COLLISION
Well Address :	16210 OLD US HWY 41 HWY
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	COLLIER
Job Name :	COLLIER-080731-043
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17
Sample Date :	2008-08-28
Sample ID :	080731-154
Sample Type :	RESAMPLE
FLUW ID :	AAI4568
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U,Y
Resident Last Name :	N/R
Well Business Name :	NORTH COLLIER COLLISION
Well Address :	16210 OLD US HWY 41 HWY
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	COLLIER
Job Name :	COLLIER-080731-043
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17
Sample Date :	2007-08-23
Sample ID :	070820-112
Sample Type :	FIRST SAMPLE
FLUW ID :	AAI4568
Analyte :	ETHYLENE DIBROMIDE (EDB)

Map Id: B5
Direction: SSE
Distance: 0.013 mi., 69 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : AAI4568 | NORTH COLLIER COLLISION INC
16210 OLD US 41 S | 16210 OLD US HWY 41 HWY | 16210 Old 41 N
NAPLES | Naples, FL 34110

Database(s) : [DEDB - FL, ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173765
EPA ID: N/R

DEDB - FL ***(cont.)***

Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	NORTH COLLIER COLLISION
Well Address :	16210 OLD US HWY 41 HWY
Well Type :	NONE GIVEN
Well Status :	ACTIVE
City :	N/R
County :	COLLIER
Job Name :	COLLIER-070820-028
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

ECHO

Facility Name :	NORTH COLLIER COLLISION INC
Facility Address :	16210 OLD US 41 S, NAPLES, FL 34110
County :	COLLIER
Last Inspection Date :	2009-12-08
Registry ID :	110006380200
FIPS Code :	12021
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	5787
Informal Count :	0
Last Informal Action Date :	2010-01-04
Formal Action Count :	0
Last Formal Action Date :	2010-03-10
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	2010-03-10
Last Penalty Amount :	6688.4
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	POINT WHERE SUBSTANCE IS MONITORED
Accuracy Meters :	10
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101021000
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R

Map Id: B5
Direction: SSE
Distance: 0.013 mi., 69 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : AAI4568 | NORTH COLLIER COLLISION INC
16210 OLD US 41 S | 16210 OLD US HWY 41 HWY | 16210 Old 41 N
NAPLES | Naples, FL 34110

Database(s) : [DEDB - FL, ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173765
EPA ID: N/R

ECHO ***(cont.)***

CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	811121 - Automotive Body, Paint, and Interior Repair and Maintenance
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2009-12-08
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	2010-03-10
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2010-01-04
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.315715
Longitude :	-81.788888
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	NORTH COLLIER COLLISION INC
Facility Address :	16210 OLD US 41 S, NAPLES, FL 34110
County :	COLLIER

Map Id: B5
Direction: SSE
Distance: 0.013 mi., 69 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : AAI4568 | NORTH COLLIER COLLISION INC
16210 OLD US 41 S | 16210 OLD US HWY 41 HWY | 16210 Old 41 N
NAPLES | Naples, FL 34110

Database(s) : [DEDB - FL, ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173765
EPA ID: N/R

FRS ***(cont.)***

Site Details

Registry ID :	110006380200
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 48948 RCRAINFO - FLD982081267

MANIFEST EPA

Manifest Details

Manifest Number :	006731086SKS
Shipped Date :	2019-08-07
Updated Date :	2019-09-13
Received Date :	2019-08-13
Status :	Signed
Generator ID :	FLD982081267
Generator Name :	North Collier Collision
Generator Address :	16210 Old 41 N, NAPLES, FL 34110
Generator Mailing :	16210 Old 41 N, Naples, FL 34110
Generator Contact :	N/R
Destination ID :	FLD980729610
Destination Name :	Clean Harbors Florida LLC
Destination Mailing :	7001 Kilo Avenue, Bartow, FL 33830
Destination Address :	7001 Kilo Avenue, Bartow, FL 33830
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Map Id: B5
Direction: SSE
Distance: 0.013 mi., 69 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : AAI4568 | NORTH COLLIER COLLISION INC
16210 OLD US 41 S | 16210 OLD US HWY 41 HWY | 16210 Old 41 N
NAPLES | Naples, FL 34110

Database(s) : [DEDB - FL, ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173765
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1325
DOT Information :	UN1325, WASTE UN1325, WASTE FLAMMABLE SOLIDS, ORGANIC, N.O.S.,), 4.1, PG II (ACETONE, MEK, TOLUENE, XYLENE), 4.1, PG III
Non Waste Description :	N/R
Quantity :	400 Pounds
Quantity Tons, Acute, Non-Acute :	0.2, 0, 0.2
Quantity Kg, Acute, Non-Acute :	0, 181.406
Quantity Tons, Haz, Non-Haz :	0.2, 0
Quantity Kg, Haz, Non-Haz :	181.406, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D005, D006, D007, D008, D035, F003, F005
State Code :	N/R

RCRA SQG

Facility Name :	NORTH COLLIER COLLISION INC
Facility Address :	16210 OLD US 41 S, NAPLES, FL 34110
County :	COLLIER
Date Form Received by Agency :	2009-12-08
EPA ID :	FLD982081267
Mailing Address :	16210 OLD 41 N, NAPLES, FL 34110-8438
Contact :	DAVID WALTER
Contact Address :	16210 OLD 41 N, NAPLES, FL 34110-8438
Contact Country :	US
Contact Telephone :	239-566-3808
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Small Quantity Generator
Description :	Handlers that generate more than 100 and less than 1000 kilograms of hazardous waste during any calendar month and accumulate less than 6000 kg of hazardous waste at any time; or generate 100 kg or less of hazardous waste during any calendar month, and accumulate more than 1000 kg of hazardous waste at any time.
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	DAVID WOODCOCK
Owner/Operator Address :	16301 OLD HWY 41 S, NAPLES, FL 33963
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R

Map Id: B5
Direction: SSE
Distance: 0.013 mi., 69 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : AAI4568 | NORTH COLLIER COLLISION INC
16210 OLD US 41 S | 16210 OLD US HWY 41 HWY | 16210 Old 41 N
NAPLES | Naples, FL 34110

Database(s) : [DEDB - FL, ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173765
EPA ID: N/R

RCRA SQG ***(cont.)***

Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2004-07-21
Owner/Operator End Date :	2004-07-22

Owner/Operator Name :	MICHAEL MCKEE
Owner/Operator Address :	16210 OLD US 41 S, NAPLES, FL 34110
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2004-07-21
Owner/Operator End Date :	2009-12-08

Owner/Operator Name :	NORTH COLLIER COLLISION INC
Owner/Operator Address :	16210 OLD 41 N, NAPLES, FL 34110-8438
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	1989-10-15
Owner/Operator End Date :	N/R

Owner/Operator Name :	WALTER MCKEE LLC
Owner/Operator Address :	16210 OLD 41 N, NAPLES, FL 34110-8438
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2009-12-08
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N

Map Id: B5
Direction: SSE
Distance: 0.013 mi., 69 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : AAI4568 | NORTH COLLIER COLLISION INC
16210 OLD US 41 S | 16210 OLD US HWY 41 HWY | 16210 Old 41 N
NAPLES | Naples, FL 34110

Database(s) : [DEDB - FL, ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173765
EPA ID: N/R

RCRA SQG ***(cont.)***

Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	2004-07-21
Facility Name :	NORTH COLLIER COLLISION INC
Classification :	Small Quantity Generator

Notices of Violations Summary

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Date of Violation :	2010-03-12
Date Achieved Compliance :	2010-03-12
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP SHORT FORM CONSENT ORDER
Enforcement Action Date :	2010-03-10
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	6688.4
Paid Penalty Amount :	2047.1

Date of Violation :	2010-03-12
Date Achieved Compliance :	2010-03-12
Regulation Violated :	Y
Area of Violation :	TSD IS-Preparedness and Prevention
Enforcement Action :	DEP MEETING
Enforcement Action Date :	2010-03-12
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2010-03-12
Date Achieved Compliance :	2010-03-12
Regulation Violated :	Y
Area of Violation :	TSD IS-Preparedness and Prevention

Map Id: B5
Direction: SSE
Distance: 0.013 mi., 69 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : AAI4568 | NORTH COLLIER COLLISION INC
16210 OLD US 41 S | 16210 OLD US HWY 41 HWY | 16210 Old 41 N
NAPLES | Naples, FL 34110

Database(s) : [DEDB - FL, ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173765
EPA ID: N/R

RCRA SQG ***(cont.)***

Enforcement Action :	DEP SHORT FORM CONSENT ORDER
Enforcement Action Date :	2010-03-10
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	6688.4
Paid Penalty Amount :	2047.1

Date of Violation :	2010-03-12
Date Achieved Compliance :	2010-03-12
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	DEP SHORT FORM CONSENT ORDER
Enforcement Action Date :	2010-03-10
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	6688.4
Paid Penalty Amount :	2047.1

Date of Violation :	2010-03-12
Date Achieved Compliance :	2010-03-12
Regulation Violated :	Y
Area of Violation :	Generators - Pre-transport
Enforcement Action :	DEP MEETING
Enforcement Action Date :	2010-03-12
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2010-03-12
Date Achieved Compliance :	2010-03-12
Regulation Violated :	Y
Area of Violation :	TSD IS-Container Use and Management
Enforcement Action :	DEP SHORT FORM CONSENT ORDER
Enforcement Action Date :	2010-03-10
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	6688.4
Paid Penalty Amount :	2047.1

Map Id: B5
Direction: SSE
Distance: 0.013 mi., 69 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : AAI4568 | NORTH COLLIER COLLISION INC
16210 OLD US 41 S | 16210 OLD US HWY 41 HWY | 16210 Old 41 N
NAPLES | Naples, FL 34110

Database(s) : [DEDB - FL, ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173765
EPA ID: N/R

RCRA SQG ***(cont.)***

Date of Violation :	2010-03-12
Date Achieved Compliance :	2010-03-12
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP MEETING
Enforcement Action Date :	2010-03-12
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2010-03-12
Date Achieved Compliance :	2010-03-12
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	DEP MEETING
Enforcement Action Date :	2010-03-12
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2010-03-12
Date Achieved Compliance :	2010-03-12
Regulation Violated :	Y
Area of Violation :	Generators - Pre-transport
Enforcement Action :	DEP SHORT FORM CONSENT ORDER
Enforcement Action Date :	2010-03-10
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	6688.4
Paid Penalty Amount :	2047.1

Date of Violation :	2010-03-12
Date Achieved Compliance :	2010-03-12
Regulation Violated :	Y
Area of Violation :	TSD IS-Container Use and Management
Enforcement Action :	DEP MEETING
Enforcement Action Date :	2010-03-12
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State

Map Id: B5
Direction: SSE
Distance: 0.013 mi., 69 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : AAI4568 | NORTH COLLIER COLLISION INC
16210 OLD US 41 S | 16210 OLD US HWY 41 HWY | 16210 Old 41 N
NAPLES | Naples, FL 34110

Database(s) : [DEDB - FL, ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173765
EPA ID: N/R

RCRA SQG ***(cont.)***

Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2010-03-24
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	2010-03-12
Evaluation :	SIGNIFICANT NON-COMPLIER
Area of Violation :	State Statute or Regulation
Date Achieved Compliance :	2010-03-12
Evaluation Lead Agency :	State

Evaluation Date :	2010-03-12
Evaluation :	SIGNIFICANT NON-COMPLIER
Area of Violation :	TSD IS-Preparedness and Prevention
Date Achieved Compliance :	2010-03-12
Evaluation Lead Agency :	State

Evaluation Date :	2010-03-12
Evaluation :	SIGNIFICANT NON-COMPLIER
Area of Violation :	Generators - General
Date Achieved Compliance :	2010-03-12
Evaluation Lead Agency :	State

Evaluation Date :	2010-03-12
Evaluation :	SIGNIFICANT NON-COMPLIER
Area of Violation :	Generators - Pre-transport
Date Achieved Compliance :	2010-03-12
Evaluation Lead Agency :	State

Evaluation Date :	2010-03-12
Evaluation :	SIGNIFICANT NON-COMPLIER
Area of Violation :	TSD IS-Container Use and Management
Date Achieved Compliance :	2010-03-12
Evaluation Lead Agency :	State

Evaluation Date :	2009-12-08
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	State Statute or Regulation
Date Achieved Compliance :	2010-03-12
Evaluation Lead Agency :	State

Map Id: B5
Direction: SSE
Distance: 0.013 mi., 69 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : AAI4568 | NORTH COLLIER COLLISION INC
16210 OLD US 41 S | 16210 OLD US HWY 41 HWY | 16210 Old 41 N
NAPLES | Naples, FL 34110

Database(s) : [DEDB - FL, ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173765
EPA ID: N/R

RCRA SQG ***(cont.)***

Evaluation Date :	2009-12-08
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	TSD IS-Preparedness and Prevention
Date Achieved Compliance :	2010-03-12
Evaluation Lead Agency :	State

Evaluation Date :	2009-12-08
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	TSD IS-Container Use and Management
Date Achieved Compliance :	2010-03-12
Evaluation Lead Agency :	State

Evaluation Date :	2009-12-08
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Generators - Pre-transport
Date Achieved Compliance :	2010-03-12
Evaluation Lead Agency :	State

SQG - FL

Facility Name :	North Collier Collision Inc
Facility Address :	16210 Old Us 41 S, Naples, 34110
County :	Collier

Last Inspection Date :	2009-12-08
Date Notified :	1989-10-15
Site ID :	48948
Handler ID :	FLD982081267
Office :	South District
Facility Inspection Type :	SQG-CEI; UOH-CEI
Documents Link :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-13

Map Id: A6
Direction: SSE
Distance: 0.014 mi., 72 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : BONAVILLA BONITA AUTO SALES
INDUSTRIAL STREET
BONITA SPRINGS | Bonita Springs, FL 33923

Database(s) : [RAATS, RCRA SQG, SQG - FL]

Envirosite ID: 8113907
EPA ID: FLD982166142

RAATS

Facility Name :	BONAVILLA BONITA AUTO SALES
Facility Address :	INDUSTRIAL STREET, BONITA SPRINGS, FL 33923

Map Id: A6
Direction: SSE
Distance: 0.014 mi., 72 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : BONAVILLA BONITA AUTO SALES
INDUSTRIAL STREET
BONITA SPRINGS | Bonita Springs, FL 33923

Database(s) : [RAATS, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 8113907
EPA ID: FLD982166142

RAATS ***(cont.)***

Notices of Violations Summary

Date of Violation :	1988-04-21
Date Achieved Compliance :	N/R
Regulation Violated :	N
Area of Violation :	N/R
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	N/R
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Regulation Violated :	N

RCRA SQG

Facility Name :	BONAVILLA BONITA AUTO SALES
Facility Address :	INDUSTRIAL STREET, BONITA SPRINGS, FL 33923
County :	LEE
Date Form Received by Agency :	1989-02-06
EPA ID :	FLD982166142
Mailing Address :	INDUSTRIAL ST, BONITA SPRINGS, FL 33923
Contact :	JERRY REDDY
Contact Address :	INDUSTRIAL ST, BONITA SPRINGS, FL 33923
Contact Country :	US
Contact Telephone :	941-947-2100
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Notification
Classification :	Small Quantity Generator
Description :	Handlers that generate more than 100 and less than 1000 kilograms of hazardous waste during any calendar month and accumulate less than 6000 kg of hazardous waste at any time; or generate 100 kg or less of hazardous waste during any calendar month, and accumulate more than 1000 kg of hazardous waste at any time.
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	JERRY REDDY
Owner/Operator Address :	INDUSTRIAL STREET, BONITA SPRINGS, FL 33923
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private

Map Id: A6
Direction: SSE
Distance: 0.014 mi., 72 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : BONAVILLA BONITA AUTO SALES
INDUSTRIAL STREET
BONITA SPRINGS | Bonita Springs, FL 33923

Database(s) : [RAATS, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 8113907
EPA ID: FLD982166142

RCRA SQG ***(cont.)***

Owner/Operator Type :	Owner
Owner/Operator Start Date :	1996-10-18
Owner/Operator End Date :	N/R
Owner/Operator Name :	REDDY JERRY
Owner/Operator Address :	INDUSTRIAL STREET, BONITA SPRINGS, FL 33923
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1996-10-18
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Notices of Violations Summary

Regulation Violated :	N

Evaluation Action Summary

Evaluation Date :	1988-04-21
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

SQG - FL

Facility Name :	Bonavilla Bonita Auto Sales
Facility Address :	Industrial Street, Bonita Springs, 33923
County :	Lee

Map Id: A6
Direction: SSE
Distance: 0.014 mi., 72 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : BONAVILLA BONITA AUTO SALES
INDUSTRIAL STREET
BONITA SPRINGS | Bonita Springs, FL
33923

Database(s) : [RAATS, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 8113907
EPA ID: FLD982166142

SQG - FL ***(cont.)***

Last Inspection Date :	1988-04-21
Date Notified :	1988-06-15
Site ID :	55496
Handler ID :	FLD982166142
Office :	South District
Facility Inspection Type :	N/R
Documents Link :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-13

Map Id: B7
Direction: SSE
Distance: 0.016 mi., 84 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : AAI4567
16300 OLD US 41 HWY
Naples, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173766
EPA ID: N/R

DEDB - FL

Sample Date :	2013-02-15
Sample ID :	130212-009
Sample Type :	FIRST SAMPLE
FLUW ID :	AAI4567
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.15
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	ACE SOLUTIONS INC.
Well Address :	16300 OLD US 41 HIGHWAY
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	COLLIER
Job Name :	COLLIER-130212-003
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2013-02-15
Sample ID :	130212-009
Sample Type :	FIRST SAMPLE
FLUW ID :	AAI4567
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.15
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	ACE SOLUTIONS INC.
Well Address :	16300 OLD US 41 HWY
Well Type :	45

Map Id: B7
Direction: SSE
Distance: 0.016 mi., 84 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : AAI4567
16300 OLD US 41 HWY
Naples, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173766
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Status :	ACTIVE
City :	Naples
County :	COLLIER
Job Name :	COLLIER-130212-003
Customer ID :	N/R
Description :	Non Transient
Last Date in Agency List :	2015-11-25
Sample Date :	2013-02-15
Sample ID :	130212-009
Sample Type :	FIRST SAMPLE
FLUW ID :	AAI4567
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.15
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	ACE SOLUTIONS INC.
Well Address :	16300 OLD US 41 HWY
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	COLLIER
Job Name :	COLLIER-130212-003
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

Map Id: B8
Direction: SSE
Distance: 0.023 mi., 121 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : WSFP STUDIOS
28950 OLD US 41
BONITA SPRINGS, FL 33923

Database(s) : [EPA UST, UST - FL]

Envirosite ID: 68173858
EPA ID: N/R

EPA UST

Facility Name :	WSFP STUDIOS
Facility Address :	28950 OLD US 41, BONITA SPRINGS, Florida 33923
County :	N/R
Facility ID :	FL9400385
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	1
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R

Map Id: B8
Direction: SSE
Distance: 0.023 mi., 121 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : WSFP STUDIOS
28950 OLD US 41
BONITA SPRINGS, FL 33923

Database(s) : [EPA UST, UST - FL] ***(cont.)***

Envirosite ID: 68173858
EPA ID: N/R

EPA UST ***(cont.)***

Latitude :	26.3163888888889
Longitude :	-81.7875
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL9400385-1
Tank Status :	Closed
Installation Date :	1970-07-01
Removal Date :	N/R
Capacity :	4000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

UST - FL

Facility Name :	WSFP STUDIOS
Facility Address :	28950 OLD US 41, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	9400385
Facility Phone :	8135981959
Facility Status :	CLOSED
Facility Type :	Other Regulated Facility
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	10303
Owner Name :	HOLSTON VALLEY BRODCASTING CORP
Owner Address 1 :	PO BOX WKPT/WTFM, KINGSPORT, TN 37662
Owner Address 2 :	N/R
Owner Phone :	6152469578
Contact :	GEORGE DEVAULT
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	4000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1970-07-01
Status :	Removed from Site
Status Date :	1993-09-30

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: B9
Direction: S
Distance: 0.026 mi., 139 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : PERFECTLY PAINTED OF COLLIER COUNTY
1076 BUSINESS LN # 6&7
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG]

Envirosite ID: 68173740
EPA ID: N/R

ECHO

Facility Name :	PERFECTLY PAINTED OF COLLIER COUNTY
Facility Address :	1076 BUSINESS LN # 6&7, NAPLES, FL 34110
County :	COLLIER
Last Inspection Date :	2003-09-04
Registry ID :	110016727915
FIPS Code :	12021
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	8074
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	GPS CODE (PSEUDO RANGE) STANDARD POSITION (SA OFF)
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	4
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101021012
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R

Map Id: B9
Direction: S
Distance: 0.026 mi., 139 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : PERFECTLY PAINTED OF COLLIER COUNTY
1076 BUSINESS LN # 6&7
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173740
EPA ID: N/R

ECHO ***(cont.)***

Facility NAICS :	23731 - Highway, Street, and Bridge Construction, 23832 - Painting and Wall Covering Contractors
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2003-09-04
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.30306
Longitude :	-81.792496
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	PERFECTLY PAINTED OF COLLIER COUNTY
Facility Address :	1076 BUSINESS LN # 6&7, NAPLES, FL 34110-8466
County :	COLLIER

Site Details

Registry ID :	110016727915
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Map Id: B9
Direction: S
Distance: 0.026 mi., 139 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : PERFECTLY PAINTED OF COLLIER COUNTY
1076 BUSINESS LN # 6&7
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173740
EPA ID: N/R

FRS ***(cont.)***

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 60020 RCRAINFO - FLR000100917

RCRA VSQG

Facility Name :	PERFECTLY PAINTED OF COLLIER COUNTY
Facility Address :	1076 BUSINESS LN # 6&7, NAPLES, FL 34110-8466
County :	COLLIER
Date Form Received by Agency :	2003-09-04
EPA ID :	FLR000100917
Mailing Address :	1076 BUSINESS LN, NAPLES, FL 34110-8466
Contact :	DAVID ALLEY
Contact Address :	1076 BUSINESS LN # 6&7, NAPLES, FL 34110-8466
Contact Country :	US
Contact Telephone :	239-566-9497
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	ALLEY NANCY
Owner/Operator Address :	1076 BUSINESS LN # 6&7, NAPLES, FL 34110-8466
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R

Map Id: B9
Direction: S
Distance: 0.026 mi., 139 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : PERFECTLY PAINTED OF COLLIER COUNTY
1076 BUSINESS LN # 6&7
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173740
EPA ID: N/R

RCRA VSQG ***(cont.)***

Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2003-09-09
Owner/Operator End Date :	N/R

Owner/Operator Name :	NANCY ALLEY
Owner/Operator Address :	1076 BUSINESS LN # 6&7, NAPLES, FL 34110-8466
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2003-09-09
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE
Waste Code / Name :	F003 - THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Map Id: B9
Direction: S
Distance: 0.026 mi., 139 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : PERFECTLY PAINTED OF COLLIER COUNTY
1076 BUSINESS LN # 6&7
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173740
EPA ID: N/R

RCRA VSQG ***(cont.)***

F005 - THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Notices of Violations Summary

Regulation Violated :	N

Evaluation Action Summary

Evaluation Date :	2003-09-04
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Map Id: A10
Direction: SSE
Distance: 0.027 mi., 145 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : TEDS SHEDS INC
10311 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN]

Envirosite ID: 68173729
EPA ID: N/R

ECHO

Facility Name :	TEDS SHEDS INC
Facility Address :	10311 BONITA BEACH RD, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	1993-11-19
Registry ID :	110008313896
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	11650
Informal Count :	0
Last Informal Action Date :	1993-11-22
Formal Action Count :	0
Last Formal Action Date :	1994-02-04
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	1994-02-04
Last Penalty Amount :	1900
QTRS IN NC :	0

Map Id: A10
Direction: SSE
Distance: 0.027 mi., 145 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : TEDS SHEDS INC
10311 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173729
EPA ID: N/R

ECHO ***(cont.)***

Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	POINT WHERE SUBSTANCE IS MONITORED
Accuracy Meters :	5
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040105
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710505004015
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	1993-11-19
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	1994-02-04
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	1993-11-22
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R

Map Id: A10
Direction: SSE
Distance: 0.027 mi., 145 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : TEDS SHEDS INC
10311 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173729
EPA ID: N/R

ECHO ***(cont.)***

Active Flag :	N/R
NAA Flag :	N
Latitude :	26.329388
Longitude :	-81.782224
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	TEDS SHEDS INC
Facility Address :	10311 BONITA BEACH RD, BONITA SPRINGS, FL 34135-4810
County :	LEE

Site Details

Registry ID :	110008313896
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 49217 RCRAINFO - FL0000072744

RCRA NONGEN

Facility Name :	TEDS SHEDS INC
Facility Address :	10311 BONITA BEACH RD, BONITA SPRINGS, FL 34135-4810
County :	LEE
Date Form Received by Agency :	1993-12-28
EPA ID :	FL0000072744
Mailing Address :	10311 BONITA BCH RD, BONITA SPRINGS, FL 33959
Contact :	RICHARD HALL
Contact Address :	10311 BONITA BCH RD, BONITA SPRINGS, FL 33959

Map Id: A10
Direction: SSE
Distance: 0.027 mi., 145 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : TEDS SHEDS INC
10311 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173729
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Contact Country :	US
Contact Telephone :	941-992-0377
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Notification
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	RICHARD HALL
Owner/Operator Address :	10311 BONITA BCH RD, BONITA SPRINGS, FL 33959
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1997-06-04
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	1993-10-29
Facility Name :	TEDS SHEDS INC
Classification :	Not a generator, verified

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE

Map Id: A10
Direction: SSE
Distance: 0.027 mi., 145 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : TEDS SHEDS INC
10311 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173729
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Notices of Violations Summary

Date of Violation :	1993-10-29
Date Achieved Compliance :	1994-02-04
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP CONSENT ORDER
Enforcement Action Date :	1994-02-04
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	1900
Paid Penalty Amount :	1900

Date of Violation :	1993-10-29
Date Achieved Compliance :	1994-02-04
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP WARNING LETTER
Enforcement Action Date :	1993-11-02
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	1993-10-29
Date Achieved Compliance :	1994-02-04
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP MEETING
Enforcement Action Date :	1993-11-30
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	1993-10-29
Date Achieved Compliance :	1994-02-04
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP WARNING LETTER
Enforcement Action Date :	1993-11-22
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R

Map Id: A10
Direction: SSE
Distance: 0.027 mi., 145 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : TEDS SHEDS INC
10311 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173729
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	1996-02-22
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	1994-03-03
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	1994-02-04
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	1993-11-19
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	1993-10-29
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	State Statute or Regulation
Date Achieved Compliance :	1994-02-04
Evaluation Lead Agency :	State

Map Id: B11
Direction: SSE
Distance: 0.029 mi., 151 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : AFFORDABLE CARTS LLC
12500 OLD 41
BONITA SPRINGS, FL 34135

Database(s) : [ECHO, FRS, RCRA VSQG]

Envirosite ID: 68173744
EPA ID: N/R

ECHO

Facility Name :	AFFORDABLE CARTS LLC
Facility Address :	12500 OLD 41, BONITA SPRINGS, FL 34135
County :	LEE

Map Id: B11
Direction: SSE
Distance: 0.029 mi., 151 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : AFFORDABLE CARTS LLC
12500 OLD 41
BONITA SPRINGS, FL 34135

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173744
EPA ID: N/R

ECHO ***(cont.)***

Last Inspection Date :	2014-10-17
Registry ID :	110063081043
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	4013
Informal Count :	0
Last Informal Action Date :	2014-11-13
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	GDT-ADDRESS MATCHING (GEOCODING)
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	150
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503083000
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	451110 - Sporting Goods Stores
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2014-10-17
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2014-11-13

Map Id: B11
Direction: SSE
Distance: 0.029 mi., 151 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : AFFORDABLE CARTS LLC
12500 OLD 41
BONITA SPRINGS, FL 34135

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173744
EPA ID: N/R

ECHO ***(cont.)***

Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.379633
Longitude :	-81.8059
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	AFFORDABLE CARTS LLC
Facility Address :	12500 OLD 41, BONITA SPRINGS, FL 34135
County :	LEE

Site Details

Registry ID :	110063081043
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	RCRAINFO - FLR000213132

RCRA VSQG

Facility Name :	AFFORDABLE CARTS LLC
Facility Address :	12500 OLD 41, BONITA SPRINGS, FL 34135

Map Id: B11
Direction: SSE
Distance: 0.029 mi., 151 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : AFFORDABLE CARTS LLC
12500 OLD 41
BONITA SPRINGS, FL 34135

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173744
EPA ID: N/R

RCRA VSQG ***(cont.)***

County : LEE

Date Form Received by Agency : 2014-10-17
EPA ID : FLR000213132
Mailing Address : 12500 OLD 41, BONITA SPRINGS, FL 34135
Contact : DON STEWART
Contact Address : 17521 N TAMIAMI TRL, NORTH FORT MYERS, FL 33903-1403
Contact Country : US
Contact Telephone : 239-992-9500
Contact Email : N/R
EPA Region : 04
Land Type : Private
Source Type : Implementer
Classification : Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2026-05-05

Owner/Operator Summary

Owner/Operator Name : DON STEWART
Owner/Operator Address : 17521 N TAMIAMI TRL, NORTH FORT MYERS, FL 33903-1403
Owner/Operator Country : US
Owner/Operator Telephone : 239-992-9500
Owner/Operator Email : N/R
Owner/Operator Fax : N/R
Legal Status : Private
Owner/Operator Type : Owner
Owner/Operator Start Date : 2014-10-17
Owner/Operator End Date : N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste : N
Mixed Waste (Haz. and Radioactive) : N
Recycler of Hazardous Waste : N
Transporter of Hazardous Waste : N
Treater, Storer or Disposer of HW : N
Underground Injection Activity : N
On-site Burner Exemption : N
Furnace Exemption : N
Used Oil Fuel Burner : N
Used Oil Processor : N

Map Id: B11
Direction: SSE
Distance: 0.029 mi., 151 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : AFFORDABLE CARTS LLC
12500 OLD 41
BONITA SPRINGS, FL 34135

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173744
EPA ID: N/R

RCRA VSQG ***(cont.)***

Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE

Notices of Violations Summary

Date of Violation :	2014-10-17
Date Achieved Compliance :	2014-11-24
Regulation Violated :	Y
Area of Violation :	Listing - General
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2014-10-17
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Listing - General
Date Achieved Compliance :	2014-11-24
Evaluation Lead Agency :	State

Map Id: D12
Direction: N
Distance: 0.030 mi., 156 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : CORKSCREW ENERGY LLC | SUNSHINE #16 | CHEVRON
8800 CORKSCREW RD
ESTERO | Estero, FL

Database(s) : [ALT FUELING, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL]

Envirosite ID: 68173869
EPA ID: N/R

ALT FUELING

Facility Name :	Marathon
Facility Address :	8800 Corkscrew Rd, Estero, FL 33928

Map Id: D12
Direction: N
Distance: 0.030 mi., 156 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : CORKSCREW ENERGY LLC | SUNSHINE #16 | CHEVRON
8800 CORKSCREW RD
ESTERO | Estero, FL

Database(s) : [ALT FUELING, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173869
EPA ID: N/R

ALT FUELING ***(cont.)***

ID Number :	190346
Date Last Confirmed :	2022-09-14
Status :	Open: The station is open.
Station Phone :	239-949-7752
Expected Date :	N/R
Groups With Access Code :	Public - Credit card at all times
Access Days Time :	24 hours daily
Cards Accepted :	A Cash D M V
Date Updated :	2022-09-14 15:49:44
BD Blends :	N/R
Open Date :	2021-05-28
Fuel Type :	Ethanol (E85)
NG Fill Type :	N/R
NG PSI :	N/R
EV Level 1 EVSE Number :	N/R
EV Level 2 EVSE Number :	N/R
EV DC Fast Count :	N/R
EV Other Information :	N/R
EV Network :	N/R
EV Network Website :	N/R
Hydrogen Status Link :	N/R
NG Vehicle Class :	N/R
LPG Primary :	N/R
E85 Blender Pump :	true
EV Connector Types :	N/R
Hydrogen is Retail :	N/R
Access Code :	public
Access Detail Code :	CREDIT_CARD_ALWAYS
Intersection Directions :	N/R
Geocode Status :	200-9
Geocode Status Description :	Premise (building name, property name, shopping center, etc.) level accuracy.
Owner Type :	Privately owned
Federal Agency ID :	N/R
Federal Agency Name :	N/R
Facility Type :	CONVENIENCE_STORE
CNG Dispenser Num :	N/R
CNG On-Site Renewable Source :	N/R
CNG Total Compression Capacity :	N/R
CNG Storage Capacity :	N/R
LNG On-Site Renewable Source :	N/R
E85 Other Ethanol Blends :	["E15"]
EV Pricing :	N/R
LPG Nozzle Types :	N/R
Hydrogen Pressures :	N/R
Hydrogen Standards :	N/R
CNG Fill Type :	N/R
CNG PSI :	N/R
CNG Vehicle Class :	N/R
LNG Vehicle Class :	N/R
Latitude :	26.430882
Longitude :	-81.807371

Map Id: D12
Direction: N
Distance: 0.030 mi., 156 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : CORKSCREW ENERGY LLC | SUNSHINE #16 | CHEVRON
8800 CORKSCREW RD
ESTERO | Estero, FL

Database(s) : [ALT FUELING, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173869
EPA ID: N/R

ALT FUELING ***(cont.)***

EV On-Site Renewable Source :	N/R
Last Date in Agency List :	2022-12-20

DWM CONTAM - FL

Facility Name :	CORKSCREW ENERGY LLC
Facility Address :	8800 CORKSCREW RD, ESTERO, FL 33928-3326
County :	LEE
Score Effective Date :	2009-11-18
Score :	27
Score Ranked :	N/R
Rank :	N/R
Facility ID :	9806315
Facility Status :	OPEN
Facility Type :	A - Retail Station
County Code :	36
District :	SD
Operator :	CLEMENTE CRUZ
Phone :	(954)431-5389
Name Changed Date :	N/R
Address Changed Date :	2020-06-15
Latitude Degrees :	26
Latitude Minutes :	25
Latitude Seconds :	51.5748
Longitude Degrees :	81
Longitude Minutes :	48
Longitude Seconds :	27.078
Feature :	N/R
Method :	N/R
Datum :	N/R
Section/Township/Range :	N/R
Related Party Begin Date :	2003-12-29
Related Party ID :	54715
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	CORKSCREW ENERGY LLC
Related Party Address 1 :	9780 NW 115TH WAY, MEDLEY, FL 33178
Related Party Address 2 :	ATTN: CLEMENTE CRUZ
Contact :	CLEMENTE CRUZ
Related Party Phone :	(954)431-5389
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2022-09-11
Facility Name :	SUNSHINE #16
Facility Address :	8800 CORKSCREW RD, ESTERO, FL 33928-3326
County :	LEE
Score Effective Date :	2009-11-18
Score :	27
Score Ranked :	N/R

Map Id: D12
Direction: N
Distance: 0.030 mi., 156 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : CORKSCREW ENERGY LLC | SUNSHINE #16 | CHEVRON
8800 CORKSCREW RD
ESTERO | Estero, FL

Database(s) : [ALT FUELING, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173869
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

Rank :	N/R
Facility ID :	9806315
Facility Status :	OPEN
Facility Type :	A - Retail Station
County Code :	36
District :	SD
Operator :	MAXIMO ALVAREZ
Phone :	(305)477-5800
Name Changed Date :	2022-10-12
Address Changed Date :	2020-06-15
Latitude Degrees :	26
Latitude Minutes :	25
Latitude Seconds :	51.5748
Longitude Degrees :	81
Longitude Minutes :	48
Longitude Seconds :	27.078
Feature :	N/R
Method :	N/R
Datum :	N/R
Section/Township/Range :	N/R
Related Party Begin Date :	2022-10-12
Related Party ID :	21275
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	SUNSHINE GASOLINE DISTRIBUTORS INC
Related Party Address 1 :	1650 NW 87th Ave, Doral, FL 33172-2614
Related Party Address 2 :	ATTN: STORAGE TANK REGIS
Contact :	MARIO ZAMORA / VANESSA PALACIOS/BARBIE RUIZ
Related Party Phone :	(786)606-0917
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

EPA LUST

Facility Name :	CORKSCREW ENERGY LLC
Facility Address :	8800 CORKSCREW RD, ESTERO, Florida
County :	N/R
Facility ID :	FL9806315
LUST ID :	FL2986
Reported Date :	2007-07-30
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	81
Estimated Private Domestic Wells within 1500ft:	11
Within Source Water Protection Area (SPA):	No

Map Id: D12
Direction: N
Distance: 0.030 mi., 156 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : CORKSCREW ENERGY LLC | SUNSHINE #16 | CHEVRON
8800 CORKSCREW RD
ESTERO | Estero, FL

Database(s) : [ALT FUELING, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173869
EPA ID: N/R

EPA LUST ***(cont.)***

SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.43119
Longitude :	-81.8073399999999
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	CORKSCREW ENERGY LLC
Facility Address :	8800 CORKSCREW RD, ESTERO, Florida 33928
County :	N/R
Facility ID :	FL9806315
Facility Status :	Open UST(s)
Open USTs :	2
Closed USTs :	0
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.430903
Longitude :	-81.8073359999999
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL9806315-1
Tank Status :	Open
Installation Date :	2003-08-01
Removal Date :	N/R
Capacity :	15000
Substances :	Unleaded Gas
Tank Wall Type :	N/R
Tank ID :	FL9806315-2
Tank Status :	Open
Installation Date :	2003-08-01
Removal Date :	N/R
Capacity :	15000
Substances :	Unleaded Gas

Map Id: D12
Direction: N
Distance: 0.030 mi., 156 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : CORKSCREW ENERGY LLC | SUNSHINE #16 | CHEVRON
8800 CORKSCREW RD
ESTERO | Estero, FL

Database(s) : [ALT FUELING, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173869
EPA ID: N/R

EPA UST ***(cont.)***

Tank Wall Type :	N/R

FA 3 - FL

Facility Name :	CORKSCREW ENERGY LLC
Facility Address :	8800 CORKSCREW RD, ESTERO, 33928
County :	LEE

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Effectivity Date :	2020-07-20
Expiration Date :	2021-07-20
Facility ID :	9806315
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY INSURANCE CO
Facility Phone :	9544315389
Owner ID :	54715
Owner Name :	CORKSCREW ENERGY LLC
Address :	9780 NW 115TH WAY ATTN: CLEMENTE CRUZ, MEDLEY, FL 33178
Contact Name :	CLEMENTE CRUZ
Phone :	9544315389
Last Date in Agency List :	2022-12-30

Effectivity Date :	2019-07-20
Expiration Date :	2020-07-20
Facility ID :	9806315
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY INSURANCE CO
Facility Phone :	9544315389
Owner ID :	54715
Owner Name :	CORKSCREW ENERGY LLC
Address :	9780 NW 115TH WAY ATTN: CLEMENTE CRUZ, MEDLEY, FL 33178
Contact Name :	CLEMENTE CRUZ
Phone :	9544315389
Last Date in Agency List :	2022-12-30

Effectivity Date :	2018-07-20
Expiration Date :	2019-07-20
Facility ID :	9806315
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C

Map Id: D12
Direction: N
Distance: 0.030 mi., 156 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : CORKSCREW ENERGY LLC | SUNSHINE #16 | CHEVRON
8800 CORKSCREW RD
ESTERO | Estero, FL

Database(s) : [ALT FUELING, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173869
EPA ID: N/R

FA 3 - FL ***(cont.)***

Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY INSURANCE CO
Facility Phone :	9544315389
Owner ID :	54715
Owner Name :	CORKSCREW ENERGY LLC
Address :	9780 NW 115TH WAY ATTN: CLEMENTE CRUZ, MEDLEY, FL 33178
Contact Name :	CLEMENTE CRUZ
Phone :	9544315389
Last Date in Agency List :	2022-12-30

Effectivity Date :	2017-07-20
Expiration Date :	2018-07-20
Facility ID :	9806315
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY INSURANCE CO
Facility Phone :	9544315389
Owner ID :	54715
Owner Name :	CORKSCREW ENERGY LLC
Address :	9780 NW 115TH WAY ATTN: CLEMENTE CRUZ, MEDLEY, FL 33178
Contact Name :	CLEMENTE CRUZ
Phone :	9544315389
Last Date in Agency List :	2022-12-30

Effectivity Date :	2016-07-20
Expiration Date :	2017-07-20
Facility ID :	9806315
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY INSURANCE CO
Facility Phone :	9544315389
Owner ID :	54715
Owner Name :	CORKSCREW ENERGY LLC
Address :	9780 NW 115TH WAY ATTN: CLEMENTE CRUZ, MEDLEY, FL 33178
Contact Name :	CLEMENTE CRUZ
Phone :	9544315389
Last Date in Agency List :	2022-12-30

Facility Name :	SUNSHINE #16
Facility Address :	8800 CORKSCREW RD, ESTERO, 33928
County :	LEE

Effectivity Date :	2024-09-25
Expiration Date :	2025-09-25
Facility ID :	9806315
Facility Status :	OPEN

Map Id: D12
Direction: N
Distance: 0.030 mi., 156 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : CORKSCREW ENERGY LLC | SUNSHINE #16 | CHEVRON
8800 CORKSCREW RD
ESTERO | Estero, FL

Database(s) : [ALT FUELING, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173869
EPA ID: N/R

FA 3 - FL ***(cont.)***

Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	NAUTILUS INSURANCE COMPANY
Facility Phone :	3054775800
Owner ID :	21275
Owner Name :	SUNSHINE GASOLINE DISTRIBUTORS INC
Address :	1650 NW 87th Ave ATTN: STORAGE TANK REGIS, Doral, FL 33172
Contact Name :	MARIO ZAMORA / VANESSA PALACIOS/BARBIE RUIZ
Phone :	7866060917
Last Date in Agency List :	2026-06-03

Effectivity Date :	2023-01-01
Expiration Date :	2023-12-31
Facility ID :	9806315
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	LIBERTY MUTUAL INSURANCE COMPANY
Facility Phone :	3054775800
Owner ID :	21275
Owner Name :	SUNSHINE GASOLINE DISTRIBUTORS INC
Address :	1650 NW 87th Ave ATTN: STORAGE TANK REGIS, Doral, FL 33172
Contact Name :	MARIO ZAMORA / VANESSA PALACIOS/BARBIE RUIZ
Phone :	7866060917
Last Date in Agency List :	2026-06-03

Effectivity Date :	2020-07-20
Expiration Date :	2021-07-20
Facility ID :	9806315
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY INSURANCE CO
Facility Phone :	3054775800
Owner ID :	21275
Owner Name :	SUNSHINE GASOLINE DISTRIBUTORS INC
Address :	1650 NW 87th Ave ATTN: STORAGE TANK REGIS, Doral, FL 33172
Contact Name :	MARIO ZAMORA / VANESSA PALACIOS/BARBIE RUIZ
Phone :	7866060917
Last Date in Agency List :	2026-06-03

Effectivity Date :	2019-07-20
Expiration Date :	2020-07-20
Facility ID :	9806315
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE

Map Id: D12
Direction: N
Distance: 0.030 mi., 156 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : CORKSCREW ENERGY LLC | SUNSHINE #16 | CHEVRON
8800 CORKSCREW RD
ESTERO | Estero, FL

Database(s) : [ALT FUELING, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173869
EPA ID: N/R

FA 3 - FL ***(cont.)***

Insurance Company :	COMMERCE & INDUSTRY INSURANCE CO
Facility Phone :	3054775800
Owner ID :	21275
Owner Name :	SUNSHINE GASOLINE DISTRIBUTORS INC
Address :	1650 NW 87th Ave ATTN: STORAGE TANK REGIS, Doral, FL 33172
Contact Name :	MARIO ZAMORA / VANESSA PALACIOS/BARBIE RUIZ
Phone :	7866060917
Last Date in Agency List :	2026-06-03

Effectivity Date :	2018-07-20
Expiration Date :	2019-07-20
Facility ID :	9806315
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY INSURANCE CO
Facility Phone :	3054775800
Owner ID :	21275
Owner Name :	SUNSHINE GASOLINE DISTRIBUTORS INC
Address :	1650 NW 87th Ave ATTN: STORAGE TANK REGIS, Doral, FL 33172
Contact Name :	MARIO ZAMORA / VANESSA PALACIOS/BARBIE RUIZ
Phone :	7866060917
Last Date in Agency List :	2026-06-03

GWIF - FL

Facility Name :	CHEVRON
Facility Address :	8800 CORKSCREW RD, ESTERO, 33928
County :	LEE

Facility ID :	9806315
Facility Type :	PETROLEUM
Location ID :	241657
Location Method :	DGPS = Differentially Corrected GPS
GPS ID :	241657
GPS Date :	2009-09-29
HAE (Height Above Ellipsoid) :	6.27
Project ID :	SUPER
Insp Name :	PETE HAENGGI
Insp CHD :	LEE
Request Number :	49828
Datum :	N/R
Software :	Risk_Solo_v2
Streetside :	N/R
Agency :	DOH
Comment :	N/R
Latitude :	26.431051
Longitude :	-81.807486
Last Date in Agency List :	2026-05-09

Map Id: D12
Direction: N
Distance: 0.030 mi., 156 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : CORKSCREW ENERGY LLC | SUNSHINE #16 | CHEVRON
8800 CORKSCREW RD
ESTERO | Estero, FL

Database(s) : [ALT FUELING, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173869
EPA ID: N/R

LUST - FL

Facility Name :	CORKSCREW ENERGY LLC
Facility Address :	8800 CORKSCREW RD, ESTERO, 33928
County :	LEE

Site Details

Facility ID :	9806315
Facility Status :	OPEN
Facility Type :	Retail Station
Phone :	9544315389
Last Date in Agency List :	2022-08-25

Owner Information

Owner ID :	54715
Owner Name :	CORKSCREW ENERGY LLC
Owner Address 1 :	9780 NW 115TH WAY, MEDLEY, FL 33178
Owner Address 2 :	ATTN: CLEMENTE CRUZ
Owner Phone :	9544315389
Contact :	CLEMENTE CRUZ

Discharge Details

Discharge Date :	2007-07-30
Status Date :	2011-06-17
Status Description :	SRCR COMPLETE
DEP Code :	C
Description :	CLEANUP REQUIRED
Score Date :	2009-11-18
Score :	27
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Facility Name :	SUNSHINE #16
Facility Address :	8800 CORKSCREW RD, ESTERO, 33928
County :	LEE

Site Details

Facility ID :	9806315
Facility Status :	OPEN
Facility Type :	Retail Station
Phone :	3054775800
Last Date in Agency List :	2026-05-06

Map Id: D12
Direction: N
Distance: 0.030 mi., 156 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : CORKSCREW ENERGY LLC | SUNSHINE #16 | CHEVRON
8800 CORKSCREW RD
ESTERO | Estero, FL

Database(s) : [ALT FUELING, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173869
EPA ID: N/R

LUST - FL ***(cont.)***

Owner Information

Owner ID :	21275
Owner Name :	SUNSHINE GASOLINE DISTRIBUTORS INC
Owner Address 1 :	1650 NW 87th Ave, Doral, FL 33172
Owner Address 2 :	ATTN: STORAGE TANK REGIS
Owner Phone :	7866060917
Contact :	MARIO ZAMORA / VANESSA PALACIOS/BARBIE RUIZ

Discharge Details

Discharge Date :	2007-07-30
Status Date :	2011-06-17
Status Description :	SRCR COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2009-11-18
Score :	27
CU Status :	N/R
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

UST - FL

Facility Name :	CORKSCREW ENERGY LLC
Facility Address :	8800 CORKSCREW RD, ESTERO, 33928
County :	LEE

Site Details

Facility ID :	9806315
Facility Phone :	9544315389
Facility Status :	OPEN
Facility Type :	Retail Station
Last Date in Agency List :	2022-08-30

Owner Information

Owner ID :	54715
Owner Name :	CORKSCREW ENERGY LLC
Owner Address 1 :	9780 NW 115TH WAY, MEDLEY, FL 33178
Owner Address 2 :	ATTN: CLEMENTE CRUZ
Owner Phone :	9544315389
Contact :	CLEMENTE CRUZ
DEP Contractor Own :	C

Map Id: D12
Direction: N
Distance: 0.030 mi., 156 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : CORKSCREW ENERGY LLC | SUNSHINE #16 | CHEVRON
8800 CORKSCREW RD
ESTERO | Estero, FL

Database(s) : [ALT FUELING, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173869
EPA ID: N/R

UST - FL ***(cont.)***

Tank Information

Tank ID :	1
Gallons :	15000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	2003-08-01
Status :	In Service
Status Date :	2003-08-01
Construction Items :	Overfill/Spill - Ball check valve Overfill/Spill - Spill containment bucket Primary Construction - Fiberglass clad steel Secondary Containment - Double wall - tank jacket
Monitoring Items :	Internal Tk Monitoring - Monitor dbl wall tank space Miscellaneous - Visual inspect dispenser liners Miscellaneous - Electronic monitor pipe sumps Piping Monitoring - Monitor dbl wall pipe space Piping Monitoring - Mechanical line leak detector
Piping Items :	Miscellaneous Attributes - Dispenser liners Miscellaneous Attributes - Pressurized piping system Primary Construction - Approved synthetic material Secondary Containment - Double wall - pipe jacket

Tank Information

Tank ID :	2
Gallons :	15000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	2003-08-01
Status :	In Service
Status Date :	2003-08-01
Construction Items :	Miscellaneous Attributes - Compartmented Overfill/Spill - Spill containment bucket Overfill/Spill - Ball check valve Primary Construction - Fiberglass clad steel Secondary Containment - Double wall - tank jacket
Monitoring Items :	Internal Tk Monitoring - Monitor dbl wall tank space Miscellaneous - Electronic monitor pipe sumps Miscellaneous - Visual inspect dispenser liners Piping Monitoring - Mechanical line leak detector Piping Monitoring - Monitor dbl wall pipe space

Map Id: D12
Direction: N
Distance: 0.030 mi., 156 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : CORKSCREW ENERGY LLC | SUNSHINE #16 | CHEVRON
8800 CORKSCREW RD
ESTERO | Estero, FL

Database(s) : [ALT FUELING, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173869
EPA ID: N/R

UST - FL ***(cont.)***

Piping Items :
Miscellaneous Attributes - Pressurized piping system
Miscellaneous Attributes - Dispenser liners
Primary Construction - Approved synthetic material
Secondary Containment - Double wall - pipe jacket

Oculus Note : Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink : Click here for hyperlink provided by the agency.

Facility Name : SUNSHINE #16
Facility Address : 8800 CORKSCREW RD, ESTERO, 33928
County : LEE

Site Details
Facility ID : 9806315
Facility Phone : 3054775800
Facility Status : OPEN
Facility Type : Retail Station
Last Date in Agency List : 2026-05-06

Owner Information
Owner ID : 21275
Owner Name : SUNSHINE GASOLINE DISTRIBUTORS INC
Owner Address 1 : 1650 NW 87th Ave, Doral, FL 33172
Owner Address 2 : ATTN: STORAGE TANK REGIS
Owner Phone : 7866060917
Contact : MARIO ZAMORA / VANESSA PALACIOS/BARBIE RUIZ
DEP Contractor Own : P

Tank Information
Tank ID : 1
Gallons : 15000
Tank Location : UNDERGROUND
Substance : Ethanol E10
Install Date : 2003-08-01
Status : In Service
Status Date : 2003-08-01

Construction Items :
Miscellaneous Attributes - Compartmented
Overfill/Spill - Spill containment bucket
Overfill/Spill - Ball check valve
Primary Construction - Fiberglass clad steel
Secondary Containment - Double wall - tank jacket

Map Id: D12
Direction: N
Distance: 0.030 mi., 156 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : CORKSCREW ENERGY LLC | SUNSHINE #16 | CHEVRON
8800 CORKSCREW RD
ESTERO | Estero, FL

Database(s) : [ALT FUELING, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173869
EPA ID: N/R

UST - FL ***(cont.)***

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Miscellaneous - Visual inspect dispenser liners
Miscellaneous - Electronic monitor pipe sumps
Miscellaneous - Continuous electronic sensing
Miscellaneous - Visual inspect pipe sumps
Piping Monitoring - Mechanical line leak detector

Piping Items :
Miscellaneous Attributes - Dispenser liners
Miscellaneous Attributes - Pressurized piping system
Primary Construction - Approved synthetic material
Secondary Containment - Double wall - pipe jacket

Tank Information

Tank ID :	2
Gallons :	15000
Tank Location :	UNDERGROUND
Substance :	Ethanol E10
Install Date :	2003-08-01
Status :	In Service
Status Date :	2003-08-01

Construction Items :
Miscellaneous Attributes - Compartmented
Overfill/Spill - Ball check valve
Overfill/Spill - Spill containment bucket
Primary Construction - Fiberglass clad steel
Secondary Containment - Double wall - tank jacket

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Miscellaneous - Visual inspect dispenser liners
Miscellaneous - Continuous electronic sensing
Miscellaneous - Visual inspect pipe sumps
Miscellaneous - Electronic monitor pipe sumps
Piping Monitoring - Mechanical line leak detector

Piping Items :
Miscellaneous Attributes - Dispenser liners
Miscellaneous Attributes - Pressurized piping system
Primary Construction - Approved synthetic material
Secondary Containment - Double wall - pipe jacket

Oculus Note : Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink : Click here for hyperlink provided by the agency.

Map Id: A13
Direction: SSE
Distance: 0.030 mi., 158 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : SPANISH WELLS COUNTRY CLUB
PO BOX 2288
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG]

Envirosite ID: 9432992
EPA ID: N/R

ECHO

Facility Name :	SPANISH WELLS COUNTRY CLUB
Facility Address :	PO BOX 2288, BONITA SPRINGS, FL 34133
County :	LEE
Last Inspection Date :	2002-04-24
Registry ID :	110007422707
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	8572
Informal Count :	0
Last Informal Action Date :	1987-06-05
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	POINT WHERE SUBSTANCE IS MONITORED
Accuracy Meters :	17385
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710506023017
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R

Map Id: A13
Direction: SSE
Distance: 0.030 mi., 158 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : SPANISH WELLS COUNTRY CLUB
PO BOX 2288
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 9432992
EPA ID: N/R

ECHO ***(cont.)***

Facility Last Inspection State Date :	2002-04-24
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	1987-06-05
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.324355
Longitude :	-81.785807
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	SPANISH WELLS COUNTRY CLUB
Facility Address :	PO BOX 2288, BONITA SPRINGS, FL 34133-2288
County :	LEE

Site Details

Registry ID :	110007422707
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Map Id: A13
Direction: SSE
Distance: 0.030 mi., 158 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : SPANISH WELLS COUNTRY CLUB
PO BOX 2288
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 9432992
EPA ID: N/R

FRS ***(cont.)***

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 63019 RCRAINFO - FLD982090763

RCRA VSQG

Facility Name :	SPANISH WELLS COUNTRY CLUB
Facility Address :	PO BOX 2288, BONITA SPRINGS, FL 34133-2288
County :	LEE
Date Form Received by Agency :	2002-04-24
EPA ID :	FLD982090763
Mailing Address :	PO BOX 2288 PO BOX 2288, BONITA SPRINGS, FL 34133-2288
Contact :	NON NOTIFIED
Contact Address :	PO BOX 2288, BONITA SPRINGS, FL 34133-2288
Contact Country :	US
Contact Telephone :	N/R
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	NON NOTIFIED
Owner/Operator Address :	PO BOX 2288, BONITA SPRINGS, FL 34133-2288
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R

Map Id: A13
Direction: SSE
Distance: 0.030 mi., 158 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : SPANISH WELLS COUNTRY CLUB
PO BOX 2288
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 9432992
EPA ID: N/R

RCRA VSQG ***(cont.)***

Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1996-10-18
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	1990-05-11
Facility Name :	SPANISH WELLS COUNTRY CLUB
Classification :	Small Quantity Generator

Notices of Violations Summary

Date of Violation :	1987-06-03
Date Achieved Compliance :	1996-05-18
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	DEP WARNING LETTER
Enforcement Action Date :	1987-06-05
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2002-04-24
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R

Map Id: A13
Direction: SSE
Distance: 0.030 mi., 158 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : SPANISH WELLS COUNTRY CLUB
PO BOX 2288
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 9432992
EPA ID: N/R

RCRA VSQG ***(cont.)***

Evaluation Lead Agency : State

Evaluation Date : 2002-04-24
Evaluation : COMPLIANCE EVALUATION INSPECTION
Area of Violation : N/R
Date Achieved Compliance : N/R
Evaluation Lead Agency : State

Evaluation Date : 1991-12-11
Evaluation : COMPLIANCE EVALUATION INSPECTION
Area of Violation : N/R
Date Achieved Compliance : N/R
Evaluation Lead Agency : State

Evaluation Date : 1991-09-19
Evaluation : NON-FINANCIAL RECORD REVIEW
Area of Violation : N/R
Date Achieved Compliance : N/R
Evaluation Lead Agency : State

Evaluation Date : 1991-08-01
Evaluation : COMPLIANCE EVALUATION INSPECTION
Area of Violation : N/R
Date Achieved Compliance : N/R
Evaluation Lead Agency : State

Evaluation Date : 1991-01-16
Evaluation : NON-FINANCIAL RECORD REVIEW
Area of Violation : N/R
Date Achieved Compliance : N/R
Evaluation Lead Agency : State

Evaluation Date : 1987-06-03
Evaluation : COMPLIANCE EVALUATION INSPECTION
Area of Violation : Generators - General
Date Achieved Compliance : 1996-05-18
Evaluation Lead Agency : State

Map Id: E14
Direction: SE
Distance: 0.032 mi., 169 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL
27490 OLD 41 RD | 27490 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL]

Envirosite ID: 68173849
EPA ID: N/R

AST - FL

Facility Name :	BONITA SPRINGS FIRE CONTROL & RESCUE
Facility Address :	27490 OLD 41 RD, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	8627258
Facility Phone :	2392331097
Facility Status :	OPEN
Facility Type :	H
Type Description :	Local Government
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	2415
Owner Name :	BONITA SPGS FIRE CTRL & RESCUE DISTRICT
Owner Address 1 :	N/R
Owner Address 2 :	ATTN: STORAGE TANK REGIS
Owner Phone :	2393907953
Contact :	LISA GENDRON
DEP Contractor Own :	P

Tank Information

Tank ID :	4
Gallons :	2000
Tank Location :	ABOVEGROUND
Substance :	Vehicular Diesel
Install Date :	1993-12-01
Status :	In Service
Status Date :	1993-12-01
Construction Items :	Miscellaneous Attributes - Compartmented Overfill/Spill - Level gauges/alarms Overfill/Spill - Tight fill Overfill/Spill - Spill containment bucket Primary Construction - Steel Secondary Containment - Double wall
Monitoring Items :	External Tk Monitoring - Visual inspection of ASTs Internal Tk Monitoring - Monitor dbl wall tank space

Map Id: E14
Direction: SE
Distance: 0.032 mi., 169 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL
27490 OLD 41 RD | 27490 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL] ***(cont.)***

Envirosite ID: 68173849
EPA ID: N/R

AST - FL ***(cont.)***

Piping Items :	Miscellaneous Attributes - Abv, no soil contact
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

CS - FL

Facility Name :	BONITA SPRINGS FIRE CONTROL & RESCUE
Facility Address :	27490 OLD 41 RD, BONITA SPRINGS, 33923
County :	Leon County
DEP Cleanup Site Key :	64464977
Program Site ID :	8627258
Program Source Data :	STCM
Program Area :	PETRO
Collection Date :	2015-07-14
Verification Date :	2015-07-14
Load Date :	2020-10-01
Verifier :	bayevsky_a
Collector :	bayevsky_a
Verifier Agency :	DEPARTMENT OF ENVIRONMENTAL PROTECTION
Collection Agency :	DEPARTMENT OF ENVIRONMENTAL PROTECTION
Verification Status :	REVIEWED
Remediation Status :	PENDING
Office/District :	SD
Comments :	N/R
Last Date in Agency List :	2020-11-03

DWM CONTAM - FL

Facility Name :	BONITA SPRINGS FIRE CONTROL & RESCUE
Facility Address :	27490 OLD 41 RD, BONITA SPRINGS, FL 33923-5513
County :	LEE
Score Effective Date :	2012-06-26
Score :	11
Score Ranked :	6
Rank :	12937
Facility ID :	8627258
Facility Status :	OPEN
Facility Type :	H - Local Government
County Code :	36
District :	SD
Operator :	MIKE BURKART
Phone :	(239)233-1097
Name Changed Date :	2000-10-13

Map Id: E14
Direction: SE
Distance: 0.032 mi., 169 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL
27490 OLD 41 RD | 27490 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL] ***(cont.)***

Envirosite ID: 68173849
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

Address Changed Date :	2008-10-16
Latitude Degrees :	26
Latitude Minutes :	20
Latitude Seconds :	16.5073
Longitude Degrees :	81
Longitude Minutes :	46
Longitude Seconds :	46.3861
Feature :	N/R
Method :	AGPS
Datum :	0
Section/Township/Range :	SEC 35, TWP 47, RNG 25
Related Party Begin Date :	1986-01-02
Related Party ID :	2415
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	BONITA SPGS FIRE CTRL & RESCUE DISTRICT
Related Party Address 1 :	27701 BONITA GRANDE DR, Bonita Springs, FL 34135
Related Party Address 2 :	ATTN: STORAGE TANK REGIS
Contact :	LISA GENDRON
Related Party Phone :	(239)390-7953
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

ECHO

Facility Name :	OLD US 41
Facility Address :	27490 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE COUNTY
Last Inspection Date :	N/R
Registry ID :	110064869263
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	N/R
Three-Year Compliance Status :	N/R
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER

Map Id: E14
Direction: SE
Distance: 0.032 mi., 169 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL
27490 OLD 41 RD | 27490 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL] ***(cont.)***

Envirosite ID: 68173849
EPA ID: N/R

ECHO ***(cont.)***

Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	50
Derived Tribes :	Seminole Tribe of Florida - 23 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040105
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710505001032
MYRTK Universe :	NNN
NPDES IDs :	FLR20AH19
CWA Permit Types :	Non-M
CWA Compliance Tracking :	Off
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	Terminated Permit
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N

Map Id: E14
Direction: SE
Distance: 0.032 mi., 169 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL
27490 OLD 41 RD | 27490 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL] ***(cont.)***

Envirosite ID: 68173849
EPA ID: N/R

ECHO ***(cont.)***

RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.33802
Longitude :	-81.77895
Last Date in Agency List :	2026-05-11

EPA LUST

Facility Name :	BONITA SPRINGS FIRE CONTROL & RESCUE
Facility Address :	27490 OLD 41 RD, BONITA SPRINGS, Florida
County :	N/R
Facility ID :	FL8627258
LUST ID :	FL14325
Reported Date :	1993-10-26
Status :	Open
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	864
Estimated Private Domestic Wells within 1500ft:	20
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.3380599999999
Longitude :	-81.78
Last Date in Agency List :	2024-05-23

Map Id: E14
Direction: SE
Distance: 0.032 mi., 169 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL
27490 OLD 41 RD | 27490 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL] ***(cont.)***

Envirosite ID: 68173849
EPA ID: N/R

EPA UST

Facility Name :	BONITA SPRINGS FIRE CONTROL & RESCUE
Facility Address :	27490 OLD 41 RD, BONITA SPRINGS, Florida 33923
County :	N/R
Facility ID :	FL8627258
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	3
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.3380555555556
Longitude :	-81.78
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8627258-1
Tank Status :	Closed
Installation Date :	1984-03-01
Removal Date :	N/R
Capacity :	1000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R
Tank ID :	FL8627258-2
Tank Status :	Closed
Installation Date :	1984-03-01
Removal Date :	N/R
Capacity :	1000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R
Tank ID :	FL8627258-3
Tank Status :	Closed
Installation Date :	1984-03-01
Removal Date :	N/R
Capacity :	550
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Map Id: E14
Direction: SE
Distance: 0.032 mi., 169 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL
27490 OLD 41 RD | 27490 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL] ***(cont.)***

Envirosite ID: 68173849
EPA ID: N/R

FA 3 - FL

Facility Name :	BONITA SPRINGS FIRE CONTROL & RESCUE
Facility Address :	27490 OLD 41 RD, BONITA SPRINGS, 33923
County :	LEE

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Effectivity Date :	2024-01-09
Expiration Date :	2025-01-09
Facility ID :	8627258
Facility Status :	OPEN
Facility Type :	Local Government
DEP Contractor :	P
Financial Responsibility :	LOCAL GOVERNMENTS - FINANCIAL TEST
Insurance Company :	N/R
Facility Phone :	2392331097
Owner ID :	2415
Owner Name :	BONITA SPGS FIRE CTRL & RESCUE DISTRICT
Address :	27701 BONITA GRANDE DR ATTN: STORAGE TANK REGIS, Bonita Springs, FL 34135
Contact Name :	LISA GENDRON
Phone :	2393907953
Last Date in Agency List :	2026-06-03

Effectivity Date :	2021-01-10
Expiration Date :	2022-01-09
Facility ID :	8627258
Facility Status :	OPEN
Facility Type :	Local Government
DEP Contractor :	P
Financial Responsibility :	LOCAL GOVERNMENTS - FINANCIAL TEST
Insurance Company :	N/R
Facility Phone :	2392331097
Owner ID :	2415
Owner Name :	BONITA SPGS FIRE CTRL & RESCUE DISTRICT
Address :	27701 BONITA GRANDE DR ATTN: STORAGE TANK REGIS, Bonita Springs, FL 34135
Contact Name :	LISA GENDRON
Phone :	2393907953
Last Date in Agency List :	2026-06-03

Effectivity Date :	2020-01-10
Expiration Date :	2021-01-09
Facility ID :	8627258

Map Id: E14
Direction: SE
Distance: 0.032 mi., 169 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL
27490 OLD 41 RD | 27490 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL] ***(cont.)***

Envirosite ID: 68173849
EPA ID: N/R

FA 3 - FL ***(cont.)***

Facility Status :	OPEN
Facility Type :	Local Government
DEP Contractor :	P
Financial Responsibility :	LOCAL GOVERNMENTS - FINANCIAL TEST
Insurance Company :	N/R
Facility Phone :	2392331097
Owner ID :	2415
Owner Name :	BONITA SPGS FIRE CTRL & RESCUE DISTRICT
Address :	27701 BONITA GRANDE DR ATTN: STORAGE TANK REGIS, Bonita Springs, FL 34135
Contact Name :	LISA GENDRON
Phone :	2393907953
Last Date in Agency List :	2026-06-03

Effectivity Date :	2019-01-10
Expiration Date :	2020-01-09
Facility ID :	8627258
Facility Status :	OPEN
Facility Type :	Local Government
DEP Contractor :	P
Financial Responsibility :	LOCAL GOVERNMENTS - FINANCIAL TEST
Insurance Company :	N/R
Facility Phone :	2392331097
Owner ID :	2415
Owner Name :	BONITA SPGS FIRE CTRL & RESCUE DISTRICT
Address :	27701 BONITA GRANDE DR ATTN: STORAGE TANK REGIS, Bonita Springs, FL 34135
Contact Name :	LISA GENDRON
Phone :	2393907953
Last Date in Agency List :	2026-06-03

Effectivity Date :	2018-01-10
Expiration Date :	2019-01-10
Facility ID :	8627258
Facility Status :	OPEN
Facility Type :	Local Government
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY INSURANCE CO
Facility Phone :	2392331097
Owner ID :	2415
Owner Name :	BONITA SPGS FIRE CTRL & RESCUE DISTRICT
Address :	27701 BONITA GRANDE DR ATTN: STORAGE TANK REGIS, Bonita Springs, FL 34135
Contact Name :	LISA GENDRON
Phone :	2393907953
Last Date in Agency List :	2026-06-03

Map Id: E14
Direction: SE
Distance: 0.032 mi., 169 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL
27490 OLD 41 RD | 27490 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL] ***(cont.)***

Envirosite ID: 68173849
EPA ID: N/R

FRS

Facility Name :	OLD US 41
Facility Address :	27490 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE COUNTY

Site Details

Registry ID :	110064869263
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest

Source and System ID :	ICIS - FLR20AH19

GWIF - FL

Facility Name :	BONITA SPRINGS FIRE & CONTROL
Facility Address :	27490 OLD US HWY 41 RD, BONITA SPRINGS, 34135
County :	LEE
Facility ID :	8627258
Facility Type :	PETROLEUM
Location ID :	116401
Location Method :	DGPS = Differentially Corrected GPS
GPS ID :	116401
GPS Date :	2007-03-28
HAE (Height Above Ellipsoid) :	-20.29
Project ID :	SUPER
Insp Name :	MARK ASHTON
Insp CHD :	LEE
Request Number :	RE41888
Datum :	N/R
Software :	Risk_Solo_v2
Streetside :	N/R

Map Id: E14
Direction: SE
Distance: 0.032 mi., 169 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL
27490 OLD 41 RD | 27490 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL] ***(cont.)***

Envirosite ID: 68173849
EPA ID: N/R

GWIF - FL ***(cont.)***

Agency :	DOH
Comment :	N/R
Latitude :	26.337964
Longitude :	-81.779637
Last Date in Agency List :	2026-05-09

ICIS

Facility Name :	OLD US 41
Facility Address :	27490 OLD 41 RD, BONITA SPRINGS, FL 34135

Site Details

NPDES ID :	FLR20AH19
ICIS Facility Interest ID :	3600084511
Facility UIN :	110064869263
Facility Type Code :	Privately Owned Facility
Impaired Waters :	303(D) Listed
Latitude :	26.3416544
Longitude :	-81.7780335
Last Date in Agency List :	2026-02-25

INACTIVE PCS

Issue Date :	2015-08-22
Original Issue Date :	2015-08-22
Effective Date :	2015-08-22
Expiration Date :	2020-08-21
Retirement Date :	N/R
Termination Date :	2020-12-15
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3600248995
External Permit Number :	FLR20AH19
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Terminated
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Wright Construction Group
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR200000
TMDL Interface :	N/R
EDMR Authorization :	N

Map Id: E14
Direction: SE
Distance: 0.032 mi., 169 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL
27490 OLD 41 RD | 27490 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL] ***(cont.)***

Envirosite ID: 68173849
EPA ID: N/R

INACTIVE PCS ***(cont.)***

Pretreatment Indicator :	N/R
Last Date in Agency List :	2026-02-26

LAST - FL

Facility Name :	BONITA SPRINGS FIRE CONTROL & RESCUE
Facility Address :	27490 OLD 41 RD, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	8627258
Facility Status :	OPEN
Facility Type :	Local Government
Phone :	2392331097
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	2415
Owner Name :	BONITA SPGS FIRE CTRL & RESCUE DISTRICT
Owner Address 1 :	27701 BONITA GRANDE DR, Bonita Springs, FL 34135
Owner Address 2 :	ATTN: STORAGE TANK REGIS
Owner Phone :	2393907953
Contact :	LISA GENDRON

Discharge Details

Discharge Date :	1993-10-26
Status Date :	2020-10-06
Status Description :	SRCR COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2012-06-26
Score :	11
CU Status :	N/R
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

LUST - FL

Facility Name :	BONITA SPRINGS FIRE CONTROL & RESCUE
Facility Address :	27490 OLD 41 RD, BONITA SPRINGS, 33923
County :	LEE

Map Id: E14
Direction: SE
Distance: 0.032 mi., 169 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL
27490 OLD 41 RD | 27490 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL] ***(cont.)***

Envirosite ID: 68173849
EPA ID: N/R

LUST - FL ***(cont.)***

Site Details

Facility ID :	8627258
Facility Status :	OPEN
Facility Type :	Local Government
Phone :	2392331097
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	2415
Owner Name :	BONITA SPGS FIRE CTRL & RESCUE DISTRICT
Owner Address 1 :	27701 BONITA GRANDE DR, Bonita Springs, FL 34135
Owner Address 2 :	ATTN: STORAGE TANK REGIS
Owner Phone :	2393907953
Contact :	LISA GENDRON

Discharge Details

Discharge Date :	1993-10-26
Status Date :	2020-10-06
Status Description :	SRCR COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2012-06-26
Score :	11
CU Status :	N/R
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

NPDES - FL

Facility Name :	Old US 41
Facility Address :	27490 Old 41 Rd, Bonita Springs
County :	LEE

Site Details

Issue Date :	2015-08-22
Effective Date :	2015-08-22
Expiration Date :	2020-08-21
Facility ID :	FLR20AH19
Facility Type :	Construction Generic Dewatering
Status :	Active
NPDES :	N/R

Map Id: E14
Direction: SE
Distance: 0.032 mi., 169 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL
27490 OLD 41 RD | 27490 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL] ***(cont.)***

Envirosite ID: 68173849
EPA ID: N/R

NPDES - FL ***(cont.)***

Company Name :	Wright Construction Group
Document Description :	Generic Permit
Nature of Business :	N/R
Ownership Type :	Private
Treatment Process Summary :	N/R
Department Office :	Tallahassee NPDES Stormwater
Capacity (MGD) :	N/R
DW Class :	N/R
Last Date in Agency List :	2021-02-06

Related Party Details

Related Party Name :	George Andy Powell, PMTE
Related Party Address :	5811 Youngquist Rd, Fort Myers FL 33912-2215
Related Party Address 2 :	N/R
Related Party Phone :	2394815000
Related Party Email :	andyp@wrightg.com

PCS FACILITY

Issue Date :	2015-08-22
Original Issue Date :	2015-08-22
Effective Date :	2015-08-22
Expiration Date :	2020-08-21
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3600248995
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Administratively Continued
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Wright Construction Group
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR200000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2020-12-29

Map Id: E14
Direction: SE
Distance: 0.032 mi., 169 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL
27490 OLD 41 RD | 27490 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL] ***(cont.)***

Envirosite ID: 68173849
EPA ID: N/R

UST - FL

Facility Name :	BONITA SPRINGS FIRE CONTROL & RESCUE
Facility Address :	27490 OLD 41 RD, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	8627258
Facility Phone :	2392331097
Facility Status :	OPEN
Facility Type :	Local Government
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	2415
Owner Name :	BONITA SPGS FIRE CTRL & RESCUE DISTRICT
Owner Address 1 :	27701 BONITA GRANDE DR, Bonita Springs, FL 34135
Owner Address 2 :	ATTN: STORAGE TANK REGIS
Owner Phone :	2393907953
Contact :	LISA GENDRON
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	1000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	1984-03-01
Status :	Removed from Site
Status Date :	1993-10-31

Tank ID :	2
Gallons :	1000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	1984-03-01
Status :	Removed from Site
Status Date :	1993-10-31

Tank ID :	3
Gallons :	550
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas

Map Id: E14
Direction: SE
Distance: 0.032 mi., 169 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : BONITA SPRINGS FIRE CONTROL & RESCUE | OLD US 41 | BONITA SPRINGS FIRE & CONTROL
27490 OLD 41 RD | 27490 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL] ***(cont.)***

Envirosite ID: 68173849
EPA ID: N/R

UST - FL ***(cont.)***

Install Date :	1984-03-01
Status :	Removed from Site
Status Date :	1993-10-31
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: B15
Direction: SSE
Distance: 0.034 mi., 180 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : EAST TRAIL BATCH PLANT | CEMEX CONSTRUCTION MATERIALS, LP | CEMEX - EAST TRAIL READY MIX
15555 US 41
NAPLES, FL 33940

Database(s) : [AFS, AIRS - FL, T 2 - FL]

Envirosite ID: 68173762
EPA ID: N/R

AFS

Facility Name :	CEMEX CONSTRUCTION MATERIALS, LP
Facility Address :	15555 US 41, NAPLES, FL 33940
County :	Collier

Facility Summary

Program System ID :	FL0000001202100109
Facility Registry ID :	110039597022
EPA Region :	EPA Region 4 - AL, FL, GA, KY, MS, NC, SC, TN
SIC :	N/R
NAICS :	999999
Facility Type :	Privately Owned Facility
Air Pollutant Class :	Emissions classification unknown
Air Operating Status :	Permanently Closed
Current High Priority Violation (HPV):	No Violation Identified
Local Control Region Name :	N/R
Last Date in Agency List :	2026-05-26

Air Pollutant Details

Program System ID :	FL0000001202100109
Pollutant :	ADMIN
Substance Registry Services ID (SRS):	N/R

Map Id: B15
Direction: SSE
Distance: 0.034 mi., 180 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : EAST TRAIL BATCH PLANT | CEMEX CONSTRUCTION MATERIALS, LP | CEMEX - EAST TRAIL READY MIX
15555 US 41
NAPLES, FL 33940

Database(s) : [AFS, AIRS - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173762
EPA ID: N/R

AFS ***(cont.)***

Chemical Abstract Service Number :	N/R
Air Pollutant Class :	Emissions classification unknown

Air Violation History Details

HPV Day Zero Date :	N/R
HPV Resolved Date :	N/R
Program System ID :	FL0000001202100109
Activity ID :	N/R
Agency Type :	N/R
State Code :	N/R
Air Local Control Region Code (LCON):	N/R
Comp Determination UID :	N/R
Enforcement Response Policy :	N/R
Program :	N/R
Pollutant :	N/R
Earliest Determination Date of Federally Reportable Violation (FRV):	N/R

AIRS - FL

Facility Name :	EAST TRAIL BATCH PLANT
Facility Address :	15555 US 41, NAPLES, 33940
County :	COLLIER
Startup Date (Relocation) :	N/R
Shutdown Date (Relocation) :	N/R
AIRS ID :	210109
Owner/Company Name :	CEMEX CONSTRUCTION MATERIALS, LP
Category :	POINT
Relocatable :	N
UTM Zone :	N/R
North :	N/R
East :	N/R
Township :	N/R
Major Group SIC :	32
Government Facility Code :	0
Public Exempt :	N
One Time Title V Credit :	N
Title V :	N
Title V by EPA Designation :	N
Compliance Tracking Code :	N/R
Current Permit Indicator :	AG
Syn Non Title V Source :	N
Major of Non Haps Pollutants :	N
Syn Minor of Non Hap Pollutants :	N
Major of HAPS :	N
Syn Minor of HAPS :	N
NSPS :	N
NESHAP :	N
Emission Guidelines :	N
Small Business Stationary :	N
AOR Required :	N

Map Id: B15
Direction: SSE
Distance: 0.034 mi., 180 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : EAST TRAIL BATCH PLANT | CEMEX CONSTRUCTION MATERIALS, LP | CEMEX - EAST TRAIL READY MIX
15555 US 41
NAPLES, FL 33940

Database(s) : [AFS, AIRS - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173762
EPA ID: N/R

AIRS - FL ***(cont.)***

Ozone SIP Facility :	N
Regulatory Comment :	General Permit
Facility Final Shutdown Date :	N/R
Facility Office :	SD
Facility Status :	Inactive
Facility Type :	CONCRETE PLANT
Directions :	N/R
Facility Comment :	2 batching plants (Plant 2 is older and Plant 2a is newer plant.)
Last Date in Agency List :	2025-12-23

Startup Date (Relocation) :	N/R
Shutdown Date (Relocation) :	N/R
AIRS ID :	0210109
Owner/Company Name :	CEMEX CONSTRUCTION MATERIALS, LP
Category :	POINT
Relocatable :	N
UTM Zone :	N/R
North :	N/R
East :	N/R
Township :	N/R
Major Group SIC :	32
Government Facility Code :	0
Public Exempt :	N
One Time Title V Credit :	N
Title V :	N
Title V by EPA Designation :	N
Compliance Tracking Code :	N/R
Current Permit Indicator :	AG
Syn Non Title V Source :	N
Major of Non Haps Pollutants :	N
Syn Minor of Non Hap Pollutants :	N
Major of HAPS :	N
Syn Minor of HAPS :	N
NSPS :	N
NESHAP :	N
Emission Guidelines :	N
Small Business Stationary :	N
AOR Required :	N
Ozone SIP Facility :	N
Regulatory Comment :	General Permit
Facility Final Shutdown Date :	N/R
Facility Office :	SD
Facility Status :	Inactive
Facility Type :	CONCRETE PLANT
Directions :	N/R
Facility Comment :	2 batching plants (Plant 2 is older and Plant 2a is newer plant.)
Last Date in Agency List :	2019-10-02

T 2 - FL

Facility Name :	CEMEX - EAST TRAIL READY MIX
Facility Address :	15555 US HIGHWAY 41, NAPLES, FL 33940
County :	Collier

Map Id: B15
Direction: SSE
Distance: 0.034 mi., 180 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : EAST TRAIL BATCH PLANT | CEMEX CONSTRUCTION MATERIALS, LP | CEMEX - EAST TRAIL READY MIX
15555 US 41
NAPLES, FL 33940

Database(s) : [AFS, AIRS - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173762
EPA ID: N/R

T 2 - FL ***(cont.)***

Filing Year :	2013
Filing Type :	Tier2
Company Name :	CEMEX CONSTRUCTION MATERIALS FLORIDA LLC
Facility ID :	4490070
State Facility ID :	N/R
SIC :	3273 - READY-MIXED CONCRETE
NAICS :	327320 - Ready-Mix Concrete Manufacturing
Dun & Bradstreet Code :	18-984-0945
De-Registered Date :	N/R
Data Submitted by :	Jason Jones, Environmental Manager
Contact 1 - Name :	Cemex Construction Materials Florida, LLC
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	denise.corrales@cemex.com
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	Mobile - Cell Phone :813-486-9191
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2014-02-26
First Submit Date :	2014-02-26
Latitude :	26.03986
Longitude :	-81.66223
Last Date in Agency List :	2015-08-27

Chemical Information

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Filing Year :	N/R
CAS Number :	N/R
Chemical Name :	Daraccel (Calcium Chloride and Triethanolamine Solution)
Maximum Daily Quantity :	17550.0
Average Daily Quantity :	9000.0
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	N/R
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	N/R
Chronic :	T
Pressure :	F
Reactive :	F

Map Id: B15
Direction: SSE
Distance: 0.034 mi., 180 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : EAST TRAIL BATCH PLANT | CEMEX CONSTRUCTION MATERIALS, LP | CEMEX - EAST TRAIL READY MIX
15555 US 41
NAPLES, FL 33940

Database(s) : [AFS, AIRS - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173762
EPA ID: N/R

T 2 - FL ***(cont.)***

Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	N/R
Oxidizer (Liquid, Solid or Gas) :	N/R
Self-Reactive :	N/R
Pyrophoric (Liquid or Solid) :	N/R
Pyrophoric Gas :	N/R
Self-Heating :	N/R
Organic Peroxide :	N/R
Corrosive to Metal :	N/R
Gas Under Pressure (Compressed Gas) :	N/R
In Contact with Water Emits Flammable Gas:	N/R
Combustible Dust :	N/R
Acute :	N/R
Skin Corrosion or Irritation :	N/R
Serious Eye Damage or Eye Irritation:	N/R
Respiratory or Skin Sensitization :	N/R
Germ Cell Mutagenicity :	N/R
Carcinogenicity :	N/R
Reproductive Toxicity :	N/R
Specific Target Organ Toxicity (Single or Repeated Exposure):	N/R
Aspiration Hazard :	N/R
Simple Asphyxiant :	N/R
Hazard Not Otherwise Classified :	N/R

Filing Year :	N/R
CAS Number :	N/R
Chemical Name :	GRAVEL, SAND, AGGREGATE ROCK
Maximum Daily Quantity :	2154000.0
Average Daily Quantity :	1200000.0
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	N/R
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	N/R
Chronic :	T
Pressure :	F
Reactive :	F
Storage :	N/R
Pressure 2 :	N/R

Map Id: B15
Direction: SSE
Distance: 0.034 mi., 180 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : EAST TRAIL BATCH PLANT | CEMEX CONSTRUCTION MATERIALS, LP | CEMEX - EAST TRAIL READY MIX
15555 US 41
NAPLES, FL 33940

Database(s) : [AFS, AIRS - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173762
EPA ID: N/R

T 2 - FL ***(cont.)***

Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	N/R
Oxidizer (Liquid, Solid or Gas) :	N/R
Self-Reactive :	N/R
Pyrophoric (Liquid or Solid) :	N/R
Pyrophoric Gas :	N/R
Self-Heating :	N/R
Organic Peroxide :	N/R
Corrosive to Metal :	N/R
Gas Under Pressure (Compressed Gas) :	N/R
In Contact with Water Emits Flammable Gas:	N/R
Combustible Dust :	N/R
Acute :	N/R
Skin Corrosion or Irritation :	N/R
Serious Eye Damage or Eye Irritation:	N/R
Respiratory or Skin Sensitization :	N/R
Germ Cell Mutagenicity :	N/R
Carcinogenicity :	N/R
Reproductive Toxicity :	N/R
Specific Target Organ Toxicity (Single or Repeated Exposure):	N/R
Aspiration Hazard :	N/R
Simple Asphyxiant :	N/R
Hazard Not Otherwise Classified :	N/R

Filing Year :	N/R
CAS Number :	N/R
Chemical Name :	Sand, granules
Maximum Daily Quantity :	4327000.0
Average Daily Quantity :	2165000.0
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	N/R
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	F
Explosive :	N/R
Chronic :	T
Pressure :	F
Reactive :	F
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R

Map Id: B15
Direction: SSE
Distance: 0.034 mi., 180 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : EAST TRAIL BATCH PLANT | CEMEX CONSTRUCTION MATERIALS, LP | CEMEX - EAST TRAIL READY MIX
15555 US 41
NAPLES, FL 33940

Database(s) : [AFS, AIRS - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173762
EPA ID: N/R

T 2 - FL ***(cont.)***

Flammable (Gases, Aerosols, Liquids, or Solids):	N/R
Oxidizer (Liquid, Solid or Gas) :	N/R
Self-Reactive :	N/R
Pyrophoric (Liquid or Solid) :	N/R
Pyrophoric Gas :	N/R
Self-Heating :	N/R
Organic Peroxide :	N/R
Corrosive to Metal :	N/R
Gas Under Pressure (Compressed Gas) :	N/R
In Contact with Water Emits Flammable Gas:	N/R
Combustible Dust :	N/R
Acute :	N/R
Skin Corrosion or Irritation :	N/R
Serious Eye Damage or Eye Irritation:	N/R
Respiratory or Skin Sensitization :	N/R
Germ Cell Mutagenicity :	N/R
Carcinogenicity :	N/R
Reproductive Toxicity :	N/R
Specific Target Organ Toxicity (Single or Repeated Exposure):	N/R
Aspiration Hazard :	N/R
Simple Asphyxiant :	N/R
Hazard Not Otherwise Classified :	N/R

Filing Year :	N/R
CAS Number :	N/R
Chemical Name :	WRDA 60 (Lignosulfonate, Amine and Carbohydrates Solution)
Maximum Daily Quantity :	28800.0
Average Daily Quantity :	15000.0
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	N/R
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	N/R
Chronic :	T
Pressure :	F
Reactive :	F
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	N/R

Map Id: B15
Direction: SSE
Distance: 0.034 mi., 180 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : EAST TRAIL BATCH PLANT | CEMEX CONSTRUCTION MATERIALS, LP | CEMEX - EAST TRAIL READY MIX
15555 US 41
NAPLES, FL 33940

Database(s) : [AFS, AIRS - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173762
EPA ID: N/R

T 2 - FL ***(cont.)***

Oxidizer (Liquid, Solid or Gas) :	N/R
Self-Reactive :	N/R
Pyrophoric (Liquid or Solid) :	N/R
Pyrophoric Gas :	N/R
Self-Heating :	N/R
Organic Peroxide :	N/R
Corrosive to Metal :	N/R
Gas Under Pressure (Compressed Gas) :	N/R
In Contact with Water Emits Flammable Gas:	N/R
Combustible Dust :	N/R
Acute :	N/R
Skin Corrosion or Irritation :	N/R
Serious Eye Damage or Eye Irritation:	N/R
Respiratory or Skin Sensitization :	N/R
Germ Cell Mutagenicity :	N/R
Carcinogenicity :	N/R
Reproductive Toxicity :	N/R
Specific Target Organ Toxicity (Single or Repeated Exposure):	N/R
Aspiration Hazard :	N/R
Simple Asphyxiant :	N/R
Hazard Not Otherwise Classified :	N/R

Filing Year :	N/R
CAS Number :	65997151
Chemical Name :	PORTLAND CEMENT
Maximum Daily Quantity :	530000.0
Average Daily Quantity :	265000.0
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	N/R
F :	N/R
R :	N/R
S :	N/R
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	F
Explosive :	N/R
Chronic :	T
Pressure :	F
Reactive :	F
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	N/R
Oxidizer (Liquid, Solid or Gas) :	N/R
Self-Reactive :	N/R

Map Id: B15
Direction: SSE
Distance: 0.034 mi., 180 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : EAST TRAIL BATCH PLANT | CEMEX CONSTRUCTION MATERIALS, LP | CEMEX - EAST TRAIL READY MIX
15555 US 41
NAPLES, FL 33940

Database(s) : [AFS, AIRS - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173762
EPA ID: N/R

T 2 - FL ***(cont.)***

Pyrophoric (Liquid or Solid) :	N/R
Pyrophoric Gas :	N/R
Self-Heating :	N/R
Organic Peroxide :	N/R
Corrosive to Metal :	N/R
Gas Under Pressure (Compressed Gas) :	N/R
In Contact with Water Emits Flammable Gas:	N/R
Combustible Dust :	N/R
Acute :	N/R
Skin Corrosion or Irritation :	N/R
Serious Eye Damage or Eye Irritation:	N/R
Respiratory or Skin Sensitization :	N/R
Germ Cell Mutagenicity :	N/R
Carcinogenicity :	N/R
Reproductive Toxicity :	N/R
Specific Target Organ Toxicity (Single or Repeated Exposure):	N/R
Aspiration Hazard :	N/R
Simple Asphyxiant :	N/R
Hazard Not Otherwise Classified :	N/R

Filing Year :	2012
Filing Type :	Tier2
Company Name :	CEMEX CONSTRUCTION MATERIALS FLORIDA LLC
Facility ID :	4034668
State Facility ID :	N/R
SIC :	3273 - READY-MIXED CONCRETE
NAICS :	327320 - Ready-Mix Concrete Manufacturing
Dun & Bradstreet Code :	N/R
De-Registered Date :	N/R
Data Submitted by :	Jason Jones, Environmental Manager
Contact 1 - Name :	Cemex Construction Materials Florida, LLC
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	denise.corrales@cemex.com
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	Mobile - Cell Phone :813-486-9191
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2013-02-25
First Submit Date :	2013-02-25
Latitude :	26.03986
Longitude :	-81.66223
Last Date in Agency List :	2014-02-12

Map Id: F16
Direction: ESE
Distance: 0.034 mi., 181 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : Yacht Sign
25150 Bernwood Dr Ste 3
BONITA SPRINGS, FL 34135

Database(s) : [MANIFEST EPA]

Envirosite ID: 68173822
EPA ID: CESQG

MANIFEST EPA

Manifest Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Manifest Number :	007238461SKS
Shipped Date :	2019-12-18
Updated Date :	2020-01-30
Received Date :	2020-01-02
Status :	Signed
Generator ID :	CESQG
Generator Name :	Yacht Sign
Generator Address :	25150 Bernwood Dr Ste 3, BONITA SPRINGS, FL 34135
Generator Mailing :	25150 Bernwood Dr Ste 3, Bonita Springs, FL 34135
Generator Contact :	Yacht Sign
Destination ID :	SCD077995488
Destination Name :	Safety-Kleen Systems, Inc.
Destination Mailing :	130-A Frontage Road, Lexington, SC 29073
Destination Address :	130-A Frontage Road, Lexington, SC 29073
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	UN1263, WASTE UN1263 WASTE PAINT RELATED MATERIAL, 3 PG II (ERG#128)(F005,F003,D001,D018,D035 D039,D040), 3, PG II
Non Waste Description :	N/R
Quantity :	36 Pounds
Quantity Tons, Acute, Non-Acute :	0.018, 0, 0.018
Quantity Kg, Acute, Non-Acute :	0, 16.32654
Quantity Tons, Haz, Non-Haz :	0.018, 0
Quantity Kg, Haz, Non-Haz :	16.32654, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D018, D035, D039, D040, F003, F005
State Code :	N/R

Manifest Details

Manifest Number :	006918090SKS
Shipped Date :	2019-11-07
Updated Date :	2020-01-09
Received Date :	2019-11-18
Status :	Signed
Generator ID :	CESQG

Map Id: F16
Direction: ESE
Distance: 0.034 mi., 181 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : Yacht Sign
25150 Bernwood Dr Ste 3
BONITA SPRINGS, FL 34135

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173822
EPA ID: CESQG

MANIFEST EPA ***(cont.)***

Generator Name :	Yacht Sign
Generator Address :	25150 Bernwood Dr Ste 3, BONITA SPRINGS, FL 34135
Generator Mailing :	25150 Bernwood Dr Ste 3, Bonita Springs, FL 34135
Generator Contact :	N/R
Destination ID :	SCD077995488
Destination Name :	Safety-Kleen Systems, Inc.
Destination Mailing :	130-A Frontage Road, Lexington, SC 29073
Destination Address :	130-A Frontage Road, Lexington, SC 29073
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	UN1263, WASTE UN1263 WASTE PAINT RELATED MATERIAL, 3 PG II (ERG#128)(F005,F003,D001,D018,D035 D039,D040), 3, PG II
Non Waste Description :	N/R
Quantity :	34 Pounds
Quantity Tons, Acute, Non-Acute :	0.017, 0, 0.017
Quantity Kg, Acute, Non-Acute :	0, 15.419512
Quantity Tons, Haz, Non-Haz :	0.017, 0
Quantity Kg, Haz, Non-Haz :	15.419512, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D018, D035, D039, D040, F003, F005
State Code :	N/R

Manifest Details

Manifest Number :	006893290SKS
Shipped Date :	2019-08-15
Updated Date :	2019-09-23
Received Date :	2019-08-23
Status :	Signed
Generator ID :	CESQG
Generator Name :	Yacht Sign
Generator Address :	25150 Bernwood Dr Ste 3, BONITA SPRINGS, FL 34135
Generator Mailing :	25150 Bernwood Dr Ste 3, Bonita Springs, FL 34135
Generator Contact :	N/R
Destination ID :	SCD077995488
Destination Name :	Safety-Kleen Systems, Inc.
Destination Mailing :	130-A Frontage Road, Lexington, SC 29073
Destination Address :	130-A Frontage Road, Lexington, SC 29073
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N

Map Id: F16
Direction: ESE
Distance: 0.034 mi., 181 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : Yacht Sign
25150 Bernwood Dr Ste 3
BONITA SPRINGS, FL 34135

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173822
EPA ID: CESQG

MANIFEST EPA ***(cont.)***

Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	UN1263, WASTE UN1263 WASTE PAINT RELATED MATERIAL, 3 PG II (ERG#128)(F005,F003,D001,D018,D035 D039,D040), 3, PG II
Non Waste Description :	N/R
Quantity :	30 Pounds
Quantity Tons, Acute, Non-Acute :	0.015, 0, 0.015
Quantity Kg, Acute, Non-Acute :	0, 13.60545
Quantity Tons, Haz, Non-Haz :	0.015, 0
Quantity Kg, Haz, Non-Haz :	13.60545, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D018, D035, D039, D040, F003, F005
State Code :	N/R

Manifest Details

Manifest Number :	006917945SKS
Shipped Date :	2019-06-05
Updated Date :	2019-07-18
Received Date :	2019-06-17
Status :	Signed
Generator ID :	CESQG
Generator Name :	Yacht Sign
Generator Address :	25150 Bernwood Dr Ste 3, BONITA SPRINGS, FL 34135
Generator Mailing :	25150 Bernwood Dr Ste 3, Bonita Springs, FL 34135
Generator Contact :	N/R
Destination ID :	SCD077995488
Destination Name :	Safety-Kleen Systems, Inc.
Destination Mailing :	130-A Frontage Road, Lexington, SC 29073
Destination Address :	130-A Frontage Road, Lexington, SC 29073
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263

Map Id: F16
Direction: ESE
Distance: 0.034 mi., 181 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : Yacht Sign
25150 Bernwood Dr Ste 3
BONITA SPRINGS, FL 34135

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173822
EPA ID: CESQG

MANIFEST EPA ***(cont.)***

DOT Information :	UN1263, WASTE UN1263 WASTE PAINT RELATED MATERIAL, 3 PG II (ERG#128)(F005,F003,D001,D018,D035 D039,D040), 3, PG II
Non Waste Description :	N/R
Quantity :	36 Pounds
Quantity Tons, Acute, Non-Acute :	0.018, 0, 0.018
Quantity Kg, Acute, Non-Acute :	0, 16.32654
Quantity Tons, Haz, Non-Haz :	0.018, 0
Quantity Kg, Haz, Non-Haz :	16.32654, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D018, D035, D039, D040, F003, F005
State Code :	N/R

Manifest Details

Manifest Number :	006917827SKS
Shipped Date :	2019-05-09
Updated Date :	2019-06-17
Received Date :	2019-05-22
Status :	Signed
Generator ID :	CESQG
Generator Name :	Yacht Sign
Generator Address :	25150 Bernwood Dr Ste 3, BONITA SPRINGS, FL 34135
Generator Mailing :	25150 Bernwood Dr Ste 3, Bonita Springs, FL 34135
Generator Contact :	N/R
Destination ID :	SCD077995488
Destination Name :	Safety-Kleen Systems, Inc.
Destination Mailing :	130-A Frontage Road, Lexington, SC 29073
Destination Address :	130-A Frontage Road, Lexington, SC 29073
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	UN1263, WASTE UN1263 WASTE PAINT RELATED MATERIAL, 3 PG II (ERG#128)(F005,F003,D001,D018,D035 D039,D040), 3, PG II
Non Waste Description :	N/R
Quantity :	30 Pounds
Quantity Tons, Acute, Non-Acute :	0.015, 0, 0.015
Quantity Kg, Acute, Non-Acute :	0, 13.60545
Quantity Tons, Haz, Non-Haz :	0.015, 0
Quantity Kg, Haz, Non-Haz :	13.60545, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D018, D035, D039, D040, F003, F005

Map Id: F16
Direction: ESE
Distance: 0.034 mi., 181 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : Yacht Sign
25150 Bernwood Dr Ste 3
BONITA SPRINGS, FL 34135

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173822
EPA ID: CESQG

MANIFEST EPA ***(cont.)***

State Code : N/R

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER]

Envirosite ID: 68173749
EPA ID: N/R

BRS

Facility Name : MOOG INC
Facility Address : 1400 RAIL HEAD BLVD, NAPLES, FL 34110-8421
County : COLLIER

Site Details

Date Form Received by Agency : 2022-04-14
EPA ID : FLR000154252
Mailing Address : 1400 RAILHEAD BLVD, NAPLES, FL 34110-8421
Contact : JERRY BURNS
Contact Address : 1400 RAILHEAD BLVD, NAPLES, FL 34110-8421
Contact Country : US
Contact Telephone : 239-513-0800
Contact Email : JBURNS@MOOG.COM
EPA Region : 04
Land Type : Private
Source Type : Annual/Biennial Report updated with Notification
Classification : Large Quantity Generator

Description :

Handlers that generate 1,000 kg or more of hazardous waste during any calendar month; or generate more than 1 kg of acutely hazardous waste during any calendar month; or generate more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generate 1 kg or less of acutely hazardous waste during any calendar month, and accumulate more than 1 kg of acutely hazardous waste at any time; or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulated more than 100 kg of that material at any time.

Last Date in Agency List : 2026-05-05

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

BRS ***(cont.)***

Owner/Operator Summary

Owner/Operator Name :	HOLLAND RAILHEAD LLC
Owner/Operator Address :	3785-C AIRPORT PULLING RD N, NAPLES, FL 34105-4518
Owner/Operator Country :	US
Owner/Operator Telephone :	239-435-1191
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2003-08-07
Owner/Operator End Date :	N/R

Owner/Operator Name :	MOOG INC
Owner/Operator Address :	1400 RAILHEAD BLVD, NAPLES, FL 34110-8421
Owner/Operator Country :	US
Owner/Operator Telephone :	716-652-2000
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2016-01-01
Owner/Operator End Date :	N/R

Owner/Operator Name :	MOOG TECHTRON INC
Owner/Operator Address :	1400 RAIL HEAD BLVD, NAPLES, FL 34110-8421
Owner/Operator Country :	US
Owner/Operator Telephone :	716-652-2000
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2007-09-06
Owner/Operator End Date :	N/R

Waste Activity Monitoring

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Report Cycle :	2021
Hazardous Waste Page Number :	1
Hazardous Waste Sub-Page Number :	1
BR Form :	GM

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

BRS ***(cont.)***

Waste Description :	CH293601- ISOPROPYL ALCOHOL SOLUTION- WASTE ISOPROPYL ALCOHOL FROM COMPONENT CLEANING PROCESS.
Primary NAICS :	334419 - Other Electronic Component Manufacturing
Source Code :	G08 - Removal of spent process liquids or catalysts (bulk removal of wastes from chemical manufacturing or processing, etc.)
Form Code :	W203 - Concentrated non-halogenated (e.g., non-chlorinated) solvent
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	1.4915
Managed Tons :	0
Shipped Tons :	1.4915
Received Tons :	0
Receiver ID :	TXD055141378
Receiver State :	TX
Shipper ID :	FLR000154252
Shipper State :	FL
Waste Minimization :	X - No waste minimization efforts were implemented for this waste
Waste Code List :	D001
Waste Code Group :	D001 - IGNITABLE WASTE
Waste Generation Type :	N/R
Report Cycle :	2021
Hazardous Waste Page Number :	10
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	WASTE CYANIDES, INORGANIC, SOLID N.O.S. (GOLD, POTASSIUM CYANIDE)
Primary NAICS :	334419 - Other Electronic Component Manufacturing
Source Code :	G03 - Plating and phosphating (electro- or non-electroplating or phosphating)
Form Code :	W312 - Cyanide or metal cyanide bearing solids, salts or chemicals
Management Method :	H010 - Metals recovery including retorting, smelting, chemical, etc.
Generation Tons :	0.03
Managed Tons :	0
Shipped Tons :	0.03
Received Tons :	0
Receiver ID :	NCD095119210
Receiver State :	NC
Shipper ID :	FLR000154252
Shipper State :	FL
Waste Minimization :	A - Cont. initiative to reduce qty and/or toxicity
Waste Code List :	D003, F008

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

BRS ***(cont.)***

Waste Code Group :	F008 - PLATING BATH RESIDUES FROM THE BOTTOM OF PLATING BATHS FROM ELECTROPLATING OPERATIONS IN WHICH CYANIDES ARE USED IN THE PROCESS.
Waste Generation Type :	N/R
Report Cycle :	2021
Hazardous Waste Page Number :	11
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	WASTE CYANIDE SOLUTIONS, N.O.S. (POTASSIUM CYANIDE, GOLD CYANIDE)
Primary NAICS :	334419 - Other Electronic Component Manufacturing
Source Code :	G03 - Plating and phosphating (electro- or non-electroplating or phosphating)
Form Code :	W107 - Aqueous waste containing cyanides (generally caustic)
Management Method :	H010 - Metals recovery including retorting, smelting, chemical, etc.
Generation Tons :	0.01
Managed Tons :	0
Shipped Tons :	0.01
Received Tons :	0
Receiver ID :	NCD095119210
Receiver State :	NC
Shipper ID :	FLR000154252
Shipper State :	FL
Waste Minimization :	A - Cont. initiative to reduce qty and/or toxicity
Waste Code List :	D003, F007
Waste Code Group :	F007 - SPENT CYANIDE PLATING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS.
Waste Generation Type :	N/R
Report Cycle :	2021
Hazardous Waste Page Number :	12
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	CH678119 WASTE AEROSOLS, FLAMMABLE
Primary NAICS :	334419 - Other Electronic Component Manufacturing
Source Code :	G11 - Discarding off-specification, out-of-date, and/or unused chemicals or products
Form Code :	W001 - Lab packs from any source not containing acute hazardous waste
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

BRS ***(cont.)***

Generation Tons :	0.015
Managed Tons :	0
Shipped Tons :	0.015
Received Tons :	0
Receiver ID :	FLD980729610
Receiver State :	FL
Shipper ID :	FLR000154252
Shipper State :	FL
Waste Minimization :	A - Cont. initiative to reduce qty and/or toxicity
Waste Code List :	D001, D035
Waste Code Group :	TCORICR - One or more D018-D043 code
Waste Generation Type :	N/R
Report Cycle :	2021
Hazardous Waste Page Number :	13
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	WASTE CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID, SULFURIC ACID)
Primary NAICS :	334419 - Other Electronic Component Manufacturing
Source Code :	G03 - Plating and phosphating (electro- or non-electroplating or phosphating)
Form Code :	W103 - Spent concentrated acid (5% or more)
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	0.0225
Managed Tons :	0
Shipped Tons :	0.0225
Received Tons :	0
Receiver ID :	FLD980729610
Receiver State :	FL
Shipper ID :	FLR000154252
Shipper State :	FL
Waste Minimization :	A - Cont. initiative to reduce qty and/or toxicity
Waste Code List :	D002
Waste Code Group :	D002 - CORROSIVE WASTE
Waste Generation Type :	N/R
Report Cycle :	2021
Hazardous Waste Page Number :	14
Hazardous Waste Sub-Page Number :	1
BR Form :	GM

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

BRS ***(cont.)***

Waste Description :	WASTE CAUSTIC ALKALI LIQUIDS, N.O.S. (SODIUM HYDROXIDE, SODIUM HYPOCHLORITE)
Primary NAICS :	334419 - Other Electronic Component Manufacturing
Source Code :	G11 - Discarding off-specification, out-of-date, and/or unused chemicals or products
Form Code :	W001 - Lab packs from any source not containing acute hazardous waste
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	0.0625
Managed Tons :	0
Shipped Tons :	0.0625
Received Tons :	0
Receiver ID :	FLD980729610
Receiver State :	FL
Shipper ID :	FLR000154252
Shipper State :	FL
Waste Minimization :	A - Cont. initiative to reduce qty and/or toxicity
Waste Code List :	D002
Waste Code Group :	D002 - CORROSIVE WASTE
Waste Generation Type :	N/R
Report Cycle :	2021
Hazardous Waste Page Number :	15
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	WASTE AMMONIA SOLUTION
Primary NAICS :	334419 - Other Electronic Component Manufacturing
Source Code :	G11 - Discarding off-specification, out-of-date, and/or unused chemicals or products
Form Code :	W001 - Lab packs from any source not containing acute hazardous waste
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	0.0025
Managed Tons :	0
Shipped Tons :	0.0025
Received Tons :	0
Receiver ID :	FLD980729610
Receiver State :	FL
Shipper ID :	FLR000154252
Shipper State :	FL

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

BRS ***(cont.)***

Waste Minimization :	A - Cont. initiative to reduce qty and/or toxicity
Waste Code List :	D002
Waste Code Group :	D002 - CORROSIVE WASTE
Waste Generation Type :	N/R
Report Cycle :	2021
Hazardous Waste Page Number :	16
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	WASTE CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SULFURIC ACID)
Primary NAICS :	334419 - Other Electronic Component Manufacturing
Source Code :	G03 - Plating and phosphating (electro- or non-electroplating or phosphating)
Form Code :	W001 - Lab packs from any source not containing acute hazardous waste
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	0.0375
Managed Tons :	0
Shipped Tons :	0.0375
Received Tons :	0
Receiver ID :	FLD980729610
Receiver State :	FL
Shipper ID :	FLR000154252
Shipper State :	FL
Waste Minimization :	A - Cont. initiative to reduce qty and/or toxicity
Waste Code List :	D002, F006
Waste Code Group :	F006 - WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS, EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLA
Waste Generation Type :	N/R
Report Cycle :	2021
Hazardous Waste Page Number :	17
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	WASTE ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (TIN, SILVER)
Primary NAICS :	334419 - Other Electronic Component Manufacturing
Source Code :	G11 - Discarding off-specification, out-of-date, and/or unused chemicals or products

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

BRS ***(cont.)***

Form Code :	W001 - Lab packs from any source not containing acute hazardous waste
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	0.0035
Managed Tons :	0
Shipped Tons :	0.0035
Received Tons :	0
Receiver ID :	FLD980729610
Receiver State :	FL
Shipper ID :	FLR000154252
Shipper State :	FL
Waste Minimization :	A - Cont. initiative to reduce qty and/or toxicity
Waste Code List :	D011
Waste Code Group :	D011 - SILVER
Waste Generation Type :	N/R
Report Cycle :	2021
Hazardous Waste Page Number :	18
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	HAZARDOUS WASTE, SOLID, N.O.S., (MERCURY)
Primary NAICS :	334419 - Other Electronic Component Manufacturing
Source Code :	G11 - Discarding off-specification, out-of-date, and/or unused chemicals or products
Form Code :	W001 - Lab packs from any source not containing acute hazardous waste
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	0.002
Managed Tons :	0
Shipped Tons :	0.002
Received Tons :	0
Receiver ID :	FLD980729610
Receiver State :	FL
Shipper ID :	FLR000154252
Shipper State :	FL
Waste Minimization :	A - Cont. initiative to reduce qty and/or toxicity
Waste Code List :	D009
Waste Code Group :	D009 - MERCURY
Waste Generation Type :	N/R

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

DOCKET

Facility Name :	MOOG INC
Facility Address :	1400 RAIL HEAD BLVD, NAPLES, FL 341108421

Site Activity Details

Enforcement Action Case Number :	04-2020-2109
Activity ID :	3602256768
Enforcement Action Name :	MOOG INC
Last Date in Agency List :	2026-02-24
Final Ordr Iss/Final Order Enter Date:	2020-08-11
Complaint/Proposed Order Actual Date:	N/R
Final Order Issued Actual Date :	2020-08-11
Final Order Name :	MOOG, INC.

Complaint Summary

Respondent/Defendant Name :	MOOG, INC.
Named in Complaint :	Y
Named in Final Order :	Y
SEP Category :	N/R
SEP Description :	N/R
Regional Docket Number :	RCRA-04-2020-2109(B)

Standard Industrial Classification (SIC) Summary

Registry ID :	110038900231
Primary SIC :	3621 - MOTORS AND GENERATORS
Primary NAICS :	335312 - Motor and Generator Manufacturing
Registry ID :	110038900231
Primary SIC :	3621 - MOTORS AND GENERATORS
Primary NAICS :	334418 - Printed Circuit Assembly (Electronic Assembly) Manufacturing
Settlement FRS ICIS Facility :	3601150585 - MOOG INC
Pollutants (SRS) :	Hazardous waste

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

DOCKET ***(cont.)***

Admin EA Closed Actual Date :	2020-08-27
Enforcement Action Name :	MOOG, INC.
Enforcement Action Resolution :	Final Order With Penalty
Violation Types :	Labeling/Marking Requirements Container Requirements General Facility Requirements
Case Law Sections :	RCRA 3002 - Standards Applicable to Generators of Hazardous Waste RCRA 3005 - Permits for Treatment, Storage, or Disposal of Hazardous Waste

Violation Penalties and Compliance Summary

Compliance Action Cost :	6910
EPA Penalty Assessed Amount :	35500
Cost Recovery Required :	N/R
Cost of SEP :	0
Cost of Complying Actions :	N/R
Facility Name :	NAPLES MOOG INDUSTRIAL GROUP
Facility Address :	1400 RAIL HEAD BLVD, NAPLES, FL 341108421

Site Activity Details

Enforcement Action Case Number :	04-2020-2109
Activity ID :	3602256768
Enforcement Action Name :	NAPLES MOOG INDUSTRIAL GROUP
Last Date in Agency List :	2022-03-28
Final Ordr Iss/Final Order Enter Date:	2020-08-11
Complaint/Proposed Order Actual Date:	N/R
Final Order Issued Actual Date :	2020-08-11
Final Order Name :	MOOG, INC.

Complaint Summary

Respondent/Defendant Name :	MOOG, INC.
Named in Complaint :	Y
Named in Final Order :	Y
SEP Category :	N/R
SEP Description :	N/R

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

DOCKET ***(cont.)***

Regional Docket Number : RCRA-04-2020-2109(B)

Standard Industrial Classification (SIC) Summary

Registry ID : 110038900231
Primary SIC : 3621 - MOTORS AND GENERATORS
Primary NAICS : 335312 - Motor and Generator Manufacturing

Registry ID : 110038900231
Primary SIC : 3621 - MOTORS AND GENERATORS
Primary NAICS : 334418 - Printed Circuit Assembly (Electronic Assembly) Manufacturing

Settlement FRS ICIS Facility : 3601150585 - NAPLES MOOG INDUSTRIAL GROUP

Pollutants (SRS) : Hazardous waste

Admin EA Closed Actual Date : 2020-08-27
Enforcement Action Name : MOOG, INC.
Enforcement Action Resolution : Final Order With Penalty

Violation Types : Labeling/Marking Requirements
Container Requirements
General Facility Requirements

Case Law Sections : RCRA 3002 - Standards Applicable to Generators of Hazardous Waste
RCRA 3005 - Permits for Treatment, Storage, or Disposal of Hazardous Waste

Violation Penalties and Compliance Summary

Compliance Action Cost : 6910
EPA Penalty Assessed Amount : 35500
Cost Recovery Required : N/R
Cost of SEP : 0
Cost of Complying Actions : N/R

ECHO

Facility Name : MOOG INC
Facility Address : 1400 RAIL HEAD BLVD, NAPLES, FL 34110
County : COLLIER

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

ECHO ***(cont.)***

Last Inspection Date :	2021-02-02
Registry ID :	110038900231
FIPS Code :	12021
EPA Region :	04
Inspection Count :	1
Last Inspection Days :	1713
Informal Count :	0
Last Informal Action Date :	2010-06-15
Formal Action Count :	0
Last Formal Action Date :	2020-08-11
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	2020-08-11
Last Penalty Amount :	35500
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	POINT WHERE WATER OR OTHER SUBSTANCE COULD BE DRAWN FROM ENVIRONMENT FOR DELIVERY TO A FACILITY OR DISTRIBUTION SYSTEM (SUBSTANCE DESTINATION COULD RANGE FROM A SINGLE RESIDENCE TO A LARGE FACILITY)
Accuracy Meters :	10
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101022012
MYRTK Universe :	NNN
NPDES IDs :	FLRNEF316
CWA Permit Types :	Non-M
CWA Compliance Tracking :	On
CWA NAICS :	334418 335312
CWA SICS :	3621
CWA Inspection Count :	1
CWA Last Inspection Days :	1712
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation Identified
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	_____
CWA 13 Quarters Effluent Exceedances:	N/R

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

ECHO ***(cont.)***

CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	3621
Facility NAICS :	335312 - Motor and Generator Manufacturing, 334419 - Other Electronic Component Manufacturing, 334418 - Printed Circuit Assembly (Electronic Assembly) Manufacturing
Facility Last Inspection EPA Date :	2019-11-06
Facility Last Inspection State Date :	2021-02-02
Facility Last Formal Act EPA Date :	2020-08-11
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2010-06-15
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.312488
Longitude :	-81.786684
Last Date in Agency List :	2026-05-11
Facility Name :	MOOG TECHTRON CORP
Facility Address :	1400 RAIL HEAD BLVD, NAPLES, FL 34110
County :	COLLIER
Last Inspection Date :	2017-03-30
Registry ID :	110038900231
FIPS Code :	12021
EPA Region :	04
Inspection Count :	1
Last Inspection Days :	619
Informal Count :	0
Last Informal Action Date :	2010-06-15
Formal Action Count :	0
Last Formal Action Date :	N/R

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

ECHO ***(cont.)***

Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	1
Programs IN SNC :	0
Current Compliance Status :	No Violation
Three-Year Compliance Status :	___V_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	POINT WHERE WATER OR OTHER SUBSTANCE COULD BE DRAWN FROM ENVIRONMENT FOR DELIVERY TO A FACILITY OR DISTRIBUTION SYSTEM (SUBSTANCE DESTINATION COULD RANGE FROM A SINGLE RESIDENCE TO A LARGE FACILITY)
Accuracy Meters :	10
Derived Tribes :	Seminole Tribe of Florida - 23.6 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101022012
MYRTK Universe :	NNY
NPDES IDs :	FLRNEF316
CWA Permit Types :	Minor
CWA Compliance Tracking :	On
CWA NAICS :	334418
CWA SICS :	3679
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	_____
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	3679
Facility NAICS :	334419 - Other Electronic Component Manufacturing, 334418 - Printed Circuit Assembly (Electronic Assembly) Manufacturing
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2017-03-30

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

ECHO ***(cont.)***

Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2010-06-15
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N/R
Latitude :	26.312489
Longitude :	-81.786684
Last Date in Agency List :	2018-12-17

Facility Name :	NAPLES MOOG INDUSTRIAL GROUP
Facility Address :	1400 RAIL HEAD BLVD, NAPLES, FL 34110
County :	COLLIER

Last Inspection Date :	2021-02-02
Registry ID :	110038900231
FIPS Code :	12021
EPA Region :	04
Inspection Count :	4
Last Inspection Days :	411
Informal Count :	0
Last Informal Action Date :	2010-06-15
Formal Action Count :	2
Last Formal Action Date :	2020-08-11
Total Penalties :	71000
Penalty Count :	2
Last Penalty Date :	2020-08-11
Last Penalty Amount :	35500
QTRS IN NC :	4
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	__VSSS_____
Collection Method :	INTERPOLATION-PHOTO

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

ECHO ***(cont.)***

Reference Point :	POINT WHERE WATER OR OTHER SUBSTANCE COULD BE DRAWN FROM ENVIRONMENT FOR DELIVERY TO A FACILITY OR DISTRIBUTION SYSTEM (SUBSTANCE DESTINATION COULD RANGE FROM A SINGLE RESIDENCE TO A LARGE FACILITY)
Accuracy Meters :	10
Derived Tribes :	Seminole Tribe of Florida - 23.6 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101022012
MYRTK Universe :	NNY
NPDES IDs :	FLRNEF316
CWA Permit Types :	Minor
CWA Compliance Tracking :	On
CWA NAICS :	334418 335312
CWA SICS :	3621
CWA Inspection Count :	1
CWA Last Inspection Days :	410
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation Identified
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	_____
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	3621
Facility NAICS :	334418 - Printed Circuit Assembly (Electronic Assembly) Manufacturing, 334419 - Other Electronic Component Manufacturing, 335312 - Motor and Generator Manufacturing
Facility Last Inspection EPA Date :	2019-11-06
Facility Last Inspection State Date :	2021-02-02
Facility Last Formal Act EPA Date :	2020-08-11
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2010-06-15
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

ECHO ***(cont.)***

Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.312489
Longitude :	-81.786684
Last Date in Agency List :	2022-03-29

EJ HAZ WASTE

Facility Name :	MOOG INC
Facility Address :	1400 RAIL HEAD BLVD, NAPLES, FL 34110-8421
EPA ID :	FLR000154252
Latitude :	26.312489
Longitude :	-81.786684
Facility Link :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2025-01-28

FRS

Facility Name :	MOOG INC
Facility Address :	1400 RAIL HEAD BLVD, NAPLES, FL 341108421
County :	COLLIER

Site Details

Registry ID :	110038900231
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description : All generators and treatment, storage, and disposal (TSD) facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years. The data collected is used to create the National Biennial Resource Conservation and Recovery Act (RCRA) Hazardous Waste Report. This data is processed within the RCRA Information (RCRAInfo) database.

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

FRS ***(cont.)***

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	ICIS - FLRNEF316 RCRAINFO - FLR000154252
Facility Name :	MOOG TECHTRON CORP
Facility Address :	1400 RAIL HEAD BLVD, NAPLES, FL 341108421
County :	COLLIER

Site Details

Registry ID :	110038900231
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2018-11-22

Source Description

Source Description : All generators and treatment, storage, and disposal (TSD) facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years. The data collected is used to create the National Biennial Resource Conservation and Recovery Act (RCRA) Hazardous Waste Report. This data is processed within the RCRA Information (RCRAInfo) database.

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

FRS ***(cont.)***

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	ICIS - FLRNEF316 RCRAINFO - FLR000154252
Facility Name :	NAPLES MOOG INDUSTRIAL GROUP
Facility Address :	1400 RAIL HEAD BLVD, NAPLES, FL 341108421
County :	COLLIER

Site Details

Registry ID :	110038900231
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2022-02-17

Source Description

Source Description : All generators and treatment, storage, and disposal (TSD) facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years. The data collected is used to create the National Biennial Resource Conservation and Recovery Act (RCRA) Hazardous Waste Report. This data is processed within the RCRA Information (RCRAInfo) database.

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

FRS ***(cont.)***

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	ICIS - FLRNEF316 RCRAINFO - FLR000154252

ICIS

Facility Name :	MOOG INC
Facility Address :	1400 RAIL HEAD BLVD, NAPLES, FL 34110-8421

Site Details

NPDES ID :	FLRNEF316
ICIS Facility Interest ID :	3600074263
Facility UIN :	110038900231
Facility Type Code :	Privately Owned Facility
Impaired Waters :	303(D) Listed
Latitude :	26.3094444
Longitude :	-81.7908333
Last Date in Agency List :	2021-08-17

Facility NAICS

NAICS Code :	334418
NAICS Description :	Printed Circuit Assembly [Electronic Assembly] Manufacturing
NAICS Code :	335312
NAICS Description :	Motor and Generator Manufacturing

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

ICIS ***(cont.)***

Facility SIC
SIC Code : 3621
SIC Description : Motors And Generators

Facility Name : MOOG TECHTRON CORP
Facility Address : 1400 RAIL HEAD BLVD, NAPLES, FL 34110

Site Details
NPDES ID : FLRNEF316
ICIS Facility Interest ID : 3600074263
Facility UIN : 110038900231
Facility Type Code : Privately Owned Facility
Impaired Waters : 303(D) Listed
Latitude : 26.3088889
Longitude : -81.7888889
Last Date in Agency List : 2020-12-30

Facility NAICS
NAICS Code : 334418
NAICS Description : Printed Circuit Assembly [Electronic Assembly] Manufacturing

Facility SIC
SIC Code : 3679
SIC Description : Electronic Components

Facility Name : NAPLES MOOG INDUSTRIAL GROUP
Facility Address : 1400 RAIL HEAD BLVD, NAPLES, FL 34110-8421

Site Details
NPDES ID : FLRNEF316
ICIS Facility Interest ID : 3600074263
Facility UIN : 110038900231
Facility Type Code : Privately Owned Facility
Impaired Waters : 303(D) Listed
Latitude : 26.3094444
Longitude : -81.7908333
Last Date in Agency List : 2025-12-15

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

ICIS ***(cont.)***

Facility NAICS

NAICS Code :	334418
NAICS Description :	Printed Circuit Assembly [Electronic Assembly] Manufacturing
NAICS Code :	335312
NAICS Description :	Motor and Generator Manufacturing

Facility SIC

SIC Code :	3621
SIC Description :	Motors And Generators

INACTIVE PCS

Issue Date :	2020-06-08
Original Issue Date :	2015-06-20
Effective Date :	2020-06-08
Expiration Date :	2025-06-07
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3602217360
External Permit Number :	FLRNEF316
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Expired
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Moog Inc
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLRNE0000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2025-12-17

LQG - FL

Facility Name :	Moog Inc
Facility Address :	1400 Rail Head Blvd, Naples, 34110-8421
County :	Collier

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

LQG - FL ***(cont.)***

Last Inspection Date :	2019-11-06
Date Notified :	2009-04-10
Site ID :	89557
Handler ID :	FLR000154252
Office :	South District
Facility Inspection Type :	LQG-CEI
Documents Link :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2020-11-20

MANIFEST EPA

Manifest Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Manifest Number :	015747073FLE
Shipped Date :	2021-09-29
Updated Date :	2021-10-20
Received Date :	2021-09-30
Status :	Signed
Generator ID :	FLR000154252
Generator Name :	Moog Incorporated
Generator Address :	1400 Rail Head Blvd, Naples, FL 34110
Generator Mailing :	1400 Rail Head Blvd, Naples, FL 34110
Generator Contact :	Moog Incorporated
Destination ID :	FLD980729610
Destination Name :	Clean Harbors Florida LLC
Destination Mailing :	7001 Kilo Avenue, Bartow, FL 33830
Destination Address :	7001 Kilo Avenue, Bartow, FL 33830
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1993
DOT Information :	UN1993, WASTE FLAMMABLE LIQUIDS, N.O.S. (ADHESIVES, RESINS), 3, PG II
Non Waste Description :	N/R
Quantity :	25 Pounds
Quantity Tons, Acute, Non-Acute :	0.0125, 0, 0.0125
Quantity Kg, Acute, Non-Acute :	0, 11.337875
Quantity Tons, Haz, Non-Haz :	0.0125, 0

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Quantity Kg, Haz, Non-Haz :	11.337875, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN2811
DOT Information :	UN2811, TOXIC SOLIDS, ORGANIC, N.O.S. (NICKEL CARBONATE), 6.1, PG II
Non Waste Description :	N/R
Quantity :	10 Pounds
Quantity Tons, Acute, Non-Acute :	0.005, 0, 0.005
Quantity Kg, Acute, Non-Acute :	0, 4.53515
Quantity Tons, Haz, Non-Haz :	0, 0.005
Quantity Kg, Haz, Non-Haz :	0, 4.53515
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R

Waste Line Number :	3
Is DOT Hazardous :	Y
DOT ID Number :	UN3261
DOT Information :	UN3261, CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (BORIC ACID, CARBOXYLIC ACID), 8, PG II
Non Waste Description :	N/R
Quantity :	15 Pounds
Quantity Tons, Acute, Non-Acute :	0.0075, 0, 0.0075
Quantity Kg, Acute, Non-Acute :	0, 6.802725
Quantity Tons, Haz, Non-Haz :	0, 0.0075
Quantity Kg, Haz, Non-Haz :	0, 6.802725
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R

Waste Line Number :	4
Is DOT Hazardous :	N
DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	NONE, NON-REGULATED MATERIAL (COMPUTER PARTS FOR RECYCLE), N/A, NONE
Quantity :	555 Pounds
Quantity Tons, Acute, Non-Acute :	0.2775, 0, 0.2775

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Quantity Kg, Acute, Non-Acute :	0, 251.70084
Quantity Tons, Haz, Non-Haz :	0, 0.2775
Quantity Kg, Haz, Non-Haz :	0, 251.70084
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R

Waste Line Number :	5
Is DOT Hazardous :	N
DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	NONE, NON-REGULATED MATERIAL (COMPUTER PARTS FOR RECYCLE), N/A, NONE
Quantity :	400 Pounds
Quantity Tons, Acute, Non-Acute :	0.2, 0, 0.2
Quantity Kg, Acute, Non-Acute :	0, 181.406
Quantity Tons, Haz, Non-Haz :	0, 0.2
Quantity Kg, Haz, Non-Haz :	0, 181.406
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R

Manifest Details

Manifest Number :	022113647JJK
Shipped Date :	2021-09-21
Updated Date :	2021-11-08
Received Date :	2021-09-23
Status :	Signed
Generator ID :	FLR000154252
Generator Name :	MOOG INC
Generator Address :	1400 RAIL HEAD BLVD, NAPLES, FL 34110-8421
Generator Mailing :	1400 RAILHEAD BLVD, NAPLES, FL 34110-8421
Generator Contact :	N/R
Destination ID :	NCD095119210
Destination Name :	METALLIX REFINING INC.
Destination Mailing :	251 INDUSTRIAL BOULEVARD, GREENVILLE, NC 27834
Destination Address :	251 INDUSTRIAL BOULEVARD, GREENVILLE, NC 27834
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Web
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1588
DOT Information :	RQ UN1588, WASTE CYANIDES, INORGANIC, SOLID, N.O.S.(GOLD, POTASSIUM CYANIDE) 6.1, PGII , TOXIC, RQ
Non Waste Description :	N/R
Quantity :	60 Gallons
Quantity Tons, Acute, Non-Acute :	0.2502085, 0, 0.2502085
Quantity Kg, Acute, Non-Acute :	0, 226.94662
Quantity Tons, Haz, Non-Haz :	0.2502085, 0
Quantity Kg, Haz, Non-Haz :	226.94662, 0
Management Method :	H010 - METALS RECOVERY
Is EPA Waste :	Y
Federal Code :	D003, F008
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1935
DOT Information :	UN1935, WASTE CYANIDE SOLUTIONS, N.O.S.(POTASSIUM CYANIDE, GOLD CYANIDE) 6.1, PGII, RQ
Non Waste Description :	N/R
Quantity :	20 Gallons
Quantity Tons, Acute, Non-Acute :	0.083402835, 0, 0.083402835
Quantity Kg, Acute, Non-Acute :	0, 75.64887
Quantity Tons, Haz, Non-Haz :	0.083402835, 0
Quantity Kg, Haz, Non-Haz :	75.64887, 0
Management Method :	H010 - METALS RECOVERY
Is EPA Waste :	Y
Federal Code :	D003, F007
State Code :	N/R

Manifest Details

Manifest Number :	015747051FLE
Shipped Date :	2021-09-20
Updated Date :	2021-10-11
Received Date :	2021-09-21
Status :	Signed
Generator ID :	FLR000154252
Generator Name :	Moog Incorporated
Generator Address :	1400 Rail Head Blvd, Naples, FL 34110
Generator Mailing :	1400 Rail Head Blvd, Naples, FL 34110
Generator Contact :	Moog Incorporated

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Destination ID :	FLD980729610
Destination Name :	Clean Harbors Florida LLC
Destination Mailing :	7001 Kilo Avenue, Bartow, FL 33830
Destination Address :	7001 Kilo Avenue, Bartow, FL 33830
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1950
DOT Information :	UN1950, WASTE AEROSOLS, FLAMMABLE, (EACH NOT EXCEEDING 1 L CAPACITY), 2.1, NONE
Non Waste Description :	N/R
Quantity :	30 Pounds
Quantity Tons, Acute, Non-Acute :	0.015, 0, 0.015
Quantity Kg, Acute, Non-Acute :	0, 13.60545
Quantity Tons, Haz, Non-Haz :	0.015, 0
Quantity Kg, Haz, Non-Haz :	13.60545, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D035
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1993
DOT Information :	UN1993, WASTE FLAMMABLE LIQUIDS, N.O.S. (PETROLEUM DISTILLATES, METHYL ETHYL KETONE), 3, PG II
Non Waste Description :	N/R
Quantity :	26 Pounds
Quantity Tons, Acute, Non-Acute :	0.013, 0, 0.013
Quantity Kg, Acute, Non-Acute :	0, 11.79139
Quantity Tons, Haz, Non-Haz :	0.013, 0
Quantity Kg, Haz, Non-Haz :	11.79139, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D035
State Code :	N/R

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Waste Line Number :	3
Is DOT Hazardous :	Y
DOT ID Number :	UN1219
DOT Information :	RQ, UN1219, WASTE ISOPROPYL ALCOHOL SOLUTION, 3, PG II (D001)
Non Waste Description :	N/R
Quantity :	850 Pounds
Quantity Tons, Acute, Non-Acute :	0.425, 0, 0.425
Quantity Kg, Acute, Non-Acute :	0, 385.48776
Quantity Tons, Haz, Non-Haz :	0.425, 0
Quantity Kg, Haz, Non-Haz :	385.48776, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Waste Line Number :	4
Is DOT Hazardous :	Y
DOT ID Number :	UN3175
DOT Information :	UN3175, WASTE SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL, WIPES), 4.1, PG II
Non Waste Description :	N/R
Quantity :	30 Pounds
Quantity Tons, Acute, Non-Acute :	0.015, 0, 0.015
Quantity Kg, Acute, Non-Acute :	0, 13.60545
Quantity Tons, Haz, Non-Haz :	0.015, 0
Quantity Kg, Haz, Non-Haz :	13.60545, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Waste Line Number :	5
Is DOT Hazardous :	Y
DOT ID Number :	UN3287
DOT Information :	UN3287, TOXIC LIQUID, INORGANIC, N.O.S (NICKEL BROMIDE, NICKEL CHLORIDE), 6.1, PG II
Non Waste Description :	N/R
Quantity :	25 Pounds
Quantity Tons, Acute, Non-Acute :	0.0125, 0, 0.0125
Quantity Kg, Acute, Non-Acute :	0, 11.337875
Quantity Tons, Haz, Non-Haz :	0, 0.0125
Quantity Kg, Haz, Non-Haz :	0, 11.337875
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

MANIFEST EPA ***(cont.)***

State Code : N/R

Manifest Details

Manifest Number :	015747053FLE
Shipped Date :	2021-09-20
Updated Date :	2021-10-27
Received Date :	2021-10-06
Status :	Signed
Generator ID :	FLR000154252
Generator Name :	Moog Incorporated
Generator Address :	1400 Rail Head Blvd, Naples, FL 34110
Generator Mailing :	1400 Rail Head Blvd, Naples, FL 34110
Generator Contact :	Moog Incorporated
Destination ID :	TXD982290140
Destination Name :	Clean Harbors LaPorte, LLC
Destination Mailing :	500 Independence Parkway South, La Porte, TX 77571
Destination Address :	500 Independence Parkway South, La Porte, TX 77571
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1956
DOT Information :	UN1956, COMPRESSED GAS, N.O.S. (NITROGEN, OXYGEN), 2.2, NONE
Non Waste Description :	N/R
Quantity :	9 Pounds
Quantity Tons, Acute, Non-Acute :	0.0045, 0, 0.0045
Quantity Kg, Acute, Non-Acute :	0, 4.081635
Quantity Tons, Haz, Non-Haz :	0, 0.0045
Quantity Kg, Haz, Non-Haz :	0, 4.081635
Management Method :	H129 - OTHER TREATMENT
Is EPA Waste :	N
Federal Code :	N/R
State Code :	TX - OUTS7011

Manifest Details

Manifest Number :	015747054FLE
Shipped Date :	2021-09-20
Updated Date :	2021-11-12
Received Date :	2021-10-21

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Status :	Signed
Generator ID :	FLR000154252
Generator Name :	Moog Incorporated
Generator Address :	1400 Rail Head Blvd, Naples, FL 34110
Generator Mailing :	1400 Rail Head Blvd, Naples, FL 34110
Generator Contact :	Moog Incorporated
Destination ID :	TXD055141378
Destination Name :	Clean Harbors Deer Park, LLC
Destination Mailing :	2027 Independence Parkway South, La Porte, TX 77571
Destination Address :	2027 Independence Parkway South, La Porte, TX 77571
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1935
DOT Information :	RQ, UN1935, WASTE CYANIDE SOLUTIONS, N.O.S. (POTASSIUM GOLD CYANIDE), 6.1, PG II (CYANIDE)
Non Waste Description :	N/R
Quantity :	300 Pounds
Quantity Tons, Acute, Non-Acute :	0.15, 0, 0.15
Quantity Kg, Acute, Non-Acute :	0, 136.0545
Quantity Tons, Haz, Non-Haz :	0.15, 0
Quantity Kg, Haz, Non-Haz :	136.0545, 0
Management Method :	H040 - INCINERATION
Is EPA Waste :	Y
Federal Code :	D003, F008
State Code :	TX - OUTS107H

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	NA3077
DOT Information :	NA3077, HAZARDOUS WASTE, SOLID, N.O.S. (F006, F007), 9, PG III
Non Waste Description :	N/R
Quantity :	3 Pounds
Quantity Tons, Acute, Non-Acute :	0.0015, 0, 0.0015
Quantity Kg, Acute, Non-Acute :	0, 1.360545
Quantity Tons, Haz, Non-Haz :	0.0015, 0
Quantity Kg, Haz, Non-Haz :	1.360545, 0
Management Method :	H040 - INCINERATION
Is EPA Waste :	Y

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Federal Code :	F006, F007
State Code :	TX - OUTS409H

NPDES - FL

Facility Name :	Moog Techtron Corp
Facility Address :	1400 Rail Head Blvd, Naples
County :	COLLIER

Site Details

Issue Date :	2015-06-20
Effective Date :	2015-06-20
Expiration Date :	2020-06-19
Facility ID :	FLRNEF316
Facility Type :	Stormwater No Exposure Certification
Status :	Active
NPDES :	N/R
Company Name :	Moog Techtron Inc
Document Description :	Generic Permit
Nature of Business :	N/R
Ownership Type :	Private
Treatment Process Summary :	N/R
Department Office :	Tallahassee NPDES Stormwater
Capacity (MGD) :	N/R
DW Class :	N/R
Last Date in Agency List :	2020-04-14

Related Party Details

Related Party Name :	Gerald E Burns, Operations Manager
Related Party Address :	1400 Rail Head Blvd, Naples FL 34110-8421
Related Party Address 2 :	N/R
Related Party Phone :	2395130800
Related Party Email :	jburns@moog.com

Facility Name :	Naples Moog Industrial Group
Facility Address :	1400 Rail Head Blvd, Naples
County :	COLLIER

Site Details

Issue Date :	2020-06-08
Effective Date :	N/R
Expiration Date :	2025-06-07
Facility ID :	FLRNEF316
Facility Type :	Stormwater No Exposure Certification

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

NPDES - FL ***(cont.)***

Status :	Active
NPDES :	N/R
Company Name :	Moog Inc
Document Description :	N/R
Nature of Business :	N/R
Ownership Type :	Private
Treatment Process Summary :	N/R
Department Office :	N/R
Capacity (MGD) :	N/R
DW Class :	N/R
Last Date in Agency List :	2026-06-03

Related Party Details

Related Party Name :	Robert Mash
Related Party Address :	300 Jamison Rd, Elma NY 14059
Related Party Address 2 :	-
Related Party Phone :	5404434007
Related Party Email :	mash@moog.com

PCS FACILITY

Issue Date :	2015-06-20
Original Issue Date :	2015-06-20
Effective Date :	2015-06-20
Expiration Date :	2020-06-19
Retirement Date :	2020-06-07
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3600211886
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Moog Techtron Inc
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLRNE0000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2020-12-29

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

PCS FACILITY ***(cont.)***

Issue Date :	2020-06-08
Original Issue Date :	2015-06-20
Effective Date :	2020-06-08
Expiration Date :	2025-06-07
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3602217360
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Moog Techtron Inc
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLRNE0000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2020-12-29

Issue Date :	2015-06-20
Original Issue Date :	2015-06-20
Effective Date :	2015-06-20
Expiration Date :	2020-06-19
Retirement Date :	2020-06-07
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3600211886
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Moog Techtron Inc
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLRNE0000
TMDL Interface :	N/R
EDMR Authorization :	N

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

PCS FACILITY ***(cont.)***

Pretreatment Indicator :	N/R
Last Date in Agency List :	2025-12-18
Issue Date :	2020-06-08
Original Issue Date :	2015-06-20
Effective Date :	2020-06-08
Expiration Date :	2025-06-07
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3602217360
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Moog Inc
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLRNE0000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2021-08-19
Issue Date :	2015-06-20
Original Issue Date :	2015-06-20
Effective Date :	2015-06-20
Expiration Date :	2020-06-19
Retirement Date :	2020-06-07
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3600211886
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Moog Techtron Inc
Permit Comp Status :	Y

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

PCS FACILITY ***(cont.)***

RNC Tracking :	Y
Master External Permit Number :	FLRNE0000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2021-08-19

RCRA LQG

Facility Name :	MOOG INC
Facility Address :	1400 RAIL HEAD BLVD, NAPLES, FL 34110-8421
County :	COLLIER
Date Form Received by Agency :	2022-04-14
EPA ID :	FLR000154252
Mailing Address :	1400 RAILHEAD BLVD, NAPLES, FL 34110-8421
Contact :	JERRY BURNS
Contact Address :	1400 RAILHEAD BLVD, NAPLES, FL 34110-8421
Contact Country :	US
Contact Telephone :	239-513-0800
Contact Email :	JBURNS@MOOG.COM
EPA Region :	04
Land Type :	Private
Source Type :	Annual/Biennial Report updated with Notification
Classification :	Large Quantity Generator

Description :

Handlers that generate 1,000 kg or more of hazardous waste during any calendar month; or generate more than 1 kg of acutely hazardous waste during any calendar month; or generate more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generate 1 kg or less of acutely hazardous waste during any calendar month, and accumulate more than 1 kg of acutely hazardous waste at any time; or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulated more than 100 kg of that material at any time.

Last Date in Agency List : 2026-05-05

Owner/Operator Summary

Owner/Operator Name :	HOLLAND RAILHEAD LLC
Owner/Operator Address :	3785-C AIRPORT PULLING RD N, NAPLES, FL 34105-4518
Owner/Operator Country :	US
Owner/Operator Telephone :	239-435-1191
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

RCRA LQG ***(cont.)***

Owner/Operator Start Date :	2003-08-07
Owner/Operator End Date :	N/R
Owner/Operator Name :	MOOG INC
Owner/Operator Address :	1400 RAILHEAD BLVD, NAPLES, FL 34110-8421
Owner/Operator Country :	US
Owner/Operator Telephone :	716-652-2000
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2016-01-01
Owner/Operator End Date :	N/R
Owner/Operator Name :	MOOG TECHTRON INC
Owner/Operator Address :	1400 RAIL HEAD BLVD, NAPLES, FL 34110-8421
Owner/Operator Country :	US
Owner/Operator Telephone :	716-652-2000
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2007-09-06
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N/R
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	2022-04-14
Facility Name :	MOOG INC

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

RCRA LQG ***(cont.)***

Classification : Not a generator, verified

Date Form Received by Agency : 2020-02-18
Facility Name : MOOG INC
Classification : Large Quantity Generator

Date Form Received by Agency : 2019-11-06
Facility Name : MOOG INC
Classification : Large Quantity Generator

Date Form Received by Agency : 2018-02-07
Facility Name : MOOG INC
Classification : Large Quantity Generator

Date Form Received by Agency : 2017-03-30
Facility Name : MOOG INC
Classification : Large Quantity Generator

Date Form Received by Agency : 2016-01-29
Facility Name : MOOG TECHTRON INC
Classification : Large Quantity Generator

Date Form Received by Agency : 2016-01-26
Facility Name : MOOG TECHTRON INC
Classification : Large Quantity Generator

Date Form Received by Agency : 2015-06-23
Facility Name : MOOG TECHTRON INC
Classification : Large Quantity Generator

Date Form Received by Agency : 2010-06-09
Facility Name : MOOG TECHTRON INC
Classification : Small Quantity Generator

Date Form Received by Agency : 2009-04-01
Facility Name : MOOG TECHTRON CORP
Classification : Small Quantity Generator

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

RCRA LQG ***(cont.)***

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE D002 - CORROSIVE WASTE D003 - REACTIVE WASTE F006 - WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS, EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC, AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM. F007 - SPENT CYANIDE PLATING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS. F008 - PLATING BATH RESIDUES FROM THE BOTTOM OF PLATING BATHS FROM ELECTROPLATING OPERATIONS IN WHICH CYANIDES ARE USED IN THE PROCESS.

Notices of Violations Summary

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Date of Violation :	2020-01-09
Date Achieved Compliance :	2019-12-23
Regulation Violated :	Y
Area of Violation :	Generators - Manifest
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2020-01-09
Date Achieved Compliance :	2019-12-23
Regulation Violated :	Y
Area of Violation :	Preparedness, Prevention, and Emergency Procedures
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

RCRA LQG ***(cont.)***

Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2020-01-09
Date Achieved Compliance :	2019-12-23
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2020-01-09
Date Achieved Compliance :	2019-12-23
Regulation Violated :	Y
Area of Violation :	Universal Waste - Small Quantity Handlers
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2020-01-09
Date Achieved Compliance :	2019-12-19
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

RCRA LQG ***(cont.)***

Date of Violation :	2020-01-09
Date Achieved Compliance :	2019-12-19
Regulation Violated :	Y
Area of Violation :	Preparedness, Prevention, and Emergency Procedures
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2020-01-09
Date Achieved Compliance :	2019-11-08
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2020-01-08
Date Achieved Compliance :	2019-12-23
Regulation Violated :	Y
Area of Violation :	Preparedness, Prevention, and Emergency Procedures
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2020-01-08
Date Achieved Compliance :	2019-12-23
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	N/R
Enforcement Action Date :	N/R

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

RCRA LQG ***(cont.)***

Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2020-01-08
Date Achieved Compliance :	2019-12-23
Regulation Violated :	Y
Area of Violation :	Generators - Manifest
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2020-08-11
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	EPA

Evaluation Date :	2020-01-10
Evaluation :	SIGNIFICANT NON-COMPLIER
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	EPA

Evaluation Date :	2020-01-09
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	Generators - Manifest
Date Achieved Compliance :	2019-12-23
Evaluation Lead Agency :	State

Evaluation Date :	2020-01-09
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	Generators - General
Date Achieved Compliance :	2019-11-08

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

RCRA LQG ***(cont.)***

Evaluation Lead Agency :	State
Evaluation Date :	2020-01-09
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	Preparedness, Prevention, and Emergency Procedures
Date Achieved Compliance :	2019-12-23
Evaluation Lead Agency :	State
Evaluation Date :	2020-01-09
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	Generators - General
Date Achieved Compliance :	2019-12-23
Evaluation Lead Agency :	State
Evaluation Date :	2020-01-09
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	Generators - General
Date Achieved Compliance :	2019-12-19
Evaluation Lead Agency :	State
Evaluation Date :	2020-01-09
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	Universal Waste - Small Quantity Handlers
Date Achieved Compliance :	2019-12-23
Evaluation Lead Agency :	State
Evaluation Date :	2020-01-09
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	Preparedness, Prevention, and Emergency Procedures
Date Achieved Compliance :	2019-12-19
Evaluation Lead Agency :	State
Evaluation Date :	2020-01-08
Evaluation :	SIGNIFICANT NON-COMPLIER
Area of Violation :	Generators - General
Date Achieved Compliance :	2019-12-19
Evaluation Lead Agency :	State

RCRA NONGEN

Facility Name :	MOOG INC
Facility Address :	1400 RAIL HEAD BLVD, NAPLES, FL 34110-8421
County :	COLLIER

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Date Form Received by Agency :	2022-04-14
EPA ID :	FLR000154252
Mailing Address :	1400 RAIL HEAD BLVD, NAPLES, FL 34110-8421
Contact :	JERRY BURNS
Contact Address :	1400 RAIL HEAD BLVD, NAPLES, FL 34110-8421
Contact Country :	US
Contact Telephone :	239-513-0800
Contact Email :	JBURNS@MOOG.COM
EPA Region :	04
Land Type :	Private
Source Type :	Notification
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	HOLLAND RAILHEAD LLC
Owner/Operator Address :	3785-C AIRPORT PULLING RD N, NAPLES, FL 34105-4518
Owner/Operator Country :	US
Owner/Operator Telephone :	239-435-1191
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2003-08-07
Owner/Operator End Date :	N/R

Owner/Operator Name :	HOLLAND RAILHEAD LLC
Owner/Operator Address :	3785-C AIRPORT PULLING RD N, NAPLES, FL 34105-4518
Owner/Operator Country :	US
Owner/Operator Telephone :	239-435-1191
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2003-08-07
Owner/Operator End Date :	2020-11-09

Owner/Operator Name :	MOOG INC
Owner/Operator Address :	1400 RAILHEAD BLVD, NAPLES, FL 34110-8421
Owner/Operator Country :	US
Owner/Operator Telephone :	239-513-0800
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2016-01-01

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Owner/Operator End Date :	N/R
Owner/Operator Name :	MOOG TECHTRON INC
Owner/Operator Address :	1400 RAIL HEAD BLVD, NAPLES, FL 34110-8421
Owner/Operator Country :	US
Owner/Operator Telephone :	716-652-2000
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2007-09-06
Owner/Operator End Date :	2018-04-26
Owner/Operator Name :	OLD 41 FLEX LLC
Owner/Operator Address :	4215 E 60TH ST #6, DAVENPORT, IA 52807-0000
Owner/Operator Country :	US
Owner/Operator Telephone :	239-659-1447
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2019-10-09
Owner/Operator End Date :	2022-04-14

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N/R
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	2022-04-14
Facility Name :	MOOG INC
Classification :	Large Quantity Generator

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Date Form Received by Agency : 2020-02-18
Facility Name : MOOG INC
Classification : Large Quantity Generator

Date Form Received by Agency : 2019-11-06
Facility Name : MOOG INC
Classification : Large Quantity Generator

Date Form Received by Agency : 2018-02-07
Facility Name : MOOG INC
Classification : Large Quantity Generator

Date Form Received by Agency : 2017-03-30
Facility Name : MOOG INC
Classification : Large Quantity Generator

Date Form Received by Agency : 2016-01-29
Facility Name : MOOG TECHTRON INC
Classification : Large Quantity Generator

Date Form Received by Agency : 2016-01-26
Facility Name : MOOG TECHTRON INC
Classification : Large Quantity Generator

Date Form Received by Agency : 2015-06-23
Facility Name : MOOG TECHTRON INC
Classification : Large Quantity Generator

Date Form Received by Agency : 2010-06-09
Facility Name : MOOG TECHTRON INC
Classification : Small Quantity Generator

Date Form Received by Agency : 2009-04-01
Facility Name : MOOG TECHTRON CORP
Classification : Small Quantity Generator

Hazardous Waste Summary
Waste Code / Name : D001 - IGNITABLE WASTE
D002 - CORROSIVE WASTE
D003 - REACTIVE WASTE

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

RCRA NONGEN ***(cont.)***

F006 - WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS, EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC, AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM.
F007 - SPENT CYANIDE PLATING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS.
F008 - PLATING BATH RESIDUES FROM THE BOTTOM OF PLATING BATHS FROM ELECTROPLATING OPERATIONS IN WHICH CYANIDES ARE USED IN THE PROCESS.

Notices of Violations Summary

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Date of Violation :	2020-01-09
Date Achieved Compliance :	2019-12-23
Regulation Violated :	Y
Area of Violation :	Generators - Manifest
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2020-01-09
Date Achieved Compliance :	2019-12-23
Regulation Violated :	Y
Area of Violation :	Preparedness, Prevention, and Emergency Procedures
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Date of Violation :	2020-01-09
Date Achieved Compliance :	2019-12-23
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2020-01-09
Date Achieved Compliance :	2019-12-23
Regulation Violated :	Y
Area of Violation :	Universal Waste - Small Quantity Handlers
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2020-01-09
Date Achieved Compliance :	2019-12-19
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2020-01-09
Date Achieved Compliance :	2019-12-19
Regulation Violated :	Y
Area of Violation :	Preparedness, Prevention, and Emergency Procedures
Enforcement Action :	N/R
Enforcement Action Date :	N/R

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2020-01-09
Date Achieved Compliance :	2019-11-08
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2020-01-08
Date Achieved Compliance :	2019-12-23
Regulation Violated :	Y
Area of Violation :	Preparedness, Prevention, and Emergency Procedures
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2020-01-08
Date Achieved Compliance :	2019-12-23
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Paid Penalty Amount :	N/R
Date of Violation :	2020-01-08
Date Achieved Compliance :	2019-12-23
Regulation Violated :	Y
Area of Violation :	Generators - Manifest
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2020-08-11
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	EPA
Evaluation Date :	2020-01-10
Evaluation :	SIGNIFICANT NON-COMPLIER
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	EPA
Evaluation Date :	2020-01-09
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	Generators - Manifest
Date Achieved Compliance :	2019-12-23
Evaluation Lead Agency :	State
Evaluation Date :	2020-01-09
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	Generators - General
Date Achieved Compliance :	2019-11-08
Evaluation Lead Agency :	State
Evaluation Date :	2020-01-09
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	Preparedness, Prevention, and Emergency Procedures

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Date Achieved Compliance :	2019-12-23
Evaluation Lead Agency :	State
Evaluation Date :	2020-01-09
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	Generators - General
Date Achieved Compliance :	2019-12-23
Evaluation Lead Agency :	State
Evaluation Date :	2020-01-09
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	Generators - General
Date Achieved Compliance :	2019-12-19
Evaluation Lead Agency :	State
Evaluation Date :	2020-01-09
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	Universal Waste - Small Quantity Handlers
Date Achieved Compliance :	2019-12-23
Evaluation Lead Agency :	State
Evaluation Date :	2020-01-09
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	Preparedness, Prevention, and Emergency Procedures
Date Achieved Compliance :	2019-12-19
Evaluation Lead Agency :	State
Evaluation Date :	2020-01-08
Evaluation :	SIGNIFICANT NON-COMPLIER
Area of Violation :	Generators - General
Date Achieved Compliance :	2019-12-19
Evaluation Lead Agency :	State

SQG - FL

Facility Name :	Moog Inc
Facility Address :	1400 Rail Head Blvd, Naples, 34110
County :	Collier
Last Inspection Date :	2019-11-06
Date Notified :	2009-04-10
Site ID :	89557
Handler ID :	FLR000154252
Office :	South District
Facility Inspection Type :	LQG-CEI

Map Id: B17
Direction: S
Distance: 0.035 mi., 183 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC | NAPLES MOOG INDUSTRIAL GROUP | MOOG TECHTRON CORP
1400 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG - FL, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA LQG, RCRA NONGEN, SQG - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173749
EPA ID: N/R

SQG - FL ***(cont.)***

Documents Link :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2022-01-31

STORMWATER

Facility Name :	NAPLES MOOG INDUSTRIAL GROUP
Facility Address :	1400 RAIL HEAD BLVD, NAPLES, FL 34110-8421
NPDES ID :	FLRNEF316
Permittee Name :	Moog Inc
Permit Status :	Expired
Permit Issuing Name :	State
Issued Date :	2020-06-08
Effective Date :	2020-06-08
Termination Date :	N/R
Expiration Date :	2025-06-07
EPA Region :	04
SIC Code :	3621
NAICS Code :	335312 334418
EJ Indexes Above 80th Percentile :	N
Significant Noncompliance Status :	N/R
Quarters with Noncompliance :	0
Industrial Stormwater Formal Enforcement Actions:	N/R
Facility Map Flag :	N/R
DRF URL :	Click here for hyperlink provided by the agency.
Latitude :	26.312488
Longitude :	-81.786684
Last Date in Agency List :	2026-06-12

Map Id: C18
Direction: SE
Distance: 0.035 mi., 186 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : BONITA AUTO CENTER INC
26950 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG]

Envirosite ID: 68173840
EPA ID: N/R

ECHO

Facility Name :	BONITA AUTO CENTER INC
Facility Address :	26950 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE

Map Id: C18
Direction: SE
Distance: 0.035 mi., 186 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : BONITA AUTO CENTER INC
26950 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173840
EPA ID: N/R

ECHO ***(cont.)***

Last Inspection Date :	2011-08-10
Registry ID :	110043862246
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	5177
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 23 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040105
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710504005005
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	811111 - General Automotive Repair
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2011-08-10
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R

Map Id: C18
Direction: SE
Distance: 0.035 mi., 186 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : BONITA AUTO CENTER INC
26950 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173840
EPA ID: N/R

ECHO ***(cont.)***

Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.34593
Longitude :	-81.77909
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	BONITA AUTO CENTER INC
Facility Address :	26950 OLD 41 RD, BONITA SPRINGS, FL 34135-5051
County :	LEE

Site Details

Registry ID :	110043862246
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	RCRAINFO - FLR000177865

RCRA VSQG

Facility Name :	BONITA AUTO CENTER INC
Facility Address :	26950 OLD 41 RD, BONITA SPRINGS, FL 34135-5051

Map Id: C18
Direction: SE
Distance: 0.035 mi., 186 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : BONITA AUTO CENTER INC
26950 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173840
EPA ID: N/R

RCRA VSQG ***(cont.)***

County :	LEE
Date Form Received by Agency :	2011-08-10
EPA ID :	FLR000177865
Mailing Address :	26950 OLD 41 RD, BONITA SPRINGS, FL 34135-5051
Contact :	JOE CASSESE
Contact Address :	26950 OLD 41 RD, BONITA SPRINGS, FL 34135-5051
Contact Country :	US
Contact Telephone :	239-947-5810
Contact Email :	CARXPERTS@COMCAST.NET
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	CONSTANCE L HARRIS TRUST
Owner/Operator Address :	PO BOX 460, BONITA SPRINGS, FL 34133
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2011-08-11
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N

Map Id: C18
Direction: SE
Distance: 0.035 mi., 186 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : BONITA AUTO CENTER INC
26950 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173840
EPA ID: N/R

RCRA VSQG ***(cont.)***

Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE

Notices of Violations Summary

Date of Violation :	2011-08-10
Date Achieved Compliance :	2011-09-16
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2011-08-10
Date Achieved Compliance :	2011-09-16
Regulation Violated :	Y
Area of Violation :	Listing - General
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2011-08-10
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	State Statute or Regulation
Date Achieved Compliance :	2011-09-16
Evaluation Lead Agency :	State

Evaluation Date :	2011-08-10
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Listing - General
Date Achieved Compliance :	2011-09-16

Map Id: C18
Direction: SE
Distance: 0.035 mi., 186 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : BONITA AUTO CENTER INC
26950 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173840
EPA ID: N/R

RCRA VSQG ***(cont.)***

Evaluation Lead Agency : State

Map Id: C19
Direction: SE
Distance: 0.036 mi., 192 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : COPE | KWIK PICK CONV STORE
27010 OLD US 41
BONITA SPRINGS, FL

Database(s) : [AST - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, LAST - FL, LUST - FL, RCRA NONGEN, UST - FL]

Envirosite ID: 68173843
EPA ID: N/R

AST - FL

Facility Name : COPE
Facility Address : 27010 OLD US 41, BONITA SPRINGS, 33923
County : LEE

Site Details
Facility ID : 8519466
Facility Phone : 2399471134
Facility Status : OPEN
Facility Type : Z
Type Description : Other Regulated Facility
Last Date in Agency List : 2026-05-06

Owner Information
Owner ID : 8531
Owner Name : GOBUS, JOSEPH & PETER PART
Owner Address 1 : N/R
Owner Address 2 : N/R
Owner Phone : 8139929909
Contact : PETE GOBUS
DEP Contractor Own : P

Tank Information
Tank ID : 4
Gallons : 500
Tank Location : ABOVEGROUND
Substance : Kerosene
Install Date : 1987-08-01
Status : In Service
Status Date : N/R

Map Id: C19
Direction: SE
Distance: 0.036 mi., 192 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : COPE | KWIK PICK CONV STORE
27010 OLD US 41
BONITA SPRINGS, FL

Database(s) : [AST - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, LAST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173843
EPA ID: N/R

AST - FL ***(cont.)***

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

DWM CONTAM - FL

Facility Name :	COPE
Facility Address :	27010 OLD US 41, BONITA SPRINGS, FL 33923
County :	LEE
Score Effective Date :	2011-04-14
Score :	56
Score Ranked :	6
Rank :	12937
Facility ID :	8519466
Facility Status :	OPEN
Facility Type :	Z - Other Regulated Facility
County Code :	36
District :	SD
Operator :	PETE GOBUS
Phone :	(239)947-1134
Name Changed Date :	N/R
Address Changed Date :	N/R
Latitude Degrees :	26
Latitude Minutes :	20
Latitude Seconds :	42.7837
Longitude Degrees :	81
Longitude Minutes :	46
Longitude Seconds :	45.5849
Feature :	N/R
Method :	UNVR
Datum :	0
Section/Township/Range :	SEC 35, TWP 47S, RNG 25E
Related Party Begin Date :	1994-05-20
Related Party ID :	8531
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	GOBUS, JOSEPH & PETER PART
Related Party Address 1 :	PO BOX 1050, BONITA SPRINGS, FL 33959-1050
Related Party Address 2 :	N/R
Contact :	PETE GOBUS
Related Party Phone :	(813)992-9909
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

ECHO

Facility Name :	COPE
Facility Address :	27010 OLD US 41, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	1999-12-15
Registry ID :	110007480528

Map Id: C19
Direction: SE
Distance: 0.036 mi., 192 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : COPE | KWIK PICK CONV STORE
27010 OLD US 41
BONITA SPRINGS, FL

Database(s) : [AST - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, LAST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173843
EPA ID: N/R

ECHO ***(cont.)***

FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	9433
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	POINT WHERE SUBSTANCE IS MONITORED
Accuracy Meters :	5
Derived Tribes :	Seminole Tribe of Florida - 23 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040105
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710504001017
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	326212 - Tire Retreading, 811198 - All Other Automotive Repair and Maintenance
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	1999-12-15

Map Id: C19
Direction: SE
Distance: 0.036 mi., 192 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : COPE | KWIK PICK CONV STORE
27010 OLD US 41
BONITA SPRINGS, FL

Database(s) : [AST - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, LAST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173843
EPA ID: N/R

ECHO ***(cont.)***

Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.345657
Longitude :	-81.779198
Last Date in Agency List :	2026-05-11

EPA LUST

Facility Name :	COPE
Facility Address :	27010 OLD US 41, BONITA SPRINGS, Florida
County :	N/R
Facility ID :	FL8519466
LUST ID :	FL34614
Reported Date :	1985-07-01
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	775
Estimated Private Domestic Wells within 1500ft:	34
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No

Map Id: C19
Direction: SE
Distance: 0.036 mi., 192 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : COPE | KWIK PICK CONV STORE
27010 OLD US 41
BONITA SPRINGS, FL

Database(s) : [AST - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, LAST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173843
EPA ID: N/R

EPA LUST ***(cont.)***

WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.3449999999999
Longitude :	-81.7794399999999
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	COPE
Facility Address :	27010 OLD US 41, BONITA SPRINGS, Florida 33923
County :	N/R
Facility ID :	FL8519466
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	5
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.345
Longitude :	-81.7794444444444
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8519466-1
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	4000
Substances :	Unleaded Gas
Tank Wall Type :	N/R
Tank ID :	FL8519466-1R1
Tank Status :	Closed
Installation Date :	1987-08-01
Removal Date :	N/R
Capacity :	4000
Substances :	Unleaded Gas
Tank Wall Type :	N/R
Tank ID :	FL8519466-2
Tank Status :	Closed
Installation Date :	1982-12-01

Map Id: C19
Direction: SE
Distance: 0.036 mi., 192 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : COPE | KWIK PICK CONV STORE
27010 OLD US 41
BONITA SPRINGS, FL

Database(s) : [AST - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, LAST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173843
EPA ID: N/R

EPA UST ***(cont.)***

Removal Date :	N/R
Capacity :	4000
Substances :	Leaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8519466-2R1
Tank Status :	Closed
Installation Date :	1987-08-01
Removal Date :	N/R
Capacity :	4000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8519466-3
Tank Status :	Closed
Installation Date :	1987-08-01
Removal Date :	N/R
Capacity :	1000
Substances :	Waste Oil
Tank Wall Type :	N/R

FA 3 - FL

Facility Name :	COPE
Facility Address :	27010 OLD US 41, BONITA SPRINGS, 33923
County :	LEE

Effectivity Date :	1995-06-27
Expiration Date :	1997-06-27
Facility ID :	8519466
Facility Status :	OPEN
Facility Type :	Other Regulated Facility
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	FPLIPA
Facility Phone :	2399471134
Owner ID :	8531
Owner Name :	GOBUS, JOSEPH & PETER PART
Address :	PO BOX 1050, BONITA SPRINGS, FL 33959
Contact Name :	PETE GOBUS
Phone :	8139929909
Last Date in Agency List :	2026-06-03

Effectivity Date :	1989-10-17
Expiration Date :	1990-10-17
Facility ID :	8519466
Facility Status :	OPEN
Facility Type :	Other Regulated Facility
DEP Contractor :	P
Financial Responsibility :	INSURANCE

Map Id: C19
Direction: SE
Distance: 0.036 mi., 192 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : COPE | KWIK PICK CONV STORE
27010 OLD US 41
BONITA SPRINGS, FL

Database(s) : [AST - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, LAST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173843
EPA ID: N/R

FA 3 - FL ***(cont.)***

Insurance Company :	FPLIPA
Facility Phone :	2399471134
Owner ID :	8531
Owner Name :	GOBUS, JOSEPH & PETER PART
Address :	PO BOX 1050, BONITA SPRINGS, FL 33959
Contact Name :	PETE GOBUS
Phone :	8139929909
Last Date in Agency List :	2026-06-03

FRS

Facility Name :	COPE
Facility Address :	27010 OLD US 41, BONITA SPRINGS, FL 34135-5403
County :	LEE

Site Details

Registry ID :	110007480528
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 42019 RCRAINFO - FLR000062232

GWIF - FL

Facility Name :	KWIK PICK CONV STORE
Facility Address :	27010 OLD US HWY 41 RD, BONITA SPRINGS, 34135
County :	LEE

Map Id: C19
Direction: SE
Distance: 0.036 mi., 192 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : COPE | KWIK PICK CONV STORE
27010 OLD US 41
BONITA SPRINGS, FL

Database(s) : [AST - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, LAST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173843
EPA ID: N/R

GWIF - FL ***(cont.)***

Facility ID :	8519466
Facility Type :	PETROLEUM
Location ID :	101361
Location Method :	DGPS = Differentially Corrected GPS
GPS ID :	101361
GPS Date :	2005-12-09
HAE (Height Above Ellipsoid) :	2.92
Project ID :	SUPER
Insp Name :	MARK ASHTON
Insp CHD :	LEE
Request Number :	RE37881
Datum :	N/R
Software :	Risk_Solo_v2
Streetside :	N/R
Agency :	DOH
Comment :	N/R
Latitude :	26.345367
Longitude :	-81.779267
Last Date in Agency List :	2026-05-09

LAST - FL

Facility Name :	COPE
Facility Address :	27010 OLD US 41, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	8519466
Facility Status :	OPEN
Facility Type :	Other Regulated Facility
Phone :	2399471134
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	8531
Owner Name :	GOBUS, JOSEPH & PETER PART
Owner Address 1 :	PO BOX 1050, BONITA SPRINGS, FL 33959
Owner Address 2 :	N/R
Owner Phone :	8139929909
Contact :	PETE GOBUS

Discharge Details

Discharge Date :	1985-07-01
Status Date :	2012-03-12
Status Description :	SRCR COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2011-04-14

Map Id: C19
Direction: SE
Distance: 0.036 mi., 192 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : COPE | KWIK PICK CONV STORE
27010 OLD US 41
BONITA SPRINGS, FL

Database(s) : [AST - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, LAST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173843
EPA ID: N/R

LAST - FL ***(cont.)***

Score :	56
CU Status :	N/R
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

LUST - FL

Facility Name :	COPE
Facility Address :	27010 OLD US 41, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	8519466
Facility Status :	OPEN
Facility Type :	Other Regulated Facility
Phone :	2399471134
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	8531
Owner Name :	GOBUS, JOSEPH & PETER PART
Owner Address 1 :	PO BOX 1050, BONITA SPRINGS, FL 33959
Owner Address 2 :	N/R
Owner Phone :	8139929909
Contact :	PETE GOBUS

Discharge Details

Discharge Date :	1985-07-01
Status Date :	2012-03-12
Status Description :	SRCR COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2011-04-14
Score :	56
CU Status :	N/R
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

RCRA NONGEN

Facility Name :	COPE
Facility Address :	27010 OLD US 41, BONITA SPRINGS, FL 33923
County :	LEE

Map Id: C19
Direction: SE
Distance: 0.036 mi., 192 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : COPE | KWIK PICK CONV STORE
27010 OLD US 41
BONITA SPRINGS, FL

Database(s) : [AST - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, LAST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173843
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Date Form Received by Agency :	1999-12-15
EPA ID :	FLR000062232
Mailing Address :	PO BOX 1050 27010 OLD US 41, BONITA SPRINGS, FL 34133-1050
Contact :	PETER GOBUS
Contact Address :	PO BOX 1050, BONITA SPRINGS, FL 34133-1050
Contact Country :	US
Contact Telephone :	941-992-0148
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	GOBUS PETER
Owner/Operator Address :	PO BOX 1050, BONITA SPRINGS, FL 33923
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2000-01-18
Owner/Operator End Date :	N/R

Owner/Operator Name :	PETER GOBUS
Owner/Operator Address :	PO BOX 1050, BONITA SPRINGS, FL 33923
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2000-01-18
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N

Map Id: C19
Direction: SE
Distance: 0.036 mi., 192 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : COPE | KWIK PICK CONV STORE
27010 OLD US 41
BONITA SPRINGS, FL

Database(s) : [AST - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, LAST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173843
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE

Notices of Violations Summary

Regulation Violated :	N

Evaluation Action Summary

Evaluation Date :	1999-12-15
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	1999-12-14
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

UST - FL

Facility Name :	COPE
Facility Address :	27010 OLD US 41, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	8519466
Facility Phone :	2399471134
Facility Status :	OPEN
Facility Type :	Other Regulated Facility
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	8531
Owner Name :	GOBUS, JOSEPH & PETER PART
Owner Address 1 :	PO BOX 1050, BONITA SPRINGS, FL 33959

Map Id: C19
Direction: SE
Distance: 0.036 mi., 192 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : COPE | KWIK PICK CONV STORE
27010 OLD US 41
BONITA SPRINGS, FL

Database(s) : [AST - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, LAST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173843
EPA ID: N/R

UST - FL ***(cont.)***

Owner Address 2 :	N/R
Owner Phone :	8139929909
Contact :	PETE GOBUS
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	4000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	N/R
Status :	Removed from Site
Status Date :	1987-08-31

Tank ID :	1R1
Gallons :	4000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1987-08-01
Status :	Removed from Site
Status Date :	1992-11-30

Tank ID :	2
Gallons :	4000
Tank Location :	UNDERGROUND
Substance :	Leaded Gas
Install Date :	1982-12-01
Status :	Removed from Site
Status Date :	1987-08-31

Tank ID :	2R1
Gallons :	4000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1987-08-01
Status :	Removed from Site
Status Date :	1992-11-30

Tank ID :	3
Gallons :	1000
Tank Location :	UNDERGROUND
Substance :	Waste Oil
Install Date :	1987-08-01
Status :	Removed from Site
Status Date :	1996-12-31

Map Id: C19
Direction: SE
Distance: 0.036 mi., 192 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : COPE | KWIK PICK CONV STORE
27010 OLD US 41
BONITA SPRINGS, FL

Database(s) : [AST - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, LAST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173843
EPA ID: N/R

UST - FL ***(cont.)***

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: B20
Direction: SSE
Distance: 0.037 mi., 196 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : SOUTH FLORIDA EXCAVATION, INC. | SOUTH FLORIDA EXCAVATION, INC CRUSHER #2
1455 RAIL HEAD BLVD STE 3 | 1455 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [AIRS - FL, ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SWRCY - FL]

Envirosite ID: 68173755
EPA ID: N/R

AIRS - FL

Facility Name :	SOUTH FLORIDA EXCAVATION, INC CRUSHER #2
Facility Address :	1455 Rail Head Blvd, NAPLES, 34110
County :	COLLIER
Startup Date (Relocation) :	N/R
Shutdown Date (Relocation) :	N/R
AIRS ID :	7775854
Owner/Company Name :	SOUTH FLORIDA EXCAVATION, INC.
Category :	POINT
Relocatable :	Y
UTM Zone :	17
North :	2910.4
East :	421.31
Township :	N/R
Major Group SIC :	14
Government Facility Code :	0
Public Exempt :	N/R
One Time Title V Credit :	N
Title V :	N
Title V by EPA Designation :	N/R
Compliance Tracking Code :	N/R
Current Permit Indicator :	AG
Syn Non Title V Source :	N
Major of Non Haps Pollutants :	N
Syn Minor of Non Hap Pollutants :	N/R
Major of HAPS :	N
Syn Minor of HAPS :	N/R
NSPS :	Y
NESHAP :	N
Emission Guidelines :	N
Small Business Stationary :	N/R

Map Id: B20
Direction: SSE
Distance: 0.037 mi., 196 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : SOUTH FLORIDA EXCAVATION, INC. | SOUTH FLORIDA EXCAVATION, INC CRUSHER #2
1455 RAIL HEAD BLVD STE 3 | 1455 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [AIRS - FL, ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SWRCY - FL] ***(cont.)***

Envirosite ID: 68173755
EPA ID: N/R

AIRS - FL ***(cont.)***

AOR Required :	N
Ozone SIP Facility :	N
Regulatory Comment :	N/R
Facility Final Shutdown Date :	N/R
Facility Office :	SD
Facility Status :	Active
Facility Type :	NONMETALLIC MINERAL PROCESSING
Directions :	1455 Rail Head Blvd Ste 3
Facility Comment :	N/R
Last Date in Agency List :	2023-02-03

ECHO

Facility Name :	SOUTH FLORIDA EXCAVATION, INC.
Facility Address :	1455 RAIL HEAD BLVD, NAPLES, FL 34110
County :	COLLIER
Last Inspection Date :	N/R
Registry ID :	110071527888
FIPS Code :	12021
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	N/R
Reference Point :	N/R
Accuracy Meters :	17481
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101022012
MYRTK Universe :	NNN
NPDES IDs :	FLG073814
CWA Permit Types :	Non-M
CWA Compliance Tracking :	On
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R

Map Id: B20
Direction: SSE
Distance: 0.037 mi., 196 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : SOUTH FLORIDA EXCAVATION, INC. | SOUTH FLORIDA EXCAVATION, INC
CRUSHER #2
1455 RAIL HEAD BLVD STE 3 | 1455 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [AIRS - FL, ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SWRCY - FL] ***(cont.)***

Envirosite ID: 68173755
EPA ID: N/R

ECHO ***(cont.)***

CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation Identified
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	_____
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.311656
Longitude :	-81.788725
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	SOUTH FLORIDA EXCAVATION, INC.
Facility Address :	1455 RAIL HEAD BLVD STE 3, NAPLES, FL 34110-8407
County :	COLLIER

Map Id: B20
Direction: SSE
Distance: 0.037 mi., 196 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : SOUTH FLORIDA EXCAVATION, INC. | SOUTH FLORIDA EXCAVATION, INC CRUSHER #2
1455 RAIL HEAD BLVD STE 3 | 1455 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [AIRS - FL, ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SWRCY - FL] ***(cont.)***

Envirosite ID: 68173755
EPA ID: N/R

FRS ***(cont.)***

Site Details

Registry ID :	110071527888
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest

Source and System ID :	ICIS - FLG073814

ICIS

Facility Name :	SOUTH FLORIDA EXCAVATION, INC.
Facility Address :	1455 RAIL HEAD BLVD STE 3, NAPLES, FL 34110-8407

Site Details

NPDES ID :	FLG073814
ICIS Facility Interest ID :	3601584521
Facility UIN :	110071527888
Facility Type Code :	Privately Owned Facility
Impaired Waters :	303(D) Listed
Latitude :	26.3116558
Longitude :	-81.7887246
Last Date in Agency List :	2025-12-15

NPDES - FL

Facility Name :	South Florida Excavation, Inc.
Facility Address :	Ste 3 1455 Rail Head Blvd, Naples, FL
County :	COLLIER

Site Details

Issue Date :	2023-10-18
Effective Date :	2023-10-18
Expiration Date :	2028-10-17
Facility ID :	FLG073814

Map Id: B20
Direction: SSE
Distance: 0.037 mi., 196 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : SOUTH FLORIDA EXCAVATION, INC. | SOUTH FLORIDA EXCAVATION, INC
CRUSHER #2
1455 RAIL HEAD BLVD STE 3 | 1455 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [AIRS - FL, ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SWRCY - FL] ***(cont.)***

Envirosite ID: 68173755
EPA ID: N/R

NPDES - FL ***(cont.)***

Facility Type :	N/R
Status :	Active
NPDES :	Y
Company Name :	-
Document Description :	Generic Permit
Nature of Business :	-
Ownership Type :	Private
Treatment Process Summary :	-
Department Office :	South District
Capacity (MGD) :	-
DW Class :	N/R
Last Date in Agency List :	2026-06-03

Related Party Details

Related Party Name :	Russell Anderson
Related Party Address :	1455 Railhead Blvd., Suite 3, Naples FL 34110-
Related Party Address 2 :	-
Related Party Phone :	2395968111
Related Party Email :	Nancy@sflexcavation.com

PCS FACILITY

Issue Date :	2023-10-18
Original Issue Date :	2023-10-18
Effective Date :	2023-10-18
Expiration Date :	2028-10-17
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3603768646
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	South Florida Excavation, Inc.
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLG070000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2025-12-18

Map Id: B20
Direction: SSE
Distance: 0.037 mi., 196 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : SOUTH FLORIDA EXCAVATION, INC. | SOUTH FLORIDA EXCAVATION, INC
CRUSHER #2
1455 RAIL HEAD BLVD STE 3 | 1455 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [AIRS - FL, ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SWRCY - FL] ***(cont.)***

Envirosite ID: 68173755
EPA ID: N/R

SWRCY - FL

Facility Name :	SOUTH FLORIDA EXCAVATION
Facility Address :	1455 RAIL HEAD BLVD, NAPLES, FL 34110
County :	COLLIER

Site Details

Facility ID :	108066
Class :	WASTE TIRE COLLECTOR
Class Type :	754
Class Status :	INACTIVE (I)
Test Site Data :	TestSite Inventory Report, TestSite Result Report
Detail :	Facility Activities, Documents in OCULUS
District :	SD
Section/Township/Range :	N/R
Responsible Authority Name :	N/R
Responsible Authority Address :	N/R
Responsible Authority Phone Number :	N/R
Responsible Authority Email Address :	N/R
Land Owner Name :	N/R
Land Owner Address :	N/R
Land Owner Phone Number :	N/R
Site Supervisor Name :	N/R
Site Supervisor Address :	N/R
Site Supervisor Phone Number :	N/R
Site Supervisor Email Address :	N/R
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2024-05-10

Map Id: F21
Direction: NNW
Distance: 0.037 mi., 197 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : Bonita Springs Utilities, Inc. - WWRF | Bonita Springs Utilities WWTP
8890 Ten-eight St
Bonita Springs, FL 34134

Database(s) : [NPDES - FL, T 2 - FL]

Envirosite ID: 68173871
EPA ID: N/R

NPDES - FL

Facility Name :	Bonita Springs Utilities WWTP
Facility Address :	8890 Ten Eight St, Bonita Springs
County :	LEE

Map Id: F21
Direction: NNW
Distance: 0.037 mi., 197 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : Bonita Springs Utilities, Inc. - WWRF | Bonita Springs Utilities WWTP
8890 Ten-eight St
Bonita Springs, FL 34134

Database(s) : [NPDES - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173871
EPA ID: N/R

NPDES - FL ***(cont.)***

Site Details

Issue Date :	2023-02-20
Effective Date :	N/R
Expiration Date :	2028-02-19
Facility ID :	FLR05C459
Facility Type :	Multi-Sector Stormwater GP
Status :	Active
NPDES :	N/R
Company Name :	Bonita Springs Utilities Inc
Document Description :	N/R
Nature of Business :	N/R
Ownership Type :	Private
Treatment Process Summary :	N/R
Department Office :	N/R
Capacity (MGD) :	N/R
DW Class :	N/R
Last Date in Agency List :	2026-06-03

Related Party Details

Related Party Name :	John Jenkins
Related Party Address :	11900 E Terry St, Bonita Springs FL 34135
Related Party Address 2 :	-
Related Party Phone :	2399920711
Related Party Email :	jjenkins@bsu.us

T 2 - FL

Facility Name :	Bonita Springs Utilities, Inc. - WWRF
Facility Address :	8890 Ten-eight St, Bonita Springs, FL 34134
County :	Lee

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Filing Year :	2024(Tier2)
Filing Type :	312
Company Name :	Bonita Springs Utilities, Inc.
Facility ID :	7557778
State Facility ID :	N/R
SIC :	N/R
NAICS :	221320 - Sewage Treatment Facilities
Dun & Bradstreet Code :	N/A
De-Registered Date :	N/R
Data Submitted by :	Andy Koebel
Contact 1 - Name :	Don Bonita Springs Utilities
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	dwoodruff@bsu.us
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	239-495-4260
Access ID :	N/R

Map Id: F21
Direction: NNW
Distance: 0.037 mi., 197 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : Bonita Springs Utilities, Inc. - WWRF | Bonita Springs Utilities WWTP
8890 Ten-eight St
Bonita Springs, FL 34134

Database(s) : [NPDES - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173871
EPA ID: N/R

T 2 - FL ***(cont.)***

Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2025-01-29
First Submit Date :	2025-01-29(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2026-02-19

Chemical Information

Filing Year :	2024(Tier2)
CAS Number :	68476346
Chemical Name :	Diesel Fuel #2
Maximum Daily Quantity :	98,000
Average Daily Quantity :	49,000
Max Amount in Largest Container :	98,000
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	2
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F

Map Id: F21
Direction: NNW
Distance: 0.037 mi., 197 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : Bonita Springs Utilities, Inc. - WWRF | Bonita Springs Utilities WWTP
8890 Ten-eight St
Bonita Springs, FL 34134

Database(s) : [NPDES - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173871
EPA ID: N/R

T 2 - FL ***(cont.)***

Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Facility Name :	Bonita Springs Utilities, Inc. - WWRF
Facility Address :	8890 Ten-eight St., Bonita Springs, FL 34134
County :	Lee

Filing Year :	2023(Tier2)
Filing Type :	312
Company Name :	Bonita Springs Utilities, Inc.
Facility ID :	7417896
State Facility ID :	N/R
SIC :	N/R
NAICS :	221320 - Sewage Treatment Facilities
Dun & Bradstreet Code :	N/A
De-Registered Date :	N/R
Data Submitted by :	Andy Koebel
Contact 1 - Name :	Andy Koebel
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	akoebel@bsu.us
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	239-992-0711
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2024-02-14
First Submit Date :	2024-02-14(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2025-02-12

Chemical Information

Filing Year :	2023(Tier2)
CAS Number :	68476346
Chemical Name :	Diesel Fuel #2
Maximum Daily Quantity :	98,000
Average Daily Quantity :	49,000
Max Amount in Largest Container :	98,000
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	2
R :	0
S :	-
Solid :	F
Liquid :	T

Map Id: F21
Direction: NNW
Distance: 0.037 mi., 197 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : Bonita Springs Utilities, Inc. - WWRF | Bonita Springs Utilities WWTP
8890 Ten-eight St
Bonita Springs, FL 34134

Database(s) : [NPDES - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173871
EPA ID: N/R

T 2 - FL ***(cont.)***

Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
Filing Type :	312
Company Name :	Bonita Springs Utilities, Inc.
Facility ID :	7296795
State Facility ID :	N/R
SIC :	N/R
NAICS :	221320 - Sewage Treatment Facilities
Dun & Bradstreet Code :	N/A
De-Registered Date :	N/R
Data Submitted by :	Andy Koebel
Contact 1 - Name :	Andy Koebel
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	akoebel@bsu.us
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	239-992-0711
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R

Map Id: F21
Direction: NNW
Distance: 0.037 mi., 197 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : Bonita Springs Utilities, Inc. - WWRF | Bonita Springs Utilities WWTP
8890 Ten-eight St
Bonita Springs, FL 34134

Database(s) : [NPDES - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173871
EPA ID: N/R

T 2 - FL ***(cont.)***

EIN Number :	N/R
Last Modified Date :	2023-02-23
First Submit Date :	2023-02-23(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2023-07-21

Chemical Information

Filing Year :	2022(Tier2)
CAS Number :	68476346
Chemical Name :	Diesel Fuel #2
Maximum Daily Quantity :	98,000
Average Daily Quantity :	49,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	2
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F

Map Id: F21
Direction: NNW
Distance: 0.037 mi., 197 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : Bonita Springs Utilities, Inc. - WWRF | Bonita Springs Utilities WWTP
8890 Ten-eight St
Bonita Springs, FL 34134

Database(s) : [NPDES - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173871
EPA ID: N/R

T 2 - FL ***(cont.)***

Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2021(Tier2)
Filing Type :	312
Company Name :	Bonita Springs Utilities, Inc.
Facility ID :	7079583
State Facility ID :	N/R
SIC :	N/R
NAICS :	221320 - Sewage Treatment Facilities
Dun & Bradstreet Code :	N/A
De-Registered Date :	N/R
Data Submitted by :	Andy Koebel
Contact 1 - Name :	Andy Koebel
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	akoebel@bsu.us
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	239-992-0711
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2022-01-04
First Submit Date :	2022-01-04(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2022-12-20

Chemical Information

Filing Year :	2021(Tier2)
CAS Number :	68476346
Chemical Name :	Diesel Fuel #2
Maximum Daily Quantity :	98,000
Average Daily Quantity :	49,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	2
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R

Map Id: F21
Direction: NNW
Distance: 0.037 mi., 197 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : Bonita Springs Utilities, Inc. - WWRF | Bonita Springs Utilities WWTP
8890 Ten-eight St
Bonita Springs, FL 34134

Database(s) : [NPDES - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173871
EPA ID: N/R

T 2 - FL ***(cont.)***

Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2020(Tier2)
Filing Type :	312
Company Name :	Bonita Springs Utilities, Inc.
Facility ID :	6786462
State Facility ID :	N/R
SIC :	N/R
NAICS :	221320 - Sewage Treatment Facilities
Dun & Bradstreet Code :	N/A
De-Registered Date :	N/R
Data Submitted by :	Andy Koebel
Contact 1 - Name :	Andy Koebel
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	akoebel@bsu.us
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	239-992-0711
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2021-02-05
First Submit Date :	2021-01-04(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2022-01-06

Map Id: F21
Direction: NNW
Distance: 0.037 mi., 197 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : Bonita Springs Utilities, Inc. - WWRF | Bonita Springs Utilities WWTP
8890 Ten-eight St
Bonita Springs, FL 34134

Database(s) : [NPDES - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173871
EPA ID: N/R

T 2 - FL ***(cont.)***

Chemical Information

Filing Year :	2020(Tier2)
CAS Number :	68476346
Chemical Name :	Diesel Fuel #2
Maximum Daily Quantity :	98,000
Average Daily Quantity :	49,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	2
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Map Id: B22
Direction: SSE
Distance: 0.039 mi., 205 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : SERVICE PAINTING OF FLORIDA INC | EPA | Environmental Protection Agency
1447 RAIL HEAD BLVD | 1447 RAIL HEAD BLVD UNIT 8
NAPLES, FL

Database(s) : [ECHO, ERNS, FRS, RCRA NONGEN, SPILLS - FL]

Envirosite ID: 68173753
EPA ID: N/R

ECHO

Facility Name :	SERVICE PAINTING OF FLORIDA INC
Facility Address :	1447 RAIL HEAD BLVD UNIT 8, NAPLES, FL 34110
County :	COLLIER
Last Inspection Date :	N/R
Registry ID :	110006393189
FIPS Code :	12021
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	FACILITY/MONITORING SITE BOUNDARY POINT
Accuracy Meters :	5
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101022012
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.

Map Id: B22
Direction: SSE
Distance: 0.039 mi., 205 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : SERVICE PAINTING OF FLORIDA INC | EPA | Environmental Protection Agency
1447 RAIL HEAD BLVD | 1447 RAIL HEAD BLVD UNIT 8
NAPLES, FL

Database(s) : [ECHO, ERNS, FRS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173753
EPA ID: N/R

ECHO ***(cont.)***

Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.311016
Longitude :	-81.788809
Last Date in Agency List :	2026-05-11

ERNS

Facility Address :	1447 RAIL HEAD BLVD, NAPLES, FL
County :	COLLIER

Incident Information

Incident Date Time :	2018-03-29 00:00:00
Type of Incident :	FIXED
Incident Cause :	DUMPING
Incident DTG :	OCCURRED
Incident Location :	N/R
Sequence Number :	1208068
Potential Flag :	N
Description of Incident :	CALLER REPORTS THE SUSPECTED RESPONSIBLE PARTY PLACED 8 5-GALLON PAILS FULL OF LACQUER WASTE INTO A DUMPSTER AT THE INCIDENT LOCATION.
Last Date in Agency List :	2018-04-18

Map Id: B22
Direction: SSE
Distance: 0.039 mi., 205 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : SERVICE PAINTING OF FLORIDA INC | EPA | Environmental Protection Agency
1447 RAIL HEAD BLVD | 1447 RAIL HEAD BLVD UNIT 8
NAPLES, FL

Database(s) : [ECHO, ERNS, FRS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173753
EPA ID: N/R

ERNS ***(cont.)***

Incident Response Summary

Date Time Received :	2018-03-30 00:00:00
Date Time Completed :	2018-03-30 00:00:00
Call Type :	Incident
Source :	TELEPHONE
Responsible Company :	MCGARVY CUSTOM HOMES
Responsible Org Type :	PRIVATE ENTERPRISE
Responsible City :	BONITA SPRINGS
Responsible State :	FL
Responsible Zip :	N/R

Incident Details Summary

Remedial Action :	N/R
Medium :	INSIDE DUMPSTER
Medium Description :	OTHER
Body of Water :	N/R
Weather Conditions :	N/R
Water Temperature :	N/R
Water Supply Contaminated :	U
Waterway Closed :	N
Waterway Description :	N/R

Additional Incident Details Summary

Actual Amount :	N/R
Actual Amount Units :	N/R
Capacity of Tank :	N/R
Capacity of Tank Units :	N/R
Continuous Release Begin Date :	N/R
Continuous Release End Date :	N/R
Continuous Release Change Date :	N/R
Continuous Release Permit :	N/R
Continuous Release Type :	N/R
Description of Tank :	N/R
Device Operational :	U
DOT Crossing Number :	N/R
DOT Regulated :	U
NPDES :	N/R
NPDES Compliance :	U
Pipeline Aboveground :	ABOVE
Pipeline Covered :	U
Pipeline Type :	N/R
Tank ID :	N/R
Tank Regulated :	U
Tank Regulated by :	N/R

Materials Involved Summary

Name of Material :	NO CHRIS CODE - LAQUER WASTE
CAS Number :	000000-00-0

Map Id: B22
Direction: SSE
Distance: 0.039 mi., 205 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : SERVICE PAINTING OF FLORIDA INC | EPA | Environmental Protection Agency
1447 RAIL HEAD BLVD | 1447 RAIL HEAD BLVD UNIT 8
NAPLES, FL

Database(s) : [ECHO, ERNS, FRS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173753
EPA ID: N/R

ERNS ***(cont.)***

Amount of Material :	8
Unit of Measure :	OTHER
UN Number :	N/R
CHRIS Code :	NCC
Reached Water :	NO
Amount in Water :	N/R
Unit of Measure (Reach Water) :	N/R

FRS

Facility Name :	SERVICE PAINTING OF FLORIDA INC
Facility Address :	1447 RAIL HEAD BLVD UNIT 8, NAPLES, FL 34110-8404
County :	COLLIER

Site Details

Registry ID :	110006393189
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 56921 RCRAINFO - FLR000063917

RCRA NONGEN

Facility Name :	SERVICE PAINTING OF FLORIDA INC
Facility Address :	1447 RAIL HEAD BLVD UNIT 8, NAPLES, FL 34110-8404
County :	COLLIER

Map Id: B22
Direction: SSE
Distance: 0.039 mi., 205 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : SERVICE PAINTING OF FLORIDA INC | EPA | Environmental Protection Agency
1447 RAIL HEAD BLVD | 1447 RAIL HEAD BLVD UNIT 8
NAPLES, FL

Database(s) : [ECHO, ERNS, FRS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173753
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Date Form Received by Agency :	2002-09-03
EPA ID :	FLR000063917
Mailing Address :	93 MILDRED DR, FORT MYERS, FL 33901-9044
Contact :	CATHY D'AGOSTINO
Contact Address :	93 MILDRED DR STE B, FORT MYERS, FL 33901-9044
Contact Country :	US
Contact Telephone :	239-939-7622
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Notification
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	K & N PROPERTIES LLC
Owner/Operator Address :	11983 TAMIAMI TRL N # 100, NAPLES, FL 34110-1653
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2005-03-31
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE

Map Id: B22
Direction: SSE
Distance: 0.039 mi., 205 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : SERVICE PAINTING OF FLORIDA INC | EPA | Environmental Protection Agency
1447 RAIL HEAD BLVD | 1447 RAIL HEAD BLVD UNIT 8
NAPLES, FL

Database(s) : [ECHO, ERNS, FRS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173753
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Notices of Violations Summary
Regulation Violated : N

SPILLS - FL

Facility Name : Environmental Protection Agency
Facility Address : 1447 Rail Head Blvd., NAPLES
County : Collier

Incident Details
Incident Number : 60351
Incident Date : 2018-03-29
Incident Status : Pending-DM
Incident Type : Inland
Descriptions : Abandoned Containers
On-scene Response : N/R
State Warning Point Date : N/R
State Warning Point Code : N/R
Sector Code : N/R
Facility Reported : N/R
Business Type : N/R
Petroleum Flag : N/R
Off-site Release Flag : N/R
Release Source Code : N/R
Release Description : N/R
Last Date in Agency List : 2018-04-28

Incident Number : 60351
Incident Date : 2018-03-29
Incident Status : Pending-DM
Incident Type : Inland
Descriptions : Complaint
On-scene Response : N/R
State Warning Point Date : N/R
State Warning Point Code : N/R
Sector Code : N/R
Facility Reported : N/R
Business Type : N/R
Petroleum Flag : N/R
Off-site Release Flag : N/R
Release Source Code : N/R
Release Description : N/R
Last Date in Agency List : 2018-04-28

Incident Number : 60351
Incident Date : 2018-03-29
Incident Status : Pending-DM
Incident Type : Inland
Descriptions : Intentional Act
On-scene Response : N/R

Map Id: B22
Direction: SSE
Distance: 0.039 mi., 205 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : SERVICE PAINTING OF FLORIDA INC | EPA | Environmental Protection Agency
1447 RAIL HEAD BLVD | 1447 RAIL HEAD BLVD UNIT 8
NAPLES, FL

Database(s) : [ECHO, ERNS, FRS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173753
EPA ID: N/R

SPILLS - FL ***(cont.)***

State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Pollutants

Pollutant Name :	Resin
Pollutant Actual Volume :	0.00 gallon
Pollutant Category :	Flammable

Facility Name :	EPA
Facility Address :	1447 Rail Head Blvd., NAPLES
County :	Collier

Incident Details

Incident Number :	60351
Incident Date :	2018-03-29
Incident Status :	Pending-DM
Incident Type :	Inland
Descriptions :	Abandoned Containers
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Incident Number :	60351
Incident Date :	2018-03-29
Incident Status :	Pending-DM
Incident Type :	Inland
Descriptions :	Complaint
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R

Map Id: B22
Direction: SSE
Distance: 0.039 mi., 205 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : SERVICE PAINTING OF FLORIDA INC | EPA | Environmental Protection Agency
1447 RAIL HEAD BLVD | 1447 RAIL HEAD BLVD UNIT 8
NAPLES, FL

Database(s) : [ECHO, ERNS, FRS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173753
EPA ID: N/R

SPILLS - FL ***(cont.)***

Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Incident Number :	60351
Incident Date :	2018-03-29
Incident Status :	Pending-DM
Incident Type :	Inland
Descriptions :	Intentional Act
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Pollutants

Pollutant Name :	Resin
Pollutant Actual Volume :	0.00 gallon
Pollutant Category :	Flammable

Facility Name :	Local Programs
Facility Address :	1447 Rail Head Blvd., NAPLES
County :	Collier

Incident Details

Incident Number :	60351
Incident Date :	2018-03-29
Incident Status :	Pending-DM
Incident Type :	Inland
Descriptions :	Abandoned Containers
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R

Map Id: B22
Direction: SSE
Distance: 0.039 mi., 205 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : SERVICE PAINTING OF FLORIDA INC | EPA | Environmental Protection Agency
1447 RAIL HEAD BLVD | 1447 RAIL HEAD BLVD UNIT 8
NAPLES, FL

Database(s) : [ECHO, ERNS, FRS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173753
EPA ID: N/R

SPILLS - FL ***(cont.)***

Release Description :	N/R
Last Date in Agency List :	2018-04-28

Incident Number :	60351
Incident Date :	2018-03-29
Incident Status :	Pending-DM
Incident Type :	Inland
Descriptions :	Complaint
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Incident Number :	60351
Incident Date :	2018-03-29
Incident Status :	Pending-DM
Incident Type :	Inland
Descriptions :	Intentional Act
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Pollutants

Pollutant Name :	Resin
Pollutant Actual Volume :	0.00 gallon
Pollutant Category :	Flammable

Facility Name :	National Response Center
Facility Address :	1447 Rail Head Blvd., NAPLES
County :	Collier

Map Id: B22
Direction: SSE
Distance: 0.039 mi., 205 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : SERVICE PAINTING OF FLORIDA INC | EPA | Environmental Protection Agency
1447 RAIL HEAD BLVD | 1447 RAIL HEAD BLVD UNIT 8
NAPLES, FL

Database(s) : [ECHO, ERNS, FRS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173753
EPA ID: N/R

SPILLS - FL ***(cont.)***

Incident Details

Incident Number :	60351
Incident Date :	2018-03-29
Incident Status :	Pending-DM
Incident Type :	Inland
Descriptions :	Abandoned Containers
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Incident Number :	60351
Incident Date :	2018-03-29
Incident Status :	Pending-DM
Incident Type :	Inland
Descriptions :	Complaint
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Incident Number :	60351
Incident Date :	2018-03-29
Incident Status :	Pending-DM
Incident Type :	Inland
Descriptions :	Intentional Act
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Map Id: B22
Direction: SSE
Distance: 0.039 mi., 205 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : SERVICE PAINTING OF FLORIDA INC | EPA | Environmental Protection Agency
1447 RAIL HEAD BLVD | 1447 RAIL HEAD BLVD UNIT 8
NAPLES, FL

Database(s) : [ECHO, ERNS, FRS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173753
EPA ID: N/R

SPILLS - FL ***(cont.)***

Pollutants

Pollutant Name :	Resin
Pollutant Actual Volume :	0.00 gallon
Pollutant Category :	Flammable
Facility Name :	Office of Emergency Response
Facility Address :	1447 Rail Head Blvd., NAPLES
County :	Collier

Incident Details

Incident Number :	60351
Incident Date :	2018-03-29
Incident Status :	Pending-DM
Incident Type :	Inland
Descriptions :	Abandoned Containers
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Incident Number :	60351
Incident Date :	2018-03-29
Incident Status :	Pending-DM
Incident Type :	Inland
Descriptions :	Complaint
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Incident Number :	60351
Incident Date :	2018-03-29
Incident Status :	Pending-DM
Incident Type :	Inland
Descriptions :	Intentional Act

Map Id: B22
Direction: SSE
Distance: 0.039 mi., 205 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : SERVICE PAINTING OF FLORIDA INC | EPA | Environmental Protection Agency
1447 RAIL HEAD BLVD | 1447 RAIL HEAD BLVD UNIT 8
NAPLES, FL

Database(s) : [ECHO, ERNS, FRS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173753
EPA ID: N/R

SPILLS - FL ***(cont.)***

On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Pollutants

Pollutant Name :	Resin
Pollutant Actual Volume :	0.00 gallon
Pollutant Category :	Flammable

Facility Name :	RP UNKNOWN
Facility Address :	1447 Rail Head Blvd., NAPLES
County :	Collier

Incident Details

Incident Number :	60351
Incident Date :	2018-03-29
Incident Status :	Pending-DM
Incident Type :	Inland
Descriptions :	Abandoned Containers
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Incident Number :	60351
Incident Date :	2018-03-29
Incident Status :	Pending-DM
Incident Type :	Inland
Descriptions :	Complaint
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R

Map Id: B22
Direction: SSE
Distance: 0.039 mi., 205 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : SERVICE PAINTING OF FLORIDA INC | EPA | Environmental Protection Agency
1447 RAIL HEAD BLVD | 1447 RAIL HEAD BLVD UNIT 8
NAPLES, FL

Database(s) : [ECHO, ERNS, FRS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173753
EPA ID: N/R

SPILLS - FL ***(cont.)***

Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Incident Number :	60351
Incident Date :	2018-03-29
Incident Status :	Pending-DM
Incident Type :	Inland
Descriptions :	Intentional Act
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Pollutants

Pollutant Name :	Resin
Pollutant Actual Volume :	0.00 gallon
Pollutant Category :	Flammable

Facility Name :	State Watch Office
Facility Address :	1447 Rail Head Blvd., NAPLES
County :	Collier

Incident Details

Incident Number :	60351
Incident Date :	2018-03-29
Incident Status :	Pending-DM
Incident Type :	Inland
Descriptions :	Abandoned Containers
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R

Map Id: B22
Direction: SSE
Distance: 0.039 mi., 205 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : SERVICE PAINTING OF FLORIDA INC | EPA | Environmental Protection Agency
1447 RAIL HEAD BLVD | 1447 RAIL HEAD BLVD UNIT 8
NAPLES, FL

Database(s) : [ECHO, ERNS, FRS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173753
EPA ID: N/R

SPILLS - FL ***(cont.)***

Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Incident Number :	60351
Incident Date :	2018-03-29
Incident Status :	Pending-DM
Incident Type :	Inland
Descriptions :	Complaint
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Incident Number :	60351
Incident Date :	2018-03-29
Incident Status :	Pending-DM
Incident Type :	Inland
Descriptions :	Intentional Act
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Pollutants

Pollutant Name :	Resin
Pollutant Actual Volume :	0.00 gallon
Pollutant Category :	Flammable

Facility Name :	Unknown Unknown
Facility Address :	1447 Rail Head Blvd., NAPLES
County :	Collier

Map Id: B22
Direction: SSE
Distance: 0.039 mi., 205 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : SERVICE PAINTING OF FLORIDA INC | EPA | Environmental Protection Agency
1447 RAIL HEAD BLVD | 1447 RAIL HEAD BLVD UNIT 8
NAPLES, FL

Database(s) : [ECHO, ERNS, FRS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173753
EPA ID: N/R

SPILLS - FL ***(cont.)***

Incident Details

Incident Number :	60351
Incident Date :	2018-03-29
Incident Status :	Pending-DM
Incident Type :	Inland
Descriptions :	Abandoned Containers
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Incident Number :	60351
Incident Date :	2018-03-29
Incident Status :	Pending-DM
Incident Type :	Inland
Descriptions :	Complaint
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Incident Number :	60351
Incident Date :	2018-03-29
Incident Status :	Pending-DM
Incident Type :	Inland
Descriptions :	Intentional Act
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Map Id: B22
Direction: SSE
Distance: 0.039 mi., 205 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : SERVICE PAINTING OF FLORIDA INC | EPA | Environmental Protection Agency
1447 RAIL HEAD BLVD | 1447 RAIL HEAD BLVD UNIT 8
NAPLES, FL

Database(s) : [ECHO, ERNS, FRS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173753
EPA ID: N/R

SPILLS - FL ***(cont.)***

Pollutants

Pollutant Name :	Resin
Pollutant Actual Volume :	0.00 gallon
Pollutant Category :	Flammable

Map Id: C23
Direction: SE
Distance: 0.039 mi., 208 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : ABANDONED LAWHONS GENERAL ST/TEXACO FILLING ST
27306 & 27308 OLS 41 RD
BONITA SPRINGS, FL 34135

Database(s) : [EPA UST, UST - FL]

Envirosite ID: 68173847
EPA ID: N/R

EPA UST

Facility Name :	ABANDONED LAWHONS GENERAL ST/TEXACO FILLING ST
Facility Address :	27306 & 27308 OLS 41 RD, BONITA SPRINGS, Florida 34135
County :	N/R
Facility ID :	FL9814845
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	6
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.3414582402725
Longitude :	-81.8070391843307
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL9814845-1
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	1000
Substances :	Generic Gasoline
Tank Wall Type :	N/R
Tank ID :	FL9814845-2
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R

Map Id: C23
Direction: SE
Distance: 0.039 mi., 208 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : ABANDONED LAWHONS GENERAL ST/TEXACO FILLING ST
27306 & 27308 OLS 41 RD
BONITA SPRINGS, FL 34135

Database(s) : [EPA UST, UST - FL] ***(cont.)***

Envirosite ID: 68173847
EPA ID: N/R

EPA UST ***(cont.)***

Capacity :	685
Substances :	Generic Gasoline
Tank Wall Type :	N/R

Tank ID :	FL9814845-3
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	1000
Substances :	Generic Gasoline
Tank Wall Type :	N/R

Tank ID :	FL9814845-4
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	1000
Substances :	Generic Gasoline
Tank Wall Type :	N/R

Tank ID :	FL9814845-5
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	550
Substances :	Generic Gasoline
Tank Wall Type :	N/R

Tank ID :	FL9814845-6
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	800
Substances :	Generic Gasoline
Tank Wall Type :	N/R

UST - FL

Facility Name :	ABANDONED LAWHONS GENERAL ST/TEXACO FILLING ST
Facility Address :	27306 & 27308 OLS 41 RD, BONITA SPRINGS, 34135
County :	LEE

Site Details

Facility ID :	9814845
Facility Phone :	N/R
Facility Status :	CLOSED
Facility Type :	Retail Station
Last Date in Agency List :	2026-05-06

Map Id: C23
Direction: SE
Distance: 0.039 mi., 208 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : ABANDONED LAWHONS GENERAL ST/TEXACO FILLING ST
27306 & 27308 OLS 41 RD
BONITA SPRINGS, FL 34135

Database(s) : [EPA UST, UST - FL] ***(cont.)***

Envirosite ID: 68173847
EPA ID: N/R

UST - FL ***(cont.)***

Owner Information

Owner ID :	72070
Owner Name :	BONITA SPRINGS CITY
Owner Address 1 :	9101 BONITA BEACH RD, BONITA SPRINGS, FL 34135
Owner Address 2 :	N/R
Owner Phone :	2399496246
Contact :	MATT FEENEY
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	1000
Tank Location :	UNDERGROUND
Substance :	Generic Gasoline
Install Date :	N/R
Status :	Closed In Place
Status Date :	2015-11-01

Tank ID :	2
Gallons :	685
Tank Location :	UNDERGROUND
Substance :	Generic Gasoline
Install Date :	N/R
Status :	Closed In Place
Status Date :	2015-12-04

Tank ID :	3
Gallons :	1000
Tank Location :	UNDERGROUND
Substance :	Generic Gasoline
Install Date :	N/R
Status :	Closed In Place
Status Date :	2015-11-01

Tank ID :	4
Gallons :	1000
Tank Location :	UNDERGROUND
Substance :	Generic Gasoline
Install Date :	N/R
Status :	Closed In Place
Status Date :	2015-12-04

Tank ID :	5
Gallons :	550
Tank Location :	UNDERGROUND
Substance :	Generic Gasoline
Install Date :	N/R
Status :	Closed In Place
Status Date :	2015-11-01

Map Id: C23
Direction: SE
Distance: 0.039 mi., 208 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : ABANDONED LAWHONS GENERAL ST/TEXACO FILLING ST
27306 & 27308 OLS 41 RD
BONITA SPRINGS, FL 34135

Database(s) : [EPA UST, UST - FL] ***(cont.)***

Envirosite ID: 68173847
EPA ID: N/R

UST - FL ***(cont.)***

Tank ID :	6
Gallons :	800
Tank Location :	UNDERGROUND
Substance :	Generic Gasoline
Install Date :	N/R
Status :	Closed In Place
Status Date :	2015-11-01
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: B24
Direction: SSE
Distance: 0.039 mi., 208 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : FORMER GULFSTREAM LUMBER CO | AAC5500 | HD SUPPLY #WB6600
16000 OLD US HWY 41
NAPLES | Naples, FL 34110

Database(s) : [CS - FL, DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, UST - FL]

Envirosite ID: 68173763
EPA ID: N/R

CS - FL

Facility Name :	FORMER GULFSTREAM LUMBER CO
Facility Address :	16000 OLD US HWY 41, NAPLES, 34110
County :	Collier County
DEP Cleanup Site Key :	40168986
Program Site ID :	9802542
Program Source Data :	STCM
Program Area :	PETRO
Collection Date :	2010-07-28
Verification Date :	2011-07-26
Load Date :	2015-08-10
Verifier :	WILLIAMS_CA
Collector :	WILLIAMS_CA
Verifier Agency :	N/R
Collection Agency :	TKHQ
Verification Status :	REVIEWED
Remediation Status :	ACTIVE
Office/District :	SD
Comments :	N/R
Last Date in Agency List :	2015-08-10

DEDB - FL

Sample Date :	2007-08-23
Sample ID :	070820-111
Sample Type :	FIRST SAMPLE

Map Id: B24
Direction: SSE
Distance: 0.039 mi., 208 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : FORMER GULFSTREAM LUMBER CO | AAC5500 | HD SUPPLY #WB6600
16000 OLD US HWY 41
NAPLES | Naples, FL 34110

Database(s) : [CS - FL, DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173763
EPA ID: N/R

DEDB - FL ***(cont.)***

FLUW ID :	AAC5500
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	COX LUMBER
Well Address :	16000 OLD US 41 HWY
Well Type :	45
Well Status :	INACTIVE
City :	Naples
County :	COLLIER
Job Name :	COLLIER-070820-028
Customer ID :	N/R
Description :	Non Transient
Last Date in Agency List :	2015-11-25

Sample Date :	2007-08-23
Sample ID :	070820-111
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5500
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	COX LUMBER
Well Address :	16000 OLD US HWY 41
Well Type :	NONE GIVEN
Well Status :	INACTIVE
City :	N/R
County :	COLLIER
Job Name :	COLLIER-070820-028
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2007-08-23
Sample ID :	070820-111
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5500
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	COX LUMBER
Well Address :	16000 OLD US 41 HWY
Well Type :	NONE GIVEN
Well Status :	INACTIVE
City :	N/R
County :	COLLIER

Map Id: B24
Direction: SSE
Distance: 0.039 mi., 208 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : FORMER GULFSTREAM LUMBER CO | AAC5500 | HD SUPPLY #WB6600
16000 OLD US HWY 41
NAPLES | Naples, FL 34110

Database(s) : [CS - FL, DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173763
EPA ID: N/R

DEDB - FL ***(cont.)***

Job Name :	COLLIER-070820-028
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

DWM CONTAM - FL

Facility Name :	FORMER GULFSTREAM LUMBER CO
Facility Address :	16000 OLD US HWY 41, NAPLES, FL 34110
County :	COLLIER
Score Effective Date :	2012-10-26
Score :	29
Score Ranked :	29
Rank :	6077
Facility ID :	9802542
Facility Status :	CLOSED
Facility Type :	X - Contamination Site
County Code :	11
District :	SD
Operator :	N/R
Phone :	N/R
Name Changed Date :	N/R
Address Changed Date :	N/R
Latitude Degrees :	26
Latitude Minutes :	18
Latitude Seconds :	49.229
Longitude Degrees :	81
Longitude Minutes :	47
Longitude Seconds :	24.5461
Feature :	N/R
Method :	N/R
Datum :	N/R
Section/Township/Range :	SEC 10, TWP 48S, RNG 25E
Related Party Begin Date :	2000-02-14
Related Party ID :	9124
Primary Related Party Role :	FACILITY OWNER
Related Party Name :	GULF STREAM LUMBER CO
Related Party Address 1 :	PO BOX 10448, RIVIERA BEACH, FL 33419-448
Related Party Address 2 :	ATTN: ROBERT ALLEN
Contact :	ROBERT ALLEN
Related Party Phone :	(561)732-9763
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

EPA LUST

Facility Name :	FORMER GULFSTREAM LUMBER CO
Facility Address :	16000 OLD US HWY 41, NAPLES, Florida
County :	N/R

Map Id: B24
Direction: SSE
Distance: 0.039 mi., 208 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : FORMER GULFSTREAM LUMBER CO | AAC5500 | HD SUPPLY #WB6600
16000 OLD US HWY 41
NAPLES | Naples, FL 34110

Database(s) : [CS - FL, DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173763
EPA ID: N/R

EPA LUST ***(cont.)***

Facility ID :	FL9802542
LUST ID :	FL8111
Reported Date :	1999-02-18
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	242
Estimated Private Domestic Wells within 1500ft:	4
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.31438
Longitude :	-81.79036
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	FORMER GULFSTREAM LUMBER CO
Facility Address :	16000 OLD US HWY 41, NAPLES, Florida 34110
County :	N/R

Facility ID :	FL9802542
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	1
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.3143805781062
Longitude :	-81.7903583887994
Last Date in Agency List :	2024-05-22

Map Id: B24
Direction: SSE
Distance: 0.039 mi., 208 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : FORMER GULFSTREAM LUMBER CO | AAC5500 | HD SUPPLY #WB6600
16000 OLD US HWY 41
NAPLES | Naples, FL 34110

Database(s) : [CS - FL, DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173763
EPA ID: N/R

EPA UST ***(cont.)***

Tank Details

Tank ID :	FL9802542-1
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	1000
Substances :	Leaded Gas
Tank Wall Type :	N/R

FRS

Facility Name :	HD SUPPLY #WB6600
Facility Address :	16000 OLD US HWY 41, NAPLES, FL 34110
County :	COLLIER

Site Details

Registry ID :	110033176970
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 82893

Facility Name :	NAPLES LUMBER YARD
Facility Address :	16000 OLD US HWY-41, NAPLES, FL 34110
County :	COLLIER

Site Details

Registry ID :	110035771518
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Map Id: B24
Direction: SSE
Distance: 0.039 mi., 208 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : FORMER GULFSTREAM LUMBER CO | AAC5500 | HD SUPPLY #WB6600
16000 OLD US HWY 41
NAPLES | Naples, FL 34110

Database(s) : [CS - FL, DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173763
EPA ID: N/R

FRS ***(cont.)***

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 84848

GWIF - FL

Facility Name :	Cox Lumber
Facility Address :	16000 Old US 41 HWY, Naples, 34110
County :	COLLIER
Facility ID :	9802542
Facility Type :	PETROLEUM
Location ID :	201101
Location Method :	DPHO = Digital Aerial Photos
GPS ID :	201101
GPS Date :	2012-09-07
HAE (Height Above Ellipsoid) :	13.81
Project ID :	SUPER
Insp Name :	Jaime Cook
Insp CHD :	COLLIER
Request Number :	57259
Datum :	WS1984
Software :	N/R
Streetside :	N/R
Agency :	DOH
Comment :	FORMER GULFSTREAM LUMBER
Latitude :	26.313654
Longitude :	-81.789953
Last Date in Agency List :	2026-05-09

LUST - FL

Facility Name :	FORMER GULFSTREAM LUMBER CO
Facility Address :	16000 OLD US HWY 41, NAPLES, 34110
County :	COLLIER

Site Details

Facility ID :	9802542
Facility Status :	CLOSED
Facility Type :	Contamination Site
Phone :	N/R
Last Date in Agency List :	2026-05-06

Map Id: B24
Direction: SSE
Distance: 0.039 mi., 208 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : FORMER GULFSTREAM LUMBER CO | AAC5500 | HD SUPPLY #WB6600
16000 OLD US HWY 41
NAPLES | Naples, FL 34110

Database(s) : [CS - FL, DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173763
EPA ID: N/R

LUST - FL ***(cont.)***

Owner Information

Owner ID :	N/R
Owner Name :	N/R
Owner Address 1 :	N/R
Owner Address 2 :	N/R
Owner Phone :	N/R
Contact :	N/R

Discharge Details

Discharge Date :	1999-02-18
Status Date :	2014-10-10
Status Description :	SRCR COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2012-10-26
Score :	29
CU Status :	N/R
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

UST - FL

Facility Name :	FORMER GULFSTREAM LUMBER CO
Facility Address :	16000 OLD US HWY 41, NAPLES, 34110
County :	COLLIER

Site Details

Facility ID :	9802542
Facility Phone :	N/R
Facility Status :	CLOSED
Facility Type :	Contamination Site
Last Date in Agency List :	2026-05-06

Tank Information

Tank ID :	1
Gallons :	1000
Tank Location :	UNDERGROUND
Substance :	Leaded Gas
Install Date :	N/R
Status :	Removed from Site
Status Date :	2000-02-14
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: B25
Direction: SSE
Distance: 0.042 mi., 223 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEISURE FURNITURE & VINYL SERVICE
16990 OLD HWY 41 & BOX 1 | 16990 OLD HIGHWAY 41 N | 16990 OLD HWY 41
NAPLES, FL

Database(s) : [CERCLIS NFRAP, ECHO, FRS, RCRA VSQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL]

Envirosite ID: 68173767
EPA ID: FLD094948700

CERCLIS NFRAP

Facility Name :	LEISURE FURNITURE & VINYL SERVICES
Facility Address :	16990 OLD HIGHWAY 41 N, NAPLES, FL 33940
County :	COLLIER
Site ID :	0405319
Epa ID :	FLD094948700
Short Name :	LEISURE FURNITURE & VINYL
Congressional District :	12
IFMS ID :	N/R
SMSA Number :	N/R
USGC Hydro Unit :	03090204
Federal Facility :	N
DMNSN Number :	2
Site Orphan Flag :	N
RCRA ID :	N/R
USGS Quadrangle :	N/R
Site Init by Prog :	N/R
NFRAP Flag :	NFA
Parent ID :	N/R
RST Code :	N/R
EPA Region :	04
Classification :	N/R
Site Settings Code :	N/R
NPL Status :	Not on the NPL
DMNSN Unit Code :	ACRE
RBRAC Code :	N/R
RResp Fed Agency Code :	N/R
Non NPL Status :	NFRAP-Site does not qualify for the NPL based on existing information
Non NPL Status Date :	1994-07-14
Site Fips Code :	12021
CC Concurrence Date :	N/R
CC Concurrence FY :	N/R
Alias EPA ID :	N/R
Site FUDS Flag :	N/R

CERCLIS Site Contact Name(s)

Contact ID :	4000275
Contact Title :	Site Assessment Manager (SAM)
Contact ID :	13002428
Contact Title :	Site Assessment Manager (SAM)
Alias Comments :	N/R
Site Description :	N/R

Map Id: B25
Direction: SSE
Distance: 0.042 mi., 223 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEISURE FURNITURE & VINYL SERVICE
16990 OLD HWY 41 & BOX 1 | 16990 OLD HIGHWAY 41 N | 16990 OLD HWY 41
NAPLES, FL

Database(s) : [CERCLIS NFRAP, ECHO, FRS, RCRA VSQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 68173767
EPA ID: FLD094948700

CERCLIS NFRAP ***(cont.)***

CERCLIS Assessment History

Action Code :	001
Action :	ARCHIVE SITE
Date Started :	N/R
Date Completed :	1994-07-14
Priority Level :	1
Operational Unit :	00
Primary Responsibility :	EPA In-House
Planning Status :	N/R
Urgency Indicator :	N/R
Action Anomaly :	N/R

Action Code :	001
Action :	PRELIMINARY ASSESSMENT
Date Started :	1992-10-06
Date Completed :	1993-10-21
Priority Level :	1
Operational Unit :	00
Primary Responsibility :	State, Fund Financed
Planning Status :	N/R
Urgency Indicator :	N/R
Action Anomaly :	N/R

Action Code :	001
Action :	SITE INSPECTION
Date Started :	N/R
Date Completed :	1994-07-14
Priority Level :	1
Operational Unit :	00
Primary Responsibility :	State, Fund Financed
Planning Status :	N/R
Urgency Indicator :	N/R
Action Anomaly :	N/R

Action Code :	001
Action :	DISCOVERY
Date Started :	N/R
Date Completed :	1989-09-29
Priority Level :	1
Operational Unit :	00
Primary Responsibility :	State, Fund Financed
Planning Status :	N/R
Urgency Indicator :	N/R
Action Anomaly :	N/R

ECHO

Facility Name :	LEISURE FURNITURE & VINYL SERVICE
Facility Address :	16990 OLD HWY 41 & BOX 1, NAPLES, FL 33963
County :	COLLIER

Map Id: B25
Direction: SSE
Distance: 0.042 mi., 223 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEISURE FURNITURE & VINYL SERVICE
16990 OLD HWY 41 & BOX 1 | 16990 OLD HIGHWAY 41 N | 16990 OLD HWY 41
NAPLES, FL

Database(s) : [CERCLIS NFRAP, ECHO, FRS, RCRA VSQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 68173767
EPA ID: FLD094948700

ECHO ***(cont.)***

Last Inspection Date :	1999-05-24
Registry ID :	110007425866
FIPS Code :	12021
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	9638
Informal Count :	0
Last Informal Action Date :	1999-07-22
Formal Action Count :	0
Last Formal Action Date :	1999-09-27
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	1999-09-27
Last Penalty Amount :	1000
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	THE GEOGRAPHIC COORDINATE DETERMINATION METHOD BASED ON ADDRESS MATCHING
Reference Point :	FACILITY/MONITORING SITE BOUNDARY POINT
Accuracy Meters :	17430
Derived Tribes :	N/R
Derived HUC :	03090204
Derived WBD :	030902040603
Derived STCTY FIPS :	12021
Derived Zip :	34112
Derived CD113 :	25
Derived CB2010 :	120210105101001
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	1999-05-24

Map Id: B25
Direction: SSE
Distance: 0.042 mi., 223 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEISURE FURNITURE & VINYL SERVICE
16990 OLD HWY 41 & BOX 1 | 16990 OLD HIGHWAY 41 N | 16990 OLD HWY 41
NAPLES, FL

Database(s) : [CERCLIS NFRAP, ECHO, FRS, RCRA VSQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 68173767
EPA ID: FLD094948700

ECHO ***(cont.)***

Facility Last Inspection State Date :	1999-05-24
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	1999-09-27
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	1999-07-22
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.116667
Longitude :	-81.724444
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	LEISURE FURNITURE & VINYL SERVICE
Facility Address :	16990 OLD HWY 41 & BOX 1, NAPLES, FL 33963
County :	COLLIER

Site Details

Registry ID :	110007425866
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Map Id: B25
Direction: SSE
Distance: 0.042 mi., 223 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEISURE FURNITURE & VINYL SERVICE
16990 OLD HWY 41 & BOX 1 | 16990 OLD HIGHWAY 41 N | 16990 OLD HWY 41
NAPLES, FL

Database(s) : [CERCLIS NFRAP, ECHO, FRS, RCRA VSQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 68173767
EPA ID: FLD094948700

FRS ***(cont.)***

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 44800 RCRAINFO - FLD982109464

RCRA VSQG

Facility Name :	LEISURE FURNITURE & VINYL SERVICE
Facility Address :	16990 OLD HWY 41 & BOX 1, NAPLES, FL 33963
County :	COLLIER
Date Form Received by Agency :	1999-05-24
EPA ID :	FLD982109464
Mailing Address :	16990 OLD HWY 41 BOX 1 & 2, NAPLES, FL 33963
Contact :	FRANK WAGNER
Contact Address :	16990 OLD HWY 41, NAPLES, FL 33963
Contact Country :	US
Contact Telephone :	941-597-4343
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2026-05-05

Map Id: B25
Direction: SSE
Distance: 0.042 mi., 223 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEISURE FURNITURE & VINYL SERVICE
16990 OLD HWY 41 & BOX 1 | 16990 OLD HIGHWAY 41 N | 16990 OLD HWY 41
NAPLES, FL

Database(s) : [CERCLIS NFRAP, ECHO, FRS, RCRA VSQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 68173767
EPA ID: FLD094948700

RCRA VSQG ***(cont.)***

Owner/Operator Summary

Owner/Operator Name :	FRANK WAGNER
Owner/Operator Address :	16990 OLD HWY 41 BOX 1 & 2, NAPLES, FL 33963
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1996-10-18
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	1995-12-28
Facility Name :	LEISURE FURNITURE & VINYL SERVICE
Classification :	Very Small Quantity Generator

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE D035 - METHYL ETHYL KETONE

Map Id: B25
Direction: SSE
Distance: 0.042 mi., 223 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEISURE FURNITURE & VINYL SERVICE
16990 OLD HWY 41 & BOX 1 | 16990 OLD HIGHWAY 41 N | 16990 OLD HWY 41
NAPLES, FL

Database(s) : [CERCLIS NFRAP, ECHO, FRS, RCRA VSQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 68173767
EPA ID: FLD094948700

RCRA VSQG ***(cont.)***

Waste Code / Name : F003 - THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F005 - THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Notices of Violations Summary

Date of Violation :	1999-05-24
Date Achieved Compliance :	1999-09-27
Regulation Violated :	Y
Area of Violation :	Generators - Pre-transport
Enforcement Action :	DEP SHORT FORM CONSENT ORDER
Enforcement Action Date :	1999-09-27
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	1000
Paid Penalty Amount :	1000

Date of Violation :	1999-05-24
Date Achieved Compliance :	1999-09-27
Regulation Violated :	Y
Area of Violation :	Generators - Pre-transport
Enforcement Action :	DEP WARNING LETTER
Enforcement Action Date :	1999-07-22
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Map Id: B25
Direction: SSE
Distance: 0.042 mi., 223 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEISURE FURNITURE & VINYL SERVICE
16990 OLD HWY 41 & BOX 1 | 16990 OLD HIGHWAY 41 N | 16990 OLD HWY 41
NAPLES, FL

Database(s) : [CERCLIS NFRAP, ECHO, FRS, RCRA VSQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 68173767
EPA ID: FLD094948700

RCRA VSQG ***(cont.)***

Evaluation Action Summary

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Evaluation Date :	1999-11-23
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	1999-09-27
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	EPA

Evaluation Date :	1999-09-27
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	1999-06-30
Evaluation :	SIGNIFICANT NON-COMPLIER
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	EPA

Evaluation Date :	1999-05-24
Evaluation :	SIGNIFICANT NON-COMPLIER
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	1999-05-24
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Generators - Pre-transport
Date Achieved Compliance :	1999-09-27
Evaluation Lead Agency :	State

Evaluation Date :	1999-05-24
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R

Map Id: B25
Direction: SSE
Distance: 0.042 mi., 223 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEISURE FURNITURE & VINYL SERVICE
16990 OLD HWY 41 & BOX 1 | 16990 OLD HIGHWAY 41 N | 16990 OLD HWY 41
NAPLES, FL

Database(s) : [CERCLIS NFRAP, ECHO, FRS, RCRA VSQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 68173767
EPA ID: FLD094948700

RCRA VSQG ***(cont.)***

Evaluation Lead Agency :	EPA-Initiated Oversight/Observation/Training
Evaluation Date :	1999-05-20
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State
Evaluation Date :	1991-09-24
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State
Evaluation Date :	1991-06-28
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

RESP PARTY - FL

Facility Name :	LEISURE FURNITURE & VINYL SERVICE
Facility Address :	16990 OLD HWY 41, NAPLES
Site ID :	52121
Project ID :	325128
Status :	CLOSED
District :	TAL
ISDR Date :	2010-12-22
Project MGR :	YILMAZ_F
OGC Number :	N/R
Contaminants :	N/R
Offsite COC :	N/R
Priority Score :	N/R
County ID :	11
Datum ID :	N/R
Method ID :	UNKN
Feature :	N/R
Object of Interest :	CONTAMINATION SOURCE
Proximity :	APPRX
Collect Username :	YILMAZ_F
Collect Affiliation :	Florida Department of Environmental Protection
Collect Program ID :	CL
Collect Date :	N/R
Map Source :	N/R
Map Source Scale :	0
Interpolation Scale :	N/R

Map Id: B25
Direction: SSE
Distance: 0.042 mi., 223 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEISURE FURNITURE & VINYL SERVICE
16990 OLD HWY 41 & BOX 1 | 16990 OLD HIGHWAY 41 N | 16990 OLD HWY 41
NAPLES, FL

Database(s) : [CERCLIS NFRAP, ECHO, FRS, RCRA VSQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 68173767
EPA ID: FLD094948700

RESP PARTY - FL ***(cont.)***

Coordinate Accuracy ID :	0
Verify Method ID :	N/R
Verify Username :	N/R
Verify Affiliation :	N/R
Verifying Program ID :	N/R
Verification Date :	N/R
Documents :	Click here for hyperlink provided by the agency.
Latitude :	26.116667
Longitude :	81.724444
Last Date in Agency List :	2017-10-09

SEMS_8R_ARCHIVED SITES

Facility Name :	LEISURE FURNITURE & VINYL SERVICES
Facility Address :	16990 OLD HIGHWAY 41 N, NAPLES, FL 33940
County :	COLLIER

Site Details

Site ID :	0405319
EPA ID :	FLD094948700
Region :	04
Congressional District :	12
Federal Facility :	N
Federal Facility Docket :	N
NPL Status :	Not on the NPL
Non NPL Status :	NFRAP-Site does not qualify for the NPL based on existing information
FIPS Code :	12021
Superfund Alternative Agreement :	N
Last Date in Agency List :	2026-03-30

Additional Information

Start Date :	1992-10-06
Finish Date :	1993-10-21
OU :	00
Action Code :	PA
Action Name :	PA
Sequence :	1
Quality :	L
Current Action Lead :	St Perf

Start Date :	1989-09-29
Finish Date :	1989-09-29
OU :	00
Action Code :	DS
Action Name :	DISCVRY
Sequence :	1
Quality :	N/R

Map Id: B25
Direction: SSE
Distance: 0.042 mi., 223 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEISURE FURNITURE & VINYL SERVICE
16990 OLD HWY 41 & BOX 1 | 16990 OLD HIGHWAY 41 N | 16990 OLD HWY 41
NAPLES, FL

Database(s) : [CERCLIS NFRAP, ECHO, FRS, RCRA VSQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 68173767
EPA ID: FLD094948700

SEMS_8R_ARCHIVED SITES ***(cont.)***

Current Action Lead :	St Perf
Start Date :	N/R
Finish Date :	1994-07-14
OU :	00
Action Code :	SI
Action Name :	SI
Sequence :	1
Quality :	N
Current Action Lead :	St Perf
Start Date :	N/R
Finish Date :	1994-07-14
OU :	00
Action Code :	VS
Action Name :	ARCH SITE
Sequence :	1
Quality :	N/R
Current Action Lead :	EPA Perf In-Hse

SHWS ERIC - FL

Facility Name :	LEISURE FURNITURE & VINYL SERVICE
Facility Address :	16990 OLD HWY 41, NAPLES, FL
County :	Collier
ERIC ID :	ERIC_15044
Site Status :	CLOSED
Source Facility Name :	Leisure Furniture & Vinyl Service
Source Facility ID :	44800
Program :	Responsible Party Cleanup
Program Type :	RESPONSPARTY
Program Status :	COMPLETEWITHCOND
District :	SD
Waste Management Office :	SFWMD
ICR Indicator :	N
Discharge Date :	N/R
Site Manager :	Ferda Yilmaz
Site Phase Description :	Phase 0 - Discovery
Offsite Contamination :	CONTAMUNKNOWN
Datum ID :	N/R
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	26.116667
Longitude :	-81.724444
Last Date in Agency List :	2026-06-18
ERIC ID :	ERIC_15044
Site Status :	CLOSED

Map Id: B25
Direction: SSE
Distance: 0.042 mi., 223 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEISURE FURNITURE & VINYL SERVICE
16990 OLD HWY 41 & BOX 1 | 16990 OLD HIGHWAY 41 N | 16990 OLD HWY 41
NAPLES, FL

Database(s) : [CERCLIS NFRAP, ECHO, FRS, RCRA VSQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 68173767
EPA ID: FLD094948700

SHWS ERIC - FL ***(cont.)***

Source Facility Name :	Leisure Furniture & Vinyl Service
Source Facility ID :	44800
Program :	CERCLA Site Screening Program
Program Type :	CERCLA
Program Status :	COMPLETE
District :	SD
Waste Management Office :	SFWMD
ICR Indicator :	N
Discharge Date :	N/R
Site Manager :	Ferda Yilmaz
Site Phase Description :	Phase 0 - Discovery
Offsite Contamination :	CONTAMUNKNOWN
Datum ID :	N/R
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	26.116667
Longitude :	-81.724444
Last Date in Agency List :	2026-06-18

Map Id: A26
Direction: SSE
Distance: 0.044 mi., 231 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : BONITA REPAIR SERVICE
27715 INDUSTRIAL ST
BONITA SPRINGS, FL 33923

Database(s) : [EPA UST, UST - FL]

Envirosite ID: 68173852
EPA ID: N/R

EPA UST

Facility Name :	BONITA REPAIR SERVICE
Facility Address :	27715 INDUSTRIAL ST, BONITA SPRINGS, Florida 33923
County :	N/R
Facility ID :	FL8733938
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	1
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.3343701140943
Longitude :	-81.7805603459987
Last Date in Agency List :	2024-05-22

Map Id: A26
Direction: SSE
Distance: 0.044 mi., 231 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : BONITA REPAIR SERVICE
27715 INDUSTRIAL ST
BONITA SPRINGS, FL 33923

Database(s) : [EPA UST, UST - FL] ***(cont.)***

Envirosite ID: 68173852
EPA ID: N/R

EPA UST ***(cont.)***

Tank Details

Tank ID :	FL8733938-1
Tank Status :	Closed
Installation Date :	1983-02-01
Removal Date :	N/R
Capacity :	175
Substances :	Waste Oil
Tank Wall Type :	N/R

UST - FL

Facility Name :	BONITA REPAIR SERVICE
Facility Address :	27715 INDUSTRIAL ST, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	8733938
Facility Phone :	8139922061
Facility Status :	CLOSED
Facility Type :	Fuel user/Non-retail
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	17256
Owner Name :	POND, WALTER E JR
Owner Address 1 :	PO BOX 274, BONITA SPRINGS, FL 33959
Owner Address 2 :	N/R
Owner Phone :	8139922061
Contact :	N/R
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	175
Tank Location :	UNDERGROUND
Substance :	Waste Oil
Install Date :	1983-02-01
Status :	Removed from Site
Status Date :	1989-12-31

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: B27
Direction: S
Distance: 0.045 mi., 240 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : RELIABLE DISPOSAL & RECYCLING INC | RAILHEAD RECYCLING @ OLD 41
1401 RAIL HEAD BLVD STE B
NAPLES, FL 34110

Database(s) : [SWRCY - FL]

Envirosite ID: 68173750
EPA ID: N/R

SWRCY - FL

Facility Name :	RAILHEAD RECYCLING @ OLD 41
Facility Address :	1401 RAIL HEAD BOULEVARD STE B, NAPLES, FL 34110
County :	COLLIER

Site Details

Facility ID :	105767
Class :	RECOVERED MATERIALS PROCESSING FACILITY (RMPF)
Class Type :	900
Class Status :	ACTIVE (A)
Test Site Data :	TestSite Inventory Report, TestSite Result Report
Detail :	Facility Activities, Documents in OCULUS
District :	SD
Section/Township/Range :	N/R
Responsible Authority Name :	N/R
Responsible Authority Address :	N/R
Responsible Authority Phone Number :	N/R
Responsible Authority Email Address :	N/R
Land Owner Name :	N/R
Land Owner Address :	N/R
Land Owner Phone Number :	N/R
Site Supervisor Name :	N/R
Site Supervisor Address :	N/R
Site Supervisor Phone Number :	N/R
Site Supervisor Email Address :	N/R
Latitude :	26.310419
Longitude :	81.791081
Last Date in Agency List :	2021-12-17

Facility Name :	RELIABLE DISPOSAL & RECYCLING INC
Facility Address :	1401 RAIL HEAD BLVD STE B, NAPLES, FL 34110
County :	COLLIER

Site Details

Facility ID :	105767
Class :	RECOVERED MATERIALS PROCESSING FACILITY (RMPF)
Class Type :	900
Class Status :	ACTIVE (A)
Test Site Data :	TestSite Inventory Report, TestSite Result Report
Detail :	Facility Activities, Documents in OCULUS
District :	SD
Section/Township/Range :	N/R
Responsible Authority Name :	N/R
Responsible Authority Address :	N/R
Responsible Authority Phone Number :	N/R
Responsible Authority Email Address :	N/R
Land Owner Name :	N/R
Land Owner Address :	N/R
Land Owner Phone Number :	N/R
Site Supervisor Name :	N/R
Site Supervisor Address :	N/R
Site Supervisor Phone Number :	N/R

Map Id: B27
Direction: S
Distance: 0.045 mi., 240 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : RELIABLE DISPOSAL & RECYCLING INC | RAILHEAD RECYCLING @ OLD 41
1401 RAIL HEAD BLVD STE B
NAPLES, FL 34110

Database(s) : [SWRCY - FL] ***(cont.)***

Envirosite ID: 68173750
EPA ID: N/R

SWRCY - FL ***(cont.)***

Site Supervisor Email Address :	N/R
Latitude :	26.310419
Longitude :	81.791081
Last Date in Agency List :	2024-05-10

Map Id: F28
Direction: N
Distance: 0.049 mi., 257 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EXECUTIVE DRY CLEANING | CLASSIC CLEANERS | CLASSIC CLEANERS OF PELICAN LANDING INC
9201 BROOKWOOD COURT #7 | 9201 BROOKWOOD CT STE 7 | 9001 Strike Ln
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, DRYCLEANERS - FL, ECHO, FRS, RCRA SQG, SQG - FL, T 2 - FL]

Envirosite ID: 68173874
EPA ID: N/R

AFS

Facility Name :	CLASSIC CLEANERS OF PELICAN LANDING INC
Facility Address :	9201 BROOKWOOD COURT #7, BONITA SPRINGS, FL 341352604
County :	Lee

Facility Summary

Program System ID :	FL0000001207100148
Facility Registry ID :	110016721145
EPA Region :	EPA Region 4 - AL, FL, GA, KY, MS, NC, SC, TN
SIC :	7216 - DRYCLEANING PLANTS, EXCEPT RUG CLEANING
NAICS :	812320 - Drycleaning and Laundry Services (except Coin-Operated)
Facility Type :	Privately Owned Facility
Air Pollutant Class :	Minor Emissions
Air Operating Status :	Operating
Current High Priority Violation (HPV):	No Violation Identified
Local Control Region Name :	N/R
Last Date in Agency List :	2026-05-26

Air Pollutant Details

Program System ID :	FL0000001207100148
Pollutant :	FACIL
Substance Registry Services ID (SRS):	N/R
Chemical Abstract Service Number :	N/R
Air Pollutant Class :	Minor Emissions

Map Id: F28
Direction: N
Distance: 0.049 mi., 257 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EXECUTIVE DRY CLEANING | CLASSIC CLEANERS | CLASSIC CLEANERS OF PELICAN LANDING INC
9201 BROOKWOOD COURT #7 | 9201 BROOKWOOD CT STE 7 | 9001 Strike Ln
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, DRYCLEANERS - FL, ECHO, FRS, RCRA SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173874
EPA ID: N/R

AFS ***(cont.)***

Air Violation History Details

HPV Day Zero Date :	N/R
HPV Resolved Date :	N/R
Program System ID :	FL0000001207100148
Activity ID :	N/R
Agency Type :	N/R
State Code :	N/R
Air Local Control Region Code (LCON):	N/R
Comp Determination UID :	N/R
Enforcement Response Policy :	N/R
Program :	N/R
Pollutant :	N/R
Earliest Determination Date of Federally Reportable Violation (FRV):	N/R

AIRS - FL

Facility Name :	CLASSIC CLEANERS
Facility Address :	9201 BROOKWOOD COURT #7, BONITA SPRINGS, 34135
County :	LEE
Startup Date (Relocation) :	N/R
Shutdown Date (Relocation) :	N/R
AIRS ID :	710148
Owner/Company Name :	CLASSIC CLEANERS OF PELICAN LANDING INC
Category :	N/R
Relocatable :	N
UTM Zone :	17
North :	2916.66
East :	420.21
Township :	N/R
Major Group SIC :	72
Government Facility Code :	0
Public Exempt :	N/R
One Time Title V Credit :	N
Title V :	N
Title V by EPA Designation :	N/R
Compliance Tracking Code :	N/R
Current Permit Indicator :	AG
Syn Non Title V Source :	N/R
Major of Non Haps Pollutants :	N
Syn Minor of Non Hap Pollutants :	N
Major of HAPS :	N
Syn Minor of HAPS :	N
NSPS :	N
NESHAP :	Y
Emission Guidelines :	N/R
Small Business Stationary :	N/R
AOR Required :	N
Ozone SIP Facility :	N

Map Id: F28
Direction: N
Distance: 0.049 mi., 257 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EXECUTIVE DRY CLEANING | CLASSIC CLEANERS | CLASSIC CLEANERS OF PELICAN LANDING INC
9201 BROOKWOOD COURT #7 | 9201 BROOKWOOD CT STE 7 | 9001 Strike Ln
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, DRYCLEANERS - FL, ECHO, FRS, RCRA SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173874
EPA ID: N/R

AIRS - FL ***(cont.)***

Regulatory Comment :	N/R
Facility Final Shutdown Date :	N/R
Facility Office :	SD
Facility Status :	Active
Facility Type :	DRY CLEANER
Directions :	BERNWOOD
Facility Comment :	3/6/12-RECEIVED REGISTRATION FOR RENEWAL OF EXPIRING PERCHLOROETHYLENE DRY CLEANER AGP
Last Date in Agency List :	2015-11-02
Facility Name :	EXECUTIVE DRY CLEANERS
Facility Address :	9201 Brookwood Ct, BONITA SPRINGS, 34135
County :	LEE
Startup Date (Relocation) :	N/R
Shutdown Date (Relocation) :	N/R
AIRS ID :	0710148
Owner/Company Name :	EXECUTIVE DRY CLEANING
Category :	POINT
Relocatable :	N
UTM Zone :	17
North :	2916.74
East :	420.29
Township :	N/R
Major Group SIC :	72
Government Facility Code :	0
Public Exempt :	N/R
One Time Title V Credit :	N
Title V :	N
Title V by EPA Designation :	N/R
Compliance Tracking Code :	N/R
Current Permit Indicator :	AG
Syn Non Title V Source :	N
Major of Non Haps Pollutants :	N
Syn Minor of Non Hap Pollutants :	N
Major of HAPS :	N
Syn Minor of HAPS :	N
NSPS :	N
NESHAP :	Y
Emission Guidelines :	N/R
Small Business Stationary :	N/R
AOR Required :	N
Ozone SIP Facility :	N
Regulatory Comment :	N/R
Facility Final Shutdown Date :	N/R
Facility Office :	SD
Facility Status :	Active

Map Id: F28
Direction: N
Distance: 0.049 mi., 257 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EXECUTIVE DRY CLEANING | CLASSIC CLEANERS | CLASSIC CLEANERS OF PELICAN LANDING INC
9201 BROOKWOOD COURT #7 | 9201 BROOKWOOD CT STE 7 | 9001 Strike Ln
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, DRYCLEANERS - FL, ECHO, FRS, RCRA SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173874
EPA ID: N/R

AIRS - FL ***(cont.)***

Facility Type :	DRY CLEANER
Directions :	9201 Brookwood Ct Ste 7
Facility Comment :	3/6/12-RECEIVED REGISTRATION FOR RENEWAL OF EXPIRING PERCHLOROETHYLENE DRY CLEANER AGP
Last Date in Agency List :	2020-03-10
Startup Date (Relocation) :	N/R
Shutdown Date (Relocation) :	N/R
AIRS ID :	710148
Owner/Company Name :	EXECUTIVE DRY CLEANING
Category :	POINT
Relocatable :	N
UTM Zone :	17
North :	2916.73
East :	420.24
Township :	N/R
Major Group SIC :	72
Government Facility Code :	0
Public Exempt :	N/R
One Time Title V Credit :	N
Title V :	N
Title V by EPA Designation :	N/R
Compliance Tracking Code :	N/R
Current Permit Indicator :	AG
Syn Non Title V Source :	N
Major of Non Haps Pollutants :	N
Syn Minor of Non Hap Pollutants :	N
Major of HAPS :	N
Syn Minor of HAPS :	N
NSPS :	N
NESHAP :	Y
Emission Guidelines :	N/R
Small Business Stationary :	N/R
AOR Required :	N
Ozone SIP Facility :	N
Regulatory Comment :	N/R
Facility Final Shutdown Date :	N/R
Facility Office :	SD
Facility Status :	Active
Facility Type :	DRY CLEANER
Directions :	9201 Brookwood Ct
Facility Comment :	3/6/12-RECEIVED REGISTRATION FOR RENEWAL OF EXPIRING PERCHLOROETHYLENE DRY CLEANER AGP
Last Date in Agency List :	2025-12-23

Map Id: F28
Direction: N
Distance: 0.049 mi., 257 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EXECUTIVE DRY CLEANING | CLASSIC CLEANERS | CLASSIC CLEANERS OF PELICAN LANDING INC
9201 BROOKWOOD COURT #7 | 9201 BROOKWOOD CT STE 7 | 9001 Strike Ln
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, DRYCLEANERS - FL, ECHO, FRS, RCRA SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173874
EPA ID: N/R

DRYCLEANERS - FL

Facility Name :	CLASSIC CLEANERS OF PELICAN LANDING INC
Facility Address :	9201 BROOKWOOD COURT #7, BONITA SPRINGS, 34135
County :	LEE
Start Date :	2004-01-12
Facility ID :	9805423
Facility Status :	OPEN
Facility Type :	N/R
Facility Phone :	(239)770-0991
Owner ID :	54041
Owner Role :	PROPERTY OWNER
Owner Name :	CLASSIC CLEANERS OF PELICAN LANDING INC
Owner Address :	9201 BROOKWOOD COURT #7, BONITA SPRINGS, FL 34135
Contact :	WILLIAM GUTIERREZ
Phone :	(239)770-0991
Last Date in Agency List :	2016-01-05
Start Date :	2003-01-07
Facility ID :	9805423
Facility Status :	OPEN
Facility Type :	N/R
Facility Phone :	(239)770-0991
Owner ID :	54041
Owner Role :	ACCOUNT OWNER
Owner Name :	CLASSIC CLEANERS OF PELICAN LANDING INC
Owner Address :	9201 BROOKWOOD COURT #7, BONITA SPRINGS, FL 34135
Contact :	WILLIAM GUTIERREZ
Phone :	(239)770-0991
Last Date in Agency List :	2016-01-05
Start Date :	2003-01-07
Facility ID :	9805423
Facility Status :	OPEN
Facility Type :	N/R
Facility Phone :	(239)770-0991
Owner ID :	54041
Owner Role :	FACILITY OWNER
Owner Name :	CLASSIC CLEANERS OF PELICAN LANDING INC
Owner Address :	9201 BROOKWOOD COURT #7, BONITA SPRINGS, FL 34135
Contact :	WILLIAM GUTIERREZ
Phone :	(239)770-0991
Last Date in Agency List :	2016-01-05
Facility Name :	EXECUTIVE DRY CLEANING
Facility Address :	9201 BROOKWOOD COURT #7, BONITA SPRINGS, 34135
County :	LEE

Map Id: F28
Direction: N
Distance: 0.049 mi., 257 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EXECUTIVE DRY CLEANING | CLASSIC CLEANERS | CLASSIC CLEANERS OF PELICAN LANDING INC
9201 BROOKWOOD COURT #7 | 9201 BROOKWOOD CT STE 7 | 9001 Strike Ln
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, DRYCLEANERS - FL, ECHO, FRS, RCRA SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173874
EPA ID: N/R

DRYCLEANERS - FL ***(cont.)***

Start Date :	2022-03-15
Facility ID :	9805423
Facility Status :	OPEN
Facility Type :	1 - Drycleaner
Facility Phone :	(239)293-6534
Owner ID :	82855
Owner Role :	ACCOUNT OWNER
Owner Name :	EXECUTIVE DRY CLEANING
Owner Address :	9201 BROOKWOOD CT SUITE 7, BONITA SPRINGS, FL 34135
Contact :	BROOKE MITCHELL
Phone :	(239)353-4400
Last Date in Agency List :	2026-02-19

Start Date :	2022-03-15
Facility ID :	9805423
Facility Status :	OPEN
Facility Type :	1 - Drycleaner
Facility Phone :	(239)293-6534
Owner ID :	72420
Owner Role :	PROPERTY OWNER
Owner Name :	GENERAL HOLDING GROUP LLC
Owner Address :	12371 WATER OAK DR ATTN: DRYCLEANER REGIS, ESTERO, FL 33928
Contact :	N/R
Phone :	(239)293-7949
Last Date in Agency List :	2026-02-19

Start Date :	2022-03-15
Facility ID :	9805423
Facility Status :	OPEN
Facility Type :	1 - Drycleaner
Facility Phone :	(239)293-6534
Owner ID :	82856
Owner Role :	TANK OPERATOR
Owner Name :	EXECUTIVE DRY CLEANING LLC
Owner Address :	14231 JETPORT LOOP W STE 12, FORT MYERS, FL 33913
Contact :	BROOKE MITCHELL
Phone :	(239)777-8083
Last Date in Agency List :	2026-02-19

ECHO

Facility Name :	CLASSIC CLEANERS
Facility Address :	9201 BROOKWOOD CT STE 7, BONITA SPRINGS, FL 34135
County :	LEE

Last Inspection Date :	2020-06-11
Registry ID :	110016721145
FIPS Code :	12071

Map Id: F28
Direction: N
Distance: 0.049 mi., 257 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EXECUTIVE DRY CLEANING | CLASSIC CLEANERS | CLASSIC CLEANERS OF PELICAN LANDING INC
9201 BROOKWOOD COURT #7 | 9201 BROOKWOOD CT STE 7 | 9001 Strike Ln
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, DRYCLEANERS - FL, ECHO, FRS, RCRA SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173874
EPA ID: N/R

ECHO ***(cont.)***

EPA Region :	04
Inspection Count :	0
Last Inspection Days :	1949
Informal Count :	0
Last Informal Action Date :	2015-03-26
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	GPS CODE (PSEUDO RANGE) DIFFERENTIAL
Reference Point :	POINT WHERE SUBSTANCE IS MONITORED
Accuracy Meters :	3
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503083035
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	7216
Facility NAICS :	812320 - Drycleaning and Laundry Services (except Coin-Operated)
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2020-06-11
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R

Map Id: F28
Direction: N
Distance: 0.049 mi., 257 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EXECUTIVE DRY CLEANING | CLASSIC CLEANERS | CLASSIC CLEANERS OF PELICAN LANDING INC
9201 BROOKWOOD COURT #7 | 9201 BROOKWOOD CT STE 7 | 9001 Strike Ln
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, DRYCLEANERS - FL, ECHO, FRS, RCRA SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173874
EPA ID: N/R

ECHO ***(cont.)***

Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2015-03-26
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	Y
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.368701
Longitude :	-81.799519
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	CLASSIC CLEANERS
Facility Address :	9201 BROOKWOOD CT STE 7, BONITA SPRINGS, FL 341352604
County :	LEE

Site Details

Registry ID :	110016721145
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description : AIR contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies. AFS contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies. The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Map Id: F28
Direction: N
Distance: 0.049 mi., 257 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EXECUTIVE DRY CLEANING | CLASSIC CLEANERS | CLASSIC CLEANERS OF PELICAN LANDING INC
9201 BROOKWOOD COURT #7 | 9201 BROOKWOOD CT STE 7 | 9001 Strike Ln
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, DRYCLEANERS - FL, ECHO, FRS, RCRA SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173874
EPA ID: N/R

FRS ***(cont.)***

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	AIRS/AFS - 1207100148 FLORIDA DEP - 35571 ICIS - FL0000001207100148 RCRAINFO - FLR000095695

RCRA SQG

Facility Name :	EXECUTIVE DRY CLEANING
Facility Address :	9201 BROOKWOOD CT STE 7, BONITA SPRINGS, FL 34135-2604
County :	LEE
Date Form Received by Agency :	2020-06-11
EPA ID :	FLR000095695
Mailing Address :	9201 BROOKWOOD CT, BONITA SPRINGS, FL 34135-2604
Contact :	ROBERT LEE
Contact Address :	9201 BROOKWOOD CT #7, BONITA SPRINGS, FL 34135-0000
Contact Country :	US
Contact Telephone :	239-293-7949
Contact Email :	RELEE4245@GMAIL.COM
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Small Quantity Generator
Description :	Handlers that generate more than 100 and less than 1000 kilograms of hazardous waste during any calendar month and accumulate less than 6000 kg of hazardous waste at any time; or generate 100 kg or less of hazardous waste during any calendar month, and accumulate more than 1000 kg of hazardous waste at any time.
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	EXECUTIVE DRY CLEANERS
Owner/Operator Address :	9201 BROOKWOOD CT STE 7, BONITA SPRINGS, FL 34135-2604

Map Id: F28
Direction: N
Distance: 0.049 mi., 257 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EXECUTIVE DRY CLEANING | CLASSIC CLEANERS | CLASSIC CLEANERS OF PELICAN LANDING INC
9201 BROOKWOOD COURT #7 | 9201 BROOKWOOD CT STE 7 | 9001 Strike Ln
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, DRYCLEANERS - FL, ECHO, FRS, RCRA SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173874
EPA ID: N/R

RCRA SQG ***(cont.)***

Owner/Operator Country :	US
Owner/Operator Telephone :	239-293-7949
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2016-02-23
Owner/Operator End Date :	N/R

Owner/Operator Name :	WILLIAM GUTIERREZ
Owner/Operator Address :	9201 BROOKWOOD CT STE 7, BONITA SPRINGS, FL 34135-2604
Owner/Operator Country :	US
Owner/Operator Telephone :	239-770-0991
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2003-01-17
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N/R
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	2016-02-24
Facility Name :	EXECUTIVE DRY CLEANING
Classification :	Small Quantity Generator

Date Form Received by Agency :	2016-02-16
Facility Name :	EXECUTIVE DRY CLEANING
Classification :	Small Quantity Generator

Map Id: F28
Direction: N
Distance: 0.049 mi., 257 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EXECUTIVE DRY CLEANING | CLASSIC CLEANERS | CLASSIC CLEANERS OF PELICAN LANDING INC
9201 BROOKWOOD COURT #7 | 9201 BROOKWOOD CT STE 7 | 9001 Strike Ln
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, DRYCLEANERS - FL, ECHO, FRS, RCRA SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173874
EPA ID: N/R

RCRA SQG ***(cont.)***

Date Form Received by Agency : 2015-03-20
Facility Name : CLASSIC CLEANERS
Classification : Small Quantity Generator

Date Form Received by Agency : 2011-03-03
Facility Name : CLASSIC CLEANERS
Classification : Small Quantity Generator

Date Form Received by Agency : 2003-01-17
Facility Name : CLASSIC CLEANERS
Classification : Small Quantity Generator

Hazardous Waste Summary
Waste Code / Name : D007 - CHROMIUM
D039 - TETRACHLOROETHYLENE
D040 - TRICHLOROETHYLENE

Waste Code / Name :

F002 - THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Notices of Violations Summary
Date of Violation : 2015-03-19
Date Achieved Compliance : 2015-03-26
Regulation Violated : Y
Area of Violation : Generators - Pre-transport
Enforcement Action : N/R
Enforcement Action Date : N/R
Enf. Disposition Status : N/R
Enf. Disp. Status Date : N/R
Violation Lead Agency : State
Enforcement Lead Agency : N/R
Proposed Penalty Amount : N/R
Final Penalty Amount : N/R
Paid Penalty Amount : N/R

Date of Violation : 2005-04-05
Date Achieved Compliance : 2005-05-04
Regulation Violated : Y

Map Id: F28
Direction: N
Distance: 0.049 mi., 257 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EXECUTIVE DRY CLEANING | CLASSIC CLEANERS | CLASSIC CLEANERS OF PELICAN LANDING INC
9201 BROOKWOOD COURT #7 | 9201 BROOKWOOD CT STE 7 | 9001 Strike Ln
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, DRYCLEANERS - FL, ECHO, FRS, RCRA SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173874
EPA ID: N/R

RCRA SQG ***(cont.)***

Area of Violation :	Generators - Pre-transport
Enforcement Action :	DEP NON-COMPLIANCE LETTER
Enforcement Action Date :	2005-04-12
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2005-04-05
Date Achieved Compliance :	2005-05-04
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP NON-COMPLIANCE LETTER
Enforcement Action Date :	2005-04-12
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2020-06-11
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	2016-02-23
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	2015-03-19
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Generators - Pre-transport
Date Achieved Compliance :	2015-03-26
Evaluation Lead Agency :	State

Map Id: F28
Direction: N
Distance: 0.049 mi., 257 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EXECUTIVE DRY CLEANING | CLASSIC CLEANERS | CLASSIC CLEANERS OF PELICAN LANDING INC
9201 BROOKWOOD COURT #7 | 9201 BROOKWOOD CT STE 7 | 9001 Strike Ln
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, DRYCLEANERS - FL, ECHO, FRS, RCRA SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173874
EPA ID: N/R

RCRA SQG ***(cont.)***

Evaluation Date :	2011-03-02
Evaluation :	COMPLIANCE ASSISTANCE VISIT
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	2009-06-26
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	2005-04-05
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Generators - Pre-transport
Date Achieved Compliance :	2005-05-04
Evaluation Lead Agency :	State

Evaluation Date :	2005-04-05
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	State Statute or Regulation
Date Achieved Compliance :	2005-05-04
Evaluation Lead Agency :	State

SQG - FL

Facility Name :	Executive Dry Cleaning
Facility Address :	9201 Brookwood Ct Ste 7, Bonita Springs, 34135
County :	Lee

Last Inspection Date :	2020-06-11
Date Notified :	2003-01-17
Site ID :	35571
Handler ID :	FLR000095695
Office :	South District
Facility Inspection Type :	SQG-CEI
Documents Link :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-13

T 2 - FL

Facility Name :	Bonita Springs FL
Facility Address :	9001 Strike Ln, Bonita Springs, FL 34135
County :	Lee

Map Id: F28
Direction: N
Distance: 0.049 mi., 257 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EXECUTIVE DRY CLEANING | CLASSIC CLEANERS | CLASSIC CLEANERS OF PELICAN LANDING INC
9201 BROOKWOOD COURT #7 | 9201 BROOKWOOD CT STE 7 | 9001 Strike Ln
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, DRYCLEANERS - FL, ECHO, FRS, RCRA SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173874
EPA ID: N/R

T 2 - FL ***(cont.)***

Filing Year :	2018(Tier2)
Filing Type :	312
Company Name :	Embarq Florida Inc dba CenturyLink
Facility ID :	6370590
State Facility ID :	N/R
SIC :	N/R
NAICS :	517311 - Wired Telecommunications Carriers
Dun & Bradstreet Code :	14-872-1178
De-Registered Date :	N/R
Data Submitted by :	Stacey Austin, EHS & System Analyst
Contact 1 - Name :	Embarq Florida dba CenturyLink
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	david.bloome@centurylink.com
Contact 1 - 24-hour Phone :	866-864-2255
Contact 1 - Work Phone :	404-210-0748
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2019-04-10
First Submit Date :	2019-01-23(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2020-01-16

Chemical Information

Filing Year :	N/R
CAS Number :	7664939
Chemical Name :	Sulfuric Acid
Maximum Daily Quantity :	614
Average Daily Quantity :	614
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	2
S :	W
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R

Map Id: F28
Direction: N
Distance: 0.049 mi., 257 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EXECUTIVE DRY CLEANING | CLASSIC CLEANERS | CLASSIC CLEANERS OF PELICAN LANDING INC
9201 BROOKWOOD COURT #7 | 9201 BROOKWOOD CT STE 7 | 9001 Strike Ln
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, DRYCLEANERS - FL, ECHO, FRS, RCRA SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173874
EPA ID: N/R

T 2 - FL ***(cont.)***

Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	T
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2017(Tier2)
Filing Type :	312
Company Name :	Embarq Florida Inc dba CenturyLink
Facility ID :	6073957
State Facility ID :	N/R
SIC :	N/R
NAICS :	517311 - Wired Telecommunications Carriers
Dun & Bradstreet Code :	14-872-1178
De-Registered Date :	N/R
Data Submitted by :	Stacey Austin, EHS & System Analyst
Contact 1 - Name :	Embarq FL dba CenturyLink
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	jennifer.scarpino@centurylink.com
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	407-889-1531
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2018-02-21
First Submit Date :	2018-01-17(Tier2)
Latitude :	N/R
Longitude :	N/R

Map Id: F28
Direction: N
Distance: 0.049 mi., 257 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EXECUTIVE DRY CLEANING | CLASSIC CLEANERS | CLASSIC CLEANERS OF PELICAN LANDING INC
9201 BROOKWOOD COURT #7 | 9201 BROOKWOOD CT STE 7 | 9001 Strike Ln
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, DRYCLEANERS - FL, ECHO, FRS, RCRA SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173874
EPA ID: N/R

T 2 - FL ***(cont.)***

Last Date in Agency List :	2018-12-05

Chemical Information

Filing Year :	N/R
CAS Number :	7664939
Chemical Name :	Sulfuric Acid
Maximum Daily Quantity :	614
Average Daily Quantity :	614
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	2
S :	W
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	T
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F

Map Id: F28
Direction: N
Distance: 0.049 mi., 257 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EXECUTIVE DRY CLEANING | CLASSIC CLEANERS | CLASSIC CLEANERS OF PELICAN LANDING INC
9201 BROOKWOOD COURT #7 | 9201 BROOKWOOD CT STE 7 | 9001 Strike Ln
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, DRYCLEANERS - FL, ECHO, FRS, RCRA SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173874
EPA ID: N/R

T 2 - FL ***(cont.)***

Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Map Id: F29
Direction: SE
Distance: 0.050 mi., 265 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SHAW DEVELOPMENT | BERNWOOD
25190 BERNWOOD DR
BONITA SPRINGS | Bonita Springs | Bonita Srings, FL

Database(s) : [ECHO, FRS, NPDES - FL, RCRA VSQG, T 2 - FL]

Envirosite ID: 68173823
EPA ID: N/R

ECHO

Facility Name :	SHAW DEVELOPMENT
Facility Address :	25190 BERNWOOD DR, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	2011-12-21
Registry ID :	110043656077
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	5044
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106

Map Id: F29
Direction: SE
Distance: 0.050 mi., 265 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SHAW DEVELOPMENT | BERNWOOD
25190 BERNWOOD DR
BONITA SPRINGS | Bonita Springs |
Bonita Srings, FL

Database(s) : [ECHO, FRS, NPDES - FL, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173823
EPA ID: N/R

ECHO ***(cont.)***

Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503083035
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	334514 - Totalizing Fluid Meter and Counting Device Manufacturing
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2011-12-21
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.36944
Longitude :	-81.79989
Last Date in Agency List :	2026-05-11

Map Id: F29
Direction: SE
Distance: 0.050 mi., 265 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SHAW DEVELOPMENT | BERNWOOD
25190 BERNWOOD DR
BONITA SPRINGS | Bonita Springs | Bonita Srings, FL

Database(s) : [ECHO, FRS, NPDES - FL, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173823
EPA ID: N/R

FRS

Facility Name : BERNWOOD
Facility Address : 25190 BERNWOOD DR, BONITA SPRINGS, FL 34135-7846
County : N/R

Site Details
Registry ID : 110072103286
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description

Source Description :

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest
Source and System ID : ICIS - FLRNEG104

Facility Name : SHAW DEVELOPMENT
Facility Address : 25190 BERNWOOD DR, BONITA SPRINGS, FL 34135-7846
County : LEE

Site Details
Registry ID : 110043656077
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

Map Id: F29
Direction: SE
Distance: 0.050 mi., 265 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SHAW DEVELOPMENT | BERNWOOD
25190 BERNWOOD DR
BONITA SPRINGS | Bonita Springs |
Bonita Srings, FL

Database(s) : [ECHO, FRS, NPDES - FL, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173823
EPA ID: N/R

FRS ***(cont.)***

FRS Environmental Interest

Source and System ID :	RCRAINFO - FLR000176479

NPDES - FL

Facility Name :	Bernwood
Facility Address :	25190 Bernwood Dr, Bonita Springs
County :	LEE

Site Details

Issue Date :	2025-11-13
Effective Date :	N/R
Expiration Date :	2030-11-12
Facility ID :	FLRNEG104
Facility Type :	Stormwater No Exposure Certification
Status :	Active
NPDES :	N/R
Company Name :	-
Document Description :	N/R
Nature of Business :	N/R
Ownership Type :	Private
Treatment Process Summary :	N/R
Department Office :	N/R
Capacity (MGD) :	N/R
DW Class :	N/R
Last Date in Agency List :	2026-06-03

Related Party Details

Related Party Name :	Robert Beckham
Related Party Address :	25190 Bernwood Dr, Bonita Springs FL 34135
Related Party Address 2 :	-
Related Party Phone :	2393450045
Related Party Email :	rbeckham@shawdev.com

RCRA VSQG

Facility Name :	SHAW DEVELOPMENT
Facility Address :	25190 BERNWOOD DR, BONITA SPRINGS, FL 34135-7846
County :	LEE
Date Form Received by Agency :	2011-12-21
EPA ID :	FLR000176479
Mailing Address :	25190 BERNWOOD DR, BONITA SPRINGS, FL 34135-7846
Contact :	STEPHEN SCHOCK
Contact Address :	25190 BERNWOOD DR, BONITA SPRINGS, FL 34135-7846
Contact Country :	US
Contact Telephone :	239-405-6100
Contact Email :	SSCHOCK@SHAWDEV.COM
EPA Region :	04
Land Type :	Private

Map Id: F29
Direction: SE
Distance: 0.050 mi., 265 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SHAW DEVELOPMENT | BERNWOOD
25190 BERNWOOD DR
BONITA SPRINGS | Bonita Springs | Bonita Srings, FL

Database(s) : [ECHO, FRS, NPDES - FL, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173823
EPA ID: N/R

RCRA VSQG ***(cont.)***

Source Type : Implementer
Classification : Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2026-05-05

Owner/Operator Summary

Owner/Operator Name : BERNWOOD DRIVE LLC
Owner/Operator Address : 25190 BERNWOOD DR, BONITA SPRINGS, FL 34135-7846
Owner/Operator Country : US
Owner/Operator Telephone : N/R
Owner/Operator Email : N/R
Owner/Operator Fax : N/R
Legal Status : Private
Owner/Operator Type : Owner
Owner/Operator Start Date : 2011-06-15
Owner/Operator End Date : N/R

Owner/Operator Name : STEPHEN SCHOCK
Owner/Operator Address : 25190 BERNWOOD DR, BONITA SPRINGS, FL 34135-7846
Owner/Operator Country : US
Owner/Operator Telephone : 239-405-6100
Owner/Operator Email : N/R
Owner/Operator Fax : N/R
Legal Status : Private
Owner/Operator Type : Operator
Owner/Operator Start Date : 2011-06-17
Owner/Operator End Date : N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste : N
Mixed Waste (Haz. and Radioactive) : N
Recycler of Hazardous Waste : N
Transporter of Hazardous Waste : N
Treater, Storer or Disposer of HW : N
Underground Injection Activity : N
On-site Burner Exemption : N
Furnace Exemption : N
Used Oil Fuel Burner : N

Map Id: F29
Direction: SE
Distance: 0.050 mi., 265 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SHAW DEVELOPMENT | BERNWOOD
25190 BERNWOOD DR
BONITA SPRINGS | Bonita Springs |
Bonita Srings, FL

Database(s) : [ECHO, FRS, NPDES - FL, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173823
EPA ID: N/R

RCRA VSQG ***(cont.)***

Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	2011-06-15
Facility Name :	SHAW DEVELOPMENT
Classification :	Very Small Quantity Generator

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE

Notices of Violations Summary

Date of Violation :	2011-06-15
Date Achieved Compliance :	2011-06-28
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2011-12-21
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	2011-06-15
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	State Statute or Regulation
Date Achieved Compliance :	2011-06-28
Evaluation Lead Agency :	State

T 2 - FL

Facility Name :	Shaw Development LLC

Map Id: F29
Direction: SE
Distance: 0.050 mi., 265 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SHAW DEVELOPMENT | BERNWOOD
25190 BERNWOOD DR
BONITA SPRINGS | Bonita Springs |
Bonita Srings, FL

Database(s) : [ECHO, FRS, NPDES - FL, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173823
EPA ID: N/R

T 2 - FL ***(cont.)***

Facility Address :	25190 Bernwood Dr, Bonita Srings, FL 34135
County :	Lee

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Filing Year :	2024(Tier2)
Filing Type :	302 312
Company Name :	Shaw Development LLC
Facility ID :	7575683
State Facility ID :	N/R
SIC :	N/R
NAICS :	336999 - All Other Transportation Equipment Manufacturing
Dun & Bradstreet Code :	101224103
De-Registered Date :	N/R
Data Submitted by :	Karen Voelker
Contact 1 - Name :	Andrew Sexton
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	Asexton@shawdev.com
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	847-858-4621
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2025-02-14
First Submit Date :	2025-02-14(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2026-02-19

Chemical Information

Filing Year :	2024(Tier2)
CAS Number :	7664939
Chemical Name :	Sulfuric Acid
Maximum Daily Quantity :	1,085
Average Daily Quantity :	1,085
Max Amount in Largest Container :	438
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	W
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T

Map Id: F29
Direction: SE
Distance: 0.050 mi., 265 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SHAW DEVELOPMENT | BERNWOOD
25190 BERNWOOD DR
BONITA SPRINGS | Bonita Springs | Bonita Srings, FL

Database(s) : [ECHO, FRS, NPDES - FL, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173823
EPA ID: N/R

T 2 - FL ***(cont.)***

Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	T
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2023(Tier2)
Filing Type :	302 312
Company Name :	Shaw Development LLC
Facility ID :	7411650
State Facility ID :	N/R
SIC :	N/R
NAICS :	336999 - All Other Transportation Equipment Manufacturing
Dun & Bradstreet Code :	101224103
De-Registered Date :	N/R
Data Submitted by :	Karen Voelker
Contact 1 - Name :	Keith Luomala
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	kluomala@shawdev.com
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	2812210598
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2024-02-08

Map Id: F29
Direction: SE
Distance: 0.050 mi., 265 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SHAW DEVELOPMENT | BERNWOOD
25190 BERNWOOD DR
BONITA SPRINGS | Bonita Springs | Bonita Srings, FL

Database(s) : [ECHO, FRS, NPDES - FL, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173823
EPA ID: N/R

T 2 - FL ***(cont.)***

First Submit Date :	2024-02-08(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2025-02-12

Chemical Information

Filing Year :	2023(Tier2)
CAS Number :	7664939
Chemical Name :	Sulfuric Acid
Maximum Daily Quantity :	1,085
Average Daily Quantity :	1,085
Max Amount in Largest Container :	438
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	W
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	T
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	F

Map Id: F29
Direction: SE
Distance: 0.050 mi., 265 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SHAW DEVELOPMENT | BERNWOOD
25190 BERNWOOD DR
BONITA SPRINGS | Bonita Springs | Bonita Srings, FL

Database(s) : [ECHO, FRS, NPDES - FL, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173823
EPA ID: N/R

T 2 - FL ***(cont.)***

Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
Filing Type :	302 312
Company Name :	Shaw Development LLC
Facility ID :	7263331
State Facility ID :	N/R
SIC :	N/R
NAICS :	336999 - All Other Transportation Equipment Manufacturing
Dun & Bradstreet Code :	101224103
De-Registered Date :	N/R
Data Submitted by :	Karen Voelker
Contact 1 - Name :	Keith Luomala
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	kluomala@shawdev.com
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	2812210598
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2023-02-16
First Submit Date :	2023-02-16(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2023-07-21

Chemical Information

Filing Year :	2022(Tier2)
CAS Number :	7664939
Chemical Name :	Sulfuric Acid
Maximum Daily Quantity :	1,028
Average Daily Quantity :	1,028
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	W
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R

Map Id: F29
Direction: SE
Distance: 0.050 mi., 265 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SHAW DEVELOPMENT | BERNWOOD
25190 BERNWOOD DR
BONITA SPRINGS | Bonita Springs | Bonita Srings, FL

Database(s) : [ECHO, FRS, NPDES - FL, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173823
EPA ID: N/R

T 2 - FL ***(cont.)***

Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	T
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2021(Tier2)
Filing Type :	302 312
Company Name :	Shaw Development LLC
Facility ID :	7096555
State Facility ID :	N/R
SIC :	N/R
NAICS :	336999 - All Other Transportation Equipment Manufacturing
Dun & Bradstreet Code :	101224103
De-Registered Date :	N/R
Data Submitted by :	Karen Voelker
Contact 1 - Name :	Steve Schock Shaw Development, LLC
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	sschock@shawdev.com
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	2394511106
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2022-01-28
First Submit Date :	2022-01-28(Tier2)
Latitude :	N/R

Map Id: F29
Direction: SE
Distance: 0.050 mi., 265 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SHAW DEVELOPMENT | BERNWOOD
25190 BERNWOOD DR
BONITA SPRINGS | Bonita Springs | Bonita Srings, FL

Database(s) : [ECHO, FRS, NPDES - FL, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173823
EPA ID: N/R

T 2 - FL ***(cont.)***

Longitude :	N/R
Last Date in Agency List :	2022-12-20

Chemical Information

Filing Year :	2021(Tier2)
CAS Number :	7664939
Chemical Name :	Sulfuric Acid
Maximum Daily Quantity :	1,028
Average Daily Quantity :	1,028
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	W
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	T
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F

Map Id: F29
Direction: SE
Distance: 0.050 mi., 265 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SHAW DEVELOPMENT | BERNWOOD
25190 BERNWOOD DR
BONITA SPRINGS | Bonita Springs | Bonita Srings, FL

Database(s) : [ECHO, FRS, NPDES - FL, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173823
EPA ID: N/R

T 2 - FL ***(cont.)***

Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F
Filing Year :	2020(Tier2)
Filing Type :	302 312
Company Name :	Shaw Development LLC
Facility ID :	6814954
State Facility ID :	N/R
SIC :	N/R
NAICS :	336999 - All Other Transportation Equipment Manufacturing
Dun & Bradstreet Code :	101224103
De-Registered Date :	N/R
Data Submitted by :	Karen Voelker
Contact 1 - Name :	Shaw Development LLC
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	tgoettel@shawdev.com
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	2344056125
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2021-02-02
First Submit Date :	2021-02-02(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2022-01-06

Chemical Information

Filing Year :	2020(Tier2)
CAS Number :	7664939
Chemical Name :	Sulfuric Acid
Maximum Daily Quantity :	1,142
Average Daily Quantity :	1,142
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	W
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R

Map Id: F29
Direction: SE
Distance: 0.050 mi., 265 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SHAW DEVELOPMENT | BERNWOOD
25190 BERNWOOD DR
BONITA SPRINGS | Bonita Springs |
Bonita Srings, FL

Database(s) : [ECHO, FRS, NPDES - FL, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173823
EPA ID: N/R

T 2 - FL ***(cont.)***

Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	T
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Map Id: D30
Direction: N
Distance: 0.052 mi., 274 ft.
Elevation: 19 ft.
Relative: Higher

Site Name : PUBLIX SUPER MARKET #614 | PUBLIX | Publix ESP
21301 S TAMIAMI TRL STE 200 | 21301 S TAMIAMI TRAIL STE 200
ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, MANIFEST EPA, RCRA VSQG]

Envirosite ID: 68173786
EPA ID: FLR000244103

AST - FL

Facility Name :	PUBLIX SUPER MARKET #614
Facility Address :	21301 S TAMIAMI TRAIL STE 200, ESTERO, 33928
County :	LEE

Map Id: D30
Direction: N
Distance: 0.052 mi., 274 ft.
Elevation: 19 ft.
Relative: Higher

Site Name : PUBLIX SUPER MARKET #614 | PUBLIX | Publix ESP
21301 S TAMIAMI TRL STE 200 | 21301 S TAMIAMI TRAIL STE 200
ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173786
EPA ID: FLR000244103

AST - FL ***(cont.)***

Site Details

Facility ID :	9808812
Facility Phone :	2399481174
Facility Status :	OPEN
Facility Type :	C
Type Description :	Fuel user/Non-retail
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	25164
Owner Name :	PUBLIX SUPER MARKETS INC - ENVIRONMENTAL
Owner Address 1 :	N/R
Owner Address 2 :	ATTN: ESP STORAGE TANK REGIS
Owner Phone :	8636881188
Contact :	BRENDA WILLIAMS EXT-55017
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	1000
Tank Location :	ABOVEGROUND
Substance :	Emerg Generator Diesel
Install Date :	2007-01-01
Status :	Removed from Site
Status Date :	2021-04-28

Tank ID :	2
Gallons :	1000
Tank Location :	ABOVEGROUND
Substance :	Emerg Generator Diesel
Install Date :	2021-04-01
Status :	In Service
Status Date :	2021-04-01

Construction Items :	Overfill/Spill - Level gauges/alarms Overfill/Spill - Spill containment bucket Primary Construction - Steel Secondary Containment - Double wall
Monitoring Items :	External Tk Monitoring - Visual inspection of ASTs Internal Tk Monitoring - Monitor dbl wall tank space Miscellaneous - Continuous electronic sensing
Piping Items :	Miscellaneous Attributes - Suction piping system Miscellaneous Attributes - Abv, no soil contact

Map Id: D30
Direction: N
Distance: 0.052 mi., 274 ft.
Elevation: 19 ft.
Relative: Higher

Site Name : PUBLIX SUPER MARKET #614 | PUBLIX | Publix ESP
21301 S TAMIAMI TRL STE 200 | 21301 S TAMIAMI TRAIL STE 200
ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173786
EPA ID: FLR000244103

AST - FL ***(cont.)***

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

ECHO

Facility Name :	PUBLIX SUPER MARKET #614
Facility Address :	21301 S TAMIAMI TRL STE 200, ESTERO, FL 33928
County :	LEE
Last Inspection Date :	N/R
Registry ID :	110071214234
FIPS Code :	12071
EPA Region :	N/R
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	50
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040103
Derived STCTY FIPS :	12071
Derived Zip :	33928
Derived CD113 :	19
Derived CB2010 :	120710503061049
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R

Map Id: D30
Direction: N
Distance: 0.052 mi., 274 ft.
Elevation: 19 ft.
Relative: Higher

Site Name : PUBLIX SUPER MARKET #614 | PUBLIX | Publix ESP
21301 S TAMIAMI TRL STE 200 | 21301 S TAMIAMI TRAIL STE 200
ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173786
EPA ID: FLR000244103

ECHO ***(cont.)***

CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	445110 - Supermarkets and Other Grocery (except Convenience) Stores
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.430037
Longitude :	-81.810586
Last Date in Agency List :	2026-05-11

FA 3 - FL

Facility Name :	PUBLIX SUPER MARKET #614
Facility Address :	21301 S TAMIAMI TRAIL STE 200, ESTERO, 33928
County :	LEE

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Effectivity Date :	2020-12-27
Expiration Date :	2022-04-25
Facility ID :	9808812
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	SELF-INSURANCE - LETTER FROM CHIEF FINANCIAL OFFIC
Insurance Company :	N/R

Map Id: D30
Direction: N
Distance: 0.052 mi., 274 ft.
Elevation: 19 ft.
Relative: Higher

Site Name : PUBLIX SUPER MARKET #614 | PUBLIX | Publix ESP
21301 S TAMIAMI TRL STE 200 | 21301 S TAMIAMI TRAIL STE 200
ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173786
EPA ID: FLR000244103

FA 3 - FL ***(cont.)***

Facility Phone :	2399481174
Owner ID :	25164
Owner Name :	PUBLIX SUPER MARKETS INC - ENVIRONMENTAL
Address :	PO BOX 407 ATTN: ESP STORAGE TANK REGIS, Lakeland, FL 33802
Contact Name :	BRENDA WILLIAMS EXT-55017
Phone :	8636881188
Last Date in Agency List :	2026-06-03

Effectivity Date :	2019-03-20
Expiration Date :	2020-03-20
Facility ID :	9808812
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	SELF-INSURANCE - LETTER FROM CHIEF FINANCIAL OFFIC
Insurance Company :	N/R
Facility Phone :	2399481174
Owner ID :	25164
Owner Name :	PUBLIX SUPER MARKETS INC - ENVIRONMENTAL
Address :	PO BOX 407 ATTN: ESP STORAGE TANK REGIS, Lakeland, FL 33802
Contact Name :	BRENDA WILLIAMS EXT-55017
Phone :	8636881188
Last Date in Agency List :	2026-06-03

Effectivity Date :	2018-03-20
Expiration Date :	2019-03-20
Facility ID :	9808812
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	SELF-INSURANCE - LETTER FROM CHIEF FINANCIAL OFFIC
Insurance Company :	N/R
Facility Phone :	2399481174
Owner ID :	25164
Owner Name :	PUBLIX SUPER MARKETS INC - ENVIRONMENTAL
Address :	PO BOX 407 ATTN: ESP STORAGE TANK REGIS, Lakeland, FL 33802
Contact Name :	BRENDA WILLIAMS EXT-55017
Phone :	8636881188
Last Date in Agency List :	2026-06-03

Effectivity Date :	2017-03-20
Expiration Date :	2018-03-20
Facility ID :	9808812
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	SELF-INSURANCE - LETTER FROM CHIEF FINANCIAL OFFIC
Insurance Company :	N/R
Facility Phone :	2399481174
Owner ID :	25164
Owner Name :	PUBLIX SUPER MARKETS INC - ENVIRONMENTAL

Map Id: D30
Direction: N
Distance: 0.052 mi., 274 ft.
Elevation: 19 ft.
Relative: Higher

Site Name : PUBLIX SUPER MARKET #614 | PUBLIX | Publix ESP
21301 S TAMIAMI TRL STE 200 | 21301 S TAMIAMI TRAIL STE 200
ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173786
EPA ID: FLR000244103

FA 3 - FL ***(cont.)***

Address :	PO BOX 407 ATTN: ESP STORAGE TANK REGIS, Lakeland, FL 33802
Contact Name :	BRENDA WILLIAMS EXT-55017
Phone :	8636881188
Last Date in Agency List :	2026-06-03
Effectivity Date :	2016-03-20
Expiration Date :	2017-03-20
Facility ID :	9808812
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	SELF-INSURANCE - LETTER FROM CHIEF FINANCIAL OFFIC
Insurance Company :	N/R
Facility Phone :	2399481174
Owner ID :	25164
Owner Name :	PUBLIX SUPER MARKETS INC - ENVIRONMENTAL
Address :	PO BOX 407 ATTN: ESP STORAGE TANK REGIS, Lakeland, FL 33802
Contact Name :	BRENDA WILLIAMS EXT-55017
Phone :	8636881188
Last Date in Agency List :	2026-06-03

FRS

Facility Name :	PUBLIX SUPER MARKET #614
Facility Address :	21301 S TAMIAMI TRL STE 200, ESTERO, FL 33928-2942
County :	LEE

Site Details

Registry ID :	110071214234
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

Map Id: D30
Direction: N
Distance: 0.052 mi., 274 ft.
Elevation: 19 ft.
Relative: Higher

Site Name : PUBLIX SUPER MARKET #614 | PUBLIX | Publix ESP
21301 S TAMIAMI TRL STE 200 | 21301 S TAMIAMI TRAIL STE 200
ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173786
EPA ID: FLR000244103

FRS ***(cont.)***

FRS Environmental Interest

Source and System ID :	RCRAINFO - FLR000244103

MANIFEST EPA

Manifest Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Manifest Number :	201110011CLE
Shipped Date :	2025-04-04
Updated Date :	2025-04-24
Received Date :	2025-04-22
Status :	Signed
Generator ID :	FLR000244103
Generator Name :	PUBLIX
Generator Address :	21301 S TAMIAMI TRL STE 200, ESTERO, FL 33928
Generator Mailing :	PO BOX 407, LAKELAND, FL 33802
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	ALLWORTH, INC. (ESOL)
Destination Mailing :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Address :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN3266
DOT Information :	UN3266, Waste Corrosive liquid, basic, inorganic, n.o.s. (SODIUM HYPOCHLORITE, POTASSIUM HYDROXIDE), 8, PG-II
Non Waste Description :	N/R
Quantity :	23 Pounds
Quantity Tons, Acute, Non-Acute :	0.0115, 0, 0.0115
Quantity Kg, Acute, Non-Acute :	0, 10.430845
Quantity Tons, Haz, Non-Haz :	0.0115, 0
Quantity Kg, Haz, Non-Haz :	10.430845, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R

Map Id: D30
Direction: N
Distance: 0.052 mi., 274 ft.
Elevation: 19 ft.
Relative: Higher

Site Name : PUBLIX SUPER MARKET #614 | PUBLIX | Publix ESP
21301 S TAMIAMI TRL STE 200 | 21301 S TAMIAMI TRAIL STE 200
ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173786
EPA ID: FLR000244103

MANIFEST EPA ***(cont.)***

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1950
DOT Information :	UN1950, Waste Aerosols, 2.1
Non Waste Description :	N/R
Quantity :	122 Pounds
Quantity Tons, Acute, Non-Acute :	0.061, 0, 0.061
Quantity Kg, Acute, Non-Acute :	0, 55.32883
Quantity Tons, Haz, Non-Haz :	0.061, 0
Quantity Kg, Haz, Non-Haz :	55.32883, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Manifest Details

Manifest Number :	200995360CLE
Shipped Date :	2024-11-20
Updated Date :	2024-12-26
Received Date :	2024-12-08
Status :	Signed
Generator ID :	FLR000244103
Generator Name :	PUBLIX
Generator Address :	21301 S TAMIAMI TRL STE 200, ESTERO, FL 33928
Generator Mailing :	PO BOX 407, LAKELAND, FL 33802
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	ALLWORTH, INC. (ESOL)
Destination Mailing :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Address :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1950
DOT Information :	UN1950, Waste Aerosols, 2.1
Non Waste Description :	N/R
Quantity :	88 Pounds
Quantity Tons, Acute, Non-Acute :	0.044, 0, 0.044
Quantity Kg, Acute, Non-Acute :	0, 39.90932
Quantity Tons, Haz, Non-Haz :	0.044, 0
Quantity Kg, Haz, Non-Haz :	39.90932, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y

Map Id: D30
Direction: N
Distance: 0.052 mi., 274 ft.
Elevation: 19 ft.
Relative: Higher

Site Name : PUBLIX SUPER MARKET #614 | PUBLIX | Publix ESP
21301 S TAMIAMI TRL STE 200 | 21301 S TAMIAMI TRAIL STE 200
ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173786
EPA ID: FLR000244103

MANIFEST EPA ***(cont.)***

Federal Code :	D001
State Code :	N/R
Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN3262
DOT Information :	UN3262, Corrosive solid, basic, inorganic, n.o.s., 8, PG-II
Non Waste Description :	N/R
Quantity :	66 Pounds
Quantity Tons, Acute, Non-Acute :	0.033, 0, 0.033
Quantity Kg, Acute, Non-Acute :	0, 29.93199
Quantity Tons, Haz, Non-Haz :	0, 0.033
Quantity Kg, Haz, Non-Haz :	0, 29.93199
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R

Manifest Details

Manifest Number :	200871332CLE
Shipped Date :	2024-07-24
Updated Date :	2024-08-26
Received Date :	2024-08-15
Status :	Signed
Generator ID :	FLR000244103
Generator Name :	PUBLIX
Generator Address :	21301 S TAMIAMI TRL STE 200, ESTERO, FL 33928-2943
Generator Mailing :	21301 S TAMIAMI TRL STE 200, ESTERO, FL 33928-2943
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	ALLWORTH, INC. (ESOL)
Destination Mailing :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Address :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1950
DOT Information :	UN1950, Waste Aerosols, 2.1
Non Waste Description :	N/R
Quantity :	39 Pounds
Quantity Tons, Acute, Non-Acute :	0.0195, 0, 0.0195
Quantity Kg, Acute, Non-Acute :	0, 17.687085

Map Id: D30
Direction: N
Distance: 0.052 mi., 274 ft.
Elevation: 19 ft.
Relative: Higher

Site Name : PUBLIX SUPER MARKET #614 | PUBLIX | Publix ESP
21301 S TAMIAMI TRL STE 200 | 21301 S TAMIAMI TRAIL STE 200
ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173786
EPA ID: FLR000244103

MANIFEST EPA ***(cont.)***

Quantity Tons, Haz, Non-Haz :	0.0195, 0
Quantity Kg, Haz, Non-Haz :	17.687085, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R
Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN3266
DOT Information :	UN3266, Waste Corrosive liquid, basic, inorganic, n.o.s. (SODIUM HYPOCHLORITE, POTASSIUM HYDROXIDE), 8, PG-II
Non Waste Description :	N/R
Quantity :	23 Pounds
Quantity Tons, Acute, Non-Acute :	0.0115, 0, 0.0115
Quantity Kg, Acute, Non-Acute :	0, 10.430845
Quantity Tons, Haz, Non-Haz :	0.0115, 0
Quantity Kg, Haz, Non-Haz :	10.430845, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R

Manifest Details

Manifest Number :	200016142CLE
Shipped Date :	2021-12-14
Updated Date :	2022-05-09
Received Date :	2021-12-28
Status :	Signed
Generator ID :	FLR000244103
Generator Name :	Publix ESP
Generator Address :	21301 S Tamiami Trl Ste 200, Estero, FL 33928-2943
Generator Mailing :	Po Box 407, Lakeland, FL 33802
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	Allworth, LLC
Destination Mailing :	500 Medco Road, Birmingham, AL 35217
Destination Address :	500 Medco Road, Birmingham, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Map Id: D30
Direction: N
Distance: 0.052 mi., 274 ft.
Elevation: 19 ft.
Relative: Higher

Site Name : PUBLIX SUPER MARKET #614 | PUBLIX | Publix ESP
21301 S TAMIAMI TRL STE 200 | 21301 S TAMIAMI TRAIL STE 200
ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173786
EPA ID: FLR000244103

MANIFEST EPA ***(cont.)***

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1950
DOT Information :	UN1950, Waste Aerosols 2.1, ERG#126
Non Waste Description :	N/R
Quantity :	76 Pounds
Quantity Tons, Acute, Non-Acute :	0.038, 0, 0.038
Quantity Kg, Acute, Non-Acute :	0, 34.46714
Quantity Tons, Haz, Non-Haz :	0.038, 0
Quantity Kg, Haz, Non-Haz :	34.46714, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1993
DOT Information :	UN1993, Waste Flammable liquids, n.o.s. (Alcohols, Acetone), 3, PG II, ERG#128
Non Waste Description :	N/R
Quantity :	7 Pounds
Quantity Tons, Acute, Non-Acute :	0.0035, 0, 0.0035
Quantity Kg, Acute, Non-Acute :	0, 3.1746051
Quantity Tons, Haz, Non-Haz :	0.0035, 0
Quantity Kg, Haz, Non-Haz :	3.1746051, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, D018, D035, U002, U031, U154
State Code :	N/R

Waste Line Number :	3
Is DOT Hazardous :	Y
DOT ID Number :	UN2811
DOT Information :	UN2811, Waste Toxic solids, organic, n.o.s. (Selenium, Pyrethroids), 6.1, PG II, ERG#154
Non Waste Description :	N/R
Quantity :	5 Pounds
Quantity Tons, Acute, Non-Acute :	0.0025, 0, 0.0025
Quantity Kg, Acute, Non-Acute :	0, 2.267575
Quantity Tons, Haz, Non-Haz :	0.0025, 0
Quantity Kg, Haz, Non-Haz :	2.267575, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D004, D005, D006, D007, D016, D027
State Code :	N/R

Map Id: D30
Direction: N
Distance: 0.052 mi., 274 ft.
Elevation: 19 ft.
Relative: Higher

Site Name : PUBLIX SUPER MARKET #614 | PUBLIX | Publix ESP
21301 S TAMIAMI TRL STE 200 | 21301 S TAMIAMI TRAIL STE 200
ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173786
EPA ID: FLR000244103

MANIFEST EPA ***(cont.)***

Waste Line Number :	4
Is DOT Hazardous :	Y
DOT ID Number :	UN3266
DOT Information :	UN3266, Waste Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide, Potassium Carbonate), 8, PG II, ERG#154
Non Waste Description :	N/R
Quantity :	23 Pounds
Quantity Tons, Acute, Non-Acute :	0.0115, 0, 0.0115
Quantity Kg, Acute, Non-Acute :	0, 10.430845
Quantity Tons, Haz, Non-Haz :	0.0115, 0
Quantity Kg, Haz, Non-Haz :	10.430845, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R

Waste Line Number :	5
Is DOT Hazardous :	Y
DOT ID Number :	UN3249
DOT Information :	UN2811, Waste Toxic solids, organic, n.o.s. (Chromium, Selenium), 6.1, PG II, ERG#154
Non Waste Description :	N/R
Quantity :	2 Pounds
Quantity Tons, Acute, Non-Acute :	0.001, 0, 0.001
Quantity Kg, Acute, Non-Acute :	0, 0.90703005
Quantity Tons, Haz, Non-Haz :	0.001, 0
Quantity Kg, Haz, Non-Haz :	0.90703005, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D005, D007, D010, D011, PHRM
State Code :	N/R

Manifest Details

Manifest Number :	014971144FLE
Shipped Date :	2021-03-02
Updated Date :	2022-05-09
Received Date :	2021-03-12
Status :	Signed
Generator ID :	FLR000244103
Generator Name :	Publix ESP
Generator Address :	21301 S Tamiami Trl Ste 200, Estero, FL 33928-2943
Generator Mailing :	Po Box 407, Lakeland, FL 33802
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	Allworth, LLC
Destination Mailing :	500 Medco Road, Birmingham, AL 35217
Destination Address :	500 Medco Road, Birmingham, AL 35217

Map Id: D30
Direction: N
Distance: 0.052 mi., 274 ft.
Elevation: 19 ft.
Relative: Higher

Site Name : PUBLIX SUPER MARKET #614 | PUBLIX | Publix ESP
21301 S TAMIAMI TRL STE 200 | 21301 S TAMIAMI TRAIL STE 200
ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173786
EPA ID: FLR000244103

MANIFEST EPA ***(cont.)***

Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1950
DOT Information :	UN1950, Waste Aerosols 2.1, ERG#126
Non Waste Description :	N/R
Quantity :	41 Pounds
Quantity Tons, Acute, Non-Acute :	0.0205, 0, 0.0205
Quantity Kg, Acute, Non-Acute :	0, 18.594116
Quantity Tons, Haz, Non-Haz :	0.0205, 0
Quantity Kg, Haz, Non-Haz :	18.594116, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1993
DOT Information :	UN1993, Waste Flammable liquids, n.o.s. (Alcohols, Acetone), 3, PG II, ERG#128
Non Waste Description :	N/R
Quantity :	28 Pounds
Quantity Tons, Acute, Non-Acute :	0.014, 0, 0.014
Quantity Kg, Acute, Non-Acute :	0, 12.698421
Quantity Tons, Haz, Non-Haz :	0.014, 0
Quantity Kg, Haz, Non-Haz :	12.698421, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, D018, D035, U002, U031, U154
State Code :	N/R

Waste Line Number :	3
Is DOT Hazardous :	Y
DOT ID Number :	UN3266
DOT Information :	UN3266, Waste Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide, Potassium Carbonate), 8, PG II, ERG#154
Non Waste Description :	N/R
Quantity :	39 Pounds

Map Id: D30
Direction: N
Distance: 0.052 mi., 274 ft.
Elevation: 19 ft.
Relative: Higher

Site Name : PUBLIX SUPER MARKET #614 | PUBLIX | Publix ESP
21301 S TAMIAMI TRL STE 200 | 21301 S TAMIAMI TRAIL STE 200
ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173786
EPA ID: FLR000244103

MANIFEST EPA ***(cont.)***

Quantity Tons, Acute, Non-Acute :	0.0195, 0, 0.0195
Quantity Kg, Acute, Non-Acute :	0, 17.687086
Quantity Tons, Haz, Non-Haz :	0.0195, 0
Quantity Kg, Haz, Non-Haz :	17.687086, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R

Waste Line Number :	4
Is DOT Hazardous :	Y
DOT ID Number :	UN2811
DOT Information :	UN2811, Waste Toxic solids, organic, n.o.s. (Warfarin), 6.1, PG II, ERG#154
Non Waste Description :	N/R
Quantity :	1 Pounds
Quantity Tons, Acute, Non-Acute :	0.0005, 0.0005, 0
Quantity Kg, Acute, Non-Acute :	0.45351502, 0
Quantity Tons, Haz, Non-Haz :	0.0005, 0
Quantity Kg, Haz, Non-Haz :	0.45351502, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	P001, P081, P188, PHARMS
State Code :	N/R

Waste Line Number :	5
Is DOT Hazardous :	Y
DOT ID Number :	UN2811
DOT Information :	UN2811, Waste Toxic solids, organic, n.o.s. (Chromium, Selenium), 6.1, PG II, ERG#154
Non Waste Description :	N/R
Quantity :	3 Pounds
Quantity Tons, Acute, Non-Acute :	0.0015, 0, 0.0015
Quantity Kg, Acute, Non-Acute :	0, 1.360545
Quantity Tons, Haz, Non-Haz :	0.0015, 0
Quantity Kg, Haz, Non-Haz :	1.360545, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D005, D007, D010, D011, PHARMS
State Code :	N/R

RCRA VSQG

Facility Name :	PUBLIX SUPER MARKET #614
Facility Address :	21301 S TAMIAMI TRL STE 200, ESTERO, FL 33928-2942
County :	LEE
Date Form Received by Agency :	2020-12-28
EPA ID :	FLR000244103

Map Id: D30
Direction: N
Distance: 0.052 mi., 274 ft.
Elevation: 19 ft.
Relative: Higher

Site Name : PUBLIX SUPER MARKET #614 | PUBLIX | Publix ESP
21301 S TAMIAMI TRL STE 200 | 21301 S TAMIAMI TRAIL STE 200
ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173786
EPA ID: FLR000244103

RCRA VSQG ***(cont.)***

Mailing Address :	21301 S TAMIAMI TRL STE 200, ESTERO, FL 33928-2942
Contact :	BRENDA WILLIAMS
Contact Address :	3300 PUBLIX CORP PKWY, LAKELAND, FL 33811-3311
Contact Country :	US
Contact Telephone :	863-688-1188
Contact Email :	BRENDA.WILLIAMS@PUBLIX.COM
EPA Region :	04
Land Type :	Private
Source Type :	Notification
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2026-05-05

Owner/Operator Summary

Owner/Operator Name :	PUBLIX SUPER MARKETS INC
Owner/Operator Address :	3300 PUBLIX CORP PKWY, LAKELAND, FL 33811-0000
Owner/Operator Country :	US
Owner/Operator Telephone :	863-688-1188
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	1997-10-02
Owner/Operator End Date :	N/R

Owner/Operator Name :	US BANK TRUST NATNL ASSOC AS TRUSTEE OF
Owner/Operator Address :	ONE INDEPENDENT DR STE 114, JACKSONVILLE, FL 32202-0000
Owner/Operator Country :	US
Owner/Operator Telephone :	813-664-4814
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2007-07-05
Owner/Operator End Date :	N/R

Map Id: D30
Direction: N
Distance: 0.052 mi., 274 ft.
Elevation: 19 ft.
Relative: Higher

Site Name : PUBLIX SUPER MARKET #614 | PUBLIX | Publix ESP
21301 S TAMIAMI TRL STE 200 | 21301 S TAMIAMI TRAIL STE 200
ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173786
EPA ID: FLR000244103

RCRA VSQG ***(cont.)***

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N/R
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Hazardous Waste Summary

Waste Code / Name :

D001 - IGNITABLE WASTE
D002 - CORROSIVE WASTE
D007 - CHROMIUM
D009 - MERCURY
D010 - SELENIUM
D016 - 2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)
D035 - METHYL ETHYL KETONE
P001 - 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
P075 - NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL) -,(S)-, & SALTS

Notices of Violations Summary

Regulation Violated : N

Map Id: C31
Direction: SE
Distance: 0.052 mi., 274 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : PALMER CABLEVISION OF SW FL INC | COMCAST
26790 OLD 41 RD | 26790 OLD US HWY 41 RD
BONITA SPRINGS, FL 34135

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LUST - FL, UST - FL]

Envirosite ID: 68173838
EPA ID: N/R

DWM CONTAM - FL

Facility Name :	PALMER CABLEVISION OF SW FL INC
Facility Address :	26790 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE
Score Effective Date :	2011-06-01
Score :	51
Score Ranked :	26
Rank :	6627
Facility ID :	8627269
Facility Status :	CLOSED
Facility Type :	C - Fuel user/Non-retail
County Code :	36
District :	SD
Operator :	PALMER CABLEVISION OF SW FL
Phone :	(813)947-1647
Name Changed Date :	2005-05-27
Address Changed Date :	2008-09-22
Latitude Degrees :	26
Latitude Minutes :	20
Latitude Seconds :	54.096
Longitude Degrees :	81
Longitude Minutes :	46
Longitude Seconds :	47.6436
Feature :	N/R
Method :	UNVR
Datum :	0
Section/Township/Range :	N/R
Related Party Begin Date :	2008-09-22
Related Party ID :	63539
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	COMCAST CABLEVISION OF THE SOUTH INC
Related Party Address 1 :	1500 MARKET ST, PHILADELPHIA, PA 19102
Related Party Address 2 :	N/R
Contact :	N/R
Related Party Phone :	N/R
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

EPA LUST

Facility Name :	PALMER CABLEVISION OF SW FL INC
Facility Address :	26790 OLD 41 RD, BONITA SPRINGS, Florida
County :	N/R
Facility ID :	FL8627269
LUST ID :	FL18867
Reported Date :	1992-01-07
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R

Map Id: C31
Direction: SE
Distance: 0.052 mi., 274 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : PALMER CABLEVISION OF SW FL INC | COMCAST
26790 OLD 41 RD | 26790 OLD US HWY 41 RD
BONITA SPRINGS, FL 34135

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173838
EPA ID: N/R

EPA LUST ***(cont.)***

NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	943
Estimated Private Domestic Wells within 1500ft:	30
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.34694
Longitude :	-81.7797199999999
Last Date in Agency List :	2024-05-23

Facility ID :	FL8627269
LUST ID :	FL15826
Reported Date :	1992-12-07
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	943
Estimated Private Domestic Wells within 1500ft:	30
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.34694
Longitude :	-81.7797199999999

Map Id: C31
Direction: SE
Distance: 0.052 mi., 274 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : PALMER CABLEVISION OF SW FL INC | COMCAST
26790 OLD 41 RD | 26790 OLD US HWY 41 RD
BONITA SPRINGS, FL 34135

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173838
EPA ID: N/R

EPA LUST ***(cont.)***

Last Date in Agency List :	2024-05-23
Facility ID :	FL8627269
LUST ID :	FL28019
Reported Date :	1988-12-01
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	943
Estimated Private Domestic Wells within 1500ft:	30
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.34694
Longitude :	-81.7797199999999
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	PALMER CABLEVISION OF SW FL INC
Facility Address :	26790 OLD 41 RD, BONITA SPRINGS, Florida 34135
County :	N/R
Facility ID :	FL8627269
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	2
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.3469444444444
Longitude :	-81.7797222222222
Last Date in Agency List :	2024-05-22

Map Id: C31
Direction: SE
Distance: 0.052 mi., 274 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : PALMER CABLEVISION OF SW FL INC | COMCAST
26790 OLD 41 RD | 26790 OLD US HWY 41 RD
BONITA SPRINGS, FL 34135

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173838
EPA ID: N/R

EPA UST ***(cont.)***

Tank Details

Tank ID :	FL8627269-1
Tank Status :	Closed
Installation Date :	1979-03-01
Removal Date :	N/R
Capacity :	4000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8627269-2
Tank Status :	Closed
Installation Date :	1979-03-01
Removal Date :	N/R
Capacity :	4000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

GWIF - FL

Facility Name :	COMCAST
Facility Address :	26790 OLD US HWY 41 RD, BONITA SPRINGS, 34135
County :	LEE

Facility ID :	8627269
Facility Type :	PETROLEUM
Location ID :	187329
Location Method :	DGPS = Differentially Corrected GPS
GPS ID :	187329
GPS Date :	2008-10-17
HAE (Height Above Ellipsoid) :	6.48
Project ID :	SUPER
Insp Name :	PETE HAENGGI
Insp CHD :	LEE
Request Number :	47885
Datum :	WS1984
Software :	Risk_Solo_v2
Streetside :	N/R
Agency :	DOH
Comment :	N/R
Latitude :	26.348589
Longitude :	-81.779322
Last Date in Agency List :	2026-05-09

LUST - FL

Facility Name :	PALMER CABLEVISION OF SW FL INC
Facility Address :	26790 OLD 41 RD, BONITA SPRINGS, 34135
County :	LEE

Map Id: C31
Direction: SE
Distance: 0.052 mi., 274 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : PALMER CABLEVISION OF SW FL INC | COMCAST
26790 OLD 41 RD | 26790 OLD US HWY 41 RD
BONITA SPRINGS, FL 34135

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173838
EPA ID: N/R

LUST - FL ***(cont.)***

Site Details

Facility ID :	8627269
Facility Status :	CLOSED
Facility Type :	Fuel user/Non-retail
Phone :	8139471647
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	63539
Owner Name :	COMCAST CABLEVISION OF THE SOUTH INC
Owner Address 1 :	1500 MARKET ST, PHILADELPHIA, PA 19102
Owner Address 2 :	N/R
Owner Phone :	N/R
Contact :	N/R

Discharge Details

Discharge Date :	1992-01-07
Status Date :	1999-04-23
Status Description :	SRCR COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2011-06-01
Score :	51
CU Status :	N/R

Discharge Date :	1992-12-07
Status Date :	1999-04-23
Status Description :	SRCR COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2011-06-01
Score :	51
CU Status :	N/R

Discharge Date :	1988-12-01
Status Date :	2001-05-29
Status Description :	CLEANUP NOT REQUIRED
DEP Code :	P
Description :	NO CLEANUP REQUIRED
Score Date :	N/R
Score :	N/R
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: C31
Direction: SE
Distance: 0.052 mi., 274 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : PALMER CABLEVISION OF SW FL INC | COMCAST
26790 OLD 41 RD | 26790 OLD US HWY 41 RD
BONITA SPRINGS, FL 34135

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173838
EPA ID: N/R

UST - FL

Facility Name :	PALMER CABLEVISION OF SW FL INC
Facility Address :	26790 OLD 41 RD, BONITA SPRINGS, 34135
County :	LEE

Site Details

Facility ID :	8627269
Facility Phone :	8139471647
Facility Status :	CLOSED
Facility Type :	Fuel user/Non-retail
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	63539
Owner Name :	COMCAST CABLEVISION OF THE SOUTH INC
Owner Address 1 :	1500 MARKET ST, PHILADELPHIA, PA 19102
Owner Address 2 :	N/R
Owner Phone :	N/R
Contact :	N/R
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	4000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1979-03-01
Status :	Removed from Site
Status Date :	N/R

Tank ID :	2
Gallons :	4000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1979-03-01
Status :	Removed from Site
Status Date :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: F32
Direction: NNW
Distance: 0.054 mi., 284 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : CALIBER COLLISION | Caliber Collision - Bonita Springs #2027
24901 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY]

Envirosite ID: 68173817
EPA ID: N/R

ECHO

Facility Name :	CALIBER COLLISION
Facility Address :	24901 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	2016-12-01
Registry ID :	110069221452
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	3237
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	N/R
Three-Year Compliance Status :	_U
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	50
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503082053
MYRTK Universe :	NNN
NPDES IDs :	FLR10PY85
CWA Permit Types :	Non-M
CWA Compliance Tracking :	Off
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	3236
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	Terminated Permit
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	__U
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.

Map Id: F32
Direction: NNW
Distance: 0.054 mi., 284 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : CALIBER COLLISION | Caliber Collision - Bonita Springs #2027
24901 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY] ***(cont.)***

Envirosite ID: 68173817
EPA ID: N/R

ECHO ***(cont.)***

Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2016-12-01
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.37874
Longitude :	-81.80519
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	CALIBER COLLISION
Facility Address :	24901 OLD 41 RD, BONITA SPRINGS, FL 34135-7020
County :	LEE

Site Details

Registry ID :	110069221452
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

Map Id: F32
Direction: NNW
Distance: 0.054 mi., 284 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : CALIBER COLLISION | Caliber Collision - Bonita Springs #2027
24901 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY] ***(cont.)***

Envirosite ID: 68173817
EPA ID: N/R

FRS ***(cont.)***

FRS Environmental Interest

Source and System ID :	ICIS - FLR10PY85

ICIS

Facility Name :	CALIBER COLLISION
Facility Address :	24901 OLD 41 RD, BONITA SPRINGS, FL 34135-7020

Site Details

NPDES ID :	FLR10PY85
ICIS Facility Interest ID :	3600163376
Facility UIN :	110069221452
Facility Type Code :	Privately Owned Facility
Impaired Waters :	303(D) Listed
Latitude :	26.3795409
Longitude :	-81.8046413
Last Date in Agency List :	2026-02-25

INACTIVE PCS

Issue Date :	2016-03-17
Original Issue Date :	2016-03-17
Effective Date :	2016-03-17
Expiration Date :	2021-03-16
Retirement Date :	N/R
Termination Date :	2023-02-01
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3600719047
External Permit Number :	FLR10PY85
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Terminated
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Caliber Collision
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR100000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2026-02-26

MANIFEST EPA

Manifest Details

Manifest Number :	007237610SKS
Shipped Date :	2020-02-14

Map Id: F32
Direction: NNW
Distance: 0.054 mi., 284 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : CALIBER COLLISION | Caliber Collision - Bonita Springs #2027
24901 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY] ***(cont.)***

Envirosite ID: 68173817
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Updated Date :	2020-03-30
Received Date :	2020-02-24
Status :	Signed
Generator ID :	CESQG
Generator Name :	Caliber Collision - Bonita Springs #2027
Generator Address :	24901 Old 41 Rd Location ID# - 2027, BONITA SPRINGS, FL 34135
Generator Mailing :	24901 Old 41 Rd Location ID# - 2027, Bonita Springs, FL 34135
Generator Contact :	Caliber Collision - Bonita Springs #2027
Destination ID :	SCD077995488
Destination Name :	Safety-Kleen Systems, Inc.
Destination Mailing :	130-A Frontage Road, Lexington, SC 29073
Destination Address :	130-A Frontage Road, Lexington, SC 29073
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	UN1263, WASTE UN1263 WASTE PAINT RELATED MATERIAL, 3 PG II (ERG#128)(F005,F003,D001,D018,D035 D039,D040), 3, PG II
Non Waste Description :	N/R
Quantity :	36 Pounds
Quantity Tons, Acute, Non-Acute :	0.018, 0, 0.018
Quantity Kg, Acute, Non-Acute :	0, 16.32654
Quantity Tons, Haz, Non-Haz :	0.018, 0
Quantity Kg, Haz, Non-Haz :	16.32654, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D018, D035, D039, D040, F003, F005
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	N
DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	NONE, USED AQUEOUS CLEANING SOLUTION (NOT USDOT OR USEPA REGULATED) (AQ PAINT SOLUTION), N/A, NONE
Quantity :	72 Pounds
Quantity Tons, Acute, Non-Acute :	0.036, 0, 0.036
Quantity Kg, Acute, Non-Acute :	0, 32.65308
Quantity Tons, Haz, Non-Haz :	0, 0.036
Quantity Kg, Haz, Non-Haz :	0, 32.65308

Map Id: F32
Direction: NNW
Distance: 0.054 mi., 284 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : CALIBER COLLISION | Caliber Collision - Bonita Springs #2027
24901 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY] ***(cont.)***

Envirosite ID: 68173817
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	SC - 7777

Manifest Details

Manifest Number :	007238462SKS
Shipped Date :	2019-12-18
Updated Date :	2020-01-30
Received Date :	2020-01-02
Status :	Signed
Generator ID :	CESQG
Generator Name :	Caliber Collision - Bonita Springs #2027
Generator Address :	24901 Old 41 Rd Location ID# - 2027, BONITA SPRINGS, FL 34135
Generator Mailing :	24901 Old 41 Rd Location ID# - 2027, Bonita Springs, FL 34135
Generator Contact :	Caliber Collision - Bonita Springs #2027
Destination ID :	SCD077995488
Destination Name :	Safety-Kleen Systems, Inc.
Destination Mailing :	130-A Frontage Road, Lexington, SC 29073
Destination Address :	130-A Frontage Road, Lexington, SC 29073
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	UN1263, WASTE UN1263 WASTE PAINT RELATED MATERIAL, 3 PG II (ERG#128)(F005,F003,D001,D018,D035 D039,D040), 3, PG II
Non Waste Description :	N/R
Quantity :	36 Pounds
Quantity Tons, Acute, Non-Acute :	0.018, 0, 0.018
Quantity Kg, Acute, Non-Acute :	0, 16.32654
Quantity Tons, Haz, Non-Haz :	0.018, 0
Quantity Kg, Haz, Non-Haz :	16.32654, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D018, D035, D039, D040, F003, F005
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	N
DOT ID Number :	N/R

Map Id: F32
Direction: NNW
Distance: 0.054 mi., 284 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : CALIBER COLLISION | Caliber Collision - Bonita Springs #2027
24901 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY] ***(cont.)***

Envirosite ID: 68173817
EPA ID: N/R

MANIFEST EPA ***(cont.)***

DOT Information :	N/R
Non Waste Description :	NONE, USED AQUEOUS CLEANING SOLUTION (NOT USDOT OR USEPA REGULATED) (AQ PAINT SOLUTION), N/A, NONE
Quantity :	36 Pounds
Quantity Tons, Acute, Non-Acute :	0.018, 0, 0.018
Quantity Kg, Acute, Non-Acute :	0, 16.32654
Quantity Tons, Haz, Non-Haz :	0, 0.018
Quantity Kg, Haz, Non-Haz :	0, 16.32654
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	SC - 7777

Manifest Details

Manifest Number :	006918092SKS
Shipped Date :	2019-11-07
Updated Date :	2020-01-09
Received Date :	2019-11-18
Status :	Signed
Generator ID :	CESQG
Generator Name :	Caliber Collision - Bonita Springs #2027
Generator Address :	24901 Old 41 Rd Location ID# - 2027, BONITA SPRINGS, FL 34135
Generator Mailing :	24901 Old 41 Rd Location ID# - 2027, Bonita Springs, FL 34135
Generator Contact :	N/R
Destination ID :	SCD077995488
Destination Name :	Safety-Kleen Systems, Inc.
Destination Mailing :	130-A Frontage Road, Lexington, SC 29073
Destination Address :	130-A Frontage Road, Lexington, SC 29073
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	UN1263, WASTE UN1263 WASTE PAINT RELATED MATERIAL, 3 PG II (ERG#128)(F005,F003,D001,D018,D035 D039,D040), 3, PG II
Non Waste Description :	N/R
Quantity :	34 Pounds
Quantity Tons, Acute, Non-Acute :	0.017, 0, 0.017
Quantity Kg, Acute, Non-Acute :	0, 15.419512
Quantity Tons, Haz, Non-Haz :	0.017, 0

Map Id: F32
Direction: NNW
Distance: 0.054 mi., 284 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : CALIBER COLLISION | Caliber Collision - Bonita Springs #2027
24901 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY] ***(cont.)***

Envirosite ID: 68173817
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Quantity Kg, Haz, Non-Haz :	15.419512, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D018, D035, D039, D040, F003, F005
State Code :	N/R

Manifest Details

Manifest Number :	006917317SKS
Shipped Date :	2019-08-30
Updated Date :	2019-10-14
Received Date :	2019-09-09
Status :	Signed
Generator ID :	CESQG
Generator Name :	Caliber Collision - Bonita Springs #2027
Generator Address :	24901 Old 41 Rd Location ID# - 2027, BONITA SPRINGS, FL 34135
Generator Mailing :	24901 Old 41 Rd Location ID# - 2027, Bonita Springs, FL 34135
Generator Contact :	N/R
Destination ID :	SCD077995488
Destination Name :	Safety-Kleen Systems, Inc.
Destination Mailing :	130-A Frontage Road, Lexington, SC 29073
Destination Address :	130-A Frontage Road, Lexington, SC 29073
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	UN1263, WASTE UN1263 WASTE PAINT RELATED MATERIAL, 3 PG II (ERG#128)(F005,F003,D001,D018,D035 D039,D040), 3, PG II
Non Waste Description :	N/R
Quantity :	30 Pounds
Quantity Tons, Acute, Non-Acute :	0.015, 0, 0.015
Quantity Kg, Acute, Non-Acute :	0, 13.60545
Quantity Tons, Haz, Non-Haz :	0.015, 0
Quantity Kg, Haz, Non-Haz :	13.60545, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D018, D035, D039, D040, F003, F005
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	N

Map Id: F32
Direction: NNW
Distance: 0.054 mi., 284 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : CALIBER COLLISION | Caliber Collision - Bonita Springs #2027
24901 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY] ***(cont.)***

Envirosite ID: 68173817
EPA ID: N/R

MANIFEST EPA ***(cont.)***

DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	NONE, USED AQUEOUS CLEANING SOLUTION (NOT USDOT OR USEPA REGULATED) (AQ PAINT SOLUTION), N/A, NONE
Quantity :	30 Pounds
Quantity Tons, Acute, Non-Acute :	0.015, 0, 0.015
Quantity Kg, Acute, Non-Acute :	0, 13.60545
Quantity Tons, Haz, Non-Haz :	0, 0.015
Quantity Kg, Haz, Non-Haz :	0, 13.60545
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	SC - 7777

Manifest Details

Manifest Number :	006917661SKS
Shipped Date :	2019-07-08
Updated Date :	2019-09-01
Received Date :	2019-07-15
Status :	Corrected
Generator ID :	CESQG
Generator Name :	Caliber Collision - Bonita Springs #2027
Generator Address :	24901 Old 41 Rd Location ID# - 2027, BONITA SPRINGS, FL 34135
Generator Mailing :	24901 Old 41 Rd Location ID# - 2027, Bonita Springs, FL 34135
Generator Contact :	N/R
Destination ID :	SCD077995488
Destination Name :	Safety-Kleen Systems, Inc.
Destination Mailing :	130-A Frontage Road, Lexington, SC 29073
Destination Address :	130-A Frontage Road, Lexington, SC 29073
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	UN1263, WASTE UN1263 WASTE PAINT RELATED MATERIAL, 3 PG II (ERG#128)(F005,F003,D001,D018,D035 D039,D040), 3, PG II
Non Waste Description :	N/R
Quantity :	30 Pounds
Quantity Tons, Acute, Non-Acute :	0.015, 0, 0.015
Quantity Kg, Acute, Non-Acute :	0, 13.60545

Map Id: F32
Direction: NNW
Distance: 0.054 mi., 284 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : CALIBER COLLISION | Caliber Collision - Bonita Springs #2027
24901 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY] ***(cont.)***

Envirosite ID: 68173817
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Quantity Tons, Haz, Non-Haz :	0.015, 0
Quantity Kg, Haz, Non-Haz :	13.60545, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D018, D035, D039, D040, F003, F005
State Code :	N/R
Waste Line Number :	2
Is DOT Hazardous :	N
DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	NONE, USED AQUEOUS CLEANING SOLUTION (NOT USDOT OR USEPA REGULATED) (AQ PAINT SOLUTION), N/A, NONE
Quantity :	36 Pounds
Quantity Tons, Acute, Non-Acute :	0.018, 0, 0.018
Quantity Kg, Acute, Non-Acute :	0, 16.32654
Quantity Tons, Haz, Non-Haz :	0, 0.018
Quantity Kg, Haz, Non-Haz :	0, 16.32654
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	SC - 7777

NPDES - FL

Facility Name :	Caliber Collision
Facility Address :	24901 Old 41 Rd, Bonita Springs
County :	LEE

Site Details

Issue Date :	2016-03-17
Effective Date :	2016-03-17
Expiration Date :	2021-03-16
Facility ID :	FLR10PY85
Facility Type :	Construction Stormwater GP
Status :	Active
NPDES :	N/R
Company Name :	N/R
Document Description :	Generic Permit
Nature of Business :	N/R
Ownership Type :	Private
Treatment Process Summary :	N/R
Department Office :	Tallahassee NPDES Stormwater
Capacity (MGD) :	N/R
DW Class :	N/R
Last Date in Agency List :	2022-12-14

Map Id: F32
Direction: NNW
Distance: 0.054 mi., 284 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : CALIBER COLLISION | Caliber Collision - Bonita Springs #2027
24901 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY] ***(cont.)***

Envirosite ID: 68173817
EPA ID: N/R

NPDES - FL ***(cont.)***

Related Party Details

Related Party Name :	Greg Coleman, Project Manager
Related Party Address :	16121 Lee Rd, Fort Myers FL 33912-2512
Related Party Address 2 :	N/R
Related Party Phone :	2393348800
Related Party Email :	gcoleman@gcmcontracting.com

PCS FACILITY

Issue Date :	2016-03-17
Original Issue Date :	2016-03-17
Effective Date :	2016-03-17
Expiration Date :	2021-03-16
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3600719047
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Caliber Collision
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR100000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2021-06-11

Map Id: C33
Direction: SE
Distance: 0.054 mi., 287 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : ETURA CORP | ETURA, INC. (DBA MARBLE FANTASY) | Responsible Party
26340 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [AIRS - FL, EJ TOXIC RELEASE, RCRA NONGEN, SPILLS - FL]

Envirosite ID: 68173832
EPA ID: N/R

AIRS - FL

Facility Name :	ETURA, INC. (DBA MARBLE FANTASY)
Facility Address :	26340 OLD 41 ROAD, BONITA SPRINGS, 33923

Map Id: C33
Direction: SE
Distance: 0.054 mi., 287 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : ETURA CORP | ETURA, INC. (DBA MARBLE FANTASY) | Responsible Party
26340 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [AIRS - FL, EJ TOXIC RELEASE, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173832
EPA ID: N/R

AIRS - FL ***(cont.)***

County :	LEE
Startup Date (Relocation) :	N/R
Shutdown Date (Relocation) :	N/R
AIRS ID :	0710108
Owner/Company Name :	ETURA, INC. (DBA MARBLE FANTASY)
Category :	POINT
Relocatable :	N/R
UTM Zone :	17
North :	2914.9
East :	421.9
Township :	N/R
Major Group SIC :	30
Government Facility Code :	0
Public Exempt :	N/R
One Time Title V Credit :	N
Title V :	N
Title V by EPA Designation :	N/R
Compliance Tracking Code :	B
Current Permit Indicator :	N/R
Syn Non Title V Source :	N
Major of Non Haps Pollutants :	N/R
Syn Minor of Non Hap Pollutants :	N/R
Major of HAPS :	N/R
Syn Minor of HAPS :	N/R
NSPS :	N/R
NESHAP :	N/R
Emission Guidelines :	N/R
Small Business Stationary :	N/R
AOR Required :	Y
Ozone SIP Facility :	N
Regulatory Comment :	N/R
Facility Final Shutdown Date :	N/R
Facility Office :	SD
Facility Status :	Inactive
Facility Type :	OTHER
Directions :	26340 OLD 41 ROAD
Facility Comment :	permanent facility shutdown 31 July 2000 per 2000 AOR submittal.
Last Date in Agency List :	2019-10-02
Startup Date (Relocation) :	N/R
Shutdown Date (Relocation) :	N/R
AIRS ID :	710108
Owner/Company Name :	ETURA, INC. (DBA MARBLE FANTASY)
Category :	POINT
Relocatable :	N/R
UTM Zone :	17
North :	2914.9
East :	421.9
Township :	N/R
Major Group SIC :	30
Government Facility Code :	0
Public Exempt :	N/R

Map Id: C33
Direction: SE
Distance: 0.054 mi., 287 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : ETURA CORP | ETURA, INC. (DBA MARBLE FANTASY) | Responsible Party
26340 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [AIRS - FL, EJ TOXIC RELEASE, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173832
EPA ID: N/R

AIRS - FL ***(cont.)***

One Time Title V Credit :	N
Title V :	N
Title V by EPA Designation :	N/R
Compliance Tracking Code :	B
Current Permit Indicator :	N/R
Syn Non Title V Source :	N
Major of Non Haps Pollutants :	N/R
Syn Minor of Non Hap Pollutants :	N/R
Major of HAPS :	N/R
Syn Minor of HAPS :	N/R
NSPS :	N/R
NESHAP :	N/R
Emission Guidelines :	N/R
Small Business Stationary :	N/R
AOR Required :	Y
Ozone SIP Facility :	N
Regulatory Comment :	N/R
Facility Final Shutdown Date :	N/R
Facility Office :	SD
Facility Status :	Inactive
Facility Type :	OTHER
Directions :	26340 OLD 41 ROAD
Facility Comment :	permanent facility shutdown 31 July 2000 per 2000 AOR submittal.
Last Date in Agency List :	2025-12-23

EJ TOXIC RELEASE

Facility Name :	ETURA CORP
Facility Address :	26340 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE
Registry ID :	110000365266
Program System :	TRIS
Program System ID :	33923TRCRP26340
EPA Region :	Region 4
Latitude :	26.355771
Longitude :	-81.783456
Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2025-01-14

RCRA NONGEN

Facility Name :	ETURA INC
Facility Address :	26340 OLD 41 RD, BONITA SPRINGS, FL 34135-7062
County :	LEE
Date Form Received by Agency :	1994-10-14
EPA ID :	FLD984260646
Mailing Address :	26340 OLD 41 RD, BONITA SPRINGS, FL 34135-7062
Contact :	DON OLSON
Contact Address :	26340 OLD 41 RD, BONITA SPRINGS, FL 34135-7062
Contact Country :	US
Contact Telephone :	941-947-2003

Map Id: C33
Direction: SE
Distance: 0.054 mi., 287 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : ETURA CORP | ETURA, INC. (DBA MARBLE FANTASY) | Responsible Party
26340 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [AIRS - FL, EJ TOXIC RELEASE, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173832
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	DON OLSON
Owner/Operator Address :	26340 OLD 41 RD, BONITA SPRINGS, FL 34135-7062
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2002-03-06
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	1993-08-06
Facility Name :	ETURA INC
Classification :	Very Small Quantity Generator

Notices of Violations Summary

Date of Violation :	1993-03-26
Date Achieved Compliance :	1993-12-23
Regulation Violated :	Y
Area of Violation :	Generators - Pre-transport

Map Id: C33
Direction: SE
Distance: 0.054 mi., 287 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : ETURA CORP | ETURA, INC. (DBA MARBLE FANTASY) | Responsible Party
26340 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [AIRS - FL, EJ TOXIC RELEASE, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173832
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Enforcement Action :	DEP MEETING
Enforcement Action Date :	1993-12-07
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	1993-03-26
Date Achieved Compliance :	1993-12-23
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	DEP WARNING LETTER
Enforcement Action Date :	1993-11-19
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	1993-03-26
Date Achieved Compliance :	1993-12-23
Regulation Violated :	Y
Area of Violation :	Generators - Pre-transport
Enforcement Action :	DEP SHORT FORM CONSENT ORDER
Enforcement Action Date :	1993-12-23
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	3390
Paid Penalty Amount :	3390

Date of Violation :	1993-03-26
Date Achieved Compliance :	1993-12-23
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	DEP SHORT FORM CONSENT ORDER
Enforcement Action Date :	1993-12-23
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	3390
Paid Penalty Amount :	3390

Map Id: C33
Direction: SE
Distance: 0.054 mi., 287 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : ETURA CORP | ETURA, INC. (DBA MARBLE FANTASY) | Responsible Party
26340 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [AIRS - FL, EJ TOXIC RELEASE, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173832
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Date of Violation :	1993-03-26
Date Achieved Compliance :	1993-12-23
Regulation Violated :	Y
Area of Violation :	Generators - Pre-transport
Enforcement Action :	DEP WARNING LETTER
Enforcement Action Date :	1993-11-19
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	1993-03-26
Date Achieved Compliance :	1993-12-23
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	DEP MEETING
Enforcement Action Date :	1993-12-07
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	1996-02-22
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	1994-10-14
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	1994-07-13
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	1994-04-07
Evaluation :	NON-FINANCIAL RECORD REVIEW

Map Id: C33
Direction: SE
Distance: 0.054 mi., 287 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : ETURA CORP | ETURA, INC. (DBA MARBLE FANTASY) | Responsible Party
26340 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [AIRS - FL, EJ TOXIC RELEASE, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173832
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State
Evaluation Date :	1994-01-10
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State
Evaluation Date :	1993-09-22
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State
Evaluation Date :	1993-08-26
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State
Evaluation Date :	1993-03-26
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Generators - Pre-transport
Date Achieved Compliance :	1993-12-23
Evaluation Lead Agency :	State
Evaluation Date :	1993-03-26
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Generators - General
Date Achieved Compliance :	1993-12-23
Evaluation Lead Agency :	State

SPILLS - FL

Facility Name :	Responsible Party
Facility Address :	26340 Old 41 Road, BONITA SPRINGS
County :	Lee

Incident Details

Incident Number :	19048
Incident Date :	1999-12-18
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	Dumping
On-scene Response :	N/R
State Warning Point Date :	N/R

Map Id: C33
Direction: SE
Distance: 0.054 mi., 287 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : ETURA CORP | ETURA, INC. (DBA MARBLE FANTASY) | Responsible Party
26340 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [AIRS - FL, EJ TOXIC RELEASE, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173832
EPA ID: N/R

SPILLS - FL ***(cont.)***

State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Pollutants

Pollutant Name :	N/R
Pollutant Actual Volume :	N/R
Pollutant Category :	Etura Corp

Map Id: C34
Direction: SE
Distance: 0.055 mi., 291 ft.
Elevation: 0 ft.
Relative: Lower

Site Name : BAMBOO MOBILE VILLAGE
27131 OLD 41 RD
BONITA SPRINGS, FL 33923

Database(s) : [EPA UST, UST - FL]

Envirosite ID: 68173844
EPA ID: N/R

EPA UST

Facility Name :	BAMBOO MOBILE VILLAGE
Facility Address :	27131 OLD 41 RD, BONITA SPRINGS, Florida 33923
County :	N/R
Facility ID :	FL8944100
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	1
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.3402777777778
Longitude :	-81.7794444444444
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8944100-1
Tank Status :	Closed
Installation Date :	N/R

Map Id: C34
Direction: SE
Distance: 0.055 mi., 291 ft.
Elevation: 0 ft.
Relative: Lower

Site Name : BAMBOO MOBILE VILLAGE
27131 OLD 41 RD
BONITA SPRINGS, FL 33923

Database(s) : [EPA UST, UST - FL] ***(cont.)***

Envirosite ID: 68173844
EPA ID: N/R

EPA UST ***(cont.)***

Removal Date :	N/R
Capacity :	1000
Substances :	Leaded Gas
Tank Wall Type :	N/R

UST - FL

Facility Name :	BAMBOO MOBILE VILLAGE
Facility Address :	27131 OLD 41 RD, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	8944100
Facility Phone :	8139922822
Facility Status :	CLOSED
Facility Type :	Fuel user/Non-retail
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	1383
Owner Name :	BAMBOO MOBILE VILLAGE
Owner Address 1 :	27131 OLD 41 RD, BONITA SPRINGS, FL 33923
Owner Address 2 :	N/R
Owner Phone :	8139922822
Contact :	HOWARD M HOTCHKISS
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	1000
Tank Location :	UNDERGROUND
Substance :	Leaded Gas
Install Date :	N/R
Status :	Removed from Site
Status Date :	1993-05-31

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: C35
Direction: SE
Distance: 0.058 mi., 306 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : BONITA AUTO SALES INC
26750 OLD 41 RD | 26750 OLD US HWY 41 RD
BONITA SPRINGS, FL 34135

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, UST - FL]

Envirosite ID: 68173836
EPA ID: N/R

CS - FL

Facility Name :	BONITA AUTO SALES INC
Facility Address :	26750 OLD 41 RD, BONITA SPRINGS, 34135
County :	Leon County
DEP Cleanup Site Key :	66513155
Program Site ID :	8519464
Program Source Data :	STCM
Program Area :	PETRO
Collection Date :	2004-09-29
Verification Date :	2004-09-29
Load Date :	2021-03-26
Verifier :	STANDRIDGE_N
Collector :	STANDRIDGE_N
Verifier Agency :	FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
Collection Agency :	FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
Verification Status :	REVIEWED
Remediation Status :	ACTIVE
Office/District :	SD
Comments :	N/R
Last Date in Agency List :	2021-04-07

DWM CONTAM - FL

Facility Name :	BONITA AUTO SALES INC
Facility Address :	26750 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE
Score Effective Date :	2011-06-01
Score :	31
Score Ranked :	N/R
Rank :	N/R
Facility ID :	8519464
Facility Status :	CLOSED
Facility Type :	A - Retail Station
County Code :	36
District :	SD
Operator :	LARRY MAYBIN
Phone :	(239)992-7799
Name Changed Date :	2004-07-14
Address Changed Date :	2005-07-06
Latitude Degrees :	26
Latitude Minutes :	20
Latitude Seconds :	55.7486
Longitude Degrees :	81
Longitude Minutes :	46
Longitude Seconds :	46.9148
Feature :	N/R
Method :	MMAP
Datum :	0
Section/Township/Range :	N/R
Related Party Begin Date :	2004-07-14

Map Id: C35
Direction: SE
Distance: 0.058 mi., 306 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : BONITA AUTO SALES INC
26750 OLD 41 RD | 26750 OLD US HWY 41 RD
BONITA SPRINGS, FL 34135

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173836
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

Related Party ID :	56553
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	BONITA AUTO SALES INC
Related Party Address 1 :	26750 OLD 41 RD, BONITA SPRINGS, FL 34135
Related Party Address 2 :	ATTN: LARRY MAYBIN
Contact :	LARRY MAYBIN
Related Party Phone :	(239)992-7799
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

ECHO

Facility Name :	BONITA AUTO SALES
Facility Address :	26750 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	N/R
Registry ID :	110029520739
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	N/R
Three-Year Compliance Status :	N/R
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 23 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040105
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710504001018
MYRTK Universe :	NNN
NPDES IDs :	FLG912790
CWA Permit Types :	Non-M
CWA Compliance Tracking :	Off
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R

Map Id: C35
Direction: SE
Distance: 0.058 mi., 306 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : BONITA AUTO SALES INC
26750 OLD 41 RD | 26750 OLD US HWY 41 RD
BONITA SPRINGS, FL 34135

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173836
EPA ID: N/R

ECHO ***(cont.)***

CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	Terminated Permit
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.34894
Longitude :	-81.77916
Last Date in Agency List :	2026-05-11

EPA LUST

Facility Name :	BONITA AUTO SALES INC
Facility Address :	26750 OLD 41 RD, BONITA SPRINGS, Florida
County :	N/R
Facility ID :	FL8519464
LUST ID :	FL9513
Reported Date :	1997-11-14

Map Id: C35
Direction: SE
Distance: 0.058 mi., 306 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : BONITA AUTO SALES INC
26750 OLD 41 RD | 26750 OLD US HWY 41 RD
BONITA SPRINGS, FL 34135

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173836
EPA ID: N/R

EPA LUST ***(cont.)***

Status :	Open
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	1014
Estimated Private Domestic Wells within 1500ft:	19
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.35028
Longitude :	-81.7797199999999
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	BONITA AUTO SALES INC
Facility Address :	26750 OLD 41 RD, BONITA SPRINGS, Florida 34135
County :	N/R
Facility ID :	FL8519464
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	5
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.3502777777778
Longitude :	-81.7797222222222
Last Date in Agency List :	2024-05-22

Map Id: C35
Direction: SE
Distance: 0.058 mi., 306 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : BONITA AUTO SALES INC
26750 OLD 41 RD | 26750 OLD US HWY 41 RD
BONITA SPRINGS, FL 34135

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173836
EPA ID: N/R

EPA UST ***(cont.)***

Tank Details

Tank ID :	FL8519464-1
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	4000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8519464-2
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	4000
Substances :	Leaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8519464-3
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	4000
Substances :	Leaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8519464-4
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	4000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8519464-5
Tank Status :	Closed
Installation Date :	1980-12-01
Removal Date :	N/R
Capacity :	6000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R

FRS

Facility Name :	BONITA AUTO SALES
Facility Address :	26750 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE

Map Id: C35
Direction: SE
Distance: 0.058 mi., 306 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : BONITA AUTO SALES INC
26750 OLD 41 RD | 26750 OLD US HWY 41 RD
BONITA SPRINGS, FL 34135

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173836
EPA ID: N/R

FRS ***(cont.)***

Site Details

Registry ID :	110029520739
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.
The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest

Source and System ID :
FLORIDA DEP - 77485
ICIS - FLG912790

GWIF - FL

Facility Name :	BONITA AUTO SALES
Facility Address :	26750 OLD US HWY 41 RD, BONITA SPRINGS, 34135
County :	LEE
Facility ID :	8519464
Facility Type :	PETROLEUM
Location ID :	183177
Location Method :	DGPS = Differentially Corrected GPS
GPS ID :	183177
GPS Date :	2004-06-02
HAE (Height Above Ellipsoid) :	1.55
Project ID :	SUPER
Insp Name :	MARK ASHTON
Insp CHD :	LEE
Request Number :	N/R
Datum :	WS1984
Software :	N/R
Streetside :	N/R
Agency :	N/R
Comment :	N/R
Latitude :	26.348993
Longitude :	-81.779334
Last Date in Agency List :	2026-05-09

Map Id: C35
Direction: SE
Distance: 0.058 mi., 306 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : BONITA AUTO SALES INC
26750 OLD 41 RD | 26750 OLD US HWY 41 RD
BONITA SPRINGS, FL 34135

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173836
EPA ID: N/R

ICIS

Facility Name :	BONITA AUTO SALES
Facility Address :	26750 OLD 41 RD, BONITA SPRINGS, FL 34135

Site Details

NPDES ID :	FLG912790
ICIS Facility Interest ID :	2400000425
Facility UIN :	110029520739
Facility Type Code :	Privately Owned Facility
Impaired Waters :	303(D) Listed
Latitude :	26.348681
Longitude :	-81.779148
Last Date in Agency List :	2026-02-25

INACTIVE PCS

Issue Date :	2007-02-22
Original Issue Date :	2007-02-22
Effective Date :	2007-02-22
Expiration Date :	2012-02-21
Retirement Date :	N/R
Termination Date :	2014-12-29
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	2400040952
External Permit Number :	FLG912790
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Terminated
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	BONITA AUTO SALES
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLG910000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2026-02-26

LUST - FL

Facility Name :	BONITA AUTO SALES INC
Facility Address :	26750 OLD 41 RD, BONITA SPRINGS, 34135
County :	LEE

Map Id: C35
Direction: SE
Distance: 0.058 mi., 306 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : BONITA AUTO SALES INC
26750 OLD 41 RD | 26750 OLD US HWY 41 RD
BONITA SPRINGS, FL 34135

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173836
EPA ID: N/R

LUST - FL ***(cont.)***

Site Details

Facility ID :	8519464
Facility Status :	CLOSED
Facility Type :	Retail Station
Phone :	2399927799
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	56553
Owner Name :	BONITA AUTO SALES INC
Owner Address 1 :	26750 OLD 41 RD, BONITA SPRINGS, FL 34135
Owner Address 2 :	ATTN: LARRY MAYBIN
Owner Phone :	2399927799
Contact :	LARRY MAYBIN

Discharge Details

Discharge Date :	1997-11-14
Status Date :	2021-04-29
Status Description :	SRCR COMPLETE
DEP Code :	P
Description :	COMBINED CLEANUP REQUIRED
Score Date :	2011-06-01
Score :	31
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

UST - FL

Facility Name :	BONITA AUTO SALES INC
Facility Address :	26750 OLD 41 RD, BONITA SPRINGS, 34135
County :	LEE

Site Details

Facility ID :	8519464
Facility Phone :	2399927799
Facility Status :	CLOSED
Facility Type :	Retail Station
Last Date in Agency List :	2026-05-06

Map Id: C35
Direction: SE
Distance: 0.058 mi., 306 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : BONITA AUTO SALES INC
26750 OLD 41 RD | 26750 OLD US HWY 41 RD
BONITA SPRINGS, FL 34135

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173836
EPA ID: N/R

UST - FL ***(cont.)***

Owner Information

Owner ID :	56553
Owner Name :	BONITA AUTO SALES INC
Owner Address 1 :	26750 OLD 41 RD, BONITA SPRINGS, FL 34135
Owner Address 2 :	ATTN: LARRY MAYBIN
Owner Phone :	2399927799
Contact :	LARRY MAYBIN
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	4000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	N/R
Status :	Removed from Site
Status Date :	1999-11-01

Tank ID :	2
Gallons :	4000
Tank Location :	UNDERGROUND
Substance :	Leaded Gas
Install Date :	N/R
Status :	Removed from Site
Status Date :	1999-11-01

Tank ID :	3
Gallons :	4000
Tank Location :	UNDERGROUND
Substance :	Leaded Gas
Install Date :	N/R
Status :	Removed from Site
Status Date :	1999-11-01

Tank ID :	4
Gallons :	4000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	N/R
Status :	Removed from Site
Status Date :	1999-11-01

Tank ID :	5
Gallons :	6000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel

Map Id: C35
Direction: SE
Distance: 0.058 mi., 306 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : BONITA AUTO SALES INC
26750 OLD 41 RD | 26750 OLD US HWY 41 RD
BONITA SPRINGS, FL 34135

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173836
EPA ID: N/R

UST - FL ***(cont.)***

Install Date :	1980-12-01
Status :	Removed from Site
Status Date :	1999-11-01
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: C36
Direction: SE
Distance: 0.060 mi., 316 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : T+K FARMS
SPRING CREEK DRIVE
BONITA SPRINGS, FL 33923

Database(s) : [ECHO, FRS, RCRA NONGEN]

Envirosite ID: 1744676
EPA ID: N/R

ECHO

Facility Name :	T+K FARMS
Facility Address :	SPRING CREEK DRIVE, BONITA SPRINGS, FL 33923
County :	LEE
Last Inspection Date :	N/R
Registry ID :	110035463628
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	N/R
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34134

Map Id: C36
Direction: SE
Distance: 0.060 mi., 316 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : T+K FARMS
SPRING CREEK DRIVE
BONITA SPRINGS, FL 33923

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 1744676
EPA ID: N/R

ECHO ***(cont.)***

Derived CD113 :	19
Derived CB2010 :	120710503142003
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.39365
Longitude :	-81.82629
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	T+K FARMS
Facility Address :	SPRING CREEK DRIVE, BONITA SPRINGS, FL 33923
County :	LEE

Map Id: C36
Direction: SE
Distance: 0.060 mi., 316 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : T+K FARMS
SPRING CREEK DRIVE
BONITA SPRINGS, FL 33923

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 1744676
EPA ID: N/R

FRS ***(cont.)***

Site Details

Registry ID :	110035463628
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 65249 RCRAINFO - FLTMP9203511

RCRA NONGEN

Facility Name :	T+K FARMS
Facility Address :	SPRING CREEK DRIVE, BONITA SPRINGS, FL 33923
County :	LEE
Date Form Received by Agency :	1992-07-04
EPA ID :	FLTMP9203511
Mailing Address :	N/R
Contact :	N/R
Contact Address :	N/R
Contact Country :	N/R
Contact Telephone :	N/R
Contact Email :	N/R
EPA Region :	04
Land Type :	Other land type
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Map Id: C36
Direction: SE
Distance: 0.060 mi., 316 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : T+K FARMS
SPRING CREEK DRIVE
BONITA SPRINGS, FL 33923

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 1744676
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Owner/Operator Summary

Owner/Operator Name :	N/R
Owner/Operator Address :	N/R
Owner/Operator Country :	N/R
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	N/R
Owner/Operator Type :	N/R
Owner/Operator Start Date :	N/R
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N/R
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	1992-04-16
Facility Name :	T+K FARMS
Classification :	Very Small Quantity Generator

Notices of Violations Summary

Regulation Violated :	N

Map Id: G37
Direction: N
Distance: 0.061 mi., 324 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : RESOURCE CONSERVATION SYSTEMS - SPRING ROAD
9300 SPRING RUN RD
BONITA SPRINGS, FL 34135

Database(s) : [T 2 - FL]

Envirosite ID: 68173876
EPA ID: N/R

T 2 - FL

Facility Name :	RESOURCE CONSERVATION SYSTEMS - SPRING ROAD
Facility Address :	9300 SPRING RUN RD, BONITA SPRINGS, FL 34135
County :	Lee

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Filing Year :	2023(Tier2)
Filing Type :	302 312
Company Name :	RESOURCE CONSERVATION SYSTEMS
Facility ID :	7408530
State Facility ID :	N/R
SIC :	N/R
NAICS :	221310 - Water Supply and Irrigation Systems
Dun & Bradstreet Code :	799953740
De-Registered Date :	N/R
Data Submitted by :	Vince Barraco, General Manager
Contact 1 - Name :	Vince Barraco
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	info@rcsirrigation.com
Contact 1 - 24-hour Phone :	239-495-5805
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	239-850-7226
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2024-02-06
First Submit Date :	2024-02-06(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2025-02-12

Chemical Information

Filing Year :	2023(Tier2)
CAS Number :	7782505
Chemical Name :	Chlorine
Maximum Daily Quantity :	600
Average Daily Quantity :	600
Max Amount in Largest Container :	150
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	OX
Solid :	F
Liquid :	F
Gas :	T
Pure :	F
Mixture :	T

Map Id: G37
Direction: N
Distance: 0.061 mi., 324 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : RESOURCE CONSERVATION SYSTEMS - SPRING ROAD
9300 SPRING RUN RD
BONITA SPRINGS, FL 34135

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173876
EPA ID: N/R

T 2 - FL ***(cont.)***

Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	T
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	T
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	T
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	T
Simple Asphyxiant :	T
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
Filing Type :	302 312
Company Name :	RESOURCE CONSERVATION SYSTEMS
Facility ID :	7271739
State Facility ID :	N/R
SIC :	N/R
NAICS :	221310 - Water Supply and Irrigation Systems
Dun & Bradstreet Code :	799953740
De-Registered Date :	N/R
Data Submitted by :	Vince Barraco, General Manager
Contact 1 - Name :	Vince Barraco
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	info@rcsirrigation.com
Contact 1 - 24-hour Phone :	239-495-5805
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	239-850-7226
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2023-02-06
First Submit Date :	2023-02-06(Tier2)

Map Id: G37
Direction: N
Distance: 0.061 mi., 324 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : RESOURCE CONSERVATION SYSTEMS - SPRING ROAD
9300 SPRING RUN RD
BONITA SPRINGS, FL 34135

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173876
EPA ID: N/R

T 2 - FL ***(cont.)***

Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2023-07-21

Chemical Information

Filing Year :	2022(Tier2)
CAS Number :	7782505
Chemical Name :	Chlorine
Maximum Daily Quantity :	600
Average Daily Quantity :	600
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	OX
Solid :	F
Liquid :	F
Gas :	T
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	T
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	T
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	T
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	T

Map Id: G37
Direction: N
Distance: 0.061 mi., 324 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : RESOURCE CONSERVATION SYSTEMS - SPRING ROAD
9300 SPRING RUN RD
BONITA SPRINGS, FL 34135

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173876
EPA ID: N/R

T 2 - FL ***(cont.)***

Simple Asphyxiant :	T
Hazard Not Otherwise Classified :	F

Filing Year :	2021(Tier2)
Filing Type :	302 312
Company Name :	RESOURCE CONSERVATION SYSTEMS
Facility ID :	7103913
State Facility ID :	N/R
SIC :	N/R
NAICS :	221310 - Water Supply and Irrigation Systems
Dun & Bradstreet Code :	799953740
De-Registered Date :	N/R
Data Submitted by :	Vince Barraco, General Manager
Contact 1 - Name :	Vince Barraco
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	info@rcsirrigation.com
Contact 1 - 24-hour Phone :	239-495-5805
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	239-850-7226
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2022-02-02
First Submit Date :	2022-02-02(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2022-12-20

Chemical Information

Filing Year :	2021(Tier2)
CAS Number :	7782505
Chemical Name :	Chlorine
Maximum Daily Quantity :	600
Average Daily Quantity :	600
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	OX
Solid :	F
Liquid :	F
Gas :	T
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R

Map Id: G37
Direction: N
Distance: 0.061 mi., 324 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : RESOURCE CONSERVATION SYSTEMS - SPRING ROAD
9300 SPRING RUN RD
BONITA SPRINGS, FL 34135

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173876
EPA ID: N/R

T 2 - FL ***(cont.)***

Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	T
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	T
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	T
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	T
Simple Asphyxiant :	T
Hazard Not Otherwise Classified :	F

Filing Year :	2020(Tier2)
Filing Type :	302 312
Company Name :	RESOURCE CONSERVATION SYSTEMS
Facility ID :	6847867
State Facility ID :	N/R
SIC :	N/R
NAICS :	221310 - Water Supply and Irrigation Systems
Dun & Bradstreet Code :	799953740
De-Registered Date :	N/R
Data Submitted by :	Vince Barraco, General Manager
Contact 1 - Name :	Vince Barraco
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	info@rcsirrigation.com
Contact 1 - 24-hour Phone :	239-495-5805
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	239-850-7226
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2021-03-18
First Submit Date :	2021-03-18(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2022-01-06

Map Id: G37
Direction: N
Distance: 0.061 mi., 324 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : RESOURCE CONSERVATION SYSTEMS - SPRING ROAD
9300 SPRING RUN RD
BONITA SPRINGS, FL 34135

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173876
EPA ID: N/R

T 2 - FL ***(cont.)***

Chemical Information

Filing Year :	2020(Tier2)
CAS Number :	7782505
Chemical Name :	Chlorine
Maximum Daily Quantity :	600
Average Daily Quantity :	600
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	OX
Solid :	F
Liquid :	F
Gas :	T
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	T
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	T
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	T
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	T
Simple Asphyxiant :	T
Hazard Not Otherwise Classified :	F

Filing Year :	2018(Tier2)
Filing Type :	302 312

Map Id: G37
Direction: N
Distance: 0.061 mi., 324 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : RESOURCE CONSERVATION SYSTEMS - SPRING ROAD
9300 SPRING RUN RD
BONITA SPRINGS, FL 34135

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173876
EPA ID: N/R

T 2 - FL ***(cont.)***

Company Name :	RESOURCE CONSERVATION SYSTEMS
Facility ID :	6397852
State Facility ID :	N/R
SIC :	N/R
NAICS :	221310 - Water Supply and Irrigation Systems
Dun & Bradstreet Code :	799953740
De-Registered Date :	N/R
Data Submitted by :	Vince Barraco, General Manager
Contact 1 - Name :	Vince Resource Conservation Systems, LLC
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	info@rcsirrigation.com
Contact 1 - 24-hour Phone :	239-495-5805
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	239-850-7226
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2019-02-21
First Submit Date :	2019-02-21(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2020-01-16

Chemical Information

Filing Year :	N/R
CAS Number :	7782505
Chemical Name :	Chlorine
Maximum Daily Quantity :	600
Average Daily Quantity :	600
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	4
F :	0
R :	0
S :	OX
Solid :	F
Liquid :	F
Gas :	T
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	T
Self-Reactive :	F

Map Id: G37
Direction: N
Distance: 0.061 mi., 324 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : RESOURCE CONSERVATION SYSTEMS - SPRING ROAD
9300 SPRING RUN RD
BONITA SPRINGS, FL 34135

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173876
EPA ID: N/R

T 2 - FL ***(cont.)***

Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	T
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	T
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	T
Simple Asphyxiant :	T
Hazard Not Otherwise Classified :	F

Map Id: C38
Direction: SE
Distance: 0.065 mi., 344 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : SCOTTISH VENTURES LLC
26740 OLD US-41
BONITA SPRING, FL 34135

Database(s) : [SWRCY - FL]

Envirosite ID: 68173835
EPA ID: N/R

SWRCY - FL

Facility Name :	SCOTTISH VENTURES LLC
Facility Address :	26740 OLD US-41, BONITA SPRING, FL 34135
County :	LEE

Site Details

Facility ID :	98881
Class :	WASTE TIRE COLLECTOR
Class Type :	754
Class Status :	INACTIVE (I)
Test Site Data :	TestSite Inventory Report, TestSite Result Report
Detail :	Facility Activities, Documents in OCULUS
District :	SD
Section/Township/Range :	N/R
Responsible Authority Name :	N/R
Responsible Authority Address :	N/R
Responsible Authority Phone Number :	N/R
Responsible Authority Email Address :	N/R
Land Owner Name :	N/R

Map Id: C38
Direction: SE
Distance: 0.065 mi., 344 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : SCOTTISH VENTURES LLC
26740 OLD US-41
BONITA SPRING, FL 34135

Database(s) : [SWRCY - FL] ***(cont.)***

Envirosite ID: 68173835
EPA ID: N/R

SWRCY - FL ***(cont.)***

Land Owner Address :	N/R
Land Owner Phone Number :	N/R
Site Supervisor Name :	N/R
Site Supervisor Address :	N/R
Site Supervisor Phone Number :	N/R
Site Supervisor Email Address :	N/R
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2024-05-10

Map Id: D39
Direction: N
Distance: 0.067 mi., 353 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : N/R
20960 Sandy Lane Estero
ESTERO, FL

Database(s) : [SPILLS - FL]

Envirosite ID: 68173785
EPA ID: N/R

SPILLS - FL

Facility Name :	N/R
Facility Address :	20960 Sandy Lane Estero, ESTERO
County :	Lee

Incident Details

Incident Number :	14369
Incident Date :	1996-10-26
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	Complaint
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Pollutants

Pollutant Name :	N/R
Pollutant Actual Volume :	N/R
Pollutant Category :	N/R

Map Id: F40
Direction: N
Distance: 0.068 mi., 357 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAC4009
24020 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173795
EPA ID: N/R

DEDB - FL

Sample Date :	2003-03-20
Sample ID :	030324-043
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC4009
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	GULF COAST CAMPGROUND
Well Address :	24020 PRODUCTION CIR
Well Type :	45
Well Status :	ABANDONED
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-030324-08
Customer ID :	N/R
Description :	Non Transient
Last Date in Agency List :	2015-11-25

Sample Date :	2003-03-20
Sample ID :	030324-043
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC4009
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	GULF COAST CAMPGROUND
Well Address :	24020 PRODUCTION CIR
Well Type :	45 - NON-TRANSIENT/NON-COMMUNITY WATER SYSTEM
Well Status :	ABANDONED
City :	N/R
County :	LEE
Job Name :	LEE-030324-08
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Map Id: B41
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : GOODCAT LLC
26.31003, -81.78888

Database(s) : [PFAS INDUSTRY]

Envirosite ID: 52621799
EPA ID: N/R

PFAS INDUSTRY

Facility Name :	GOODCAT LLC

Map Id: B41
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : GOODCAT LLC
26.31003, -81.78888

Database(s) : [PFAS INDUSTRY] ***(cont.)***

Envirosite ID: 52621799
EPA ID: N/R

PFAS INDUSTRY ***(cont.)***

Status :	Active
Industry :	Chemical Mfg
EPA Program :	RCRA
State :	FL
City :	NAPLES
County :	COLLIER
Fa SNC Flag :	N
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	26.31003
Longitude :	-81.78888
Last Date in Agency List :	2026-04-28

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL]

Envirosite ID: 68173757
EPA ID: FLR000232207

BRS

Facility Name :	GOODCAT LLC
Facility Address :	1485 RAIL HEAD BLVD STE 25, NAPLES, FL 34110-0000
County :	COLLIER

Site Details

Date Form Received by Agency :	2024-02-21
EPA ID :	FLR000232207
Mailing Address :	1440 RAIL HEAD BLVD, #5, NAPLES, FL 34110-0000
Contact :	RALPH VANDERBEEK
Contact Address :	1440 RAIL HEAD BLVD #5, NAPLES, FL 34110-0000
Contact Country :	US
Contact Telephone :	239-777-0967
Contact Email :	RALPH@GOODCATLABS.COM
EPA Region :	04
Land Type :	Private
Source Type :	Annual/Biennial Report updated with Notification

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

BRS ***(cont.)***

Classification : Large Quantity Generator

Description :

Handlers that generate 1,000 kg or more of hazardous waste during any calendar month; or generate more than 1 kg of acutely hazardous waste during any calendar month; or generate more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generate 1 kg or less of acutely hazardous waste during any calendar month, and accumulate more than 1 kg of acutely hazardous waste at any time; or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulated more than 100 kg of that material at any time.

Last Date in Agency List : 2026-05-05

Owner/Operator Summary

Owner/Operator Name :	GOODCAT LLC
Owner/Operator Address :	1440 RAIL HEAD BLVD # 5, NAPLES, FL 34110-0000
Owner/Operator Country :	US
Owner/Operator Telephone :	239-777-0907
Owner/Operator Email :	RALPH@GOODCATLABS.COM
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2009-04-15
Owner/Operator End Date :	N/R

Owner/Operator Name :	RAYMOND KELLER
Owner/Operator Address :	1440 RAIL HEAD BLVD #5, NAPLES, FL 34110-0000
Owner/Operator Country :	US
Owner/Operator Telephone :	239-254-8288
Owner/Operator Email :	RMICHAELKELLER@MSN.COM
Owner/Operator Fax :	239-254-8290
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2020-03-05
Owner/Operator End Date :	N/R

Waste Activity Monitoring

Report Cycle :	2023
Hazardous Waste Page Number :	1
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	E-LIQUID CONTAINING NICOTINE & FLAVORING
Primary NAICS :	493110 - General Warehousing and Storage

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

BRS ***(cont.)***

Source Code :	G11 - Discarding off-specification, out-of-date, and/or unused chemicals or products
Form Code :	W005 - Waste pharmaceuticals managed as hazardous waste
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	66.884
Managed Tons :	0
Shipped Tons :	66.884
Received Tons :	0
Receiver ID :	FLD981932494
Receiver State :	FL
Shipper ID :	FLR000232207
Shipper State :	FL
Waste Minimization :	C - Impl. new initiative to reduce qty and/or toxicity
Waste Code List :	D001, P075
Waste Code Group :	P075 - NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL) -,(S)-, & SALTS
Waste Generation Type :	N/R
Report Cycle :	2023
Hazardous Waste Page Number :	1
Hazardous Waste Sub-Page Number :	2
BR Form :	GM
Waste Description :	E-LIQUID CONTAINING NICOTINE & FLAVORING
Primary NAICS :	493110 - General Warehousing and Storage
Source Code :	G11 - Discarding off-specification, out-of-date, and/or unused chemicals or products
Form Code :	W005 - Waste pharmaceuticals managed as hazardous waste
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	13.43
Managed Tons :	0
Shipped Tons :	13.43
Received Tons :	0
Receiver ID :	FLD984167791
Receiver State :	FL
Shipper ID :	FLR000232207
Shipper State :	FL

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

BRS ***(cont.)***

Waste Minimization :	C - Impl. new initiative to reduce qty and/or toxicity
Waste Code List :	D001, P075
Waste Code Group :	P075 - NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL) -,(S)-, & SALTS
Waste Generation Type :	N/R
Report Cycle :	2021
Hazardous Waste Page Number :	1
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	E-LIQUID CONTAINING NICOTINE & FLAVORING
Primary NAICS :	493110 - General Warehousing and Storage
Source Code :	G11 - Discarding off-specification, out-of-date, and/or unused chemicals or products
Form Code :	W005 - Waste pharmaceuticals managed as hazardous waste
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	5.389
Managed Tons :	0
Shipped Tons :	5.389
Received Tons :	0
Receiver ID :	FLD981932494
Receiver State :	FL
Shipper ID :	FLR000232207
Shipper State :	FL
Waste Minimization :	C - Impl. new initiative to reduce qty and/or toxicity
Waste Code List :	D001, F005, P075
Waste Code Group :	F005 - THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NIT
Waste Generation Type :	N/R
Report Cycle :	2021
Hazardous Waste Page Number :	1
Hazardous Waste Sub-Page Number :	2
BR Form :	GM
Waste Description :	E-LIQUID CONTAINING NICOTINE & FLAVORING
Primary NAICS :	493110 - General Warehousing and Storage

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

BRS ***(cont.)***

Source Code :	G11 - Discarding off-specification, out-of-date, and/or unused chemicals or products
Form Code :	W005 - Waste pharmaceuticals managed as hazardous waste
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	0.915
Managed Tons :	0
Shipped Tons :	0.915
Received Tons :	0
Receiver ID :	FLD981932494
Receiver State :	FL
Shipper ID :	FLR000232207
Shipper State :	FL
Waste Minimization :	C - Impl. new initiative to reduce qty and/or toxicity
Waste Code List :	D001, F005, P075
Waste Code Group :	F005 - THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NIT
Waste Generation Type :	N/R
Report Cycle :	2019
Hazardous Waste Page Number :	1
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	E-LIQUID CONTAINING NICOTINE
Primary NAICS :	493110 - General Warehousing and Storage
Source Code :	G11 - Discarding off-specification, out-of-date, and/or unused chemicals or products
Form Code :	W005 - Waste pharmaceuticals managed as hazardous waste
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	23.057
Managed Tons :	0
Shipped Tons :	23.057
Received Tons :	0
Receiver ID :	FLD981932494
Receiver State :	FL
Shipper ID :	FLR000232207

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

BRS ***(cont.)***

Shipper State :	FL
Waste Minimization :	C - Impl. new initiative to reduce qty and/or toxicity
Waste Code List :	D001, F005, P075
Waste Code Group :	F005 - THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NIT
Waste Generation Type :	N/R
Report Cycle :	2019
Hazardous Waste Page Number :	1
Hazardous Waste Sub-Page Number :	2
BR Form :	GM
Waste Description :	E-LIQUID CONTAINING NICOTINE
Primary NAICS :	493110 - General Warehousing and Storage
Source Code :	G11 - Discarding off-specification, out-of-date, and/or unused chemicals or products
Form Code :	W005 - Waste pharmaceuticals managed as hazardous waste
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	1.555
Managed Tons :	0
Shipped Tons :	1.555
Received Tons :	0
Receiver ID :	FLD981932494
Receiver State :	FL
Shipper ID :	FLR000232207
Shipper State :	FL
Waste Minimization :	C - Impl. new initiative to reduce qty and/or toxicity
Waste Code List :	D001, F005, P075
Waste Code Group :	F005 - THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NIT
Waste Generation Type :	N/R
Report Cycle :	2019
Hazardous Waste Page Number :	1
Hazardous Waste Sub-Page Number :	3
BR Form :	GM
Waste Description :	E-LIQUID CONTAINING NICOTINE

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

BRS ***(cont.)***

Primary NAICS :	493110 - General Warehousing and Storage
Source Code :	G11 - Discarding off-specification, out-of-date, and/or unused chemicals or products
Form Code :	W005 - Waste pharmaceuticals managed as hazardous waste
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	0.025
Managed Tons :	0
Shipped Tons :	0.025
Received Tons :	0
Receiver ID :	FLD981932494
Receiver State :	FL
Shipper ID :	FLR000232207
Shipper State :	FL
Waste Minimization :	C - Impl. new initiative to reduce qty and/or toxicity
Waste Code List :	D001, F005, P075
Waste Code Group :	F005 - THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NIT
Waste Generation Type :	N/R

ECHO

Facility Name :	FLORIDA WATER PRODUCTS - NAPLES
Facility Address :	1485 RAIL HEAD BLVD, NAPLES, FL 34110
County :	COLLIER
Last Inspection Date :	N/R
Registry ID :	110072044542
FIPS Code :	12021
EPA Region :	N/R
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

ECHO ***(cont.)***

Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101022015
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

ECHO ***(cont.)***

AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.31354
Longitude :	-81.78761
Last Date in Agency List :	2026-05-11
Facility Name :	FLORIDA WATER PRODUCTS - NAPLES
Facility Address :	1485 RAIL HEAD BLVD, NAPLES, FL 34110-8478
County :	COLLIER
Last Inspection Date :	N/R
Registry ID :	N/R
FIPS Code :	N/R
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	N/R
Reference Point :	N/R
Accuracy Meters :	N/R
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	N/R
Derived WBD :	N/R
Derived STCTY FIPS :	N/R
Derived Zip :	N/R
Derived CD113 :	N/R
Derived CB2010 :	N/R
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

ECHO ***(cont.)***

CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.314104
Longitude :	-81.787516
Last Date in Agency List :	2026-04-10

Facility Name :	GOODCAT LLC
Facility Address :	1485 RAIL HEAD BLVD UNIT 25, NAPLES, FL 34110

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

ECHO ***(cont.)***

County :	COLLIER
Last Inspection Date :	2019-10-03
Registry ID :	110070594270
FIPS Code :	12021
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	2201
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101022015
MYRTK Universe :	NNY
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

ECHO ***(cont.)***

CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	493110 - General Warehousing and Storage
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2019-10-03
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.31354
Longitude :	-81.78761
Last Date in Agency List :	2026-05-11

Facility Name :	SHERWIN-WILLIAMS #702691
Facility Address :	1485 RAIL HEAD BLVD, NAPLES, FL 34110
County :	COLLIER

Last Inspection Date :	2010-11-23
Registry ID :	110043229057
FIPS Code :	12021
EPA Region :	N/R
Inspection Count :	0
Last Inspection Days :	5437
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

ECHO ***(cont.)***

Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101022015
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	444120 - Paint and Wallpaper Stores
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2010-11-23
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

ECHO ***(cont.)***

US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.31354
Longitude :	-81.78761
Last Date in Agency List :	2026-05-11
Facility Name :	THE SHERWIN-WILLIAMS CO #2691
Facility Address :	1485 RAIL HEAD BLVD, NAPLES, FL 34110
County :	COLLIER
Last Inspection Date :	2010-11-23
Registry ID :	110043229057
FIPS Code :	12021
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	4569
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 23.6 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101022015
MYRTK Universe :	NNN

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

ECHO ***(cont.)***

NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	44412 - Paint and Wallpaper Stores
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2010-11-23
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.31354
Longitude :	-81.78761
Last Date in Agency List :	2023-07-21

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

EJ HAZ WASTE

Facility Name : GOODCAT LLC
Facility Address : 1485 RAIL HEAD BLVD UNIT 25, NAPLES, FL 34110-0000

EPA ID : FLR000232207
Latitude : 26.31354
Longitude : -81.78761
Facility Link : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2025-01-28

FRS

Facility Name : FLORIDA WATER PRODUCTS - NAPLES
Facility Address : 1485 RAIL HEAD BLVD, NAPLES, FL 34110-8478
County : COLLIER

Site Details

Registry ID : 110072044542
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID : RCRAINFO - FLT240090357

Facility Name : GOODCAT LLC
Facility Address : 1485 RAIL HEAD BLVD UNIT 25, NAPLES, FL 34110-0000
County : COLLIER

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

FRS ***(cont.)***

Site Details
Registry ID : 110070594270
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description

Source Description :

All generators and treatment, storage, and disposal (TSD) facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years. The data collected is used to create the National Biennial Resource Conservation and Recovery Act (RCRA) Hazardous Waste Report. This data is processed within the RCRA Information (RCRAInfo) database.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest
Source and System ID : RCRAINFO - FLR000232207

Facility Name : SHERWIN-WILLIAMS #702691
Facility Address : 1485 RAIL HEAD BLVD, NAPLES, FL 34110-8478
County : COLLIER

Site Details
Registry ID : 110043229057
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

FRS ***(cont.)***

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	RCRAINFO - FLR000171512
Facility Name :	THE SHERWIN-WILLIAMS CO #2691
Facility Address :	1485 RAIL HEAD BLVD, NAPLES, FL 34110-8478
County :	COLLIER

Site Details

Registry ID :	110043229057
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2024-01-30

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	RCRAINFO - FLR000171512

LQG - FL

Facility Name :	GoodCat LLC
Facility Address :	1485 Rail Head Blvd, Naples, 34110-8478

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

LQG - FL ***(cont.)***

County :	Collier
Last Inspection Date :	2019-10-03
Date Notified :	2019-07-02
Site ID :	134517
Handler ID :	FLR000232207
Office :	South District
Facility Inspection Type :	LQG-CEI
Documents Link :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-04-07

MANIFEST EPA

Manifest Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Manifest Number :	008771751SKS
Shipped Date :	2025-05-15
Updated Date :	2025-06-19
Received Date :	2025-05-30
Status :	Signed
Generator ID :	FLR000232207
Generator Name :	GOODCAT LABS WAREHOUSE
Generator Address :	1485 RAIL HEAD BLVD 1440 RAIL HEAD BLVD, NAPLES, FL 34110, NAPLES, FL 34110
Generator Mailing :	1440 RAIL HEAD BLVD 1440 RAIL HEAD BLVD, NAPLES, FL 34110, NAPLES, FL 34110
Generator Contact :	GOODCAT LABS WAREHOUSE
Destination ID :	TXD055141378
Destination Name :	CLEAN HARBORS DEER PARK, LLC
Destination Mailing :	2027 INDEPENDENCE PARKWAY SOUTH, LA PORTE, TX 77571
Destination Address :	2027 INDEPENDENCE PARKWAY SOUTH, LA PORTE, TX 77571
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1197

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

MANIFEST EPA ***(cont.)***

DOT Information :	UN1197, WASTE UN1197, WASTE EXTRACTS, FLAVORING, LIQUID, 3, PG III, (E-LIQUID WITH NICOTINE AND FLAVORING), 3, PG III
Non Waste Description :	N/R
Quantity :	300 Pounds
Quantity Tons, Acute, Non-Acute :	0.15, 0.15, 0
Quantity Kg, Acute, Non-Acute :	136.0545, 0
Quantity Tons, Haz, Non-Haz :	0.15, 0
Quantity Kg, Haz, Non-Haz :	136.0545, 0
Management Method :	H040 - INCINERATION
Is EPA Waste :	Y
Federal Code :	D001, P075
State Code :	TX - OUTS219H

Manifest Details

Manifest Number :	201141306CLE
Shipped Date :	2025-05-09
Updated Date :	2025-06-09
Received Date :	2025-06-03
Status :	Signed
Generator ID :	FLR000171512
Generator Name :	SHERWIN-WILLIAMS (TAG 702691)
Generator Address :	1485 RAIL HEAD BLVD STE 20, NAPLES, FL 34110
Generator Mailing :	1485 RAIL HEAD BLVD STE 20, NAPLES, FL 34110
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	ALLWORTH, INC. (ESOL)
Destination Mailing :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Address :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	UN1263, Waste Paint, 3, PG-II
Non Waste Description :	N/R
Quantity :	206 Pounds
Quantity Tons, Acute, Non-Acute :	0.103, 0, 0.103
Quantity Kg, Acute, Non-Acute :	0, 93.42409
Quantity Tons, Haz, Non-Haz :	0.103, 0

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

MANIFEST EPA ***(cont.)***

Quantity Kg, Haz, Non-Haz :	93.42409, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	UN1263, Waste Paint, 3, PG-II
Non Waste Description :	N/R
Quantity :	253 Pounds
Quantity Tons, Acute, Non-Acute :	0.1265, 0, 0.1265
Quantity Kg, Acute, Non-Acute :	0, 114.739295
Quantity Tons, Haz, Non-Haz :	0.1265, 0
Quantity Kg, Haz, Non-Haz :	114.739295, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Waste Line Number :	3
Is DOT Hazardous :	Y
DOT ID Number :	UN3264
DOT Information :	UN3264, Waste Corrosive liquid, acidic, inorganic, n.o.s. (PHOSPHORIC ACID, HYDROCHLORIC ACID), 8, PG-II
Non Waste Description :	N/R
Quantity :	7 Pounds
Quantity Tons, Acute, Non-Acute :	0.0035, 0, 0.0035
Quantity Kg, Acute, Non-Acute :	0, 3.174605
Quantity Tons, Haz, Non-Haz :	0.0035, 0
Quantity Kg, Haz, Non-Haz :	3.174605, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D002, D007, D008
State Code :	N/R

Waste Line Number :	4
Is DOT Hazardous :	N
DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	Non-RCRA, Non-DOT Regulated Material (Latex Paint)
Quantity :	268 Pounds
Quantity Tons, Acute, Non-Acute :	0.134, 0, 0.134
Quantity Kg, Acute, Non-Acute :	0, 121.54202

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

MANIFEST EPA ***(cont.)***

Quantity Tons, Haz, Non-Haz :	0, 0.134
Quantity Kg, Haz, Non-Haz :	0, 121.54202
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R

Manifest Details

Manifest Number :	009068459SKS
Shipped Date :	2025-03-20
Updated Date :	2025-04-21
Received Date :	2025-03-24
Status :	Signed
Generator ID :	FLR000232207
Generator Name :	GOODCAT LABS WAREHOUSE
Generator Address :	1485 RAIL HEAD BLVD 1440 RAIL HEAD BLVD, NAPLES, FL 34110, NAPLES, FL 34110
Generator Mailing :	1440 RAIL HEAD BLVD 1440 RAIL HEAD BLVD, NAPLES, FL 34110, NAPLES, FL 34110
Generator Contact :	GOODCAT LABS WAREHOUSE
Destination ID :	FLD980729610
Destination Name :	CLEAN HARBORS FLORIDA LLC
Destination Mailing :	7001 KILO AVENUE, BARTOW, FL 33830
Destination Address :	7001 KILO AVENUE, BARTOW, FL 33830
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1197
DOT Information :	UN1197, WASTE UN1197, WASTE EXTRACTS, FLAVORING, LIQUID, 3, PG III, 3, PG III
Non Waste Description :	N/R
Quantity :	600 Pounds
Quantity Tons, Acute, Non-Acute :	0.3, 0, 0.3
Quantity Kg, Acute, Non-Acute :	0, 272.109
Quantity Tons, Haz, Non-Haz :	0.3, 0
Quantity Kg, Haz, Non-Haz :	272.109, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

MANIFEST EPA ***(cont.)***

Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Manifest Details

Manifest Number :	009068460SKS
Shipped Date :	2025-03-20
Updated Date :	2025-04-25
Received Date :	2025-04-05
Status :	Signed
Generator ID :	FLR000232207
Generator Name :	GOODCAT LABS WAREHOUSE
Generator Address :	1485 RAIL HEAD BLVD 1440 RAIL HEAD BLVD, NAPLES, FL 34110, NAPLES, FL 34110
Generator Mailing :	1440 RAIL HEAD BLVD 1440 RAIL HEAD BLVD, NAPLES, FL 34110, NAPLES, FL 34110
Generator Contact :	GOODCAT LABS WAREHOUSE
Destination ID :	TXD055141378
Destination Name :	CLEAN HARBORS DEER PARK, LLC
Destination Mailing :	2027 INDEPENDENCE PARKWAY SOUTH, LA PORTE, TX 77571
Destination Address :	2027 INDEPENDENCE PARKWAY SOUTH, LA PORTE, TX 77571
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1197
DOT Information :	UN1197, WASTE UN1197, WASTE EXTRACTS, FLAVORING, LIQUID, 3, PG III, (E-LIQUID WITH NICOTINE FLAVORING), 3, PG III
Non Waste Description :	N/R
Quantity :	300 Pounds
Quantity Tons, Acute, Non-Acute :	0.15, 0, 0.15
Quantity Kg, Acute, Non-Acute :	0, 136.0545
Quantity Tons, Haz, Non-Haz :	0.15, 0
Quantity Kg, Haz, Non-Haz :	136.0545, 0
Management Method :	H040 - INCINERATION
Is EPA Waste :	Y
Federal Code :	D001
State Code :	TX - OUTS001H

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

MANIFEST EPA ***(cont.)***

Manifest Details

Manifest Number :	009068217SKS
Shipped Date :	2025-01-15
Updated Date :	2025-02-10
Received Date :	2025-01-21
Status :	Signed
Generator ID :	FLR000232207
Generator Name :	GOODCAT LABS WAREHOUSE
Generator Address :	1485 RAIL HEAD BLVD 1440 RAIL HEAD BLVD, NAPLES, FL 34110, NAPLES, FL 34110
Generator Mailing :	1440 RAIL HEAD BLVD 1440 RAIL HEAD BLVD, NAPLES, FL 34110, NAPLES, FL 34110
Generator Contact :	GOODCAT LABS WAREHOUSE
Destination ID :	FLD980729610
Destination Name :	CLEAN HARBORS FLORIDA LLC
Destination Mailing :	7001 KILO AVENUE, BARTOW, FL 33830
Destination Address :	7001 KILO AVENUE, BARTOW, FL 33830
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1197
DOT Information :	UN1197, WASTE UN1197, WASTE EXTRACTS, FLAVORING, LIQUID, 3, PG III, 3, PG III
Non Waste Description :	N/R
Quantity :	900 Pounds
Quantity Tons, Acute, Non-Acute :	0.45, 0, 0.45
Quantity Kg, Acute, Non-Acute :	0, 408.1635
Quantity Tons, Haz, Non-Haz :	0.45, 0
Quantity Kg, Haz, Non-Haz :	408.1635, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

RCRA LQG

Facility Name :	GOODCAT LLC
Facility Address :	1485 RAIL HEAD BLVD, NAPLES, FL 34110-8478
County :	COLLIER

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

RCRA LQG ***(cont.)***

Date Form Received by Agency :	2025-11-18
EPA ID :	FLR000232207
Mailing Address :	1485 RAIL HEAD BLVD STE 25, NAPLES, FL 34110-0000
Contact :	RALPH VANDERBEEK
Contact Address :	1440 RAIL HEAD BLVD #5, NAPLES, FL 34110-0000
Contact Country :	US
Contact Telephone :	239-777-0967
Contact Email :	RALPH@GOODCATLABS.COM
EPA Region :	04
Land Type :	Private
Source Type :	Notification
Classification :	Large Quantity Generator

Description :

Handlers that generate 1,000 kg or more of hazardous waste during any calendar month; or generate more than 1 kg of acutely hazardous waste during any calendar month; or generate more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generate 1 kg or less of acutely hazardous waste during any calendar month, and accumulate more than 1 kg of acutely hazardous waste at any time; or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulated more than 100 kg of that material at any time.

Last Date in Agency List : 2026-05-05

Owner/Operator Summary

Owner/Operator Name :	DAWN KELLER
Owner/Operator Address :	1440 RAIL HEAD BLVD #5, NAPLES, FL 34110-0000
Owner/Operator Country :	US
Owner/Operator Telephone :	239-254-8288
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2024-11-05
Owner/Operator End Date :	N/R

Owner/Operator Name :	GOODCAT LLC
Owner/Operator Address :	1440 RAIL HEAD BLVD UNIT 5, NAPLES, FL 34110-0000
Owner/Operator Country :	US
Owner/Operator Telephone :	239-254-8288
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2009-04-15

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

RCRA LQG ***(cont.)***

Owner/Operator End Date :	N/R
Owner/Operator Name :	RAIL HEAD 1440 LLC
Owner/Operator Address :	6237 PRESIDENTIAL CT, FT MYERS, FL 33919-0000
Owner/Operator Country :	US
Owner/Operator Telephone :	239-254-8288
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1998-01-01
Owner/Operator End Date :	2020-08-27

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N/R
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	2024-02-21
Facility Name :	GOODCAT LLC
Classification :	Large Quantity Generator
Date Form Received by Agency :	2022-02-25
Facility Name :	GOODCAT LLC
Classification :	Large Quantity Generator
Date Form Received by Agency :	2020-03-05
Facility Name :	GOODCAT LLC
Classification :	Large Quantity Generator

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

RCRA LQG ***(cont.)***

Date Form Received by Agency :	2020-02-25
Facility Name :	GOODCAT LLC
Classification :	Large Quantity Generator
Date Form Received by Agency :	2019-10-03
Facility Name :	GOODCAT LLC
Classification :	Large Quantity Generator
Date Form Received by Agency :	2019-06-03
Facility Name :	GOODCAT LLC
Classification :	Large Quantity Generator

Hazardous Waste Summary
Waste Code / Name : D001 - IGNITABLE WASTE
P075 - NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL) -,(S)-, & SALTS

Notices of Violations Summary

Date of Violation :	2019-10-03
Date Achieved Compliance :	2019-11-27
Regulation Violated :	Y
Area of Violation :	Preparedness, Prevention, and Emergency Procedures
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R
Date of Violation :	2019-10-03
Date Achieved Compliance :	2019-10-03
Regulation Violated :	Y
Area of Violation :	Generators - Manifest
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

RCRA LQG ***(cont.)***

Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2019-10-03
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Preparedness, Prevention, and Emergency Procedures
Date Achieved Compliance :	2019-11-27
Evaluation Lead Agency :	State

Evaluation Date :	2019-10-03
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Generators - Manifest
Date Achieved Compliance :	2019-10-03
Evaluation Lead Agency :	State

RCRA VSQG

Facility Name :	FLORIDA WATER PRODUCTS - NAPLES
Facility Address :	1485 RAIL HEAD BLVD, NAPLES, FL 34110-8478
County :	COLLIER

Date Form Received by Agency :	2024-11-19
EPA ID :	FLT240090357
Mailing Address :	7440 STATE HIGHWAY 121, MCKINNEY, TX 75070-3104
Contact :	TRUDIE DUNCAN
Contact Address :	7440 STATE HIGHWAY 121, MCKINNEY, TX 75070-3104
Contact Country :	US
Contact Telephone :	N/R
Contact Email :	TRUDIE.DUNCAN@SRSDISTRIBUTION.COM
EPA Region :	04
Land Type :	Private
Source Type :	Emergency
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

RCRA VSQG ***(cont.)***

Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	N/R
Owner/Operator Address :	N/R
Owner/Operator Country :	N/R
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	N/R
Owner/Operator Type :	N/R
Owner/Operator Start Date :	N/R
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N/R
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Notices of Violations Summary

Regulation Violated :	N

Facility Name :	SHERWIN-WILLIAMS #702691
Facility Address :	1485 RAIL HEAD BLVD, NAPLES, FL 34110-8478
County :	COLLIER
Date Form Received by Agency :	2023-09-20
EPA ID :	FLR000171512
Mailing Address :	1485 RAIL HEAD BLVD, NAPLES, FL 34110-8478
Contact :	CAROL DOE

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

RCRA VSQG ***(cont.)***

Contact Address :	101 W PROSPECT AVE 1000 MIDLAN, CLEVELAND, OH 44115-1093
Contact Country :	US
Contact Telephone :	216-566-1710
Contact Email :	CAROL.F.DOE@SHERWIN.COM
EPA Region :	04
Land Type :	Private
Source Type :	Notification
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2026-05-05

Owner/Operator Summary

Owner/Operator Name :	AG-RC RAIL HEAD OWNER LLC
Owner/Operator Address :	7110 SE 2ND ST STE 101, DELRAY BEACH, FL 33444-0000
Owner/Operator Country :	US
Owner/Operator Telephone :	561-900-3138
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2004-11-01
Owner/Operator End Date :	N/R

Owner/Operator Name :	SHERWIN-WILLIAMS #702691
Owner/Operator Address :	1485 RAIL HEAD BLVD, NAPLES, FL 34110-8478
Owner/Operator Country :	US
Owner/Operator Telephone :	239-598-9171
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2004-11-01
Owner/Operator End Date :	N/R

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

RCRA VSQG ***(cont.)***

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N/R
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	2010-11-23
Facility Name :	SHERWIN-WILLIAMS #702691
Classification :	Not a generator, verified

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE

Notices of Violations Summary

Regulation Violated :	N

Evaluation Action Summary

Evaluation Date :	2010-11-23
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

T 2 - FL

Facility Name :	FLORIDA WATER PRODUCTS -3106 NAPLES
Facility Address :	1485 RAIL HEAD BLVD #30, NAPLES, FL 34110
County :	Collier

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Filing Year :	2024(Tier2)
Filing Type :	302 312
Company Name :	HERITAGE POOL SUPPLY GROUP
Facility ID :	7554156
State Facility ID :	N/R
SIC :	N/R
NAICS :	423910 - Sporting and Recreational Goods and Supplies Merchant Wholesalers
Dun & Bradstreet Code :	11-736-2452
De-Registered Date :	N/R
Data Submitted by :	Trudie Duncan, Regulatory Compliance Manager
Contact 1 - Name :	Chris Bachman
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	TRUDIE.DUNCAN@SRSDISTRIBUTION.COM
Contact 1 - 24-hour Phone :	682-265-7513
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	682-265-7513
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2025-02-13
First Submit Date :	2025-02-13(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2025-08-08

Chemical Information

Filing Year :	2024(Tier2)
CAS Number :	7647010
Chemical Name :	Muriatic Acid
Maximum Daily Quantity :	25,560
Average Daily Quantity :	12,780
Max Amount in Largest Container :	8
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2024(Tier2)
CAS Number :	7664939
Chemical Name :	Sulfuric Acid
Maximum Daily Quantity :	9,678
Average Daily Quantity :	4,565
Max Amount in Largest Container :	4
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	W
Solid :	F

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2024(Tier2)
CAS Number :	7778543
Chemical Name :	Calcium Hypochlorite Mixture, Dry, With More Than 39% Available Chlorine (8.8% Available Oxygen)
Maximum Daily Quantity :	4,760
Average Daily Quantity :	2,811
Max Amount in Largest Container :	100
EHS :	N/R
Below Thresholds :	T

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

Trade Secret :	N/R
H :	2
F :	0
R :	2
S :	OX
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	T
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2024(Tier2)
CAS Number :	87901
Chemical Name :	TRICHLORO-S-TRIAZINETRIONE
Maximum Daily Quantity :	43,387
Average Daily Quantity :	16,090

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

Max Amount in Largest Container :	50
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	2
S :	OX
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	T
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2023(Tier2)
Filing Type :	302 312

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

Company Name :	Heritage Pool Supply Group
Facility ID :	7417387
State Facility ID :	N/R
SIC :	N/R
NAICS :	423910 - Sporting and Recreational Goods and Supplies Merchant Wholesalers
Dun & Bradstreet Code :	108306200
De-Registered Date :	N/R
Data Submitted by :	Trudie Duncan, Regulatory Compliance Manager
Contact 1 - Name :	Chris Bachman
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	TRUDIE.DUNCAN@SRSDISTRIBUTION.COM
Contact 1 - 24-hour Phone :	682-265-7513
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	682-265-7513
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2024-08-15
First Submit Date :	2024-02-13(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2025-02-12

Chemical Information

Filing Year :	2023(Tier2)
CAS Number :	7647010
Chemical Name :	HYDROCHLORIC ACID
Maximum Daily Quantity :	25,158
Average Daily Quantity :	10,873
Max Amount in Largest Container :	3
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2023(Tier2)
CAS Number :	7664939
Chemical Name :	Sulfuric Acid
Maximum Daily Quantity :	9,678
Average Daily Quantity :	4,565
Max Amount in Largest Container :	4
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	W
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2023(Tier2)
CAS Number :	7778543
Chemical Name :	Calcium Hypochlorite Mixture, Dry, With More Than 39% Available Chlorine (8.8% Available Oxygen)
Maximum Daily Quantity :	4,760
Average Daily Quantity :	2,811
Max Amount in Largest Container :	100
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	2
F :	0
R :	2
S :	OX
Solid :	T

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	T
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2023(Tier2)
CAS Number :	87901
Chemical Name :	TRICHLORO-S-TRIAZINETRIONE
Maximum Daily Quantity :	43,387
Average Daily Quantity :	16,090
Max Amount in Largest Container :	50
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

R :	2
S :	OX
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	T
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Facility Name :	FLORIDA WATER PRODUCTS - NAPLES
Facility Address :	1485 RAILHEAD BOULEVARD - UNIT 30, NAPLES, FL 34110
County :	Collier

Filing Year :	2022(Tier2)
Filing Type :	302 312
Company Name :	FLORIDA WATER PRODUCTS INC

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

Facility ID :	7240099
State Facility ID :	N/R
SIC :	N/R
NAICS :	423910 - Sporting and Recreational Goods and Supplies Merchant Wholesalers
Dun & Bradstreet Code :	108306200
De-Registered Date :	N/R
Data Submitted by :	Trudie Duncan, Regulatory Compliance Manager
Contact 1 - Name :	Trudie Heritage Landscape Supply Group
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	TRUDIE.DUNCAN@SRSDISTRIBUTION.COM
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	4802531066
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2023-01-03
First Submit Date :	2023-01-03(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2023-07-21

Chemical Information

Filing Year :	2022(Tier2)
CAS Number :	7647010
Chemical Name :	HYDROCHLORIC ACID
Maximum Daily Quantity :	25,158
Average Daily Quantity :	10,873
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
CAS Number :	7664939
Chemical Name :	Sulfuric Acid
Maximum Daily Quantity :	9,678
Average Daily Quantity :	4,565
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	W
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
CAS Number :	7778543
Chemical Name :	Calcium Hypochlorite Mixture, Dry, With More Than 39% Available Chlorine (8.8% Available Oxygen)
Maximum Daily Quantity :	4,760
Average Daily Quantity :	2,811
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	2
F :	0
R :	2
S :	OX
Solid :	T
Liquid :	F

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	T
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
CAS Number :	87901
Chemical Name :	TRICHLORO-S-TRIAZINETRIONE
Maximum Daily Quantity :	43,387
Average Daily Quantity :	16,090
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	2

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

S :	OX
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	T
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2021(Tier2)
Filing Type :	302 312
Company Name :	FLORIDA WATER PRODUCTS INC
Facility ID :	7123428
State Facility ID :	N/R
SIC :	N/R
NAICS :	423910 - Sporting and Recreational Goods and Supplies Merchant Wholesalers
Dun & Bradstreet Code :	108306200

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

De-Registered Date :	N/R
Data Submitted by :	Trudie Duncan, Regulatory Compliance Manager
Contact 1 - Name :	Trudie Heritage Landscape Supply Group
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	TRUDIE.DUNCAN@SRSDISTRIBUTION.COM
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	4802531066
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2022-12-05
First Submit Date :	2022-02-23(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2022-12-20

Chemical Information

Filing Year :	2021(Tier2)
CAS Number :	7647010
Chemical Name :	HYDROCHLORIC ACID
Maximum Daily Quantity :	25,158
Average Daily Quantity :	10,873
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2021(Tier2)
CAS Number :	7664939
Chemical Name :	Sulfuric Acid
Maximum Daily Quantity :	9,678
Average Daily Quantity :	4,565
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	W
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2021(Tier2)
CAS Number :	7778543
Chemical Name :	Calcium Hypochlorite Mixture, Dry, With More Than 39% Available Chlorine (8.8% Available Oxygen)
Maximum Daily Quantity :	4,760
Average Daily Quantity :	2,811
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	2
F :	0
R :	2
S :	OX
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	T
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2021(Tier2)
CAS Number :	87901
Chemical Name :	TRICHLORO-S-TRIAZINETRIONE
Maximum Daily Quantity :	43,387
Average Daily Quantity :	16,090
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	2
S :	OX
Solid :	T
Liquid :	F
Gas :	F
Pure :	F

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	T
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2020(Tier2)
Filing Type :	302 312
Company Name :	FLORIDA WATER PRODUCTS INC
Facility ID :	6825364
State Facility ID :	N/R
SIC :	N/R
NAICS :	423910 - Sporting and Recreational Goods and Supplies Merchant Wholesalers
Dun & Bradstreet Code :	108306200
De-Registered Date :	N/R
Data Submitted by :	Kate Reeves Specialist
Contact 1 - Name :	Luis Mozas
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	lmozas@fwppool.com

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

Contact 1 - 24-hour Phone :	813-767-7508
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	813-817-7614
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2021-02-12
First Submit Date :	2021-02-12(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2022-01-06

Chemical Information

Filing Year :	2020(Tier2)
CAS Number :	7647010
Chemical Name :	HYDROCHLORIC ACID
Maximum Daily Quantity :	25,158
Average Daily Quantity :	10,873
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2020(Tier2)
CAS Number :	7664939
Chemical Name :	Sulfuric Acid
Maximum Daily Quantity :	9,678
Average Daily Quantity :	4,565
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	W
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2020(Tier2)
CAS Number :	7778543
Chemical Name :	Calcium Hypochlorite Mixture, Dry, With More Than 39% Available Chlorine (8.8% Available Oxygen)
Maximum Daily Quantity :	4,760
Average Daily Quantity :	2,811
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	2
F :	0
R :	2
S :	OX
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	T
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2020(Tier2)
CAS Number :	87901
Chemical Name :	TRICHLORO-S-TRIAZINETRIONE
Maximum Daily Quantity :	43,387
Average Daily Quantity :	16,090
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	2
S :	OX
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R

Map Id: B42
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | FLORIDA WATER PRODUCTS - NAPLES | SHERWIN-WILLIAMS #702691
1485 RAIL HEAD BLVD | 1485 RAIL HEAD BLVD UNIT 25 | 1485 RAIL HEAD BLVD #30
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T 2 - FL] ***(cont.)***

Envirosite ID: 68173757
EPA ID: FLR000232207

T 2 - FL ***(cont.)***

Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	T
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Map Id: A43
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : Bonita Pit
26.33676, -81.78155
FL

Database(s) : [MINES USGS]

Envirosite ID: 43879283
EPA ID: N/R

MINES USGS

Deposit ID :	10191741
MRSD ID :	N/R
MAS ID :	0120710006
Site Name :	Bonita Pit
Latitude :	26.33676
Longitude :	-81.78155
Region :	NA

Map Id: A43
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : Bonita Pit
26.33676, -81.78155
FL

Database(s) : [MINES USGS] ***(cont.)***

Envirosite ID: 43879283
EPA ID: N/R

MINES USGS ***(cont.)***

Country :	United States
State :	Florida
County :	Lee
Commodity Type :	N
Commodity-Primary :	Stone, Crushed/Broken
Commodity-Secondary :	N/R
Commodity-Others :	N/R
Operations Type :	Surface
Deposit Type :	N/R
Production Size :	N/R
Dev Status :	Producer
Ore material :	N/R
Gangue material :	N/R
Other Materials :	N/R
Ore body :	N/R
Work Type :	N/R
Mineral Model :	N/R
Geochem Alteration :	N/R
Concentration :	N/R
Alt Names :	N/R
Ore Character :	N/R
Reporter :	Eastern Field Operations Center (EFOC)
Host Rock Unit :	N/R
Host Rock Type :	N/R
Adj Rock Unit :	N/R
Adj Rock Type :	N/R
Geol Structure :	N/R
Tectonic Setting :	N/R
References :	MSHA INSP 6-26-80RCF & CMS LISTS 10-81MSHA LIST 5-18-81
Year First Produced :	N/R
Year Last Produced :	N/R
Year Discovered :	N/R
Prod Years :	N/R
Discovery :	N/R
URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2025-12-03

Map Id: A44
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : A&S Transportation, Inc. | DEP District Office | Moore Donald
27885 N. Industrial Street
BONITA SPRINGS, FL

Database(s) : [SPILLS - FL]

Envirosite ID: 68173855
EPA ID: N/R

SPILLS - FL

Facility Name :	A&S Transportation, Inc.
Facility Address :	27885 N. Industrial Street, BONITA SPRINGS
County :	Lee

Map Id: A44
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : A&S Transportation, Inc. | DEP District Office | Moore Donald
27885 N. Industrial Street
BONITA SPRINGS, FL

Database(s) : [SPILLS - FL] ***(cont.)***

Envirosite ID: 68173855
EPA ID: N/R

SPILLS - FL ***(cont.)***

Incident Details

Incident Number :	54431
Incident Date :	2015-12-04
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	N/R
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2017-10-12

Pollutants

Pollutant Name :	Motor oil
Pollutant Actual Volume :	0.062 gallon
Pollutant Category :	N/R

Facility Name :	DEP District Office
Facility Address :	27885 N. Industrial Street, BONITA SPRINGS
County :	Lee

Incident Details

Incident Number :	54431
Incident Date :	2015-12-04
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	N/R
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2017-10-12

Pollutants

Pollutant Name :	Motor oil
Pollutant Actual Volume :	0.062 gallon
Pollutant Category :	N/R

Map Id: A44
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : A&S Transportation, Inc. | DEP District Office | Moore Donald
27885 N. Industrial Street
BONITA SPRINGS, FL

Database(s) : [SPILLS - FL] ***(cont.)***

Envirosite ID: 68173855
EPA ID: N/R

SPILLS - FL ***(cont.)***

Facility Name :	Moore Donald
Facility Address :	27885 N. Industrial Street, BONITA SPRINGS
County :	Lee

Incident Details

Incident Number :	54431
Incident Date :	2015-12-04
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	N/R
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2017-10-12

Pollutants

Pollutant Name :	Motor oil
Pollutant Actual Volume :	0.062 gallon
Pollutant Category :	N/R

Facility Name :	Office of Emergency Response
Facility Address :	27885 N. Industrial Street, BONITA SPRINGS
County :	Lee

Incident Details

Incident Number :	54431
Incident Date :	2015-12-04
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	N/R
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2017-10-12

Map Id: A44
Direction: SSE
Distance: 0.069 mi., 365 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : A&S Transportation, Inc. | DEP District Office | Moore Donald
27885 N. Industrial Street
BONITA SPRINGS, FL

Database(s) : [SPILLS - FL] ***(cont.)***

Envirosite ID: 68173855
EPA ID: N/R

SPILLS - FL ***(cont.)***

Pollutants

Pollutant Name :	Motor oil
Pollutant Actual Volume :	0.062 gallon
Pollutant Category :	N/R

Facility Name :	RP UNKNOWN
Facility Address :	27885 N. Industrial Street, BONITA SPRINGS
County :	Lee

Incident Details

Incident Number :	54431
Incident Date :	2015-12-04
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	N/R
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2017-10-12

Pollutants

Pollutant Name :	Motor oil
Pollutant Actual Volume :	0.062 gallon
Pollutant Category :	N/R

Map Id: E45
Direction: SE
Distance: 0.070 mi., 368 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : AAC7514 | AAE1583A
27421 OLD US HWY 41 RD | 27421 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173848
EPA ID: N/R

DEDB - FL

Sample Date :	2005-12-08
Sample ID :	051209-054
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC7514

Map Id: E45
Direction: SE
Distance: 0.070 mi., 368 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : AAC7514 | AAE1583A
27421 OLD US HWY 41 RD | 27421 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173848
EPA ID: N/R

DEDB - FL ***(cont.)***

Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	BERRY
Well Business Name :	BONITA TRANSMISSIONS
Well Address :	27421 OLD US HWY 41 RD
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.
Well Status :	INACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-051209-011
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

Sample Date :	2005-12-08
Sample ID :	051209-054
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC7514
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	BERRY
Well Business Name :	BONITA TRANSMISSIONS
Well Address :	27421 OLD US HWY 41 RD
Well Type :	42
Well Status :	INACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-051209-011
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2005-12-08
Sample ID :	051209-054
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC7514
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	BERRY
Well Business Name :	BONITA TRANSMISSIONS
Well Address :	27421 OLD 41 RD
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.
Well Status :	INACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-051209-011
Customer ID :	N/R
Description :	N/R

Map Id: E45
Direction: SE
Distance: 0.070 mi., 368 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : AAC7514 | AAE1583A
27421 OLD US HWY 41 RD | 27421 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173848
EPA ID: N/R

DEDB - FL ***(cont.)***

Last Date in Agency List :	2026-03-13

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL]

Envirosite ID: 68173842
EPA ID: N/R

DWM CONTAM - FL

Facility Name :	REBEL #840
Facility Address :	27001 OLD US 41 SE, BONITA SPRINGS, FL 34135
County :	LEE
Score Effective Date :	N/R
Score :	N/R
Score Ranked :	48
Rank :	3525
Facility ID :	8520477
Facility Status :	OPEN
Facility Type :	A - Retail Station
County Code :	36
District :	SD
Operator :	BRIAN CALLAHAN
Phone :	(239)301-3725
Name Changed Date :	2021-09-07
Address Changed Date :	2015-04-08
Latitude Degrees :	26
Latitude Minutes :	20
Latitude Seconds :	43.1191
Longitude Degrees :	81
Longitude Minutes :	46
Longitude Seconds :	44.0335
Feature :	N/R
Method :	AGPS
Datum :	0
Section/Township/Range :	SEC 4, TWP 48, RNG 25
Related Party Begin Date :	2021-09-07
Related Party ID :	82219
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	FUTURE ENERGY FLORIDA INC
Related Party Address 1 :	1450 N BENSON AVE, UN#A, Upland, CA 91786
Related Party Address 2 :	ATTN: STORAG TANK REGIS
Contact :	CHITTAL SHAH / CHRIS DEVELLEREZ 909-394-4728
Related Party Phone :	(951)313-7490

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06
Facility Name :	SPEEDWAY #6568
Facility Address :	27001 OLD US 41 SE, BONITA SPRINGS, FL 34135
County :	LEE
Score Effective Date :	N/R
Score :	N/R
Score Ranked :	48
Rank :	3525
Facility ID :	8520477
Facility Status :	OPEN
Facility Type :	A - Retail Station
County Code :	36
District :	SD
Operator :	STORE MGR
Phone :	(239)992-0255
Name Changed Date :	2015-04-08
Address Changed Date :	2015-04-08
Latitude Degrees :	26
Latitude Minutes :	20
Latitude Seconds :	43.1191
Longitude Degrees :	81
Longitude Minutes :	46
Longitude Seconds :	44.0335
Feature :	N/R
Method :	AGPS
Datum :	0
Section/Township/Range :	SEC 4, TWP 48, RNG 25
Related Party Begin Date :	2015-10-14
Related Party ID :	71776
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	SPEEDWAY LLC
Related Party Address 1 :	500 SPEEDWAY DR, ENON, OH 45449
Related Party Address 2 :	ATTN: STORAGE TANK REGIS
Contact :	BRANDIE LEHMAN / BRIAN C DAVIS /
Related Party Phone :	(937)863-7071
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2021-07-12

ECHO

Facility Name :	HESS STATION #09458
Facility Address :	27001 OLD US 41, BONITA SPRINGS, FL 34135
County :	LEE

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

ECHO ***(cont.)***

Last Inspection Date :	N/R
Registry ID :	110035514084
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	50
Derived Tribes :	Seminole Tribe of Florida - 23 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040105
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710504001017
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

ECHO ***(cont.)***

Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.34558
Longitude :	-81.77909
Last Date in Agency List :	2026-05-11

EPA LUST

Facility Name :	SPEEDWAY #6568
Facility Address :	27001 OLD US 41 SE, BONITA SPRINGS, Florida
County :	N/R
Facility ID :	FL8520477
LUST ID :	FL34095
Reported Date :	1986-08-06
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	845
Estimated Private Domestic Wells within 1500ft:	34
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	Yes

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

EPA LUST ***(cont.)***

WHPA Public Water System and Facility ID:	FL5360025_4359754407
WHPA Water Type :	GW
WHPA Facility Type :	WL
WHPA HUC12 :	30902040105
Within Estimated 100-year Floodplain:	No
Latitude :	26.3452799999999
Longitude :	-81.77861
Last Date in Agency List :	2024-05-23

Facility ID :	FL8520477
LUST ID :	FL34633
Reported Date :	1985-06-01
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	845
Estimated Private Domestic Wells within 1500ft:	34
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	Yes
WHPA Public Water System and Facility ID:	FL5360025_4359754407
WHPA Water Type :	GW
WHPA Facility Type :	WL
WHPA HUC12 :	30902040105
Within Estimated 100-year Floodplain:	No
Latitude :	26.3452799999999
Longitude :	-81.77861
Last Date in Agency List :	2024-05-23

Facility ID :	FL8520477
LUST ID :	FL4039
Reported Date :	2005-11-28
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

EPA LUST ***(cont.)***

Estimated Population within 1500ft :	845
Estimated Private Domestic Wells within 1500ft:	34
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	Yes
WHPA Public Water System and Facility ID:	FL5360025_4359754407
WHPA Water Type :	GW
WHPA Facility Type :	WL
WHPA HUC12 :	30902040105
Within Estimated 100-year Floodplain:	No
Latitude :	26.3452799999999
Longitude :	-81.77861
Last Date in Agency List :	2024-05-23

Facility ID :	FL8520477
LUST ID :	FL25253
Reported Date :	1989-01-16
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	845
Estimated Private Domestic Wells within 1500ft:	34
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	Yes
WHPA Public Water System and Facility ID:	FL5360025_4359754407
WHPA Water Type :	GW
WHPA Facility Type :	WL
WHPA HUC12 :	30902040105
Within Estimated 100-year Floodplain:	No
Latitude :	26.3452799999999
Longitude :	-81.77861
Last Date in Agency List :	2024-05-23

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

EPA LUST ***(cont.)***

Facility ID :	FL8520477
LUST ID :	FL19053
Reported Date :	1991-12-05
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	845
Estimated Private Domestic Wells within 1500ft:	34
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	Yes
WHPA Public Water System and Facility ID:	FL5360025_4359754407
WHPA Water Type :	GW
WHPA Facility Type :	WL
WHPA HUC12 :	30902040105
Within Estimated 100-year Floodplain:	No
Latitude :	26.3452799999999
Longitude :	-81.77861
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	SPEEDWAY #6568
Facility Address :	27001 OLD US 41 SE, BONITA SPRINGS, Florida 34135
County :	N/R

Facility ID :	FL8520477
Facility Status :	Open UST(s)
Open USTs :	2
Closed USTs :	3
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.3452777777778
Longitude :	-81.7786111111111
Last Date in Agency List :	2024-05-22

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

EPA UST ***(cont.)***

Tank Details

Tank ID :	FL8520477-1
Tank Status :	Closed
Installation Date :	1985-08-01
Removal Date :	N/R
Capacity :	10000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8520477-2
Tank Status :	Closed
Installation Date :	1985-08-01
Removal Date :	N/R
Capacity :	10000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8520477-3
Tank Status :	Closed
Installation Date :	1985-08-01
Removal Date :	N/R
Capacity :	10000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8520477-4
Tank Status :	Open
Installation Date :	2007-06-01
Removal Date :	N/R
Capacity :	20000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8520477-5
Tank Status :	Open
Installation Date :	2007-06-01
Removal Date :	N/R
Capacity :	20000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R

FA 3 - FL

Facility Name :	REBEL #840
Facility Address :	27001 OLD US 41 SE, BONITA SPRINGS, 34135
County :	LEE

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

FA 3 - FL ***(cont.)***

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Effectivity Date :	2024-05-14
Expiration Date :	2025-05-14
Facility ID :	8520477
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	IRONSHORE SPECIALTY INSURANCE COMPANY
Facility Phone :	2393013725
Owner ID :	82219
Owner Name :	FUTURE ENERGY FLORIDA INC
Address :	1450 N BENSON AVE, UN#A ATTN: STORAG TANK REGIS, Upland, CA 91786
Contact Name :	CHITTAL SHAH / CHRIS DEVELLEREZ 909-394-4728
Phone :	9513137490
Last Date in Agency List :	2026-06-03

Effectivity Date :	2022-05-14
Expiration Date :	2023-05-14
Facility ID :	8520477
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	IRONSHORE SPECIALTY INSURANCE COMPANY
Facility Phone :	2393013725
Owner ID :	82219
Owner Name :	FUTURE ENERGY FLORIDA INC
Address :	1450 N BENSON AVE, UN#A ATTN: STORAG TANK REGIS, Upland, CA 91786
Contact Name :	CHITTAL SHAH / CHRIS DEVELLEREZ 909-394-4728
Phone :	9513137490
Last Date in Agency List :	2026-06-03

Effectivity Date :	2020-01-01
Expiration Date :	2020-12-31
Facility ID :	8520477
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	SURETY BOND
Insurance Company :	LIBERTY MUTUAL INSURANCE COMPANY
Facility Phone :	2393013725
Owner ID :	82219
Owner Name :	FUTURE ENERGY FLORIDA INC
Address :	1450 N BENSON AVE, UN#A ATTN: STORAG TANK REGIS, Upland, CA 91786

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

FA 3 - FL ***(cont.)***

Contact Name :	CHITTAL SHAH / CHRIS DEVELLEREZ 909-394-4728
Phone :	9513137490
Last Date in Agency List :	2026-06-03
Effectivity Date :	2018-01-01
Expiration Date :	2018-12-31
Facility ID :	8520477
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	LIBERTY MUTUAL
Facility Phone :	2393013725
Owner ID :	82219
Owner Name :	FUTURE ENERGY FLORIDA INC
Address :	1450 N BENSON AVE, UN#A ATTN: STORAG TANK REGIS, Upland, CA 91786
Contact Name :	CHITTAL SHAH / CHRIS DEVELLEREZ 909-394-4728
Phone :	9513137490
Last Date in Agency List :	2026-06-03
Effectivity Date :	2017-01-01
Expiration Date :	2017-12-31
Facility ID :	8520477
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	LIBERTY MUTUAL
Facility Phone :	2393013725
Owner ID :	82219
Owner Name :	FUTURE ENERGY FLORIDA INC
Address :	1450 N BENSON AVE, UN#A ATTN: STORAG TANK REGIS, Upland, CA 91786
Contact Name :	CHITTAL SHAH / CHRIS DEVELLEREZ 909-394-4728
Phone :	9513137490
Last Date in Agency List :	2026-06-03
Facility Name :	SPEEDWAY #6568
Facility Address :	27001 OLD US 41 SE, BONITA SPRINGS, 34135
County :	LEE
Effectivity Date :	2020-01-01
Expiration Date :	2020-12-31
Facility ID :	8520477
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	SURETY BOND

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

FA 3 - FL ***(cont.)***

Insurance Company :	LIBERTY MUTUAL INSURANCE COMPANY
Facility Phone :	2399920255
Owner ID :	71776
Owner Name :	SPEEDWAY LLC
Address :	500 SPEEDWAY DR ATTN: STORAGE TANK REGIS, ENON, OH 45449
Contact Name :	BRANDIE LEHMAN / BRIAN C DAVIS /
Phone :	9378637071
Last Date in Agency List :	2021-07-24

Effectivity Date :	2018-01-01
Expiration Date :	2018-12-31
Facility ID :	8520477
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	LIBERTY MUTUAL
Facility Phone :	2399920255
Owner ID :	71776
Owner Name :	SPEEDWAY LLC
Address :	500 SPEEDWAY DR ATTN: STORAGE TANK REGIS, ENON, OH 45449
Contact Name :	BRANDIE LEHMAN / BRIAN C DAVIS /
Phone :	9378637071
Last Date in Agency List :	2021-07-24

Effectivity Date :	2017-01-01
Expiration Date :	2017-12-31
Facility ID :	8520477
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	LIBERTY MUTUAL
Facility Phone :	2399920255
Owner ID :	71776
Owner Name :	SPEEDWAY LLC
Address :	500 SPEEDWAY DR ATTN: STORAGE TANK REGIS, ENON, OH 45449
Contact Name :	BRANDIE LEHMAN / BRIAN C DAVIS /
Phone :	9378637071
Last Date in Agency List :	2021-07-24

Effectivity Date :	2015-11-01
Expiration Date :	2016-12-31
Facility ID :	8520477
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	LIBERTY SURPLUS INSURANCE CORP
Facility Phone :	2399920255

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

FA 3 - FL ***(cont.)***

Owner ID :	71776
Owner Name :	SPEEDWAY LLC
Address :	500 SPEEDWAY DR ATTN: STORAGE TANK REGIS, ENON, OH 45449
Contact Name :	BRANDIE LEHMAN / BRIAN C DAVIS /
Phone :	9378637071
Last Date in Agency List :	2021-07-24
Effectivity Date :	2014-04-30
Expiration Date :	2015-04-29
Facility ID :	8520477
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	SELF-INSURANCE - LETTER FROM CHIEF FINANCIAL OFFIC
Insurance Company :	N/R
Facility Phone :	2399920255
Owner ID :	71776
Owner Name :	SPEEDWAY LLC
Address :	500 SPEEDWAY DR ATTN: STORAGE TANK REGIS, ENON, OH 45449
Contact Name :	BRANDIE LEHMAN / BRIAN C DAVIS /
Phone :	9378637071
Last Date in Agency List :	2021-07-24

FRS

Facility Name :	HESS STATION #09458
Facility Address :	27001 OLD US 41, BONITA SPRINGS, FL 34135-5404
County :	LEE

Site Details

Registry ID :	110035514084
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

FRS ***(cont.)***

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 67161 RCRAINFO - FLT040073645
Facility Name :	HESS STATION # 09458
Facility Address :	27001 OLD US HIGHWAY 41, BONITA SPRINGS, FL 34134
County :	LEE

Site Details

Registry ID :	110027856648
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 75797

GWIF - FL

Facility Name :	HESS #09458
Facility Address :	27001 OLD US HWY 41 RD, BONITA SPRINGS, 34135
County :	LEE
Facility ID :	8520477
Facility Type :	PETROLEUM
Location ID :	183739

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

GWIF - FL ***(cont.)***

Location Method :	DGPS = Differentially Corrected GPS
GPS ID :	183739
GPS Date :	2003-03-05
HAE (Height Above Ellipsoid) :	0.15
Project ID :	SUPER
Insp Name :	MARK ASHTON
Insp CHD :	LEE
Request Number :	N/R
Datum :	WS1984
Software :	N/R
Streetside :	N/R
Agency :	N/R
Comment :	N/R
Latitude :	26.34539
Longitude :	-81.778884
Last Date in Agency List :	2026-05-09

HIST UST - FL

Facility Name :	HESS #09458
Facility Address :	27001 OLD US 41 SE, BONITA SPRINGS, 33923
County :	Leon
Facility ID :	8520477
Phone :	(239) 947-3443
Status :	OPEN
Facility Type :	A
Facility Type Description :	Retail Station
DEP Contractor Own :	N
Tank ID :	5
Capacity :	20000
Tank Location :	UNDERGROUND
Content :	Vehicular Diesel
Install Date :	2007-06-01
Tank Status :	In Service
Status Date :	2007-07-01
Tank Type :	DW
Last Date in Agency List :	2015-02-05
Facility ID :	8520477
Phone :	(239) 947-3443
Status :	OPEN
Facility Type :	A
Facility Type Description :	Retail Station
DEP Contractor Own :	N
Tank ID :	4
Capacity :	20000
Tank Location :	UNDERGROUND
Content :	Unleaded Gas
Install Date :	2007-06-01
Tank Status :	In Service

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

HIST UST - FL ***(cont.)***

Status Date :	2007-07-01
Tank Type :	DW
Last Date in Agency List :	2015-02-05
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

LUST - FL

Facility Name :	HESS #09458
Facility Address :	27001 OLD US 41 SE, BONITA SPRINGS, 33923
County :	Lee

Site Details

Facility ID :	8520477
Facility Status :	OPEN
Facility Type :	Retail Station
Phone :	(239) 947-3443
Last Date in Agency List :	2015-05-09

Owner Information

Owner ID :	N/R
Owner Name :	N/R
Owner Address 1 :	N/R
Owner Address 2 :	N/R
Owner Phone :	N/R
Contact :	N/R

Discharge Details

Discharge Date :	1991-12-05
Status Date :	2009-04-01
Status Description :	NFA COMPLETE
DEP Code :	N
Description :	COMBINED CLEANUP REQUIRED
Score Date :	2003-04-17
Score :	00048
CU Status :	NFA

Discharge Date :	1989-01-16
Status Date :	2009-04-01
Status Description :	NFA COMPLETE
DEP Code :	N
Description :	CLEANUP REQUIRED
Score Date :	2003-04-17

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

LUST - FL ***(cont.)***

Score :	00048
CU Status :	NFA
Discharge Date :	1986-08-06
Status Date :	2001-05-29
Status Description :	CLEANUP NOT REQUIRED
DEP Code :	N
Description :	NO CLEANUP REQUIRED
Score Date :	1998-01-06
Score :	00028
CU Status :	NREQ
Discharge Date :	1985-06-01
Status Date :	2001-05-29
Status Description :	CLEANUP NOT REQUIRED
DEP Code :	N
Description :	NO CLEANUP REQUIRED
Score Date :	1998-01-06
Score :	00028
CU Status :	NREQ
Discharge Date :	2005-11-28
Status Date :	2009-07-17
Status Description :	NFA COMPLETE
DEP Code :	N
Description :	CLEANUP REQUIRED
Score Date :	N/R
Score :	N/R
CU Status :	NFA
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	N/R
Facility Name :	REBEL #840
Facility Address :	27001 OLD US 41 SE, BONITA SPRINGS, 34135
County :	LEE

Site Details

Facility ID :	8520477
Facility Status :	OPEN
Facility Type :	Retail Station
Phone :	2393013725
Last Date in Agency List :	2026-05-06

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

LUST - FL ***(cont.)***

Owner Information

Owner ID :	82219
Owner Name :	FUTURE ENERGY FLORIDA INC
Owner Address 1 :	1450 N BENSON AVE, UN#A, UPLAND, CA 91786
Owner Address 2 :	ATTN: STORAG TANK REGIS
Owner Phone :	9513137490
Contact :	CHITTAL SHAH / CHRIS DEVELLEREZ 909-394-4728

Discharge Details

Discharge Date :	1991-12-05
Status Date :	2009-04-17
Status Description :	NFA COMPLETE
DEP Code :	P
Description :	COMBINED CLEANUP REQUIRED
Score Date :	2003-04-17
Score :	48
CU Status :	N/R

Discharge Date :	1986-08-06
Status Date :	2001-05-29
Status Description :	CLEANUP NOT REQUIRED
DEP Code :	P
Description :	NO CLEANUP REQUIRED
Score Date :	1998-01-06
Score :	28
CU Status :	N/R

Discharge Date :	1985-06-01
Status Date :	2001-05-29
Status Description :	CLEANUP NOT REQUIRED
DEP Code :	P
Description :	NO CLEANUP REQUIRED
Score Date :	1998-01-06
Score :	28
CU Status :	N/R

Discharge Date :	2005-11-28
Status Date :	2009-07-17
Status Description :	NFA COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	N/R
Score :	N/R
CU Status :	N/R

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

LUST - FL ***(cont.)***

Discharge Date :	1989-01-16
Status Date :	2009-04-01
Status Description :	NFA COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2003-04-17
Score :	48
CU Status :	N/R
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.
Facility Name :	SPEEDWAY #6568
Facility Address :	27001 OLD US 41 SE, BONITA SPRINGS, 34135
County :	LEE

Site Details

Facility ID :	8520477
Facility Status :	OPEN
Facility Type :	Retail Station
Phone :	2399920255
Last Date in Agency List :	2021-10-12

Owner Information

Owner ID :	71776
Owner Name :	SPEEDWAY LLC
Owner Address 1 :	500 SPEEDWAY DR, ENON, OH 45449
Owner Address 2 :	ATTN: STORAGE TANK REGIS
Owner Phone :	9378637071
Contact :	BRANDIE LEHMAN / BRIAN C DAVIS /

Discharge Details

Discharge Date :	2005-11-28
Status Date :	2009-07-17
Status Description :	NFA COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	N/R
Score :	N/R
CU Status :	NFA
Discharge Date :	1986-08-06
Status Date :	2001-05-29

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

LUST - FL ***(cont.)***

Status Description :	CLEANUP NOT REQUIRED
DEP Code :	P
Description :	NO CLEANUP REQUIRED
Score Date :	1998-01-06
Score :	28
CU Status :	NREQ

Discharge Date :	1991-12-05
Status Date :	2009-04-17
Status Description :	NFA COMPLETE
DEP Code :	P
Description :	COMBINED CLEANUP REQUIRED
Score Date :	2003-04-17
Score :	48
CU Status :	NFA

Discharge Date :	1985-06-01
Status Date :	2001-05-29
Status Description :	CLEANUP NOT REQUIRED
DEP Code :	P
Description :	NO CLEANUP REQUIRED
Score Date :	1998-01-06
Score :	28
CU Status :	NREQ

Discharge Date :	1989-01-16
Status Date :	2009-04-01
Status Description :	NFA COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2003-04-17
Score :	48
CU Status :	NFA

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

RCRA NONGEN

Facility Name :	HESS STATION #09458
Facility Address :	27001 OLD US 41, BONITA SPRINGS, FL 34135
County :	LEE

Date Form Received by Agency :	2004-09-25
EPA ID :	FLT040073645
Mailing Address :	N/R
Contact :	N/R

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Contact Address :	N/R
Contact Country :	N/R
Contact Telephone :	N/R
Contact Email :	N/R
EPA Region :	04
Land Type :	Other land type
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	N/R
Owner/Operator Address :	N/R
Owner/Operator Country :	N/R
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	N/R
Owner/Operator Type :	N/R
Owner/Operator Start Date :	N/R
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N/R
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	2004-02-19
Facility Name :	HESS STATION #09458
Classification :	Very Small Quantity Generator

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Notices of Violations Summary
Regulation Violated : N

UST - FL

Facility Name : REBEL #840
Facility Address : 27001 OLD US 41 SE, BONITA SPRINGS, 34135
County : LEE

Site Details
Facility ID : 8520477
Facility Phone : 2393013725
Facility Status : OPEN
Facility Type : Retail Station
Last Date in Agency List : 2026-05-06

Owner Information
Owner ID : 82219
Owner Name : FUTURE ENERGY FLORIDA INC
Owner Address 1 : 1450 N BENSON AVE, UN#A, UPLAND, CA 91786
Owner Address 2 : ATTN: STORAG TANK REGIS
Owner Phone : 9513137490
Contact : CHITTAL SHAH / CHRIS DEVELLEREZ 909-394-4728
DEP Contractor Own : P

Tank Information
Tank ID : 1
Gallons : 10000
Tank Location : UNDERGROUND
Substance : Unleaded Gas
Install Date : 1985-08-01
Status : Removed from Site
Status Date : 2007-07-30

Tank ID : 2
Gallons : 10000
Tank Location : UNDERGROUND
Substance : Unleaded Gas
Install Date : 1985-08-01
Status : Removed from Site
Status Date : 2007-07-30

Tank ID : 3
Gallons : 10000

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

UST - FL ***(cont.)***

Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1985-08-01
Status :	Removed from Site
Status Date :	2007-07-30

Tank ID :	4
Gallons :	20000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	2007-06-01
Status :	In Service
Status Date :	2007-07-01

Construction Items :
Overfill/Spill - Flow shut-Off
Overfill/Spill - Spill containment bucket
Overfill/Spill - Tight fill
Overfill/Spill - Level gauges/alarms
Primary Construction - Fiberglass
Secondary Containment - Double wall

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Internal Tk Monitoring - Automatic tank gauging - USTs
Miscellaneous - Electronic monitor dispenser liners
Miscellaneous - Continuous electronic sensing
Miscellaneous - Electronic monitor pipe sumps
Piping Monitoring - Electronic line leak detector

Piping Items :
Miscellaneous Attributes - Pressurized piping system
Miscellaneous Attributes - Dispenser liners
Primary Construction - Fiberglass
Secondary Containment - Double wall

Tank Information

Tank ID :	5
Gallons :	20000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	2007-06-01
Status :	In Service
Status Date :	2007-07-01

Construction Items :
Miscellaneous Attributes - Compartmented
Overfill/Spill - Level gauges/alarms
Overfill/Spill - Spill containment bucket

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

UST - FL ***(cont.)***

Overfill/Spill - Flow shut-Off
Overfill/Spill - Tight fill
Primary Construction - Fiberglass
Secondary Containment - Double wall

Monitoring Items :
Internal Tk Monitoring - Automatic tank gauging - USTs
Internal Tk Monitoring - Monitor dbl wall tank space
Miscellaneous - Electronic monitor pipe sumps
Miscellaneous - Electronic monitor dispenser liners
Miscellaneous - Continuous electronic sensing
Piping Monitoring - Electronic line leak detector

Piping Items :
Miscellaneous Attributes - Dispenser liners
Miscellaneous Attributes - Pressurized piping system
Primary Construction - Fiberglass
Secondary Containment - Double wall

Oculus Note : Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink : Click here for hyperlink provided by the agency.

Facility Name : SPEEDWAY #6568
Facility Address : 27001 OLD US 41 SE, BONITA SPRINGS, 34135
County : LEE

Site Details
Facility ID : 8520477
Facility Phone : 2399920255
Facility Status : OPEN
Facility Type : Retail Station
Last Date in Agency List : 2021-10-07

Owner Information
Owner ID : 71776
Owner Name : SPEEDWAY LLC
Owner Address 1 : 500 SPEEDWAY DR, ENON, OH 45449
Owner Address 2 : ATTN: STORAGE TANK REGIS
Owner Phone : 9378637071
Contact : BRANDIE LEHMAN / BRIAN C DAVIS /
DEP Contractor Own : P

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

UST - FL ***(cont.)***

Tank Information

Tank ID :	1
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1985-08-01
Status :	Removed from Site
Status Date :	2007-07-30

Tank ID :	2
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1985-08-01
Status :	Removed from Site
Status Date :	2007-07-30

Tank ID :	3
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1985-08-01
Status :	Removed from Site
Status Date :	2007-07-30

Tank ID :	4
Gallons :	20000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	2007-06-01
Status :	In Service
Status Date :	2007-07-01

Construction Items :
Overfill/Spill - Spill containment bucket
Overfill/Spill - Tight fill
Overfill/Spill - Level gauges/alarms
Overfill/Spill - Flow shut-Off
Primary Construction - Fiberglass
Secondary Containment - Double wall

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Internal Tk Monitoring - Automatic tank gauging - USTs
Miscellaneous - Electronic monitor pipe sumps
Miscellaneous - Electronic monitor dispenser liners
Miscellaneous - Continuous electronic sensing
Piping Monitoring - Electronic line leak detector

Map Id: C46
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : SPEEDWAY #6568 | HESS STATION #09458 | REBEL #840
27001 OLD US 41 SE | 27001 OLD US 41
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST UST - FL, LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173842
EPA ID: N/R

UST - FL ***(cont.)***

Piping Items :
Miscellaneous Attributes - Dispenser liners
Miscellaneous Attributes - Pressurized piping system
Primary Construction - Fiberglass
Secondary Containment - Double wall

Tank Information

Tank ID :	5
Gallons :	20000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	2007-06-01
Status :	In Service
Status Date :	2007-07-01

Construction Items :
Miscellaneous Attributes - Compartmented
Overfill/Spill - Flow shut-Off
Overfill/Spill - Level gauges/alarms
Overfill/Spill - Spill containment bucket
Overfill/Spill - Tight fill
Primary Construction - Fiberglass
Secondary Containment - Double wall

Monitoring Items :
Internal Tk Monitoring - Automatic tank gauging - USTs
Internal Tk Monitoring - Monitor dbl wall tank space
Miscellaneous - Electronic monitor dispenser liners
Miscellaneous - Continuous electronic sensing
Miscellaneous - Electronic monitor pipe sumps
Piping Monitoring - Electronic line leak detector

Piping Items :
Miscellaneous Attributes - Pressurized piping system
Miscellaneous Attributes - Dispenser liners
Primary Construction - Fiberglass
Secondary Containment - Double wall

Oculus Note : Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink : Click here for hyperlink provided by the agency.

Map Id: C47
Direction: SE
Distance: 0.070 mi., 369 ft.
Elevation: 7 ft.
Relative: Lower

Site Name : BENSONS GROCERY STORE
27301 OLD 41 RD
BONITA SPRINGS, FL 34135

Database(s) : [UST - FL]

Envirosite ID: 68173846
EPA ID: N/R

UST - FL

Facility Name :	BENSONS GROCERY STORE
Facility Address :	27301 OLD 41 RD, BONITA SPRINGS, 34135
County :	LEE

Site Details

Facility ID :	9814942
Facility Phone :	N/R
Facility Status :	CLOSED
Facility Type :	Other Regulated Facility
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	72070
Owner Name :	BONITA SPRINGS CITY
Owner Address 1 :	9101 BONITA BEACH RD, BONITA SPRINGS, FL 34135
Owner Address 2 :	N/R
Owner Phone :	2399496246
Contact :	MATT FEENEY
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	300
Tank Location :	UNDERGROUND
Substance :	Other Non Regulated
Install Date :	N/R
Status :	Removed from Site
Status Date :	2016-02-01

Tank ID :	2
Gallons :	550
Tank Location :	UNDERGROUND
Substance :	Other Non Regulated
Install Date :	N/R
Status :	Removed from Site
Status Date :	2016-02-01

Tank ID :	3
Gallons :	550
Tank Location :	UNDERGROUND
Substance :	Other Non Regulated
Install Date :	N/R
Status :	Removed from Site
Status Date :	2016-02-01

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: F48
Direction: NNE
Distance: 0.071 mi., 374 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SIGNAL STOP | VIP ONE PRICE DRY CLEANERS | A TOUCH OF CLASS DRY CLEANERS
25091 BERNWOOD DR | 25091 BERNWOOD DR UNIT #4 | 25091 Bernwood Dr., Bonita Springs, FL
BONITA SPRINGS, FL

Database(s) : [DRYCLEANERS - FL, ECHO, FRS, ICIS, INACTIVE PCS, RCRA NONGEN, SPILLS - FL]

Envirosite ID: 68173820
EPA ID: N/R

DRYCLEANERS - FL

Facility Name :	A TOUCH OF CLASS DRY CLEANERS
Facility Address :	25091 BERNWOOD DR #4, BONITA SPRINGS, 34135
County :	LEE
Start Date :	2014-01-30
Facility ID :	9811071
Facility Status :	OPEN
Facility Type :	1 - Drycleaner
Facility Phone :	(239)390-9005
Owner ID :	69704
Owner Role :	PROPERTY OWNER
Owner Name :	SIGNAL CENTER LLC
Owner Address :	11983 TAMIAMI TRL N ATTN: DRYCLEANER REGIS, NAPLES, FL 34110
Contact :	N/R
Phone :	(239)594-7777
Last Date in Agency List :	2026-02-19

Start Date :	2014-01-24
Facility ID :	9811071
Facility Status :	OPEN
Facility Type :	1 - Drycleaner
Facility Phone :	(239)390-9005
Owner ID :	69692
Owner Role :	TANK OPERATOR
Owner Name :	A TOUCH OF CLASS DRY CLEANERS INC
Owner Address :	25091 BERNWOOD DR #4 ATTN: DRY CLEANER REGIS, BONITA SPRINGS, FL 34135
Contact :	FRANK OZEN
Phone :	(239)699-5506
Last Date in Agency List :	2026-02-19

Start Date :	2014-01-24
Facility ID :	9811071
Facility Status :	OPEN
Facility Type :	1 - Drycleaner
Facility Phone :	(239)390-9005
Owner ID :	69692
Owner Role :	FACILITY OWNER
Owner Name :	A TOUCH OF CLASS DRY CLEANERS INC
Owner Address :	25091 BERNWOOD DR #4 ATTN: DRY CLEANER REGIS, BONITA SPRINGS, FL 34135
Contact :	FRANK OZEN
Phone :	(239)699-5506
Last Date in Agency List :	2026-02-19

Map Id: F48
Direction: NNE
Distance: 0.071 mi., 374 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SIGNAL STOP | VIP ONE PRICE DRY CLEANERS | A TOUCH OF CLASS DRY CLEANERS
25091 BERNWOOD DR | 25091 BERNWOOD DR UNIT #4 | 25091 Bernwood Dr., Bonita Springs, FL
BONITA SPRINGS, FL

Database(s) : [DRYCLEANERS - FL, ECHO, FRS, ICIS, INACTIVE PCS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173820
EPA ID: N/R

DRYCLEANERS - FL ***(cont.)***

Start Date :	2014-01-24
Facility ID :	9811071
Facility Status :	OPEN
Facility Type :	1 - Drycleaner
Facility Phone :	(239)390-9005
Owner ID :	69692
Owner Role :	ACCOUNT OWNER
Owner Name :	A TOUCH OF CLASS DRY CLEANERS INC
Owner Address :	25091 BERNWOOD DR #4 ATTN: DRY CLEANER REGIS, BONITA SPRINGS, FL 34135
Contact :	FRANK OZEN
Phone :	(239)699-5506
Last Date in Agency List :	2026-02-19
Facility Name :	VIP ONE PRICE DRY CLEANERS INC
Facility Address :	25091 BERWOOD DR #4, BONITA SPRINGS, 34135
County :	LEE
Start Date :	2009-02-09
Facility ID :	9811071
Facility Status :	CLOSED
Facility Type :	N/R
Facility Phone :	(239)293-8943
Owner ID :	64074
Owner Role :	ACCOUNT OWNER
Owner Name :	VIP ONE PRICE DRY CLEANERS
Owner Address :	25091 BERNWOOD DR STE4, BONITA SPRINGS, FL 34135
Contact :	LESLIE TURRVELLAS
Phone :	(239)390-9005
Last Date in Agency List :	2014-04-15
Start Date :	2009-02-09
Facility ID :	9811071
Facility Status :	CLOSED
Facility Type :	N/R
Facility Phone :	(239)293-8943
Owner ID :	64075
Owner Role :	FACILITY OWNER
Owner Name :	VIP ONE PRICE DRY CLEANERS
Owner Address :	25091 BERNWOOD DR #4, BONITA SPRINGS, FL 34135
Contact :	LESLIE TURRVELLAS
Phone :	(239)293-8943
Last Date in Agency List :	2014-04-15
Start Date :	2009-02-09
Facility ID :	9811071

Map Id: F48
Direction: NNE
Distance: 0.071 mi., 374 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SIGNAL STOP | VIP ONE PRICE DRY CLEANERS | A TOUCH OF CLASS DRY CLEANERS
25091 BERNWOOD DR | 25091 BERNWOOD DR UNIT #4 | 25091 Bernwood Dr., Bonita Springs, FL
BONITA SPRINGS, FL

Database(s) : [DRYCLEANERS - FL, ECHO, FRS, ICIS, INACTIVE PCS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173820
EPA ID: N/R

DRYCLEANERS - FL ***(cont.)***

Facility Status :	CLOSED
Facility Type :	N/R
Facility Phone :	(239)293-8943
Owner ID :	64075
Owner Role :	PROPERTY OWNER
Owner Name :	VIP ONE PRICE DRY CLEANERS
Owner Address :	25091 BERNWOOD DR #4, BONITA SPRINGS, FL 34135
Contact :	LESLIE TURRVELLAS
Phone :	(239)293-8943
Last Date in Agency List :	2014-04-15

ECHO

Facility Name :	SIGNAL STOP
Facility Address :	25091 BERNWOOD DR, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	N/R
Registry ID :	110020166345
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	N/R
Three-Year Compliance Status :	N/R
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503083039
MYRTK Universe :	NNN
NPDES IDs :	FLR10W747
CWA Permit Types :	Non-M
CWA Compliance Tracking :	Off

Map Id: F48
Direction: NNE
Distance: 0.071 mi., 374 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SIGNAL STOP | VIP ONE PRICE DRY CLEANERS | A TOUCH OF CLASS DRY CLEANERS
25091 BERNWOOD DR | 25091 BERNWOOD DR UNIT #4 | 25091 Bernwood Dr., Bonita Springs, FL
BONITA SPRINGS, FL

Database(s) : [DRYCLEANERS - FL, ECHO, FRS, ICIS, INACTIVE PCS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173820
EPA ID: N/R

ECHO ***(cont.)***

CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	Terminated Permit
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	_____
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.37214
Longitude :	-81.80195
Last Date in Agency List :	2026-05-11

Facility Name :	VIP ONE PRICE DRY CLEANERS
Facility Address :	25091 BERNWOOD DR UNIT #4, BONITA SPRINGS, FL 34135
County :	LEE

Map Id: F48
Direction: NNE
Distance: 0.071 mi., 374 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SIGNAL STOP | VIP ONE PRICE DRY CLEANERS | A TOUCH OF CLASS DRY CLEANERS
25091 BERNWOOD DR | 25091 BERNWOOD DR UNIT #4 | 25091 Bernwood Dr., Bonita Springs, FL
BONITA SPRINGS, FL

Database(s) : [DRYCLEANERS - FL, ECHO, FRS, ICIS, INACTIVE PCS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173820
EPA ID: N/R

ECHO ***(cont.)***

Last Inspection Date :	2012-01-12
Registry ID :	110044939378
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	5022
Informal Count :	0
Last Informal Action Date :	2010-01-25
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503083039
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R

Map Id: F48
Direction: NNE
Distance: 0.071 mi., 374 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SIGNAL STOP | VIP ONE PRICE DRY CLEANERS | A TOUCH OF CLASS DRY CLEANERS
25091 BERNWOOD DR | 25091 BERNWOOD DR UNIT #4 | 25091 Bernwood Dr., Bonita Springs, FL
BONITA SPRINGS, FL

Database(s) : [DRYCLEANERS - FL, ECHO, FRS, ICIS, INACTIVE PCS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173820
EPA ID: N/R

ECHO ***(cont.)***

Facility NAICS :	81232 - Drycleaning and Laundry Services (except Coin-Operated)
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2012-01-12
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2010-01-25
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.37214
Longitude :	-81.80195
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	SIGNAL STOP
Facility Address :	25091 BERNWOOD DR, BONITA SPRINGS, FL 34135
County :	LEE

Site Details

Registry ID :	110020166345
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :	The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Map Id: F48
Direction: NNE
Distance: 0.071 mi., 374 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SIGNAL STOP | VIP ONE PRICE DRY CLEANERS | A TOUCH OF CLASS DRY CLEANERS
25091 BERNWOOD DR | 25091 BERNWOOD DR UNIT #4 | 25091 Bernwood Dr., Bonita Springs, FL
BONITA SPRINGS, FL

Database(s) : [DRYCLEANERS - FL, ECHO, FRS, ICIS, INACTIVE PCS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173820
EPA ID: N/R

FRS ***(cont.)***

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest
Source and System ID : FLORIDA DEP - 15971
ICIS - FLR10W747

Facility Name : VIP ONE PRICE DRY CLEANERS
Facility Address : 25091 BERNWOOD DR UNIT #4, BONITA SPRINGS, FL 34135-7822
County : LEE

Site Details
Registry ID : 110044939378
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest
Source and System ID : RCRAINFO - FLR000163071

ICIS

Facility Name : SIGNAL STOP
Facility Address : 25091 BERNWOOD DR, BONITA SPRINGS, FL 34135

Map Id: F48
Direction: NNE
Distance: 0.071 mi., 374 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SIGNAL STOP | VIP ONE PRICE DRY CLEANERS | A TOUCH OF CLASS DRY CLEANERS
25091 BERNWOOD DR | 25091 BERNWOOD DR UNIT #4 | 25091 Bernwood Dr., Bonita Springs, FL
BONITA SPRINGS, FL

Database(s) : [DRYCLEANERS - FL, ECHO, FRS, ICIS, INACTIVE PCS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173820
EPA ID: N/R

ICIS ***(cont.)***

Site Details

NPDES ID :	FLR10W747
ICIS Facility Interest ID :	2400027056
Facility UIN :	110020166345
Facility Type Code :	Privately Owned Facility
Impaired Waters :	303(D) Listed
Latitude :	26.362333
Longitude :	-81.796083
Last Date in Agency List :	2026-02-25

INACTIVE PCS

Issue Date :	2004-10-27
Original Issue Date :	2004-10-27
Effective Date :	2004-10-27
Expiration Date :	2009-10-26
Retirement Date :	N/R
Termination Date :	2012-05-01
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	2400020646
External Permit Number :	FLR10W747
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Terminated
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	SIGNAL STOP
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR100000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2026-02-26

RCRA NONGEN

Facility Name :	VIP ONE PRICE DRY CLEANERS
Facility Address :	25091 BERNWOOD DR UNIT #4, BONITA SPRINGS, FL 34135-7822
County :	LEE
Date Form Received by Agency :	2012-04-27
EPA ID :	FLR000163071
Mailing Address :	25091 BERNWOOD DR UNIT #4, BONITA SPRINGS, FL 34135-7822
Contact :	INGRID ALFARO

Map Id: F48
Direction: NNE
Distance: 0.071 mi., 374 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SIGNAL STOP | VIP ONE PRICE DRY CLEANERS | A TOUCH OF CLASS DRY CLEANERS
25091 BERNWOOD DR | 25091 BERNWOOD DR UNIT #4 | 25091 Bernwood Dr., Bonita Springs, FL
BONITA SPRINGS, FL

Database(s) : [DRYCLEANERS - FL, ECHO, FRS, ICIS, INACTIVE PCS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173820
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Contact Address :	25091 BERNWOOD DR, BONITA SPRINGS, FL 34135-7822
Contact Country :	US
Contact Telephone :	239-390-9005
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	SIGNAL CENTER LLC
Owner/Operator Address :	11983 N TAMIAMI TRL STE 100, NAPLES, FL 34110
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2009-12-29
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	2012-01-20
Facility Name :	VIP ONE PRICE DRY CLEANERS
Classification :	Not a generator, verified

Map Id: F48
Direction: NNE
Distance: 0.071 mi., 374 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SIGNAL STOP | VIP ONE PRICE DRY CLEANERS | A TOUCH OF CLASS DRY CLEANERS
25091 BERNWOOD DR | 25091 BERNWOOD DR UNIT #4 | 25091 Bernwood Dr., Bonita Springs, FL
BONITA SPRINGS, FL

Database(s) : [DRYCLEANERS - FL, ECHO, FRS, ICIS, INACTIVE PCS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173820
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Date Form Received by Agency :	2009-12-29
Facility Name :	VIP ONE PRICE DRY CLEANERS
Classification :	Very Small Quantity Generator

Notices of Violations Summary

Date of Violation :	2012-01-12
Date Achieved Compliance :	2012-04-26
Regulation Violated :	Y
Area of Violation :	Listing - General
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2012-01-12
Date Achieved Compliance :	2012-04-26
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2009-12-29
Date Achieved Compliance :	2010-02-11
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP NON-COMPLIANCE LETTER
Enforcement Action Date :	2010-01-25
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Map Id: F48
Direction: NNE
Distance: 0.071 mi., 374 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SIGNAL STOP | VIP ONE PRICE DRY CLEANERS | A TOUCH OF CLASS DRY CLEANERS
25091 BERNWOOD DR | 25091 BERNWOOD DR UNIT #4 | 25091 Bernwood Dr., Bonita Springs, FL
BONITA SPRINGS, FL

Database(s) : [DRYCLEANERS - FL, ECHO, FRS, ICIS, INACTIVE PCS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173820
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Date of Violation :	2009-12-29
Date Achieved Compliance :	2010-02-11
Regulation Violated :	Y
Area of Violation :	Listing - General
Enforcement Action :	DEP NON-COMPLIANCE LETTER
Enforcement Action Date :	2010-01-25
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2012-04-26
Evaluation :	FOLLOW-UP INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	2012-01-12
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Listing - General
Date Achieved Compliance :	2012-04-26
Evaluation Lead Agency :	State

Evaluation Date :	2012-01-12
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	State Statute or Regulation
Date Achieved Compliance :	2012-04-26
Evaluation Lead Agency :	State

Evaluation Date :	2009-12-29
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	State Statute or Regulation
Date Achieved Compliance :	2010-02-11
Evaluation Lead Agency :	State

Evaluation Date :	2009-12-29
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Listing - General
Date Achieved Compliance :	2010-02-11
Evaluation Lead Agency :	State

Map Id: F48
Direction: NNE
Distance: 0.071 mi., 374 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SIGNAL STOP | VIP ONE PRICE DRY CLEANERS | A TOUCH OF CLASS DRY CLEANERS
25091 BERNWOOD DR | 25091 BERNWOOD DR UNIT #4 | 25091 Bernwood Dr., Bonita Springs, FL
BONITA SPRINGS, FL

Database(s) : [DRYCLEANERS - FL, ECHO, FRS, ICIS, INACTIVE PCS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173820
EPA ID: N/R

SPILLS - FL

Facility Name :	Office of Emergency Response
Facility Address :	25091 Bernwood Dr., Bonita Springs, FL, BONITA SPRINGS
County :	Lee

Incident Details

Incident Number :	55411
Incident Date :	2016-05-25
Incident Status :	Saved
Incident Type :	N/R
Descriptions :	N/R
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2017-10-12

Pollutants

Pollutant Name :	Industrial wastewater
Pollutant Actual Volume :	0.00 gallon
Pollutant Category :	N/R

Facility Name :	Ronan Dana
Facility Address :	25091 Bernwood Dr., Bonita Springs, FL, BONITA SPRINGS
County :	Lee

Incident Details

Incident Number :	55411
Incident Date :	2016-05-25
Incident Status :	Saved
Incident Type :	N/R
Descriptions :	N/R
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R

Map Id: F48
Direction: NNE
Distance: 0.071 mi., 374 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : SIGNAL STOP | VIP ONE PRICE DRY CLEANERS | A TOUCH OF CLASS DRY CLEANERS
25091 BERNWOOD DR | 25091 BERNWOOD DR UNIT #4 | 25091 Bernwood Dr., Bonita Springs, FL
BONITA SPRINGS, FL

Database(s) : [DRYCLEANERS - FL, ECHO, FRS, ICIS, INACTIVE PCS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173820
EPA ID: N/R

SPILLS - FL ***(cont.)***

Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2017-10-12

Pollutants

Pollutant Name :	Industrial wastewater
Pollutant Actual Volume :	0.00 gallon
Pollutant Category :	Wastewater

Facility Name :	RP UNKNOWN
Facility Address :	25091 Bernwood Dr., Bonita Springs, FL, BONITA SPRINGS
County :	Lee

Incident Details

Incident Number :	55411
Incident Date :	2016-05-25
Incident Status :	Saved
Incident Type :	N/R
Descriptions :	N/R
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2017-10-13

Pollutants

Pollutant Name :	Industrial wastewater
Pollutant Actual Volume :	0.00 gallon
Pollutant Category :	N/R

Map Id: B49
Direction: SSE
Distance: 0.072 mi., 380 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | GOODCAT LABS
1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG]

Envirosite ID: 68173752
EPA ID: FLR000233106

BRS

Facility Name :	GOODCAT LLC
Facility Address :	1440 RAIL HEAD BLVD UNIT 5, NAPLES, FL 34110-8442
County :	COLLIER

Site Details

Date Form Received by Agency :	2024-02-21
EPA ID :	FLR000233106
Mailing Address :	1440 RAIL HEAD BLVD, #5, NAPLES, FL 34110-8442
Contact :	RALPH VANDERBEEK
Contact Address :	1440 RAIL HEAD BLVD, #5, NAPLES, FL 34110-0000
Contact Country :	US
Contact Telephone :	239-777-0967
Contact Email :	RALPH@GOODCATLABS.COM
EPA Region :	04
Land Type :	Private
Source Type :	Annual/Biennial Report updated with Notification
Classification :	Large Quantity Generator

Description :

Handlers that generate 1,000 kg or more of hazardous waste during any calendar month; or generate more than 1 kg of acutely hazardous waste during any calendar month; or generate more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generate 1 kg or less of acutely hazardous waste during any calendar month, and accumulate more than 1 kg of acutely hazardous waste at any time; or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulated more than 100 kg of that material at any time.

Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	GOODCAT LLC
Owner/Operator Address :	1440 RAIL HEAD BLVD #5, NAPLES, FL 34110-8442
Owner/Operator Country :	US
Owner/Operator Telephone :	239-277-0967
Owner/Operator Email :	RALPH@GOODCATLABS.COM
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2009-04-15
Owner/Operator End Date :	N/R

Owner/Operator Name :	RAYMOND KELLER
Owner/Operator Address :	1440 RAIL HEAD BLVD #5, NAPLES, FL 34110-0000
Owner/Operator Country :	US
Owner/Operator Telephone :	239-254-8288
Owner/Operator Email :	RMICHAELKELLER@MSN.COM
Owner/Operator Fax :	N/R

Map Id: B49
Direction: SSE
Distance: 0.072 mi., 380 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | GOODCAT LABS
1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG] ***(cont.)***

Envirosite ID: 68173752
EPA ID: FLR000233106

BRS ***(cont.)***

Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2020-03-05
Owner/Operator End Date :	N/R

Waste Activity Monitoring

Report Cycle :	2023
Hazardous Waste Page Number :	1
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	GLOVES & PAPER TOWELS USED WITH E-LIQUID PRODUCTION
Primary NAICS :	325998 - All Other Miscellaneous Chemical Product and Preparation Manufacturing
Source Code :	G19 - Other one-time or intermittent processes (specify in comments)
Form Code :	W319 - Other inorganic solids (specify in comments)
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	0.2
Managed Tons :	0
Shipped Tons :	0.2
Received Tons :	0
Receiver ID :	FLD984167791
Receiver State :	FL
Shipper ID :	FLR000233106
Shipper State :	FL
Waste Minimization :	C - Impl. new initiative to reduce qty and/or toxicity
Waste Code List :	P075
Waste Code Group :	P075 - NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL) -,(S)-, & SALTS
Waste Generation Type :	N/R

Report Cycle :	2023
Hazardous Waste Page Number :	1
Hazardous Waste Sub-Page Number :	2
BR Form :	GM
Waste Description :	GLOVES & PAPER TOWELS USED WITH E-LIQUID PRODUCTION
Primary NAICS :	325998 - All Other Miscellaneous Chemical Product and Preparation Manufacturing
Source Code :	G19 - Other one-time or intermittent processes (specify in comments)
Form Code :	W319 - Other inorganic solids (specify in comments)

Map Id: B49
Direction: SSE
Distance: 0.072 mi., 380 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | GOODCAT LABS
1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG] ***(cont.)***

Envirosite ID: 68173752
EPA ID: FLR000233106

BRS ***(cont.)***

Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	8.5305
Managed Tons :	0
Shipped Tons :	8.5305
Received Tons :	0
Receiver ID :	FLD981932494
Receiver State :	FL
Shipper ID :	FLR000233106
Shipper State :	FL
Waste Minimization :	C - Impl. new initiative to reduce qty and/or toxicity
Waste Code List :	P075
Waste Code Group :	P075 - NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL) -,(S)-, & SALTS
Waste Generation Type :	N/R
Report Cycle :	2021
Hazardous Waste Page Number :	1
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	GLOVES & PAPER TOWELS CONTAMINATED WITH E-LIQUID
Primary NAICS :	325998 - All Other Miscellaneous Chemical Product and Preparation Manufacturing
Source Code :	G19 - Other one-time or intermittent processes (specify in comments)
Form Code :	W319 - Other inorganic solids (specify in comments)
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	3.2895
Managed Tons :	0
Shipped Tons :	3.2895
Received Tons :	0
Receiver ID :	FLD981932494
Receiver State :	FL
Shipper ID :	FLR000233106
Shipper State :	FL
Waste Minimization :	C - Impl. new initiative to reduce qty and/or toxicity
Waste Code List :	P075
Waste Code Group :	P075 - NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL) -,(S)-, & SALTS
Waste Generation Type :	N/R

Map Id: B49
Direction: SSE
Distance: 0.072 mi., 380 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | GOODCAT LABS
1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG] ***(cont.)***

Envirosite ID: 68173752
EPA ID: FLR000233106

BRS ***(cont.)***

Report Cycle :	2019
Hazardous Waste Page Number :	1
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	GLOVES CONTAMINATED WITH E-LIQUID
Primary NAICS :	424940 - Tobacco and Tobacco Product Merchant Wholesalers
Source Code :	G19 - Other one-time or intermittent processes (specify in comments)
Form Code :	W319 - Other inorganic solids (specify in comments)
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	0.0515
Managed Tons :	0
Shipped Tons :	0.0515
Received Tons :	0
Receiver ID :	FLD981932494
Receiver State :	FL
Shipper ID :	FLR000233106
Shipper State :	FL
Waste Minimization :	C - Impl. new initiative to reduce qty and/or toxicity
Waste Code List :	P075
Waste Code Group :	P075 - NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL) -,(S)-, & SALTS
Waste Generation Type :	N/R

ECHO

Facility Name :	GOODCAT LLC
Facility Address :	1440 RAIL HEAD BLVD UNIT 5, NAPLES, FL 34110
County :	COLLIER
Last Inspection Date :	2019-10-03
Registry ID :	110070717175
FIPS Code :	12021
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	2201
Informal Count :	0
Last Informal Action Date :	2020-01-29
Formal Action Count :	0
Last Formal Action Date :	2020-03-03
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	2020-03-03
Last Penalty Amount :	10918
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____

Map Id: B49
Direction: SSE
Distance: 0.072 mi., 380 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | GOODCAT LABS
1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG] ***(cont.)***

Envirosite ID: 68173752
EPA ID: FLR000233106

ECHO ***(cont.)***

Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101022012
MYRTK Universe :	NNY
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	325998 - All Other Miscellaneous Chemical Product and Preparation Manufacturing
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2019-10-03
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	2020-03-03
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2020-01-29
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y

Map Id: B49
Direction: SSE
Distance: 0.072 mi., 380 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | GOODCAT LABS
1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG] ***(cont.)***

Envirosite ID: 68173752
EPA ID: FLR000233106

ECHO ***(cont.)***

TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.31003
Longitude :	-81.78888
Last Date in Agency List :	2026-05-11
Facility Name :	GOODCAT LLC
Facility Address :	1440 RAIL HEAD BLVD UNIT 5, NAPLES, FL 34110-8442
County :	COLLIER
Last Inspection Date :	2019-10-03
Registry ID :	N/R
FIPS Code :	N/R
EPA Region :	04
Inspection Count :	1
Last Inspection Days :	129
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	2
Programs IN SNC :	0
Current Compliance Status :	Violation
Three-Year Compliance Status :	_____VV
Collection Method :	Zip Code Centroid
Reference Point :	N/R
Accuracy Meters :	10000
Derived Tribes :	N/R
Derived HUC :	N/R
Derived WBD :	N/R
Derived STCTY FIPS :	N/R
Derived Zip :	N/R
Derived CD113 :	N/R
Derived CB2010 :	N/R
MYRTK Universe :	NNY
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R

Map Id: B49
Direction: SSE
Distance: 0.072 mi., 380 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | GOODCAT LABS
1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG] ***(cont.)***

Envirosite ID: 68173752
EPA ID: FLR000233106

ECHO ***(cont.)***

CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	424940 - Tobacco and Tobacco Product Merchant Wholesalers
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2019-10-03
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N/R
Latitude :	26.319472
Longitude :	-81.771345
Last Date in Agency List :	2020-02-10

EJ HAZ WASTE

Facility Name :	GOODCAT LLC
Facility Address :	1440 RAIL HEAD BLVD UNIT 5, NAPLES, FL 34110-8442
EPA ID :	FLR000233106
Latitude :	26.31003
Longitude :	-81.78888
Facility Link :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2025-01-28

FRS

Facility Name :	GOODCAT LLC

Map Id: B49
Direction: SSE
Distance: 0.072 mi., 380 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | GOODCAT LABS
1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG] ***(cont.)***

Envirosite ID: 68173752
EPA ID: FLR000233106

FRS ***(cont.)***

Facility Address : 1440 RAIL HEAD BLVD UNIT 5, NAPLES, FL 34110-8442
County : COLLIER

Site Details
Registry ID : 110070717175
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description

Source Description :

All generators and treatment, storage, and disposal (TSD) facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years. The data collected is used to create the National Biennial Resource Conservation and Recovery Act (RCRA) Hazardous Waste Report. This data is processed within the RCRA Information (RCRAInfo) database.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest
Source and System ID : RCRAINFO - FLR000233106

LQG - FL

Facility Name : GoodCat LLC
Facility Address : 1440 Rail Head Blvd, Naples, 34110-8442
County : Collier

Last Inspection Date : 2019-10-03
Date Notified : 2019-10-30
Site ID : 135982
Handler ID : FLR000233106
Office : South District
Facility Inspection Type : LQG-CEI
Documents Link : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-04-07

Map Id: B49
Direction: SSE
Distance: 0.072 mi., 380 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | GOODCAT LABS
1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG] ***(cont.)***

Envirosite ID: 68173752
EPA ID: FLR000233106

MANIFEST EPA

Manifest Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Manifest Number :	008771752SKS
Shipped Date :	2025-05-15
Updated Date :	2025-06-19
Received Date :	2025-05-30
Status :	Signed
Generator ID :	FLR000233106
Generator Name :	GOODCAT LABS
Generator Address :	1440 RAIL HEAD BLVD STE 5, NAPLES, FL 34110
Generator Mailing :	1440 RAIL HEAD BLVD STE 5, NAPLES, FL 34110
Generator Contact :	GOODCAT LABS
Destination ID :	TXD055141378
Destination Name :	CLEAN HARBORS DEER PARK, LLC
Destination Mailing :	2027 INDEPENDENCE PARKWAY SOUTH, LA PORTE, TX 77571
Destination Address :	2027 INDEPENDENCE PARKWAY SOUTH, LA PORTE, TX 77571
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1655
DOT Information :	UN1655, WASTE NICOTINE COMPOUNDS, SOLID, N.O.S., 6.1, PG III
Non Waste Description :	N/R
Quantity :	100 Pounds
Quantity Tons, Acute, Non-Acute :	0.05, 0.05, 0
Quantity Kg, Acute, Non-Acute :	45.3515, 0
Quantity Tons, Haz, Non-Haz :	0.05, 0
Quantity Kg, Haz, Non-Haz :	45.3515, 0
Management Method :	H040 - INCINERATION
Is EPA Waste :	Y
Federal Code :	P075
State Code :	TX - OUTS409H

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1197
DOT Information :	UN1197, EXTRACTS, FLAVORING, LIQUID, 3, PG III, E-LIQUID WITH NICOTINE FLAVORING WASTE
Non Waste Description :	N/R

Map Id: B49
Direction: SSE
Distance: 0.072 mi., 380 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | GOODCAT LABS
1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG] ***(cont.)***

Envirosite ID: 68173752
EPA ID: FLR000233106

MANIFEST EPA ***(cont.)***

Quantity :	30 Pounds
Quantity Tons, Acute, Non-Acute :	0.015, 0, 0.015
Quantity Kg, Acute, Non-Acute :	0, 13.60545
Quantity Tons, Haz, Non-Haz :	0, 0.015
Quantity Kg, Haz, Non-Haz :	0, 13.60545
Management Method :	H040 - INCINERATION
Is EPA Waste :	N
Federal Code :	N/R
State Code :	TX - OUTS003H

Manifest Details

Manifest Number :	009068500SKS
Shipped Date :	2025-03-20
Updated Date :	2025-04-25
Received Date :	2025-04-05
Status :	Signed
Generator ID :	FLR000233106
Generator Name :	GOODCAT LABS
Generator Address :	1440 RAIL HEAD BLVD STE 5, NAPLES, FL 34110
Generator Mailing :	1440 RAIL HEAD BLVD STE 5, NAPLES, FL 34110
Generator Contact :	GOODCAT LABS
Destination ID :	TXD055141378
Destination Name :	CLEAN HARBORS DEER PARK, LLC
Destination Mailing :	2027 INDEPENDENCE PARKWAY SOUTH, LA PORTE, TX 77571
Destination Address :	2027 INDEPENDENCE PARKWAY SOUTH, LA PORTE, TX 77571
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1655
DOT Information :	UN1655, WASTE UN1655, WASTE NICOTINE COMPOUNDS, SOLID, N.O.S.,), 6.1, PG II (DEBRI WASTE WITH NICOTINE RESIDUE), 6.1, PG III
Non Waste Description :	N/R
Quantity :	600 Pounds
Quantity Tons, Acute, Non-Acute :	0.3, 0.3, 0
Quantity Kg, Acute, Non-Acute :	272.109, 0
Quantity Tons, Haz, Non-Haz :	0.3, 0
Quantity Kg, Haz, Non-Haz :	272.109, 0
Management Method :	H040 - INCINERATION
Is EPA Waste :	Y
Federal Code :	P075
State Code :	TX - OUTS409H

Map Id: B49
Direction: SSE
Distance: 0.072 mi., 380 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | GOODCAT LABS
1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG] ***(cont.)***

Envirosite ID: 68173752
EPA ID: FLR000233106

MANIFEST EPA ***(cont.)***

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1197
DOT Information :	UN1197, UN1197, EXTRACTS, FLAVORING, LIQUID, 3 , PG III, E-LIQUID WITH NICOTINE FLAVORING WASTE, 3, PG III
Non Waste Description :	N/R
Quantity :	200 Pounds
Quantity Tons, Acute, Non-Acute :	0.1, 0, 0.1
Quantity Kg, Acute, Non-Acute :	0, 90.703
Quantity Tons, Haz, Non-Haz :	0, 0.1
Quantity Kg, Haz, Non-Haz :	0, 90.703
Management Method :	H040 - INCINERATION
Is EPA Waste :	N
Federal Code :	N/R
State Code :	TX - OUTS003H

Manifest Details

Manifest Number :	009386806SKS
Shipped Date :	2025-01-30
Updated Date :	2025-03-13
Received Date :	2025-02-20
Status :	Signed
Generator ID :	FLR000233106
Generator Name :	GOODCAT LABS
Generator Address :	1440 RAIL HEAD BLVD STE 5, NAPLES, FL 34110
Generator Mailing :	1440 RAIL HEAD BLVD STE 5, NAPLES, FL 34110
Generator Contact :	GOODCAT LABS
Destination ID :	TXD055141378
Destination Name :	CLEAN HARBORS DEER PARK, LLC
Destination Mailing :	2027 INDEPENDENCE PARKWAY SOUTH, LA PORTE, TX 77571
Destination Address :	2027 INDEPENDENCE PARKWAY SOUTH, LA PORTE, TX 77571
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1655
DOT Information :	UN1655, WASTE UN1655, WASTE NICOTINE COMPOUNDS, SOLID, N.O.S.,), 6.1, PG II (DEBRI WASTE WITH NICOTINE RESIDUE), 6.1, PG III
Non Waste Description :	N/R
Quantity :	600 Pounds

Map Id: B49
Direction: SSE
Distance: 0.072 mi., 380 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | GOODCAT LABS
1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG] ***(cont.)***

Envirosite ID: 68173752
EPA ID: FLR000233106

MANIFEST EPA ***(cont.)***

Quantity Tons, Acute, Non-Acute :	0.3, 0.3, 0
Quantity Kg, Acute, Non-Acute :	272.109, 0
Quantity Tons, Haz, Non-Haz :	0.3, 0
Quantity Kg, Haz, Non-Haz :	272.109, 0
Management Method :	H040 - INCINERATION
Is EPA Waste :	Y
Federal Code :	P075
State Code :	TX - OUTS409H

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1197
DOT Information :	UN1197, UN1197, EXTRACTS, FLAVORING, LIQUID, 3 , PG III, E-LIQUID WITH NICOTINE FLAVORING WASTE, 3, PG III
Non Waste Description :	N/R
Quantity :	200 Pounds
Quantity Tons, Acute, Non-Acute :	0.1, 0, 0.1
Quantity Kg, Acute, Non-Acute :	0, 90.703
Quantity Tons, Haz, Non-Haz :	0, 0.1
Quantity Kg, Haz, Non-Haz :	0, 90.703
Management Method :	H040 - INCINERATION
Is EPA Waste :	N
Federal Code :	N/R
State Code :	TX - OUTS003H

Manifest Details

Manifest Number :	009068219SKS
Shipped Date :	2025-01-15
Updated Date :	2025-02-24
Received Date :	2025-02-04
Status :	Signed
Generator ID :	FLR000233106
Generator Name :	GOODCAT LABS
Generator Address :	1440 RAIL HEAD BLVD STE 5, NAPLES, FL 34110
Generator Mailing :	1440 RAIL HEAD BLVD STE 5, NAPLES, FL 34110
Generator Contact :	GOODCAT LABS
Destination ID :	TXD055141378
Destination Name :	CLEAN HARBORS DEER PARK, LLC
Destination Mailing :	2027 INDEPENDENCE PARKWAY SOUTH, LA PORTE, TX 77571
Destination Address :	2027 INDEPENDENCE PARKWAY SOUTH, LA PORTE, TX 77571
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Map Id: B49
Direction: SSE
Distance: 0.072 mi., 380 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | GOODCAT LABS
1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG] ***(cont.)***

Envirosite ID: 68173752
EPA ID: FLR000233106

MANIFEST EPA ***(cont.)***

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1655
DOT Information :	UN1655, WASTE UN1655, WASTE NICOTINE COMPOUNDS, SOLID, N.O.S.,), 6.1, PG II (DEBRI WASTE WITH NICOTINE RESIDUE), 6.1, PG III
Non Waste Description :	N/R
Quantity :	150 Pounds
Quantity Tons, Acute, Non-Acute :	0.075, 0.075, 0
Quantity Kg, Acute, Non-Acute :	68.02725, 0
Quantity Tons, Haz, Non-Haz :	0.075, 0
Quantity Kg, Haz, Non-Haz :	68.02725, 0
Management Method :	H040 - INCINERATION
Is EPA Waste :	Y
Federal Code :	P075
State Code :	TX - OUTS409H

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1197
DOT Information :	UN1197, EXTRACTS, FLAVORING, LIQUID, 3, PG III, E-LIQUID WITH NICOTINE FLAVORING WASTE
Non Waste Description :	N/R
Quantity :	80 Pounds
Quantity Tons, Acute, Non-Acute :	0.04, 0, 0.04
Quantity Kg, Acute, Non-Acute :	0, 36.2812
Quantity Tons, Haz, Non-Haz :	0, 0.04
Quantity Kg, Haz, Non-Haz :	0, 36.2812
Management Method :	H040 - INCINERATION
Is EPA Waste :	N
Federal Code :	N/R
State Code :	TX - OUTS003H

Manifest Details

Manifest Number :	009068104SKS
Shipped Date :	2024-12-19
Updated Date :	2025-02-03
Received Date :	2025-01-14
Status :	Signed
Generator ID :	FLR000233106
Generator Name :	GOODCAT LABS
Generator Address :	1440 RAIL HEAD BLVD STE 5, NAPLES, FL 34110
Generator Mailing :	1440 RAIL HEAD BLVD STE 5, NAPLES, FL 34110
Generator Contact :	GOODCAT LABS
Destination ID :	TXD055141378
Destination Name :	CLEAN HARBORS DEER PARK, LLC
Destination Mailing :	2027 INDEPENDENCE PARKWAY SOUTH, LA PORTE, TX 77571

Map Id: B49
Direction: SSE
Distance: 0.072 mi., 380 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | GOODCAT LABS
1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG] ***(cont.)***

Envirosite ID: 68173752
EPA ID: FLR000233106

MANIFEST EPA ***(cont.)***

Destination Address :	2027 INDEPENDENCE PARKWAY SOUTH, LA PORTE, TX 77571
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1197
DOT Information :	UN1197, EXTRACTS, FLAVORING, LIQUID, 3, PG III, E-LIQUID WITH NICOTINE FLAVORING WASTE
Non Waste Description :	N/R
Quantity :	80 Pounds
Quantity Tons, Acute, Non-Acute :	0.04, 0, 0.04
Quantity Kg, Acute, Non-Acute :	0, 36.2812
Quantity Tons, Haz, Non-Haz :	0, 0.04
Quantity Kg, Haz, Non-Haz :	0, 36.2812
Management Method :	H040 - INCINERATION
Is EPA Waste :	N
Federal Code :	N/R
State Code :	TX - OUTS003H

RCRA LQG

Facility Name :	GOODCAT LLC
Facility Address :	1440 RAIL HEAD BLVD, NAPLES, FL 34110-8442
County :	COLLIER
Date Form Received by Agency :	2025-11-18
EPA ID :	FLR000233106
Mailing Address :	1440 RAIL HEAD BLVD #5, NAPLES, FL 34110-8442
Contact :	RALPH VANDERBEEK
Contact Address :	1440 RAIL HEAD BLVD #5, NAPLES, FL 34110-0000
Contact Country :	US
Contact Telephone :	239-777-0967
Contact Email :	RALPH@GOODCATLABS.COM
EPA Region :	04
Land Type :	Private
Source Type :	Notification
Classification :	Large Quantity Generator

Map Id: B49
Direction: SSE
Distance: 0.072 mi., 380 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | GOODCAT LABS
1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG] ***(cont.)***

Envirosite ID: 68173752
EPA ID: FLR000233106

RCRA LQG ***(cont.)***

Description :

Handlers that generate 1,000 kg or more of hazardous waste during any calendar month; or generate more than 1 kg of acutely hazardous waste during any calendar month; or generate more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generate 1 kg or less of acutely hazardous waste during any calendar month, and accumulate more than 1 kg of acutely hazardous waste at any time; or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulated more than 100 kg of that material at any time.

Last Date in Agency List : 2026-05-05

Owner/Operator Summary

Owner/Operator Name :	DAWN KELLER
Owner/Operator Address :	1440 RAIL HEAD BLVD #5, NAPLES, FL 34110-0000
Owner/Operator Country :	US
Owner/Operator Telephone :	239-254-8288
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2024-11-05
Owner/Operator End Date :	N/R

Owner/Operator Name :	GOODCAT LLC
Owner/Operator Address :	1440 RAIL HEAD BLVD UNIT 5, NAPLES, FL 34110-8442
Owner/Operator Country :	US
Owner/Operator Telephone :	239-254-8288
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2009-04-15
Owner/Operator End Date :	N/R

Owner/Operator Name :	RAIL HEAD 1440 LLC
Owner/Operator Address :	6237 PRESIDENTIAL CT, FT MYERS, FL 33919-0000
Owner/Operator Country :	US
Owner/Operator Telephone :	239-254-8288
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1998-01-01
Owner/Operator End Date :	2022-11-09

Map Id: B49
Direction: SSE
Distance: 0.072 mi., 380 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | GOODCAT LABS
1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG] ***(cont.)***

Envirosite ID: 68173752
EPA ID: FLR000233106

RCRA LQG ***(cont.)***

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N/R
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	2024-02-21
Facility Name :	GOODCAT LLC
Classification :	Large Quantity Generator
Date Form Received by Agency :	2022-02-25
Facility Name :	GOODCAT LLC
Classification :	Large Quantity Generator
Date Form Received by Agency :	2020-03-05
Facility Name :	GOODCAT LLC
Classification :	Large Quantity Generator
Date Form Received by Agency :	2020-02-25
Facility Name :	GOODCAT LLC
Classification :	Large Quantity Generator
Date Form Received by Agency :	2019-10-30
Facility Name :	GOODCAT LLC
Classification :	Large Quantity Generator
Date Form Received by Agency :	2019-10-03
Facility Name :	GOODCAT LLC
Classification :	Large Quantity Generator

Map Id: B49
Direction: SSE
Distance: 0.072 mi., 380 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | GOODCAT LABS
1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG] ***(cont.)***

Envirosite ID: 68173752
EPA ID: FLR000233106

RCRA LQG ***(cont.)***

Hazardous Waste Summary
Waste Code / Name : D001 - IGNITABLE WASTE
P075 - NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL) -,(S)-, & SALTS

Notices of Violations Summary

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Date of Violation :	2020-03-03
Date Achieved Compliance :	2019-11-27
Regulation Violated :	Y
Area of Violation :	Preparedness, Prevention, and Emergency Procedures
Enforcement Action :	DEP MEETING
Enforcement Action Date :	2020-02-25
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2020-03-03
Date Achieved Compliance :	2019-11-27
Regulation Violated :	Y
Area of Violation :	Preparedness, Prevention, and Emergency Procedures
Enforcement Action :	DEP WARNING LETTER
Enforcement Action Date :	2020-01-29
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2020-03-03
Date Achieved Compliance :	2019-11-27
Regulation Violated :	Y
Area of Violation :	Preparedness, Prevention, and Emergency Procedures
Enforcement Action :	DEP SHORT FORM CONSENT ORDER
Enforcement Action Date :	2020-03-03
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R

Map Id: B49
Direction: SSE
Distance: 0.072 mi., 380 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | GOODCAT LABS
1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG] ***(cont.)***

Envirosite ID: 68173752
EPA ID: FLR000233106

RCRA LQG ***(cont.)***

Final Penalty Amount :	10918
Paid Penalty Amount :	10918

Date of Violation :	2020-03-03
Date Achieved Compliance :	2019-11-04
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	DEP SHORT FORM CONSENT ORDER
Enforcement Action Date :	2020-03-03
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	10918
Paid Penalty Amount :	10918

Date of Violation :	2020-03-03
Date Achieved Compliance :	2019-11-04
Regulation Violated :	Y
Area of Violation :	Generators - Manifest
Enforcement Action :	DEP WARNING LETTER
Enforcement Action Date :	2020-01-29
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2020-03-03
Date Achieved Compliance :	2019-11-04
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	DEP WARNING LETTER
Enforcement Action Date :	2020-01-29
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2020-03-03
Date Achieved Compliance :	2019-11-04
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	DEP MEETING

Map Id: B49
Direction: SSE
Distance: 0.072 mi., 380 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | GOODCAT LABS
1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG] ***(cont.)***

Envirosite ID: 68173752
EPA ID: FLR000233106

RCRA LQG ***(cont.)***

Enforcement Action Date :	2020-02-25
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2020-03-03
Date Achieved Compliance :	2019-11-04
Regulation Violated :	Y
Area of Violation :	Generators - Manifest
Enforcement Action :	DEP SHORT FORM CONSENT ORDER
Enforcement Action Date :	2020-03-03
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	10918
Paid Penalty Amount :	10918

Date of Violation :	2020-03-03
Date Achieved Compliance :	2019-11-04
Regulation Violated :	Y
Area of Violation :	Generators - Manifest
Enforcement Action :	DEP MEETING
Enforcement Action Date :	2020-02-25
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2020-01-29
Date Achieved Compliance :	2019-11-27
Regulation Violated :	Y
Area of Violation :	Preparedness, Prevention, and Emergency Procedures
Enforcement Action :	DEP WARNING LETTER
Enforcement Action Date :	2020-01-29
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Map Id: B49
Direction: SSE
Distance: 0.072 mi., 380 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | GOODCAT LABS
1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG] ***(cont.)***

Envirosite ID: 68173752
EPA ID: FLR000233106

RCRA LQG ***(cont.)***

Evaluation Action Summary

Evaluation Date :	2020-03-03
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	Generators - General
Date Achieved Compliance :	2019-11-04
Evaluation Lead Agency :	State
Evaluation Date :	2020-03-03
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	Preparedness, Prevention, and Emergency Procedures
Date Achieved Compliance :	2019-11-27
Evaluation Lead Agency :	State
Evaluation Date :	2020-03-03
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	Generators - Manifest
Date Achieved Compliance :	2019-11-04
Evaluation Lead Agency :	State
Evaluation Date :	2020-01-29
Evaluation :	SIGNIFICANT NON-COMPLIER
Area of Violation :	Generators - General
Date Achieved Compliance :	2019-11-04
Evaluation Lead Agency :	State
Evaluation Date :	2020-01-29
Evaluation :	SIGNIFICANT NON-COMPLIER
Area of Violation :	Generators - Manifest
Date Achieved Compliance :	2019-11-04
Evaluation Lead Agency :	State
Evaluation Date :	2020-01-29
Evaluation :	SIGNIFICANT NON-COMPLIER
Area of Violation :	Preparedness, Prevention, and Emergency Procedures
Date Achieved Compliance :	2019-11-27
Evaluation Lead Agency :	State
Evaluation Date :	2019-10-03
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Generators - General
Date Achieved Compliance :	2019-11-04
Evaluation Lead Agency :	State
Evaluation Date :	2019-10-03
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Preparedness, Prevention, and Emergency Procedures
Date Achieved Compliance :	2019-11-27

Map Id: B49
Direction: SSE
Distance: 0.072 mi., 380 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : GOODCAT LLC | GOODCAT LABS
1440 RAIL HEAD BLVD UNIT 5 | 1440 RAIL HEAD BLVD | 1440 RAIL HEAD BLVD STE 5
NAPLES | Naples, FL

Database(s) : [BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG] ***(cont.)***

Envirosite ID: 68173752
EPA ID: FLR000233106

RCRA LQG ***(cont.)***

Evaluation Lead Agency :	State
Evaluation Date :	2019-10-03
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Generators - Manifest
Date Achieved Compliance :	2019-11-04
Evaluation Lead Agency :	State

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL]

Envirosite ID: 68173821
EPA ID: N/R

AFS

Facility Name :	C YELVINGTON DIST CO/PREFERRED MTLS INC
Facility Address :	25091 OLD 41 RD, BONITA SPRINGS, FL 341357041
County :	Lee

Facility Summary

Program System ID :	FL0000001207100261
Facility Registry ID :	110033176881
EPA Region :	EPA Region 4 - AL, FL, GA, KY, MS, NC, SC, TN
SIC :	3271 - CONCRETE BLOCK AND BRICK
NAICS :	327331 - Concrete Block and Brick Manufacturing
Facility Type :	Privately Owned Facility
Air Pollutant Class :	Minor Emissions
Air Operating Status :	Operating
Current High Priority Violation (HPV):	No Violation Identified
Local Control Region Name :	N/R
Last Date in Agency List :	2026-05-26

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

AFS ***(cont.)***

Air Pollutant Details

Program System ID :	FL0000001207100261
Pollutant :	VISIBLE EMISSIONS
Substance Registry Services ID (SRS):	1647650
Chemical Abstract Service Number :	N/R
Air Pollutant Class :	Emissions classification unknown

Program System ID :	FL0000001207100261
Pollutant :	FACIL
Substance Registry Services ID (SRS):	N/R
Chemical Abstract Service Number :	N/R
Air Pollutant Class :	Minor Emissions

Air Violation History Details

HPV Day Zero Date :	N/R
HPV Resolved Date :	N/R
Program System ID :	FL0000001207100261
Activity ID :	N/R
Agency Type :	N/R
State Code :	N/R
Air Local Control Region Code (LCON):	N/R
Comp Determination UID :	N/R
Enforcement Response Policy :	N/R
Program :	N/R
Pollutant :	N/R
Earliest Determination Date of Federally Reportable Violation (FRV):	N/R

Facility Name :	PREFERRED MATERIALS INC
Facility Address :	25091 OLD 41 RD, BONITA SPRINGS, FL 341357041
County :	Lee

Facility Summary

Program System ID :	FL0000001207100024
Facility Registry ID :	110039629943
EPA Region :	EPA Region 4 - AL, FL, GA, KY, MS, NC, SC, TN
SIC :	3273 - READY-MIXED CONCRETE
NAICS :	327320 - Ready-Mix Concrete Manufacturing
Facility Type :	Privately Owned Facility
Air Pollutant Class :	Minor Emissions

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

AFS ***(cont.)***

Air Operating Status :	Operating
Current High Priority Violation (HPV):	No Violation Identified
Local Control Region Name :	N/R
Last Date in Agency List :	2026-05-26

Air Pollutant Details

Program System ID :	FL0000001207100024
Pollutant :	FACIL
Substance Registry Services ID (SRS):	N/R
Chemical Abstract Service Number :	N/R
Air Pollutant Class :	Minor Emissions

Program System ID :	FL0000001207100024
Pollutant :	PARTICULATE MATTER < 10 UM
Substance Registry Services ID (SRS):	1647619
Chemical Abstract Service Number :	N/R
Air Pollutant Class :	Minor Emissions

Program System ID :	FL0000001207100024
Pollutant :	VISIBLE EMISSIONS
Substance Registry Services ID (SRS):	1647650
Chemical Abstract Service Number :	N/R
Air Pollutant Class :	Emissions classification unknown

Program System ID :	FL0000001207100024
Pollutant :	TOTAL PARTICULATE MATTER
Substance Registry Services ID (SRS):	1647643
Chemical Abstract Service Number :	N/R
Air Pollutant Class :	Minor Emissions

Air Violation History Details

HPV Day Zero Date :	N/R
HPV Resolved Date :	N/R
Program System ID :	FL0000001207100024
Activity ID :	N/R
Agency Type :	N/R
State Code :	N/R
Air Local Control Region Code (LCON):	N/R
Comp Determination UID :	N/R

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

AFS ***(cont.)***

Enforcement Response Policy :	N/R
Program :	N/R
Pollutant :	N/R
Earliest Determination Date of Federally Reportable Violation (FRV):	N/R

AIRS - FL

Facility Name :	BONITA SPRINGS BLOCK PLANT
Facility Address :	25091 Old 41 Rd, BONITA SPRINGS, 34135
County :	LEE
Startup Date (Relocation) :	N/R
Shutdown Date (Relocation) :	N/R
AIRS ID :	0710261
Owner/Company Name :	PREFERRED MATERIALS INC
Category :	POINT
Relocatable :	N
UTM Zone :	17
North :	2917.4
East :	419.96
Township :	N/R
Major Group SIC :	32
Government Facility Code :	0
Public Exempt :	N
One Time Title V Credit :	N
Title V :	N
Title V by EPA Designation :	N/R
Compliance Tracking Code :	N/R
Current Permit Indicator :	AG
Syn Non Title V Source :	N
Major of Non Haps Pollutants :	N
Syn Minor of Non Hap Pollutants :	N/R
Major of HAPS :	N
Syn Minor of HAPS :	N/R
NSPS :	N
NESHAP :	N
Emission Guidelines :	N
Small Business Stationary :	N/R
AOR Required :	N
Ozone SIP Facility :	N
Regulatory Comment :	N/R
Facility Final Shutdown Date :	N/R
Facility Office :	SD
Facility Status :	Active

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

AIRS - FL ***(cont.)***

Facility Type :	CONCRETE PLANT
Directions :	25091 Old 41 Rd
Facility Comment :	SeeDetails/Comments. 05/30/12-EQUIPMENT CHANGE RENEWAL OF CONCRETE BATCHING PLANT AGP REGISTRATION.
Last Date in Agency List :	2020-03-10
Startup Date (Relocation) :	N/R
Shutdown Date (Relocation) :	N/R
AIRS ID :	710261
Owner/Company Name :	PREFERRED MATERIALS INC
Category :	POINT
Relocatable :	N
UTM Zone :	17
North :	2917.4
East :	419.96
Township :	N/R
Major Group SIC :	32
Government Facility Code :	0
Public Exempt :	N
One Time Title V Credit :	N
Title V :	N
Title V by EPA Designation :	N/R
Compliance Tracking Code :	N/R
Current Permit Indicator :	AG
Syn Non Title V Source :	N
Major of Non Haps Pollutants :	N
Syn Minor of Non Hap Pollutants :	N/R
Major of HAPS :	N
Syn Minor of HAPS :	N/R
NSPS :	N
NESHAP :	N
Emission Guidelines :	N
Small Business Stationary :	N/R
AOR Required :	N
Ozone SIP Facility :	N
Regulatory Comment :	N/R
Facility Final Shutdown Date :	N/R
Facility Office :	SD
Facility Status :	Active
Facility Type :	CONCRETE PLANT
Directions :	25091 Old 41 Rd

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

AIRS - FL ***(cont.)***

Facility Comment :	SeeDetails/Comments. 05/30/12-EQUIPMENT CHANGE RENEWAL OF CONCRETE BATCHING PLANT AGP REGISTRATION.
Last Date in Agency List :	2025-12-23
Facility Name :	BONITA SPRINGS READY MIX PLANT
Facility Address :	25091 Old 41 Rd, BONITA SPRINGS, 34135
County :	LEE
Startup Date (Relocation) :	N/R
Shutdown Date (Relocation) :	N/R
AIRS ID :	0710024
Owner/Company Name :	PREFERRED MATERIALS INC
Category :	POINT
Relocatable :	N
UTM Zone :	17
North :	2917.4
East :	419.96
Township :	N/R
Major Group SIC :	32
Government Facility Code :	0
Public Exempt :	N/R
One Time Title V Credit :	N
Title V :	N
Title V by EPA Designation :	N/R
Compliance Tracking Code :	B
Current Permit Indicator :	AG
Syn Non Title V Source :	N
Major of Non Haps Pollutants :	N/R
Syn Minor of Non Hap Pollutants :	N/R
Major of HAPS :	N/R
Syn Minor of HAPS :	N/R
NSPS :	N
NESHAP :	N
Emission Guidelines :	N/R
Small Business Stationary :	N/R
AOR Required :	N
Ozone SIP Facility :	N
Regulatory Comment :	N/R
Facility Final Shutdown Date :	N/R
Facility Office :	SD
Facility Status :	Active
Facility Type :	CONCRETE PLANT
Directions :	25091 Old 41 Rd

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

AIRS - FL ***(cont.)***

Facility Comment :	11/2/12 - Renewal of AGP Concrete Batch Registration
Last Date in Agency List :	2020-03-10
Startup Date (Relocation) :	N/R
Shutdown Date (Relocation) :	N/R
AIRS ID :	710024
Owner/Company Name :	PREFERRED MATERIALS INC
Category :	POINT
Relocatable :	N
UTM Zone :	17
North :	2917.4
East :	419.96
Township :	N/R
Major Group SIC :	32
Government Facility Code :	0
Public Exempt :	N/R
One Time Title V Credit :	N
Title V :	N
Title V by EPA Designation :	N/R
Compliance Tracking Code :	B
Current Permit Indicator :	AG
Syn Non Title V Source :	N
Major of Non Haps Pollutants :	N/R
Syn Minor of Non Hap Pollutants :	N/R
Major of HAPS :	N/R
Syn Minor of HAPS :	N/R
NSPS :	N
NESHAP :	N
Emission Guidelines :	N/R
Small Business Stationary :	N/R
AOR Required :	N
Ozone SIP Facility :	N
Regulatory Comment :	N/R
Facility Final Shutdown Date :	N/R
Facility Office :	SD
Facility Status :	Active
Facility Type :	CONCRETE PLANT
Directions :	25091 Old 41 Rd
Facility Comment :	11/2/12 - Renewal of AGP Concrete Batch Registration
Last Date in Agency List :	2025-12-23

AST - FL

Facility Name :	PREFERRED MATERIALS INC - BONITA SPRINGS
Facility Address :	25091 OLD US HWY 41 S, BONITA SPRINGS, 34135

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

AST - FL ***(cont.)***

County : LEE

Site Details
Facility ID : 8519018
Facility Phone : 9419921400
Facility Status : OPEN
Facility Type : C
Type Description : Fuel user/Non-retail
Last Date in Agency List : 2026-05-06

Owner Information
Owner ID : 62042
Owner Name : PREFERRED MATERIALS INC
Owner Address 1 : N/R
Owner Address 2 : ATTN: ADRIENNE COPPOCK
Owner Phone : 8162152827
Contact : ADRIENNE COPPOCK
DEP Contractor Own : P

Tank Information
Tank ID : 4
Gallons : 275
Tank Location : ABOVEGROUND
Substance : New/Lube Oil
Install Date : 1984-07-01
Status : In Service
Status Date : N/R

Tank ID : 5
Gallons : 275
Tank Location : ABOVEGROUND
Substance : New/Lube Oil
Install Date : 1984-07-01
Status : In Service
Status Date : N/R

Tank ID : 6
Gallons : 12000

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

AST - FL ***(cont.)***

Tank Location :	ABOVEGROUND
Substance :	Vehicular Diesel
Install Date :	2000-07-01
Status :	In Service
Status Date :	2000-07-01
Construction Items :	Overfill/Spill - Level gauges/alarms Overfill/Spill - Spill containment bucket Overfill/Spill - Tight fill Primary Construction - Steel Secondary Containment - Double wall
Monitoring Items :	External Tk Monitoring - Visual inspection of ASTs Internal Tk Monitoring - Monitor dbl wall tank space Piping Monitoring - External piping monitoring
Piping Items :	Corrosion Protection - External protective coating Miscellaneous Attributes - Pressurized piping system Miscellaneous Attributes - Abv, no soil contact Primary Construction - Steel/galvanized metal
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

CS - FL

Facility Name :	PREFERRED MATERIALS INC - BONITA SPRINGS
Facility Address :	25091 OLD US HWY 41 S, BONITA SPRINGS, 34135
County :	Leon County
DEP Cleanup Site Key :	79782215
Program Site ID :	8519018
Program Source Data :	STCM
Program Area :	PETRO
Collection Date :	2003-04-30
Verification Date :	2003-09-30
Load Date :	2024-05-13
Verifier :	DEMACK_P36
Collector :	JOHNSON,B
Verifier Agency :	DELEGATED COUNTY
Collection Agency :	TKLENR

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

CS - FL ***(cont.)***

Verification Status :	REVIEWED
Remediation Status :	ACTIVE
Office/District :	SD
Comments :	N/R
Last Date in Agency List :	2024-05-13

DWM CONTAM - FL

Facility Name :	PREFERRED MATERIALS INC - BONITA SPRINGS
Facility Address :	25091 OLD US HWY 41 S, BONITA SPRINGS, FL 34135
County :	LEE
Score Effective Date :	2009-07-16
Score :	N/R
Score Ranked :	25
Rank :	7166
Facility ID :	8519018
Facility Status :	OPEN
Facility Type :	C - Fuel user/Non-retail
County Code :	36
District :	SD
Operator :	WAYNE BENNER
Phone :	(941)992-1400
Name Changed Date :	2007-12-20
Address Changed Date :	2007-12-20
Latitude Degrees :	26
Latitude Minutes :	22
Latitude Seconds :	34
Longitude Degrees :	81
Longitude Minutes :	48
Longitude Seconds :	8
Feature :	N/R
Method :	MMAP
Datum :	0
Section/Township/Range :	SEC 15, TWP 47S, RNG 25E
Related Party Begin Date :	2007-12-20
Related Party ID :	62042
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	PREFERRED MATERIALS INC
Related Party Address 1 :	4636 SCARBOROUGH DR, Lutz, FL 33559-8506
Related Party Address 2 :	ATTN: ADRIENNE COPPOCK
Contact :	ADRIENNE COPPOCK
Related Party Phone :	(816)215-2827
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

Last Date in Agency List :	2026-05-06

ECHO

Facility Name :	C YELVINGTON DIST CO/PREFERRED MTLS INC
Facility Address :	25091 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	2025-08-04
Registry ID :	110033176881
FIPS Code :	12071
EPA Region :	04
Inspection Count :	2
Last Inspection Days :	69
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	50
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503082043
MYRTK Universe :	NNN
NPDES IDs :	FLR05G610
CWA Permit Types :	Non-M
CWA Compliance Tracking :	On
CWA NAICS :	327331
CWA SICS :	3271
CWA Inspection Count :	2
CWA Last Inspection Days :	68
CWA Informal Count :	N/R

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

ECHO ***(cont.)***

CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation Identified
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	_____
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	3271
Facility NAICS :	327331 - Concrete Block and Brick Manufacturing
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2025-08-04
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	Y
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.375211
Longitude :	-81.802839
Last Date in Agency List :	2026-05-11

Facility Name :	OLDCASTLE COASTAL INC - BONITA
Facility Address :	25091 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

ECHO ***(cont.)***

Last Inspection Date :	N/R
Registry ID :	110033176881
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	50
Derived Tribes :	Seminole Tribe of Florida - 23.9 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503082043
MYRTK Universe :	NNN
NPDES IDs :	FLR05G610
CWA Permit Types :	Minor
CWA Compliance Tracking :	On
CWA NAICS :	N/R
CWA SICS :	3271
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	_____

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

ECHO ***(cont.)***

CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	3271
Facility NAICS :	327331 - Concrete Block and Brick Manufacturing
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	Y
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N/R
Latitude :	26.375211
Longitude :	-81.802839
Last Date in Agency List :	2019-02-25

Facility Name :	PREFERRED MATERIALS INC
Facility Address :	25061 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE

Last Inspection Date :	2011-06-15
Registry ID :	110043644937
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	5233
Informal Count :	0
Last Informal Action Date :	N/R

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

ECHO ***(cont.)***

Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	POINT WHERE WATER OR OTHER SUBSTANCE COULD BE DRAWN FROM ENVIRONMENT FOR DELIVERY TO A FACILITY OR DISTRIBUTION SYSTEM (SUBSTANCE DESTINATION COULD RANGE FROM A SINGLE RESIDENCE TO A LARGE FACILITY)
Accuracy Meters :	5
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503082043
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

ECHO ***(cont.)***

Facility SIC :	N/R
Facility NAICS :	327320 - Ready-Mix Concrete Manufacturing, 32732 - Ready-Mix Concrete Manufacturing
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2011-06-15
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	Y
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	Y
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.378133
Longitude :	-81.802282
Last Date in Agency List :	2026-05-11
Facility Name :	PREFERRED MATERIALS INC
Facility Address :	25091 OLD US 41 S, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	2023-01-31
Registry ID :	110039629943
FIPS Code :	12071
EPA Region :	04
Inspection Count :	2
Last Inspection Days :	985
Informal Count :	0
Last Informal Action Date :	N/R

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

ECHO ***(cont.)***

Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503082043
MYRTK Universe :	NNN
NPDES IDs :	FLG110032
CWA Permit Types :	Non-M
CWA Compliance Tracking :	On
CWA NAICS :	327320
CWA SICS :	3273
CWA Inspection Count :	2
CWA Last Inspection Days :	984
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation Identified
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	_____
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	3273
Facility NAICS :	327320 - Ready-Mix Concrete Manufacturing, 327331 - Concrete Block and Brick Manufacturing

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

ECHO ***(cont.)***

Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2023-01-31
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	Y
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	Y
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	Y
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.37647
Longitude :	-81.80368
Last Date in Agency List :	2026-05-11

Facility Name :	PREFERRED MATERIALS, INC.
Facility Address :	25091 OLD HWY 41S, BONITA SPRINGS, FL 34135
County :	LEE

Last Inspection Date :	2024-10-29
Registry ID :	110012329275
FIPS Code :	12071
EPA Region :	04
Inspection Count :	2
Last Inspection Days :	348
Informal Count :	2
Last Informal Action Date :	2024-11-22
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

ECHO ***(cont.)***

Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	UNKNOWN
Reference Point :	FACILITY CENTROID
Accuracy Meters :	17400
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503082043
MYRTK Universe :	NNN
NPDES IDs :	FLG110338
CWA Permit Types :	Non-M
CWA Compliance Tracking :	On
CWA NAICS :	327320
CWA SICS :	3273
CWA Inspection Count :	2
CWA Last Inspection Days :	347
CWA Informal Count :	2
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation Identified
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	_____
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	3273
Facility NAICS :	327320 - Ready-Mix Concrete Manufacturing
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2024-10-29
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2024-11-22
Facility Federal Agency :	N/R
TRI Reporter :	N/R

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

ECHO ***(cont.)***

Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.376283
Longitude :	-81.8033
Last Date in Agency List :	2026-05-11

Facility Name :	PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK
Facility Address :	25091 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE

Last Inspection Date :	2020-07-14
Registry ID :	110033176881
FIPS Code :	12071
EPA Region :	04
Inspection Count :	1
Last Inspection Days :	439
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	1
Programs IN SNC :	1
Current Compliance Status :	Significant Violation
Three-Year Compliance Status :	_____S_
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	50

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

ECHO ***(cont.)***

Derived Tribes :	Seminole Tribe of Florida - 23.9 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503082043
MYRTK Universe :	NNN
NPDES IDs :	FLR05G610
CWA Permit Types :	Minor
CWA Compliance Tracking :	On
CWA NAICS :	327331
CWA SICS :	3271
CWA Inspection Count :	1
CWA Last Inspection Days :	438
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	1
CWA Current Compliance Status :	Failure to Report DMR - Not Received
CWA Current SNC Flag :	Y
CWA 13 Quarters Compliance Status :	_____S_
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	3271
Facility NAICS :	327331 - Concrete Block and Brick Manufacturing
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2020-07-14
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	Y
NPDES Flag :	Y

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

ECHO ***(cont.)***

SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.375211
Longitude :	-81.802839
Last Date in Agency List :	2021-10-15
Facility Name :	PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
Facility Address :	25091 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	2021-12-02
Registry ID :	110033176881
FIPS Code :	12071
EPA Region :	04
Inspection Count :	2
Last Inspection Days :	108
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	2
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____SS__
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	50
Derived Tribes :	Seminole Tribe of Florida - 23.9 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503082043
MYRTK Universe :	NNN

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

ECHO ***(cont.)***

NPDES IDs :	FLR05G610
CWA Permit Types :	Minor
CWA Compliance Tracking :	On
CWA NAICS :	327331
CWA SICS :	3271
CWA Inspection Count :	2
CWA Last Inspection Days :	107
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	2
CWA Current Compliance Status :	No Violation Identified
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	_____SS__
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	3271
Facility NAICS :	327331 - Concrete Block and Brick Manufacturing
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2021-12-02
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	Y
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.375211

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

ECHO ***(cont.)***

Longitude :	-81.802839
Last Date in Agency List :	2022-03-29
Facility Name :	RINKER MATERIALS CORPORATION - BONITA SPRINGS
Facility Address :	25091 OLD HWY 41S, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	2015-11-05
Registry ID :	110012329275
FIPS Code :	12071
EPA Region :	04
Inspection Count :	2
Last Inspection Days :	444
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	0
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation
Three-Year Compliance Status :	N/R
Collection Method :	UNKNOWN
Reference Point :	FACILITY CENTROID
Accuracy Meters :	17400
Derived Tribes :	Seminole Tribe of Florida - 23.9 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503082043
MYRTK Universe :	NNN
NPDES IDs :	FLG110338
CWA Permit Types :	Minor
CWA Compliance Tracking :	On
CWA NAICS :	327320
CWA SICS :	3273
CWA Inspection Count :	2
CWA Last Inspection Days :	444
CWA Informal Count :	N/R

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

ECHO ***(cont.)***

CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	3273
Facility NAICS :	327320 - Ready-Mix Concrete Manufacturing
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2015-11-05
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N/R
Latitude :	26.376283
Longitude :	-81.8033
Last Date in Agency List :	2017-01-27

EJ TOXIC RELEASE

Facility Name :	PREFERRED-BONITA SPRINGS BLK
Facility Address :	25091 OLD US 41 S, BONITA SPRINGS, FL 34135
County :	LEE COUNTY

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

EJ TOXIC RELEASE ***(cont.)***

Registry ID :	110039629943
Program System :	TRIS
Program System ID :	3413WPRFRR2591L
EPA Region :	Region 4
Latitude :	26.37647
Longitude :	-81.80368
Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2025-01-14

Facility Name :	PREFERRED-BONITA SPRINGS RM
Facility Address :	25061 OLD 41 RD, BONITA SPRINGS, FL 34135-7041
County :	LEE COUNTY

Registry ID :	110043644937
Program System :	TRIS
Program System ID :	3413WPRFRR2561L
EPA Region :	Region 4
Latitude :	26.378133
Longitude :	-81.802282
Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2025-01-14

EPA LUST

Facility Name :	PREFERRED MATERIALS INC - BONITA SPRINGS
Facility Address :	25091 OLD US HWY 41 S, BONITA SPRINGS, Florida
County :	N/R

Facility ID :	FL8519018
LUST ID :	FL12101
Reported Date :	1995-04-27
Status :	Open
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	141
Estimated Private Domestic Wells within 1500ft:	16
Within Source Water Protection Area (SPA):	No

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

EPA LUST ***(cont.)***

SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	Yes
WHPA Public Water System and Facility ID:	FL5360025_4359750931
WHPA Water Type :	GW
WHPA Facility Type :	WL
WHPA HUC12 :	30902040106
Within Estimated 100-year Floodplain:	No
Latitude :	26.37722
Longitude :	-81.80194
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	PREFERRED MATERIALS INC - BONITA SPRINGS
Facility Address :	25091 OLD US HWY 41 S, BONITA SPRINGS, Florida 34135
County :	N/R
Facility ID :	FL8519018
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	3
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.3772222222222
Longitude :	-81.8019444444444
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8519018-1
Tank Status :	Closed
Installation Date :	1984-05-01
Removal Date :	N/R
Capacity :	4000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

EPA UST ***(cont.)***

Tank ID :	FL8519018-2
Tank Status :	Closed
Installation Date :	1984-05-01
Removal Date :	N/R
Capacity :	8000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R

Tank ID :	FL8519018-3
Tank Status :	Closed
Installation Date :	1984-07-01
Removal Date :	N/R
Capacity :	600
Substances :	Waste Oil
Tank Wall Type :	N/R

FA 3 - FL

Facility Name :	PREFERRED MATERIALS INC - BONITA SPRINGS
Facility Address :	25091 OLD US HWY 41 S, BONITA SPRINGS, 34135
County :	LEE

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Effectivity Date :	2021-09-01
Expiration Date :	2022-09-01
Facility ID :	8519018
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	LIBERTY SURPLUS INSURANCE CORP
Facility Phone :	9419921400
Owner ID :	62042
Owner Name :	PREFERRED MATERIALS INC
Address :	4636 SCARBOROUGH DR ATTN: ADRIENNE COPPOCK, Lutz, FL 33559
Contact Name :	ADRIENNE COPPOCK
Phone :	8162152827
Last Date in Agency List :	2026-06-03

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

FA 3 - FL ***(cont.)***

Effectivity Date :	2019-09-01
Expiration Date :	2020-09-02
Facility ID :	8519018
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	LIBERTY SURPLUS INSURANCE CORP
Facility Phone :	9419921400
Owner ID :	62042
Owner Name :	PREFERRED MATERIALS INC
Address :	4636 SCARBOROUGH DR ATTN: ADRIENNE COPPOCK, Lutz, FL 33559
Contact Name :	ADRIENNE COPPOCK
Phone :	8162152827
Last Date in Agency List :	2026-06-03

Effectivity Date :	2017-09-01
Expiration Date :	2018-09-01
Facility ID :	8519018
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	LIBERTY SURPLUS INSURANCE CORP
Facility Phone :	9419921400
Owner ID :	62042
Owner Name :	PREFERRED MATERIALS INC
Address :	4636 SCARBOROUGH DR ATTN: ADRIENNE COPPOCK, Lutz, FL 33559
Contact Name :	ADRIENNE COPPOCK
Phone :	8162152827
Last Date in Agency List :	2026-06-03

Effectivity Date :	2016-09-01
Expiration Date :	2017-09-01
Facility ID :	8519018
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	LIBERTY SURPLUS INSURANCE CORP
Facility Phone :	9419921400
Owner ID :	62042
Owner Name :	PREFERRED MATERIALS INC
Address :	4636 SCARBOROUGH DR ATTN: ADRIENNE COPPOCK, Lutz, FL 33559

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

FA 3 - FL ***(cont.)***

Contact Name :	ADRIENNE COPPOCK
Phone :	8162152827
Last Date in Agency List :	2026-06-03
Effectivity Date :	2014-09-01
Expiration Date :	2016-09-01
Facility ID :	8519018
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	LIBERTY SURPLUS INSURANCE CORP
Facility Phone :	9419921400
Owner ID :	62042
Owner Name :	PREFERRED MATERIALS INC
Address :	4636 SCARBOROUGH DR ATTN: ADRIENNE COPPOCK, Lutz, FL 33559
Contact Name :	ADRIENNE COPPOCK
Phone :	8162152827
Last Date in Agency List :	2026-06-03

FRS

Facility Name :	C YELVINGTON DIST CO/PREFERRED MTLS INC
Facility Address :	25091 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE

Site Details

Registry ID :	110033176881
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description : AIR contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies. AFS contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies. The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

FRS ***(cont.)***

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest

Source and System ID : AIRS/AFS - 1207100261
FLORIDA DEP - 82801
ICIS - FL0000001207100261
ICIS - FLR05G610

Facility Name : OLDCASTLE COASTAL INC - BONITA
Facility Address : 25091 OLD 41 RD, BONITA SPRINGS, FL 34135
County : LEE

Site Details

Registry ID : 110033176881
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2019-04-11

Source Description

Source Description : AIR contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies.
AFS contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies.
The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.
The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

FRS ***(cont.)***

FRS Environmental Interest
Source and System ID : AIRS/AFS - 1207100261
FLORIDA DEP - 82801
ICIS - FL0000001207100261
ICIS - FLR05G610

Facility Name : PREFERRED MATERIALS INC
Facility Address : 25061 OLD 41 RD, BONITA SPRINGS, FL 34135-7041
County : LEE

Site Details
Registry ID : 110043644937
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description
Source Description : RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.
TRIS is a publicly available EPA database reported annually by certain covered industry groups, as well as federal facilities. It contains information about more than 650 toxic chemicals that are being used, manufactured, treated, transported, or released into the environment, and includes information about waste management and pollution prevention activities.

FRS Environmental Interest
Source and System ID : API - 3413WPRFRR2561L
RCRAINFO - FLR000057307

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

FRS ***(cont.)***

Facility Name : PREFERRED MATERIALS INC
Facility Address : 25091 OLD US 41 S, BONITA SPRINGS, FL 34135
County : LEE

Site Details
Registry ID : 110039629943
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description
Source Description : AIR contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies. AFS contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies. The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.
TRIS is a publicly available EPA database reported annually by certain covered industry groups, as well as federal facilities. It contains information about more than 650 toxic chemicals that are being used, manufactured, treated, transported, or released into the environment, and includes information about waste management and pollution prevention activities.

FRS Environmental Interest
Source and System ID : AIRS/AFS - 1207100024
API - 3413WPRFRR2591L
ICIS - FL0000001207100024
ICIS - FLG110032

Facility Name : PREFERRED MATERIALS, INC.
Facility Address : 25091 OLD HWY 41S, BONITA SPRINGS, FL 34135
County : LEE

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

FRS ***(cont.)***

Site Details
Registry ID : 110012329275
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description
Source Description : The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.
The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest
Source and System ID : FLORIDA DEP - 21661
ICIS - FLG110338

Facility Name : PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK
Facility Address : 25091 OLD 41 RD, BONITA SPRINGS, FL 34135
County : LEE

Site Details
Registry ID : 110033176881
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2021-10-09

Source Description
Source Description : AIR contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies.
AFS contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies.

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

FRS ***(cont.)***

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.
The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest
Source and System ID : AIRS/AFS - 1207100261
FLORIDA DEP - 82801
ICIS - FL0000001207100261
ICIS - FLR05G610

Facility Name : PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
Facility Address : 25091 OLD 41 RD, BONITA SPRINGS, FL 34135
County : LEE

Site Details
Registry ID : 110033176881
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2022-02-17

Source Description
Source Description : AIR contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies.
AFS contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies.
The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

FRS ***(cont.)***

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest
Source and System ID : AIRS/AFS - 1207100261
FLORIDA DEP - 82801
ICIS - FL0000001207100261
ICIS - FLR05G610

Facility Name : RINKER MATERIALS - BONITA SPRINGS FACILITY
Facility Address : 25091 OLD US HWY 41 S, BONITA SPRINGS, FL 34134
County : LEE

Site Details
Registry ID : 110035628363
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

FRS Environmental Interest
Source and System ID : FLORIDA DEP - 31420

GWIF - FL

Facility Name : RINKER MATERIALS

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

GWIF - FL ***(cont.)***

Facility Address :	25091 OLD US HWY 41 RD, BONITA SPRINGS, 34135
County :	LEE
Facility ID :	8519018
Facility Type :	PETROLEUM
Location ID :	182849
Location Method :	DGPS = Differentially Corrected GPS
GPS ID :	182849
GPS Date :	2001-10-31
HAE (Height Above Ellipsoid) :	6.63
Project ID :	SUPER
Insp Name :	MARK ASHTON
Insp CHD :	LEE
Request Number :	N/R
Datum :	WS1984
Software :	N/R
Streetside :	N/R
Agency :	N/R
Comment :	N/R
Latitude :	26.376001
Longitude :	-81.802292
Last Date in Agency List :	2026-05-09

HIST PCS ENF

Facility Name :	OLDCASTLE COASTAL INC - BONITA
Facility Address :	25091 OLD 41 RD, BONITA SPRINGS, FL 34135
Effective Date :	2012-11-16
Expiration Date :	2017-11-15
NPDES ID :	FLR05G610
FRS Facility Site ID :	601060707
Primary Facility SIC Code :	3271
Primary Facility SIC Description :	Concrete Block And Brick
Current Major/Minor Status :	Minor
Facility Type Description :	Privately Owned Facility
Facility Non-Government Contact Name:	N/R
Facility Non-Gov Addresses :	9009 Corporate Lake Dr Ste 165, Tampa, FL 33634
Total Actual Average Flow (MGD) :	N/R
Total App. Design Flow (MGD) :	N/R
Pretreat Program Required Indicator :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Tribal Land Code :	N/R

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

HIST PCS ENF ***(cont.)***

Tribal Land Name :	N/R
Contact Office Telephone Number :	N/R
Permit Non-Gov Addresses :	25091 Old 41 Rd
Permit Non-Government Contact Name :	N/R
Permit Type Description :	General Permit Covered Facility
Last Date in Agency List :	2015-01-15
Facility Name :	PREFERRED MATERIALS, INC.
Facility Address :	25091 OLD US HWY 41 SOUTH, BONITA SPRINGS, FL 34135
Effective Date :	2014-05-09
Expiration Date :	2019-05-08
NPDES ID :	FLG110032
FRS Facility Site ID :	1800196761
Primary Facility SIC Code :	3273
Primary Facility SIC Description :	Ready-Mixed Concrete
Current Major/Minor Status :	Minor
Facility Type Description :	Privately Owned Facility
Facility Non-Government Contact Name:	N/R
Facility Non-Gov Addresses :	25091 Old U S Highway 41 South, Bonita Springs, FL 34135
Total Actual Average Flow (MGD) :	N/R
Total App. Design Flow (MGD) :	N/R
Pretreat Program Required Indicator :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Tribal Land Code :	N/R
Tribal Land Name :	N/R
Contact Office Telephone Number :	N/R
Permit Non-Gov Addresses :	25061 Old US Hwy 41 South
Permit Non-Government Contact Name :	N/R
Permit Type Description :	General Permit Covered Facility
Last Date in Agency List :	2015-01-15
Effective Date :	2014-05-09
Expiration Date :	2019-05-08
NPDES ID :	FLG110032
FRS Facility Site ID :	1800196761
Primary Facility SIC Code :	3273
Primary Facility SIC Description :	Ready-Mixed Concrete
Current Major/Minor Status :	Minor
Facility Type Description :	Privately Owned Facility
Facility Non-Government Contact Name:	N/R
Facility Non-Gov Addresses :	N/R

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

HIST PCS ENF ***(cont.)***

Total Actual Average Flow (MGD) :	N/R
Total App. Design Flow (MGD) :	N/R
Pretreat Program Required Indicator :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Tribal Land Code :	N/R
Tribal Land Name :	N/R
Contact Office Telephone Number :	2399921400
Permit Non-Gov Addresses :	25061 Old US Hwy 41 South
Permit Non-Government Contact Name :	N/R
Permit Type Description :	General Permit Covered Facility
Last Date in Agency List :	2015-01-15

Effective Date :	2014-05-09
Expiration Date :	2019-05-08
NPDES ID :	FLG110032
FRS Facility Site ID :	1800196761
Primary Facility SIC Code :	3273
Primary Facility SIC Description :	Ready-Mixed Concrete
Current Major/Minor Status :	Minor
Facility Type Description :	Privately Owned Facility
Facility Non-Government Contact Name:	N/R
Facility Non-Gov Addresses :	25091 Old U S Highway 41 South, Bonita Springs, FL 34135
Total Actual Average Flow (MGD) :	N/R
Total App. Design Flow (MGD) :	N/R
Pretreat Program Required Indicator :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Tribal Land Code :	N/R
Tribal Land Name :	N/R
Contact Office Telephone Number :	N/R
Permit Non-Gov Addresses :	N/R
Permit Non-Government Contact Name :	N/R
Permit Type Description :	General Permit Covered Facility
Last Date in Agency List :	2015-01-15

Effective Date :	2014-05-09
Expiration Date :	2019-05-08
NPDES ID :	FLG110032
FRS Facility Site ID :	1800196761
Primary Facility SIC Code :	3273
Primary Facility SIC Description :	Ready-Mixed Concrete
Current Major/Minor Status :	Minor
Facility Type Description :	Privately Owned Facility

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

HIST PCS ENF ***(cont.)***

Facility Non-Government Contact Name:	N/R
Facility Non-Gov Addresses :	N/R
Total Actual Average Flow (MGD) :	N/R
Total App. Design Flow (MGD) :	N/R
Pretreat Program Required Indicator :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Tribal Land Code :	N/R
Tribal Land Name :	N/R
Contact Office Telephone Number :	2399921400
Permit Non-Gov Addresses :	N/R
Permit Non-Government Contact Name :	N/R
Permit Type Description :	General Permit Covered Facility
Last Date in Agency List :	2015-01-15

ICIS

Facility Name :	OLDCASTLE COASTAL INC - BONITA
Facility Address :	25091 OLD 41 RD, BONITA SPRINGS, FL 34135

Site Details

NPDES ID :	FLR05G610
ICIS Facility Interest ID :	2400025300
Facility UIN :	110033176881
Facility Type Code :	Privately Owned Facility
Impaired Waters :	303(D) Listed
Latitude :	26.3772222
Longitude :	-81.8019444
Last Date in Agency List :	2020-07-20

Facility SIC

SIC Code :	3271
SIC Description :	Concrete Block And Brick

Facility Name :	PREFERRED MATERIALS, INC.
Facility Address :	25091 OLD US HWY 41 SOUTH, BONITA SPRINGS, FL 34135

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

ICIS ***(cont.)***

Site Details

NPDES ID :	FLG110032
ICIS Facility Interest ID :	3400016108
Facility UIN :	110039629943
Facility Type Code :	Privately Owned Facility
Impaired Waters :	303(D) Listed
Latitude :	26.8885
Longitude :	-82.2455
Last Date in Agency List :	2017-01-24

Facility NAICS

NAICS Code :	327320
NAICS Description :	Ready-Mix Concrete Manufacturing

Facility SIC

SIC Code :	3273
SIC Description :	Ready-Mixed Concrete

Facility Name :	PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
Facility Address :	25091 OLD 41 RD, BONITA SPRINGS, FL 34135-7041

Site Details

NPDES ID :	FLR05G610
ICIS Facility Interest ID :	2400025300
Facility UIN :	110033176881
Facility Type Code :	Privately Owned Facility
Impaired Waters :	303(D) Listed
Latitude :	26.3772222
Longitude :	-81.8019445
Last Date in Agency List :	2026-02-25

Facility NAICS

NAICS Code :	327331
NAICS Description :	Concrete Block and Brick Manufacturing

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

ICIS ***(cont.)***

Facility SIC
SIC Code : 3271
SIC Description : Concrete Block And Brick

Facility Name : RINKER MATERIALS CORP
Facility Address : 25091 OLD HWY 41S, BONITA SPRINGS, FL 34135

Site Details
NPDES ID : FLG110338
ICIS Facility Interest ID : 2400016338
Facility UIN : 110012329275
Facility Type Code : Privately Owned Facility
Impaired Waters : 303(D) Listed
Latitude : 26.3769
Longitude : -81.8016
Last Date in Agency List : 2017-01-24

Facility NAICS
NAICS Code : 327320
NAICS Description : Ready-Mix Concrete Manufacturing

Facility SIC
SIC Code : 3273
SIC Description : Ready-Mixed Concrete

INACTIVE PCS

Issue Date : 2007-11-15
Original Issue Date : 2007-11-15
Effective Date : 2007-11-15
Expiration Date : 2012-11-14
Retirement Date : 2012-11-15
Termination Date : N/R
Issuing Agency : N/R
Agency Type : State
Activity ID : 2400066466
External Permit Number : FLR05G610
Facility Type Indicator : NON-POTW
Permit Type : General Permit Covered Facility-NPDES)

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

INACTIVE PCS ***(cont.)***

Major Minor Status :	N
Permit Status :	Expired
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Oldcastle Coastal Inc - Bonita
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR050000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2026-02-26

Issue Date :	2007-11-15
Original Issue Date :	2007-11-15
Effective Date :	2007-11-15
Expiration Date :	2012-11-14
Retirement Date :	2012-11-15
Termination Date :	N/R
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	2400066466
External Permit Number :	FLR05G610
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Expired
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Oldcastle Coastal Inc - Bonita
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR050000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2020-02-11

LAST - FL

Facility Name :	PREFERRED MATERIALS INC - BONITA SPRINGS

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

LAST - FL ***(cont.)***

Facility Address :	25091 OLD US HWY 41 S, BONITA SPRINGS, 34135
County :	LEE

Site Details

Facility ID :	8519018
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
Phone :	9419921400
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	62042
Owner Name :	PREFERRED MATERIALS INC
Owner Address 1 :	4636 SCARBOROUGH DR, Lutz, FL 33559
Owner Address 2 :	ATTN: ADRIENNE COPPOCK
Owner Phone :	8162152827
Contact :	ADRIENNE COPPOCK

Discharge Details

Discharge Date :	1995-04-27
Status Date :	2024-05-24
Status Description :	CLEANUP NOT REQUIRED
DEP Code :	P
Description :	NO CLEANUP REQUIRED
Score Date :	2009-07-16
Score :	25
CU Status :	N/R

Discharge Date :	1999-05-13
Status Date :	2024-05-28
Status Description :	SRCR COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	N/R
Score :	N/R
CU Status :	N/R

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

LAST - FL ***(cont.)***

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

LUST - FL

Facility Name :	PREFERRED MATERIALS INC - BONITA SPRINGS
Facility Address :	25091 OLD US HWY 41 S, BONITA SPRINGS, 34135
County :	LEE

Site Details

Facility ID :	8519018
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
Phone :	9419921400
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	62042
Owner Name :	PREFERRED MATERIALS INC
Owner Address 1 :	4636 SCARBOROUGH DR, Lutz, FL 33559
Owner Address 2 :	ATTN: ADRIENNE COPPOCK
Owner Phone :	8162152827
Contact :	ADRIENNE COPPOCK

Discharge Details

Discharge Date :	1995-04-27
Status Date :	2024-05-24
Status Description :	CLEANUP NOT REQUIRED
DEP Code :	P
Description :	NO CLEANUP REQUIRED
Score Date :	2009-07-16
Score :	25
CU Status :	N/R

Discharge Date :	1999-05-13
Status Date :	2024-05-28
Status Description :	SRCR COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

LUST - FL ***(cont.)***

Score Date :	N/R
Score :	N/R
CU Status :	N/R
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

NPDES - FL

Facility Name :	Preferred Materials Inc - Bonita Springs Block Plant
Facility Address :	25091 Old 41 Rd, Bonita Springs
County :	LEE

Site Details

Issue Date :	2022-10-10
Effective Date :	N/R
Expiration Date :	2027-10-09
Facility ID :	FLR05G610
Facility Type :	Multi-Sector Stormwater GP
Status :	Active
NPDES :	N/R
Company Name :	Preferred Materials Inc
Document Description :	N/R
Nature of Business :	N/R
Ownership Type :	Private
Treatment Process Summary :	N/R
Department Office :	N/R
Capacity (MGD) :	N/R
DW Class :	N/R
Last Date in Agency List :	2026-06-03

Related Party Details

Related Party Name :	Adrienne Coppock
Related Party Address :	4636 Scarborough Dr, Lutz FL 33559
Related Party Address 2 :	-
Related Party Phone :	8162152827
Related Party Email :	Adrienne.Coppock@na.crh.com

PCS FACILITY

Issue Date :	2012-11-16

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

PCS FACILITY ***(cont.)***

Original Issue Date :	2007-11-15
Effective Date :	2012-11-16
Expiration Date :	2017-11-15
Retirement Date :	2017-10-15
Termination Date :	N/R
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	3400192102
External Permit Number :	FLR05G610
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Administratively Continued
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Oldcastle Southern Group, Inc.
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLR050000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2020-02-11

Issue Date :	2017-10-16
Original Issue Date :	2007-11-15
Effective Date :	2017-10-16
Expiration Date :	2022-10-15
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	3601276342
External Permit Number :	FLR05G610
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Oldcastle Southern Group, Inc.

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

PCS FACILITY ***(cont.)***

Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLR050000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2020-02-11

Issue Date :	2022-10-10
Original Issue Date :	2007-11-15
Effective Date :	2022-10-10
Expiration Date :	2027-10-09
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3603383315
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Preferred Materials Inc
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLR050000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2026-02-27

Issue Date :	2017-10-16
Original Issue Date :	2007-11-15
Effective Date :	2017-10-16
Expiration Date :	2022-10-15
Retirement Date :	2022-10-09
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3601276342

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

PCS FACILITY ***(cont.)***

External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Preferred Materials Inc
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLR050000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2026-02-27

Issue Date :	2012-11-16
Original Issue Date :	2007-11-15
Effective Date :	2012-11-16
Expiration Date :	2017-11-15
Retirement Date :	2017-10-15
Termination Date :	N/R
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	3400192102
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Administratively Continued
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Oldcastle Southern Group, Inc.
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLR050000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2026-02-27

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

RCRA NONGEN

Facility Name :	PREFERRED MATERIALS INC
Facility Address :	25061 OLD 41 RD, BONITA SPRINGS, FL 34135-7041
County :	LEE
Date Form Received by Agency :	2011-06-15
EPA ID :	FLR000057307
Mailing Address :	4636 SCARBOROUGH DR, LUTZ, FL 33559-8506
Contact :	JOHN RAUSCHENBACH
Contact Address :	25061 OLD 41 RD, BONITA SPRINGS, FL 34135-7041
Contact Country :	US
Contact Telephone :	239-992-1400
Contact Email :	JRAUSCHENBACH@PREFERREDMATERIALS.COM
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	RINKER MATERIALS
Owner/Operator Address :	1501 BELVEDERE RD, WEST PALM BEACH, FL 33406-1501
Owner/Operator Country :	US
Owner/Operator Telephone :	877-743-7237
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1999-06-16
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE

Notices of Violations Summary

Date of Violation :	2011-06-15
Date Achieved Compliance :	2011-06-24
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2011-06-15
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	State Statute or Regulation
Date Achieved Compliance :	2011-06-24
Evaluation Lead Agency :	State

Evaluation Date :	1999-05-17
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Evaluation Date :	1999-05-17
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

STORMWATER

Facility Name :	PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
Facility Address :	25091 OLD 41 RD, BONITA SPRINGS, FL 34135-7041
NPDES ID :	FLR05G610
Permittee Name :	Preferred Materials Inc
Permit Status :	Effective
Permit Issuing Name :	State
Issued Date :	2022-10-10
Effective Date :	2022-10-10
Termination Date :	N/R
Expiration Date :	2027-10-09
EPA Region :	04
SIC Code :	3271
NAICS Code :	327331
EJ Indexes Above 80th Percentile :	N
Significant Noncompliance Status :	N/R
Quarters with Noncompliance :	0
Industrial Stormwater Formal Enforcement Actions:	N/R
Facility Map Flag :	N/R
DRF URL :	Click here for hyperlink provided by the agency.
Latitude :	26.375211
Longitude :	-81.802839
Last Date in Agency List :	2026-06-12

T 2 - FL

Facility Name :	PREFERRED-BONITA SPRINGS RM
Facility Address :	25061 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	Lee

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

T 2 - FL ***(cont.)***

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Filing Year :	2024(Tier2)
Filing Type :	312 TRI
Company Name :	PREFERRED MATERIALS
Facility ID :	7562997
State Facility ID :	N/R
SIC :	N/R
NAICS :	324121 - Asphalt Paving Mixture and Block Manufacturing
Dun & Bradstreet Code :	06-013-1264
De-Registered Date :	N/R
Data Submitted by :	Adrienne Coppock, Director of Environmental and Land Management
Contact 1 - Name :	Dave Cerniglia
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	david.cerniglia@preferredmaterials.com
Contact 1 - 24-hour Phone :	2392290085
Contact 1 - Work Phone :	2392290085
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2025-02-17
First Submit Date :	2025-02-17(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2026-02-19

Chemical Information

Filing Year :	2024(Tier2)
CAS Number :	7439921
Chemical Name :	Lead
Maximum Daily Quantity :	1
Average Daily Quantity :	1
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	2
F :	0
R :	0
S :	-
Solid :	T

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

T 2 - FL ***(cont.)***

Liquid :	F
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2023(Tier2)
Filing Type :	312 TRI
Company Name :	PREFERRED MATERIALS
Facility ID :	7381473
State Facility ID :	N/R
SIC :	N/R
NAICS :	324121 - Asphalt Paving Mixture and Block Manufacturing

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

T 2 - FL ***(cont.)***

Dun & Bradstreet Code :	06-013-1264
De-Registered Date :	N/R
Data Submitted by :	Adrienne Coppock, Director of Environmental and Land Management
Contact 1 - Name :	Dave Cerniglia
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	david.cerniglia@preferredmaterials.com
Contact 1 - 24-hour Phone :	2392290085
Contact 1 - Work Phone :	2392290085
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2024-02-09
First Submit Date :	2024-02-08(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2025-02-12

Chemical Information

Filing Year :	2023(Tier2)
CAS Number :	7439921
Chemical Name :	Lead
Maximum Daily Quantity :	1
Average Daily Quantity :	1
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	2
F :	0
R :	0
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

T 2 - FL ***(cont.)***

Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
Filing Type :	312 TRI
Company Name :	PREFERRED MATERIALS
Facility ID :	7276362
State Facility ID :	N/R
SIC :	N/R
NAICS :	324121 - Asphalt Paving Mixture and Block Manufacturing
Dun & Bradstreet Code :	06-013-1264
De-Registered Date :	N/R
Data Submitted by :	Adrienne Coppock, Director of Environmental and Land Management
Contact 1 - Name :	Dave Cerniglia
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	david.cerniglia@preferredmaterials.com
Contact 1 - 24-hour Phone :	2392290085
Contact 1 - Work Phone :	2392290085
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

T 2 - FL ***(cont.)***

EIN Number :	N/R
Last Modified Date :	2023-02-09
First Submit Date :	2023-02-09(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2023-07-21

Chemical Information

Filing Year :	2022(Tier2)
CAS Number :	7439921
Chemical Name :	Lead
Maximum Daily Quantity :	1
Average Daily Quantity :	1
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	2
F :	0
R :	0
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

T 2 - FL ***(cont.)***

In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2021(Tier2)
Filing Type :	312 TRI
Company Name :	PREFERRED MATERIALS
Facility ID :	7126941
State Facility ID :	N/R
SIC :	N/R
NAICS :	324121 - Asphalt Paving Mixture and Block Manufacturing
Dun & Bradstreet Code :	06-013-1264
De-Registered Date :	N/R
Data Submitted by :	MARISOL HAMBY, ENVIRONMENTAL SUPERVISOR
Contact 1 - Name :	MARK MARINE
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	mark.marine@preferredmaterials.com
Contact 1 - 24-hour Phone :	407-948-6731
Contact 1 - Work Phone :	386-257-5504
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2022-02-28
First Submit Date :	2022-02-28(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2022-12-20

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

T 2 - FL ***(cont.)***

Chemical Information

Filing Year :	2021(Tier2)
CAS Number :	7439921
Chemical Name :	Lead
Maximum Daily Quantity :	1
Average Daily Quantity :	1
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	2
F :	0
R :	0
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

T 2 - FL ***(cont.)***

Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Facility Name :	PREFERRED MATERIALS - BONITA SPRINGS READY MIX & BLOCKPLANT
Facility Address :	25091 OLD US HIGHWAY 41 SOUTH, BONITA SPRINGS, FL 34133
County :	Lee

Filing Year :	2024(Tier2)
Filing Type :	312 TRI
Company Name :	PREFERRED MATERIALS
Facility ID :	7562914
State Facility ID :	N/R
SIC :	N/R
NAICS :	327320 - Ready-Mix Concrete Manufacturing
Dun & Bradstreet Code :	06-013-1264
De-Registered Date :	N/R
Data Submitted by :	Adrienne Coppock, Director of Environmental and Land Management
Contact 1 - Name :	DAVID CERNIGLIA
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	david.cerniglia@preferredmaterials.com
Contact 1 - 24-hour Phone :	239-985-1111
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	239-985-1111
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2025-02-17
First Submit Date :	2025-02-17(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2026-02-19

Chemical Information

Filing Year :	2024(Tier2)
CAS Number :	N/R
Chemical Name :	chevron anti freeze
Maximum Daily Quantity :	1,350
Average Daily Quantity :	1,350

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

T 2 - FL ***(cont.)***

Max Amount in Largest Container :	1,350
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

T 2 - FL ***(cont.)***

Filing Year :	2024(Tier2)
CAS Number :	N/R
Chemical Name :	Sika Set HE
Maximum Daily Quantity :	450
Average Daily Quantity :	450
Max Amount in Largest Container :	450
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

T 2 - FL ***(cont.)***

Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2024(Tier2)
CAS Number :	N/R
Chemical Name :	Aggregate Products (Limestone/Dolomite, Granite/Basalt, Sand, or Gravel)
Maximum Daily Quantity :	7,004,000
Average Daily Quantity :	3,828,000
Max Amount in Largest Container :	7,004,000
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

T 2 - FL ***(cont.)***

Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2024(Tier2)
CAS Number :	N/R
Chemical Name :	AEA-92S
Maximum Daily Quantity :	8,000
Average Daily Quantity :	8,000
Max Amount in Largest Container :	8,000
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

T 2 - FL ***(cont.)***

Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2024(Tier2)
CAS Number :	N/R
Chemical Name :	Sika PL100
Maximum Daily Quantity :	450
Average Daily Quantity :	450
Max Amount in Largest Container :	450
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

T 2 - FL ***(cont.)***

Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

TRIS

Facility Name :	PREFERRED-BONITA SPRINGS BLK
Facility Address :	25091 OLD US 41 S, BONITA SPRINGS, FL 34135
County :	LEE

Facility Details

TRIF ID :	3413WPRFRR2591L
Federal Facility Flag :	NO
Primary NAICS :	327331 - Concrete Block and Brick Manufacturing
NAICS 2 :	N/R
NAICS 3 :	N/R
NAICS 4 :	N/R
NAICS 5 :	N/R
NAICS 6 :	N/R
Agency Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

TRIS ***(cont.)***

Last Date in Agency List : 2026-02-03

Contact Information

Public Contact Name :	BRYAN OTT
Public Contact Email :	BRYAN.OTT@NA.CRH.COM
Public Contact Phone :	2392701687
Public Contact Phone Ext :	N/R
Parent Company Name :	CRH AMERICAS INC
Parent Company DB NR :	N/R

Reported Chemical Information

Reporting Year :	2024
Document Control Number :	1324222635548
CAS Number :	7439-92-1
Chemical Name :	Lead
Unit of Measure :	Pounds
Maximum Amount Onsite :	02

Onsite Release Summary

Total Fugitive Air Emissions :	.012457
Total Stack Air Emissions :	0
Total Air Emissions :	.012457
Total Number of Receiving Streams :	0
Total Surface Water Discharge :	0
Total Underground Injection Onsite to Class I Wells - Pounds:	0
Total Underground Injection Onsite to Class II-V Wells - Pounds:	0
Total Underground Injection :	0
Total RCRA Subtitle C Landfills :	0
Total Other On-Site Land Releases :	0
Total Land Treatment :	0
Total Surface Impoundments :	N/R
Total Other Disposal :	0
Total On-Site Land Releases :	0

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

TRIS ***(cont.)***

Offsite Release Summary

Total Transferred Off-Site to Disposal:	0
Total Transferred Off-Site for Further Waste Management:	0
Total RCRA C Surface Impoundments :	0
Total Other Surface Impoundments :	0

Facility Name :	PREFERRED-BONITA SPRINGS RM
Facility Address :	25061 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE

Facility Details

TRIF ID :	3413WPRFRR2561L
Federal Facility Flag :	NO
Primary NAICS :	327320 - Ready-Mix Concrete Manufacturing
NAICS 2 :	N/R
NAICS 3 :	N/R
NAICS 4 :	N/R
NAICS 5 :	N/R
NAICS 6 :	N/R
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-02-03

Contact Information

Public Contact Name :	BRYAN OTT
Public Contact Email :	BRYAN.OTT@NA.CRH.COM
Public Contact Phone :	2392701687
Public Contact Phone Ext :	N/R
Parent Company Name :	CRH AMERICAS INC
Parent Company DB NR :	N/R

Reported Chemical Information

Reporting Year :	2024
Document Control Number :	1324222633240
CAS Number :	7439-92-1
Chemical Name :	Lead
Unit of Measure :	Pounds
Maximum Amount Onsite :	02

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

TRIS ***(cont.)***

Onsite Release Summary

Total Fugitive Air Emissions :	.02453
Total Stack Air Emissions :	0
Total Air Emissions :	.02453
Total Number of Receiving Streams :	0
Total Surface Water Discharge :	0
Total Underground Injection Onsite to Class I Wells - Pounds:	0
Total Underground Injection Onsite to Class II-V Wells - Pounds:	0
Total Underground Injection :	0
Total RCRA Subtitle C Landfills :	0
Total Other On-Site Land Releases :	0
Total Land Treatment :	0
Total Surface Impoundments :	N/R
Total Other Disposal :	0
Total On-Site Land Releases :	0

Offsite Release Summary

Total Transferred Off-Site to Disposal:	0
Total Transferred Off-Site for Further Waste Management:	0
Total RCRA C Surface Impoundments :	0
Total Other Surface Impoundments :	0

UST - FL

Facility Name :	PREFERRED MATERIALS INC - BONITA SPRINGS
Facility Address :	25091 OLD US HWY 41 S, BONITA SPRINGS, 34135
County :	LEE

Site Details

Facility ID :	8519018
Facility Phone :	9419921400
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
Last Date in Agency List :	2026-05-06

Map Id: F50
Direction: N
Distance: 0.073 mi., 387 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : PREFERRED MATERIALS INC | PREFERRED MATERIALS INC - BONITA SPRINGS | PREFERRED MATERIALS INC - BONITA SPRINGS BLOCK PLANT
25091 OLD 41 RD | 25091 OLD US HWY 41 S | 25061 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA NONGEN, STORMWATER, T 2 - FL, TRIS, UST - FL] ***(cont.)***

Envirosite ID: 68173821
EPA ID: N/R

UST - FL ***(cont.)***

Owner Information

Owner ID :	62042
Owner Name :	PREFERRED MATERIALS INC
Owner Address 1 :	4636 SCARBOROUGH DR, Lutz, FL 33559
Owner Address 2 :	ATTN: ADRIENNE COPPOCK
Owner Phone :	8162152827
Contact :	ADRIENNE COPPOCK
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	4000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1984-05-01
Status :	Removed from Site
Status Date :	1999-05-01

Tank ID :	2
Gallons :	8000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	1984-05-01
Status :	Removed from Site
Status Date :	1999-05-01

Tank ID :	3
Gallons :	600
Tank Location :	UNDERGROUND
Substance :	Waste Oil
Install Date :	1984-07-01
Status :	Removed from Site
Status Date :	1995-05-01

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL]

Envirosite ID: 68173864
EPA ID: CESQG

AST - FL

Facility Name :	POWERSECURE - TARGET 2317
Facility Address :	8040 MEDITERRANEAN DR, ESTERO, 33928
County :	LEE

Site Details

Facility ID :	9817019
Facility Phone :	3362643414
Facility Status :	OPEN
Facility Type :	C
Type Description :	Fuel user/Non-retail
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	63694
Owner Name :	POWERSECURE INC
Owner Address 1 :	N/R
Owner Address 2 :	Attn: Storage Tank Regis
Owner Phone :	3362643414
Contact :	ANNA STODDARD
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	2000
Tank Location :	ABOVEGROUND
Substance :	Emerg Generator Diesel
Install Date :	2019-05-22
Status :	In Service
Status Date :	2019-05-22
Construction Items :	Overfill/Spill - Tight fill Overfill/Spill - Level gauges/alarms Overfill/Spill - Spill containment bucket Primary Construction - Steel Secondary Containment - Double wall
Monitoring Items :	External Tk Monitoring - Visual inspection of ASTs External Tk Monitoring - SPCC Plan Internal Tk Monitoring - Monitor dbl wall tank space Internal Tk Monitoring - Monitor tank bottom space Miscellaneous - Continuous electronic sensing Piping Monitoring - External piping monitoring

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

AST - FL ***(cont.)***

Piping Items :	Miscellaneous Attributes - Abv, no soil contact Primary Construction - Steel/galvanized metal
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

BRS

Facility Name :	TARGET STORE T2317
Facility Address :	8040 MEDITERRANEAN DR, ESTERO, FL 33928-8304
County :	LEE

Site Details

Date Form Received by Agency :	2020-04-01
EPA ID :	FLR000145086
Mailing Address :	P.O. BOX 111, MINNEAPOLIS, MN 55440
Contact :	STEVE MUSSER
Contact Address :	PO BOX 111, MINNEAPOLIS, MN 55440-0111
Contact Country :	US
Contact Telephone :	800-587-2228
Contact Email :	POC@TARGET.COM
EPA Region :	04
Land Type :	Private
Source Type :	Annual/Biennial Report updated with Notification
Classification :	Small Quantity Generator
Description :	Handlers that generate more than 100 and less than 1000 kilograms of hazardous waste during any calendar month and accumulate less than 6000 kg of hazardous waste at any time; or generate 100 kg or less of hazardous waste during any calendar month, and accumulate more than 1000 kg of hazardous waste at any time.
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	TARGET CORPORATION
Owner/Operator Address :	PO BOX 111, MINNEAPOLIS, MN 55440-1110
Owner/Operator Country :	US
Owner/Operator Telephone :	800-587-2228
Owner/Operator Email :	POC@TARGET.COM
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2008-03-05
Owner/Operator End Date :	N/R

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

BRS ***(cont.)***

Owner/Operator Name :	TARGET CORPORATION
Owner/Operator Address :	PO BOX 111, MINNEAPOLIS, MN 55440-1110
Owner/Operator Country :	US
Owner/Operator Telephone :	800-587-2228
Owner/Operator Email :	POC@TARGET.COM
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2008-03-05
Owner/Operator End Date :	N/R

Waste Activity Monitoring

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Report Cycle :	2019
Hazardous Waste Page Number :	1
Hazardous Waste Sub-Page Number :	1
BR Form :	XX
Waste Description :	N/R
Primary NAICS :	452210 - Department Stores
Source Code :	N/R
Form Code :	N/R
Management Method :	N/R
Generation Tons :	0
Managed Tons :	0
Shipped Tons :	0
Received Tons :	0
Receiver ID :	N/R
Receiver State :	N/R
Shipper ID :	N/R
Shipper State :	N/R
Waste Minimization :	N/R
Waste Code List :	N/R
Waste Code Group :	N/R
Waste Generation Type :	N/R

Report Cycle :	2017
Hazardous Waste Page Number :	1
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	AEROSOLS
Primary NAICS :	452210 - Department Stores
Source Code :	G11 - Discarding off-specification, out-of-date, and/or unused chemicals or products

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

BRS ***(cont.)***

Form Code :	W801 - Compressed gases of any type
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	0.012
Managed Tons :	0
Shipped Tons :	0.012
Received Tons :	0
Receiver ID :	FLD980729610
Receiver State :	FL
Shipper ID :	FLR000145086
Shipper State :	FL
Waste Minimization :	A - Cont. initiative to reduce qty and/or toxicity
Waste Code List :	D001, D035
Waste Code Group :	TCORICR - One or more D018-D043 code
Waste Generation Type :	N/R
Report Cycle :	2017
Hazardous Waste Page Number :	1
Hazardous Waste Sub-Page Number :	2
BR Form :	GM
Waste Description :	AEROSOLS
Primary NAICS :	452210 - Department Stores
Source Code :	G11 - Discarding off-specification, out-of-date, and/or unused chemicals or products
Form Code :	W801 - Compressed gases of any type
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	0.039
Managed Tons :	0
Shipped Tons :	0.039
Received Tons :	0
Receiver ID :	ALD094476793
Receiver State :	AL
Shipper ID :	FLR000145086
Shipper State :	FL
Waste Minimization :	A - Cont. initiative to reduce qty and/or toxicity
Waste Code List :	D001, D035
Waste Code Group :	TCORICR - One or more D018-D043 code
Waste Generation Type :	N/R
Report Cycle :	2017
Hazardous Waste Page Number :	1

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

BRS ***(cont.)***

Hazardous Waste Sub-Page Number :	3
BR Form :	GM
Waste Description :	AEROSOLS
Primary NAICS :	452210 - Department Stores
Source Code :	G11 - Discarding off-specification, out-of-date, and/or unused chemicals or products
Form Code :	W801 - Compressed gases of any type
Management Method :	H061 - Fuel blending prior to energy recovery at another site (waste generated either on-site or received from off-site)
Generation Tons :	0.02
Managed Tons :	0
Shipped Tons :	0.02
Received Tons :	0
Receiver ID :	ALD094476793
Receiver State :	AL
Shipper ID :	FLR000145086
Shipper State :	FL
Waste Minimization :	A - Cont. initiative to reduce qty and/or toxicity
Waste Code List :	D001, D035
Waste Code Group :	TCORICR - One or more D018-D043 code
Waste Generation Type :	N/R
Report Cycle :	2017
Hazardous Waste Page Number :	2
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	FLAMMABLE LIQUIDS
Primary NAICS :	452210 - Department Stores
Source Code :	G11 - Discarding off-specification, out-of-date, and/or unused chemicals or products
Form Code :	W001 - Lab packs from any source not containing acute hazardous waste
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	0.019
Managed Tons :	0
Shipped Tons :	0.019
Received Tons :	0
Receiver ID :	ALD094476793
Receiver State :	AL
Shipper ID :	FLR000145086
Shipper State :	FL
Waste Minimization :	A - Cont. initiative to reduce qty and/or toxicity

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

BRS ***(cont.)***

Waste Code List :	D001, D005, D007, D011, D018, D035, U002, U154
Waste Code Group :	UMIX - U mixtures
Waste Generation Type :	N/R
Report Cycle :	2017
Hazardous Waste Page Number :	2
Hazardous Waste Sub-Page Number :	2
BR Form :	GM
Waste Description :	FLAMMABLE LIQUIDS
Primary NAICS :	452210 - Department Stores
Source Code :	G11 - Discarding off-specification, out-of-date, and/or unused chemicals or products
Form Code :	W001 - Lab packs from any source not containing acute hazardous waste
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	0.0035
Managed Tons :	0
Shipped Tons :	0.0035
Received Tons :	0
Receiver ID :	FLD980729610
Receiver State :	FL
Shipper ID :	FLR000145086
Shipper State :	FL
Waste Minimization :	A - Cont. initiative to reduce qty and/or toxicity
Waste Code List :	D001, D005, D007, D011, D018, D035, U002, U154
Waste Code Group :	UMIX - U mixtures
Waste Generation Type :	N/R
Report Cycle :	2017
Hazardous Waste Page Number :	2
Hazardous Waste Sub-Page Number :	3
BR Form :	GM
Waste Description :	FLAMMABLE LIQUIDS
Primary NAICS :	452210 - Department Stores
Source Code :	G11 - Discarding off-specification, out-of-date, and/or unused chemicals or products
Form Code :	W001 - Lab packs from any source not containing acute hazardous waste
Management Method :	H061 - Fuel blending prior to energy recovery at another site (waste generated either on-site or received from off-site)
Generation Tons :	0.049
Managed Tons :	0

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

BRS ***(cont.)***

Shipped Tons :	0.049
Received Tons :	0
Receiver ID :	ALD094476793
Receiver State :	AL
Shipper ID :	FLR000145086
Shipper State :	FL
Waste Minimization :	A - Cont. initiative to reduce qty and/or toxicity
Waste Code List :	D001, D005, D007, D011, D018, D035, U002, U154
Waste Code Group :	UMIX - U mixtures
Waste Generation Type :	N/R

Report Cycle :	2017
Hazardous Waste Page Number :	3
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	OXIDIZING LIQUIDS
Primary NAICS :	452210 - Department Stores
Source Code :	G11 - Discarding off-specification, out-of-date, and/or unused chemicals or products
Form Code :	W001 - Lab packs from any source not containing acute hazardous waste
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	0.0005
Managed Tons :	0
Shipped Tons :	0.0005
Received Tons :	0
Receiver ID :	FLD980729610
Receiver State :	FL
Shipper ID :	FLR000145086
Shipper State :	FL
Waste Minimization :	A - Cont. initiative to reduce qty and/or toxicity
Waste Code List :	D001
Waste Code Group :	D001 - IGNITABLE WASTE
Waste Generation Type :	N/R

Report Cycle :	2017
Hazardous Waste Page Number :	3
Hazardous Waste Sub-Page Number :	2
BR Form :	GM
Waste Description :	OXIDIZING LIQUIDS
Primary NAICS :	452210 - Department Stores
Source Code :	G11 - Discarding off-specification, out-of-date, and/or unused chemicals or products

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

BRS ***(cont.)***

Form Code :	W001 - Lab packs from any source not containing acute hazardous waste
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	0.015
Managed Tons :	0
Shipped Tons :	0.015
Received Tons :	0
Receiver ID :	ALD094476793
Receiver State :	AL
Shipper ID :	FLR000145086
Shipper State :	FL
Waste Minimization :	A - Cont. initiative to reduce qty and/or toxicity
Waste Code List :	D001
Waste Code Group :	D001 - IGNITABLE WASTE
Waste Generation Type :	N/R
Report Cycle :	2017
Hazardous Waste Page Number :	4
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	CORROSIVE LIQUIDS - BASIC
Primary NAICS :	452210 - Department Stores
Source Code :	G11 - Discarding off-specification, out-of-date, and/or unused chemicals or products
Form Code :	W001 - Lab packs from any source not containing acute hazardous waste
Management Method :	H141 - The site receiving this waste stored/bulked and transferred the waste with no treatment or recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at that receiving site.
Generation Tons :	0.0295
Managed Tons :	0
Shipped Tons :	0.0295
Received Tons :	0
Receiver ID :	ALD094476793
Receiver State :	AL
Shipper ID :	FLR000145086
Shipper State :	FL
Waste Minimization :	A - Cont. initiative to reduce qty and/or toxicity
Waste Code List :	D002
Waste Code Group :	D002 - CORROSIVE WASTE
Waste Generation Type :	N/R

ECHO

Facility Name :	CVS PHARMACY #17384

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

ECHO ***(cont.)***

Facility Address :	8040 MEDITERRANEAN DR, ESTERO, FL 33928
County :	LEE
Last Inspection Date :	N/R
Registry ID :	110072044360
FIPS Code :	12071
EPA Region :	N/R
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	33928
Derived CD113 :	19
Derived CB2010 :	120710503071064
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

ECHO ***(cont.)***

Facility SIC :	N/R
Facility NAICS :	456110
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.40667
Longitude :	-81.8062
Last Date in Agency List :	2026-05-11
Facility Name :	TARGET STORE #2317
Facility Address :	8040 MEDITERRANEAN DR, ESTERO, FL 33928
County :	LEE
Last Inspection Date :	2019-01-29
Registry ID :	110035427231
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	2448
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

ECHO ***(cont.)***

Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	33928
Derived CD113 :	19
Derived CB2010 :	120710503071064
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	455110
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2019-01-29
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

ECHO ***(cont.)***

Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.40667
Longitude :	-81.8062
Last Date in Agency List :	2026-05-11
Facility Name :	TARGET STORE T2317
Facility Address :	8040 MEDITERRANEAN DR, ESTERO, FL 33928
County :	LEE
Last Inspection Date :	2019-01-29
Registry ID :	110035427231
FIPS Code :	12071
EPA Region :	04
Inspection Count :	1
Last Inspection Days :	1580
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 24.1 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	33928
Derived CD113 :	19
Derived CB2010 :	120710503071064
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

ECHO ***(cont.)***

CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	452210 - Department Stores
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2019-01-29
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.40667
Longitude :	-81.8062
Last Date in Agency List :	2023-07-21

FA 3 - FL

Facility Name :	POWERSECURE - TARGET 2317
Facility Address :	8040 MEDITERRANEAN DR, ESTERO, 33928
County :	LEE
Effectivity Date :	2023-12-01
Expiration Date :	2025-06-01
Facility ID :	9817019
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	ASSOCIATED ELECTRIC & GAS INS. SERVICES, LTD

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

FA 3 - FL ***(cont.)***

Facility Phone :	3362643414
Owner ID :	63694
Owner Name :	POWERSECURE INC
Address :	4068 Stirrup Creek Dr Attn: Storage Tank Regis, Durham, NC 27703
Contact Name :	ANNA STODDARD
Phone :	3362643414
Last Date in Agency List :	2026-06-03

Effectivity Date :	2023-06-01
Expiration Date :	2024-06-01
Facility ID :	9817019
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	ASSOCIATED ELECTRIC & GAS INS. SERVICES, LTD
Facility Phone :	3362643414
Owner ID :	63694
Owner Name :	POWERSECURE INC
Address :	4068 Stirrup Creek Dr Attn: Storage Tank Regis, Durham, NC 27703
Contact Name :	ANNA STODDARD
Phone :	3362643414
Last Date in Agency List :	2026-06-03

FRS

Facility Name :	CVS PHARMACY #17384
Facility Address :	8040 MEDITERRANEAN DR, ESTERO, FL 33928-8304
County :	LEE

Site Details

Registry ID :	110072044360
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

FRS ***(cont.)***

FRS Environmental Interest
Source and System ID : RCRAINFO - FLR000273623

Facility Name : TARGET STORE #2317
Facility Address : 8040 MEDITERRANEAN DR, ESTERO, FL 339288304
County : LEE

Site Details
Registry ID : 110035427231
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-02-17

Source Description
Source Description : All generators and treatment, storage, and disposal (TSD) facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years. The data collected is used to create the National Biennial Resource Conservation and Recovery Act (RCRA) Hazardous Waste Report. This data is processed within the RCRA Information (RCRAInfo) database.
The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest
Source and System ID : FLORIDA DEP - 84315
RCRAINFO - FLR000145086

Facility Name : TARGET STORE T2317
Facility Address : 8040 MEDITERRANEAN DR, ESTERO, FL 339288304
County : LEE

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

FRS ***(cont.)***

Site Details

Registry ID :	110035427231
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

All generators and treatment, storage, and disposal (TSD) facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years. The data collected is used to create the National Biennial Resource Conservation and Recovery Act (RCRA) Hazardous Waste Report. This data is processed within the RCRA Information (RCRAInfo) database.
The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 84315 RCRAINFO - FLR000145086

LQG - FL

Facility Name :	Target Store #2317
Facility Address :	8040 Mediterranean Dr, Estero, 33928-8304
County :	Lee
Last Inspection Date :	2019-01-29
Date Notified :	2008-03-04
Site ID :	84315
Handler ID :	FLR000145086
Office :	South District
Facility Inspection Type :	LQG-CEI
Documents Link :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2020-11-20

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

MANIFEST EPA

Manifest Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Manifest Number :	201137625CLE
Shipped Date :	2025-05-06
Updated Date :	2025-05-26
Received Date :	2025-05-15
Status :	Signed
Generator ID :	FLR000145086
Generator Name :	TARGET CORPORATION
Generator Address :	8040 MEDITERRANEAN DR, ESTERO, FL 33928
Generator Mailing :	5250 TRIANGLE PKWY STE 200, PEACHTREE CORNERS, GA 30092
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	ALLWORTH, INC. (ESOL)
Destination Mailing :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Address :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1993
DOT Information :	UN1993, Waste Flammable liquids, n.o.s. (ALCOHOL, ACETONE), 3, PG-II
Non Waste Description :	N/R
Quantity :	11 Pounds
Quantity Tons, Acute, Non-Acute :	0.0055, 0, 0.0055
Quantity Kg, Acute, Non-Acute :	0, 4.988665
Quantity Tons, Haz, Non-Haz :	0.0055, 0
Quantity Kg, Haz, Non-Haz :	4.988665, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, D005, D018, D035, U002, U154
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1950
DOT Information :	UN1950, Waste Aerosols, 2.1,RQ(D001=100LBS)
Non Waste Description :	N/R
Quantity :	6 Pounds
Quantity Tons, Acute, Non-Acute :	0.003, 0, 0.003

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

MANIFEST EPA ***(cont.)***

Quantity Kg, Acute, Non-Acute :	0, 2.72109
Quantity Tons, Haz, Non-Haz :	0.003, 0
Quantity Kg, Haz, Non-Haz :	2.72109, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D035
State Code :	N/R
Waste Line Number :	3
Is DOT Hazardous :	Y
DOT ID Number :	UN1760
DOT Information :	UN1760, Waste Corrosive liquids, n.o.s. (MURIATIC ACID, LACTIC ACID), 8, PG-II,RQ(D002=100LBS)
Non Waste Description :	N/R
Quantity :	15 Pounds
Quantity Tons, Acute, Non-Acute :	0.0075, 0, 0.0075
Quantity Kg, Acute, Non-Acute :	0, 6.802725
Quantity Tons, Haz, Non-Haz :	0.0075, 0
Quantity Kg, Haz, Non-Haz :	6.802725, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R
Waste Line Number :	4
Is DOT Hazardous :	Y
DOT ID Number :	UN2811
DOT Information :	UN2811, Waste Toxic solids, organic, n.o.s. (CHROMIUM, SELENIUM), 6.1, PG-II
Non Waste Description :	N/R
Quantity :	21 Pounds
Quantity Tons, Acute, Non-Acute :	0.0105, 0, 0.0105
Quantity Kg, Acute, Non-Acute :	0, 9.523815
Quantity Tons, Haz, Non-Haz :	0.0105, 0
Quantity Kg, Haz, Non-Haz :	9.523815, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D007, D010, PHRM
State Code :	N/R

Manifest Details

Manifest Number :	201122184CLE
Shipped Date :	2025-04-17
Updated Date :	2025-05-26
Received Date :	2025-05-06
Status :	Signed

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

MANIFEST EPA ***(cont.)***

Generator ID :	CESQG
Generator Name :	CVS-SIS
Generator Address :	8040 MEDITERRANEAN DR, ESTERO, FL 33928
Generator Mailing :	8040 MEDITERRANEAN DR, ESTERO, FL 33928
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	ALLWORTH, INC. (ESOL)
Destination Mailing :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Address :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN3249
DOT Information :	UN3249, Waste Medicine, solid, toxic, n.o.s. (CHROMIUM, SELENIUM), 6.1, PG-II,RQ(D011 = 1 LB)
Non Waste Description :	N/R
Quantity :	21 Pounds
Quantity Tons, Acute, Non-Acute :	0.0105, 0, 0.0105
Quantity Kg, Acute, Non-Acute :	0, 9.523815
Quantity Tons, Haz, Non-Haz :	0.0105, 0
Quantity Kg, Haz, Non-Haz :	9.523815, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D005, D007, D008, D010, D011, PHRM, U010, U035, U058, U059, U089, U129, U132, U144, U150, U187, U197, U200, U204, U205, U206, U236
State Code :	N/R

Manifest Details

Manifest Number :	201071942CLE
Shipped Date :	2025-02-20
Updated Date :	2025-03-28
Received Date :	2025-03-10
Status :	Signed
Generator ID :	FLR000145086
Generator Name :	TARGET CORPORATION
Generator Address :	8040 MEDITERRANEAN DR, ESTERO, FL 33928
Generator Mailing :	5250 TRIANGLE PKWY STE 200, PEACHTREE CORNERS, GA 30092

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

MANIFEST EPA ***(cont.)***

Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	ALLWORTH, INC. (ESOL)
Destination Mailing :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Address :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1950
DOT Information :	UN1950, Waste Aerosols, 2.1
Non Waste Description :	N/R
Quantity :	325 Pounds
Quantity Tons, Acute, Non-Acute :	0.1625, 0, 0.1625
Quantity Kg, Acute, Non-Acute :	0, 147.392375
Quantity Tons, Haz, Non-Haz :	0.1625, 0
Quantity Kg, Haz, Non-Haz :	147.392375, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D035
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1760
DOT Information :	UN1760, Waste Corrosive liquids, n.o.s. (SODIUM HYDROXIDE, ETHANOLAMINE), 8, PG-II
Non Waste Description :	N/R
Quantity :	128 Pounds
Quantity Tons, Acute, Non-Acute :	0.064, 0, 0.064
Quantity Kg, Acute, Non-Acute :	0, 58.04992
Quantity Tons, Haz, Non-Haz :	0.064, 0
Quantity Kg, Haz, Non-Haz :	58.04992, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

MANIFEST EPA ***(cont.)***

Manifest Details

Manifest Number :	201040140CLE
Shipped Date :	2025-01-15
Updated Date :	2025-02-13
Received Date :	2025-01-29
Status :	Signed
Generator ID :	CESQG
Generator Name :	CVS-SIS
Generator Address :	8040 MEDITERRANEAN DR, ESTERO, FL 33928
Generator Mailing :	8040 MEDITERRANEAN DR, ESTERO, FL 33928
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	ALLWORTH, INC. (ESOL)
Destination Mailing :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Address :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN3249
DOT Information :	UN3249, Waste Medicine, solid, toxic, n.o.s., 6.1, PG-II,RQ(D011 = 1 LB)
Non Waste Description :	N/R
Quantity :	22 Pounds
Quantity Tons, Acute, Non-Acute :	0.011, 0, 0.011
Quantity Kg, Acute, Non-Acute :	0, 9.97733
Quantity Tons, Haz, Non-Haz :	0.011, 0
Quantity Kg, Haz, Non-Haz :	9.97733, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D005, D007, D008, D010, D011, PHRM
State Code :	N/R

Manifest Details

Manifest Number :	201004113CLE
Shipped Date :	2024-12-04
Updated Date :	2025-01-02
Received Date :	2024-12-25
Status :	Signed
Generator ID :	FLR000145086
Generator Name :	TARGET CORPORATION
Generator Address :	8040 MEDITERRANEAN DR, ESTERO, FL 33928
Generator Mailing :	5250 TRIANGLE PKWY STE 200, PEACHTREE CORNERS, MI 30092
Generator Contact :	N/R

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

MANIFEST EPA ***(cont.)***

Destination ID :	ALD094476793
Destination Name :	ALLWORTH, INC. (ESOL)
Destination Mailing :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Address :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1760
DOT Information :	UN1760, Waste Corrosive liquids, n.o.s., 8, PG-II
Non Waste Description :	N/R
Quantity :	369 Pounds
Quantity Tons, Acute, Non-Acute :	0.1845, 0, 0.1845
Quantity Kg, Acute, Non-Acute :	0, 167.347035
Quantity Tons, Haz, Non-Haz :	0.1845, 0
Quantity Kg, Haz, Non-Haz :	167.347035, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R

RCRA SQG

Facility Name :	TARGET STORE T2317
Facility Address :	8040 MEDITERRANEAN DR, ESTERO, FL 33928-8304
County :	LEE
Date Form Received by Agency :	2025-08-29
EPA ID :	FLR000145086
Mailing Address :	PO BOX 111, MINNEAPOLIS, MN 55440-0000
Contact :	JUSTIN NELSON
Contact Address :	PO BOX 111, MINNEAPOLIS, MN 55440-0000
Contact Country :	US
Contact Telephone :	800-587-2228
Contact Email :	POC@TARGET.COM
EPA Region :	04
Land Type :	Private
Source Type :	Notification
Classification :	Small Quantity Generator

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

RCRA SQG ***(cont.)***

Description : Handlers that generate more than 100 and less than 1000 kilograms of hazardous waste during any calendar month and accumulate less than 6000 kg of hazardous waste at any time; or generate 100 kg or less of hazardous waste during any calendar month, and accumulate more than 1000 kg of hazardous waste at any time.

Last Date in Agency List : 2026-05-05

Owner/Operator Summary

Owner/Operator Name :	TARGET CORPORATION
Owner/Operator Address :	PO BOX 111, MINNEAPOLIS, MN 55440-1110
Owner/Operator Country :	US
Owner/Operator Telephone :	800-587-2228
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2008-03-09
Owner/Operator End Date :	N/R

Owner/Operator Name :	TARGET CORPORATION
Owner/Operator Address :	PO BOX 111, MINNEAPOLIS, MN 55440-1110
Owner/Operator Country :	US
Owner/Operator Telephone :	800-587-2228
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2008-03-09
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N/R
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

RCRA SQG ***(cont.)***

Historical Generators

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Date Form Received by Agency :	2021-01-12
Facility Name :	TARGET STORE #2317
Classification :	Small Quantity Generator
Date Form Received by Agency :	2020-04-01
Facility Name :	TARGET STORE T2317
Classification :	Small Quantity Generator
Date Form Received by Agency :	2019-01-29
Facility Name :	TARGET STORE T2317
Classification :	Large Quantity Generator
Date Form Received by Agency :	2018-02-23
Facility Name :	TARGET STORE #2317
Classification :	Large Quantity Generator
Date Form Received by Agency :	2016-03-01
Facility Name :	TARGET STORE #2317
Classification :	Large Quantity Generator
Date Form Received by Agency :	2016-03-01
Facility Name :	TARGET STORE T2317
Classification :	Large Quantity Generator
Date Form Received by Agency :	2015-06-02
Facility Name :	TARGET STORE #2317
Classification :	Large Quantity Generator
Date Form Received by Agency :	2014-02-25
Facility Name :	TARGET STORE T2317
Classification :	Large Quantity Generator
Date Form Received by Agency :	2014-02-21
Facility Name :	TARGET STORE #2317
Classification :	Large Quantity Generator

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

RCRA SQG ***(cont.)***

Date Form Received by Agency :	2012-03-19
Facility Name :	TARGET STORE #T2317
Classification :	Small Quantity Generator

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE D002 - CORROSIVE WASTE D003 - REACTIVE WASTE D005 - BARIUM D006 - CADMIUM D007 - CHROMIUM D008 - LEAD D009 - MERCURY D010 - SELENIUM D011 - SILVER

Notices of Violations Summary

Date of Violation :	2019-01-29
Date Achieved Compliance :	2019-02-13
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2019-01-29
Date Achieved Compliance :	2019-01-29
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

RCRA SQG ***(cont.)***

Evaluation Action Summary

Evaluation Date :	2019-01-29
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Generators - General
Date Achieved Compliance :	2019-02-13
Evaluation Lead Agency :	State

Evaluation Date :	2019-01-29
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Generators - General
Date Achieved Compliance :	2019-01-29
Evaluation Lead Agency :	State

Evaluation Date :	2015-06-02
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

RCRA VSQG

Facility Name :	CVS PHARMACY #17384
Facility Address :	8040 MEDITERRANEAN DR, ESTERO, FL 33928-8304
County :	LEE

Date Form Received by Agency :	2025-04-17
EPA ID :	FLR000273623
Mailing Address :	8040 MEDITERRANEAN DR, ESTERO, FL 33928-8304
Contact :	NICOLE WILKINSON
Contact Address :	1 CVS DR MALL CODE 2340, WOONSOCKET, RI 02895-6146
Contact Country :	US
Contact Telephone :	401-256-7615
Contact Email :	NICOLE.WILKINSON@CVSHEALTH.COM
EPA Region :	04
Land Type :	Private
Source Type :	Notification
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

RCRA VSQG ***(cont.)***

Last Date in Agency List : 2026-05-05

Owner/Operator Summary

Owner/Operator Name :	HOLIDAY CVS LLC
Owner/Operator Address :	1 CVS DR MAIL CODE 2340, WOONSOCKET, RI 28950-6146
Owner/Operator Country :	US
Owner/Operator Telephone :	401-765-1500
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2015-12-15
Owner/Operator End Date :	N/R

Owner/Operator Name :	TARGET CORPORATION
Owner/Operator Address :	1000 NICOLLET MALL, MINNEAPOLIS, MN 55403-2542
Owner/Operator Country :	US
Owner/Operator Telephone :	612-304-6073
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2015-12-15
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N/R
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE D002 - CORROSIVE WASTE

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

RCRA VSQG ***(cont.)***

D007 - CHROMIUM
D009 - MERCURY
D010 - SELENIUM
U002 - 2-PROPANONE (I) (OR) ACETONE (I)
U129 - CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)- (OR) LINDANE
U165 - NAPHTHALENE
U188 - PHENOL
U205 - SELENIUM SULFIDE (OR) SELENIUM SULFIDE SES2 (R,T)

Notices of Violations Summary

Regulation Violated :	N

SQG - FL

Facility Name :	Target Store #2317
Facility Address :	8040 Mediterranean Dr, Estero, 33928
County :	Lee
Last Inspection Date :	2019-01-29
Date Notified :	2008-03-04
Site ID :	84315
Handler ID :	FLR000145086
Office :	South District
Facility Inspection Type :	LQG-CEI
Documents Link :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-13

T 2 - FL

Facility Name :	T 2317
Facility Address :	8040 MEDITERRANEAN DRIVE, ESTERO, FL 33928
County :	Lee

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Filing Year :	2024(Tier2)
Filing Type :	312
Company Name :	T 2317
Facility ID :	7573923
State Facility ID :	N/R
SIC :	N/R
NAICS :	221112 - Fossil Fuel Electric Power Generation
Dun & Bradstreet Code :	66526763
De-Registered Date :	N/R

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

T 2 - FL ***(cont.)***

Data Submitted by :	Anna Stoddard Service & Tanks Environmental Program Manager
Contact 1 - Name :	PowerSecure Inc.
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	Environmental@powersecure.com
Contact 1 - 24-hour Phone :	800-525-9554
Contact 1 - Work Phone :	800-525-9554
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2025-02-13
First Submit Date :	2025-02-13(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2026-02-19

Chemical Information

Filing Year :	2024(Tier2)
CAS Number :	68334305
Chemical Name :	Diesel Fuel #2, Low Sulfur
Maximum Daily Quantity :	14,200
Average Daily Quantity :	14,200
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	2
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

T 2 - FL ***(cont.)***

Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	T
Simple Asphyxiant :	T
Hazard Not Otherwise Classified :	T

Filing Year :	2023(Tier2)
Filing Type :	312
Company Name :	PowerSecure, Inc.
Facility ID :	7432968
State Facility ID :	N/R
SIC :	N/R
NAICS :	221112 - Fossil Fuel Electric Power Generation
Dun & Bradstreet Code :	66526763
De-Registered Date :	N/R
Data Submitted by :	Scotty Moates Environmental Manager
Contact 1 - Name :	PowerSecure Inc.
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	Environmental@powersecure.com
Contact 1 - 24-hour Phone :	800-525-9554
Contact 1 - Work Phone :	800-525-9554
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2024-10-02
First Submit Date :	2024-02-26(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2025-02-12

Chemical Information

Filing Year :	2023(Tier2)
CAS Number :	68334305
Chemical Name :	Diesel Fuel #2, Low Sulfur
Maximum Daily Quantity :	14,200
Average Daily Quantity :	14,200
Max Amount in Largest Container :	N/R

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

T 2 - FL ***(cont.)***

EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	2
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	T
Simple Asphyxiant :	T
Hazard Not Otherwise Classified :	T

Facility Name :	Target Store T2317
Facility Address :	8040 Mediterranean Drive, Estero, FL 33928
County :	Lee

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

T 2 - FL ***(cont.)***

Filing Year :	2024(Tier2)
Filing Type :	312
Company Name :	Target Corporation
Facility ID :	7549249
State Facility ID :	N/R
SIC :	N/R
NAICS :	455110
Dun & Bradstreet Code :	196461180
De-Registered Date :	N/R
Data Submitted by :	Justin Nelson - Compliance Director
Contact 1 - Name :	Target Corporation
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	poc@target.com
Contact 1 - 24-hour Phone :	612-307-5600
Contact 1 - Work Phone :	800-587-2228
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2025-02-25
First Submit Date :	2025-02-25(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2026-02-19

Chemical Information

Filing Year :	2024(Tier2)
CAS Number :	N/R
Chemical Name :	Lead Acid Batteries
Maximum Daily Quantity :	1,687
Average Daily Quantity :	1,687
Max Amount in Largest Container :	109
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	T
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

T 2 - FL ***(cont.)***

Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	T
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2023(Tier2)
Filing Type :	312
Company Name :	Target Corporation
Facility ID :	7378952
State Facility ID :	N/R
SIC :	N/R
NAICS :	455110
Dun & Bradstreet Code :	196461180
De-Registered Date :	N/R
Data Submitted by :	Justin Nelson - Compliance Director
Contact 1 - Name :	Target Corporation
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	poc@target.com
Contact 1 - 24-hour Phone :	612-307-5600
Contact 1 - Work Phone :	800-587-2228
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2024-02-06
First Submit Date :	2024-02-06(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2025-02-12

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

T 2 - FL ***(cont.)***

Chemical Information

Filing Year :	2023(Tier2)
CAS Number :	7664939
Chemical Name :	Sulfuric Acid
Maximum Daily Quantity :	777
Average Daily Quantity :	777
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	W
Solid :	F
Liquid :	T
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	T
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

T 2 - FL ***(cont.)***

Filing Year :	2022(Tier2)
Filing Type :	312
Company Name :	Target Corporation
Facility ID :	7272223
State Facility ID :	N/R
SIC :	N/R
NAICS :	455110
Dun & Bradstreet Code :	196461180
De-Registered Date :	N/R
Data Submitted by :	Justin Nelson - Compliance Director
Contact 1 - Name :	Target Corporation
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	poc@target.com
Contact 1 - 24-hour Phone :	612-307-5600
Contact 1 - Work Phone :	800-587-2228
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2023-02-21
First Submit Date :	2023-02-21(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2023-07-21

Chemical Information

Filing Year :	2022(Tier2)
CAS Number :	7664939
Chemical Name :	Sulfuric Acid
Maximum Daily Quantity :	777
Average Daily Quantity :	777
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	W
Solid :	F
Liquid :	T
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R

Map Id: G51
Direction: N
Distance: 0.077 mi., 405 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TARGET STORE T2317 | TARGET STORE #2317 | CVS PHARMACY #17384
8040 MEDITERRANEAN DR | 8040? Mediterranean?Dr
ESTERO | Estero, FL

Database(s) : [AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG - FL, MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 68173864
EPA ID: CESQG

T 2 - FL ***(cont.)***

Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	T
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Map Id: C52
Direction: SE
Distance: 0.077 mi., 407 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN
26975 OLD 41 RD | 26975 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL, WASTEWATER - FL]

Envirosite ID: 68173841
EPA ID: N/R

DWM CONTAM - FL

Facility Name :	7-ELEVEN FOOD STORE #32597
Facility Address :	26975 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE

Map Id: C52
Direction: SE
Distance: 0.077 mi., 407 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN
26975 OLD 41 RD | 26975 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173841
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

Score Effective Date :	2009-11-05
Score :	52
Score Ranked :	N/R
Rank :	N/R
Facility ID :	9800973
Facility Status :	OPEN
Facility Type :	A - Retail Station
County Code :	36
District :	SD
Operator :	David Petersen
Phone :	(407)403-2995
Name Changed Date :	2008-04-23
Address Changed Date :	2022-03-15
Latitude Degrees :	26
Latitude Minutes :	20
Latitude Seconds :	45.0727
Longitude Degrees :	81
Longitude Minutes :	46
Longitude Seconds :	43.5574
Feature :	N/R
Method :	AGPS
Datum :	N/R
Section/Township/Range :	N/R
Related Party Begin Date :	1998-12-09
Related Party ID :	20385
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	7-ELEVEN INC.
Related Party Address 1 :	PO BOX 711, Dallas, TX 75221-711
Related Party Address 2 :	ATTN: MGR-FL REGION GAS & ENVIRN COMPL
Contact :	DAVID PETERSEN | MILEI AVILES | JENNIFER DART
Related Party Phone :	(407)403-2995
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

ECHO

Facility Name :	7-ELEVEN STORE NO. 32597
Facility Address :	26975 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	N/R
Registry ID :	110071143802
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R

Map Id: C52
Direction: SE
Distance: 0.077 mi., 407 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN
26975 OLD 41 RD | 26975 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173841
EPA ID: N/R

ECHO ***(cont.)***

Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	N/R
Three-Year Compliance Status :	N/R
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	50
Derived Tribes :	Seminole Tribe of Florida - 23 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040105
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710504005005
MYRTK Universe :	NNN
NPDES IDs :	FLG073167 FLG915066
CWA Permit Types :	Non-M
CWA Compliance Tracking :	Off
CWA NAICS :	447110
CWA SICS :	5541
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	Terminated Permit
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	5541
Facility NAICS :	447110 - Gasoline Stations with Convenience Stores
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R

Map Id: C52
Direction: SE
Distance: 0.077 mi., 407 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN
26975 OLD 41 RD | 26975 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173841
EPA ID: N/R

ECHO ***(cont.)***

TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.345914
Longitude :	-81.77909
Last Date in Agency List :	2026-05-11

EPA LUST

Facility Name :	7-ELEVEN FOOD STORE #32597
Facility Address :	26975 OLD 41 RD, BONITA SPRINGS, Florida
County :	N/R
Facility ID :	FL9800973
LUST ID :	FL3313
Reported Date :	2006-12-19
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	930
Estimated Private Domestic Wells within 1500ft:	32
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	Yes
WHPA Public Water System and Facility ID:	FL5360025_4359754407

Map Id: C52
Direction: SE
Distance: 0.077 mi., 407 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN
26975 OLD 41 RD | 26975 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173841
EPA ID: N/R

EPA LUST ***(cont.)***

WHPA Water Type :	GW
WHPA Facility Type :	WL
WHPA HUC12 :	30902040105
Within Estimated 100-year Floodplain:	No
Latitude :	26.3461099999999
Longitude :	-81.77889
Last Date in Agency List :	2024-05-23

Facility ID :	FL9800973
LUST ID :	FL3182
Reported Date :	2007-03-14
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	930
Estimated Private Domestic Wells within 1500ft:	32
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	Yes
WHPA Public Water System and Facility ID:	FL5360025_4359754407
WHPA Water Type :	GW
WHPA Facility Type :	WL
WHPA HUC12 :	30902040105
Within Estimated 100-year Floodplain:	No
Latitude :	26.3461099999999
Longitude :	-81.77889
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	7-ELEVEN FOOD STORE #32597
Facility Address :	26975 OLD 41 RD, BONITA SPRINGS, Florida 34135
County :	N/R

Facility ID :	FL9800973
Facility Status :	Open UST(s)
Open USTs :	3

Map Id: C52
Direction: SE
Distance: 0.077 mi., 407 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN
26975 OLD 41 RD | 26975 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173841
EPA ID: N/R

EPA UST ***(cont.)***

Closed USTs :	1
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.3461111111111
Longitude :	-81.7788888888889
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL9800973-1
Tank Status :	Open
Installation Date :	1998-12-01
Removal Date :	N/R
Capacity :	10000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL9800973-2
Tank Status :	Open
Installation Date :	1998-12-01
Removal Date :	N/R
Capacity :	10000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL9800973-3
Tank Status :	Open
Installation Date :	1998-12-01
Removal Date :	N/R
Capacity :	10000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL9800973-4
Tank Status :	Closed
Installation Date :	1998-12-01
Removal Date :	N/R
Capacity :	10000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Map Id: C52
Direction: SE
Distance: 0.077 mi., 407 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN 26975 OLD 41 RD | 26975 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173841
EPA ID: N/R

FA 3 - FL

Facility Name :	7-ELEVEN FOOD STORE #32597
Facility Address :	26975 OLD 41 RD, BONITA SPRINGS, 34135
County :	LEE

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Effectivity Date :	2023-12-18
Expiration Date :	2024-12-18
Facility ID :	9800973
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	IRONSHORE SPECIALTY INSURANCE COMPANY
Facility Phone :	4074032995
Owner ID :	20385
Owner Name :	7-ELEVEN INC.
Address :	PO BOX 711 ATTN: MGR-FL REGION GAS & ENVIRN COMPL, Dallas, TX 75221
Contact Name :	DAVID PETERSEN | MILEI AVILES | JENNIFER DART
Phone :	4074032995
Last Date in Agency List :	2026-06-03

Effectivity Date :	2020-12-18
Expiration Date :	2021-12-18
Facility ID :	9800973
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	IRONSHORE SPECIALTY INSURANCE CO
Facility Phone :	4074032995
Owner ID :	20385
Owner Name :	7-ELEVEN INC.
Address :	PO BOX 711 ATTN: MGR-FL REGION GAS & ENVIRN COMPL, Dallas, TX 75221
Contact Name :	DAVID PETERSEN | MILEI AVILES | JENNIFER DART
Phone :	4074032995
Last Date in Agency List :	2026-06-03

Effectivity Date :	2018-12-18
Expiration Date :	2019-12-18
Facility ID :	9800973
Facility Status :	OPEN

Map Id: C52
Direction: SE
Distance: 0.077 mi., 407 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN
26975 OLD 41 RD | 26975 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173841
EPA ID: N/R

FA 3 - FL ***(cont.)***

Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	IRONSHORE SPECIALTY INSURANCE CO
Facility Phone :	4074032995
Owner ID :	20385
Owner Name :	7-ELEVEN INC.
Address :	PO BOX 711 ATTN: MGR-FL REGION GAS & ENVIRN COMPL, Dallas, TX 75221
Contact Name :	DAVID PETERSEN | MILEI AVILES | JENNIFER DART
Phone :	4074032995
Last Date in Agency List :	2026-06-03

Effectivity Date :	2017-12-18
Expiration Date :	2018-12-18
Facility ID :	9800973
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	IRONSHORE SPECIALTY INSURANCE CO
Facility Phone :	4074032995
Owner ID :	20385
Owner Name :	7-ELEVEN INC.
Address :	PO BOX 711 ATTN: MGR-FL REGION GAS & ENVIRN COMPL, Dallas, TX 75221
Contact Name :	DAVID PETERSEN | MILEI AVILES | JENNIFER DART
Phone :	4074032995
Last Date in Agency List :	2026-06-03

Effectivity Date :	2016-12-18
Expiration Date :	2017-12-18
Facility ID :	9800973
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	IRONSHORE SPECIALTY INSURANCE CO
Facility Phone :	4074032995
Owner ID :	20385
Owner Name :	7-ELEVEN INC.
Address :	PO BOX 711 ATTN: MGR-FL REGION GAS & ENVIRN COMPL, Dallas, TX 75221
Contact Name :	DAVID PETERSEN | MILEI AVILES | JENNIFER DART
Phone :	4074032995
Last Date in Agency List :	2026-06-03

Map Id: C52
Direction: SE
Distance: 0.077 mi., 407 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN
26975 OLD 41 RD | 26975 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173841
EPA ID: N/R

FRS

Facility Name :	7-ELEVEN STORE NO. 32597
Facility Address :	26975 OLD 41 RD, BONITA SPRINGS, FL 34135-5052
County :	LEE

Site Details

Registry ID :	110071143802
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest

Source and System ID :	ICIS - FLG073167 ICIS - FLG915066

GWIF - FL

Facility Name :	7-ELEVEN
Facility Address :	26975 OLD US HWY 41 RD, BONITA SPRINGS, 34135
County :	LEE
Facility ID :	9800973
Facility Type :	PETROLEUM
Location ID :	241207
Location Method :	DGPS = Differentially Corrected GPS
GPS ID :	241207
GPS Date :	2009-09-10
HAE (Height Above Ellipsoid) :	3.07
Project ID :	SUPER
Insp Name :	PETE HAENGGI
Insp CHD :	LEE
Request Number :	49824
Datum :	N/R
Software :	Risk_Solo_v2
Streetside :	N/R

Map Id: C52
Direction: SE
Distance: 0.077 mi., 407 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN
26975 OLD 41 RD | 26975 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173841
EPA ID: N/R

GWIF - FL ***(cont.)***

Agency :	DOH
Comment :	N/R
Latitude :	26.345906
Longitude :	-81.778675
Last Date in Agency List :	2026-05-09

ICIS

Facility Name :	7-ELEVEN STORE NO. 32597
Facility Address :	26975 OLD 41 RD, BONITA SPRINGS, FL 34135-5052

Site Details

NPDES ID :	FLG073167
ICIS Facility Interest ID :	3601345236
Facility UIN :	110071143802
Facility Type Code :	N/R
Impaired Waters :	303(D) Listed
Latitude :	26.345914
Longitude :	-81.77909
Last Date in Agency List :	2025-12-15

NPDES ID :	FLG915066
ICIS Facility Interest ID :	3601380547
Facility UIN :	110071143802
Facility Type Code :	N/R
Impaired Waters :	303(D) Listed
Latitude :	26.345914
Longitude :	-81.77909
Last Date in Agency List :	2025-12-15

Facility NAICS

NAICS Code :	447110
NAICS Description :	Gasoline Stations with Convenience Stores

Facility SIC

SIC Code :	5541
SIC Description :	Gasoline Service Stations

INACTIVE PCS

Issue Date :	2021-10-01
Original Issue Date :	2021-10-01
Effective Date :	2021-10-01

Map Id: C52
Direction: SE
Distance: 0.077 mi., 407 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN
26975 OLD 41 RD | 26975 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173841
EPA ID: N/R

INACTIVE PCS ***(cont.)***

Expiration Date :	2026-09-30
Retirement Date :	N/R
Termination Date :	2022-01-11
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3602854197
External Permit Number :	FLG073167
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Terminated
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	7-Eleven Store No. 32597
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLG070000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2025-12-17

Issue Date :	2022-01-27
Original Issue Date :	2022-01-27
Effective Date :	2022-01-27
Expiration Date :	2027-01-26
Retirement Date :	N/R
Termination Date :	2022-05-16
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3602979742
External Permit Number :	FLG915066
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Terminated
Total Design Flow Number :	N/R
Actual Average Flow Number :	1.5437
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	7-Eleven Store No. 32597
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLG910000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R

Map Id: C52
Direction: SE
Distance: 0.077 mi., 407 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN 26975 OLD 41 RD | 26975 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173841
EPA ID: N/R

INACTIVE PCS ***(cont.)***

Last Date in Agency List : 2025-12-17

LUST - FL

Facility Name : 7-ELEVEN FOOD STORE #32597
Facility Address : 26975 OLD 41 RD, BONITA SPRINGS, 34135
County : LEE

Site Details
Facility ID : 9800973
Facility Status : OPEN
Facility Type : Retail Station
Phone : 4074032995
Last Date in Agency List : 2026-05-06

Owner Information
Owner ID : 20385
Owner Name : 7-ELEVEN INC.
Owner Address 1 : PO BOX 711, Dallas, TX 75221
Owner Address 2 : ATTN: MGR-FL REGION GAS & ENVIRN COMPL
Owner Phone : 4074032995
Contact : DAVID PETERSEN | MILEI AVILES | JENNIFER DART

Discharge Details
Discharge Date : 2007-03-14
Status Date : 2013-11-07
Status Description : SRCR COMPLETE
DEP Code : P
Description : CLEANUP REQUIRED
Score Date : 2009-11-05
Score : 52
CU Status : N/R

Discharge Date : 2006-12-19
Status Date : 2013-11-07
Status Description : SRCR COMPLETE
DEP Code : P
Description : CLEANUP REQUIRED
Score Date : 2009-11-05
Score : 52
CU Status : N/R

Map Id: C52
Direction: SE
Distance: 0.077 mi., 407 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN
26975 OLD 41 RD | 26975 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173841
EPA ID: N/R

LUST - FL ***(cont.)***

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

NPDES - FL

Facility Name :	7-Eleven Store No. 32597
Facility Address :	26975 Old 41 Rd, Bonita Springs, FL
County :	LEE

Site Details

Issue Date :	2021-10-01
Effective Date :	2021-10-01
Expiration Date :	2026-09-30
Facility ID :	FLG073167
Facility Type :	Dewatering GP
Status :	Active
NPDES :	Y
Company Name :	N/R
Document Description :	Generic Permit
Nature of Business :	N/R
Ownership Type :	Unknown
Treatment Process Summary :	N/R
Department Office :	South District
Capacity (MGD) :	N/R
DW Class :	N/R
Last Date in Agency List :	2021-12-29

Related Party Details

Related Party Name :	Jonathan Reagan, PMTE
Related Party Address :	6120 Patriot Way, Knoxville TN 37931
Related Party Address 2 :	N/R
Related Party Phone :	8656960167
Related Party Email :	jonathan.reagan@aptim.com

PCS FACILITY

Issue Date :	2021-10-01
Original Issue Date :	2021-10-01
Effective Date :	2021-10-01
Expiration Date :	2026-09-30
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3602854197
External Permit Number :	N/R

Map Id: C52
Direction: SE
Distance: 0.077 mi., 407 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN
26975 OLD 41 RD | 26975 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173841
EPA ID: N/R

PCS FACILITY ***(cont.)***

Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	7-Eleven Store No. 32597
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLG070000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2022-01-14

Issue Date :	2022-01-27
Original Issue Date :	2022-01-27
Effective Date :	2022-01-27
Expiration Date :	2027-01-26
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3602979742
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	1.5437
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	7-Eleven Store No. 32597
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLG910000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2022-04-25

UST - FL

Facility Name :	7-ELEVEN FOOD STORE #32597
Facility Address :	26975 OLD 41 RD, BONITA SPRINGS, 34135
County :	LEE

Map Id: C52
Direction: SE
Distance: 0.077 mi., 407 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN
26975 OLD 41 RD | 26975 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173841
EPA ID: N/R

UST - FL ***(cont.)***

Site Details

Facility ID :	9800973
Facility Phone :	4074032995
Facility Status :	OPEN
Facility Type :	Retail Station
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	20385
Owner Name :	7-ELEVEN INC.
Owner Address 1 :	PO BOX 711, Dallas, TX 75221
Owner Address 2 :	ATTN: MGR-FL REGION GAS & ENVIRN COMPL
Owner Phone :	4074032995
Contact :	DAVID PETERSEN | MILEI AVILES | JENNIFER DART
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1998-12-01
Status :	Removed from Site
Status Date :	2022-03-09

Tank ID :	2
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1998-12-01
Status :	Removed from Site
Status Date :	2022-03-09

Tank ID :	3
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1998-12-01
Status :	Removed from Site
Status Date :	2022-03-09

Tank ID :	4
Gallons :	10000

Map Id: C52
Direction: SE
Distance: 0.077 mi., 407 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN
26975 OLD 41 RD | 26975 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173841
EPA ID: N/R

UST - FL ***(cont.)***

Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1998-12-01
Status :	Removed from Site
Status Date :	2022-03-15

Tank ID :	5
Gallons :	20000
Tank Location :	UNDERGROUND
Substance :	Ethanol E10
Install Date :	2022-03-18
Status :	In Service
Status Date :	2022-03-18

Construction Items :
Overfill/Spill - Flow shut-Off
Overfill/Spill - Tight fill
Overfill/Spill - Spill containment bucket
Overfill/Spill - Level gauges/alarms
Primary Construction - Fiberglass
Secondary Containment - Double wall

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Miscellaneous - Continuous electronic sensing
Miscellaneous - Electronic monitor dispenser liners
Miscellaneous - Electronic monitor pipe sumps
Piping Monitoring - Mechanical line leak detector
Piping Monitoring - Monitor dbl wall pipe space

Piping Items :
Miscellaneous Attributes - Pressurized piping system
Miscellaneous Attributes - Dispenser liners
Primary Construction - Approved synthetic material
Secondary Containment - Double wall

Tank Information

Tank ID :	6
Gallons :	20000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	2022-03-18
Status :	In Service
Status Date :	2022-03-18

Map Id: C52
Direction: SE
Distance: 0.077 mi., 407 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN
26975 OLD 41 RD | 26975 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173841
EPA ID: N/R

UST - FL ***(cont.)***

Construction Items :	Miscellaneous Attributes - Compartmented Overfill/Spill - Level gauges/alarms Overfill/Spill - Spill containment bucket Overfill/Spill - Tight fill Overfill/Spill - Flow shut-Off Primary Construction - Fiberglass Secondary Containment - Double wall
Monitoring Items :	Internal Tk Monitoring - Monitor dbl wall tank space Miscellaneous - Electronic monitor pipe sumps Miscellaneous - Electronic monitor dispenser liners Miscellaneous - Continuous electronic sensing Piping Monitoring - Monitor dbl wall pipe space Piping Monitoring - Mechanical line leak detector
Piping Items :	Miscellaneous Attributes - Dispenser liners Miscellaneous Attributes - Pressurized piping system Primary Construction - Approved synthetic material Secondary Containment - Double wall
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

WASTEWATER - FL

Facility Name :	7-Eleven Store No. 32597
Facility Address :	26975 Old 41 Rd, Bonita Springs, FL
County :	LEE
Issue Date :	2021-10-01
Effective Date :	2021-10-01
Expiration Date :	2026-09-30
Facility ID :	FLG073167
Facility Type :	Dewatering GP
Status :	Active
NPDES :	Y
Major/Minor Discharge :	MI
Environmental Interest :	Industrial Wastewater Program
Company Name :	N/R
Related Party Name :	Jonathan Reagan, PMTE
Related Party Address :	6120 Patriot Way, Knoxville TN 37931
Related Party Address 2 :	N/R
Related Party Phone :	8656960167
Related Party Email :	jonathan.reagan@aptim.com
Document Description :	Generic Permit
Nature of Business :	N/R

Map Id: C52
Direction: SE
Distance: 0.077 mi., 407 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 7-ELEVEN STORE NO. 32597 | 7-ELEVEN FOOD STORE #32597 | 7-ELEVEN
26975 OLD 41 RD | 26975 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, PCS FACILITY, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173841
EPA ID: N/R

WASTEWATER - FL ***(cont.)***

Ownership Type :	Unknown
Treatment Process Summary :	N/R
Department Office :	South District
Capacity (MGD) :	N/R
DW Class :	N/R
Last Date in Agency List :	2022-01-26

Map Id: B53
Direction: S
Distance: 0.077 mi., 409 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : EHC INC
1360 RAIL HEAD BLVD
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG]

Envirosite ID: 68173747
EPA ID: N/R

ECHO

Facility Name :	EHC INC
Facility Address :	1360 RAIL HEAD BLVD, NAPLES, FL 34110
County :	COLLIER
Last Inspection Date :	2009-12-08
Registry ID :	110040374145
FIPS Code :	12021
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	5787
Informal Count :	0
Last Informal Action Date :	2009-12-16
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO

Map Id: B53
Direction: S
Distance: 0.077 mi., 409 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : EHC INC
1360 RAIL HEAD BLVD
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173747
EPA ID: N/R

ECHO ***(cont.)***

Reference Point :	POINT WHERE WATER OR OTHER SUBSTANCE COULD BE DRAWN FROM ENVIRONMENT FOR DELIVERY TO A FACILITY OR DISTRIBUTION SYSTEM (SUBSTANCE DESTINATION COULD RANGE FROM A SINGLE RESIDENCE TO A LARGE FACILITY)
Accuracy Meters :	10
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101021004
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	23622 - Commercial and Institutional Building Construction
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2009-12-08
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2009-12-16
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R

Map Id: B53
Direction: S
Distance: 0.077 mi., 409 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : EHC INC
1360 RAIL HEAD BLVD
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173747
EPA ID: N/R

ECHO ***(cont.)***

Active Flag :	Y
NAA Flag :	N
Latitude :	26.309605
Longitude :	-81.79177
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	EHC INC
Facility Address :	1360 RAIL HEAD BLVD, NAPLES, FL 34110-8427
County :	COLLIER

Site Details

Registry ID :	110040374145
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	RCRAINFO - FLR000162438

RCRA VSQG

Facility Name :	EHC INC
Facility Address :	1360 RAIL HEAD BLVD, NAPLES, FL 34110-8427
County :	COLLIER
Date Form Received by Agency :	2009-12-08
EPA ID :	FLR000162438
Mailing Address :	1360 RAIL HEAD BLVD, NAPLES, FL 34110-8427
Contact :	MATTHEW HUNT
Contact Address :	1360 RAIL HEAD BLVD, NAPLES, FL 34110-8427
Contact Country :	US
Contact Telephone :	239-592-0828
Contact Email :	MHUNT@EHCINCWEB.COM
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Very Small Quantity Generator

Map Id: B53
Direction: S
Distance: 0.077 mi., 409 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : EHC INC
1360 RAIL HEAD BLVD
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173747
EPA ID: N/R

RCRA VSQG ***(cont.)***

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	H3 INC
Owner/Operator Address :	1360 RAIL HEAD BLVD, NAPLES, FL 34110-8427
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2009-12-09
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Notices of Violations Summary

Date of Violation :	2009-12-08
Date Achieved Compliance :	2010-02-19
Regulation Violated :	Y
Area of Violation :	Listing - General
Enforcement Action :	DEP NON-COMPLIANCE LETTER
Enforcement Action Date :	2009-12-16
Enf. Disposition Status :	N/R

Map Id: B53
Direction: S
Distance: 0.077 mi., 409 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : EHC INC
1360 RAIL HEAD BLVD
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173747
EPA ID: N/R

RCRA VSQG ***(cont.)***

Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2009-12-08
Date Achieved Compliance :	2010-01-08
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP NON-COMPLIANCE LETTER
Enforcement Action Date :	2009-12-16
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2009-12-08
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	State Statute or Regulation
Date Achieved Compliance :	2010-01-08
Evaluation Lead Agency :	State

Evaluation Date :	2009-12-08
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Listing - General
Date Achieved Compliance :	2010-02-19
Evaluation Lead Agency :	State

Map Id: C54
Direction: SE
Distance: 0.080 mi., 425 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : STRONGS ENGINE MACHINE SHOP INC | BONITA MUFFLER SERVICE
26330 OLD 41 RD | 26330 OLD 41 RD # D
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, RAATS, RCRA NONGEN, RCRA VSQG, SQG - FL]

Envirosite ID: 68173831
EPA ID: FLD984229633

ECHO

Facility Name :	STRONGS ENGINE MACHINE SHOP INC
Facility Address :	26330 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE

Map Id: C54
Direction: SE
Distance: 0.080 mi., 425 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : STRONGS ENGINE MACHINE SHOP INC | BONITA MUFFLER SERVICE
26330 OLD 41 RD | 26330 OLD 41 RD # D
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, RAATS, RCRA NONGEN, RCRA VSQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173831
EPA ID: FLD984229633

ECHO ***(cont.)***

Last Inspection Date :	1993-10-21
Registry ID :	110007434865
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	11679
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	POINT WHERE SUBSTANCE IS MONITORED
Accuracy Meters :	5
Derived Tribes :	Seminole Tribe of Florida - 23 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040105
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710504001000
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	1993-10-21
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R

Map Id: C54
Direction: SE
Distance: 0.080 mi., 425 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : STRONGS ENGINE MACHINE SHOP INC | BONITA MUFFLER SERVICE
26330 OLD 41 RD | 26330 OLD 41 RD # D
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, RAATS, RCRA NONGEN, RCRA VSQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173831
EPA ID: FLD984229633

ECHO ***(cont.)***

Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.355612
Longitude :	-81.783535
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	STRONGS ENGINE MACHINE SHOP INC
Facility Address :	26330 OLD 41 RD, BONITA SPRINGS, FL 341356658
County :	LEE

Site Details

Registry ID :	110007434865
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

Map Id: C54
Direction: SE
Distance: 0.080 mi., 425 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : STRONGS ENGINE MACHINE SHOP INC | BONITA MUFFLER SERVICE
26330 OLD 41 RD | 26330 OLD 41 RD # D
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, RAATS, RCRA NONGEN, RCRA VSQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173831
EPA ID: FLD984229633

FRS ***(cont.)***

FRS Environmental Interest
Source and System ID : FLORIDA DEP - 34635
RCRAINFO - FLD982173213

RAATS

Facility Name : BONITA MUFFLER SERVICE
Facility Address : 26330 OLD 41 RD # D, BONITA SPRINGS, FL 341356658

Notices of Violations Summary
Date of Violation : 1991-12-11
Date Achieved Compliance : N/R
Regulation Violated : N
Area of Violation : N/R
Enforcement Action : N/R
Enforcement Action Date : N/R
Enf. Disposition Status : N/R
Enf. Disp. Status Date : N/R
Violation Lead Agency : N/R
Enforcement Lead Agency : N/R
Proposed Penalty Amount : N/R
Final Penalty Amount : N/R
Paid Penalty Amount : N/R

Regulation Violated : N

Facility Name : STRONGS ENGINE MACHINE SHOP INC
Facility Address : 26330 OLD 41 RD, BONITA SPRINGS, FL 341356658

Notices of Violations Summary
Date of Violation : 1993-10-21
Date Achieved Compliance : N/R
Regulation Violated : N
Area of Violation : N/R
Enforcement Action : N/R
Enforcement Action Date : N/R
Enf. Disposition Status : N/R
Enf. Disp. Status Date : N/R
Violation Lead Agency : N/R
Enforcement Lead Agency : N/R
Proposed Penalty Amount : N/R
Final Penalty Amount : N/R
Paid Penalty Amount : N/R

Date of Violation : 1993-09-27
Date Achieved Compliance : N/R
Regulation Violated : N
Area of Violation : N/R

Map Id: C54
Direction: SE
Distance: 0.080 mi., 425 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : STRONGS ENGINE MACHINE SHOP INC | BONITA MUFFLER SERVICE
26330 OLD 41 RD | 26330 OLD 41 RD # D
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, RAATS, RCRA NONGEN, RCRA VSQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173831
EPA ID: FLD984229633

RAATS ***(cont.)***

Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	N/R
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	1991-12-11
Date Achieved Compliance :	N/R
Regulation Violated :	N
Area of Violation :	N/R
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	N/R
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Regulation Violated :	N

RCRA NONGEN

Facility Name :	BONITA MUFFLER SERVICE
Facility Address :	26330 OLD 41 RD # D, BONITA SPRINGS, FL 34135-6658
County :	LEE

Date Form Received by Agency :	2015-06-30
EPA ID :	FLD984229633
Mailing Address :	26330 D OLD 41 RD, BONITA SPRINGS, FL 33923
Contact :	JACK STRONG
Contact Address :	26330 D OLD 41 RD, BONITA SPRINGS, FL 33923
Contact Country :	US
Contact Telephone :	N/R
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	JACK STRONG
Owner/Operator Address :	26330 D OLD 41 RD, BONITA SPRINGS, FL 33923

Map Id: C54
Direction: SE
Distance: 0.080 mi., 425 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : STRONGS ENGINE MACHINE SHOP INC | BONITA MUFFLER SERVICE
26330 OLD 41 RD | 26330 OLD 41 RD # D
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, RAATS, RCRA NONGEN, RCRA VSQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173831
EPA ID: FLD984229633

RCRA NONGEN ***(cont.)***

Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1996-10-18
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	1992-02-10
Facility Name :	BONITA MUFFLER SERVICE
Classification :	Small Quantity Generator

Notices of Violations Summary

Regulation Violated :	N

Evaluation Action Summary

Evaluation Date :	1991-12-11
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

RCRA VSQG

Facility Name :	STRONGS ENGINE MACHINE SHOP INC
Facility Address :	26330 OLD 41 RD, BONITA SPRINGS, FL 34135-6658
County :	LEE

Map Id: C54
Direction: SE
Distance: 0.080 mi., 425 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : STRONGS ENGINE MACHINE SHOP INC | BONITA MUFFLER SERVICE
26330 OLD 41 RD | 26330 OLD 41 RD # D
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, RAATS, RCRA NONGEN, RCRA VSQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173831
EPA ID: FLD984229633

RCRA VSQG ***(cont.)***

Date Form Received by Agency :	1993-10-21
EPA ID :	FLD982173213
Mailing Address :	26330 OLD 41 RD, BONITA SPRINGS, FL 34135-6658
Contact :	TERRY STRONG
Contact Address :	26330 OLD 41 RD # C, BONITA SPRINGS, FL 34135-6658
Contact Country :	US
Contact Telephone :	941-947-3110
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	TERRY STRONG
Owner/Operator Address :	26330 OLD 41 RD BLDG C, BONITA SPRINGS, FL 34135-6658
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1996-10-18
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N

Map Id: C54
Direction: SE
Distance: 0.080 mi., 425 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : STRONGS ENGINE MACHINE SHOP INC | BONITA MUFFLER SERVICE
26330 OLD 41 RD | 26330 OLD 41 RD # D
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, RAATS, RCRA NONGEN, RCRA VSQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173831
EPA ID: FLD984229633

RCRA VSQG ***(cont.)***

Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	1991-12-18
Facility Name :	STRONGS ENGINE MACHINE SHOP INC
Classification :	Small Quantity Generator

Notices of Violations Summary

Regulation Violated :	N

Evaluation Action Summary

Evaluation Date :	1993-10-21
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	1993-09-27
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	1991-12-11
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

SQG - FL

Facility Name :	Bonita Muffler Service
Facility Address :	26330 Old 41 Rd # D, Bonita Springs, 34135
County :	LEE

Last Inspection Date :	1991-12-11
Date Notified :	1992-01-15
Site ID :	48418
Handler ID :	FLD984229633
Office :	South District
Facility Inspection Type :	N/R
Documents Link :	N/R
Last Date in Agency List :	2015-06-06

Map Id: B55
Direction: SSE
Distance: 0.082 mi., 431 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : AUTO TRAN INC | MILLENNIUM MARBLE CORP
1466 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL]

Envirosite ID: 68173756
EPA ID: FLR000156604

ECHO

Facility Name :	MILLENNIUM MARBLE CORP
Facility Address :	1466 RAIL HEAD BLVD, NAPLES, FL 34110
County :	COLLIER
Last Inspection Date :	2009-06-23
Registry ID :	110039563790
FIPS Code :	12021
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	5955
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	10
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101022015
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R

Map Id: B55
Direction: SSE
Distance: 0.082 mi., 431 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : AUTO TRAN INC | MILLENNIUM MARBLE CORP
1466 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173756
EPA ID: FLR000156604

ECHO ***(cont.)***

Facility NAICS :	541490 - Other Specialized Design Services
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2009-06-23
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.312371
Longitude :	-81.788233
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	MILLENNIUM MARBLE CORP
Facility Address :	1466 RAIL HEAD BLVD, NAPLES, FL 341108421
County :	COLLIER

Site Details

Registry ID :	110039563790
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

Map Id: B55
Direction: SSE
Distance: 0.082 mi., 431 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : AUTO TRAN INC | MILLENNIUM MARBLE CORP
1466 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173756
EPA ID: FLR000156604

FRS ***(cont.)***

FRS Environmental Interest

Source and System ID :	RCRAINFO - FLR000156604

MANIFEST EPA

Manifest Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Manifest Number :	026622129JJK
Shipped Date :	2024-12-10
Updated Date :	2025-02-09
Received Date :	2025-01-29
Status :	Signed
Generator ID :	FLR000156604
Generator Name :	AUTO TRAN INC
Generator Address :	1466 RAIL HEAD BLVD, NAPLES, FL 34110-8421
Generator Mailing :	1466 RAIL HEAD BLVD, NAPLES, FL 34110-8421
Generator Contact :	N/R
Destination ID :	OHD083377010
Destination Name :	ENVIRONMENTAL ENTERPRISES INC
Destination Mailing :	10163 CINCINNATI DAYTON RD, CINCINNATI, OH 45241
Destination Address :	4650 SPRING GROVE AVE, CINCINNATI, OH 45232
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Web
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN2582
DOT Information :	UN2582, WASTE FERRIC CHLORIDE, SOLUTION, PGIII
Non Waste Description :	N/R
Quantity :	55 Gallons
Quantity Tons, Acute, Non-Acute :	0.22936, 0, 0.22936
Quantity Kg, Acute, Non-Acute :	0, 208.0364008
Quantity Tons, Haz, Non-Haz :	0.22936, 0
Quantity Kg, Haz, Non-Haz :	208.0364008, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R

Manifest Details

Manifest Number :	023880705JJK
Shipped Date :	2022-10-18

Map Id: B55
Direction: SSE
Distance: 0.082 mi., 431 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : AUTO TRAN INC | MILLENNIUM MARBLE CORP
1466 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173756
EPA ID: FLR000156604

MANIFEST EPA ***(cont.)***

Updated Date :	2023-01-05
Received Date :	2022-12-13
Status :	Signed
Generator ID :	FLR000156604
Generator Name :	AUTO TRAN INC
Generator Address :	1466 RAIL HEAD BLVD, NAPLES, FL 34110-8421
Generator Mailing :	1466 RAIL HEAD BLVD, NAPLES, FL 34110-8421
Generator Contact :	N/R
Destination ID :	OHD083377010
Destination Name :	ENVIRONMENTAL ENTERPRISES INC
Destination Mailing :	10163 CINCINNATI DAYTON RD, CINCINNATI, OH 45241
Destination Address :	4650 SPRING GROVE AVE, CINCINNATI, OH 45232
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Web
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN2582
DOT Information :	UN2582, WASTE FERRIC CHLORIDE, SOLUTION, 8, PGIII
Non Waste Description :	N/R
Quantity :	55 Gallons
Quantity Tons, Acute, Non-Acute :	0.2293578, 0, 0.2293578
Quantity Kg, Acute, Non-Acute :	0, 208.03441
Quantity Tons, Haz, Non-Haz :	0.2293578, 0
Quantity Kg, Haz, Non-Haz :	208.03441, 0
Management Method :	H070 - CHEMICAL TREATMENT
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R

Manifest Details

Manifest Number :	022873298JJK
Shipped Date :	2022-02-01
Updated Date :	2022-03-30
Received Date :	2022-03-07
Status :	Signed
Generator ID :	FLR000156604
Generator Name :	AUTO TRAN INC
Generator Address :	1466 RAIL HEAD BLVD, NAPLES, FL 34110-8421
Generator Mailing :	1466 RAIL HEAD BLVD, NAPLES, FL 34110-8421
Generator Contact :	N/R
Destination ID :	OHD083377010
Destination Name :	ENVIRONMENTAL ENTERPRISES INC
Destination Mailing :	10163 CINCINNATI DAYTON RD, CINCINNATI, OH 45241
Destination Address :	4650 SPRING GROVE AVE, CINCINNATI, OH 45232
Destination Contact :	N/R

Map Id: B55
Direction: SSE
Distance: 0.082 mi., 431 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : AUTO TRAN INC | MILLENNIUM MARBLE CORP
1466 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173756
EPA ID: FLR000156604

MANIFEST EPA ***(cont.)***

Submission Type :	DataImage5Copy
Origin Type :	Web
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN2582
DOT Information :	UN2582, WASTE FERRIC CHLORIDE, SOLUTION, 8, PGIII
Non Waste Description :	N/R
Quantity :	55 Gallons
Quantity Tons, Acute, Non-Acute :	0.2293578, 0, 0.2293578
Quantity Kg, Acute, Non-Acute :	0, 208.03441
Quantity Tons, Haz, Non-Haz :	0.2293578, 0
Quantity Kg, Haz, Non-Haz :	208.03441, 0
Management Method :	H070 - CHEMICAL TREATMENT
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R

Manifest Details

Manifest Number :	022139787JJK
Shipped Date :	2021-05-10
Updated Date :	2021-07-25
Received Date :	2021-07-07
Status :	Signed
Generator ID :	FLR000156604
Generator Name :	AUTO TRAN INC
Generator Address :	1466 RAIL HEAD BLVD, NAPLES, FL 34110-8421
Generator Mailing :	1466 RAIL HEAD BLVD, NAPLES, FL 34110-8421
Generator Contact :	N/R
Destination ID :	OHD083377010
Destination Name :	ENVIRONMENTAL ENTERPRISES INC
Destination Mailing :	10163 CINCINNATI DAYTON RD, CINCINNATI, OH 45241
Destination Address :	4650 SPRING GROVE AVE, CINCINNATI, OH 45232
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Web
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN2582
DOT Information :	UN2582, WASTE FERRIC CHLORIDE, SOLUTION, 8, PGIII

Map Id: B55
Direction: SSE
Distance: 0.082 mi., 431 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : AUTO TRAN INC | MILLENNIUM MARBLE CORP
1466 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173756
EPA ID: FLR000156604

MANIFEST EPA ***(cont.)***

Non Waste Description :	N/R
Quantity :	55 Gallons
Quantity Tons, Acute, Non-Acute :	0.2293578, 0, 0.2293578
Quantity Kg, Acute, Non-Acute :	0, 208.03441
Quantity Tons, Haz, Non-Haz :	0.2293578, 0
Quantity Kg, Haz, Non-Haz :	208.03441, 0
Management Method :	H070 - CHEMICAL TREATMENT
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R

Manifest Details

Manifest Number :	006731712SKS
Shipped Date :	2020-02-19
Updated Date :	2020-03-16
Received Date :	2020-02-25
Status :	Signed
Generator ID :	FLR000156604
Generator Name :	AutoTran Inc.
Generator Address :	1466 Rail Head Boulevard, NAPLES, FL 34110
Generator Mailing :	1466 Rail Head Boulevard, Naples, FL 34110
Generator Contact :	AutoTran Inc.
Destination ID :	FLD980729610
Destination Name :	Clean Harbors Florida LLC
Destination Mailing :	7001 Kilo Avenue, Bartow, FL 33830
Destination Address :	7001 Kilo Avenue, Bartow, FL 33830
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN2582
DOT Information :	UN2582, WASTE UN2582, WASTE FERRIC CHLORIDE, SOLUTION, 8, PG III, 8, PG III
Non Waste Description :	N/R
Quantity :	450 Pounds
Quantity Tons, Acute, Non-Acute :	0.225, 0, 0.225
Quantity Kg, Acute, Non-Acute :	0, 204.08176
Quantity Tons, Haz, Non-Haz :	0.225, 0
Quantity Kg, Haz, Non-Haz :	204.08176, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R

Map Id: B55
Direction: SSE
Distance: 0.082 mi., 431 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : AUTO TRAN INC | MILLENNIUM MARBLE CORP
1466 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173756
EPA ID: FLR000156604

RCRA SQG

Facility Name :	AUTO TRAN INC
Facility Address :	1466 RAIL HEAD BLVD, NAPLES, FL 34110-8421
County :	COLLIER
Date Form Received by Agency :	2016-02-23
EPA ID :	FLR000156604
Mailing Address :	1466 RAIL HEAD BLVD, NAPLES, FL 34110-8421
Contact :	JANE PARKER
Contact Address :	1466 RAIL HEAD BLVD, NAPLES, FL 34110-0000
Contact Country :	US
Contact Telephone :	239-659-2515
Contact Email :	JPARKER@AUTOTRAN.NET
EPA Region :	04
Land Type :	Private
Source Type :	Notification
Classification :	Small Quantity Generator
Description :	Handlers that generate more than 100 and less than 1000 kilograms of hazardous waste during any calendar month and accumulate less than 6000 kg of hazardous waste at any time; or generate 100 kg or less of hazardous waste during any calendar month, and accumulate more than 1000 kg of hazardous waste at any time.
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	AUTO TRAN INC
Owner/Operator Address :	1466 RAIL HEAD BLVD, NAPLES, FL 34110-8421
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2013-07-01
Owner/Operator End Date :	N/R
Owner/Operator Name :	CHARM GROUP INC
Owner/Operator Address :	32 FAIRWAY CT, ALBANY, NY 12208-1002
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2009-06-23
Owner/Operator End Date :	2013-07-01
Owner/Operator Name :	JANE PARKER
Owner/Operator Address :	1466 RAIL HEAD BLVD, NAPLES, FL 34110-8421

Map Id: B55
Direction: SSE
Distance: 0.082 mi., 431 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : AUTO TRAN INC | MILLENNIUM MARBLE CORP
1466 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173756
EPA ID: FLR000156604

RCRA SQG ***(cont.)***

Owner/Operator Country :	US
Owner/Operator Telephone :	239-659-2515
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2013-07-01
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	2010-12-01
Facility Name :	AUTO TRAN INC
Classification :	Not a generator, verified

Hazardous Waste Summary

Waste Code / Name : D001 - IGNITABLE WASTE
D011 - SILVER

Waste Code / Name :

F003 - THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Map Id: B55
Direction: SSE
Distance: 0.082 mi., 431 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : AUTO TRAN INC | MILLENNIUM MARBLE CORP
1466 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173756
EPA ID: FLR000156604

RCRA SQG ***(cont.)***

Notices of Violations Summary

Date of Violation :	2009-11-03
Date Achieved Compliance :	2009-12-17
Regulation Violated :	Y
Area of Violation :	Listing - General
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2009-06-23
Date Achieved Compliance :	2009-12-17
Regulation Violated :	Y
Area of Violation :	Used Oil - Generators
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2009-06-23
Date Achieved Compliance :	2009-12-17
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2009-06-23
Date Achieved Compliance :	2009-12-17
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State

Map Id: B55
Direction: SSE
Distance: 0.082 mi., 431 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : AUTO TRAN INC | MILLENNIUM MARBLE CORP
1466 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173756
EPA ID: FLR000156604

RCRA SQG ***(cont.)***

Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2009-11-03
Evaluation :	FOLLOW-UP INSPECTION
Area of Violation :	Listing - General
Date Achieved Compliance :	2009-12-17
Evaluation Lead Agency :	State

Evaluation Date :	2009-06-23
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Used Oil - Generators
Date Achieved Compliance :	2009-12-17
Evaluation Lead Agency :	State

Evaluation Date :	2009-06-23
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	State Statute or Regulation
Date Achieved Compliance :	2009-12-17
Evaluation Lead Agency :	State

Evaluation Date :	2009-06-23
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Generators - General
Date Achieved Compliance :	2009-12-17
Evaluation Lead Agency :	State

SQG - FL

Facility Name :	Auto Tran Inc
Facility Address :	1466 Rail Head Blvd, Naples, 34110
County :	Collier
Last Inspection Date :	2010-11-23
Date Notified :	2009-06-25
Site ID :	90404
Handler ID :	FLR000156604
Office :	South District
Facility Inspection Type :	CLO-SV
Documents Link :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-13

Map Id: B56
Direction: S
Distance: 0.083 mi., 436 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EARTH SUPPLIED PRODUCTS LLC
26.30287, -81.79321

Database(s) : [PFAS INDUSTRY]

Envirosite ID: 52661810
EPA ID: N/R

PFAS INDUSTRY

Facility Name :	EARTH SUPPLIED PRODUCTS LLC
Status :	Active
Industry :	Chemical Mfg
EPA Program :	RCRA
State :	FL
City :	NAPLES
County :	COLLIER
Fa SNC Flag :	N
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	26.30287
Longitude :	-81.79321
Last Date in Agency List :	2025-11-07

Map Id: B57
Direction: S
Distance: 0.083 mi., 437 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EARTH SUPPLIED PRODUCTS LLC | PERFECTLY PAINTED
1060 COLLIER CENTER WAY
NAPLES, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA NONGEN, RCRA SQG, SSTS]

Envirosite ID: 68173738
EPA ID: N/R

ECHO

Facility Name :	EARTH SUPPLIED PRODUCTS LLC
Facility Address :	1060 COLLIER CENTER WAY, NAPLES, FL 34110
County :	COLLIER
Last Inspection Date :	N/R
Registry ID :	110070207622
FIPS Code :	12021
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0

Map Id: B57
Direction: S
Distance: 0.083 mi., 437 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EARTH SUPPLIED PRODUCTS LLC | PERFECTLY PAINTED
1060 COLLIER CENTER WAY
NAPLES, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA NONGEN, RCRA SQG, SSTS] ***(cont.)***

Envirosite ID: 68173738
EPA ID: N/R

ECHO ***(cont.)***

Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101021012
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	424690 - Other Chemical and Allied Products Merchant Wholesalers
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N

Map Id: B57
Direction: S
Distance: 0.083 mi., 437 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EARTH SUPPLIED PRODUCTS LLC | PERFECTLY PAINTED
1060 COLLIER CENTER WAY
NAPLES, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA NONGEN, RCRA SQG, SSTS] ***(cont.)***

Envirosite ID: 68173738
EPA ID: N/R

ECHO ***(cont.)***

GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.30287
Longitude :	-81.79321
Last Date in Agency List :	2026-05-11
Facility Name :	PERFECTLY PAINTED
Facility Address :	1060 COLLIER CENTER WAY, NAPLES, FL 34110
County :	COLLIER
Last Inspection Date :	N/R
Registry ID :	110043539374
FIPS Code :	12021
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101021012
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R

Map Id: B57
Direction: S
Distance: 0.083 mi., 437 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EARTH SUPPLIED PRODUCTS LLC | PERFECTLY PAINTED
1060 COLLIER CENTER WAY
NAPLES, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA NONGEN, RCRA SQG, SSTS] ***(cont.)***

Envirosite ID: 68173738
EPA ID: N/R

ECHO ***(cont.)***

CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.30287
Longitude :	-81.79321
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	EARTH SUPPLIED PRODUCTS LLC
Facility Address :	1060 COLLIER CENTER WAY, NAPLES, FL 34110-8422
County :	COLLIER

Site Details

Registry ID :	110070207622
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Map Id: B57
Direction: S
Distance: 0.083 mi., 437 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EARTH SUPPLIED PRODUCTS LLC | PERFECTLY PAINTED
1060 COLLIER CENTER WAY
NAPLES, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA NONGEN, RCRA SQG, SSTS] ***(cont.)***

Envirosite ID: 68173738
EPA ID: N/R

FRS ***(cont.)***

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.
SSTS tracks the registration of all pesticide-producing establishments and tracks annually the types and amounts of pesticides, active ingredients, and related devices that are produced, sold, or distributed.

FRS Environmental Interest
Source and System ID :
API - 088600FL001
RCRAINFO - FLR000225185

Facility Name : PERFECTLY PAINTED
Facility Address : 1060 COLLIER CENTER WAY, NAPLES, FL 34110-8422
County : COLLIER

Site Details
Registry ID : 110043539374
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest
Source and System ID : RCRAINFO - FLT100081033

Map Id: B57
Direction: S
Distance: 0.083 mi., 437 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EARTH SUPPLIED PRODUCTS LLC | PERFECTLY PAINTED
1060 COLLIER CENTER WAY
NAPLES, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA NONGEN, RCRA SQG, SSTS] ***(cont.)***

Envirosite ID: 68173738
EPA ID: N/R

MANIFEST EPA

Manifest Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Manifest Number :	026687546JJK
Shipped Date :	2025-02-03
Updated Date :	2025-02-28
Received Date :	2025-02-11
Status :	Signed
Generator ID :	FLR000225185
Generator Name :	EARTH SUPPLIED PRODUCTS LLC
Generator Address :	1060 COLLIER CENTER WAY, NAPLES, FL 34110-8422
Generator Mailing :	1060 COLLIER CENTER WAY, NAPLES, FL 34110-8422
Generator Contact :	N/R
Destination ID :	ALD981020894
Destination Name :	CLEAN EARTH OF ALABAMA, INC.
Destination Mailing :	402 WEBSTER CHAPEL ROAD, GLENCOE, AL 35905
Destination Address :	402 WEBSTER CHAPEL ROAD, GLENCOE, AL 35905
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1993
DOT Information :	RQ UN1993, Waste Flammable liquids n.o.s. (ETHANOL) 3 PG II (D001)
Non Waste Description :	N/R
Quantity :	220 Gallons
Quantity Tons, Acute, Non-Acute :	0.91743, 0, 0.91743
Quantity Kg, Acute, Non-Acute :	0, 832.1365329
Quantity Tons, Haz, Non-Haz :	0.91743, 0
Quantity Kg, Haz, Non-Haz :	832.1365329, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, F003
State Code :	N/R

Manifest Details

Manifest Number :	026686776JJK
Shipped Date :	2024-09-23
Updated Date :	2024-10-21
Received Date :	2024-10-01
Status :	Signed
Generator ID :	FLR000225185
Generator Name :	EARTH SUPPLIED PRODUCTS LLC

Map Id: B57
Direction: S
Distance: 0.083 mi., 437 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EARTH SUPPLIED PRODUCTS LLC | PERFECTLY PAINTED
1060 COLLIER CENTER WAY
NAPLES, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA NONGEN, RCRA SQG, SSTS] ***(cont.)***

Envirosite ID: 68173738
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Generator Address :	1060 COLLIER CENTER WAY, NAPLES, FL 34110-8422
Generator Mailing :	1060 COLLIER CENTER WAY, NAPLES, FL 34110-8422
Generator Contact :	N/R
Destination ID :	ALD981020894
Destination Name :	CLEAN EARTH OF ALABAMA, INC.
Destination Mailing :	402 WEBSTER CHAPEL ROAD, GLENCOE, AL 35905
Destination Address :	402 WEBSTER CHAPEL ROAD, GLENCOE, AL 35905
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1993
DOT Information :	RQ, UN1993, Waste Flammable liquids n.o.s. (ETHANOL), 3, PG II (D001)
Non Waste Description :	N/R
Quantity :	275 Gallons
Quantity Tons, Acute, Non-Acute :	1.14679, 0, 1.14679
Quantity Kg, Acute, Non-Acute :	0, 1040.1729337
Quantity Tons, Haz, Non-Haz :	1.14679, 0
Quantity Kg, Haz, Non-Haz :	1040.1729337, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, F003
State Code :	N/R

Manifest Details

Manifest Number :	026681363JJK
Shipped Date :	2024-07-22
Updated Date :	2024-08-09
Received Date :	2024-07-30
Status :	Signed
Generator ID :	FLR000225185
Generator Name :	EARTH SUPPLIED PRODUCTS LLC
Generator Address :	1060 COLLIER CENTER WAY, NAPLES, FL 34110-8422
Generator Mailing :	1060 COLLIER CENTER WAY, NAPLES, FL 34110-8422
Generator Contact :	N/R
Destination ID :	ALD981020894
Destination Name :	CLEAN EARTH OF ALABAMA, INC.
Destination Mailing :	402 WEBSTER CHAPEL ROAD, GLENCOE, AL 35905
Destination Address :	402 WEBSTER CHAPEL ROAD, GLENCOE, AL 35905
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Map Id: B57
Direction: S
Distance: 0.083 mi., 437 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EARTH SUPPLIED PRODUCTS LLC | PERFECTLY PAINTED
1060 COLLIER CENTER WAY
NAPLES, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA NONGEN, RCRA SQG, SSTS] ***(cont.)***

Envirosite ID: 68173738
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1993
DOT Information :	UN1993, Waste Flammable liquids n.o.s., (ETHANOL) 3, PG II, RQ (D001)
Non Waste Description :	N/R
Quantity :	275 Gallons
Quantity Tons, Acute, Non-Acute :	1.14679, 0, 1.14679
Quantity Kg, Acute, Non-Acute :	0, 1040.1729337
Quantity Tons, Haz, Non-Haz :	1.14679, 0
Quantity Kg, Haz, Non-Haz :	1040.1729337, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, F003
State Code :	N/R

Manifest Details

Manifest Number :	026681009JJK
Shipped Date :	2024-05-20
Updated Date :	2024-06-07
Received Date :	2024-05-29
Status :	Signed
Generator ID :	FLR000225185
Generator Name :	EARTH SUPPLIED PRODUCTS LLC
Generator Address :	1060 COLLIER CENTER WAY, NAPLES, FL 34110-8422
Generator Mailing :	1060 COLLIER CENTER WAY, NAPLES, FL 34110-8422
Generator Contact :	N/R
Destination ID :	ALD981020894
Destination Name :	CLEAN EARTH OF ALABAMA, INC.
Destination Mailing :	402 WEBSTER CHAPEL ROAD, GLENCOE, AL 35905
Destination Address :	402 WEBSTER CHAPEL ROAD, GLENCOE, AL 35905
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1993
DOT Information :	RQ, UN1993, Waste Flammable liquids n.o.s., (Ethanol), 3, PG II (D001)
Non Waste Description :	N/R
Quantity :	220 Gallons
Quantity Tons, Acute, Non-Acute :	0.91743, 0, 0.91743
Quantity Kg, Acute, Non-Acute :	0, 832.1365329
Quantity Tons, Haz, Non-Haz :	0.91743, 0
Quantity Kg, Haz, Non-Haz :	832.1365329, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y

Map Id: B57
Direction: S
Distance: 0.083 mi., 437 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EARTH SUPPLIED PRODUCTS LLC | PERFECTLY PAINTED
1060 COLLIER CENTER WAY
NAPLES, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA NONGEN, RCRA SQG, SSTS] ***(cont.)***

Envirosite ID: 68173738
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Federal Code :	D001, F003
State Code :	N/R

Manifest Details

Manifest Number :	026466133JJK
Shipped Date :	2024-03-26
Updated Date :	2024-04-25
Received Date :	2024-04-04
Status :	Signed
Generator ID :	FLR000225185
Generator Name :	EARTH SUPPLIED PRODUCTS LLC
Generator Address :	1060 COLLIER CENTER WAY, NAPLES, FL 34110-8422
Generator Mailing :	1060 COLLIER CENTER WAY, NAPLES, FL 34110-8422
Generator Contact :	N/R
Destination ID :	ALD981020894
Destination Name :	CLEAN EARTH OF ALABAMA, INC.
Destination Mailing :	402 WEBSTER CHAPEL ROAD, GLENCOE, AL 35905
Destination Address :	402 WEBSTER CHAPEL ROAD, GLENCOE, AL 35905
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1993
DOT Information :	RQ UN1993, Waste Flammable liquids n.o.s.(ETHANOL) , 3, PG (D001)
Non Waste Description :	N/R
Quantity :	275 Pounds
Quantity Tons, Acute, Non-Acute :	0.1375, 0, 0.1375
Quantity Kg, Acute, Non-Acute :	0, 124.71663
Quantity Tons, Haz, Non-Haz :	0.1375,
Quantity Kg, Haz, Non-Haz :	124.71663,
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, F003
State Code :	N/R

RCRA NONGEN

Facility Name :	PERFECTLY PAINTED
Facility Address :	1060 COLLIER CENTER WAY, NAPLES, FL 34110-8422
County :	COLLIER
Date Form Received by Agency :	2010-12-25
EPA ID :	FLT100081033
Mailing Address :	N/R

Map Id: B57
Direction: S
Distance: 0.083 mi., 437 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EARTH SUPPLIED PRODUCTS LLC | PERFECTLY PAINTED
1060 COLLIER CENTER WAY
NAPLES, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA NONGEN, RCRA SQG, SSTS] ***(cont.)***

Envirosite ID: 68173738
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Contact :	N/R
Contact Address :	N/R
Contact Country :	N/R
Contact Telephone :	N/R
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	N/R
Owner/Operator Address :	N/R
Owner/Operator Country :	N/R
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	N/R
Owner/Operator Type :	N/R
Owner/Operator Start Date :	N/R
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N/R
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	2010-03-04
Facility Name :	PERFECTLY PAINTED
Classification :	Very Small Quantity Generator

Map Id: B57
Direction: S
Distance: 0.083 mi., 437 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EARTH SUPPLIED PRODUCTS LLC | PERFECTLY PAINTED
1060 COLLIER CENTER WAY
NAPLES, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA NONGEN, RCRA SQG, SSTS] ***(cont.)***

Envirosite ID: 68173738
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Notices of Violations Summary
Regulation Violated : N

RCRA SQG

Facility Name : EARTH SUPPLIED PRODUCTS LLC
Facility Address : 1060 COLLIER CENTER WAY, NAPLES, FL 34110-8422
County : COLLIER

Date Form Received by Agency : 2025-12-15
EPA ID : FLR000225185
Mailing Address : 1060 COLLIER CENTER WAY, NAPLES, FL 34110-8422
Contact : PETER BONCELET
Contact Address : 1060 COLLIER CENTER WAY, NAPLES, FL 34110-0000
Contact Country : US
Contact Telephone : 239-598-5088
Contact Email : PBONCELET@ESPLLC.US
EPA Region : 04
Land Type : Private
Source Type : Notification
Classification : Small Quantity Generator

Description : Handlers that generate more than 100 and less than 1000 kilograms of hazardous waste during any calendar month and accumulate less than 6000 kg of hazardous waste at any time; or generate 100 kg or less of hazardous waste during any calendar month, and accumulate more than 1000 kg of hazardous waste at any time.

Last Date in Agency List : 2026-05-05

Owner/Operator Summary
Owner/Operator Name : 1060 LLC
Owner/Operator Address : 1060 COLLIER CENTER WAY, NAPLES, FL 34110-0000
Owner/Operator Country : US
Owner/Operator Telephone : 239-598-5088
Owner/Operator Email : N/R
Owner/Operator Fax : N/R
Legal Status : Private
Owner/Operator Type : Owner
Owner/Operator Start Date : 2010-01-01
Owner/Operator End Date : 2026-01-07

Owner/Operator Name : PETER BONCELET
Owner/Operator Address : 1060 COLLIER CENTER WAY, NAPLES, FL 34110-8422
Owner/Operator Country : US
Owner/Operator Telephone : 239-598-5088
Owner/Operator Email : N/R
Owner/Operator Fax : N/R
Legal Status : Private
Owner/Operator Type : Owner
Owner/Operator Start Date : 2010-01-01

Map Id: B57
Direction: S
Distance: 0.083 mi., 437 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EARTH SUPPLIED PRODUCTS LLC | PERFECTLY PAINTED
1060 COLLIER CENTER WAY
NAPLES, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA NONGEN, RCRA SQG, SSTS] ***(cont.)***

Envirosite ID: 68173738
EPA ID: N/R

RCRA SQG ***(cont.)***

Owner/Operator End Date :	2017-12-14
Owner/Operator Name :	PETER BONCELET
Owner/Operator Address :	1060 COLLIER CENTER WAY, NAPLES, FL 34110-8422
Owner/Operator Country :	US
Owner/Operator Telephone :	239-598-5088
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2010-04-20
Owner/Operator End Date :	N/R
Owner/Operator Name :	PETER BONCELET
Owner/Operator Address :	1060 COLLIER CENTER WAY, NAPLES, FL 34110-0000
Owner/Operator Country :	US
Owner/Operator Telephone :	239-598-5088
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2010-04-20
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N/R
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	2025-11-19
Facility Name :	EARTH SUPPLIED PRODUCTS LLC
Classification :	Small Quantity Generator
Date Form Received by Agency :	2017-11-30
Facility Name :	EARTH SUPPLIED PRODUCTS LLC

Map Id: B57
Direction: S
Distance: 0.083 mi., 437 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EARTH SUPPLIED PRODUCTS LLC | PERFECTLY PAINTED
1060 COLLIER CENTER WAY
NAPLES, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA NONGEN, RCRA SQG, SSTS] ***(cont.)***

Envirosite ID: 68173738
EPA ID: N/R

RCRA SQG ***(cont.)***

Classification : Very Small Quantity Generator

Hazardous Waste Summary
Waste Code / Name : D001 - IGNITABLE WASTE

Waste Code / Name :

F003 - THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Notices of Violations Summary

Date of Violation :	2025-11-19
Date Achieved Compliance :	2025-12-16
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2025-11-19
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Generators - General
Date Achieved Compliance :	2025-12-16
Evaluation Lead Agency :	State

SSTS

Facility Name :	EARTH SUPPLIED PRODUCTS, LLC
Facility Address :	1060 COLLIER CENTER WAY, NAPLES, FL 34110
County :	Collier
Establishment Number :	088600-FL-001
Region :	4
Establishment Mailing Address :	1060 COLLIER CENTER WAY, NAPLES, FL 34110
Establishment Mailing Address 2 :	N/R
Company Name :	EARTH SUPPLIED PRODUCTS

Map Id: B57
Direction: S
Distance: 0.083 mi., 437 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EARTH SUPPLIED PRODUCTS LLC | PERFECTLY PAINTED
1060 COLLIER CENTER WAY
NAPLES, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA NONGEN, RCRA SQG, SSTS] ***(cont.)***

Envirosite ID: 68173738
EPA ID: N/R

SSTS ***(cont.)***

Company Address :	1060 COLLIER CENTER WAY, NAPLES, FL 34110
Company Address 2 :	N/R
Company Country :	USA
Company Mailing Address :	1060 COLLIER CENTER WAY, NAPLES, FL 34110
Company Mailing Address 2 :	N/R
Company Mailing Country :	USA
Last Date in Agency List :	2026-06-04

Map Id: C58
Direction: SE
Distance: 0.086 mi., 456 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : BONITA RENT ALL & SALES CO
26891 OLD 41 RD
BONITA SPRINGS, FL 33923

Database(s) : [EPA UST, UST - FL]

Envirosite ID: 68173839
EPA ID: N/R

EPA UST

Facility Name :	BONITA RENT ALL & SALES CO
Facility Address :	26891 OLD 41 RD, BONITA SPRINGS, Florida 33923
County :	N/R
Facility ID :	FL8627268
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	1
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.3475269999999
Longitude :	-81.7787385
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8627268-2
Tank Status :	Closed
Installation Date :	1982-06-01
Removal Date :	N/R
Capacity :	850
Substances :	Leaded Gas
Tank Wall Type :	N/R

UST - FL

Facility Name :	BONITA RENT ALL & SALES CO
Facility Address :	26891 OLD 41 RD, BONITA SPRINGS, 33923

Map Id: C58
Direction: SE
Distance: 0.086 mi., 456 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : BONITA RENT ALL & SALES CO
26891 OLD 41 RD
BONITA SPRINGS, FL 33923

Database(s) : [EPA UST, UST - FL] ***(cont.)***

Envirosite ID: 68173839
EPA ID: N/R

UST - FL ***(cont.)***

County : LEE

Site Details
Facility ID : 8627268
Facility Phone : 8139921210
Facility Status : CLOSED
Facility Type : Fuel user/Non-retail
Last Date in Agency List : 2026-05-06

Owner Information
Owner ID : 2414
Owner Name : BONITA RENT ALL & SALES CO
Owner Address 1 : PO BOX 1210, BONITA SPRINGS, FL 33959
Owner Address 2 : N/R
Owner Phone : 8139921210
Contact : ROBERT L MANTLE
DEP Contractor Own : P

Tank Information
Tank ID : 1
Gallons : 500
Tank Location : UNDERGROUND
Substance : Fuel Oil - Onsite Heat
Install Date : 1982-06-01
Status : Closed In Place
Status Date : N/R

Tank ID : 2
Gallons : 850
Tank Location : UNDERGROUND
Substance : Leaded Gas
Install Date : 1982-06-01
Status : Closed In Place
Status Date : N/R

Oculus Note : Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink : Click here for hyperlink provided by the agency.

Map Id: B59
Direction: S
Distance: 0.087 mi., 462 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AFFORDABLE AUTO & TIRE SERVICE
1161 SUN CENTURY RD
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG]

Envirosite ID: 68173743
EPA ID: N/R

ECHO

Facility Name :	AFFORDABLE AUTO & TIRE SERVICE
Facility Address :	1161 SUN CENTURY RD, NAPLES, FL 34110
County :	COLLIER
Last Inspection Date :	2010-01-22
Registry ID :	110041662420
FIPS Code :	12021
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	5742
Informal Count :	0
Last Informal Action Date :	2010-02-12
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	POINT WHERE WATER OR OTHER SUBSTANCE COULD BE DRAWN FROM ENVIRONMENT FOR DELIVERY TO A FACILITY OR DISTRIBUTION SYSTEM (SUBSTANCE DESTINATION COULD RANGE FROM A SINGLE RESIDENCE TO A LARGE FACILITY)
Accuracy Meters :	10
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101021005
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R

Map Id: B59
Direction: S
Distance: 0.087 mi., 462 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AFFORDABLE AUTO & TIRE SERVICE
1161 SUN CENTURY RD
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173743
EPA ID: N/R

ECHO ***(cont.)***

CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	811191 - Automotive Oil Change and Lubrication Shops
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2010-01-22
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2010-02-12
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.305761
Longitude :	-81.793022
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	AFFORDABLE AUTO & TIRE SERVICE
Facility Address :	1161 SUN CENTURY RD, NAPLES, FL 34110-8431
County :	COLLIER

Site Details

Registry ID :	110041662420
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

Map Id: B59
Direction: S
Distance: 0.087 mi., 462 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AFFORDABLE AUTO & TIRE SERVICE
1161 SUN CENTURY RD
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173743
EPA ID: N/R

FRS ***(cont.)***

FRS Environmental Interest

Source and System ID :	RCRAINFO - FLR000163881

RCRA VSQG

Facility Name :	AFFORDABLE AUTO & TIRE SERVICE
Facility Address :	1161 SUN CENTURY RD, NAPLES, FL 34110-8431
County :	COLLIER
Date Form Received by Agency :	2010-01-22
EPA ID :	FLR000163881
Mailing Address :	1161 SUN CENTURY RD, NAPLES, FL 34110-8431
Contact :	LUIS VARGAS
Contact Address :	1161 SUN CENTURY RD, NAPLES, FL 34110
Contact Country :	US
Contact Telephone :	239-596-0946
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	MARCEL M IMBERT REV TRUST
Owner/Operator Address :	5496 SEA EDGE DR, PUNTA GORDA, FL 33950
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2010-02-01
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N

Map Id: B59
Direction: S
Distance: 0.087 mi., 462 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AFFORDABLE AUTO & TIRE SERVICE
1161 SUN CENTURY RD
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173743
EPA ID: N/R

RCRA VSQG ***(cont.)***

Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Notices of Violations Summary

Date of Violation :	2010-01-22
Date Achieved Compliance :	2010-03-25
Regulation Violated :	Y
Area of Violation :	Listing - General
Enforcement Action :	DEP NON-COMPLIANCE LETTER
Enforcement Action Date :	2010-02-12
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2010-01-22
Date Achieved Compliance :	2010-03-25
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP NON-COMPLIANCE LETTER
Enforcement Action Date :	2010-02-12
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2010-01-22
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Listing - General
Date Achieved Compliance :	2010-03-25
Evaluation Lead Agency :	State

Evaluation Date :	2010-01-22
Evaluation :	COMPLIANCE EVALUATION INSPECTION

Map Id: B59
Direction: S
Distance: 0.087 mi., 462 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AFFORDABLE AUTO & TIRE SERVICE
1161 SUN CENTURY RD
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173743
EPA ID: N/R

RCRA VSQG ***(cont.)***

Area of Violation :	State Statute or Regulation
Date Achieved Compliance :	2010-03-25
Evaluation Lead Agency :	State

Map Id: E60
Direction: SE
Distance: 0.090 mi., 477 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : LEE CNTY SHERIFF DEPT-SUBSTATION
10520 REYNOLDS ST
BONITA SPRINGS, FL 33923

Database(s) : [EPA UST, UST - FL]

Envirosite ID: 68173735
EPA ID: N/R

EPA UST

Facility Name :	LEE CNTY SHERIFF DEPT-SUBSTATION
Facility Address :	10520 REYNOLDS ST, BONITA SPRINGS, Florida 33923
County :	N/R
Facility ID :	FL8630864
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	1
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.340219
Longitude :	-81.7785765
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8630864-1
Tank Status :	Closed
Installation Date :	1975-07-01
Removal Date :	N/R
Capacity :	2000
Substances :	Leaded Gas
Tank Wall Type :	N/R

UST - FL

Facility Name :	LEE CNTY SHERIFF DEPT-SUBSTATION
Facility Address :	10520 REYNOLDS ST, BONITA SPRINGS, 33923
County :	LEE

Map Id: E60
Direction: SE
Distance: 0.090 mi., 477 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : LEE CNTY SHERIFF DEPT-SUBSTATION
10520 REYNOLDS ST
BONITA SPRINGS, FL 33923

Database(s) : [EPA UST, UST - FL] ***(cont.)***

Envirosite ID: 68173735
EPA ID: N/R

UST - FL ***(cont.)***

Site Details

Facility ID :	8630864
Facility Phone :	8133323456
Facility Status :	CLOSED
Facility Type :	Local Government
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	12726
Owner Name :	LEE CNTY SHERIFFS DEPT
Owner Address 1 :	1700 MONROE ST, FORT MYERS, FL 33901
Owner Address 2 :	N/R
Owner Phone :	8133323456
Contact :	DARRELL COPPING
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	2000
Tank Location :	UNDERGROUND
Substance :	Leaded Gas
Install Date :	1975-07-01
Status :	Removed from Site
Status Date :	1987-02-28

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: F61
Direction: N
Distance: 0.094 mi., 497 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : Phoenix Construction
Strike Lane @ Red Robin Drive
BONITA SPRINGS, FL

Database(s) : [SPILLS - FL]

Envirosite ID: 1711730
EPA ID: N/R

SPILLS - FL

Facility Name :	Phoenix Construction
Facility Address :	Strike Lane @ Red Robin Drive, BONITA SPRINGS
County :	Lee

Incident Details

Incident Number :	26633
Incident Date :	2005-12-04
Incident Status :	Closed

Map Id: F61
Direction: N
Distance: 0.094 mi., 497 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : Phoenix Construction
Strike Lane @ Red Robin Drive
BONITA SPRINGS, FL

Database(s) : [SPILLS - FL] ***(cont.)***

Envirosite ID: 1711730
EPA ID: N/R

SPILLS - FL ***(cont.)***

Incident Type :	Inland
Descriptions :	Fire
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Incident Number :	26633
Incident Date :	2005-12-04
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	Spill
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Pollutants

Pollutant Name :	Hydraulic fluid
Pollutant Actual Volume :	2 gallon
Pollutant Category :	Petroleum

Map Id: F62
Direction: NNW
Distance: 0.096 mi., 509 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC 25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, RMP, SPILLS - FL, STORMWATER]

Envirosite ID: 68173819
EPA ID: N/R

AST - FL

Facility Name :	BONITA SPRINGS UTIL-WEST WTR RECLAM FAC
Facility Address :	25051 S TAMIAMI TRAIL, BONITA SPRINGS, 34134
County :	LEE

Site Details

Facility ID :	9401166
Facility Phone :	2393904825
Facility Status :	OPEN
Facility Type :	C
Type Description :	Fuel user/Non-retail
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	2417
Owner Name :	BONITA SPRINGS UTILITIES INC
Owner Address 1 :	N/R
Owner Address 2 :	ATTN: STORAGE TANK REGIS
Owner Phone :	2399920711
Contact :	ANDREW KOEBEL / DONALD WOODRUFF
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	5000
Tank Location :	ABOVEGROUND
Substance :	Emerg Generator Diesel
Install Date :	1993-02-01
Status :	In Service
Status Date :	1998-11-05
Construction Items :	Primary Construction - Steel Secondary Containment - AST containment
Monitoring Items :	External Tk Monitoring - Visual inspection of ASTs Piping Monitoring - Monitor dbl wall pipe space
Piping Items :	Miscellaneous Attributes - Suction piping system Miscellaneous Attributes - Abv, no soil contact Primary Construction - Fiberglass Primary Construction - Steel/galvanized metal Secondary Containment - Double wall

Map Id: F62
Direction: NNW
Distance: 0.096 mi., 509 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC 25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, RMP, SPILLS - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173819
EPA ID: N/R

AST - FL ***(cont.)***

Tank Information

Tank ID :	2
Gallons :	7636
Tank Location :	ABOVEGROUND
Substance :	Emerg Generator Diesel
Install Date :	2015-02-01
Status :	In Service
Status Date :	2015-02-01
Construction Items :	Overfill/Spill - Spill containment bucket Overfill/Spill - Level gauges/alarms Overfill/Spill - Tight fill Primary Construction - Steel Secondary Containment - Double wall
Monitoring Items :	External Tk Monitoring - Visual inspection of ASTs External Tk Monitoring - SPCC Plan Internal Tk Monitoring - Monitor dbl wall tank space Piping Monitoring - External piping monitoring
Piping Items :	Miscellaneous Attributes - Abv, no soil contact Primary Construction - Approved synthetic material

Tank Information

Tank ID :	95TK-3
Gallons :	8000
Tank Location :	ABOVEGROUND
Substance :	Emerg Generator Diesel
Install Date :	2001-04-01
Status :	Removed from Site
Status Date :	2015-01-01

Tank ID :	ACID1
Gallons :	2000
Tank Location :	ABOVEGROUND
Substance :	Other Non Regulated
Install Date :	2001-01-01
Status :	In Service
Status Date :	2014-02-01
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: F62
Direction: NNW
Distance: 0.096 mi., 509 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC 25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, RMP, SPILLS - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173819
EPA ID: N/R

ECHO

Facility Name :	BONITA SPRINGS UTILITIES WWTP
Facility Address :	25051 S TAMIAMI TRAIL, BONITA SPRINGS, FL 34134
County :	LEE
Last Inspection Date :	2023-01-26
Registry ID :	110009693643
FIPS Code :	12071
EPA Region :	04
Inspection Count :	2
Last Inspection Days :	843
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	50
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34134
Derived CD113 :	19
Derived CB2010 :	120710503083006
MYRTK Universe :	NNN
NPDES IDs :	FLR05C459
CWA Permit Types :	Non-M
CWA Compliance Tracking :	On
CWA NAICS :	221320
CWA SICS :	4952
CWA Inspection Count :	2
CWA Last Inspection Days :	842
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation Identified
CWA Current SNC Flag :	N

Map Id: F62
Direction: NNW
Distance: 0.096 mi., 509 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC 25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, RMP, SPILLS - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173819
EPA ID: N/R

ECHO ***(cont.)***

CWA 13 Quarters Compliance Status :	_____
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	4952
Facility NAICS :	221320 - Sewage Treatment Facilities, 22132 - Sewage Treatment Facilities
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2023-01-26
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.375034
Longitude :	-81.807777
Last Date in Agency List :	2026-03-18
Facility Name :	BSU WATER RECLAMATION FACILITY
Facility Address :	25051 S TAMIAMI TRAIL, BONITA SPRINGS, FL 34134
County :	LEE
Last Inspection Date :	2023-01-26
Registry ID :	110009693643
FIPS Code :	12071
EPA Region :	04
Inspection Count :	1
Last Inspection Days :	990
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R

Map Id: F62
Direction: NNW
Distance: 0.096 mi., 509 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC 25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, RMP, SPILLS - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173819
EPA ID: N/R

ECHO ***(cont.)***

Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	50
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34134
Derived CD113 :	19
Derived CB2010 :	120710503083006
MYRTK Universe :	NNN
NPDES IDs :	FLR05C459
CWA Permit Types :	Non-M
CWA Compliance Tracking :	On
CWA NAICS :	221320
CWA SICS :	4952
CWA Inspection Count :	1
CWA Last Inspection Days :	989
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation Identified
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	_____
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	4952
Facility NAICS :	22132 - Sewage Treatment Facilities, 221320 - Sewage Treatment Facilities
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2023-01-26
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R

Map Id: F62
Direction: NNW
Distance: 0.096 mi., 509 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC 25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, RMP, SPILLS - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173819
EPA ID: N/R

ECHO ***(cont.)***

Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.375034
Longitude :	-81.807777
Last Date in Agency List :	2026-05-11

FA 3 - FL

Facility Name :	BONITA SPRINGS UTIL-WEST WTR RECLAM FAC
Facility Address :	25051 S TAMIAMI TRAIL, BONITA SPRINGS, 34134
County :	LEE

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Effectivity Date :	2021-05-11
Expiration Date :	2024-05-11
Facility ID :	9401166
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	ASCOT SPECIALTY INSURANCE COMPANY
Facility Phone :	2393904825
Owner ID :	2417
Owner Name :	BONITA SPRINGS UTILITIES INC
Address :	11900 E TERRY ST ATTN: STORAGE TANK REGIS, BONITA SPRINGS, FL 34135
Contact Name :	ANDREW KOEBEL / DONALD WOODRUFF
Phone :	2399920711
Last Date in Agency List :	2026-06-03

Map Id: F62
Direction: NNW
Distance: 0.096 mi., 509 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC 25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, RMP, SPILLS - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173819
EPA ID: N/R

FA 3 - FL ***(cont.)***

Effectivity Date :	2018-05-18
Expiration Date :	2021-05-18
Facility ID :	9401166
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	NAVIGATORS SPECIALTY INSURANCE CO
Facility Phone :	2393904825
Owner ID :	2417
Owner Name :	BONITA SPRINGS UTILITIES INC
Address :	11900 E TERRY ST ATTN: STORAGE TANK REGIS, BONITA SPRINGS, FL 34135
Contact Name :	ANDREW KOEBEL / DONALD WOODRUFF
Phone :	2399920711
Last Date in Agency List :	2026-06-03

Effectivity Date :	2017-08-31
Expiration Date :	2018-08-31
Facility ID :	9401166
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY
Facility Phone :	2393904825
Owner ID :	2417
Owner Name :	BONITA SPRINGS UTILITIES INC
Address :	11900 E TERRY ST ATTN: STORAGE TANK REGIS, BONITA SPRINGS, FL 34135
Contact Name :	ANDREW KOEBEL / DONALD WOODRUFF
Phone :	2399920711
Last Date in Agency List :	2026-06-03

Effectivity Date :	2016-08-31
Expiration Date :	2017-08-31
Facility ID :	9401166
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY
Facility Phone :	2393904825
Owner ID :	2417
Owner Name :	BONITA SPRINGS UTILITIES INC
Address :	11900 E TERRY ST ATTN: STORAGE TANK REGIS, BONITA SPRINGS, FL 34135
Contact Name :	ANDREW KOEBEL / DONALD WOODRUFF

Map Id: F62
Direction: NNW
Distance: 0.096 mi., 509 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC 25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, RMP, SPILLS - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173819
EPA ID: N/R

FA 3 - FL ***(cont.)***

Phone :	2399920711
Last Date in Agency List :	2026-06-03
Effectivity Date :	2015-08-31
Expiration Date :	2016-08-31
Facility ID :	9401166
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY INSURANCE CO
Facility Phone :	2393904825
Owner ID :	2417
Owner Name :	BONITA SPRINGS UTILITIES INC
Address :	11900 E TERRY ST ATTN: STORAGE TANK REGIS, BONITA SPRINGS, FL 34135
Contact Name :	ANDREW KOEBEL / DONALD WOODRUFF
Phone :	2399920711
Last Date in Agency List :	2026-06-03

FRS

Facility Name :	BONITA SPRINGS UTILITIES WWTP
Facility Address :	25051 S TAMIAMI TRAIL, BONITA SPRINGS, FL 34134
County :	LEE

Site Details

Registry ID :	110009693643
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2025-11-12

Source Description

Source Description : The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.
The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

Map Id: F62
Direction: NNW
Distance: 0.096 mi., 509 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC 25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, RMP, SPILLS - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173819
EPA ID: N/R

FRS ***(cont.)***

The RMP database stores the risk management plans reported by companies that handle, manufacture, use, or store certain flammable or toxic substances, as required under section 112(r) of the Clean Air Act (CAA).

FRS Environmental Interest
Source and System ID : FLORIDA DEP - 857
ICIS - FLR05C459
RMP - 100000043428

Facility Name : BSU WATER RECLAMATION FACILITY
Facility Address : 25051 S TAMIAMI TRAIL, BONITA SPRINGS, FL 34134
County : LEE

Site Details
Registry ID : 110009693643
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description
Source Description : The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.
The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.
The RMP database stores the risk management plans reported by companies that handle, manufacture, use, or store certain flammable or toxic substances, as required under section 112(r) of the Clean Air Act (CAA).

FRS Environmental Interest
Source and System ID : FLORIDA DEP - 857
ICIS - FLR05C459
RMP - 100000043428

Map Id: F62
Direction: NNW
Distance: 0.096 mi., 509 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC 25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, RMP, SPILLS - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173819
EPA ID: N/R

HIST AST - FL

Facility Name :	BONITA SPRINGS UTIL-WEST WTR RECLAM FAC
Facility Address :	25051 S TAMIAMI TRAIL, BONITA SPRINGS, 34134
County :	Leon County
Facility ID :	9401166
Phone :	(239) 390-4825
Status :	OPEN
Facility Type :	C
Facility Type Description :	Fuel user/Non-retail
DEP Contractor Own :	N
Tank ID :	ACID1
Capacity :	2000
Tank Location :	ABOVEGROUND
Content :	Mineral Acid
Install Date :	2001-01-01
Tank Status :	Out of Service
Status Date :	2009-09-04
Tank Type :	DW
Last Date in Agency List :	2014-02-25

Facility ID :	9401166
Phone :	(239) 390-4825
Status :	OPEN
Facility Type :	C
Facility Type Description :	Fuel user/Non-retail
DEP Contractor Own :	N
Tank ID :	95TK-3
Capacity :	8000
Tank Location :	ABOVEGROUND
Content :	Emerg Generator Diesel
Install Date :	2001-04-01
Tank Status :	In Service
Status Date :	2001-04-01
Tank Type :	DW
Last Date in Agency List :	2014-02-25

Facility ID :	9401166
Phone :	(239) 390-4825
Status :	OPEN
Facility Type :	C
Facility Type Description :	Fuel user/Non-retail
DEP Contractor Own :	N
Tank ID :	1
Capacity :	5000
Tank Location :	ABOVEGROUND
Content :	Emerg Generator Diesel
Install Date :	1993-02-01

Map Id: F62
Direction: NNW
Distance: 0.096 mi., 509 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC 25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, RMP, SPILLS - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173819
EPA ID: N/R

HIST AST - FL ***(cont.)***

Tank Status :	In Service
Status Date :	1998-11-05
Tank Type :	DW
Last Date in Agency List :	2014-02-25
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

HIST PCS ENF

Facility Name :	BONITA SPRINGS UTILITIES WWTP
Facility Address :	25051 S TAMIAMI TRAIL, BONITA SPRINGS, FL 34134
Effective Date :	2013-01-11
Expiration Date :	2018-01-10
NPDES ID :	FLR05C459
FRS Facility Site ID :	1086478
Primary Facility SIC Code :	N/R
Primary Facility SIC Description :	N/R
Current Major/Minor Status :	Minor
Facility Type Description :	Privately Owned Facility
Facility Non-Government Contact Name:	N/R
Facility Non-Gov Addresses :	25051 S TAMIAMI TRAIL, BONITA SPRINGS, FL 34134
Total Actual Average Flow (MGD) :	N/R
Total App. Design Flow (MGD) :	N/R
Pretreat Program Required Indicator :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Tribal Land Code :	N/R
Tribal Land Name :	N/R
Contact Office Telephone Number :	N/R
Permit Non-Gov Addresses :	25051 S TAMIAMI TRAIL
Permit Non-Government Contact Name :	N/R
Permit Type Description :	General Permit Covered Facility
Last Date in Agency List :	2015-01-15

ICIS

Facility Name :	BONITA SPRINGS UTILITIES WWTP
Facility Address :	25051 S TAMIAMI TRL, BONITA SPRINGS, FL 34134-7804

Site Details

NPDES ID :	FLR05C459
ICIS Facility Interest ID :	2400003778
Facility UIN :	110009693643
Facility Type Code :	Privately Owned Facility

Map Id: F62
Direction: NNW
Distance: 0.096 mi., 509 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC 25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, RMP, SPILLS - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173819
EPA ID: N/R

ICIS ***(cont.)***

Impaired Waters :	303(D) Listed
Latitude :	26.3761889
Longitude :	-81.8050374
Last Date in Agency List :	2026-02-25

Facility NAICS

NAICS Code :	221320
NAICS Description :	Sewage Treatment Facilities

Facility SIC

SIC Code :	4952
SIC Description :	Sewerage Systems

INACTIVE PCS

Issue Date :	2017-12-14
Original Issue Date :	2007-12-22
Effective Date :	2017-12-14
Expiration Date :	2022-12-13
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3601317065
External Permit Number :	FLR05C459
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Bonita Springs Utilities Inc
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLR050000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2022-09-23

Issue Date :	2013-01-11
Original Issue Date :	2007-12-22
Effective Date :	2013-01-11

Map Id: F62
Direction: NNW
Distance: 0.096 mi., 509 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC 25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, RMP, SPILLS - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173819
EPA ID: N/R

INACTIVE PCS ***(cont.)***

Expiration Date :	2018-01-10
Retirement Date :	2017-12-13
Termination Date :	N/R
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	3400040583
External Permit Number :	FLR05C459
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Administratively Continued
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Bonita Springs Utilities Inc
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLR050000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2022-09-23

Issue Date :	2007-12-22
Original Issue Date :	2007-12-22
Effective Date :	2007-12-22
Expiration Date :	2012-12-21
Retirement Date :	2013-01-10
Termination Date :	N/R
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	2400087672
External Permit Number :	FLR05C459
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Administratively Continued
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	BONITA SPRINGS UTILITIES WWTP
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR050000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R

Map Id: F62
Direction: NNW
Distance: 0.096 mi., 509 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC 25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, RMP, SPILLS - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173819
EPA ID: N/R

INACTIVE PCS ***(cont.)***

Last Date in Agency List :	2022-09-23

NPDES - FL

Facility Name :	Bonita Springs Utilities WWTP
Facility Address :	25051 S Tamiami Trl, Bonita Springs
County :	LEE

Site Details

Issue Date :	2017-12-14
Effective Date :	2017-12-14
Expiration Date :	2022-12-13
Facility ID :	FLR05C459
Facility Type :	Multi-Sector Stormwater GP
Status :	Active
NPDES :	N/R
Company Name :	Bonita Springs Utilities Inc
Document Description :	Generic Permit
Nature of Business :	N/R
Ownership Type :	Private
Treatment Process Summary :	N/R
Department Office :	Tallahassee NPDES Stormwater
Capacity (MGD) :	N/R
DW Class :	N/R
Last Date in Agency List :	2022-12-14

Related Party Details

Related Party Name :	Kim Hoskins, PMTE
Related Party Address :	11860 E Terry St, Bonita Springs FL 34135-6127
Related Party Address 2 :	N/R
Related Party Phone :	2393904834
Related Party Email :	KHoskins@bsu.us

PCS FACILITY

Issue Date :	2023-02-20
Original Issue Date :	2007-12-22
Effective Date :	2023-02-20
Expiration Date :	2028-02-19
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3603521405
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW

Map Id: F62
Direction: NNW
Distance: 0.096 mi., 509 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC 25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, RMP, SPILLS - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173819
EPA ID: N/R

PCS FACILITY ***(cont.)***

Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Bonita Springs Utilities Inc
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLR050000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2026-02-27

Issue Date :	2017-12-14
Original Issue Date :	2007-12-22
Effective Date :	2017-12-14
Expiration Date :	2022-12-13
Retirement Date :	2023-02-19
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3601317065
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Administratively Continued
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Bonita Springs Utilities Inc
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLR050000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2026-02-27

Issue Date :	2013-01-11
Original Issue Date :	2007-12-22
Effective Date :	2013-01-11
Expiration Date :	2018-01-10
Retirement Date :	2017-12-13

Map Id: F62
Direction: NNW
Distance: 0.096 mi., 509 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC 25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, RMP, SPILLS - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173819
EPA ID: N/R

PCS FACILITY ***(cont.)***

Termination Date :	N/R
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	3400040583
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Administratively Continued
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Bonita Springs Utilities Inc
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLR050000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2026-02-27

Issue Date :	2007-12-22
Original Issue Date :	2007-12-22
Effective Date :	2007-12-22
Expiration Date :	2012-12-21
Retirement Date :	2013-01-10
Termination Date :	N/R
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	2400087672
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Administratively Continued
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	BONITA SPRINGS UTILITIES WWTP
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR050000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2026-02-27

Map Id: F62
Direction: NNW
Distance: 0.096 mi., 509 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC 25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, RMP, SPILLS - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173819
EPA ID: N/R

PCS FACILITY ***(cont.)***

Issue Date :	2007-12-22
Original Issue Date :	2007-12-22
Effective Date :	2007-12-22
Expiration Date :	2012-12-21
Retirement Date :	2013-01-10
Termination Date :	N/R
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	2400087672
External Permit Number :	FLR05C459
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Administratively Continued
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	BONITA SPRINGS UTILITIES WWTP
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR050000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2020-02-11

Issue Date :	2017-12-14
Original Issue Date :	2007-12-22
Effective Date :	2017-12-14
Expiration Date :	2022-12-13
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	3601317065
External Permit Number :	FLR05C459
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Bonita Springs Utilities Inc
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLR050000

Map Id: F62
Direction: NNW
Distance: 0.096 mi., 509 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC 25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, RMP, SPILLS - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173819
EPA ID: N/R

PCS FACILITY ***(cont.)***

TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2020-02-11

Issue Date :	2013-01-11
Original Issue Date :	2007-12-22
Effective Date :	2013-01-11
Expiration Date :	2018-01-10
Retirement Date :	2017-12-13
Termination Date :	N/R
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	3400040583
External Permit Number :	FLR05C459
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Administratively Continued
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Bonita Springs Utilities Inc
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLR050000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2020-02-11

RMP

Facility Name :	BSU Water Reclamation Facility
Facility Address :	25051 South Tamiami Trail N/A, Bonita Springs, FL 33134

Site Details

Facility ID :	12953
Facility County FIPS :	12071
LEPC :	District 9 LEPC
Facility URL :	Click here for hyperlink provided by the agency.
Facility Phone Number :	9419920711
Facility Email Address :	bsujim@aol.com
Facility DUNS :	69650109
Parent Company Name :	Bonita Springs Utilities
Company 2 Name :	N/A

Map Id: F62
Direction: NNW
Distance: 0.096 mi., 509 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC 25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, RMP, SPILLS - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173819
EPA ID: N/R

RMP ***(cont.)***

Company DUNS :	N/R
Company 2 DUNS :	N/R
Operator Name :	Bonita Springs Utilities
Operator Address :	11860 East Terry Street, Bonita Springs, FL 34135
Operator Address 2 :	N/A
Operator Phone :	9419920711
Emergency Contact Name :	Mel Fisher
Emergency Contact Title :	Operations Superintendent
Emergency Contact Phone :	9419920711
Phone 24 :	9419920711
Emergency Contact Ext PIN :	N/R
Emergency Contact Email :	N/R
No Accidents :	Yes
Foreign State Prov :	N/R
Foreign Zip Code :	N/R
Foreign Country :	N/R
FTE :	7
Other EPA Facility ID :	N/R
EPA Facility ID :	100000043428
OSHA PSM :	Yes
EPCRA 302 :	Yes
CAA Title V :	No
Clear Air Op Permit ID :	N/R
Safety Inspection Date :	N/R
Safety Inspection by :	None
OSHA Ranking :	No
Predictive Filing Flag :	No
Submission Type :	F
CBI Flag :	No
Completion Check Date :	1999-07-20
Receipt Date :	1999-06-17
Graphics Indicator :	No
Attachments Indicator :	No
Certification Received Flag :	Yes
Submission Method :	RMP*Submit
CBI Substantiation Flag :	No
Electronic Waiver Received Flag :	No
Postmark Date :	1999-06-16
De Registration Date :	2004-04-06
De Registration Effective Date :	2004-03-30
Anniversary Date :	2004-06-16
Error Report Date :	N/R
CBI Unsanitized Version Flag :	No
Version Number :	1.1.7
Facility Latitude :	26.375556
Facility Longitude :	-81.802778
Valid Latitude Longitude Flag :	Yes
FRS Description :	PLANT ENTRANCE (GENERAL)
FRS Method :	ADDRESS MATCHING-HOUSE NUMBER
Horizontal Accuracy Measure :	N/R

Map Id: F62
Direction: NNW
Distance: 0.096 mi., 509 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC 25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, RMP, SPILLS - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173819
EPA ID: N/R

RMP ***(cont.)***

Horizontal Reference Datum Code :	N/R
Source Map Scale Number :	N/R
Last Date in Agency List :	2023-11-02

Process Details

Process ID :	17409
Process Facility ID :	12953
Process Description :	N/R

Chemical Details

Chemical Name :	Chlorine
Chemical ID :	62
Quantity :	24000

RMP Summary

RMP Contact Name :	Mel Fisher
RMP Title :	Operations Superintendent
RMP Description :	N/R
RMP Complete Flag :	Yes

Accident History

Facility ID :	12953
Accident Date :	N/R
Accident Time :	N/R
Accident Release Duration :	N/R
Release Event :	N/R
Release Source :	N/R
Other Release Source :	N/R
Onsite Property Damage :	N/R
Offsite Property Damage :	N/R
Envir Damage :	N/R
Envir Damage-Other :	N/R
Initiating Event :	N/R
Cause Equipment Failure :	N/R
Cause-Other :	N/R
Offsite Responders Notify :	N/R
CBI Flag :	N/R
Accident History ID :	N/R

SPILLS - FL

Facility Name :	BER

Map Id: F62
Direction: NNW
Distance: 0.096 mi., 509 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC 25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, RMP, SPILLS - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173819
EPA ID: N/R

SPILLS - FL ***(cont.)***

Facility Address :	25051 South Tamiami Trail, BONITA SPRINGS
County :	Lee

Incident Details

Incident Number :	44611
Incident Date :	2010-12-20
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	AST Leak/Overfill
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Pollutants

Pollutant Name :	Sodium hydroxide
Pollutant Actual Volume :	200 gallon
Pollutant Category :	Corrosive

Facility Name :	Bonita Springs Utilities
Facility Address :	25051 South Tamiami Trail, BONITA SPRINGS
County :	Lee

Incident Details

Incident Number :	44611
Incident Date :	2010-12-20
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	AST Leak/Overfill
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R

Map Id: F62
Direction: NNW
Distance: 0.096 mi., 509 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC 25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, RMP, SPILLS - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173819
EPA ID: N/R

SPILLS - FL ***(cont.)***

Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Pollutants

Pollutant Name :	Sodium hydroxide
Pollutant Actual Volume :	200 gallon
Pollutant Category :	Corrosive

Facility Name :	DEP District Office
Facility Address :	25051 South Tamiami Trail, BONITA SPRINGS
County :	Lee

Incident Details

Incident Number :	44611
Incident Date :	2010-12-20
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	AST Leak/Overfill
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Pollutants

Pollutant Name :	Sodium hydroxide
Pollutant Actual Volume :	200 gallon
Pollutant Category :	Corrosive

STORMWATER

Facility Name :	BONITA SPRINGS UTILITIES WWTP
Facility Address :	25051 S TAMIAMI TRL, BONITA SPRINGS, FL 34134-7804

Map Id: F62
Direction: NNW
Distance: 0.096 mi., 509 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY | BONITA SPRINGS UTIL-WEST WTR RECLAM FAC 25051 S TAMIAMI TRAIL | 25051 S TAMIAMI TRL | 25051 South Tamiami Trail BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, RMP, SPILLS - FL, STORMWATER] ***(cont.)***

Envirosite ID: 68173819
EPA ID: N/R

STORMWATER ***(cont.)***

NPDES ID :	FLR05C459
Permittee Name :	Bonita Springs Utilities Inc
Permit Status :	Effective
Permit Issuing Name :	State
Issued Date :	2023-02-20
Effective Date :	2023-02-20
Termination Date :	N/R
Expiration Date :	2028-02-19
EPA Region :	04
SIC Code :	4952
NAICS Code :	221320
EJ Indexes Above 80th Percentile :	N
Significant Noncompliance Status :	N/R
Quarters with Noncompliance :	0
Industrial Stormwater Formal Enforcement Actions:	N/R
Facility Map Flag :	N/R
DRF URL :	Click here for hyperlink provided by the agency.
Latitude :	26.375034
Longitude :	-81.807777
Last Date in Agency List :	2026-06-12

Map Id: A63
Direction: SE
Distance: 0.096 mi., 509 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : Responsible Party
27665 Old US 41
BONITA SORINGS, FL

Database(s) : [SPILLS - FL]

Envirosite ID: 68173850
EPA ID: N/R

SPILLS - FL

Facility Name :	Responsible Party
Facility Address :	27665 Old US 41, BONITA SORINGS
County :	Lee

Incident Details

Incident Number :	19019
Incident Date :	1999-11-02
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	Other
On-scene Response :	N/R
State Warning Point Date :	N/R

Map Id: A63
Direction: SE
Distance: 0.096 mi., 509 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : Responsible Party
27665 Old US 41
BONITA SORINGS, FL

Database(s) : [SPILLS - FL] ***(cont.)***

Envirosite ID: 68173850
EPA ID: N/R

SPILLS - FL ***(cont.)***

State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Pollutants

Pollutant Name :	N/R
Pollutant Actual Volume :	N/R
Pollutant Category :	Armstrong Insurance Co.

Map Id: 64
Direction: N
Distance: 0.097 mi., 510 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ESTERO ENTERTAINMENT DISTRICT | PMI
9000 WILLIAMS RD
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SPILLS - FL]

Envirosite ID: 68173873
EPA ID: N/R

ECHO

Facility Name :	ESTERO ENTERTAINMENT DISTRICT
Facility Address :	9000 WILLIAMS RD, ESTERO, FL 33928-3265
County :	N/R
Last Inspection Date :	N/R
Registry ID :	N/R
FIPS Code :	N/R
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	Zip Code Centroid
Reference Point :	N/R

Map Id: 64
Direction: N
Distance: 0.097 mi., 510 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ESTERO ENTERTAINMENT DISTRICT | PMI
9000 WILLIAMS RD
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173873
EPA ID: N/R

ECHO ***(cont.)***

Accuracy Meters :	10000
Derived Tribes :	N/R
Derived HUC :	N/R
Derived WBD :	N/R
Derived STCTY FIPS :	N/R
Derived Zip :	N/R
Derived CD113 :	N/R
Derived CB2010 :	N/R
MYRTK Universe :	NNN
NPDES IDs :	FLG074645
CWA Permit Types :	Non-M
CWA Compliance Tracking :	On
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation Identified
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	_____
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.425083
Longitude :	-81.797273

Map Id: 64
Direction: N
Distance: 0.097 mi., 510 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ESTERO ENTERTAINMENT DISTRICT | PMI
9000 WILLIAMS RD
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173873
EPA ID: N/R

ECHO ***(cont.)***

Last Date in Agency List :	2026-05-11
Facility Name :	ESTERO ENTERTAINMENT DISTRICT
Facility Address :	9000 WILLIAMS RD, ESTERO, FL 33928
County :	LEE
Last Inspection Date :	N/R
Registry ID :	110071781115
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	N/R
Reference Point :	N/R
Accuracy Meters :	17481
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040103
Derived STCTY FIPS :	12071
Derived Zip :	33928
Derived CD113 :	19
Derived CB2010 :	120710503061039
MYRTK Universe :	NNN
NPDES IDs :	FLR10WX26
CWA Permit Types :	Non-M
CWA Compliance Tracking :	On
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation Identified
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	_____
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R

Map Id: 64
Direction: N
Distance: 0.097 mi., 510 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ESTERO ENTERTAINMENT DISTRICT | PMI
9000 WILLIAMS RD
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173873
EPA ID: N/R

ECHO ***(cont.)***

DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.422057
Longitude :	-81.803214
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	ESTERO ENTERTAINMENT DISTRICT
Facility Address :	9000 WILLIAMS RD, ESTERO, FL 33928-3265
County :	LEE

Site Details

Registry ID :	110071781115
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

Map Id: 64
Direction: N
Distance: 0.097 mi., 510 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ESTERO ENTERTAINMENT DISTRICT | PMI
9000 WILLIAMS RD
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173873
EPA ID: N/R

FRS ***(cont.)***

FRS Environmental Interest

Source and System ID :	ICIS - FLG074645
	ICIS - FLR10WX26

ICIS

Facility Name :	ESTERO ENTERTAINMENT DISTRICT
Facility Address :	9000 WILLIAMS RD, ESTERO, FL 33928-3265

Site Details

NPDES ID :	FLR10WX26
ICIS Facility Interest ID :	3601679076
Facility UIN :	110071781115
Facility Type Code :	N/R
Impaired Waters :	N/R
Latitude :	26.4220574
Longitude :	-81.8032136
Last Date in Agency List :	2025-12-15

NPDES ID :	FLG074645
ICIS Facility Interest ID :	3601926263
Facility UIN :	N/R
Facility Type Code :	N/R
Impaired Waters :	N/R
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2025-12-15

NPDES - FL

Facility Name :	Estero Entertainment District
Facility Address :	9000 Williams Rd, Estero
County :	LEE

Site Details

Issue Date :	2024-06-17
Effective Date :	N/R
Expiration Date :	2029-06-16
Facility ID :	FLR10WX26
Facility Type :	Construction Stormwater GP
Status :	Active
NPDES :	N/R
Company Name :	Wright Construction Group Inc
Document Description :	Generic Permit
Nature of Business :	N/R
Ownership Type :	Unknown
Treatment Process Summary :	N/R
Department Office :	Tallahassee NPDES Stormwater
Capacity (MGD) :	21.21
DW Class :	N/R
Last Date in Agency List :	2026-06-03

Map Id: 64
Direction: N
Distance: 0.097 mi., 510 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ESTERO ENTERTAINMENT DISTRICT | PMI
9000 WILLIAMS RD
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173873
EPA ID: N/R

NPDES - FL ***(cont.)***

Related Party Details

Related Party Name :	Andy Powell
Related Party Address :	5811 Youngquist Rd, Fort Myers FL 33912-2215
Related Party Address 2 :	N/R
Related Party Phone :	2394815000
Related Party Email :	andyp@wrightg.com

Facility Name :	Estero Entertainment District
Facility Address :	9000 Williams Rd, Estero, FL
County :	LEE

Site Details

Issue Date :	2025-10-08
Effective Date :	2025-10-08
Expiration Date :	2030-10-07
Facility ID :	FLG074645
Facility Type :	N/R
Status :	Active
NPDES :	Y
Company Name :	-
Document Description :	Generic Permit
Nature of Business :	-
Ownership Type :	Unknown
Treatment Process Summary :	-
Department Office :	South District
Capacity (MGD) :	-
DW Class :	N/R
Last Date in Agency List :	2026-06-03

Related Party Details

Related Party Name :	Greg Rawl
Related Party Address :	PO Box 1604, Fort Myers FL 33902-
Related Party Address 2 :	-
Related Party Phone :	2393322622
Related Party Email :	grawl10@comcast.net

PCS FACILITY

Issue Date :	2025-10-08
Original Issue Date :	2025-10-08
Effective Date :	2025-10-08
Expiration Date :	2030-10-07
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3604601098
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N

Map Id: 64
Direction: N
Distance: 0.097 mi., 510 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ESTERO ENTERTAINMENT DISTRICT | PMI
9000 WILLIAMS RD
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173873
EPA ID: N/R

PCS FACILITY ***(cont.)***

Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Estero Entertainment District
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLG070000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2025-12-18

Issue Date :	2024-06-17
Original Issue Date :	2024-06-17
Effective Date :	2024-06-17
Expiration Date :	2029-06-16
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3604014142
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Wright Construction Group Inc
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR100000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2025-12-18

SPILLS - FL

Facility Name :	PMI
Facility Address :	9000 Williams Rd., ESTERO
County :	Lee

Incident Details

Incident Number :	73158
Incident Date :	2025-09-12
Incident Status :	Saved
Incident Type :	Inland
Descriptions :	Spill

Map Id: 64
Direction: N
Distance: 0.097 mi., 510 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ESTERO ENTERTAINMENT DISTRICT | PMI
9000 WILLIAMS RD
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173873
EPA ID: N/R

SPILLS - FL ***(cont.)***

On-scene Response :	N
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2025-10-14

Pollutants

Pollutant Name :	Diesel fuel
Pollutant Actual Volume :	85 gallon
Pollutant Category :	Petroleum

Map Id: F65
Direction: NNW
Distance: 0.097 mi., 513 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FPL IMPERIAL SUBSTATION
8812 STRIKE LA | 8812 STRIKE LANE | 8812 STRIKE LN
BONITA SPRINGS | NAPLES, FL

Database(s) : [ECHO, FRS, RCRA NONGEN, RCRA VSQG]

Envirosite ID: 68173870
EPA ID: N/R

ECHO

Facility Name :	FPL IMPERIAL SUBSTATION
Facility Address :	8812 STRIKE LANE, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	2002-06-19
Registry ID :	110013300070
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	8516
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0

Map Id: F65
Direction: NNW
Distance: 0.097 mi., 513 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FPL IMPERIAL SUBSTATION
8812 STRIKE LA | 8812 STRIKE LANE | 8812 STRIKE LN
BONITA SPRINGS | NAPLES, FL

Database(s) : [ECHO, FRS, RCRA NONGEN, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173870
EPA ID: N/R

ECHO ***(cont.)***

Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	POINT WHERE SUBSTANCE IS MONITORED
Accuracy Meters :	5
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503083004
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2002-06-19
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N

Map Id: F65
Direction: NNW
Distance: 0.097 mi., 513 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FPL IMPERIAL SUBSTATION
8812 STRIKE LA | 8812 STRIKE LANE | 8812 STRIKE LN
BONITA SPRINGS | NAPLES, FL

Database(s) : [ECHO, FRS, RCRA NONGEN, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173870
EPA ID: N/R

ECHO ***(cont.)***

Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.378498
Longitude :	-81.805388
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	FPL CO IMPERIAL SUBSTATION
Facility Address :	8812 STRIKE LA, NAPLES, FL 34135
County :	COLLIER

Site Details

Registry ID :	110016724268
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2014-03-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 37567 RCRAINFO - FLR000101667
Facility Name :	FPL IMPERIAL SUBSTATION
Facility Address :	8812 STRIKE LANE, BONITA SPRINGS, FL 34135
County :	LEE

Map Id: F65
Direction: NNW
Distance: 0.097 mi., 513 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FPL IMPERIAL SUBSTATION
8812 STRIKE LA | 8812 STRIKE LANE |
8812 STRIKE LN
BONITA SPRINGS | NAPLES, FL

Database(s) : [ECHO, FRS, RCRA NONGEN, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173870
EPA ID: N/R

FRS ***(cont.)***

Site Details

Registry ID :	110013300070
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 36270 FLORIDA DEP - 37567 RCRAINFO - FLR000090415 RCRAINFO - FLR000101667

RCRA NONGEN

Facility Name :	FPL CO IMPERIAL SUBSTATION
Facility Address :	8812 STRIKE LA, NAPLES, FL 34135
County :	COLLIER
Date Form Received by Agency :	2003-09-26
EPA ID :	FLR000101667
Mailing Address :	2455 PORT WEST BLVD, RIVIERA BEACH, FL 33407-1214
Contact :	DAN RAWSON
Contact Address :	2455 PORT W BLVD, WEST PALM BEACH, FL 33407
Contact Country :	US
Contact Telephone :	561-845-3344
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Notification
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Map Id: F65
Direction: NNW
Distance: 0.097 mi., 513 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FPL IMPERIAL SUBSTATION
8812 STRIKE LA | 8812 STRIKE LANE | 8812 STRIKE LN
BONITA SPRINGS | NAPLES, FL

Database(s) : [ECHO, FRS, RCRA NONGEN, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173870
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Owner/Operator Summary

Owner/Operator Name :	FPL
Owner/Operator Address :	2455 PORT WEST BLVD, RIVIERA BEACH, FL 33407-1214
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2003-09-26
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Hazardous Waste Summary

Waste Code / Name :	D008 - LEAD D009 - MERCURY

Notices of Violations Summary

Regulation Violated :	N

RCRA VSQG

Facility Name :	FPL IMPERIAL SUBSTATION
Facility Address :	8812 STRIKE LN, BONITA SPRINGS, FL 34135-8817
County :	LEE
Date Form Received by Agency :	2003-11-06
EPA ID :	FLR000090415
Mailing Address :	1177 N LIME AVE FLORIDA POWER & LIGHT, SARASOTA, FL 34237-3513
Contact :	DAN RAWSON
Contact Address :	2455 PORT WEST BLVD, WEST PALM BEACH, FL 33407
Contact Country :	US

Map Id: F65
Direction: NNW
Distance: 0.097 mi., 513 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FPL IMPERIAL SUBSTATION
8812 STRIKE LA | 8812 STRIKE LANE | 8812 STRIKE LN
BONITA SPRINGS | NAPLES, FL

Database(s) : [ECHO, FRS, RCRA NONGEN, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173870
EPA ID: N/R

RCRA VSQG ***(cont.)***

Contact Telephone :	561-845-3344
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Notification
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2026-05-05

Owner/Operator Summary

Owner/Operator Name :	FLORIDA POWER AND LIGHT
Owner/Operator Address :	PO BOX 14000, N PALM BEACH, FL 33408
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2003-12-18
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Map Id: F65
Direction: NNW
Distance: 0.097 mi., 513 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FPL IMPERIAL SUBSTATION
8812 STRIKE LA | 8812 STRIKE LANE | 8812 STRIKE LN
BONITA SPRINGS | NAPLES, FL

Database(s) : [ECHO, FRS, RCRA NONGEN, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173870
EPA ID: N/R

RCRA VSQG ***(cont.)***

Historical Generators
Date Form Received by Agency : 2002-06-19
Facility Name : FPL IMPERIAL SUBSTATION
Classification : Not a generator, verified

Notices of Violations Summary
Regulation Violated : N

Evaluation Action Summary
Evaluation Date : 2002-06-19
Evaluation : COMPLIANCE EVALUATION INSPECTION
Area of Violation : N/R
Date Achieved Compliance : N/R
Evaluation Lead Agency : State

Map Id: A66
Direction: SE
Distance: 0.101 mi., 532 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CONSTANCE & JAMES HARRIS | GLURI INVESTMENTS, INC. | LEXTECH AUTO
27683 OLD HWY 41 | 27683 OLD US HWY 41 RD
BONITA SPRINGS, FL

Database(s) : [AST - FL, DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LAST - FL, LUST - FL, SWRCY - FL, UST - FL]

Envirosite ID: 68173851
EPA ID: N/R

AST - FL

Facility Name : CONSTANCE & JAMES HARRIS
Facility Address : 27683 OLD HWY 41, BONITA SPRINGS, 33923
County : LEE

Site Details
Facility ID : 8519457
Facility Phone : 2394955555
Facility Status : OPEN
Facility Type : A
Type Description : Retail Station
Last Date in Agency List : 2026-05-06

Map Id: A66
Direction: SE
Distance: 0.101 mi., 532 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CONSTANCE & JAMES HARRIS | GLURI INVESTMENTS, INC. | LEXTECH AUTO
27683 OLD HWY 41 | 27683 OLD US HWY 41 RD
BONITA SPRINGS, FL

Database(s) : [AST - FL, DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LAST - FL, LUST - FL, SWRCY - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173851
EPA ID: N/R

AST - FL ***(cont.)***

Owner Information

Owner ID :	9486
Owner Name :	HARRIS, CONSTANCE & JAMES
Owner Address 1 :	N/R
Owner Address 2 :	N/R
Owner Phone :	8134955555
Contact :	BARRY HEATH
DEP Contractor Own :	P

Tank Information

Tank ID :	6
Gallons :	550
Tank Location :	ABOVEGROUND
Substance :	Waste Oil
Install Date :	N/R
Status :	Out of Service
Status Date :	1991-12-31

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

DWM CONTAM - FL

Facility Name :	CONSTANCE & JAMES HARRIS
Facility Address :	27683 OLD HWY 41, BONITA SPRINGS, FL 33923
County :	LEE
Score Effective Date :	2009-05-12
Score :	N/R
Score Ranked :	26
Rank :	6627
Facility ID :	8519457
Facility Status :	OPEN
Facility Type :	A - Retail Station
County Code :	36
District :	SD
Operator :	JAMES HARRIS
Phone :	(239)495-5555
Name Changed Date :	2005-06-01
Address Changed Date :	N/R
Latitude Degrees :	26
Latitude Minutes :	20
Latitude Seconds :	9.2337
Longitude Degrees :	81
Longitude Minutes :	46
Longitude Seconds :	42.7324
Feature :	N/R
Method :	UNVR

Map Id: A66
Direction: SE
Distance: 0.101 mi., 532 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CONSTANCE & JAMES HARRIS | GLURI INVESTMENTS, INC. | LEXTECH AUTO
27683 OLD HWY 41 | 27683 OLD US HWY 41 RD
BONITA SPRINGS, FL

Database(s) : [AST - FL, DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LAST - FL, LUST - FL, SWRCY - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173851
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

Datum :	0
Section/Township/Range :	SEC 35, TWP 47S, RNG 25E
Related Party Begin Date :	1988-10-01
Related Party ID :	9486
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	HARRIS, CONSTANCE & JAMES
Related Party Address 1 :	24226 PRODUCTION CIR, BONITA SPRINGS, FL 33923-7057
Related Party Address 2 :	N/R
Contact :	BARRY HEATH
Related Party Phone :	(813)495-5555
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

EPA LUST

Facility Name :	CONSTANCE & JAMES HARRIS
Facility Address :	27683 OLD HWY 41, BONITA SPRINGS, Florida
County :	N/R
Facility ID :	FL8519457
LUST ID :	FL14923
Reported Date :	1993-06-09
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	604
Estimated Private Domestic Wells within 1500ft:	17
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.33528
Longitude :	-81.77889
Last Date in Agency List :	2024-05-23

Map Id: A66
Direction: SE
Distance: 0.101 mi., 532 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CONSTANCE & JAMES HARRIS | GLURI INVESTMENTS, INC. | LEXTECH AUTO
27683 OLD HWY 41 | 27683 OLD US HWY 41 RD
BONITA SPRINGS, FL

Database(s) : [AST - FL, DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LAST - FL, LUST - FL, SWRCY - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173851
EPA ID: N/R

EPA UST

Facility Name :	CONSTANCE & JAMES HARRIS
Facility Address :	27683 OLD HWY 41, BONITA SPRINGS, Florida 33923
County :	N/R
Facility ID :	FL8519457
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	9
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.3352777777778
Longitude :	-81.7788888888889
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8519457-1
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	3000
Substances :	Unleaded Gas
Tank Wall Type :	N/R
Tank ID :	FL8519457-1R1
Tank Status :	Closed
Installation Date :	1988-09-01
Removal Date :	N/R
Capacity :	6000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R
Tank ID :	FL8519457-2
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	3000
Substances :	Unleaded Gas
Tank Wall Type :	N/R
Tank ID :	FL8519457-2R1
Tank Status :	Closed
Installation Date :	1988-09-01
Removal Date :	N/R

Map Id: A66
Direction: SE
Distance: 0.101 mi., 532 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CONSTANCE & JAMES HARRIS | GLURI INVESTMENTS, INC. | LEXTECH AUTO
27683 OLD HWY 41 | 27683 OLD US HWY 41 RD
BONITA SPRINGS, FL

Database(s) : [AST - FL, DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LAST - FL, LUST - FL, SWRCY - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173851
EPA ID: N/R

EPA UST ***(cont.)***

Capacity :	4000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8519457-3
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	3000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8519457-3R1
Tank Status :	Closed
Installation Date :	1988-09-01
Removal Date :	N/R
Capacity :	4000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8519457-4
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	6000
Substances :	Leaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8519457-4R1
Tank Status :	Closed
Installation Date :	1988-09-01
Removal Date :	N/R
Capacity :	4000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8519457-5
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	550
Substances :	Kerosene
Tank Wall Type :	N/R

GWIF - FL

Facility Name :	LEXTECH AUTO

Map Id: A66
Direction: SE
Distance: 0.101 mi., 532 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CONSTANCE & JAMES HARRIS | GLURI INVESTMENTS, INC. | LEXTECH AUTO
27683 OLD HWY 41 | 27683 OLD US HWY 41 RD
BONITA SPRINGS, FL

Database(s) : [AST - FL, DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LAST - FL, LUST - FL, SWRCY - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173851
EPA ID: N/R

GWIF - FL ***(cont.)***

Facility Address :	27683 OLD US HWY 41 RD, BONITA SPRINGS, 34135
County :	LEE
Facility ID :	8519457
Facility Type :	PETROLEUM
Location ID :	183167
Location Method :	DGPS = Differentially Corrected GPS
GPS ID :	183167
GPS Date :	2001-10-31
HAE (Height Above Ellipsoid) :	8.74
Project ID :	SUPER
Insp Name :	MARK ASHTON
Insp CHD :	LEE
Request Number :	N/R
Datum :	WS1984
Software :	N/R
Streetside :	N/R
Agency :	N/R
Comment :	N/R
Latitude :	26.335874
Longitude :	-81.778722
Last Date in Agency List :	2026-05-09

LAST - FL

Facility Name :	CONSTANCE & JAMES HARRIS
Facility Address :	27683 OLD HWY 41, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	8519457
Facility Status :	OPEN
Facility Type :	Retail Station
Phone :	2394955555
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	9486
Owner Name :	HARRIS, CONSTANCE & JAMES
Owner Address 1 :	24226 PRODUCTION CIR, BONITA SPRINGS, FL 33923
Owner Address 2 :	N/R
Owner Phone :	8134955555
Contact :	BARRY HEATH

Map Id: A66
Direction: SE
Distance: 0.101 mi., 532 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CONSTANCE & JAMES HARRIS | GLURI INVESTMENTS, INC. | LEXTECH AUTO
27683 OLD HWY 41 | 27683 OLD US HWY 41 RD
BONITA SPRINGS, FL

Database(s) : [AST - FL, DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LAST - FL, LUST - FL, SWRCY - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173851
EPA ID: N/R

LAST - FL ***(cont.)***

Discharge Details

Discharge Date :	1993-06-09
Status Date :	2010-03-25
Status Description :	CLEANUP NOT REQUIRED
DEP Code :	P
Description :	NO CLEANUP REQUIRED
Score Date :	2009-05-12
Score :	27
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

LUST - FL

Facility Name :	CONSTANCE & JAMES HARRIS
Facility Address :	27683 OLD HWY 41, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	8519457
Facility Status :	OPEN
Facility Type :	Retail Station
Phone :	2394955555
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	9486
Owner Name :	HARRIS, CONSTANCE & JAMES
Owner Address 1 :	24226 PRODUCTION CIR, BONITA SPRINGS, FL 33923
Owner Address 2 :	N/R
Owner Phone :	8134955555
Contact :	BARRY HEATH

Discharge Details

Discharge Date :	1993-06-09
Status Date :	2010-03-25
Status Description :	CLEANUP NOT REQUIRED
DEP Code :	P
Description :	NO CLEANUP REQUIRED
Score Date :	2009-05-12
Score :	27
CU Status :	N/R

Map Id: A66
Direction: SE
Distance: 0.101 mi., 532 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CONSTANCE & JAMES HARRIS | GLURI INVESTMENTS, INC. | LEXTECH AUTO
27683 OLD HWY 41 | 27683 OLD US HWY 41 RD
BONITA SPRINGS, FL

Database(s) : [AST - FL, DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LAST - FL, LUST - FL, SWRCY - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173851
EPA ID: N/R

LUST - FL ***(cont.)***

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

SWRCY - FL

Facility Name :	GLURI INVESTMENTS, INC.
Facility Address :	27683 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE

Site Details

Facility ID :	102729
Class :	WASTE TIRE COLLECTOR
Class Type :	754
Class Status :	REGISTERED (R)
Test Site Data :	TestSite Inventory Report, TestSite Result Report
Detail :	Facility Activities, Documents in OCULUS
District :	SD
Section/Township/Range :	N/R
Responsible Authority Name :	N/R
Responsible Authority Address :	N/R
Responsible Authority Phone Number :	N/R
Responsible Authority Email Address :	N/R
Land Owner Name :	N/R
Land Owner Address :	N/R
Land Owner Phone Number :	N/R
Site Supervisor Name :	N/R
Site Supervisor Address :	N/R
Site Supervisor Phone Number :	N/R
Site Supervisor Email Address :	N/R
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2024-05-10

UST - FL

Facility Name :	CONSTANCE & JAMES HARRIS
Facility Address :	27683 OLD HWY 41, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	8519457
Facility Phone :	2394955555
Facility Status :	OPEN
Facility Type :	Retail Station
Last Date in Agency List :	2026-05-06

Map Id: A66
Direction: SE
Distance: 0.101 mi., 532 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CONSTANCE & JAMES HARRIS | GLURI INVESTMENTS, INC. | LEXTECH AUTO
27683 OLD HWY 41 | 27683 OLD US HWY 41 RD
BONITA SPRINGS, FL

Database(s) : [AST - FL, DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LAST - FL, LUST - FL, SWRCY - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173851
EPA ID: N/R

UST - FL ***(cont.)***

Owner Information

Owner ID :	9486
Owner Name :	HARRIS, CONSTANCE & JAMES
Owner Address 1 :	24226 PRODUCTION CIR, BONITA SPRINGS, FL 33923
Owner Address 2 :	N/R
Owner Phone :	8134955555
Contact :	BARRY HEATH
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	3000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	N/R
Status :	Removed from Site
Status Date :	1988-09-30

Tank ID :	1R1
Gallons :	6000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	1988-09-01
Status :	Removed from Site
Status Date :	1993-05-31

Tank ID :	2
Gallons :	3000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	N/R
Status :	Removed from Site
Status Date :	1988-09-30

Tank ID :	2R1
Gallons :	4000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1988-09-01
Status :	Removed from Site
Status Date :	1993-05-31

Tank ID :	3
Gallons :	3000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas

Map Id: A66
Direction: SE
Distance: 0.101 mi., 532 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CONSTANCE & JAMES HARRIS | GLURI INVESTMENTS, INC. | LEXTECH AUTO
27683 OLD HWY 41 | 27683 OLD US HWY 41 RD
BONITA SPRINGS, FL

Database(s) : [AST - FL, DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LAST - FL, LUST - FL, SWRCY - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173851
EPA ID: N/R

UST - FL ***(cont.)***

Install Date :	N/R
Status :	Removed from Site
Status Date :	1988-09-30

Tank ID :	3R1
Gallons :	4000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1988-09-01
Status :	Removed from Site
Status Date :	1993-05-31

Tank ID :	4
Gallons :	6000
Tank Location :	UNDERGROUND
Substance :	Leaded Gas
Install Date :	N/R
Status :	Removed from Site
Status Date :	1988-09-30

Tank ID :	4R1
Gallons :	4000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1988-09-01
Status :	Removed from Site
Status Date :	1993-05-31

Tank ID :	5
Gallons :	550
Tank Location :	UNDERGROUND
Substance :	Kerosene
Install Date :	N/R
Status :	Removed from Site
Status Date :	1988-09-30

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: F67
Direction: NNW
Distance: 0.103 mi., 542 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : Coastland Auto
24073 Production Cir
BONITA SPRINGS, FL 34135

Database(s) : [MANIFEST EPA]

Envirosite ID: 68173798
EPA ID: CESQG

MANIFEST EPA

Manifest Details

Manifest Number :	006893394SKS
Shipped Date :	2019-01-28
Updated Date :	2019-03-10
Received Date :	2019-02-08
Status :	Signed
Generator ID :	CESQG
Generator Name :	Coastland Auto
Generator Address :	24073 Production Cir, BONITA SPRINGS, FL 34135
Generator Mailing :	24073 Production Cir, Bonita Springs, FL 34135
Generator Contact :	N/R
Destination ID :	KYD053348108
Destination Name :	Safety-Kleen Systems, Inc.
Destination Mailing :	3700 LaGrange Road, Smithfield, KY 40068
Destination Address :	3700 LaGrange Road, Smithfield, KY 40068
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	UN1263, WASTE UN1263, WASTE PAINT RELATED MATERIAL, 3, PG II, 3, PG II
Non Waste Description :	N/R
Quantity :	400 Pounds
Quantity Tons, Acute, Non-Acute :	0.2, 0, 0.2
Quantity Kg, Acute, Non-Acute :	0, 181.406
Quantity Tons, Haz, Non-Haz :	0.2, 0
Quantity Kg, Haz, Non-Haz :	181.406, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, D005, D006, D007, D008, D035, F003, F005
State Code :	N/R

Map Id: F68
Direction: N
Distance: 0.103 mi., 542 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : CORDERS LANDSCAPE SUPPLY OF NAPLES, INC.
24119 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN]

Envirosite ID: 68173799
EPA ID: N/R

ECHO

Facility Name :	CORDERS LANDSCAPE SUPPLY OF NAPLES, INC.

Map Id: F68
Direction: N
Distance: 0.103 mi., 542 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : CORDERS LANDSCAPE SUPPLY OF NAPLES, INC.
24119 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173799
EPA ID: N/R

ECHO ***(cont.)***

Facility Address :	24119 PRODUCTION CIR, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	2012-04-26
Registry ID :	110044806813
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	4917
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503081042
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	54132 - Landscape Architectural Services
Facility Last Inspection EPA Date :	N/R

Map Id: F68
Direction: N
Distance: 0.103 mi., 542 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : CORDERS LANDSCAPE SUPPLY OF NAPLES, INC.
24119 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173799
EPA ID: N/R

ECHO ***(cont.)***

Facility Last Inspection State Date :	2012-04-26
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.3891
Longitude :	-81.80535
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	CORDERS LANDSCAPE SUPPLY OF NAPLES, INC.
Facility Address :	24119 PRODUCTION CIR, BONITA SPRINGS, FL 34135-7056
County :	LEE

Site Details

Registry ID :	110044806813
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

Map Id: F68
Direction: N
Distance: 0.103 mi., 542 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : CORDERS LANDSCAPE SUPPLY OF NAPLES, INC.
24119 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173799
EPA ID: N/R

FRS ***(cont.)***

FRS Environmental Interest

Source and System ID :	RCRAINFO - FLR000180885

RCRA NONGEN

Facility Name :	CORDERS LANDSCAPE SUPPLY OF NAPLES, INC.
Facility Address :	24119 PRODUCTION CIR, BONITA SPRINGS, FL 34135-7056
County :	LEE
Date Form Received by Agency :	2012-04-27
EPA ID :	FLR000180885
Mailing Address :	24119 PRODUCTION CIR, BONITA SPRINGS, FL 34135-7056
Contact :	DOUG BONAR
Contact Address :	24119 PRODUCTION CIR, BONITA SPRINGS, FL 34135-7056
Contact Country :	US
Contact Telephone :	239-495-5444
Contact Email :	CLANDSUPPLY@YAHOO.COM
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	CORDERS LANDSCAPE SUPPLY OF NAPLES, INC.
Owner/Operator Address :	24119 PRODUCTION CIR, BONITA SPRINGS, FL 34135-7056
Owner/Operator Country :	US
Owner/Operator Telephone :	239-495-5444
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2011-12-22
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N

Map Id: F68
Direction: N
Distance: 0.103 mi., 542 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : CORDERS LANDSCAPE SUPPLY OF NAPLES, INC.
24119 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173799
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Used Oil Transporter : N

Historical Generators
Date Form Received by Agency : 2011-12-21
Facility Name : CORDERS LANDSCAPE SUPPLY OF NAPLES, INC.
Classification : Not a generator, verified

Notices of Violations Summary
Regulation Violated : N

Evaluation Action Summary
Evaluation Date : 2012-04-26
Evaluation : COMPLIANCE EVALUATION INSPECTION
Area of Violation : N/R
Date Achieved Compliance : N/R
Evaluation Lead Agency : State

Evaluation Date : 2011-12-21
Evaluation : COMPLIANCE ASSISTANCE VISIT
Area of Violation : N/R
Date Achieved Compliance : N/R
Evaluation Lead Agency : State

Map Id: A69
Direction: SSE
Distance: 0.103 mi., 544 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CAUSEWAY LUMBER CO | MIKES AUTO REPAIR | OLD 41 VETERINARY EMERGENCY CLINIC INC
28280 OLD US 41 RD | 28380 OLD 41 RD | 28380 OLD 41 RD #6B
BONITA SPRINGS, FL

Database(s) : [AST - FL, DRYCLEANERS - FL, ECHO, EPA UST, FA 3 - FL, FRS, RCRA VSQG, UST - FL]

Envirosite ID: 68173857
EPA ID: N/R

AST - FL

Facility Name : CAUSEWAY LUMBER CO
Facility Address : 28280 OLD US 41 RD, BONITA SPRINGS, 33923
County : LEE

Map Id: A69
Direction: SSE
Distance: 0.103 mi., 544 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CAUSEWAY LUMBER CO | MIKES AUTO REPAIR | OLD 41 VETERINARY EMERGENCY CLINIC INC
28280 OLD US 41 RD | 28380 OLD 41 RD | 28380 OLD 41 RD #6B
BONITA SPRINGS, FL

Database(s) : [AST - FL, DRYCLEANERS - FL, ECHO, EPA UST, FA 3 - FL, FRS, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173857
EPA ID: N/R

AST - FL ***(cont.)***

Site Details

Facility ID :	8519469
Facility Phone :	9497631224
Facility Status :	CLOSED
Facility Type :	C
Type Description :	Fuel user/Non-retail
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	66073
Owner Name :	FOREST TEK LUMBER
Owner Address 1 :	N/R
Owner Address 2 :	N/R
Owner Phone :	N/R
Contact :	N/R
DEP Contractor Own :	P

Tank Information

Tank ID :	2
Gallons :	1000
Tank Location :	ABOVEGROUND
Substance :	Vehicular Diesel
Install Date :	1989-07-01
Status :	Closed In Place
Status Date :	1991-03-31

Tank ID :	3
Gallons :	500
Tank Location :	ABOVEGROUND
Substance :	Unleaded Gas
Install Date :	1989-07-01
Status :	Closed In Place
Status Date :	1991-03-31

Tank ID :	4
Gallons :	1000
Tank Location :	ABOVEGROUND
Substance :	Vehicular Diesel
Install Date :	1991-03-01
Status :	Removed from Site
Status Date :	2009-10-01

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: A69
Direction: SSE
Distance: 0.103 mi., 544 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CAUSEWAY LUMBER CO | MIKES AUTO REPAIR | OLD 41 VETERINARY EMERGENCY CLINIC INC
28280 OLD US 41 RD | 28380 OLD 41 RD | 28380 OLD 41 RD #6B
BONITA SPRINGS, FL

Database(s) : [AST - FL, DRYCLEANERS - FL, ECHO, EPA UST, FA 3 - FL, FRS, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173857
EPA ID: N/R

DRYCLEANERS - FL

Facility Name :	GOLD COAST CUSTOM DRY CLNR-CONCIERGE CLNRS
Facility Address :	28380 OLD 41 RD #6B, BONITA SPRINGS, 34135
County :	LEE
Start Date :	2011-03-30
Facility ID :	9812614
Facility Status :	OPEN
Facility Type :	N/R
Facility Phone :	(239)947-3425
Owner ID :	66851
Owner Role :	ACCOUNT OWNER
Owner Name :	GOLD COAST CUSTOM DRY CLNR-CONCIERGE CLNRS
Owner Address :	28380 OLD 41 RD #6B, BONITA SPRINGS, FL 34135
Contact :	GERMAN RODRIQUEZ
Phone :	(239)947-3425
Last Date in Agency List :	2016-04-05

Start Date :	2011-03-30
Facility ID :	9812614
Facility Status :	OPEN
Facility Type :	N/R
Facility Phone :	(239)947-3425
Owner ID :	66851
Owner Role :	FACILITY OWNER
Owner Name :	GOLD COAST CUSTOM DRY CLNR-CONCIERGE CLNRS
Owner Address :	28380 OLD 41 RD #6B, BONITA SPRINGS, FL 34135
Contact :	GERMAN RODRIQUEZ
Phone :	(239)947-3425
Last Date in Agency List :	2016-04-05

Start Date :	2011-03-30
Facility ID :	9812614
Facility Status :	OPEN
Facility Type :	N/R
Facility Phone :	(239)947-3425
Owner ID :	66851
Owner Role :	TANK OPERATOR
Owner Name :	GOLD COAST CUSTOM DRY CLNR-CONCIERGE CLNRS
Owner Address :	28380 OLD 41 RD #6B, BONITA SPRINGS, FL 34135
Contact :	GERMAN RODRIQUEZ
Phone :	(239)947-3425
Last Date in Agency List :	2016-04-05

Start Date :	2011-03-30
Facility ID :	9812614
Facility Status :	OPEN
Facility Type :	N/R

Map Id: A69
Direction: SSE
Distance: 0.103 mi., 544 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CAUSEWAY LUMBER CO | MIKES AUTO REPAIR | OLD 41 VETERINARY EMERGENCY CLINIC INC
28280 OLD US 41 RD | 28380 OLD 41 RD | 28380 OLD 41 RD #6B
BONITA SPRINGS, FL

Database(s) : [AST - FL, DRYCLEANERS - FL, ECHO, EPA UST, FA 3 - FL, FRS, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173857
EPA ID: N/R

DRYCLEANERS - FL ***(cont.)***

Facility Phone :	(239)947-3425
Owner ID :	66852
Owner Role :	PROPERTY OWNER
Owner Name :	TUSCANY DEVELOPERS
Owner Address :	28100 BONITA GRANDE DR #304, BONITA SPRINGS, FL 34135
Contact :	BARBARA
Phone :	(239)405-7780
Last Date in Agency List :	2016-04-05
Facility Name :	INDEPENDENT CLASSIC CLEANERS
Facility Address :	28380 OLD 41 RD #6B, BONITA SPRINGS, 34135
County :	LEE
Start Date :	2016-03-14
Facility ID :	9812614
Facility Status :	OPEN
Facility Type :	1 - Drycleaner
Facility Phone :	(239)454-3392
Owner ID :	72574
Owner Role :	ACCOUNT OWNER
Owner Name :	INDEPENDENT CLASSIC CLEANERS
Owner Address :	28380 OLD 41 RD #6B ATTN: DRYCLEANER REGIS, BONITA SPRINGS, FL 34135
Contact :	GERMAN RODRIGUEZ
Phone :	(630)362-9599
Last Date in Agency List :	2026-02-19
Start Date :	2016-03-14
Facility ID :	9812614
Facility Status :	OPEN
Facility Type :	1 - Drycleaner
Facility Phone :	(239)454-3392
Owner ID :	72574
Owner Role :	TANK OPERATOR
Owner Name :	INDEPENDENT CLASSIC CLEANERS
Owner Address :	28380 OLD 41 RD #6B ATTN: DRYCLEANER REGIS, BONITA SPRINGS, FL 34135
Contact :	GERMAN RODRIGUEZ
Phone :	(630)362-9599
Last Date in Agency List :	2026-02-19
Start Date :	2016-03-14
Facility ID :	9812614
Facility Status :	OPEN
Facility Type :	1 - Drycleaner
Facility Phone :	(239)454-3392
Owner ID :	72574

Map Id: A69
Direction: SSE
Distance: 0.103 mi., 544 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CAUSEWAY LUMBER CO | MIKES AUTO REPAIR | OLD 41 VETERINARY EMERGENCY CLINIC INC
28280 OLD US 41 RD | 28380 OLD 41 RD | 28380 OLD 41 RD #6B
BONITA SPRINGS, FL

Database(s) : [AST - FL, DRYCLEANERS - FL, ECHO, EPA UST, FA 3 - FL, FRS, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173857
EPA ID: N/R

DRYCLEANERS - FL ***(cont.)***

Owner Role :	PROPERTY OWNER
Owner Name :	INDEPENDENT CLASSIC CLEANERS
Owner Address :	28380 OLD 41 RD #6B ATTN: DRYCLEANER REGIS, BONITA SPRINGS, FL 34135
Contact :	GERMAN RODRIGUEZ
Phone :	(630)362-9599
Last Date in Agency List :	2026-02-19

ECHO

Facility Name :	MIKES AUTO REPAIR
Facility Address :	28380 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	2009-07-16
Registry ID :	110039528810
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	5932
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	GPS CODE (PSEUDO RANGE) STANDARD POSITION (SA OFF)
Reference Point :	POINT WHERE SUBSTANCE IS MONITORED
Accuracy Meters :	5
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710505004015
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R

Map Id: A69
Direction: SSE
Distance: 0.103 mi., 544 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CAUSEWAY LUMBER CO | MIKES AUTO REPAIR | OLD 41 VETERINARY EMERGENCY CLINIC INC
28280 OLD US 41 RD | 28380 OLD 41 RD | 28380 OLD 41 RD #6B
BONITA SPRINGS, FL

Database(s) : [AST - FL, DRYCLEANERS - FL, ECHO, EPA UST, FA 3 - FL, FRS, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173857
EPA ID: N/R

ECHO ***(cont.)***

CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	811111 - General Automotive Repair
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2009-07-16
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.325953
Longitude :	-81.782802
Last Date in Agency List :	2026-05-11
Facility Name :	OLD 41 VETERINARY EMERGENCY CLINIC INC
Facility Address :	28380 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	2009-07-16
Registry ID :	110039528829
FIPS Code :	12071
EPA Region :	04

Map Id: A69
Direction: SSE
Distance: 0.103 mi., 544 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CAUSEWAY LUMBER CO | MIKES AUTO REPAIR | OLD 41 VETERINARY EMERGENCY CLINIC INC
28280 OLD US 41 RD | 28380 OLD 41 RD | 28380 OLD 41 RD #6B
BONITA SPRINGS, FL

Database(s) : [AST - FL, DRYCLEANERS - FL, ECHO, EPA UST, FA 3 - FL, FRS, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173857
EPA ID: N/R

ECHO ***(cont.)***

Inspection Count :	0
Last Inspection Days :	5932
Informal Count :	0
Last Informal Action Date :	2009-08-28
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	GPS CODE (PSEUDO RANGE) STANDARD POSITION (SA OFF)
Reference Point :	POINT WHERE SUBSTANCE IS MONITORED
Accuracy Meters :	5
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710505004015
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	54194 - Veterinary Services
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2009-07-16
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R

Map Id: A69
Direction: SSE
Distance: 0.103 mi., 544 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CAUSEWAY LUMBER CO | MIKES AUTO REPAIR | OLD 41 VETERINARY EMERGENCY CLINIC INC
28280 OLD US 41 RD | 28380 OLD 41 RD | 28380 OLD 41 RD #6B
BONITA SPRINGS, FL

Database(s) : [AST - FL, DRYCLEANERS - FL, ECHO, EPA UST, FA 3 - FL, FRS, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173857
EPA ID: N/R

ECHO ***(cont.)***

Facility Last Informal Act State Date:	2009-08-28
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.326147
Longitude :	-81.783057
Last Date in Agency List :	2026-05-11

EPA UST

Facility Name :	CAUSEWAY LUMBER CO
Facility Address :	28280 OLD US 41 RD, BONITA SPRINGS, Florida 33923
County :	N/R
Facility ID :	FL8519469
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	1
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.3275
Longitude :	-81.7827777777778
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8519469-1
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	900
Substances :	Leaded Gas

Map Id: A69
Direction: SSE
Distance: 0.103 mi., 544 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CAUSEWAY LUMBER CO | MIKES AUTO REPAIR | OLD 41 VETERINARY EMERGENCY CLINIC INC
28280 OLD US 41 RD | 28380 OLD 41 RD | 28380 OLD 41 RD #6B
BONITA SPRINGS, FL

Database(s) : [AST - FL, DRYCLEANERS - FL, ECHO, EPA UST, FA 3 - FL, FRS, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173857
EPA ID: N/R

EPA UST ***(cont.)***

Tank Wall Type :	N/R

FA 3 - FL

Facility Name :	CAUSEWAY LUMBER CO
Facility Address :	28280 OLD US 41 RD, BONITA SPRINGS, 33923
County :	LEE
Effectivity Date :	1995-06-23
Expiration Date :	2008-06-23
Facility ID :	8519469
Facility Status :	CLOSED
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY
Facility Phone :	9497631224
Owner ID :	66073
Owner Name :	FOREST TEK LUMBER
Address :	88521 OVERSEAS HWY, PLANTATION KEY, FL 33070
Contact Name :	N/R
Phone :	N/R
Last Date in Agency List :	2026-06-03
Effectivity Date :	N/R
Expiration Date :	N/R
Facility ID :	8519469
Facility Status :	CLOSED
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	EXEMPT-NOT REQUIRED
Insurance Company :	N/R
Facility Phone :	9497631224
Owner ID :	66073
Owner Name :	FOREST TEK LUMBER
Address :	88521 OVERSEAS HWY, PLANTATION KEY, FL 33070
Contact Name :	N/R
Phone :	N/R
Last Date in Agency List :	2026-06-03

FRS

Facility Name :	MIKES AUTO REPAIR
Facility Address :	28380 OLD 41 RD BLDG 400 UNIT 6A, BONITA SPRINGS, FL 34135-6814
County :	LEE

Map Id: A69
Direction: SSE
Distance: 0.103 mi., 544 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CAUSEWAY LUMBER CO | MIKES AUTO REPAIR | OLD 41 VETERINARY EMERGENCY CLINIC INC
28280 OLD US 41 RD | 28380 OLD 41 RD | 28380 OLD 41 RD #6B
BONITA SPRINGS, FL

Database(s) : [AST - FL, DRYCLEANERS - FL, ECHO, EPA UST, FA 3 - FL, FRS, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173857
EPA ID: N/R

FRS ***(cont.)***

Site Details
Registry ID : 110039528810
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest
Source and System ID : RCRAINFO - FLR000157826

Facility Name : OLD 41 VETERINARY EMERGENCY CLINIC INC
Facility Address : 28380 OLD 41 RD BLDG 400 UNIT 8, BONITA SPRINGS, FL 34135-6814
County : LEE

Site Details
Registry ID : 110039528829
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

Map Id: A69
Direction: SSE
Distance: 0.103 mi., 544 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CAUSEWAY LUMBER CO | MIKES AUTO REPAIR | OLD 41 VETERINARY EMERGENCY CLINIC INC
28280 OLD US 41 RD | 28380 OLD 41 RD | 28380 OLD 41 RD #6B
BONITA SPRINGS, FL

Database(s) : [AST - FL, DRYCLEANERS - FL, ECHO, EPA UST, FA 3 - FL, FRS, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173857
EPA ID: N/R

FRS ***(cont.)***

FRS Environmental Interest
Source and System ID : RCRAINFO - FLR000157834

RCRA VSQG

Facility Name : MIKES AUTO REPAIR
Facility Address : 28380 OLD 41 RD BLDG 400 UNIT 6A, BONITA SPRINGS, FL 34135-6814
County : LEE

Date Form Received by Agency : 2009-08-06
EPA ID : FLR000157826
Mailing Address : 28380 OLD 41 RD BLDG 400 UNIT 6A, BONITA SPRINGS, FL 34135-6814
Contact : MIKE DAVIS
Contact Address : 28380 OLD 41 ROAD BUILDING 400 UNIT 6, BONITA SPRINGS, FL 34135
Contact Country : US
Contact Telephone : 239-495-9191
Contact Email : MIKESAUTODAVIS@AOL.COM
EPA Region : 04
Land Type : Private
Source Type : Implementer
Classification : Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2026-05-05

Owner/Operator Summary
Owner/Operator Name : BEYS TR
Owner/Operator Address : 22060 SPRING MILL COURT, ESTERO, FL 33928
Owner/Operator Country : US
Owner/Operator Telephone : N/R
Owner/Operator Email : N/R
Owner/Operator Fax : N/R
Legal Status : Private
Owner/Operator Type : Owner
Owner/Operator Start Date : 2009-07-17
Owner/Operator End Date : N/R

Map Id: A69
Direction: SSE
Distance: 0.103 mi., 544 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CAUSEWAY LUMBER CO | MIKES AUTO REPAIR | OLD 41 VETERINARY EMERGENCY CLINIC INC
28280 OLD US 41 RD | 28380 OLD 41 RD | 28380 OLD 41 RD #6B
BONITA SPRINGS, FL

Database(s) : [AST - FL, DRYCLEANERS - FL, ECHO, EPA UST, FA 3 - FL, FRS, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173857
EPA ID: N/R

RCRA VSQG ***(cont.)***

Owner/Operator Name :	TR BEYS
Owner/Operator Address :	22060 SPRING MILL COURT, ESTERO, FL 33928
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2009-07-17
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Notices of Violations Summary

Regulation Violated :	N

Evaluation Action Summary

Evaluation Date :	2009-07-16
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Facility Name :	OLD 41 VETERINARY EMERGENCY CLINIC INC
Facility Address :	28380 OLD 41 RD BLDG 400 UNIT 8, BONITA SPRINGS, FL 34135-6814
County :	LEE

Map Id: A69
Direction: SSE
Distance: 0.103 mi., 544 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CAUSEWAY LUMBER CO | MIKES AUTO REPAIR | OLD 41 VETERINARY EMERGENCY CLINIC INC
28280 OLD US 41 RD | 28380 OLD 41 RD | 28380 OLD 41 RD #6B
BONITA SPRINGS, FL

Database(s) : [AST - FL, DRYCLEANERS - FL, ECHO, EPA UST, FA 3 - FL, FRS, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173857
EPA ID: N/R

RCRA VSQG ***(cont.)***

Date Form Received by Agency :	2009-08-27
EPA ID :	FLR000157834
Mailing Address :	28380 OLD 41 RD BLDG 400 UNIT 8, BONITA SPRINGS, FL 34135-6814
Contact :	HAKIM HAMICI
Contact Address :	28380 OLD 41 RD BUILDING 400 UNIT 8, BONITA SPRINGS, FL 34135-6814
Contact Country :	US
Contact Telephone :	239-498-0591
Contact Email :	ABDEL.HAKIM@US.ARMY.MIL
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	HAKIM HAMICI
Owner/Operator Address :	28380 OLD 41 RD BUILDING 400 UNIT 8, BONITA SPRINGS, FL 34135-6814
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2009-07-17
Owner/Operator End Date :	N/R

Owner/Operator Name :	HAMICI HAKIM
Owner/Operator Address :	28380 OLD 41 RD BUILDING 400 UNIT 8, BONITA SPRINGS, FL 34135-6814
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R

Map Id: A69
Direction: SSE
Distance: 0.103 mi., 544 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CAUSEWAY LUMBER CO | MIKES AUTO REPAIR | OLD 41 VETERINARY EMERGENCY CLINIC INC
28280 OLD US 41 RD | 28380 OLD 41 RD | 28380 OLD 41 RD #6B
BONITA SPRINGS, FL

Database(s) : [AST - FL, DRYCLEANERS - FL, ECHO, EPA UST, FA 3 - FL, FRS, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173857
EPA ID: N/R

RCRA VSQG ***(cont.)***

Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2009-07-17
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Notices of Violations Summary

Date of Violation :	2009-07-16
Date Achieved Compliance :	2009-11-13
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	DEP NON-COMPLIANCE LETTER
Enforcement Action Date :	2009-08-28
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2009-07-16
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Generators - General
Date Achieved Compliance :	2009-11-13
Evaluation Lead Agency :	State

Map Id: A69
Direction: SSE
Distance: 0.103 mi., 544 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : CAUSEWAY LUMBER CO | MIKES AUTO REPAIR | OLD 41 VETERINARY EMERGENCY CLINIC INC
28280 OLD US 41 RD | 28380 OLD 41 RD | 28380 OLD 41 RD #6B
BONITA SPRINGS, FL

Database(s) : [AST - FL, DRYCLEANERS - FL, ECHO, EPA UST, FA 3 - FL, FRS, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173857
EPA ID: N/R

UST - FL

Facility Name :	CAUSEWAY LUMBER CO
Facility Address :	28280 OLD US 41 RD, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	8519469
Facility Phone :	9497631224
Facility Status :	CLOSED
Facility Type :	Fuel user/Non-retail
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	66073
Owner Name :	FOREST TEK LUMBER
Owner Address 1 :	88521 OVERSEAS HWY, PLANTATION KEY, FL 33070
Owner Address 2 :	N/R
Owner Phone :	N/R
Contact :	N/R
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	900
Tank Location :	UNDERGROUND
Substance :	Leaded Gas
Install Date :	N/R
Status :	Closed In Place
Status Date :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: B70
Direction: S
Distance: 0.104 mi., 548 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : LEXTECH AUTOMOTIVE INC
1153 SUN CENTURY RD
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG]

Envirosite ID: 68173742
EPA ID: N/R

ECHO

Facility Name :	LEXTECH AUTOMOTIVE INC
Facility Address :	1153 SUN CENTURY RD, NAPLES, FL 34110
County :	COLLIER
Last Inspection Date :	2010-01-22
Registry ID :	110041662769
FIPS Code :	12021
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	5742
Informal Count :	0
Last Informal Action Date :	2010-02-12
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	POINT WHERE WATER OR OTHER SUBSTANCE COULD BE DRAWN FROM ENVIRONMENT FOR DELIVERY TO A FACILITY OR DISTRIBUTION SYSTEM (SUBSTANCE DESTINATION COULD RANGE FROM A SINGLE RESIDENCE TO A LARGE FACILITY)
Accuracy Meters :	10
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101021005
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R

Map Id: B70
Direction: S
Distance: 0.104 mi., 548 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : LEXTECH AUTOMOTIVE INC
1153 SUN CENTURY RD
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173742
EPA ID: N/R

ECHO ***(cont.)***

CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	811191 - Automotive Oil Change and Lubrication Shops
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2010-01-22
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2010-02-12
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.305723
Longitude :	-81.793607
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	LEXTECH AUTOMOTIVE INC
Facility Address :	1153 SUN CENTURY RD, NAPLES, FL 34110-8431
County :	COLLIER

Site Details

Registry ID :	110041662769
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

Map Id: B70
Direction: S
Distance: 0.104 mi., 548 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : LEXTECH AUTOMOTIVE INC
1153 SUN CENTURY RD
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173742
EPA ID: N/R

FRS ***(cont.)***

FRS Environmental Interest

Source and System ID :	RCRAINFO - FLR000164111

RCRA VSQG

Facility Name :	LEXTECH AUTOMOTIVE INC
Facility Address :	1153 SUN CENTURY RD, NAPLES, FL 34110-8431
County :	COLLIER
Date Form Received by Agency :	2010-01-22
EPA ID :	FLR000164111
Mailing Address :	1153 SUN CENTURY RD, NAPLES, FL 34110-8431
Contact :	JIM KUNKLE
Contact Address :	1153 SUN CENTURY RD, NAPLES, FL 34110
Contact Country :	US
Contact Telephone :	239-514-0400
Contact Email :	SERVICE@LEXTECHAUTOMOTIVE.COM
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	JIM KUNKLE
Owner/Operator Address :	1153 SUN CENTURY RD, NAPLES, FL 34110
Owner/Operator Country :	US
Owner/Operator Telephone :	239-514-0400
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2010-02-01
Owner/Operator End Date :	N/R
Owner/Operator Name :	KUNKLE JIM
Owner/Operator Address :	1153 SUN CENTURY RD, NAPLES, FL 34110
Owner/Operator Country :	US
Owner/Operator Telephone :	239-514-0400
Owner/Operator Email :	N/R

Map Id: B70
Direction: S
Distance: 0.104 mi., 548 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : LEXTECH AUTOMOTIVE INC
1153 SUN CENTURY RD
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173742
EPA ID: N/R

RCRA VSQG ***(cont.)***

Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2010-02-01
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Notices of Violations Summary

Date of Violation :	2010-01-22
Date Achieved Compliance :	2010-03-12
Regulation Violated :	Y
Area of Violation :	Listing - General
Enforcement Action :	DEP NON-COMPLIANCE LETTER
Enforcement Action Date :	2010-02-12
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2010-01-22
Date Achieved Compliance :	2010-03-12
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP NON-COMPLIANCE LETTER
Enforcement Action Date :	2010-02-12
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Map Id: B70
Direction: S
Distance: 0.104 mi., 548 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : LEXTECH AUTOMOTIVE INC
1153 SUN CENTURY RD
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173742
EPA ID: N/R

RCRA VSQG ***(cont.)***

Evaluation Action Summary

Evaluation Date :	2010-01-22
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Listing - General
Date Achieved Compliance :	2010-03-12
Evaluation Lead Agency :	State

Evaluation Date :	2010-01-22
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	State Statute or Regulation
Date Achieved Compliance :	2010-03-12
Evaluation Lead Agency :	State

Map Id: B71
Direction: SSE
Distance: 0.104 mi., 551 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : Railhead
1490 Rail Head Blvd.
Naples, FL 34110

Database(s) : [T 2 - FL]

Envirosite ID: 68173758
EPA ID: N/R

T 2 - FL

Facility Name :	Railhead
Facility Address :	1490 Rail Head Blvd., Naples, FL 34110
County :	Collier
Filing Year :	2021(Tier2)
Filing Type :	311 312
Company Name :	Arthrex Inc.
Facility ID :	7083288
State Facility ID :	N/R
SIC :	N/R
NAICS :	339112 - Surgical and Medical Instrument Manufacturing
Dun & Bradstreet Code :	13-17-7628
De-Registered Date :	N/R
Data Submitted by :	Scott M Beauchesne
Contact 1 - Name :	David Bumpous
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	David.Bumpous@arthrex.com
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	239-643-5553
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2022-02-28
First Submit Date :	2022-02-28(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2022-12-20

Map Id: B71
Direction: SSE
Distance: 0.104 mi., 551 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : Railhead
1490 Rail Head Blvd.
Naples, FL 34110

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173758
EPA ID: N/R

T 2 - FL ***(cont.)***

Chemical Information

Filing Year :	2021(Tier2)
CAS Number :	N/R
Chemical Name :	Battery
Maximum Daily Quantity :	2,595
Average Daily Quantity :	2,595
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	T
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2020(Tier2)
Filing Type :	311 312
Company Name :	Arthrex Inc.

Map Id: B71
Direction: SSE
Distance: 0.104 mi., 551 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : Railhead
1490 Rail Head Blvd.
Naples, FL 34110

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173758
EPA ID: N/R

T 2 - FL ***(cont.)***

Facility ID :	6818284
State Facility ID :	N/R
SIC :	N/R
NAICS :	339112 - Surgical and Medical Instrument Manufacturing
Dun & Bradstreet Code :	13-17-7628
De-Registered Date :	N/R
Data Submitted by :	Keith Reynolds
Contact 1 - Name :	David Bumpous
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	David.Bumpous@arthrex.com
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	239-643-5553
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2021-02-19
First Submit Date :	2021-02-19(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2022-01-06

Chemical Information

Filing Year :	2020(Tier2)
CAS Number :	N/R
Chemical Name :	Battery
Maximum Daily Quantity :	2,595
Average Daily Quantity :	2,595
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F

Map Id: B71
Direction: SSE
Distance: 0.104 mi., 551 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : Railhead
1490 Rail Head Blvd.
Naples, FL 34110

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173758
EPA ID: N/R

T 2 - FL ***(cont.)***

Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	T
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2018(Tier2)
Filing Type :	311 312
Company Name :	Arthrex Inc.
Facility ID :	6372786
State Facility ID :	N/R
SIC :	N/R
NAICS :	339112 - Surgical and Medical Instrument Manufacturing
Dun & Bradstreet Code :	13-17-7628
De-Registered Date :	N/R
Data Submitted by :	Keith Reynolds
Contact 1 - Name :	David Bumpous
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	David.Bumpous@arthrex.com
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	239-643-5553
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2019-02-01
First Submit Date :	2019-02-01(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2020-01-16

Chemical Information

Filing Year :	N/R
CAS Number :	N/R
Chemical Name :	Battery
Maximum Daily Quantity :	2595
Average Daily Quantity :	2595
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R

Map Id: B71
Direction: SSE
Distance: 0.104 mi., 551 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : Railhead
1490 Rail Head Blvd.
Naples, FL 34110

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173758
EPA ID: N/R

T 2 - FL ***(cont.)***

Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	N/R
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	T
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2017(Tier2)
Filing Type :	311 312
Company Name :	Arthrex Inc.
Facility ID :	6072883
State Facility ID :	N/R
SIC :	N/R
NAICS :	339112 - Surgical and Medical Instrument Manufacturing
Dun & Bradstreet Code :	13-17-7628
De-Registered Date :	N/R
Data Submitted by :	Keith Reynolds
Contact 1 - Name :	David Bumpous
Contact 1 - Contact Type :	Owner / Operator

Map Id: B71
Direction: SSE
Distance: 0.104 mi., 551 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : Railhead
1490 Rail Head Blvd.
Naples, FL 34110

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173758
EPA ID: N/R

T 2 - FL ***(cont.)***

Contact 1 - Email :	David.Bumpous@arthrex.com
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	239-643-5553
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2018-02-07
First Submit Date :	2018-02-07(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2018-12-05

Chemical Information

Filing Year :	N/R
CAS Number :	7439921
Chemical Name :	Lead
Maximum Daily Quantity :	2595
Average Daily Quantity :	2595
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	2
F :	0
R :	0
S :	N/R
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T

Map Id: B71
Direction: SSE
Distance: 0.104 mi., 551 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : Railhead
1490 Rail Head Blvd.
Naples, FL 34110

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173758
EPA ID: N/R

T 2 - FL ***(cont.)***

Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Map Id: F72
Direction: NNW
Distance: 0.106 mi., 558 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD4350
24051 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173797
EPA ID: N/R

DEDB - FL

Sample Date :	2009-07-30
Sample ID :	090702-084
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4350
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	U HAUL STORAGE
Well Address :	24051 PRODUCTION CIRCLE
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-090702-013
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2003-03-20
Sample ID :	030324-041
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4350
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	U HAUL STORAGE
Well Address :	24051 PRODUCTION CIR

Map Id: F72
Direction: NNW
Distance: 0.106 mi., 558 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD4350
24051 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173797
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030324-08
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2009-07-30
Sample ID :	090702-084
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4350
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	U HAUL STORAGE
Well Address :	24051 PRODUCTION CIR
Well Type :	42
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-090702-013
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2003-03-20
Sample ID :	030324-041
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4350
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	U HAUL STORAGE
Well Address :	24051 PRODUCTION CIR
Well Type :	42
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-030324-08
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Map Id: F73
Direction: NNW
Distance: 0.106 mi., 560 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAG3724
24033 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173796
EPA ID: N/R

DEDB - FL

Sample Date :	2003-03-20
Sample ID :	030324-042
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3724
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	BUILDERS GLASS
Well Address :	24033 PRODUCTION CIR
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030324-08
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2009-07-30
Sample ID :	090702-081
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3724
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	BUILDERS GLASS
Well Address :	24033 PRODUCTION CIRCLE
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-090702-013
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2009-07-30
Sample ID :	090702-081
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3724
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	BUILDERS GLASS
Well Address :	24033 PRODUCTION CIR
Well Type :	42
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE

Map Id: F73
Direction: NNW
Distance: 0.106 mi., 560 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAG3724
24033 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173796
EPA ID: N/R

DEDB - FL ***(cont.)***

Job Name :	LEE-090702-013
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25
Sample Date :	2003-03-20
Sample ID :	030324-042
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3724
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	BUILDERS GLASS
Well Address :	24033 PRODUCTION CIR
Well Type :	42
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-030324-08
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Map Id: C74
Direction: SE
Distance: 0.106 mi., 561 ft.
Elevation: 7 ft.
Relative: Lower

Site Name : IMPERIAL 41 | CITY OF BONITA SPRINGS-BAMBOO SITE
10580 GOODWIN ST
BONITA SPRINGS | Bonita Springs, FL 34135

Database(s) : [FRS, NPDES - FL, SWF/LF - FL]

Envirosite ID: 68173737
EPA ID: N/R

FRS

Facility Name :	IMPERIAL 41
Facility Address :	10580 GOODWIN ST., BONITA SPRINGS, FL 34135
County :	N/R

Site Details

Registry ID :	110072112564
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Map Id: C74
Direction: SE
Distance: 0.106 mi., 561 ft.
Elevation: 7 ft.
Relative: Lower

Site Name : IMPERIAL 41 | CITY OF BONITA SPRINGS-BAMBOO SITE
10580 GOODWIN ST
BONITA SPRINGS | Bonita Springs, FL 34135

Database(s) : [FRS, NPDES - FL, SWF/LF - FL] ***(cont.)***

Envirosite ID: 68173737
EPA ID: N/R

FRS ***(cont.)***

Source Description

Source Description :

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest

Source and System ID :	ICIS - FLR20IV75

NPDES - FL

Facility Name :	IMPERIAL 41
Facility Address :	10580 GOODWIN ST., Bonita Springs
County :	LEE

Site Details

Issue Date :	2025-12-21
Effective Date :	N/R
Expiration Date :	2030-12-20
Facility ID :	FLR20IV75
Facility Type :	Construction Generic Dewatering
Status :	Active
NPDES :	N/R
Company Name :	Brooks and Freund, LLC
Document Description :	Generic Permit
Nature of Business :	N/R
Ownership Type :	Private
Treatment Process Summary :	N/R
Department Office :	Tallahassee NPDES Stormwater
Capacity (MGD) :	2.64
DW Class :	N/R
Last Date in Agency List :	2026-06-03

Related Party Details

Related Party Name :	Joseph McClaran
Related Party Address :	5661 Independence Cir, Fort Myers FL 33912-4419
Related Party Address 2 :	Ste 1
Related Party Phone :	2399395251
Related Party Email :	joseph@brooksandfreund.com

SWF/LF - FL

Facility Name :	CITY OF BONITA SPRINGS-BAMBOO SITE
Facility Address :	10580 GOODWIN ST, BONITA SPRINGS, FL 34135

Map Id: C74
Direction: SE
Distance: 0.106 mi., 561 ft.
Elevation: 7 ft.
Relative: Lower

Site Name : IMPERIAL 41 | CITY OF BONITA SPRINGS-BAMBOO SITE
10580 GOODWIN ST
BONITA SPRINGS | Bonita Springs, FL 34135

Database(s) : [FRS, NPDES - FL, SWF/LF - FL] ***(cont.)***

Envirosite ID: 68173737
EPA ID: N/R

SWF/LF - FL ***(cont.)***

County : LEE

Site Details

Facility ID :	104942
Class :	DISASTER DEBRIS MANAGEMENT SITE
Class Type :	910
Class Status :	INACTIVE (I)
Test Site Data :	TestSite Inventory Report, TestSite Result Report
Detail :	Facility Activities, Documents in OCULUS
District :	SD
Section/Township/Range :	N/R
Responsible Authority Name :	N/R
Responsible Authority Address :	N/R
Responsible Authority Phone Number :	N/R
Responsible Authority Email Address :	N/R
Land Owner Name :	N/R
Land Owner Address :	N/R
Land Owner Phone Number :	N/R
Site Supervisor Name :	N/R
Site Supervisor Address :	N/R
Site Supervisor Phone Number :	N/R
Site Supervisor Email Address :	N/R
Latitude :	26.35205
Longitude :	81.772029
Last Date in Agency List :	2024-05-14

Map Id: B75
Direction: SSE
Distance: 0.107 mi., 565 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : ARTISANS GUILD
1450 RAILHEAD BLVD
NAPLES, FL 34110

Database(s) : [MANIFEST EPA]

Envirosite ID: 68173754
EPA ID: FLR000031724

MANIFEST EPA

Manifest Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Manifest Number :	024943633JJK
Shipped Date :	2023-01-16
Updated Date :	2023-02-15
Received Date :	2023-02-07
Status :	Signed
Generator ID :	FLR000031724
Generator Name :	ARTISANS GUILD

Map Id: B75
Direction: SSE
Distance: 0.107 mi., 565 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : ARTISANS GUILD
1450 RAILHEAD BLVD
NAPLES, FL 34110

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173754
EPA ID: FLR000031724

MANIFEST EPA ***(cont.)***

Generator Address :	1450 RAILHEAD BLVD, NAPLES, FL 34110
Generator Mailing :	1450 RAILHEAD BLVD, NAPLES, FL 34110
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	Allworth, LLC
Destination Mailing :	500 Medco Road, Birmingham, AL 35217
Destination Address :	500 Medco Road, Birmingham, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	UN1263 WASTE PAINT RELATED MATERIAL II 3 D001=100LBS
Non Waste Description :	N/R
Quantity :	2700 Pounds
Quantity Tons, Acute, Non-Acute :	1.35, 0, 1.35
Quantity Kg, Acute, Non-Acute :	0, 1224.4906
Quantity Tons, Haz, Non-Haz :	1.35, 0
Quantity Kg, Haz, Non-Haz :	1224.4906, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, D035, F003, F005
State Code :	N/R

Manifest Details

Manifest Number :	023662419JJK
Shipped Date :	2022-07-12
Updated Date :	2022-07-29
Received Date :	2022-07-22
Status :	Signed
Generator ID :	FLR000031724
Generator Name :	ARTISANS GUILD
Generator Address :	1450 RAILHEAD BLVD, NAPLES, FL 34110
Generator Mailing :	1450 RAILHEAD BLVD, NAPLES, FL 34110
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	Allworth, LLC
Destination Mailing :	500 Medco Road, Birmingham, AL 35217
Destination Address :	500 Medco Road, Birmingham, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Map Id: B75
Direction: SSE
Distance: 0.107 mi., 565 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : ARTISANS GUILD
1450 RAILHEAD BLVD
NAPLES, FL 34110

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173754
EPA ID: FLR000031724

MANIFEST EPA ***(cont.)***

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	UN1263 WASTE PAINT RELATED MATERIAL II 3 D001=100LBS
Non Waste Description :	N/R
Quantity :	165 Gallons
Quantity Tons, Acute, Non-Acute :	0.6880734, 0, 0.6880734
Quantity Kg, Acute, Non-Acute :	0, 624.1032
Quantity Tons, Haz, Non-Haz :	0.6880734, 0
Quantity Kg, Haz, Non-Haz :	624.1032, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, D035, F003, F005
State Code :	N/R

Manifest Details

Manifest Number :	022029268JJK
Shipped Date :	2022-02-21
Updated Date :	2022-03-27
Received Date :	2022-03-11
Status :	Signed
Generator ID :	FLR000031724
Generator Name :	ARTISANS GUILD
Generator Address :	1450 RAILHEAD BLVD, NAPLES, FL 34110
Generator Mailing :	1450 RAILHEAD BLVD, NAPLES, FL 34110
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	Allworth, LLC
Destination Mailing :	500 Medco Road, Birmingham, AL 35217
Destination Address :	500 Medco Road, Birmingham, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	UN1263 WASTE PAINT RELATED MATERIAL II 3 D001=100LBS
Non Waste Description :	N/R
Quantity :	165 Gallons
Quantity Tons, Acute, Non-Acute :	0.6880734, 0, 0.6880734
Quantity Kg, Acute, Non-Acute :	0, 624.1032
Quantity Tons, Haz, Non-Haz :	0.6880734, 0
Quantity Kg, Haz, Non-Haz :	624.1032, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, D035, F003, F005
State Code :	N/R

Map Id: B75
Direction: SSE
Distance: 0.107 mi., 565 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : ARTISANS GUILD
1450 RAILHEAD BLVD
NAPLES, FL 34110

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173754
EPA ID: FLR000031724

MANIFEST EPA ***(cont.)***

Manifest Details

Manifest Number :	022031589JJK
Shipped Date :	2021-09-07
Updated Date :	2021-10-07
Received Date :	2021-09-28
Status :	Signed
Generator ID :	FLR000031724
Generator Name :	ARTISANS GUILD
Generator Address :	1450 RAILHEAD BLVD, NAPLES, FL 34110
Generator Mailing :	1450 RAILHEAD BLVD, NAPLES, FL 34110
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	Allworth, LLC
Destination Mailing :	500 Medco Road, Birmingham, AL 35217
Destination Address :	500 Medco Road, Birmingham, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	UN1263 WASTE PAINT RELATED MATERIAL II 3 D001=100LBS
Non Waste Description :	N/R
Quantity :	110 Gallons
Quantity Tons, Acute, Non-Acute :	0.4587156, 0, 0.4587156
Quantity Kg, Acute, Non-Acute :	0, 416.06882
Quantity Tons, Haz, Non-Haz :	0.4587156, 0
Quantity Kg, Haz, Non-Haz :	416.06882, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, D035, F003, F005
State Code :	N/R

Manifest Details

Manifest Number :	022237839JJK
Shipped Date :	2021-06-02
Updated Date :	2021-06-25
Received Date :	2021-06-21
Status :	Signed
Generator ID :	FLR000031724
Generator Name :	ARTISANS GUILD
Generator Address :	1450 RAILHEAD BLVD, NAPLES, FL 34110
Generator Mailing :	1450 RAILHEAD BLVD, NAPLES, FL 34110
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	Allworth, LLC
Destination Mailing :	500 Medco Road, Birmingham, AL 35217
Destination Address :	500 Medco Road, Birmingham, AL 35217

Map Id: B75
Direction: SSE
Distance: 0.107 mi., 565 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : ARTISANS GUILD
1450 RAILHEAD BLVD
NAPLES, FL 34110

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173754
EPA ID: FLR000031724

MANIFEST EPA ***(cont.)***

Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	UN1263 WASTE PAINT RELATED MATERIAL II 3 D001=100LBS
Non Waste Description :	N/R
Quantity :	1887 Pounds
Quantity Tons, Acute, Non-Acute :	0.9435, 0, 0.9435
Quantity Kg, Acute, Non-Acute :	0, 855.78284
Quantity Tons, Haz, Non-Haz :	0.9435, 0
Quantity Kg, Haz, Non-Haz :	855.78284, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, D035, F003, F005
State Code :	N/R

Map Id: F76
Direction: NNW
Distance: 0.109 mi., 575 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : e2 Companies
8901 Quality Road
Bonita Springs, FL 34135

Database(s) : [T 2 - FL]

Envirosite ID: 68173872
EPA ID: N/R

T 2 - FL

Facility Name :	e2 Companies
Facility Address :	8901 Quality Road, Bonita Springs, FL 34135
County :	Lee
Filing Year :	2024(Tier2)
Filing Type :	312
Company Name :	e2 Companies
Facility ID :	7594338
State Facility ID :	N/R
SIC :	N/R
NAICS :	221118 - Other Electric Power Generation
Dun & Bradstreet Code :	110980415 110980415
De-Registered Date :	N/R
Data Submitted by :	Thomas A. Grow
Contact 1 - Name :	Thomas Grow
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	tom.grow@e2companies.com

Map Id: F76
Direction: NNW
Distance: 0.109 mi., 575 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : e2 Companies
8901 Quality Road
Bonita Springs, FL 34135

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173872
EPA ID: N/R

T 2 - FL ***(cont.)***

Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	3093705552
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2025-02-26
First Submit Date :	2025-02-26(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2026-02-19

Chemical Information

Filing Year :	2024(Tier2)
CAS Number :	15365147
Chemical Name :	Lithium Iron phosphate(LiFePO4
Maximum Daily Quantity :	49,999
Average Daily Quantity :	24,999
Max Amount in Largest Container :	312
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	T
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T

Map Id: F76
Direction: NNW
Distance: 0.109 mi., 575 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : e2 Companies
8901 Quality Road
Bonita Springs, FL 34135

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173872
EPA ID: N/R

T 2 - FL ***(cont.)***

Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2024(Tier2)
CAS Number :	21324403
Chemical Name :	Lithium Hexafluorophosphate
Maximum Daily Quantity :	24,999
Average Daily Quantity :	24,999
Max Amount in Largest Container :	28.6
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	N/R
F :	N/R
R :	N/R
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	T
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F

Map Id: F76
Direction: NNW
Distance: 0.109 mi., 575 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : e2 Companies
8901 Quality Road
Bonita Springs, FL 34135

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173872
EPA ID: N/R

T 2 - FL ***(cont.)***

Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2024(Tier2)
CAS Number :	7440508
Chemical Name :	Copper
Maximum Daily Quantity :	24,999
Average Daily Quantity :	24,999
Max Amount in Largest Container :	19.5
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	1
F :	1
R :	0
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	T
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F

Map Id: F76
Direction: NNW
Distance: 0.109 mi., 575 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : e2 Companies
8901 Quality Road
Bonita Springs, FL 34135

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173872
EPA ID: N/R

T 2 - FL ***(cont.)***

Hazard Not Otherwise Classified :	F

Filing Year :	2023(Tier2)
Filing Type :	312
Company Name :	e2 Companies
Facility ID :	7424631
State Facility ID :	N/R
SIC :	N/R
NAICS :	221118 - Other Electric Power Generation
Dun & Bradstreet Code :	110980415
De-Registered Date :	N/R
Data Submitted by :	Thomas A. Grow
Contact 1 - Name :	Thomas Grow
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	tom.grow@e2companies.com
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	3093705552
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2024-02-19
First Submit Date :	2024-02-19(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2025-02-12

Chemical Information

Filing Year :	2023(Tier2)
CAS Number :	15365147
Chemical Name :	Lithium Iron phosphate(LiFePO4
Maximum Daily Quantity :	49,999
Average Daily Quantity :	24,999
Max Amount in Largest Container :	312
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R

Map Id: F76
Direction: NNW
Distance: 0.109 mi., 575 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : e2 Companies
8901 Quality Road
Bonita Springs, FL 34135

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173872
EPA ID: N/R

T 2 - FL ***(cont.)***

Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	T
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2023(Tier2)
CAS Number :	21324403
Chemical Name :	Lithium Hexafluorophosphate
Maximum Daily Quantity :	24,999
Average Daily Quantity :	24,999
Max Amount in Largest Container :	28.6
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	N/R
F :	N/R
R :	N/R
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F

Map Id: F76
Direction: NNW
Distance: 0.109 mi., 575 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : e2 Companies
8901 Quality Road
Bonita Springs, FL 34135

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173872
EPA ID: N/R

T 2 - FL ***(cont.)***

Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	T
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2023(Tier2)
CAS Number :	7440508
Chemical Name :	Copper
Maximum Daily Quantity :	24,999
Average Daily Quantity :	24,999
Max Amount in Largest Container :	19.5
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	1
F :	1
R :	0
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	T
Organic Peroxide :	F

Map Id: F76
Direction: NNW
Distance: 0.109 mi., 575 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : e2 Companies
8901 Quality Road
Bonita Springs, FL 34135

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173872
EPA ID: N/R

T 2 - FL ***(cont.)***

Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
Filing Type :	312
Company Name :	e2 Companies
Facility ID :	7300572
State Facility ID :	N/R
SIC :	N/R
NAICS :	221118 - Other Electric Power Generation
Dun & Bradstreet Code :	110980415
De-Registered Date :	N/R
Data Submitted by :	Thomas A. Grow
Contact 1 - Name :	Thomas Grow
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	tom.grow@e2companies.com
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	3093705552
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2023-02-28
First Submit Date :	2023-02-28(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2023-07-21

Chemical Information

Filing Year :	2022(Tier2)
CAS Number :	15365147
Chemical Name :	Lithium Iron phosphate(LiFePO4
Maximum Daily Quantity :	49,999
Average Daily Quantity :	24,999
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0

Map Id: F76
Direction: NNW
Distance: 0.109 mi., 575 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : e2 Companies
8901 Quality Road
Bonita Springs, FL 34135

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173872
EPA ID: N/R

T 2 - FL ***(cont.)***

F :	0
R :	0
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	T
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
CAS Number :	21324403
Chemical Name :	Lithium Hexafluorophosphate
Maximum Daily Quantity :	24,999
Average Daily Quantity :	24,999
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	N/R
F :	N/R
R :	N/R
S :	-
Solid :	T

Map Id: F76
Direction: NNW
Distance: 0.109 mi., 575 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : e2 Companies
8901 Quality Road
Bonita Springs, FL 34135

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173872
EPA ID: N/R

T 2 - FL ***(cont.)***

Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	T
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
CAS Number :	7440508
Chemical Name :	Copper
Maximum Daily Quantity :	24,999
Average Daily Quantity :	24,999
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	1
F :	1
R :	0
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T

Map Id: F76
Direction: NNW
Distance: 0.109 mi., 575 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : e2 Companies
8901 Quality Road
Bonita Springs, FL 34135

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173872
EPA ID: N/R

T 2 - FL ***(cont.)***

Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	T
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Map Id: C77
Direction: SE
Distance: 0.109 mi., 577 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : THE SHERWIN-WILLIAMS CO #2249
26751 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN]

Envirosite ID: 68173837
EPA ID: N/R

ECHO

Facility Name :	THE SHERWIN-WILLIAMS CO #2249
Facility Address :	26751 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	2010-11-23
Registry ID :	110043229048
FIPS Code :	12071
EPA Region :	04

Map Id: C77
Direction: SE
Distance: 0.109 mi., 577 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : THE SHERWIN-WILLIAMS CO #2249
26751 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173837
EPA ID: N/R

ECHO ***(cont.)***

Inspection Count :	0
Last Inspection Days :	5437
Informal Count :	0
Last Informal Action Date :	2010-12-09
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	50
Derived Tribes :	Seminole Tribe of Florida - 23 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040105
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710504001018
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	44412 - Paint and Wallpaper Stores
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2010-11-23
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2010-12-09
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N

Map Id: C77
Direction: SE
Distance: 0.109 mi., 577 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : THE SHERWIN-WILLIAMS CO #2249
26751 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173837
EPA ID: N/R

ECHO ***(cont.)***

Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.349029
Longitude :	-81.779171
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	THE SHERWIN-WILLIAMS CO #2249
Facility Address :	26751 OLD 41 RD, BONITA SPRINGS, FL 34135-5027
County :	LEE

Site Details

Registry ID :	110043229048
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	RCRAINFO - FLR000171504

RCRA NONGEN

Facility Name :	THE SHERWIN-WILLIAMS CO #2249
Facility Address :	26751 OLD 41 RD, BONITA SPRINGS, FL 34135-5027
County :	LEE

Map Id: C77
Direction: SE
Distance: 0.109 mi., 577 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : THE SHERWIN-WILLIAMS CO #2249
26751 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173837
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Date Form Received by Agency :	2010-11-23
EPA ID :	FLR000171504
Mailing Address :	26751 OLD 41 RD, BONITA SPRINGS, FL 34135-5027
Contact :	NON NOTIFIER
Contact Address :	2600 BLAIR STONE ROAD, TALLAHASSEE, FL 32399-2400
Contact Country :	US
Contact Telephone :	850-245-8707
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	N/R
Owner/Operator Address :	N/R
Owner/Operator Country :	N/R
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	N/R
Owner/Operator Type :	N/R
Owner/Operator Start Date :	N/R
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Notices of Violations Summary

Regulation Violated :	N

Map Id: C77
Direction: SE
Distance: 0.109 mi., 577 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : THE SHERWIN-WILLIAMS CO #2249
26751 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173837
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Evaluation Action Summary

Evaluation Date :	2010-11-23
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL]

Envirosite ID: 68173793
EPA ID: CESQG

AST - FL

Facility Name :	LEE HEALTH COCONUT POINT
Facility Address :	23450 VIA COCONUT POINT, ESTERO, 33928
County :	LEE

Site Details

Facility ID :	9816100
Facility Phone :	2393438542
Facility Status :	OPEN
Facility Type :	C
Type Description :	Fuel user/Non-retail
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	85761
Owner Name :	LEE HEALTH SYSTEM INC
Owner Address 1 :	N/R
Owner Address 2 :	N/R
Owner Phone :	2393435468
Contact :	SERGIO PAIS / SHARLEE BOLLEN
DEP Contractor Own :	C

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

AST - FL ***(cont.)***

Tank Information

Tank ID :	1
Gallons :	12000
Tank Location :	ABOVEGROUND
Substance :	Emerg Generator Diesel
Install Date :	2018-01-01
Status :	In Service
Status Date :	2018-01-01
Construction Items :	Overfill/Spill - Level gauges/alarms Overfill/Spill - Tight fill Overfill/Spill - Spill containment bucket Primary Construction - Steel Secondary Containment - Double wall
Monitoring Items :	External Tk Monitoring - Visual inspection of ASTs Internal Tk Monitoring - Monitor dbl wall tank space Miscellaneous - Electronic monitor pipe sumps Piping Monitoring - Mechanical line leak detector
Piping Items :	Corrosion Protection - External protective coating Miscellaneous Attributes - Pressurized piping system Miscellaneous Attributes - Abv, no soil contact Primary Construction - Fiberglass Primary Construction - Steel/galvanized metal Secondary Containment - Double wall

Tank Information

Tank ID :	2
Gallons :	12000
Tank Location :	ABOVEGROUND
Substance :	Emerg Generator Diesel
Install Date :	2018-01-01
Status :	In Service
Status Date :	2018-01-01
Construction Items :	Overfill/Spill - Tight fill Overfill/Spill - Level gauges/alarms Overfill/Spill - Spill containment bucket Primary Construction - Steel Secondary Containment - Double wall

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

AST - FL ***(cont.)***

Monitoring Items :	External Tk Monitoring - Visual inspection of ASTs Internal Tk Monitoring - Monitor dbl wall tank space Miscellaneous - Electronic monitor pipe sumps Piping Monitoring - Mechanical line leak detector
Piping Items :	Corrosion Protection - External protective coating Miscellaneous Attributes - Abv, no soil contact Miscellaneous Attributes - Pressurized piping system Primary Construction - Steel/galvanized metal Primary Construction - Fiberglass Secondary Containment - Double wall
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

ECHO

Facility Name :	LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO
Facility Address :	23450 VIA COCONUT POINT, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	N/R
Registry ID :	110070002909
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	N/R
Reference Point :	N/R
Accuracy Meters :	17481
Derived Tribes :	Seminole Tribe of Florida - 24.2 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

ECHO ***(cont.)***

Derived CD113 :	19
Derived CB2010 :	120710503081032
MYRTK Universe :	NNN
NPDES IDs :	FLR10TP43 FLR20BA84
CWA Permit Types :	Minor
CWA Compliance Tracking :	On
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation Identified
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	_____
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.395556
Longitude :	-81.808056

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

ECHO ***(cont.)***

Last Date in Agency List :	2023-07-21
Facility Name :	LEE HEALTH VILLAGE AT COCONUT POINT
Facility Address :	23450 VIA COCONUT POINT, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	N/R
Registry ID :	110070002909
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	N/R
Three-Year Compliance Status :	_U_____U
Collection Method :	N/R
Reference Point :	N/R
Accuracy Meters :	17481
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503081032
MYRTK Universe :	NNN
NPDES IDs :	FLR10TP43 FLR20BA84
CWA Permit Types :	Non-M
CWA Compliance Tracking :	Off
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

ECHO ***(cont.)***

CWA Quarters IN NC :	0
CWA Current Compliance Status :	Terminated Permit
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	__U_____U
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.395556
Longitude :	-81.808056
Last Date in Agency List :	2026-05-11

FA 3 - FL

Facility Name :	LEE HEALTH COCONUT POINT
Facility Address :	23450 VIA COCONUT POINT, ESTERO, 33928
County :	LEE
Effectivity Date :	2025-04-01
Expiration Date :	2026-04-01
Facility ID :	9816100
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	C
Financial Responsibility :	INSURANCE

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

FA 3 - FL ***(cont.)***

Insurance Company :	LIBERTY SURPLUS INSURANCE CORPORATION
Facility Phone :	2393438542
Owner ID :	85761
Owner Name :	LEE HEALTH SYSTEM INC
Address :	4211 METRO PKWY ,SU#200, FORT MYERS, FL 33916
Contact Name :	SERGIO PAIS / PLANT OPS INFO 239-343-8541
Phone :	2393438542
Last Date in Agency List :	2026-06-03

FRS

Facility Name :	LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO
Facility Address :	23450 VIA COCONUT POINT, BONITA SPRINGS, FL 34135
County :	LEE

Site Details

Registry ID :	110070002909
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2023-06-19

Source Description

Source Description :

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest

Source and System ID :	ICIS - FLR10TP43 ICIS - FLR20BA84
Facility Name :	LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO
Facility Address :	23450 VIA COCONUT PT, ESTERO, FL 34135-1877
County :	LEE

Site Details

Registry ID :	110070002909
FRS Facility URL :	Click here for hyperlink provided by the agency.

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

FRS ***(cont.)***

Last Date in Agency List : 2023-12-27

Source Description

Source Description :

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest

Source and System ID : ICIS - FLR10TP43
ICIS - FLR20BA84

Facility Name : LEE HEALTH VILLAGE AT COCONUT POINT
Facility Address : 23450 VIA COCONUT POINT, BONITA SPRINGS, FL 34135
County : LEE

Site Details

Registry ID : 110070002909
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description

Source Description :

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest

Source and System ID : ICIS - FLR10TP43
ICIS - FLR20BA84

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

ICIS

Facility Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO
Facility Address : 23450 VIA COCONUT POINT, BONITA SPRINGS, FL 34135

Site Details
NPDES ID : FLR10TP43
ICIS Facility Interest ID : 3601205328
Facility UIN : 110070002909
Facility Type Code : N/R
Impaired Waters : N/R
Latitude : 26.3955556
Longitude : -81.8080556
Last Date in Agency List : 2023-04-11

Facility Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO
Facility Address : 23450 VIA COCONUT PT, ESTERO, FL 34135-1877

Site Details
NPDES ID : FLR10TP43
ICIS Facility Interest ID : 3601205328
Facility UIN : 110070002909
Facility Type Code : N/R
Impaired Waters : 303(D) Listed
Latitude : 26.3955556
Longitude : -81.8080556
Last Date in Agency List : 2025-12-15

Facility Name : LEE HEALTH VILLAGE AT COCONUT POINT
Facility Address : 23450 VIA COCONUT POINT, BONITA SPRINGS, FL 34135

Site Details
NPDES ID : FLR10TP43
ICIS Facility Interest ID : 3601205328
Facility UIN : 110070002909
Facility Type Code : N/R
Impaired Waters : 303(D) Listed
Latitude : 26.3955556
Longitude : -81.8080556
Last Date in Agency List : 2021-08-17

NPDES ID : FLR20BA84
ICIS Facility Interest ID : 3600255278

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

ICIS ***(cont.)***

Facility UIN :	110070002909
Facility Type Code :	N/R
Impaired Waters :	303(D) Listed
Latitude :	26.3955556
Longitude :	-81.8080556
Last Date in Agency List :	2025-12-15

INACTIVE PCS

Issue Date :	2020-05-23
Original Issue Date :	2020-05-23
Effective Date :	2020-05-23
Expiration Date :	2025-05-22
Retirement Date :	N/R
Termination Date :	2025-05-24
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3602212546
External Permit Number :	FLR10TP43
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Terminated
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Lee Memorial Health System
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR100000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2025-12-17

Issue Date :	2020-05-23
Original Issue Date :	2020-05-23
Effective Date :	2020-05-23
Expiration Date :	2025-05-22
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3602212546
External Permit Number :	FLR10TP43
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

INACTIVE PCS ***(cont.)***

Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Lee Memorial Health System
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR100000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2022-09-23

Issue Date :	2016-11-25
Original Issue Date :	2016-11-25
Effective Date :	2016-11-25
Expiration Date :	2021-11-24
Retirement Date :	N/R
Termination Date :	2023-02-24
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3600872623
External Permit Number :	FLR20BA84
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Terminated
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Lee Memorial Health System
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR200000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2025-12-17

MANIFEST EPA

Manifest Details

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

MANIFEST EPA ***(cont.)***

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Manifest Number :	020547552FLE
Shipped Date :	2025-05-22
Updated Date :	2025-06-13
Received Date :	2025-06-04
Status :	Signed
Generator ID :	CESQG
Generator Name :	HAZ/LEE HEALTH COCONUT POINT
Generator Address :	23450 VIA COCONUT PT, ESTERO, FL 34135
Generator Mailing :	23450 VIA COCONUT POINT, ESTERO, FL 34135
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	ALLWORTH, INC. (ESOL)
Destination Mailing :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Address :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1230
DOT Information :	UN1230, Waste Methanol, 3 (6.1), PG-II ,"TOXIC"
Non Waste Description :	N/R
Quantity :	117 Pounds
Quantity Tons, Acute, Non-Acute :	0.0585, 0, 0.0585
Quantity Kg, Acute, Non-Acute :	0, 53.061255
Quantity Tons, Haz, Non-Haz :	0.0585, 0
Quantity Kg, Haz, Non-Haz :	53.061255, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, F003, U154
State Code :	N/R

Manifest Details

Manifest Number :	022236933JJK
Shipped Date :	2025-04-24
Updated Date :	2025-05-26
Received Date :	2025-05-07

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

MANIFEST EPA ***(cont.)***

Status :	Signed
Generator ID :	CESQG
Generator Name :	HAZ/LEE HEALTH COCONUT POINT
Generator Address :	23450 VIA COCONUT PT, ESTERO, FL 34135
Generator Mailing :	23450 VIA COCONUT POINT, ESTERO, FL 34135
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	ALLWORTH, INC. (ESOL)
Destination Mailing :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Address :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1230
DOT Information :	UN1230, Waste Methanol, 3 (6.1), PG-II ,"TOXIC"
Non Waste Description :	N/R
Quantity :	126 Pounds
Quantity Tons, Acute, Non-Acute :	0.063, 0, 0.063
Quantity Kg, Acute, Non-Acute :	0, 57.14289
Quantity Tons, Haz, Non-Haz :	0.063, 0
Quantity Kg, Haz, Non-Haz :	57.14289, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, F003, U154
State Code :	N/R

Manifest Details

Manifest Number :	022236934JJK
Shipped Date :	2025-04-24
Updated Date :	2025-05-26
Received Date :	2025-05-07
Status :	Signed
Generator ID :	CESQG
Generator Name :	RXW/COCONUT POINT
Generator Address :	23450 VIA COCONUT PT, ESTERO, FL 34135
Generator Mailing :	23450 VIA COCONUT PT, ESTERO, FL 34135
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	ALLWORTH, INC. (ESOL)

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

MANIFEST EPA ***(cont.)***

Destination Mailing :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Address :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN3248
DOT Information :	UN3248, Waste Medicine, liquid, flammable, toxic, n.o.s. (ALCOHOLS, CRESOLS), 3 (6.1), PG-II
Non Waste Description :	N/R
Quantity :	79 Pounds
Quantity Tons, Acute, Non-Acute :	0.0395, 0.0395, 0
Quantity Kg, Acute, Non-Acute :	35.827685, 0
Quantity Tons, Haz, Non-Haz :	0.0395, 0
Quantity Kg, Haz, Non-Haz :	35.827685, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D007, D008, D009, D010, D011, D018, P001, P075, P188, U010, U035, U058, U059, U150, U188, U205, U206
State Code :	N/R

Manifest Details

Manifest Number :	022236676JJK
Shipped Date :	2025-04-09
Updated Date :	2025-06-10
Received Date :	2025-04-22
Status :	Signed
Generator ID :	FLCESQG
Generator Name :	LEE HEALTH COCONUT POINT
Generator Address :	23450 VIA COCONUT POINT, ESTERO, FL 33928
Generator Mailing :	23450 VIA COCONUT POINT, ESTERO, FL 33928
Generator Contact :	N/R
Destination ID :	TXD000838896
Destination Name :	VEOLIA ES TECHNICAL SOLUTIONS,
Destination Mailing :	L.L.C. 7665 HIGWAY 73, BEAUMONT, TX 77705
Destination Address :	7665 L.L.C. 7665 HIGWAY 73, BEAUMONT, TX 77705

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

MANIFEST EPA ***(cont.)***

Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN3266
DOT Information :	UN3266, WASTE CORROSIVE LIQUID, BASIC, INORGANIC, n.o.s. (SODIUM HYDROXIDE) (GUANIDINE THIOCYANATE), 8, I
Non Waste Description :	N/R
Quantity :	115 Pounds
Quantity Tons, Acute, Non-Acute :	0.0575, 0, 0.0575
Quantity Kg, Acute, Non-Acute :	0, 52.154225
Quantity Tons, Haz, Non-Haz :	0.0575, 0
Quantity Kg, Haz, Non-Haz :	52.154225, 0
Management Method :	H040 - INCINERATION
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R

Manifest Details

Manifest Number :	022237530JJK
Shipped Date :	2025-03-26
Updated Date :	2025-04-09
Received Date :	2025-04-07
Status :	Signed
Generator ID :	CESQG
Generator Name :	HAZ/LEE HEALTH COCONUT POINT
Generator Address :	23450 VIA COCONUT PT, ESTERO, FL 34135
Generator Mailing :	23450 VIA COCONUT POINT, ESTERO, FL 34135
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	ALLWORTH, INC. (ESOL)
Destination Mailing :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Address :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

MANIFEST EPA ***(cont.)***

Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1230
DOT Information :	UN1230, Waste Methanol, 3 (6.1), PG-II ,"TOXIC"
Non Waste Description :	N/R
Quantity :	128 Pounds
Quantity Tons, Acute, Non-Acute :	0.064, 0, 0.064
Quantity Kg, Acute, Non-Acute :	0, 58.04992
Quantity Tons, Haz, Non-Haz :	0.064, 0
Quantity Kg, Haz, Non-Haz :	58.04992, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, F003, U154
State Code :	N/R

NPDES - FL

Facility Name :	Lee Health Coconut Point-Bonita Health Care Driveway Interco
Facility Address :	23450 Via Coconut Point, Bonita Springs
County :	LEE

Site Details

Issue Date :	2020-05-23
Effective Date :	2020-05-23
Expiration Date :	2025-05-22
Facility ID :	FLR10TP43
Facility Type :	Construction Stormwater GP
Status :	Active
NPDES :	N/R
Company Name :	Lee Memorial Health System
Document Description :	Generic Permit
Nature of Business :	N/R
Ownership Type :	Unknown
Treatment Process Summary :	N/R
Department Office :	Tallahassee NPDES Stormwater
Capacity (MGD) :	N/R
DW Class :	N/R
Last Date in Agency List :	2022-12-14

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

NPDES - FL ***(cont.)***

Related Party Details

Related Party Name :	Dave Kistel, PMTE
Related Party Address :	Po Box 2218, Fort Myers FL 33902
Related Party Address 2 :	N/R
Related Party Phone :	N/R
Related Party Email :	dave.kistel@leehealth.org
Facility Name :	Lee Health Coconut Point-Bonita Health Care Driveway Interco
Facility Address :	23450 Via Coconut Pt, Estero
County :	LEE

Site Details

Issue Date :	2020-05-23
Effective Date :	N/R
Expiration Date :	2025-05-22
Facility ID :	FLR10TP43
Facility Type :	Construction Stormwater GP
Status :	Active
NPDES :	N/R
Company Name :	Lee Memorial Health System
Document Description :	Generic Permit
Nature of Business :	N/R
Ownership Type :	Unknown
Treatment Process Summary :	N/R
Department Office :	Tallahassee NPDES Stormwater
Capacity (MGD) :	1.9
DW Class :	N/R
Last Date in Agency List :	2025-06-12

Related Party Details

Related Party Name :	Dave Kistel
Related Party Address :	Po Box 2218, Fort Myers FL 33902-
Related Party Address 2 :	-
Related Party Phone :	-
Related Party Email :	dave.kistel@leehealth.org
Facility Name :	Lee Health Village at Coconut Point
Facility Address :	23450 Via Coconut Point, Bonita Springs
County :	LEE

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

NPDES - FL ***(cont.)***

Site Details

Issue Date :	2016-11-25
Effective Date :	2016-11-25
Expiration Date :	2021-11-24
Facility ID :	FLR20BA84
Facility Type :	Construction Generic Dewatering
Status :	Active
NPDES :	N/R
Company Name :	Lee Memorial Health System
Document Description :	Generic Permit
Nature of Business :	N/R
Ownership Type :	Unknown
Treatment Process Summary :	N/R
Department Office :	Tallahassee NPDES Stormwater
Capacity (MGD) :	N/R
DW Class :	N/R
Last Date in Agency List :	2022-12-14

Related Party Details

Related Party Name :	David E Kistel, PMTE
Related Party Address :	636 Del Prado Blvd, Cape Coral FL 33990-2695
Related Party Address 2 :	N/R
Related Party Phone :	N/R
Related Party Email :	dave.kistel@leememorial.org

PCS FACILITY

Issue Date :	2020-05-23
Original Issue Date :	2020-05-23
Effective Date :	2020-05-23
Expiration Date :	2025-05-22
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3602212546
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Lee Memorial Health System
Permit Comp Status :	Y
RNC Tracking :	Y

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

PCS FACILITY ***(cont.)***

Master External Permit Number :	FLR100000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2023-04-12

Issue Date :	2020-05-23
Original Issue Date :	2020-05-23
Effective Date :	2020-05-23
Expiration Date :	2025-05-22
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3602212546
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Lee Memorial Health System
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR100000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2021-08-19

Issue Date :	2016-11-25
Original Issue Date :	2016-11-25
Effective Date :	2016-11-25
Expiration Date :	2021-11-24
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3600872623
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Administratively Continued
Total Design Flow Number :	N/R

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

PCS FACILITY ***(cont.)***

Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Lee Memorial Health System
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR200000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2022-01-14

Issue Date :	2020-05-23
Original Issue Date :	2020-05-23
Effective Date :	2020-05-23
Expiration Date :	2025-05-22
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3602212546
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Lee Memorial Health System
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR100000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2025-10-09

T 2 - FL

Facility Name :	Lee Health-Lee Health Coconut Point
Facility Address :	23450 via Coconut Pt, Estero, FL 34135
County :	Lee

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

T 2 - FL ***(cont.)***

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Filing Year :	2024(Tier2)
Filing Type :	312
Company Name :	Lee Health
Facility ID :	7590484
State Facility ID :	N/R
SIC :	N/R
NAICS :	622110 - General Medical and Surgical Hospitals
Dun & Bradstreet Code :	861423945
De-Registered Date :	N/R
Data Submitted by :	Dawn Thomas
Contact 1 - Name :	RICK DIETER
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	rick.dieter@leehealth.org
Contact 1 - 24-hour Phone :	239-560-6192
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2025-02-24
First Submit Date :	2025-02-24(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2026-02-19

Chemical Information

Filing Year :	2024(Tier2)
CAS Number :	57136
Chemical Name :	Urea
Maximum Daily Quantity :	1,500
Average Daily Quantity :	1,500
Max Amount in Largest Container :	1,500
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	1
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	T
Pure :	F
Mixture :	T

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

T 2 - FL ***(cont.)***

Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2024(Tier2)
CAS Number :	68476346
Chemical Name :	Diesel
Maximum Daily Quantity :	24,000
Average Daily Quantity :	24,000
Max Amount in Largest Container :	12,000
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	2
R :	0
S :	-
Solid :	F
Liquid :	T

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

T 2 - FL ***(cont.)***

Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	T

Filing Year :	2024(Tier2)
CAS Number :	7782447
Chemical Name :	oxygen, compressed
Maximum Daily Quantity :	3,200
Average Daily Quantity :	3,000
Max Amount in Largest Container :	3,000
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	3
F :	0
R :	0

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

T 2 - FL ***(cont.)***

S :	OX
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	T

Filing Year :	2023(Tier2)
Filing Type :	312
Company Name :	Lee Health
Facility ID :	7393336
State Facility ID :	N/R
SIC :	N/R
NAICS :	622110 - General Medical and Surgical Hospitals
Dun & Bradstreet Code :	861423945
De-Registered Date :	N/R

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

T 2 - FL ***(cont.)***

Data Submitted by :	Dawn Thomas
Contact 1 - Name :	RICK DIETER
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	rick.dieter@leehealth.org
Contact 1 - 24-hour Phone :	239-560-6192
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2024-02-28
First Submit Date :	2024-02-28(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2025-02-12

Chemical Information

Filing Year :	2023(Tier2)
CAS Number :	57136
Chemical Name :	Urea
Maximum Daily Quantity :	1,500
Average Daily Quantity :	1,500
Max Amount in Largest Container :	1,500
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	1
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	T
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

T 2 - FL ***(cont.)***

Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2023(Tier2)
CAS Number :	68476346
Chemical Name :	Diesel
Maximum Daily Quantity :	24,000
Average Daily Quantity :	24,000
Max Amount in Largest Container :	12,000
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	2
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

T 2 - FL ***(cont.)***

Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	T

Filing Year :	2023(Tier2)
CAS Number :	7782447
Chemical Name :	oxygen, compressed
Maximum Daily Quantity :	3,200
Average Daily Quantity :	3,000
Max Amount in Largest Container :	3,000
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	OX
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

T 2 - FL ***(cont.)***

Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	T

Filing Year :	2022(Tier2)
Filing Type :	312
Company Name :	Lee Health
Facility ID :	7299929
State Facility ID :	N/R
SIC :	N/R
NAICS :	622110 - General Medical and Surgical Hospitals
Dun & Bradstreet Code :	861423945
De-Registered Date :	N/R
Data Submitted by :	Dawn Thomas
Contact 1 - Name :	RONNIE CECIL
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	ronnie.cecil@leehealth.org
Contact 1 - 24-hour Phone :	239-246-7345
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2023-02-27
First Submit Date :	2023-02-27(Tier2)
Latitude :	N/R

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

T 2 - FL ***(cont.)***

Longitude :	N/R
Last Date in Agency List :	2023-07-21

Chemical Information

Filing Year :	2022(Tier2)
CAS Number :	57136
Chemical Name :	Urea
Maximum Daily Quantity :	1,500
Average Daily Quantity :	1,500
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	1
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	T
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

T 2 - FL ***(cont.)***

Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
CAS Number :	68476346
Chemical Name :	Diesel
Maximum Daily Quantity :	24,000
Average Daily Quantity :	24,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	2
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

T 2 - FL ***(cont.)***

Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	T

Filing Year :	2022(Tier2)
CAS Number :	7782447
Chemical Name :	oxygen, compressed
Maximum Daily Quantity :	3,200
Average Daily Quantity :	3,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	OX
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

T 2 - FL ***(cont.)***

Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	T

Filing Year :	2021(Tier2)
Filing Type :	312
Company Name :	Lee Health
Facility ID :	7120195
State Facility ID :	N/R
SIC :	N/R
NAICS :	622110 - General Medical and Surgical Hospitals
Dun & Bradstreet Code :	861423945
De-Registered Date :	N/R
Data Submitted by :	Dawn Thomas
Contact 1 - Name :	RONNIE CECIL
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	ronnie.cecil@leehealth.org
Contact 1 - 24-hour Phone :	239-246-7345
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2022-02-16
First Submit Date :	2022-02-16(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2022-12-20

Chemical Information

Filing Year :	2021(Tier2)
CAS Number :	57136
Chemical Name :	Urea
Maximum Daily Quantity :	1,500
Average Daily Quantity :	1,500
Max Amount in Largest Container :	N/R
EHS :	N/R

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

T 2 - FL ***(cont.)***

Below Thresholds :	T
Trade Secret :	N/R
H :	1
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	T
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2021(Tier2)
CAS Number :	68476346
Chemical Name :	Diesel
Maximum Daily Quantity :	24,000

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

T 2 - FL ***(cont.)***

Average Daily Quantity :	24,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	2
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	T

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

T 2 - FL ***(cont.)***

Filing Year :	2021(Tier2)
CAS Number :	7782447
Chemical Name :	oxygen, compressed
Maximum Daily Quantity :	3,200
Average Daily Quantity :	3,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	OX
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

T 2 - FL ***(cont.)***

Hazard Not Otherwise Classified :	T

Filing Year :	2020(Tier2)
Filing Type :	312
Company Name :	Lee Health
Facility ID :	6825972
State Facility ID :	N/R
SIC :	N/R
NAICS :	622110 - General Medical and Surgical Hospitals
Dun & Bradstreet Code :	861423945
De-Registered Date :	N/R
Data Submitted by :	Dawn Thomas
Contact 1 - Name :	RONNIE CECIL
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	ronnie.cecil@leehealth.org
Contact 1 - 24-hour Phone :	239-246-7345
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2021-02-23
First Submit Date :	2021-02-23(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2022-01-06

Chemical Information

Filing Year :	2020(Tier2)
CAS Number :	57136
Chemical Name :	Urea
Maximum Daily Quantity :	1,500
Average Daily Quantity :	1,500
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	1
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	T
Pure :	F
Mixture :	T
Explosive :	F

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

T 2 - FL ***(cont.)***

Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2020(Tier2)
CAS Number :	68476346
Chemical Name :	Diesel
Maximum Daily Quantity :	24,000
Average Daily Quantity :	24,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	2
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

T 2 - FL ***(cont.)***

Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	T

Filing Year :	2020(Tier2)
CAS Number :	7782447
Chemical Name :	oxygen, compressed
Maximum Daily Quantity :	3,200
Average Daily Quantity :	3,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	OX

Map Id: G78
Direction: N
Distance: 0.110 mi., 579 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : LEE HEALTH COCONUT POINT-BONITA HEALTH CARE DRIVEWAY INTERCO | LEE HEALTH VILLAGE AT COCONUT POINT | LEE HEALTH COCONUT POINT
23450 VIA COCONUT POINT | 23450 VIA COCONUT PT
BONITA SPRINGS | ESTERO | Estero, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, T 2 - FL] ***(cont.)***

Envirosite ID: 68173793
EPA ID: CESQG

T 2 - FL ***(cont.)***

Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	T

Map Id: F79
Direction: NNW
Distance: 0.110 mi., 580 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : SUMMIT BROADBAND INC.
24017 PRODUCTION CIR
BONITA SPRINGS, FL 34135

Database(s) : [AST - FL, FA 3 - FL]

Envirosite ID: 68173794
EPA ID: N/R

AST - FL

Facility Name :	SUMMIT BROADBAND INC.
Facility Address :	24017 PRODUCTION CIR, BONITA SPRINGS, 34135
County :	LEE

Site Details

Facility ID :	9815652
Facility Phone :	N/R
Facility Status :	OPEN
Facility Type :	C
Type Description :	Fuel user/Non-retail
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	69422
Owner Name :	ORLANDO TELEPHONE CO
Owner Address 1 :	N/R
Owner Address 2 :	ATTN: STORAGE TANK REGIS
Owner Phone :	4079967166
Contact :	PETRA O'NEILL
DEP Contractor Own :	C

Tank Information

Tank ID :	SW1
Gallons :	2500
Tank Location :	ABOVEGROUND
Substance :	Emerg Generator Diesel
Install Date :	2008-02-13
Status :	In Service
Status Date :	2017-06-02
Construction Items :	Primary Construction - Fiberglass clad steel
Monitoring Items :	Miscellaneous - Unknown
Piping Items :	Miscellaneous Attributes - Abv, no soil contact Primary Construction - Fiberglass
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

FA 3 - FL

Facility Name :	SUMMIT BROADBAND INC.
Facility Address :	24017 PRODUCTION CIR, BONITA SPRINGS, 34135
County :	LEE

Map Id: F79
Direction: NNW
Distance: 0.110 mi., 580 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : SUMMIT BROADBAND INC.
24017 PRODUCTION CIR
BONITA SPRINGS, FL 34135

Database(s) : [AST - FL, FA 3 - FL] ***(cont.)***

Envirosite ID: 68173794
EPA ID: N/R

FA 3 - FL ***(cont.)***

Effectivity Date :	N/R
Expiration Date :	N/R
Facility ID :	9815652
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	CRUM & FORSTER SPECIALTY INS. CO.
Facility Phone :	N/R
Owner ID :	69422
Owner Name :	ORLANDO TELEPHONE CO
Address :	4558 35TH ST ATTN: STORAGE TANK REGIS, ORLANDO, FL 32811
Contact Name :	PETRA O'NEILL
Phone :	4079967166
Last Date in Agency List :	2026-06-03

Map Id: C80
Direction: SE
Distance: 0.113 mi., 598 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : AAC5355
26671 OLD US HWY 41 RD | 26671 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173834
EPA ID: N/R

DEDB - FL

Sample Date :	2005-12-08
Sample ID :	051209-052
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5355
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	HIGGINSON BARBER SHOP
Well Address :	26671 OLD US HWY 41 RD
Well Type :	50
Well Status :	INACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-051209-011
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2004-06-02
Sample ID :	040604-088
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5355
Analyte :	ETHYLENE DIBROMIDE (EDB)

Map Id: C80
Direction: SE
Distance: 0.113 mi., 598 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : AAC5355
26671 OLD US HWY 41 RD | 26671 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173834
EPA ID: N/R

DEDB - FL ***(cont.)***

Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	HIGGINSON BARBER SHOP
Well Address :	26671 OLD US HWY 41 RD
Well Type :	50
Well Status :	INACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-040604-20
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2005-12-08
Sample ID :	051209-052
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5355
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	HIGGINSON BARBER SHOP
Well Address :	26671 OLD 41 RD
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.
Well Status :	INACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-051209-011
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2004-06-02
Sample ID :	040604-088
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5355
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	HIGGINSON BARBER SHOP
Well Address :	26671 OLD 41 RD
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	INACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-040604-20
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Map Id: C80
Direction: SE
Distance: 0.113 mi., 598 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : AAC5355
26671 OLD US HWY 41 RD | 26671 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173834
EPA ID: N/R

DEDB - FL ***(cont.)***

Sample Date :	2005-12-08
Sample ID :	051209-052
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5355
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	HIGGINSON BARBER SHOP
Well Address :	26671 OLD US HWY 41 RD
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.
Well Status :	INACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-051209-011
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

Sample Date :	2004-06-02
Sample ID :	040604-088
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5355
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	HIGGINSON BARBER SHOP
Well Address :	26671 OLD US HWY 41 RD
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	INACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-040604-20
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL]

Envirosite ID: 68173751
EPA ID: N/R

AFS

Facility Name :	CEMEX CONSTRUCTION MATERIALS FLORIDA LLC
Facility Address :	1425 WIGGINS PASS RD, NAPLES, FL 341106301
County :	Collier

Facility Summary

Program System ID :	FL0000001202100003
Facility Registry ID :	110039628196
EPA Region :	EPA Region 4 - AL, FL, GA, KY, MS, NC, SC, TN
SIC :	3273 - READY-MIXED CONCRETE
NAICS :	327320 - Ready-Mix Concrete Manufacturing
Facility Type :	Privately Owned Facility
Air Pollutant Class :	Minor Emissions
Air Operating Status :	Operating
Current High Priority Violation (HPV):	No Violation Identified
Local Control Region Name :	N/R
Last Date in Agency List :	2026-05-26

Air Pollutant Details

Program System ID :	FL0000001202100003
Pollutant :	VISIBLE EMISSIONS
Substance Registry Services ID (SRS):	1647650
Chemical Abstract Service Number :	N/R
Air Pollutant Class :	Emissions classification unknown

Program System ID :	FL0000001202100003
Pollutant :	PARTICULATE MATTER < 10 UM
Substance Registry Services ID (SRS):	1647619
Chemical Abstract Service Number :	N/R
Air Pollutant Class :	Minor Emissions

Program System ID :	FL0000001202100003
Pollutant :	FACIL
Substance Registry Services ID (SRS):	N/R
Chemical Abstract Service Number :	N/R
Air Pollutant Class :	Minor Emissions

Program System ID :	FL0000001202100003
Pollutant :	TOTAL PARTICULATE MATTER

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

AFS ***(cont.)***

Substance Registry Services ID (SRS):	1647643
Chemical Abstract Service Number :	N/R
Air Pollutant Class :	Minor Emissions

Air Violation History Details

HPV Day Zero Date :	N/R
HPV Resolved Date :	N/R
Program System ID :	FL0000001202100003
Activity ID :	N/R
Agency Type :	N/R
State Code :	N/R
Air Local Control Region Code (LCON):	N/R
Comp Determination UID :	N/R
Enforcement Response Policy :	N/R
Program :	N/R
Pollutant :	N/R
Earliest Determination Date of Federally Reportable Violation (FRV):	N/R

Facility Name :	CEMEX, CONSTRUCTION MATERIALS, LP
Facility Address :	1425 WIGGINS PASS ROAD, E., NAPLES, FL 34110
County :	Collier

Facility Summary

Program System ID :	FL0000001202100104
Facility Registry ID :	110007399216
EPA Region :	EPA Region 4 - AL, FL, GA, KY, MS, NC, SC, TN
SIC :	N/R
NAICS :	999999
Facility Type :	Privately Owned Facility
Air Pollutant Class :	Emissions classification unknown
Air Operating Status :	Permanently Closed
Current High Priority Violation (HPV):	No Violation Identified
Local Control Region Name :	N/R
Last Date in Agency List :	2026-05-26

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

AFS ***(cont.)***

Air Pollutant Details

Program System ID :	FL0000001202100104
Pollutant :	ADMIN
Substance Registry Services ID (SRS):	N/R
Chemical Abstract Service Number :	N/R
Air Pollutant Class :	Emissions classification unknown

Air Violation History Details

HPV Day Zero Date :	N/R
HPV Resolved Date :	N/R
Program System ID :	FL0000001202100104
Activity ID :	N/R
Agency Type :	N/R
State Code :	N/R
Air Local Control Region Code (LCON):	N/R
Comp Determination UID :	N/R
Enforcement Response Policy :	N/R
Program :	N/R
Pollutant :	N/R
Earliest Determination Date of Federally Reportable Violation (FRV):	N/R

AIRS - FL

Facility Name :	WIGGINS PASS FACILITY
Facility Address :	1425 WIGGINS PASS RD, NAPLES, 34110
County :	COLLIER
Startup Date (Relocation) :	N/R
Shutdown Date (Relocation) :	N/R
AIRS ID :	210003
Owner/Company Name :	CEMEX CONSTRUCTION MATERIALS FLORIDA LLC
Category :	POINT
Relocatable :	N
UTM Zone :	17
North :	2908.53
East :	420.81
Township :	N/R
Major Group SIC :	32
Government Facility Code :	0
Public Exempt :	N/R
One Time Title V Credit :	N

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

AIRS - FL ***(cont.)***

Title V :	N
Title V by EPA Designation :	N/R
Compliance Tracking Code :	B
Current Permit Indicator :	AG
Syn Non Title V Source :	N
Major of Non Haps Pollutants :	N/R
Syn Minor of Non Hap Pollutants :	N/R
Major of HAPS :	N/R
Syn Minor of HAPS :	N/R
NSPS :	N
NESHAP :	N
Emission Guidelines :	N/R
Small Business Stationary :	N/R
AOR Required :	N
Ozone SIP Facility :	N
Regulatory Comment :	N/R
Facility Final Shutdown Date :	N/R
Facility Office :	SD
Facility Status :	Active
Facility Type :	CONCRETE PLANT
Directions :	1425 WIGGINS PASS RD
Facility Comment :	04/02/09-EQUIPMENT CHANGE renewal of CCB Plant AGP Registration.
Last Date in Agency List :	2025-12-23

Startup Date (Relocation) :	N/R
Shutdown Date (Relocation) :	N/R
AIRS ID :	0210003
Owner/Company Name :	CEMEX CONSTRUCTION MATERIALS FLORIDA LLC
Category :	POINT
Relocatable :	N
UTM Zone :	17
North :	2908.53
East :	420.81
Township :	N/R
Major Group SIC :	32
Government Facility Code :	0
Public Exempt :	N/R
One Time Title V Credit :	N
Title V :	N
Title V by EPA Designation :	N/R
Compliance Tracking Code :	B
Current Permit Indicator :	AG
Syn Non Title V Source :	N
Major of Non Haps Pollutants :	N/R

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

AIRS - FL ***(cont.)***

Syn Minor of Non Hap Pollutants :	N/R
Major of HAPS :	N/R
Syn Minor of HAPS :	N/R
NSPS :	N
NESHAP :	N
Emission Guidelines :	N/R
Small Business Stationary :	N/R
AOR Required :	N
Ozone SIP Facility :	N
Regulatory Comment :	N/R
Facility Final Shutdown Date :	N/R
Facility Office :	SD
Facility Status :	Active
Facility Type :	CONCRETE PLANT
Directions :	1425 WIGGINS PASS RD
Facility Comment :	04/02/09-EQUIPMENT CHANGE renewal of CCB Plant AGP Registration.
Last Date in Agency List :	2020-03-10

AST - FL

Facility Name :	CEMEX - WIGGINS PASS RM, BLOCK AND PAVER
Facility Address :	1425 WIGGINS PASS RD E, NAPLES, 34110
County :	COLLIER

Site Details

Facility ID :	8518892
Facility Phone :	2395973162
Facility Status :	OPEN
Facility Type :	C
Type Description :	Fuel user/Non-retail
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	63629
Owner Name :	CEMEX CONSTRUCTION MATERIALS FL LLC
Owner Address 1 :	N/R
Owner Address 2 :	ATTN: STORAGE TANK REGIS
Owner Phone :	8133636112
Contact :	JASON JONES
DEP Contractor Own :	P

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

AST - FL ***(cont.)***

Tank Information

Tank ID :	1R1
Gallons :	12000
Tank Location :	ABOVEGROUND
Substance :	Unleaded Gas
Install Date :	1997-01-01
Status :	In Service
Status Date :	1997-01-01
Construction Items :	Miscellaneous Attributes - Compartmented Overfill/Spill - Level gauges/alarms Overfill/Spill - Spill containment bucket Primary Construction - Steel Secondary Containment - Double wall
Monitoring Items :	External Tk Monitoring - Visual inspection of ASTs Internal Tk Monitoring - Monitor dbl wall tank space Miscellaneous - Visual inspect dispenser liners
Piping Items :	Miscellaneous Attributes - Abv, no soil contact Miscellaneous Attributes - Pressurized piping system Miscellaneous Attributes - Dispenser liners Primary Construction - Steel/galvanized metal

Tank Information

Tank ID :	5
Gallons :	1000
Tank Location :	ABOVEGROUND
Substance :	Unleaded Gas
Install Date :	1981-07-01
Status :	Removed from Site
Status Date :	1990-09-30

Tank ID :	6
Gallons :	2000
Tank Location :	ABOVEGROUND
Substance :	Unleaded Gas
Install Date :	1981-07-01
Status :	Removed from Site

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

AST - FL ***(cont.)***

Status Date :	1997-04-01
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

CS - FL

Facility Name :	CEMEX - WIGGINS PASS RM, BLOCK AND PAVER
Facility Address :	1425 WIGGINS PASS RD E, NAPLES, 34110
County :	Collier
DEP Cleanup Site Key :	47262049
Program Site ID :	8518892
Program Source Data :	STCM
Program Area :	PETRO
Collection Date :	2003-04-14
Verification Date :	2003-04-14
Load Date :	2017-01-02
Verifier :	KOLANDA_S11
Collector :	KOLANDA_S11
Verifier Agency :	CONTRACTOR
Collection Agency :	CONTRACTOR
Verification Status :	REVIEWED
Remediation Status :	ACTIVE
Office/District :	SD
Comments :	N/R
Last Date in Agency List :	2017-01-05

DWM CONTAM - FL

Facility Name :	CEMEX - WIGGINS PASS RM, BLOCK AND PAVER
Facility Address :	1425 WIGGINS PASS RD E, NAPLES, FL 34110-1371
County :	COLLIER
Score Effective Date :	2013-02-12
Score :	9
Score Ranked :	9
Rank :	11086
Facility ID :	8518892
Facility Status :	OPEN
Facility Type :	C - Fuel user/Non-retail
County Code :	11

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

District :	SD
Operator :	DAN BEATTY
Phone :	(239)597-3162
Name Changed Date :	2008-09-18
Address Changed Date :	1998-11-04
Latitude Degrees :	26
Latitude Minutes :	17
Latitude Seconds :	33.8554
Longitude Degrees :	81
Longitude Minutes :	47
Longitude Seconds :	35.9495
Feature :	N/R
Method :	AGPS
Datum :	0
Section/Township/Range :	SEC 15, TWP 48, RNG 25
Related Party Begin Date :	2008-10-20
Related Party ID :	63629
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	CEMEX CONSTRUCTION MATERIALS FL LLC
Related Party Address 1 :	1720 CENTERPARK DR E, WEST PALM BEACH, FL 33401
Related Party Address 2 :	ATTN: STORAGE TANK REGIS
Contact :	JASON JONES
Related Party Phone :	(813)363-6112
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

ECHO

Facility Name :	CEMEX CONSTRUCTION MATERIALS FLORIDA LLC
Facility Address :	1425 WIGGINS PASS RD, NAPLES, FL 34110
County :	COLLIER
Last Inspection Date :	N/R
Registry ID :	110039628196
FIPS Code :	12021
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

ECHO ***(cont.)***

Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	50
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101022039
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	3273
Facility NAICS :	327320 - Ready-Mix Concrete Manufacturing
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

ECHO ***(cont.)***

Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	Y
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.294413
Longitude :	-81.794381
Last Date in Agency List :	2026-05-11

Facility Name :	CEMEX LLC - WIGGINS PASS
Facility Address :	1425 E. WIGGINS PASS ROAD, NAPLES, FL 34110
County :	COLLIER

Last Inspection Date :	2016-01-06
Registry ID :	110017860698
FIPS Code :	12021
EPA Region :	04
Inspection Count :	2
Last Inspection Days :	445
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	0
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

ECHO ***(cont.)***

Three-Year Compliance Status :	N/R
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	50
Derived Tribes :	Seminole Tribe of Florida - 24.4 mile(s)
Derived HUC :	03090204
Derived WBD :	N/R
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101022039
MYRTK Universe :	NNN
NPDES IDs :	FLG110055
CWA Permit Types :	Minor
CWA Compliance Tracking :	On
CWA NAICS :	327320
CWA SICS :	3273
CWA Inspection Count :	2
CWA Last Inspection Days :	445
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	3273
Facility NAICS :	327320 - Ready-Mix Concrete Manufacturing
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2016-01-06
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

ECHO ***(cont.)***

Federal Flag :	N
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N/R
Latitude :	26.294413
Longitude :	-81.794381
Last Date in Agency List :	2017-03-27
Facility Name :	CEMEX LLC - WIGGINS PASS
Facility Address :	1425 WIGGINS PASS ROAD EAST, NAPLES, FL 34110
County :	COLLIER
Last Inspection Date :	2024-12-10
Registry ID :	110007399216
FIPS Code :	12021
EPA Region :	04
Inspection Count :	2
Last Inspection Days :	306
Informal Count :	2
Last Informal Action Date :	2025-01-09
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	5
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

ECHO ***(cont.)***

Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101021012
MYRTK Universe :	NNN
NPDES IDs :	FLG110055
CWA Permit Types :	Non-M
CWA Compliance Tracking :	On
CWA NAICS :	327320
CWA SICS :	3273
CWA Inspection Count :	2
CWA Last Inspection Days :	305
CWA Informal Count :	2
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation Identified
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	_____
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	3273 9999
Facility NAICS :	327320 - Ready-Mix Concrete Manufacturing, 999999, 327331 - Concrete Block and Brick Manufacturing
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2024-12-10
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2025-01-09
Facility Federal Agency :	N/R
TRI Reporter :	Y
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

ECHO ***(cont.)***

AIR Flag :	Y
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	Y
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.295184
Longitude :	-81.792953
Last Date in Agency List :	2026-05-11
Facility Name :	KREHLING PLANT 1 NORTH
Facility Address :	1425 E. WIGGINS PASS ROAD, NAPLES, FL 34110
County :	COLLIER
Last Inspection Date :	2016-01-06
Registry ID :	110017860698
FIPS Code :	12021
EPA Region :	04
Inspection Count :	2
Last Inspection Days :	382
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	0
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation
Three-Year Compliance Status :	N/R
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	50
Derived Tribes :	Seminole Tribe of Florida - 24.4 mile(s)
Derived HUC :	03090204
Derived WBD :	N/R
Derived STCTY FIPS :	12021
Derived Zip :	34110

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

ECHO ***(cont.)***

Derived CD113 :	19
Derived CB2010 :	120210101022039
MYRTK Universe :	NNN
NPDES IDs :	FLG110055
CWA Permit Types :	Minor
CWA Compliance Tracking :	On
CWA NAICS :	327320
CWA SICS :	3273
CWA Inspection Count :	2
CWA Last Inspection Days :	382
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	3273
Facility NAICS :	327320 - Ready-Mix Concrete Manufacturing
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2016-01-06
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

ECHO ***(cont.)***

Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N/R
Latitude :	26.294413
Longitude :	-81.794381
Last Date in Agency List :	2017-01-27

EJ TOXIC RELEASE

Facility Name :	CEMEX WIGGINS PASS
Facility Address :	1425 WIGGINS PASS RD. E., NAPLES, FL 34110
County :	COLLIER COUNTY
Registry ID :	110007399216
Program System :	TRIS
Program System ID :	3411WCMXWG1425W
EPA Region :	Region 4
Latitude :	26.295547
Longitude :	-81.792762
Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2025-01-14

EPA LUST

Facility Name :	CEMEX - WIGGINS PASS RM, BLOCK AND PAVER
Facility Address :	1425 WIGGINS PASS RD E, NAPLES, Florida
County :	N/R
Facility ID :	FL8518892
LUST ID :	FL14293
Reported Date :	1993-11-03
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	475
Estimated Private Domestic Wells within 1500ft:	14
Within Source Water Protection Area (SPA):	No

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

EPA LUST ***(cont.)***

SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.29278
Longitude :	-81.7930599999999
Last Date in Agency List :	2024-05-23

Facility ID :	FL8518892
LUST ID :	FL17918
Reported Date :	1992-05-07
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	475
Estimated Private Domestic Wells within 1500ft:	14
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.29278

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

EPA LUST ***(cont.)***

Longitude :	-81.7930599999999
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	CEMEX - WIGGINS PASS RM, BLOCK AND PAVER
Facility Address :	1425 WIGGINS PASS RD E, NAPLES, Florida 34110
County :	N/R
Facility ID :	FL8518892
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	4
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.29277778
Longitude :	-81.79305556
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8518892-1
Tank Status :	Closed
Installation Date :	1973-07-01
Removal Date :	N/R
Capacity :	8000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R
Tank ID :	FL8518892-2
Tank Status :	Closed
Installation Date :	1973-07-01
Removal Date :	N/R
Capacity :	8000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

EPA UST ***(cont.)***

Tank ID :	FL8518892-3
Tank Status :	Closed
Installation Date :	1973-07-01
Removal Date :	N/R
Capacity :	8000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R

Tank ID :	FL8518892-4
Tank Status :	Closed
Installation Date :	1973-07-01
Removal Date :	N/R
Capacity :	8000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R

ERNS

Facility Address :	1425 WIGGINS PASS ROAD, NAPLES, FL 34110
County :	COLLIER

Incident Information

Incident Date Time :	2022-01-10 11:25:00
Type of Incident :	MOBILE
Incident Cause :	OTHER
Incident DTG :	DISCOVERED
Incident Location :	N/R
Sequence Number :	1326235
Potential Flag :	N
Description of Incident :	CALLER STATES THAT A CEMENT COMPANY HAS BEEN DRAGGING SILICA DUST INTO THE ATMOSPHERE. CALLER STATES THIS HAPPENS EVERY TIME THEY DRIVE THEIR TRUCKS IN AND OUT OF THE FACILITY. CALLER IS CONCERNED FOR THE CITIZENS BEING EXPOSED TO THIS DUST.
Last Date in Agency List :	2023-01-17

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

ERNS ***(cont.)***

Incident Response Summary

Date Time Received :	2022-01-10 11:32:00
Date Time Completed :	2022-01-10 11:43:00
Call Type :	Incident
Source :	TELEPHONE
Responsible Company :	CEMEX CEMENT COMPANY
Responsible Org Type :	PRIVATE ENTERPRISE
Responsible City :	NAPLES
Responsible State :	FL
Responsible Zip :	34110

Incident Details Summary

Remedial Action :	NONE
Medium :	ATMOSPHERE
Medium Description :	AIR
Body of Water :	N/R
Weather Conditions :	SUNNY
Water Temperature :	N/R
Water Supply Contaminated :	U
Waterway Closed :	N
Waterway Description :	N/R

Additional Incident Details Summary

Actual Amount :	N/R
Actual Amount Units :	N/R
Capacity of Tank :	N/R
Capacity of Tank Units :	N/R
Continuous Release Begin Date :	N/R
Continuous Release End Date :	N/R
Continuous Release Change Date :	N/R
Continuous Release Permit :	N/R
Continuous Release Type :	N/R
Description of Tank :	N/R
Device Operational :	U
DOT Crossing Number :	N/R
DOT Regulated :	U
NPDES :	N/R
NPDES Compliance :	U
Pipeline Aboveground :	ABOVE
Pipeline Covered :	U
Pipeline Type :	N/R

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

ERNS ***(cont.)***

Tank ID :	N/R
Tank Regulated :	U
Tank Regulated by :	N/R

Materials Involved Summary

Name of Material :	SILICA DUST
CAS Number :	000000-00-0
Amount of Material :	0
Unit of Measure :	UNKNOWN AMOUNT
UN Number :	N/R
CHRIS Code :	NCC
Reached Water :	NO
Amount in Water :	N/R
Unit of Measure (Reach Water) :	N/R

Mobile Details

Vehicle Own Fuel Capacity :	N/R
Cargo Capacity :	N/R
Amount of Cargo on Board :	N/R
Hazmat Carrier :	U
Carrier Licensed :	U
Noncompliance with Hazmat :	U
Mobile Type :	TRACTOR TRAILER
Cargo Capacity Units :	N/R
Amount of Cargo on Board Units :	N/R
Vehicle Year :	N/R
Vehicle Make :	N/R
Vehicle Model :	N/R
Vehicle Number :	UNKNOWN
Trailer Number :	N/R

FA 3 - FL

Facility Name :	CEMEX - WIGGINS PASS RM, BLOCK AND PAVER
Facility Address :	1425 WIGGINS PASS RD E, NAPLES, 34110
County :	COLLIER

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

FA 3 - FL ***(cont.)***

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Effectivity Date :	2021-04-14
Expiration Date :	2024-04-14
Facility ID :	8518892
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	SELF-INSURANCE - LETTER FROM CHIEF FINANCIAL OFFIC
Insurance Company :	N/R
Facility Phone :	2395973162
Owner ID :	63629
Owner Name :	CEMEX CONSTRUCTION MATERIALS FL LLC
Address :	1720 CENTERPARK DR E ATTN: STORAGE TANK REGIS, WEST PALM BEACH, FL 33401
Contact Name :	JASON JONES
Phone :	8133636112
Last Date in Agency List :	2026-06-03

Effectivity Date :	2020-04-14
Expiration Date :	2021-04-14
Facility ID :	8518892
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	SELF-INSURANCE - LETTER FROM CHIEF FINANCIAL OFFIC
Insurance Company :	N/R
Facility Phone :	2395973162
Owner ID :	63629
Owner Name :	CEMEX CONSTRUCTION MATERIALS FL LLC
Address :	1720 CENTERPARK DR E ATTN: STORAGE TANK REGIS, WEST PALM BEACH, FL 33401
Contact Name :	JASON JONES
Phone :	8133636112
Last Date in Agency List :	2026-06-03

Effectivity Date :	2019-04-14
Expiration Date :	2020-04-14
Facility ID :	8518892
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

FA 3 - FL ***(cont.)***

DEP Contractor :	P
Financial Responsibility :	SELF-INSURANCE - LETTER FROM CHIEF FINANCIAL OFFIC
Insurance Company :	N/R
Facility Phone :	2395973162
Owner ID :	63629
Owner Name :	CEMEX CONSTRUCTION MATERIALS FL LLC
Address :	1720 CENTERPARK DR E ATTN: STORAGE TANK REGIS, WEST PALM BEACH, FL 33401
Contact Name :	JASON JONES
Phone :	8133636112
Last Date in Agency List :	2026-06-03

Effectivity Date :	2018-04-15
Expiration Date :	2019-04-14
Facility ID :	8518892
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	SELF-INSURANCE - LETTER FROM CHIEF FINANCIAL OFFIC
Insurance Company :	N/R
Facility Phone :	2395973162
Owner ID :	63629
Owner Name :	CEMEX CONSTRUCTION MATERIALS FL LLC
Address :	1720 CENTERPARK DR E ATTN: STORAGE TANK REGIS, WEST PALM BEACH, FL 33401
Contact Name :	JASON JONES
Phone :	8133636112
Last Date in Agency List :	2026-06-03

Effectivity Date :	2017-04-15
Expiration Date :	2018-04-14
Facility ID :	8518892
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	SELF-INSURANCE - LETTER FROM CHIEF FINANCIAL OFFIC
Insurance Company :	N/R
Facility Phone :	2395973162
Owner ID :	63629
Owner Name :	CEMEX CONSTRUCTION MATERIALS FL LLC
Address :	1720 CENTERPARK DR E ATTN: STORAGE TANK REGIS, WEST PALM BEACH, FL 33401
Contact Name :	JASON JONES

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

FA 3 - FL ***(cont.)***

Phone : 8133636112
Last Date in Agency List : 2026-06-03

FRS

Facility Name : CEMEX CONSTRUCTION MATERIALS FLORIDA LLC
Facility Address : 1425 WIGGINS PASS RD, NAPLES, FL 341106301
County : COLLIER

Site Details
Registry ID : 110039628196
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description
Source Description : AIR contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies. AFS contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies.

FRS Environmental Interest
Source and System ID : AIRS/AFS - 1202100003
ICIS - FL0000001202100003

Facility Name : CEMEX-F.E.C., OFFICE-RINKER F.E.C., OFFICE
Facility Address : 1425 EAST WIGGINS PASS RD, NAPLES, FL 34110
County : N/R

Site Details
Registry ID : 110047043800
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2021-05-03

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

FRS ***(cont.)***

Source Description

Source Description :

The Safe Drinking Water Information System Federal Data Warehouse contains information about public water systems and their violations of EPA's drinking water regulations.

FRS Environmental Interest

Source and System ID :	SFDW - FL4134439 76334134439
Facility Name :	CEMEX LLC - WIGGINS PASS
Facility Address :	1425 E. WIGGINS PASS ROAD, NAPLES, FL 34110
County :	COLLIER

Site Details

Registry ID :	110017860698
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2017-05-11

Source Description

Source Description :

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest

Source and System ID :	ICIS - FLG110055
Facility Name :	CEMEX LLC - WIGGINS PASS
Facility Address :	1425 WIGGINS PASS ROAD EAST, NAPLES, FL 34110-6301

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

FRS ***(cont.)***

County : COLLIER

Site Details
Registry ID : 110007399216
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description
Source Description : AIR contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies.
AFS contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies.
The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.
The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

Source Description : RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.
TRIS is a publicly available EPA database reported annually by certain covered industry groups, as well as federal facilities. It contains information about more than 650 toxic chemicals that are being used, manufactured, treated, transported, or released into the environment, and includes information about waste management and pollution prevention activities.

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

FRS ***(cont.)***

FRS Environmental Interest
Source and System ID : AIRS/AFS - 1202100104
FLORIDA DEP - 14928
ICIS - FL0000001202100104
ICIS - FLG110055
RCRAINFO - FLD984222844
TRIS - 3411WCMXWG1425W

Facility Name : IMMOKALEE CONCRETE BATCH PLANT
Facility Address : 1425 WIGGINS PASS RD, NAPLES, FL 34110
County : COLLIER

Site Details
Registry ID : 110035753084
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

FRS Environmental Interest
Source and System ID : FLORIDA DEP - 75918

GWIF - FL

Facility Name : Cemex Plant #1
Facility Address : 1425 Wiggins Pass RD, NAPLES, 34110
County : COLLIER

Facility ID : 8518892
Facility Type : PETROLEUM
Location ID : 182791

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

GWIF - FL ***(cont.)***

Location Method :	DGPS = Differentially Corrected GPS
GPS ID :	182791
GPS Date :	2013-01-02
HAE (Height Above Ellipsoid) :	7.88
Project ID :	SUPER
Insp Name :	Jaime Cook
Insp CHD :	COLLIER
Request Number :	57817
Datum :	WS1984
Software :	Risk_Solo_v2
Streetside :	N/R
Agency :	DOH
Comment :	p7 in 12/16/1993 CAR
Latitude :	26.292028
Longitude :	-81.792711
Last Date in Agency List :	2026-05-09

HIST PCS ENF

Facility Name :	KREHLING PLANT 1 NORTH
Facility Address :	1425 E. WIGGINS PASS ROAD, NAPLES, FL 34110
Effective Date :	2013-08-08
Expiration Date :	2018-08-07
NPDES ID :	FLG110055
FRS Facility Site ID :	1559730
Primary Facility SIC Code :	N/R
Primary Facility SIC Description :	N/R
Current Major/Minor Status :	Minor
Facility Type Description :	Privately Owned Facility
Facility Non-Government Contact Name:	N/R
Facility Non-Gov Addresses :	1425 WIGGIN PASS ROAD, NAPLES, FL 34110
Total Actual Average Flow (MGD) :	N/R
Total App. Design Flow (MGD) :	N/R
Pretreat Program Required Indicator :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Tribal Land Code :	N/R
Tribal Land Name :	N/R
Contact Office Telephone Number :	N/R
Permit Non-Gov Addresses :	1501 Belvedere Rd
Permit Non-Government Contact Name :	N/R
Permit Type Description :	General Permit Covered Facility
Last Date in Agency List :	2015-01-15

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

HIST PCS ENF ***(cont.)***

Effective Date :	2013-08-08
Expiration Date :	2018-08-07
NPDES ID :	FLG110055
FRS Facility Site ID :	1559730
Primary Facility SIC Code :	N/R
Primary Facility SIC Description :	N/R
Current Major/Minor Status :	Minor
Facility Type Description :	Privately Owned Facility
Facility Non-Government Contact Name:	N/R
Facility Non-Gov Addresses :	1425 WIGGIN PASS ROAD, NAPLES, FL 34110
Total Actual Average Flow (MGD) :	N/R
Total App. Design Flow (MGD) :	N/R
Pretreat Program Required Indicator :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Tribal Land Code :	N/R
Tribal Land Name :	N/R
Contact Office Telephone Number :	N/R
Permit Non-Gov Addresses :	N/R
Permit Non-Government Contact Name :	N/R
Permit Type Description :	General Permit Covered Facility
Last Date in Agency List :	2015-01-15

ICIS

Facility Name :	CEMEX LLC - WIGGINS PASS
Facility Address :	1425 WIGGINS PASS RD E, NAPLES, FL 34110-6301

Site Details

NPDES ID :	FLG110055
ICIS Facility Interest ID :	2400028813
Facility UIN :	110007399216
Facility Type Code :	Privately Owned Facility
Impaired Waters :	303(D) Listed
Latitude :	26.2934274
Longitude :	-81.7925173
Last Date in Agency List :	2025-12-15

Facility NAICS

NAICS Code :	327320
NAICS Description :	Ready-Mix Concrete Manufacturing

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

ICIS ***(cont.)***

Facility SIC
SIC Code : 3273
SIC Description : Ready-Mixed Concrete

Facility Name : KREHLING PLANT 1 NORTH
Facility Address : 1425 E. WIGGINS PASS ROAD, NAPLES, FL 34110

Site Details
NPDES ID : FLG110055
ICIS Facility Interest ID : 2400028813
Facility UIN : 110017860698
Facility Type Code : Privately Owned Facility
Impaired Waters : N/R
Latitude : 26.2934
Longitude : -81.7925
Last Date in Agency List : 2017-01-24

Facility NAICS
NAICS Code : 327320
NAICS Description : Ready-Mix Concrete Manufacturing

Facility SIC
SIC Code : 3273
SIC Description : Ready-Mixed Concrete

INACTIVE PCS

Issue Date : 2020-07-16
Original Issue Date : 2009-01-07
Effective Date : 2020-07-16
Expiration Date : 2025-07-15
Retirement Date : N/R
Termination Date : N/R
Issuing Agency : Florida Department of Environmental Protection
Agency Type : State
Activity ID : 3602239491
External Permit Number : FLG110055

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

INACTIVE PCS ***(cont.)***

Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	CEMEX Construction Materials Florida LLC
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLG110000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2022-09-23

Issue Date :	2018-01-22
Original Issue Date :	2009-01-07
Effective Date :	2018-08-08
Expiration Date :	2023-08-07
Retirement Date :	2020-07-15
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3601518562
External Permit Number :	FLG110055
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Cemex Construction Materials Florida, LLC
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLG110000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2022-09-23

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

INACTIVE PCS ***(cont.)***

Issue Date :	2013-08-08
Original Issue Date :	2009-01-07
Effective Date :	2013-08-08
Expiration Date :	2018-08-07
Retirement Date :	2018-08-07
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3400156057
External Permit Number :	FLG110055
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Administratively Continued
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	CEMEX Construction Materials Florida LLC
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLG110000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2022-09-23

Issue Date :	2009-01-07
Original Issue Date :	2009-01-07
Effective Date :	2009-01-07
Expiration Date :	2014-01-06
Retirement Date :	2013-08-07
Termination Date :	N/R
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	2400006058
External Permit Number :	FLG110055
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

INACTIVE PCS ***(cont.)***

State Water Body Name :	N/R
Permit Name :	KREHLING PLANT 1 NORTH
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLG110000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2022-09-23

LAST - FL

Facility Name :	CEMEX - WIGGINS PASS RM, BLOCK AND PAVER
Facility Address :	1425 WIGGINS PASS RD E, NAPLES, 34110
County :	COLLIER

Site Details

Facility ID :	8518892
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
Phone :	2395973162
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	63629
Owner Name :	CEMEX CONSTRUCTION MATERIALS FL LLC
Owner Address 1 :	1720 CENTERPARK DR E, WEST PALM BEACH, FL 33401
Owner Address 2 :	ATTN: STORAGE TANK REGIS
Owner Phone :	8133636112
Contact :	JASON JONES

Discharge Details

Discharge Date :	1993-11-03
Status Date :	2017-02-24
Status Description :	NFA COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2013-02-12
Score :	9

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

LAST - FL ***(cont.)***

CU Status : N/R

Discharge Date : 1992-05-07
Status Date : 2017-02-24
Status Description : NFA COMPLETE
DEP Code : P
Description : CLEANUP REQUIRED
Score Date : 2013-02-12
Score : 9
CU Status : N/R

Oculus Note : Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink : Click here for hyperlink provided by the agency.

LUST - FL

Facility Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER
Facility Address : 1425 WIGGINS PASS RD E, NAPLES, 34110
County : COLLIER

Site Details
Facility ID : 8518892
Facility Status : OPEN
Facility Type : Fuel user/Non-retail
Phone : 2395973162
Last Date in Agency List : 2026-05-06

Owner Information
Owner ID : 63629
Owner Name : CEMEX CONSTRUCTION MATERIALS FL LLC
Owner Address 1 : 1720 CENTERPARK DR E, WEST PALM BEACH, FL 33401
Owner Address 2 : ATTN: STORAGE TANK REGIS
Owner Phone : 8133636112
Contact : JASON JONES

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

LUST - FL ***(cont.)***

Discharge Details

Discharge Date :	1993-11-03
Status Date :	2017-02-24
Status Description :	NFA COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2013-02-12
Score :	9
CU Status :	N/R

Discharge Date :	1992-05-07
Status Date :	2017-02-24
Status Description :	NFA COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2013-02-12
Score :	9
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

NPDES - FL

Facility Name :	CEMEX LLC - Wiggins Pass
Facility Address :	1425 Wiggins Pass Rd E, Naples, FL
County :	COLLIER

Site Details

Issue Date :	2025-02-12
Effective Date :	2025-02-12
Expiration Date :	2030-02-11
Facility ID :	FLG110055
Facility Type :	N/R
Status :	Active
NPDES :	Y
Company Name :	CEMEX Construction Materials Florida LLC
Document Description :	Generic Permit
Nature of Business :	-
Ownership Type :	Private
Treatment Process Summary :	-

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

NPDES - FL ***(cont.)***

Department Office :	South District
Capacity (MGD) :	-
DW Class :	N/R
Last Date in Agency List :	2026-06-03

Related Party Details

Related Party Name :	Donald Lafavers
Related Party Address :	800 N. Magnolia Ave. Ste 300, Orlando FL 32803-
Related Party Address 2 :	-
Related Party Phone :	4072435328
Related Party Email :	donaldm.lafavers@cemex.com

PCS ENF

Site Details

NPDES ID :	FLG110055
Last Date in Agency List :	2025-12-17

Formal Enforcement Actions

Settlement Entered Date :	N/R
ENF Identifier :	N/R
Activity ID :	N/R
Activity Type :	N/R
ENF Type :	N/R
Agency :	N/R
Fed Penalty Assessed Amount :	N/R
State Local Penalty Amount :	N/R

Informal Enforcement Actions

Achieved Date :	2025-01-09
Registry ID :	110007399216
ENF Identifier :	FL-NCOMET12567042
Activity ID :	3604241831
Activity Type :	Administrative - Informal
ENF Type :	Notice of Noncompliance Issued
Agency :	State

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

PCS ENF ***(cont.)***

Achieved Date :	2021-02-25
Registry ID :	110007399216
ENF Identifier :	FL-NCOMET12436145
Activity ID :	3602424689
Activity Type :	Administrative - Informal
ENF Type :	Notice of Noncompliance Issued
Agency :	State

PCS FACILITY

Issue Date :	2025-02-12
Original Issue Date :	2009-01-07
Effective Date :	2025-02-12
Expiration Date :	2030-02-11
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3604262522
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	CEMEX Construction Materials Florida LLC
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLG110000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2025-12-18

Issue Date :	2020-07-16
Original Issue Date :	2009-01-07
Effective Date :	2020-07-16
Expiration Date :	2025-07-15
Retirement Date :	2025-02-11
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

PCS FACILITY ***(cont.)***

Agency Type :	State
Activity ID :	3602239491
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	CEMEX Construction Materials Florida LLC
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLG110000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2025-12-18

Issue Date :	2018-01-22
Original Issue Date :	2009-01-07
Effective Date :	2018-08-08
Expiration Date :	2023-08-07
Retirement Date :	2020-07-15
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3601518562
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Cemex Construction Materials Florida, LLC
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLG110000
TMDL Interface :	N/R
EDMR Authorization :	N

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

PCS FACILITY ***(cont.)***

Pretreatment Indicator :	N/R
Last Date in Agency List :	2025-12-18
Issue Date :	2013-08-08
Original Issue Date :	2009-01-07
Effective Date :	2013-08-08
Expiration Date :	2018-08-07
Retirement Date :	2018-08-07
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3400156057
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Administratively Continued
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	CEMEX Construction Materials Florida LLC
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLG110000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2025-12-18
Issue Date :	2009-01-07
Original Issue Date :	2009-01-07
Effective Date :	2009-01-07
Expiration Date :	2014-01-06
Retirement Date :	2013-08-07
Termination Date :	N/R
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	2400006058
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

PCS FACILITY ***(cont.)***

Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	KREHLING PLANT 1 NORTH
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLG110000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2025-12-18

RCRA VSQG

Facility Name :	CEMEX LLC - WIGGINS PASS
Facility Address :	1425 WIGGINS PASS RD E, NAPLES, FL 34110-6301
County :	COLLIER
Date Form Received by Agency :	2013-03-14
EPA ID :	FLD984222844
Mailing Address :	1425 WIGGINS PASS RD E, NAPLES, FL 34110-6301
Contact :	MIKE GOSSETT
Contact Address :	1425 WIGGINS PASS RD E, NAPLES, FL 34110-6301
Contact Country :	US
Contact Telephone :	239-253-4660
Contact Email :	MICHAELR.GOSSETT@CEMEX.COM
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

RCRA VSQG ***(cont.)***

Last Date in Agency List : 2026-05-05

Owner/Operator Summary

Owner/Operator Name :	DAN MCNABB
Owner/Operator Address :	1425 WIGGINS PASS RD E, NAPLES, FL 34110-6301
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1996-10-18
Owner/Operator End Date :	2013-03-14

Owner/Operator Name :	KREHLING IND
Owner/Operator Address :	1425 WIGGINS PASS RD E, NAPLES, FL 34110-6301
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2013-03-14
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

RCRA VSQG ***(cont.)***

Used Oil Transporter : N

Historical Generators
Date Form Received by Agency : 1991-12-05
Facility Name : CEMEX LLC - WIGGINS PASS
Classification : Small Quantity Generator

Hazardous Waste Summary
Waste Code / Name : D001 - IGNITABLE WASTE

Notices of Violations Summary
Regulation Violated : N

Evaluation Action Summary
Evaluation Date : 2013-03-14
Evaluation : COMPLIANCE ASSISTANCE VISIT
Area of Violation : N/R
Date Achieved Compliance : N/R
Evaluation Lead Agency : State

T 2 - FL

Facility Name : CEMEX - WIGGINS PASS READY MIX AND BLOCK
Facility Address : 1425 WIGGINS PASS ROAD EAST, NAPLES, FL 34110
County : Collier

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Filing Year : 2024(Tier2)
Filing Type : 312 TRI
Company Name : CEMEX CONSTRUCTION MATERIALS FLORIDA LLC
Facility ID : 7533049

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

State Facility ID :	N/R
SIC :	N/R
NAICS :	327320 - Ready-Mix Concrete Manufacturing
Dun & Bradstreet Code :	18-984-0945
De-Registered Date :	N/R
Data Submitted by :	Jason Jones, Environmental Manager
Contact 1 - Name :	Cemex Construction Materials Florida, LLC
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	denise.corrales@cemex.com
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	813-486-9191
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2025-02-26
First Submit Date :	2025-02-26(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2026-02-19

Chemical Information

Filing Year :	2024(Tier2)
CAS Number :	N/R
Chemical Name :	ISOPAUSE 1440
Maximum Daily Quantity :	9,250
Average Daily Quantity :	5,000
Max Amount in Largest Container :	9,250
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2024(Tier2)
CAS Number :	N/R
Chemical Name :	ISOFLOW
Maximum Daily Quantity :	13,800
Average Daily Quantity :	7,000
Max Amount in Largest Container :	13,800
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2024(Tier2)
CAS Number :	N/R
Chemical Name :	ISOPLAST 1440
Maximum Daily Quantity :	28,800
Average Daily Quantity :	15,000

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Max Amount in Largest Container :	14,400
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Hazard Not Otherwise Classified :	F
Filing Year :	2024(Tier2)
CAS Number :	N/R
Chemical Name :	GRAVEL, SAND, AGGREGATE ROCK
Maximum Daily Quantity :	13,600,000
Average Daily Quantity :	7,000,000
Max Amount in Largest Container :	4,000,000
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2024(Tier2)
CAS Number :	N/R
Chemical Name :	ISOSPHERE 5004
Maximum Daily Quantity :	8,333
Average Daily Quantity :	4,500
Max Amount in Largest Container :	8,333
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2023(Tier2)
Filing Type :	312 TRI
Company Name :	CEMEX CONSTRUCTION MATERIALS FLORIDA LLC
Facility ID :	7386110
State Facility ID :	N/R
SIC :	N/R
NAICS :	327320 - Ready-Mix Concrete Manufacturing
Dun & Bradstreet Code :	18-984-0945
De-Registered Date :	N/R
Data Submitted by :	Jason Jones, Environmental Manager
Contact 1 - Name :	Cemex Construction Materials Florida, LLC
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	denise.corrales@cemex.com
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	813-486-9191
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2024-02-21
First Submit Date :	2024-02-21(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2025-02-12

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Chemical Information

Filing Year :	2023(Tier2)
CAS Number :	N/R
Chemical Name :	GRAVEL, SAND, AGGREGATE ROCK
Maximum Daily Quantity :	13,600,000
Average Daily Quantity :	7,000,000
Max Amount in Largest Container :	4,000,000
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2023(Tier2)
CAS Number :	N/R
Chemical Name :	ISOPLAST 1440
Maximum Daily Quantity :	28,800
Average Daily Quantity :	15,000
Max Amount in Largest Container :	14,400
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2023(Tier2)
CAS Number :	N/R
Chemical Name :	ISOFLOW
Maximum Daily Quantity :	13,800
Average Daily Quantity :	7,000
Max Amount in Largest Container :	13,800
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2023(Tier2)
CAS Number :	65996692
Chemical Name :	Slags, Ferrous Metal, Blast Furnace
Maximum Daily Quantity :	160,000
Average Daily Quantity :	99,999
Max Amount in Largest Container :	80,000
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	1
F :	0
R :	1
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2023(Tier2)
CAS Number :	65997151
Chemical Name :	PORTLAND CEMENT
Maximum Daily Quantity :	450,000
Average Daily Quantity :	225,000
Max Amount in Largest Container :	225,000
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	N/R
F :	N/R
R :	N/R

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
Filing Type :	312 TRI
Company Name :	CEMEX CONSTRUCTION MATERIALS FLORIDA LLC
Facility ID :	7242815

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

State Facility ID :	N/R
SIC :	N/R
NAICS :	327320 - Ready-Mix Concrete Manufacturing
Dun & Bradstreet Code :	18-984-0945
De-Registered Date :	N/R
Data Submitted by :	Jason Jones, Environmental Manager
Contact 1 - Name :	Cemex Construction Materials Florida, LLC
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	denise.corrales@cemex.com
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	813-486-9191
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2023-02-13
First Submit Date :	2023-02-13(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2023-07-21

Chemical Information

Filing Year :	2022(Tier2)
CAS Number :	N/R
Chemical Name :	ISOPLAST 1440
Maximum Daily Quantity :	28,800
Average Daily Quantity :	15,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
CAS Number :	N/R
Chemical Name :	ISOFLOW
Maximum Daily Quantity :	13,800
Average Daily Quantity :	7,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
CAS Number :	N/R
Chemical Name :	GRAVEL, SAND, AGGREGATE ROCK
Maximum Daily Quantity :	13,600,000
Average Daily Quantity :	7,000,000

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Hazard Not Otherwise Classified :	F
Filing Year :	2022(Tier2)
CAS Number :	65996692
Chemical Name :	Slags, Ferrous Metal, Blast Furnace
Maximum Daily Quantity :	160,000
Average Daily Quantity :	99,999
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	1
F :	0
R :	1
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
CAS Number :	65997151
Chemical Name :	PORTLAND CEMENT
Maximum Daily Quantity :	450,000
Average Daily Quantity :	225,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	N/R
F :	N/R
R :	N/R
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2021(Tier2)
Filing Type :	312 TRI
Company Name :	CEMEX CONSTRUCTION MATERIALS FLORIDA LLC
Facility ID :	7082888
State Facility ID :	N/R
SIC :	N/R
NAICS :	327320 - Ready-Mix Concrete Manufacturing
Dun & Bradstreet Code :	18-984-0945
De-Registered Date :	N/R
Data Submitted by :	Jason Jones, Environmental Manager
Contact 1 - Name :	Cemex Construction Materials Florida, LLC
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	denise.corrales@cemex.com
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	813-486-9191
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2022-02-23
First Submit Date :	2022-02-23(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2022-12-20

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Chemical Information

Filing Year :	2021(Tier2)
CAS Number :	N/R
Chemical Name :	ISOFLOW
Maximum Daily Quantity :	13,800
Average Daily Quantity :	7,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2021(Tier2)
CAS Number :	N/R
Chemical Name :	GRAVEL, SAND, AGGREGATE ROCK
Maximum Daily Quantity :	13,600,000
Average Daily Quantity :	7,000,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2021(Tier2)
CAS Number :	N/R
Chemical Name :	ISOPLAST 1440
Maximum Daily Quantity :	28,800
Average Daily Quantity :	15,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2021(Tier2)
CAS Number :	65996692
Chemical Name :	Slags, Ferrous Metal, Blast Furnace
Maximum Daily Quantity :	160,000
Average Daily Quantity :	99,999
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	1
F :	0
R :	1
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2021(Tier2)
CAS Number :	65997151
Chemical Name :	PORTLAND CEMENT
Maximum Daily Quantity :	450,000
Average Daily Quantity :	225,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	N/R
F :	N/R
R :	N/R

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2020(Tier2)
Filing Type :	312 TRI
Company Name :	CEMEX CONSTRUCTION MATERIALS FLORIDA LLC
Facility ID :	6790235

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

State Facility ID :	N/R
SIC :	N/R
NAICS :	327320 - Ready-Mix Concrete Manufacturing
Dun & Bradstreet Code :	18-984-0945
De-Registered Date :	N/R
Data Submitted by :	Jason Jones, Environmental Manager
Contact 1 - Name :	Cemex Construction Materials Florida, LLC
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	denise.corrales@cemex.com
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	813-486-9191
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2021-02-26
First Submit Date :	2021-02-26(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2022-01-06

Chemical Information

Filing Year :	2020(Tier2)
CAS Number :	N/R
Chemical Name :	GRAVEL, SAND, AGGREGATE ROCK
Maximum Daily Quantity :	13,600,000
Average Daily Quantity :	7,000,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2020(Tier2)
CAS Number :	N/R
Chemical Name :	ISOPLAST 1440
Maximum Daily Quantity :	28,800
Average Daily Quantity :	15,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2020(Tier2)
CAS Number :	N/R
Chemical Name :	ISOFLOW
Maximum Daily Quantity :	13,800
Average Daily Quantity :	7,000

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Hazard Not Otherwise Classified :	F
Filing Year :	2020(Tier2)
CAS Number :	65996692
Chemical Name :	Slags, Ferrous Metal, Blast Furnace
Maximum Daily Quantity :	160,000
Average Daily Quantity :	99,999
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	1
F :	0
R :	1
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2020(Tier2)
CAS Number :	65997151
Chemical Name :	PORTLAND CEMENT
Maximum Daily Quantity :	450,000
Average Daily Quantity :	225,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	N/R
F :	N/R
R :	N/R
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

T 2 - FL ***(cont.)***

Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

TRIS

Facility Name :	CEMEX WIGGINS PASS
Facility Address :	1425 WIGGINS PASS RD. E., NAPLES, FL 34110
County :	COLLIER

Facility Details

TRIF ID :	3411WCMXWG1425W
Federal Facility Flag :	NO
Primary NAICS :	327320 - Ready-Mix Concrete Manufacturing
NAICS 2 :	N/R
NAICS 3 :	N/R
NAICS 4 :	N/R
NAICS 5 :	N/R
NAICS 6 :	N/R
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-02-03

Contact Information

Public Contact Name :	JASON JONES
Public Contact Email :	JASONP.JONES@CEMEX.COM
Public Contact Phone :	8133636112
Public Contact Phone Ext :	N/R

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

TRIS ***(cont.)***

Parent Company Name :	CEMEX INC
Parent Company DB NR :	189840945

Reported Chemical Information

Reporting Year :	2024
Document Control Number :	1324222674386
CAS Number :	N420
Chemical Name :	Lead compounds
Unit of Measure :	Pounds
Maximum Amount Onsite :	01

Onsite Release Summary

Total Fugitive Air Emissions :	0
Total Stack Air Emissions :	0
Total Air Emissions :	0
Total Number of Receiving Streams :	0
Total Surface Water Discharge :	0
Total Underground Injection Onsite to Class I Wells - Pounds:	0
Total Underground Injection Onsite to Class II-V Wells - Pounds:	0
Total Underground Injection :	0
Total RCRA Subtitle C Landfills :	0
Total Other On-Site Land Releases :	0
Total Land Treatment :	0
Total Surface Impoundments :	N/R
Total Other Disposal :	0
Total On-Site Land Releases :	0

Offsite Release Summary

Total Transferred Off-Site to Disposal:	0
Total Transferred Off-Site for Further Waste Management:	0
Total RCRA C Surface Impoundments :	0
Total Other Surface Impoundments :	0

UST - FL

Facility Name :	CEMEX - WIGGINS PASS RM, BLOCK AND PAVER

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

UST - FL ***(cont.)***

Facility Address :	1425 WIGGINS PASS RD E, NAPLES, 34110
County :	COLLIER

Site Details

Facility ID :	8518892
Facility Phone :	2395973162
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	63629
Owner Name :	CEMEX CONSTRUCTION MATERIALS FL LLC
Owner Address 1 :	1720 CENTERPARK DR E, WEST PALM BEACH, FL 33401
Owner Address 2 :	ATTN: STORAGE TANK REGIS
Owner Phone :	8133636112
Contact :	JASON JONES
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	8000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	1973-07-01
Status :	Closed In Place
Status Date :	1997-04-01

Tank ID :	2
Gallons :	8000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	1973-07-01
Status :	Closed In Place
Status Date :	1997-04-01

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

UST - FL ***(cont.)***

Tank ID :	3
Gallons :	8000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	1973-07-01
Status :	Closed In Place
Status Date :	1997-04-01

Tank ID :	4
Gallons :	8000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	1973-07-01
Status :	Removed from Site
Status Date :	1992-05-31

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

WASTEWATER - FL

Facility Name :	CEMEX LLC - Wiggins Pass
Facility Address :	1425 Wiggins Pass Rd E, Naples, FL
County :	COLLIER
Issue Date :	2020-07-16
Effective Date :	2020-07-16
Expiration Date :	2025-07-15
Facility ID :	FLG110055
Facility Type :	Concrete Batch GP
Status :	Active
NPDES :	Y
Major/Minor Discharge :	MI
Environmental Interest :	Industrial Wastewater Program
Company Name :	CEMEX Construction Materials Florida LLC
Related Party Name :	Donald LaFavers, PMTE
Related Party Address :	1501 Belvedere Rd, West Palm Beach FL 33406
Related Party Address 2 :	N/R
Related Party Phone :	5618335555
Related Party Email :	donaldm.lafavers@cemex.com
Document Description :	Generic Permit
Nature of Business :	N/R

Map Id: H81
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EJ TOXIC RELEASE, EPA LUST, EPA UST, ERNS, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

WASTEWATER - FL ***(cont.)***

Ownership Type :	Private
Treatment Process Summary :	N/R
Department Office :	South District
Capacity (MGD) :	N/R
DW Class :	N/R
Last Date in Agency List :	2026-02-06

Map Id: C82
Direction: SE
Distance: 0.114 mi., 602 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : ETURA CORP
26.355771, -81.783456

Database(s) : [PFAS INDUSTRY]

Envirosite ID: 66479105
EPA ID: N/R

PFAS INDUSTRY

Facility Name :	ETURA CORP
Status :	Inactive
Industry :	Plastics and Resins
EPA Program :	RCRA
State :	FL
City :	BONITA SPRINGS
County :	LEE
Fa SNC Flag :	N
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	26.355771
Longitude :	-81.783456
Last Date in Agency List :	2026-04-28

Map Id: A83
Direction: SSE
Distance: 0.119 mi., 631 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : POOL SHOP
27745 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, RAATS, RCRA SQG, SQG - FL]

Envirosite ID: 68173853
EPA ID: N/R

ECHO

Facility Name :	POOL SHOP
Facility Address :	27745 OLD US HWY 41 RD, BONITA SPRINGS, FL 33923
County :	LEE
Last Inspection Date :	1992-05-11
Registry ID :	110007460611
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	12207
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	POINT WHERE SUBSTANCE IS MONITORED
Accuracy Meters :	17385
Derived Tribes :	Seminole Tribe of Florida - 23 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040105
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710505001054
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R

Map Id: A83
Direction: SSE
Distance: 0.119 mi., 631 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : POOL SHOP
27745 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, RAATS, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173853
EPA ID: N/R

ECHO ***(cont.)***

Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	1992-05-11
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.3355
Longitude :	-81.778518
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	POOL SHOP
Facility Address :	27745 OLD US HWY 41 RD, BONITA SPRINGS, FL 339230
County :	LEE

Site Details

Registry ID :	110007460611
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.
NCDB supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

Map Id: A83
Direction: SSE
Distance: 0.119 mi., 631 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : POOL SHOP
27745 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, RAATS, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173853
EPA ID: N/R

FRS ***(cont.)***

Source Description : RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.
SSTS tracks the registration of all pesticide-producing establishments and tracks annually the types and amounts of pesticides, active ingredients, and related devices that are produced, sold, or distributed.

FRS Environmental Interest
Source and System ID : FLORIDA DEP - 47422
NCDB - C04#54110FL001969WR
NCDB - C04#54110FL00196NOI
RCRAINFO - FLD984242305
SSTS - 054110FL001

RAATS

Facility Name : POOL SHOP
Facility Address : 27745 OLD US HWY 41 RD, BONITA SPRINGS, FL 33923

Notices of Violations Summary
Date of Violation : 1992-05-11
Date Achieved Compliance : N/R
Regulation Violated : N
Area of Violation : N/R
Enforcement Action : N/R
Enforcement Action Date : N/R
Enf. Disposition Status : N/R
Enf. Disp. Status Date : N/R
Violation Lead Agency : N/R
Enforcement Lead Agency : N/R
Proposed Penalty Amount : N/R
Final Penalty Amount : N/R
Paid Penalty Amount : N/R

Regulation Violated : N

RCRA SQG

Facility Name : POOL SHOP
Facility Address : 27745 OLD US HWY 41 RD, BONITA SPRINGS, FL 33923
County : LEE

Map Id: A83
Direction: SSE
Distance: 0.119 mi., 631 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : POOL SHOP
27745 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, RAATS, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173853
EPA ID: N/R

RCRA SQG ***(cont.)***

Date Form Received by Agency :	1992-07-28
EPA ID :	FLD984242305
Mailing Address :	27745 OLD US HWY 41 RD, BONITA SPRINGS, FL 33923
Contact :	DAVID MARTINDALE
Contact Address :	27745 OLD US HWY 41 RD, BONITA SPRINGS, FL 33923
Contact Country :	US
Contact Telephone :	941-947-4444
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Notification
Classification :	Small Quantity Generator
Description :	Handlers that generate more than 100 and less than 1000 kilograms of hazardous waste during any calendar month and accumulate less than 6000 kg of hazardous waste at any time; or generate 100 kg or less of hazardous waste during any calendar month, and accumulate more than 1000 kg of hazardous waste at any time.
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	DAVID MARTINDALE
Owner/Operator Address :	27745 OLD US HWY 41 RD, BONITA SPRINGS, FL 33923
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1999-06-09
Owner/Operator End Date :	N/R

Owner/Operator Name :	MARTINDALE DAVID
Owner/Operator Address :	27745 OLD US HWY 41 RD, BONITA SPRINGS, FL 33923
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1999-06-09
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N

Map Id: A83
Direction: SSE
Distance: 0.119 mi., 631 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : POOL SHOP
27745 OLD US HWY 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, RAATS, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173853
EPA ID: N/R

RCRA SQG ***(cont.)***

On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Notices of Violations Summary

Regulation Violated :	N

Evaluation Action Summary

Evaluation Date :	1992-05-11
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

SQG - FL

Facility Name :	Pool Shop
Facility Address :	27745 Old Us Hwy 41 Rd, Bonita Springs, 33923
County :	Lee
Last Inspection Date :	1992-05-11
Date Notified :	1992-06-15
Site ID :	47422
Handler ID :	FLD984242305
Office :	South District
Facility Inspection Type :	N/R
Documents Link :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-13

Map Id: F84
Direction: NNE
Distance: 0.120 mi., 634 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FORESTRY RESOURCES INC | FORESTRY RESOURCES, INC. - BONITA
25211 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN, SWRCY - FL]

Envirosite ID: 68173824
EPA ID: N/R

ECHO

Facility Name :	FORESTRY RESOURCES INC

Map Id: F84
Direction: NNE
Distance: 0.120 mi., 634 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FORESTRY RESOURCES INC | FORESTRY RESOURCES, INC. - BONITA
25211 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN, SWRCY - FL] ***(cont.)***

Envirosite ID: 68173824
EPA ID: N/R

ECHO ***(cont.)***

Facility Address :	25211 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	2010-01-22
Registry ID :	110039578196
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	5742
Informal Count :	0
Last Informal Action Date :	2009-05-18
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	10
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503082043
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	56173 - Landscaping Services

Map Id: F84
Direction: NNE
Distance: 0.120 mi., 634 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FORESTRY RESOURCES INC | FORESTRY RESOURCES, INC. - BONITA
25211 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN, SWRCY - FL] ***(cont.)***

Envirosite ID: 68173824
EPA ID: N/R

ECHO ***(cont.)***

Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2010-01-22
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2009-05-18
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.373735
Longitude :	-81.801312
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	FORESTRY RESOURCES INC
Facility Address :	25211 OLD 41 RD, BONITA SPRINGS, FL 34135-7820
County :	LEE

Site Details

Registry ID :	110039578196
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

Map Id: F84
Direction: NNE
Distance: 0.120 mi., 634 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FORESTRY RESOURCES INC | FORESTRY RESOURCES, INC. - BONITA
25211 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN, SWRCY - FL] ***(cont.)***

Envirosite ID: 68173824
EPA ID: N/R

FRS ***(cont.)***

FRS Environmental Interest

Source and System ID :	RCRAINFO - FLR000154997

RCRA NONGEN

Facility Name :	FORESTRY RESOURCES INC
Facility Address :	25211 OLD 41 RD, BONITA SPRINGS, FL 34135-7820
County :	LEE
Date Form Received by Agency :	2009-08-10
EPA ID :	FLR000154997
Mailing Address :	25211 OLD 41 RD, BONITA SPRINGS, FL 34135-7820
Contact :	ROBERT BOYD
Contact Address :	25211 OLD 41 RD, BONITA SPRINGS, FL 34135-7820
Contact Country :	US
Contact Telephone :	239-444-3284
Contact Email :	BBOYD@GOMULCH.COM
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	FRLS OLD 41 LLC
Owner/Operator Address :	4353 MICHIGAN LINK, FORT MYERS, FL 33916-2318
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2009-05-07
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N

Map Id: F84
Direction: NNE
Distance: 0.120 mi., 634 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FORESTRY RESOURCES INC | FORESTRY RESOURCES, INC. - BONITA
25211 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN, SWRCY - FL] ***(cont.)***

Envirosite ID: 68173824
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Notices of Violations Summary

Date of Violation :	2009-04-23
Date Achieved Compliance :	2009-08-10
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP NON-COMPLIANCE LETTER
Enforcement Action Date :	2009-05-18
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2009-04-23
Date Achieved Compliance :	2009-07-08
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	DEP NON-COMPLIANCE LETTER
Enforcement Action Date :	2009-05-18
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2010-01-22
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	2009-08-07
Evaluation :	FOLLOW-UP INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	2009-04-23
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Generators - General

Map Id: F84
Direction: NNE
Distance: 0.120 mi., 634 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FORESTRY RESOURCES INC | FORESTRY RESOURCES, INC. - BONITA
25211 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN, SWRCY - FL] ***(cont.)***

Envirosite ID: 68173824
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Date Achieved Compliance :	2009-07-08
Evaluation Lead Agency :	State
Evaluation Date :	2009-04-23
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	State Statute or Regulation
Date Achieved Compliance :	2009-08-10
Evaluation Lead Agency :	State

SWRCY - FL

Facility Name :	FORESTRY RESOURCES, INC. - BONITA
Facility Address :	25211 OLD 41 RD, BONITA SPRINGS, FL 34156
County :	LEE

Site Details

Facility ID :	95174
Class :	SOURCE-SEPARATED ORGANICS PROC. FAC. (SOPF)
Class Type :	330
Class Status :	ACTIVITY NOT PERMITTED/REGISTERED (N)
Test Site Data :	TestSite Inventory Report, TestSite Result Report
Detail :	Facility Activities, Documents in OCULUS
District :	SD
Section/Township/Range :	N/R
Responsible Authority Name :	N/R
Responsible Authority Address :	N/R
Responsible Authority Phone Number :	N/R
Responsible Authority Email Address :	N/R
Land Owner Name :	N/R
Land Owner Address :	N/R
Land Owner Phone Number :	N/R
Site Supervisor Name :	N/R
Site Supervisor Address :	N/R
Site Supervisor Phone Number :	N/R
Site Supervisor Email Address :	N/R
Latitude :	26.373417
Longitude :	81.801472
Last Date in Agency List :	2024-05-10

Map Id: A85
Direction: SSE
Distance: 0.121 mi., 636 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : GRIFFITH PAVING
10461 SOUTHLAND DR
BONITA SPRINGS, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, RCRA NONGEN]

Envirosite ID: 68173734
EPA ID: N/R

AST - FL

Facility Name :	GRIFFITH PAVING
Facility Address :	10461 SOUTHLAND DR, BONITA SPRINGS, 34135
County :	LEE

Site Details

Facility ID :	9808348
Facility Phone :	3109908151
Facility Status :	CLOSED
Facility Type :	C
Type Description :	Fuel user/Non-retail
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	60158
Owner Name :	GRIFFITH PAVING
Owner Address 1 :	N/R
Owner Address 2 :	ATTN: NICOLE GRIFFITH
Owner Phone :	3109908151
Contact :	LISA RASCHER
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	10000
Tank Location :	ABOVEGROUND
Substance :	Vehicular Diesel
Install Date :	2006-06-01
Status :	Removed from Site
Status Date :	2014-02-01

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

ECHO

Facility Name :	GRIFFITH PAVING
Facility Address :	10461 SOUTHLAND DR, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	2008-10-31
Registry ID :	110038901249
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	6190
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0

Map Id: A85
Direction: SSE
Distance: 0.121 mi., 636 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : GRIFFITH PAVING
10461 SOUTHLAND DR
BONITA SPRINGS, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173734
EPA ID: N/R

ECHO ***(cont.)***

Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 23 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040105
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710505001053
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	324121 - Asphalt Paving Mixture and Block Manufacturing
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2008-10-31
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R

Map Id: A85
Direction: SSE
Distance: 0.121 mi., 636 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : GRIFFITH PAVING
10461 SOUTHLAND DR
BONITA SPRINGS, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173734
EPA ID: N/R

ECHO ***(cont.)***

AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.33207
Longitude :	-81.77979
Last Date in Agency List :	2026-05-11

FA 3 - FL

Facility Name :	GRIFFITH PAVING
Facility Address :	10461 SOUTHLAND DR, BONITA SPRINGS, 34135
County :	LEE
Effectivity Date :	2007-08-23
Expiration Date :	2010-08-23
Facility ID :	9808348
Facility Status :	CLOSED
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY
Facility Phone :	3109908151
Owner ID :	60158
Owner Name :	GRIFFITH PAVING
Address :	2101 AMARGO WAY ATTN: NICOLE GRIFFITH, NAPLES, FL 34119
Contact Name :	LISA RASCHER
Phone :	3109908151
Last Date in Agency List :	2026-06-03
Effectivity Date :	N/R
Expiration Date :	N/R
Facility ID :	9808348
Facility Status :	CLOSED
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	EXEMPT-NOT REQUIRED
Insurance Company :	N/R
Facility Phone :	3109908151
Owner ID :	60158
Owner Name :	GRIFFITH PAVING
Address :	2101 AMARGO WAY ATTN: NICOLE GRIFFITH, NAPLES, FL 34119
Contact Name :	LISA RASCHER
Phone :	3109908151
Last Date in Agency List :	2026-06-03

FRS

Facility Name :	GRIFFITH PAVING

Map Id: A85
Direction: SSE
Distance: 0.121 mi., 636 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : GRIFFITH PAVING
10461 SOUTHLAND DR
BONITA SPRINGS, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173734
EPA ID: N/R

FRS ***(cont.)***

Facility Address :	10461 SOUTHLAND DR, BONITA SPRINGS, FL 34135-4874
County :	LEE

Site Details

Registry ID :	110038901249
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	RCRAINFO - FLR000150714

RCRA NONGEN

Facility Name :	GRIFFITH PAVING
Facility Address :	10461 SOUTHLAND DR, BONITA SPRINGS, FL 34135-4874
County :	LEE
Date Form Received by Agency :	2008-10-31
EPA ID :	FLR000150714
Mailing Address :	10461 SOUTHLAND DR, BONITA SPRINGS, FL 34135-4874
Contact :	JOHN GRIFFIFTH
Contact Address :	10461 SOUTHLAND DRIVE, BONITA SPRINGS, FL 34135-5053
Contact Country :	US
Contact Telephone :	239-949-0400
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	GRIFFIFTH JOHN
Owner/Operator Address :	10461 SOUTHLAND DRIVE, BONITA SPRINGS, FL 34135-5053

Map Id: A85
Direction: SSE
Distance: 0.121 mi., 636 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : GRIFFITH PAVING
10461 SOUTHLAND DR
BONITA SPRINGS, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173734
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Owner/Operator Country :	US
Owner/Operator Telephone :	239-949-0400
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2008-11-04
Owner/Operator End Date :	N/R

Owner/Operator Name :	JOHN GRIFFIFTH
Owner/Operator Address :	10461 SOUTHLAND DRIVE, BONITA SPRINGS, FL 34135-5053
Owner/Operator Country :	US
Owner/Operator Telephone :	239-949-0400
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2008-11-04
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Notices of Violations Summary

Date of Violation :	2008-10-31
Date Achieved Compliance :	2009-01-09
Regulation Violated :	Y
Area of Violation :	Used Oil - Generators
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Map Id: A85
Direction: SSE
Distance: 0.121 mi., 636 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : GRIFFITH PAVING
10461 SOUTHLAND DR
BONITA SPRINGS, FL

Database(s) : [AST - FL, ECHO, FA 3 - FL, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173734
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Evaluation Action Summary

Evaluation Date :	2008-10-31
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Used Oil - Generators
Date Achieved Compliance :	2009-01-09
Evaluation Lead Agency :	State

Map Id: B86
Direction: S
Distance: 0.121 mi., 640 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : MATCHS AUTO BODY
1330 RAIL HEAD BLVD
NAPLES, FL

Database(s) : [MANIFEST EPA]

Envirosite ID: 68173746
EPA ID: FLCESQG

MANIFEST EPA

Manifest Details

Manifest Number :	001230897VES
Shipped Date :	2018-10-19
Updated Date :	2018-11-02
Received Date :	2018-10-31
Status :	Signed
Generator ID :	FLCESQG
Generator Name :	MATCHS AUTO BODY
Generator Address :	1330 RAIL HEAD BLVD, NAPLES, FL 34110-8428
Generator Mailing :	1330 RAIL HEAD BLVD, NAPLES, FL 34110-8428
Generator Contact :	N/R
Destination ID :	TXD000838896
Destination Name :	VEOLIA ES TECHNICAL SOLUTIONS
Destination Mailing :	PO BOX 2563, PORT ARTHUR, TX 77643-2563
Destination Address :	7665 HWY 73, PORT ARTHUR, TX 77640-2563
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1993
DOT Information :	UN1993, WASTE FLAMMABLE LIQUIDS, n.o.s., (TOLUENE, XYLENE), 3, II, RQ (D001)
Non Waste Description :	N/R
Quantity :	800 Pounds
Quantity Tons, Acute, Non-Acute :	0.4, 0, 0.4
Quantity Kg, Acute, Non-Acute :	0, 362.812
Quantity Tons, Haz, Non-Haz :	0.4, 0

Map Id: B86
Direction: S
Distance: 0.121 mi., 640 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : MATCHS AUTO BODY
1330 RAIL HEAD BLVD
NAPLES, FL

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173746
EPA ID: FLCESQG

MANIFEST EPA ***(cont.)***

Quantity Kg, Haz, Non-Haz :	362.812, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D035, F003, F005
State Code :	TX - OUTS209H

Map Id: B87
Direction: S
Distance: 0.122 mi., 646 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : DENNIS ARD
1141 SUN CENTURY RD
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA NONGEN]

Envirosite ID: 68173741
EPA ID: N/R

ECHO

Facility Name :	DENNIS ARD
Facility Address :	1141 SUN CENTURY RD, NAPLES, FL 34110
County :	COLLIER
Last Inspection Date :	1995-10-27
Registry ID :	110007470744
FIPS Code :	12021
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	10943
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	5
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101021005
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R

Map Id: B87
Direction: S
Distance: 0.122 mi., 646 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : DENNIS ARD
1141 SUN CENTURY RD
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173741
EPA ID: N/R

ECHO ***(cont.)***

CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	53119 - Lessors of Other Real Estate Property
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	1995-10-27
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.306226
Longitude :	-81.793194
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	DENNIS ARD
Facility Address :	1141 SUN CENTURY RD, NAPLES, FL 34110-8431
County :	COLLIER

Site Details

Registry ID :	110007470744
FRS Facility URL :	Click here for hyperlink provided by the agency.

Map Id: B87
Direction: S
Distance: 0.122 mi., 646 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : DENNIS ARD
1141 SUN CENTURY RD
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173741
EPA ID: N/R

FRS ***(cont.)***

Last Date in Agency List : 2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 46596 RCRAINFO - FLR000011965

RCRA NONGEN

Facility Name :	DENNIS ARD
Facility Address :	1141 SUN CENTURY RD, NAPLES, FL 34110-8431
County :	COLLIER
Date Form Received by Agency :	1996-01-05
EPA ID :	FLR000011965
Mailing Address :	1141 SUN CENTURY RD, NAPLES, FL 34110-8431
Contact :	DENNIS ARD
Contact Address :	1141 SUN CENTURY RD, NAPLES, FL 34110-8431
Contact Country :	US
Contact Telephone :	941-597-4343
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Notification
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	DENNIS ARD
Owner/Operator Address :	1141 SUN CENTURY RD, NAPLES, FL 34110-8431
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R

Map Id: B87
Direction: S
Distance: 0.122 mi., 646 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : DENNIS ARD
1141 SUN CENTURY RD
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173741
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1996-10-18
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	1995-11-08
Facility Name :	DENNIS ARD
Classification :	Not a generator, verified

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE

Notices of Violations Summary

Regulation Violated :	N

Evaluation Action Summary

Evaluation Date :	1995-10-27
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Map Id: B88
Direction: SSE
Distance: 0.132 mi., 697 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ARTISANS GUILD CUSTOM CABINETRY | ARTISANS GUILD
1510 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL]

Envirosite ID: 68173760
EPA ID: FLR000031724

ECHO

Facility Name :	ARTISANS GUILD CUSTOM CABINETRY
Facility Address :	1510 RAIL HEAD BLVD, NAPLES, FL 34110
County :	COLLIER
Last Inspection Date :	2007-03-16
Registry ID :	110005277618
FIPS Code :	12021
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	6785
Informal Count :	0
Last Informal Action Date :	2007-07-05
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	5
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101022015
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R

Map Id: B88
Direction: SSE
Distance: 0.132 mi., 697 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ARTISANS GUILD CUSTOM CABINETRY | ARTISANS GUILD
1510 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173760
EPA ID: FLR000031724

ECHO ***(cont.)***

Facility NAICS :	337215 - Showcase, Partition, Shelving, and Locker Manufacturing
Facility Last Inspection EPA Date :	2007-03-15
Facility Last Inspection State Date :	2007-03-16
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2007-07-05
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.311422
Longitude :	-81.78738
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	ARTISANS GUILD CUSTOM CABINETRY
Facility Address :	1510 RAIL HEAD BLVD, NAPLES, FL 341108402
County :	COLLIER

Site Details

Registry ID :	110005277618
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Map Id: B88
Direction: SSE
Distance: 0.132 mi., 697 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ARTISANS GUILD CUSTOM CABINETRY | ARTISANS GUILD
1510 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173760
EPA ID: FLR000031724

FRS ***(cont.)***

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 56647 RCRAINFO - FLR000031724

MANIFEST EPA

Manifest Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Manifest Number :	022031440JJK
Shipped Date :	2024-05-28
Updated Date :	2024-07-23
Received Date :	2024-06-13
Status :	Signed
Generator ID :	FLR000031724
Generator Name :	ARTISANS GUILD
Generator Address :	1510 RAILHEAD BLVD, NAPLES, FL 34110
Generator Mailing :	1450 RAILHEAD BLVD, NAPLES, FL 34110
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	ALLWORTH, INC. (ESOL)
Destination Mailing :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Address :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	UN1263, Waste Paint, 3, PG-II,RQ(D001=100LBS)
Non Waste Description :	N/R
Quantity :	2400 Pounds
Quantity Tons, Acute, Non-Acute :	1.2, 0, 1.2

Map Id: B88
Direction: SSE
Distance: 0.132 mi., 697 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ARTISANS GUILD CUSTOM CABINETRY | ARTISANS GUILD
1510 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173760
EPA ID: FLR000031724

MANIFEST EPA ***(cont.)***

Quantity Kg, Acute, Non-Acute :	0, 1088.436
Quantity Tons, Haz, Non-Haz :	1.2, 0
Quantity Kg, Haz, Non-Haz :	1088.436, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D035, F003, F005
State Code :	N/R

Manifest Details

Manifest Number :	024936585JJK
Shipped Date :	2023-07-19
Updated Date :	2023-08-15
Received Date :	2023-08-01
Status :	Signed
Generator ID :	FLR000031724
Generator Name :	ARTISANS GUILD
Generator Address :	1510 Railhead Blvd, NAPLES, FL 34110
Generator Mailing :	1450 RAILHEAD BLVD, NAPLES, FL 34110
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	Allworth, LLC
Destination Mailing :	500 Medco Road, Birmingham, AL 35217
Destination Address :	500 Medco Road, Birmingham, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	UN1263 WASTE PAINT RELATED MATERIAL II 3 D001=100LBS
Non Waste Description :	N/R
Quantity :	1921 Pounds
Quantity Tons, Acute, Non-Acute :	0.9605, 0, 0.9605
Quantity Kg, Acute, Non-Acute :	0, 871.20233
Quantity Tons, Haz, Non-Haz :	0.9605,
Quantity Kg, Haz, Non-Haz :	871.20233,
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, D035, F003, F005
State Code :	N/R

Manifest Details

Manifest Number :	025209792JJK
Shipped Date :	2023-05-17

Map Id: B88
Direction: SSE
Distance: 0.132 mi., 697 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ARTISANS GUILD CUSTOM CABINETRY | ARTISANS GUILD
1510 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173760
EPA ID: FLR000031724

MANIFEST EPA ***(cont.)***

Updated Date :	2023-07-31
Received Date :	2023-07-26
Status :	Signed
Generator ID :	FLR000031724
Generator Name :	ARTISANS GUILD
Generator Address :	1510 Railhead Blvd, NAPLES, FL 34110
Generator Mailing :	1450 RAILHEAD BLVD, NAPLES, FL 34110
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	Allworth, LLC
Destination Mailing :	500 Medco Road, Birmingham, AL 35217
Destination Address :	500 Medco Road, Birmingham, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	UN1263 WASTE PAINT RELATED MATERIAL II 3 D001=100LBS
Non Waste Description :	N/R
Quantity :	421 Pounds
Quantity Tons, Acute, Non-Acute :	0.2105, 0, 0.2105
Quantity Kg, Acute, Non-Acute :	0, 190.92982
Quantity Tons, Haz, Non-Haz :	0.2105,
Quantity Kg, Haz, Non-Haz :	190.92982,
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, D035, F003, F005
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	N
DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	NON-RCRA, NON-DOT REGULATED MATERIAL (LATEX PAINT)
Quantity :	1580 Pounds
Quantity Tons, Acute, Non-Acute :	0.79, 0, 0.79
Quantity Kg, Acute, Non-Acute :	0, 716.5538
Quantity Tons, Haz, Non-Haz :	, 0.79
Quantity Kg, Haz, Non-Haz :	, 716.5538
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R

Map Id: B88
Direction: SSE
Distance: 0.132 mi., 697 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ARTISANS GUILD CUSTOM CABINETRY | ARTISANS GUILD
1510 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173760
EPA ID: FLR000031724

MANIFEST EPA ***(cont.)***

Manifest Details

Manifest Number :	015333565FLE
Shipped Date :	2021-11-30
Updated Date :	2023-12-15
Received Date :	2021-12-15
Status :	Signed
Generator ID :	FLR000031724
Generator Name :	ARTISANS GUILD
Generator Address :	1510 Railhead Blvd, NAPLES, FL 34110
Generator Mailing :	1450 RAILHEAD BLVD, NAPLES, FL 34110
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	Allworth, LLC
Destination Mailing :	500 Medco Road, Birmingham, AL 35217
Destination Address :	500 Medco Road, Birmingham, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	UN1263 WASTE PAINT RELATED MATERIAL II 3 D001=100LBS
Non Waste Description :	N/R
Quantity :	165 Gallons
Quantity Tons, Acute, Non-Acute :	0.6880734, 0, 0.6880734
Quantity Kg, Acute, Non-Acute :	0, 624.1032
Quantity Tons, Haz, Non-Haz :	0.6880734,
Quantity Kg, Haz, Non-Haz :	624.1032,
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, D035, F003, F005
State Code :	N/R

Manifest Details

Manifest Number :	012934575JJK
Shipped Date :	2020-04-23
Updated Date :	2020-05-18
Received Date :	2020-05-11
Status :	Signed
Generator ID :	FLR000031724
Generator Name :	ARTISANS GUILD
Generator Address :	1510 RAILHEAD BLVD, NAPLES, FL 34110
Generator Mailing :	1510 RAILHEAD BLVD, NAPLES, FL 34110
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	Allworth, LLC

Map Id: B88
Direction: SSE
Distance: 0.132 mi., 697 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ARTISANS GUILD CUSTOM CABINETRY | ARTISANS GUILD
1510 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173760
EPA ID: FLR000031724

MANIFEST EPA ***(cont.)***

Destination Mailing :	500 Medco Road, Birmingham, AL 35217
Destination Address :	500 Medco Road, Birmingham, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	UN1263 WASTE PAINT RELATED MATERIAL II 3 D001=100LBS
Non Waste Description :	N/R
Quantity :	110 Gallons
Quantity Tons, Acute, Non-Acute :	0.4587156, 0, 0.4587156
Quantity Kg, Acute, Non-Acute :	0, 416.06882
Quantity Tons, Haz, Non-Haz :	0.4587156, 0
Quantity Kg, Haz, Non-Haz :	416.06882, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, D035, F003, F005
State Code :	N/R

RCRA SQG

Facility Name :	ARTISANS GUILD CUSTOM CABINETRY
Facility Address :	1510 RAIL HEAD BLVD, NAPLES, FL 34110-8402
County :	COLLIER
Date Form Received by Agency :	2007-03-15
EPA ID :	FLR000031724
Mailing Address :	1510 RAIL HEAD BLVD, NAPLES, FL 34110-8402
Contact :	BENJAMIN RILEY
Contact Address :	1510 RAIL HEAD BLVD, NAPLES, FL 34110-8402
Contact Country :	US
Contact Telephone :	239-591-3203
Contact Email :	BEN-RILEY@THOMASRILEY.NET
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Small Quantity Generator
Description :	Handlers that generate more than 100 and less than 1000 kilograms of hazardous waste during any calendar month and accumulate less than 6000 kg of hazardous waste at any time; or generate 100 kg or less of hazardous waste during any calendar month, and accumulate more than 1000 kg of hazardous waste at any time.
Last Date in Agency List :	2026-05-05

Map Id: B88
Direction: SSE
Distance: 0.132 mi., 697 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ARTISANS GUILD CUSTOM CABINETRY | ARTISANS GUILD
1510 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173760
EPA ID: FLR000031724

RCRA SQG ***(cont.)***

Owner/Operator Summary

Owner/Operator Name :	ARTISANS GUILD CUSTIM CABINETRY
Owner/Operator Address :	1510 RAIL HEAD BLVD, NAPLES, FL 34110-8402
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1998-01-26
Owner/Operator End Date :	2007-03-15

Owner/Operator Name :	JOHN GREGORY
Owner/Operator Address :	1510 RAIL HEAD BLVD, NAPLES, FL 34110-8402
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1998-01-26
Owner/Operator End Date :	1998-01-27

Owner/Operator Name :	RICOCHET, LTD
Owner/Operator Address :	1510 RAIL HEAD BLVD, NAPLES, FL 34110-8402
Owner/Operator Country :	US
Owner/Operator Telephone :	239-591-3203
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2007-03-21
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Map Id: B88
Direction: SSE
Distance: 0.132 mi., 697 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ARTISANS GUILD CUSTOM CABINETRY | ARTISANS GUILD
1510 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173760
EPA ID: FLR000031724

RCRA SQG ***(cont.)***

Historical Generators

Date Form Received by Agency :	1998-01-26
Facility Name :	ARTISANS GUILD CUSTOM CABINETRY
Classification :	Small Quantity Generator

Notices of Violations Summary

Date of Violation :	2007-03-16
Date Achieved Compliance :	2007-07-25
Regulation Violated :	Y
Area of Violation :	Generators - Pre-transport
Enforcement Action :	DEP NON-COMPLIANCE LETTER
Enforcement Action Date :	2007-07-05
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2007-03-16
Date Achieved Compliance :	2007-07-25
Regulation Violated :	Y
Area of Violation :	TSD IS-Container Use and Management
Enforcement Action :	DEP NON-COMPLIANCE LETTER
Enforcement Action Date :	2007-07-05
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2007-03-16
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Generators - Pre-transport
Date Achieved Compliance :	2007-07-25
Evaluation Lead Agency :	State

Evaluation Date :	2007-03-16
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	TSD IS-Container Use and Management
Date Achieved Compliance :	2007-07-25
Evaluation Lead Agency :	State

Map Id: B88
Direction: SSE
Distance: 0.132 mi., 697 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ARTISANS GUILD CUSTOM CABINETRY | ARTISANS GUILD
1510 RAIL HEAD BLVD
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL] ***(cont.)***

Envirosite ID: 68173760
EPA ID: FLR000031724

RCRA SQG ***(cont.)***

Evaluation Date :	2007-03-15
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	EPA-Initiated Oversight/Observation/Training

SQG - FL

Facility Name :	Artisans Guild Custom Cabinetry
Facility Address :	1510 Rail Head Blvd, Naples, 34110
County :	Collier
Last Inspection Date :	2007-03-16
Date Notified :	1997-06-11
Site ID :	56647
Handler ID :	FLR000031724
Office :	South District
Facility Inspection Type :	N/R
Documents Link :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-13

Map Id: G89
Direction: N
Distance: 0.132 mi., 698 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : APPLE INC. # R185
23151 FASHION DRIVE
ESTERO, FL 33928

Database(s) : [MANIFEST EPA]

Envirosite ID: 68173791
EPA ID: FLCESQG

MANIFEST EPA

Manifest Details

Manifest Number :	020321306FLE
Shipped Date :	2025-04-30
Updated Date :	2025-06-09
Received Date :	2025-05-20
Status :	Signed
Generator ID :	FLCESQG
Generator Name :	APPLE INC. # R185
Generator Address :	23151 FASHION DRIVE, ESTERO, FL 33928
Generator Mailing :	23151 FASHION DRIVE, ESTERO, FL 33928
Generator Contact :	APPLE INC. # R185
Destination ID :	ARD069748192
Destination Name :	CLEAN HARBORS EL DORADO LLC
Destination Mailing :	301 309 AMERICAN CIRCLE, EL DORADO, AR 71730
Destination Address :	309 AMERICAN CIRCLE, EL DORADO, AR 71730
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N

Map Id: G89
Direction: N
Distance: 0.132 mi., 698 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : APPLE INC. # R185
23151 FASHION DRIVE
ESTERO, FL 33928

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173791
EPA ID: FLCESQG

MANIFEST EPA ***(cont.)***

Rejection : N
Last Date in Agency List : 2026-02-16

Waste Details
Waste Line Number : 1
Is DOT Hazardous : Y
DOT ID Number : UN3481
DOT Information : UN3481, WASTE LITHIUM ION BATTERIES PACKED WITH EQUIPMENT, 9, NONE
Non Waste Description : N/R
Quantity : 4 Pounds
Quantity Tons, Acute, Non-Acute : 0.002, 0, 0.002
Quantity Kg, Acute, Non-Acute : 0, 1.81406
Quantity Tons, Haz, Non-Haz : 0.002, 0
Quantity Kg, Haz, Non-Haz : 1.81406, 0
Management Method : H040 - INCINERATION
Is EPA Waste : Y
Federal Code : D003
State Code : N/R

Manifest Details
Manifest Number : 019130949FLE
Shipped Date : 2024-10-29
Updated Date : 2024-12-28
Received Date : 2024-12-01
Status : Signed
Generator ID : FLCESQG
Generator Name : APPLE INC. # R185
Generator Address : 23151 FASHION DRIVE, ESTERO, FL 33928
Generator Mailing : 23151 FASHION DRIVE, ESTERO, FL 33928
Generator Contact : APPLE INC. # R185
Destination ID : ARD069748192
Destination Name : CLEAN HARBORS EL DORADO LLC
Destination Mailing : 301 309 AMERICAN CIRCLE, EL DORADO, AR 71730
Destination Address : 309 AMERICAN CIRCLE, EL DORADO, AR 71730
Destination Contact : N/R
Submission Type : DataImage5Copy
Origin Type : Service
Manifest Residue : N
Rejection : N
Last Date in Agency List : 2026-02-16

Waste Details
Waste Line Number : 1
Is DOT Hazardous : Y
DOT ID Number : UN3481
DOT Information : UN3481, WASTE LITHIUM ION BATTERIES PACKED WITH EQUIPMENT, 9, NONE
Non Waste Description : N/R
Quantity : 3 Pounds
Quantity Tons, Acute, Non-Acute : 0.0015, 0, 0.0015

Map Id: G89
Direction: N
Distance: 0.132 mi., 698 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : APPLE INC. # R185
23151 FASHION DRIVE
ESTERO, FL 33928

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173791
EPA ID: FLCESQG

MANIFEST EPA ***(cont.)***

Quantity Kg, Acute, Non-Acute :	0, 1.360545
Quantity Tons, Haz, Non-Haz :	0.0015, 0
Quantity Kg, Haz, Non-Haz :	1.360545, 0
Management Method :	H040 - INCINERATION
Is EPA Waste :	Y
Federal Code :	D003
State Code :	N/R

Manifest Details

Manifest Number :	019527837FLE
Shipped Date :	2024-08-12
Updated Date :	2024-10-23
Received Date :	2024-09-15
Status :	Corrected
Generator ID :	FLCESQG
Generator Name :	APPLE INC. # R185
Generator Address :	23151 FASHION DRIVE, ESTERO, FL 33928
Generator Mailing :	23151 FASHION DRIVE, ESTERO, FL 33928
Generator Contact :	APPLE INC. # R185
Destination ID :	ARD069748192
Destination Name :	CLEAN HARBORS EL DORADO LLC
Destination Mailing :	301 309 AMERICAN CIRCLE, EL DORADO, AR 71730
Destination Address :	309 AMERICAN CIRCLE, EL DORADO, AR 71730
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN3481
DOT Information :	UN3481, WASTE LITHIUM ION BATTERIES PACKED WITH EQUIPMENT, 9, NONE
Non Waste Description :	N/R
Quantity :	2 Pounds
Quantity Tons, Acute, Non-Acute :	0.001, 0, 0.001
Quantity Kg, Acute, Non-Acute :	0, 0.90703
Quantity Tons, Haz, Non-Haz :	0.001, 0
Quantity Kg, Haz, Non-Haz :	0.90703, 0
Management Method :	H040 - INCINERATION
Is EPA Waste :	Y
Federal Code :	D003
State Code :	N/R

Map Id: F90
Direction: ESE
Distance: 0.135 mi., 710 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : NAPLES AUTO INC
25241 BERNWOOD DR, UNIT # 10
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG]

Envirosite ID: 68173826
EPA ID: N/R

ECHO

Facility Name :	NAPLES AUTO INC
Facility Address :	25241 BERNWOOD DR, UNIT # 10, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	2007-02-23
Registry ID :	110027968322
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	6806
Informal Count :	0
Last Informal Action Date :	2007-03-06
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503083037
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	811111 - General Automotive Repair
Facility Last Inspection EPA Date :	N/R

Map Id: F90
Direction: ESE
Distance: 0.135 mi., 710 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : NAPLES AUTO INC
25241 BERNWOOD DR, UNIT # 10
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173826
EPA ID: N/R

ECHO ***(cont.)***

Facility Last Inspection State Date :	2007-02-23
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2007-03-06
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.36812
Longitude :	-81.79841
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	NAPLES AUTO INC
Facility Address :	25241 BERNWOOD DR, UNIT # 10, BONITA SPRINGS, FL 34135-7886
County :	LEE

Site Details

Registry ID :	110027968322
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Map Id: F90
Direction: ESE
Distance: 0.135 mi., 710 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : NAPLES AUTO INC
25241 BERNWOOD DR, UNIT # 10
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173826
EPA ID: N/R

FRS ***(cont.)***

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 74859 RCRAINFO - FLR000132464

RCRA VSQG

Facility Name :	NAPLES AUTO INC
Facility Address :	25241 BERNWOOD DR, UNIT # 10, BONITA SPRINGS, FL 34135-7886
County :	LEE
Date Form Received by Agency :	2007-02-23
EPA ID :	FLR000132464
Mailing Address :	25241 BERNWOOD DR, UNIT #10, BONITA SPRINGS, FL 34135-7886
Contact :	NAPLES AUTO, IN C.
Contact Address :	25241 BERNWOOD DR, UNIT #10, BONITA SPRINGS, FL 34135-7886
Contact Country :	US
Contact Telephone :	239-949-4966
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	HOVLAND REAL ESTATE
Owner/Operator Address :	11983 TAMIAMI TRL N #100, NAPLES, FL 34110
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R

Map Id: F90
Direction: ESE
Distance: 0.135 mi., 710 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : NAPLES AUTO INC
25241 BERNWOOD DR, UNIT # 10
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173826
EPA ID: N/R

RCRA VSQG ***(cont.)***

Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2006-10-02
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE

Notices of Violations Summary

Date of Violation :	2007-02-23
Date Achieved Compliance :	2007-06-27
Regulation Violated :	Y
Area of Violation :	Used Oil - Generators
Enforcement Action :	DEP NON-COMPLIANCE LETTER
Enforcement Action Date :	2007-03-06
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2006-09-28
Date Achieved Compliance :	2006-12-06
Regulation Violated :	Y
Area of Violation :	Used Oil - Generators
Enforcement Action :	DEP NON-COMPLIANCE LETTER
Enforcement Action Date :	2006-10-06
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R

Map Id: F90
Direction: ESE
Distance: 0.135 mi., 710 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : NAPLES AUTO INC
25241 BERNWOOD DR, UNIT # 10
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173826
EPA ID: N/R

RCRA VSQG ***(cont.)***

Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2007-02-23
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Used Oil - Generators
Date Achieved Compliance :	2007-06-27
Evaluation Lead Agency :	State

Evaluation Date :	2006-12-06
Evaluation :	CASE DEVELOPMENT INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	2006-09-28
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Used Oil - Generators
Date Achieved Compliance :	2006-12-06
Evaluation Lead Agency :	State

Map Id: G91
Direction: N
Distance: 0.138 mi., 727 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : HOL 30509
23131 Fashion Drive
ESTERO, FL 33928

Database(s) : [MANIFEST EPA]

Envirosite ID: 68173790
EPA ID: FLCESQG

MANIFEST EPA

Manifest Details

Manifest Number :	019660957FLE
Shipped Date :	2025-02-13
Updated Date :	2025-03-24
Received Date :	2025-03-03
Status :	Signed
Generator ID :	FLCESQG
Generator Name :	HOL 30509
Generator Address :	23131 FASHION DRIVE, ESTERO, FL 33928
Generator Mailing :	23131 FASHION DRIVE, ESTERO, FL 33928
Generator Contact :	HOL 30509
Destination ID :	ARD069748192
Destination Name :	CLEAN HARBORS EL DORADO LLC
Destination Mailing :	301 309 AMERICAN CIRCLE, EL DORADO, AR 71730

Map Id: G91
Direction: N
Distance: 0.138 mi., 727 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : HOL 30509
23131 Fashion Drive
ESTERO, FL 33928

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173790
EPA ID: FLCESQG

MANIFEST EPA ***(cont.)***

Destination Address :	309 AMERICAN CIRCLE, EL DORADO, AR 71730
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1950
DOT Information :	UN1950, WASTE AEROSOLS, FLAMMABLE, (EACH NOT EXCEEDING 1 L CAPACITY) (EACH NOT EXCEEDING 1 LCAPACITY), 2.1, NONE
Non Waste Description :	N/R
Quantity :	50 Pounds
Quantity Tons, Acute, Non-Acute :	0.025, 0, 0.025
Quantity Kg, Acute, Non-Acute :	0, 22.67575
Quantity Tons, Haz, Non-Haz :	0.025, 0
Quantity Kg, Haz, Non-Haz :	22.67575, 0
Management Method :	H040 - INCINERATION
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Manifest Details

Manifest Number :	015231676FLE
Shipped Date :	2020-09-30
Updated Date :	2020-11-17
Received Date :	2020-10-21
Status :	Signed
Generator ID :	FLCESQG
Generator Name :	HOL 30509
Generator Address :	23131 Fashion Drive, Estero, FL 33928
Generator Mailing :	23131 Fashion Drive, Estero, FL 33928
Generator Contact :	HOL 30509
Destination ID :	TXD055141378
Destination Name :	Clean Harbors Deer Park, LLC
Destination Mailing :	2027 Independence Parkway South, La Porte, TX 77571
Destination Address :	2027 Independence Parkway South, La Porte, TX 77571
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Map Id: G91
Direction: N
Distance: 0.138 mi., 727 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : HOL 30509
23131 Fashion Drive
ESTERO, FL 33928

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173790
EPA ID: FLCESQG

MANIFEST EPA ***(cont.)***

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1266
DOT Information :	UN1266, WASTE PERFUMERY PRODUCTS WITH FLAMMABLE SOLVENTS, 3, PG II
Non Waste Description :	N/R
Quantity :	70 Pounds
Quantity Tons, Acute, Non-Acute :	0.035, 0, 0.035
Quantity Kg, Acute, Non-Acute :	0, 31.746052
Quantity Tons, Haz, Non-Haz :	0.035, 0
Quantity Kg, Haz, Non-Haz :	31.746052, 0
Management Method :	H040 - INCINERATION
Is EPA Waste :	Y
Federal Code :	D001
State Code :	TX - OUTS219H

Map Id: D92
Direction: N
Distance: 0.138 mi., 730 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : ESTERO FL GROVES RLS CO
20720 HIGHLAND AVE
ESTERO, FL 33928

Database(s) : [T 2 - FL]

Envirosite ID: 68173784
EPA ID: N/R

T 2 - FL

Facility Name :	ESTERO FL GROVES RLS CO
Facility Address :	20720 HIGHLAND AVE, ESTERO, FL 33928
County :	Lee

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Filing Year :	2024(Tier2)
Filing Type :	312
Company Name :	EMBARQ FL dba CenturyLink
Facility ID :	7567972
State Facility ID :	N/R
SIC :	N/R
NAICS :	517111
Dun & Bradstreet Code :	14-872-1178
De-Registered Date :	N/R
Data Submitted by :	David M Hunt, Manager EHS
Contact 1 - Name :	Embarq Florida dba CenturyLink
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	david.hunt@lumen.com
Contact 1 - 24-hour Phone :	866-864-2255
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	N/R

Map Id: D92
Direction: N
Distance: 0.138 mi., 730 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : ESTERO FL GROVES RLS CO
20720 HIGHLAND AVE
ESTERO, FL 33928

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173784
EPA ID: N/R

T 2 - FL ***(cont.)***

Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2025-02-17
First Submit Date :	2025-02-17(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2026-02-19

Chemical Information

Filing Year :	2024(Tier2)
CAS Number :	7664939
Chemical Name :	Sulfuric Acid
Maximum Daily Quantity :	592
Average Daily Quantity :	592
Max Amount in Largest Container :	25
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	W
Solid :	F
Liquid :	T
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	T
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	T

Map Id: D92
Direction: N
Distance: 0.138 mi., 730 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : ESTERO FL GROVES RLS CO
20720 HIGHLAND AVE
ESTERO, FL 33928

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173784
EPA ID: N/R

T 2 - FL ***(cont.)***

Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2023(Tier2)
Filing Type :	312
Company Name :	EMBARQ FL dba CenturyLink
Facility ID :	7435456
State Facility ID :	N/R
SIC :	N/R
NAICS :	517111
Dun & Bradstreet Code :	14-872-1178
De-Registered Date :	N/R
Data Submitted by :	David M Hunt, Manager EHS
Contact 1 - Name :	Embarq Florida dba CenturyLink
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	david.hunt@lumen.com
Contact 1 - 24-hour Phone :	866-864-2255
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2024-02-28
First Submit Date :	2024-02-28(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2025-02-12

Chemical Information

Filing Year :	2023(Tier2)
CAS Number :	7664939
Chemical Name :	Sulfuric Acid
Maximum Daily Quantity :	592
Average Daily Quantity :	592
Max Amount in Largest Container :	25
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	W
Solid :	F
Liquid :	T
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R

Map Id: D92
Direction: N
Distance: 0.138 mi., 730 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : ESTERO FL GROVES RLS CO
20720 HIGHLAND AVE
ESTERO, FL 33928

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173784
EPA ID: N/R

T 2 - FL ***(cont.)***

Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	T
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
Filing Type :	312
Company Name :	EMBARQ FL dba CenturyLink
Facility ID :	7297679
State Facility ID :	N/R
SIC :	N/R
NAICS :	517111
Dun & Bradstreet Code :	14-872-1178
De-Registered Date :	N/R
Data Submitted by :	David M Hunt, Manager EHS
Contact 1 - Name :	Embarq Florida dba CenturyLink
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	david.hunt@lumen.com
Contact 1 - 24-hour Phone :	866-864-2255
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2023-02-27
First Submit Date :	2023-02-27(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2023-07-21

Map Id: D92
Direction: N
Distance: 0.138 mi., 730 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : ESTERO FL GROVES RLS CO
20720 HIGHLAND AVE
ESTERO, FL 33928

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173784
EPA ID: N/R

T 2 - FL ***(cont.)***

Chemical Information

Filing Year :	2022(Tier2)
CAS Number :	7664939
Chemical Name :	Sulfuric Acid
Maximum Daily Quantity :	592
Average Daily Quantity :	592
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	W
Solid :	F
Liquid :	T
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	T
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2021(Tier2)
Filing Type :	312
Company Name :	EMBARQ FL dba CenturyLink

Map Id: D92
Direction: N
Distance: 0.138 mi., 730 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : ESTERO FL GROVES RLS CO
20720 HIGHLAND AVE
ESTERO, FL 33928

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173784
EPA ID: N/R

T 2 - FL ***(cont.)***

Facility ID :	7079424
State Facility ID :	N/R
SIC :	N/R
NAICS :	517311 - Wired Telecommunications Carriers
Dun & Bradstreet Code :	14-872-1178
De-Registered Date :	N/R
Data Submitted by :	David M Bloome, Manager EHS
Contact 1 - Name :	Embarq Florida dba CenturyLink
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	david.bloome@centurylink.com
Contact 1 - 24-hour Phone :	866-864-2255
Contact 1 - Work Phone :	404-210-0748
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2022-08-22
First Submit Date :	2022-01-04(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2022-12-20

Chemical Information

Filing Year :	2021(Tier2)
CAS Number :	7664939
Chemical Name :	Sulfuric Acid
Maximum Daily Quantity :	592
Average Daily Quantity :	592
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	W
Solid :	F
Liquid :	T
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	T
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F

Map Id: D92
Direction: N
Distance: 0.138 mi., 730 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : ESTERO FL GROVES RLS CO
20720 HIGHLAND AVE
ESTERO, FL 33928

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173784
EPA ID: N/R

T 2 - FL ***(cont.)***

Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2020(Tier2)
Filing Type :	312
Company Name :	EMBARQ FL dba CenturyLink
Facility ID :	6788831
State Facility ID :	N/R
SIC :	N/R
NAICS :	517311 - Wired Telecommunications Carriers
Dun & Bradstreet Code :	14-872-1178
De-Registered Date :	N/R
Data Submitted by :	David M Bloome, Manager EHS
Contact 1 - Name :	Embarq Florida dba CenturyLink
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	david.bloome@centurylink.com
Contact 1 - 24-hour Phone :	866-864-2255
Contact 1 - Work Phone :	404-210-0748
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2021-01-11
First Submit Date :	2021-01-11(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2022-01-06

Chemical Information

Filing Year :	2020(Tier2)
CAS Number :	7664939
Chemical Name :	Sulfuric Acid
Maximum Daily Quantity :	592
Average Daily Quantity :	592
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R

Map Id: D92
Direction: N
Distance: 0.138 mi., 730 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : ESTERO FL GROVES RLS CO
20720 HIGHLAND AVE
ESTERO, FL 33928

Database(s) : [T 2 - FL] ***(cont.)***

Envirosite ID: 68173784
EPA ID: N/R

T 2 - FL ***(cont.)***

Trade Secret :	N/R
H :	3
F :	0
R :	0
S :	W
Solid :	F
Liquid :	T
Gas :	F
Pure :	T
Mixture :	F
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	T
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	T
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Map Id: A93
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : B & L FIX IT
10382 SOUTHLAND DR
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, RAATS, RCRA NONGEN, SQG - FL]

Envirosite ID: 68173731
EPA ID: N/R

ECHO

Facility Name :	B & L FIX IT
Facility Address :	10382 SOUTHLAND DR, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	1993-06-03
Registry ID :	110007430805
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	11819
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	POINT WHERE SUBSTANCE IS MONITORED
Accuracy Meters :	5
Derived Tribes :	Seminole Tribe of Florida - 23 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040105
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710505001052
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R

Map Id: A93
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : B & L FIX IT
10382 SOUTHLAND DR
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, RAATS, RCRA NONGEN, SQG - FL] ***(cont.)***

Envirosite ID: 68173731
EPA ID: N/R

ECHO ***(cont.)***

Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	1993-06-03
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.332538
Longitude :	-81.781478
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	B & L FIX IT
Facility Address :	10382 SOUTHLAND DR, BONITA SPRINGS, FL 34135
County :	LEE

Site Details

Registry ID :	110007430805
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Map Id: A93
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : B & L FIX IT
10382 SOUTHLAND DR
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, RAATS, RCRA NONGEN, SQG - FL] ***(cont.)***

Envirosite ID: 68173731
EPA ID: N/R

FRS ***(cont.)***

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 41975 RCRAINFO - FLD982144453

RAATS

Facility Name :	B & L FIX IT
Facility Address :	10382 SOUTHLAND DR, BONITA SPRINGS, FL 341354873

Notices of Violations Summary

Date of Violation :	1993-06-03
Date Achieved Compliance :	N/R
Regulation Violated :	N
Area of Violation :	N/R
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	N/R
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Regulation Violated :	N

RCRA NONGEN

Facility Name :	B & L FIX IT
Facility Address :	10382 SOUTHLAND DR, BONITA SPRINGS, FL 34135-4873
County :	LEE
Date Form Received by Agency :	2015-06-30
EPA ID :	FLD982144453
Mailing Address :	PO BOX 1886 10382 SOUTHLAND DR, BONITA SPRINGS, FL 34133-1886
Contact :	CHARLES MOORE
Contact Address :	PO BOX 1886, BONITA SPRINGS, FL 34133-1886
Contact Country :	US
Contact Telephone :	941-992-0437
Contact Email :	N/R

Map Id: A93
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : B & L FIX IT
10382 SOUTHLAND DR
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, RAATS, RCRA NONGEN, SQG - FL] ***(cont.)***

Envirosite ID: 68173731
EPA ID: N/R

RCRA NONGEN ***(cont.)***

EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	CHARLES MOORE
Owner/Operator Address :	PO BOX 1886, BONITA SPRINGS, FL 34133-1886
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1996-10-18
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	1990-05-07
Facility Name :	B & L FIX IT
Classification :	Small Quantity Generator

Notices of Violations Summary

Regulation Violated :	N

Map Id: A93
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : B & L FIX IT
10382 SOUTHLAND DR
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, RAATS, RCRA NONGEN, SQG - FL] ***(cont.)***

Envirosite ID: 68173731
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Evaluation Action Summary

Evaluation Date :	1993-06-03
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

SQG - FL

Facility Name :	B & L Fix It
Facility Address :	10382 Southland Dr, Bonita Springs, 34135
County :	LEE
Last Inspection Date :	1993-06-03
Date Notified :	1990-04-15
Site ID :	41975
Handler ID :	FLD982144453
Office :	South District
Facility Inspection Type :	N/R
Documents Link :	N/R
Last Date in Agency List :	2015-06-06

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL]

Envirosite ID: 68173732
EPA ID: N/R

AFS

Facility Name :	TDLC INCORPORATION
Facility Address :	10450 W TERRY ST, BONITA SPRINGS, FL 341355053
County :	Lee

Facility Summary

Program System ID :	FL0000001207100179
Facility Registry ID :	110038642608
EPA Region :	EPA Region 4 - AL, FL, GA, KY, MS, NC, SC, TN
SIC :	7216 - DRYCLEANING PLANTS, EXCEPT RUG CLEANING
NAICS :	812320 - Drycleaning and Laundry Services (except Coin-Operated)

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

AFS ***(cont.)***

Facility Type :	Privately Owned Facility
Air Pollutant Class :	Minor Emissions
Air Operating Status :	Permanently Closed
Current High Priority Violation (HPV):	No Violation Identified
Local Control Region Name :	N/R
Last Date in Agency List :	2026-05-26

Air Pollutant Details

Program System ID :	FL0000001207100179
Pollutant :	FACIL
Substance Registry Services ID (SRS):	N/R
Chemical Abstract Service Number :	N/R
Air Pollutant Class :	Minor Emissions

Air Violation History Details

HPV Day Zero Date :	N/R
HPV Resolved Date :	N/R
Program System ID :	FL0000001207100179
Activity ID :	N/R
Agency Type :	N/R
State Code :	N/R
Air Local Control Region Code (LCON):	N/R
Comp Determination UID :	N/R
Enforcement Response Policy :	N/R
Program :	N/R
Pollutant :	N/R
Earliest Determination Date of Federally Reportable Violation (FRV):	N/R

AIRS - FL

Facility Name :	TISCH LAUNDRY & DRY CLEANERS
Facility Address :	10450 W TERRY ST, BONITA SPRINGS, 34135
County :	LEE
Startup Date (Relocation) :	N/R
Shutdown Date (Relocation) :	N/R
AIRS ID :	0710179
Owner/Company Name :	TDLC INCORPORATION
Category :	POINT
Relocatable :	N
UTM Zone :	17
North :	2914.19
East :	422.16
Township :	N/R

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

AIRS - FL ***(cont.)***

Major Group SIC :	72
Government Facility Code :	0
Public Exempt :	N/R
One Time Title V Credit :	N
Title V :	N
Title V by EPA Designation :	N/R
Compliance Tracking Code :	N/R
Current Permit Indicator :	AG
Syn Non Title V Source :	N
Major of Non Haps Pollutants :	N
Syn Minor of Non Hap Pollutants :	N
Major of HAPS :	N
Syn Minor of HAPS :	N
NSPS :	N
NESHAP :	Y
Emission Guidelines :	N/R
Small Business Stationary :	N/R
AOR Required :	N
Ozone SIP Facility :	N
Regulatory Comment :	N/R
Facility Final Shutdown Date :	N/R
Facility Office :	SD
Facility Status :	Inactive
Facility Type :	DRY CLEANER
Directions :	N/R
Facility Comment :	09/11/08-TV PERC DC AGP Reg. renewal. 09/22/08-INACTIVE, renewal WITHDRAWN per ltr 9/18/08 fr RO Youseff,no longer PERC DC facility, machine removed, wash laundry only, last PERC pick-up on 10/14/08.
Last Date in Agency List :	2019-10-02
Startup Date (Relocation) :	N/R
Shutdown Date (Relocation) :	N/R
AIRS ID :	710179
Owner/Company Name :	TDLC INCORPORATION
Category :	POINT
Relocatable :	N
UTM Zone :	17
North :	2914.19
East :	422.16
Township :	N/R
Major Group SIC :	72
Government Facility Code :	0
Public Exempt :	N/R
One Time Title V Credit :	N
Title V :	N
Title V by EPA Designation :	N/R
Compliance Tracking Code :	N/R

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

AIRS - FL ***(cont.)***

Current Permit Indicator :	AG
Syn Non Title V Source :	N
Major of Non Haps Pollutants :	N
Syn Minor of Non Hap Pollutants :	N
Major of HAPS :	N
Syn Minor of HAPS :	N
NSPS :	N
NESHAP :	Y
Emission Guidelines :	N/R
Small Business Stationary :	N/R
AOR Required :	N
Ozone SIP Facility :	N
Regulatory Comment :	N/R
Facility Final Shutdown Date :	N/R
Facility Office :	SD
Facility Status :	Inactive
Facility Type :	DRY CLEANER
Directions :	N/R
Facility Comment :	09/11/08-TV PERC DC AGP Reg. renewal. 09/22/08-INACTIVE, renewal WITHDRAWN per ltr 9/18/08 fr RO Youseff,no longer PERC DC facility, machine removed, wash laundry only, last PERC pick-up on 10/14/08.
Last Date in Agency List :	2025-12-23

CORRACTS

Facility Name :	TISCH COIN LAUNDRY
Facility Address :	10450 W TERRY ST, BONITA SPRINGS, FL 34135-5053
County :	LEE
EPA ID :	FLD981859820
EPA Region :	04
Last Date in Agency List :	2026-05-05
HNAICS Code :	812310 - COIN-OPERATED LAUNDRIES AND DRYCLEANERS 81232 - DRYCLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED) 812320 - DRYCLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

CORRACTS ***(cont.)***

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2015-06-09
Action :	READY FOR ANTICIPATED USE DETERMINATION - READY FOR ANTICIPATED USE
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2013-11-04
Action :	REMEDY CONSTRUCTION-REMEDY CONSTRUCTED
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2012-08-16
Action :	RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2012-08-16
Action :	HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2012-05-18
Action :	REMEDY DECISION
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2011-07-20
Action :	CA PRIORITIZATION-MEDIUM CA PRIORITY
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2011-05-20
Action :	INVESTIGATION REPORT RECEIVED
Original Schedule Date :	N/R
Schedule End Date :	N/R

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

CORRACTS ***(cont.)***

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2011-03-01
Action :	INVESTIGATION IMPLEMENTATION BEGUN
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2011-01-20
Action :	INVESTIGATION SUPPLEMENTAL INFO REQ BY AGENCY
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2010-10-06
Action :	INVESTIGATION REPORT RECEIVED
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2010-06-28
Action :	CA186XG
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2010-06-18
Action :	CA186XG
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2010-03-23
Action :	CORRESPONDENCE
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2009-01-30
Action :	CA186XG
Original Schedule Date :	N/R
Schedule End Date :	N/R

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

CORRACTS ***(cont.)***

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2008-12-08
Action :	INVESTIGATION REPORT RECEIVED
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2008-09-22
Action :	CA OVERSIGHT INSPECTION (= CMCAO)
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2008-07-01
Action :	STABILIZATION CONSTRUCTION COMPLETED
Original Schedule Date :	2008-06-30
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2008-06-04
Action :	FINANCIAL ASSURANCE FOR REMEDY DEMO
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2008-04-24
Action :	STABILIZATION/INTERIM MEASURES DECISION-PRIMARY MEAS IS SOURCE REMOVL &/OR TRT
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2008-03-21
Action :	INVESTIGATION SUPPLEMENTAL INFO DEEMED SATISFACT
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2007-12-31
Action :	INVESTIGATION COMPLETE
Original Schedule Date :	N/R
Schedule End Date :	N/R

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

CORRACTS ***(cont.)***

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2007-10-12
Action :	INVESTIGATION REPORT RECEIVED
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2007-07-30
Action :	COST ESTIMATE FOR REMEDY RECEIVED
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2007-07-30
Action :	FINANCIAL ASSURANCE FOR REMEDY DEMO
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2007-07-20
Action :	INVESTIGATION WORKPLAN APPROVED
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2007-07-16
Action :	INVESTIGATION WORKPLAN RECEIVED
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2007-05-10
Action :	CONFIRM. SAMPLING WORKPLAN - NOTI ISSUED
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2007-04-25
Action :	USER DEFINED EVENT
Original Schedule Date :	N/R
Schedule End Date :	N/R

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

CORRACTS ***(cont.)***

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	2001-06-01
Action :	INVESTIGATION IMPOSITION
Original Schedule Date :	N/R
Schedule End Date :	N/R

Area Name :	CONTAMINATED GW BENEATH ENTIRE FACILITY
Actual Date :	1999-11-10
Action :	RFA COMPLETED
Original Schedule Date :	N/R
Schedule End Date :	N/R

CORRECTIVE ACTIONS 2020

Facility Name :	TISCH COIN LAUNDRY
Facility Address :	10450 W TERRY ST, BONITA SPRINGS, FL 34135-5053

EPA ID :	FLD981859820
Region :	4
Remedy Construction :	YES
Federal Facility :	N/R
CA725 :	YE
CA750 :	YE
CA550 :	YE
CA900 :	N/R

CS - FL

Facility Name :	Tisch Coin Laundry- Facilitywide Site
Facility Address :	10450 W Terry St, Bonita Springs, 34135
County :	Leon County

DEP Cleanup Site Key :	88017289
Program Site ID :	ERIC_17149
Program Source Data :	ERIC
Program Area :	OTHCU
Collection Date :	2004-01-26
Verification Date :	2004-01-26
Load Date :	2026-06-18
Verifier :	STANDRIDGE_N
Collector :	STANDRIDGE_N
Verifier Agency :	N/R
Collection Agency :	N/R
Verification Status :	N/R
Remediation Status :	OPEN
Office/District :	SD
Comments :	Alternate ID: FLD981859820

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

CS - FL ***(cont.)***

Last Date in Agency List :	2026-06-18

DEDB - FL

Sample Date :	2005-01-04
Sample ID :	050105-117
Sample Type :	RESAMPLE
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W. TERRY ST
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-050105-23
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2004-09-21
Sample ID :	040922-087
Sample Type :	RESAMPLE
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W. TERRY ST
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-040922-20
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2004-06-02
Sample ID :	040604-089
Sample Type :	RESAMPLE
FLUW ID :	AAG3717

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

DEDB - FL ***(cont.)***

Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W. TERRY ST
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-040604-20
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2004-03-25
Sample ID :	040326-046
Sample Type :	RESAMPLE
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W. TERRY ST
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-040326-13
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2011-02-22
Sample ID :	110119-019
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-110119-005
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2009-05-07
Sample ID :	090408-082
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-090408-018
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2009-01-12
Sample ID :	081202-015
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-081202-005
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

DEDB - FL ***(cont.)***

Sample Date :	2006-04-11
Sample ID :	060413-119
Sample Type :	RESAMPLE
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-060413-019
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2005-12-08
Sample ID :	051209-053
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-051209-011
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2003-11-20
Sample ID :	031121-071
Sample Type :	RESAMPLE
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

DEDB - FL ***(cont.)***

Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-031121-16
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2003-07-22
Sample ID :	030723-087
Sample Type :	COMPLIANCE MONITORING
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030723-15
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2003-04-30
Sample ID :	030501-063
Sample Type :	RESAMPLE
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030501-14

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

DEDB - FL ***(cont.)***

Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2003-03-05
Sample ID :	030306-069
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030306-13
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2010-01-28
Sample ID :	091210-100
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST.
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-091210-017
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2011-02-22
Sample ID :	110119-019
Sample Type :	FIRST SAMPLE

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

DEDB - FL ***(cont.)***

FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST
Well Type :	50
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-110119-005
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2010-01-28
Sample ID :	091210-100
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST
Well Type :	50
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-091210-017
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2009-05-07
Sample ID :	090408-082
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Type :	50
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-090408-018
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2009-01-12
Sample ID :	081202-015
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST
Well Type :	50
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-081202-005
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2006-04-11
Sample ID :	060413-119
Sample Type :	RESAMPLE
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST
Well Type :	50
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-060413-019
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

DEDB - FL ***(cont.)***

Sample Date :	2005-12-08
Sample ID :	051209-053
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST
Well Type :	50
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-051209-011
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2005-01-04
Sample ID :	050105-117
Sample Type :	RESAMPLE
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST
Well Type :	50
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-050105-23
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2004-09-21
Sample ID :	040922-087
Sample Type :	RESAMPLE
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

DEDB - FL ***(cont.)***

Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST
Well Type :	50
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-040922-20
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2004-06-02
Sample ID :	040604-089
Sample Type :	RESAMPLE
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST
Well Type :	50
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-040604-20
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2004-03-25
Sample ID :	040326-046
Sample Type :	RESAMPLE
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST
Well Type :	50
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-040326-13

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

DEDB - FL ***(cont.)***

Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2003-11-20
Sample ID :	031121-071
Sample Type :	RESAMPLE
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST
Well Type :	50
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-031121-16
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2003-07-22
Sample ID :	030723-087
Sample Type :	COMPLIANCE MONITORING
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST
Well Type :	50
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-030723-15
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2003-04-30
Sample ID :	030501-063
Sample Type :	RESAMPLE

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

DEDB - FL ***(cont.)***

FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST
Well Type :	50
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-030501-14
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2003-03-05
Sample ID :	030306-069
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3717
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	TISCH
Well Business Name :	TISCH LAUNDRY
Well Address :	10450 W TERRY ST
Well Type :	50
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-030306-13
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

DOCKET

Facility Name :	TISCH CLEANERS
Facility Address :	10450 WEST TERRY STREET, BONITA SPRINGS, FL 34135

Site Activity Details

Enforcement Action Case Number :	04-2000-0386
Activity ID :	23785
Enforcement Action Name :	TISCH CLEANERS
Last Date in Agency List :	2026-02-24

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

DOCKET ***(cont.)***

Final Ordr Iss/Final Order Enter Date:	2001-05-31
Complaint/Proposed Order Actual Date:	2000-08-04
Final Order Issued Actual Date :	2001-05-31
Final Order Name :	TISCH LAUNDRY - HARRY TISCH

Complaint Summary

Respondent/Defendant Name :	TISCH LAUNDRY
Named in Complaint :	Y
Named in Final Order :	Y
Respondent/Defendant Name :	TISCH, HARRY
Named in Complaint :	Y
Named in Final Order :	Y
SEP Category :	N/R
SEP Description :	N/R
Regional Docket Number :	RCRA-04-2000-12

Standard Industrial Classification (SIC) Summary

Registry ID :	110002008452
Primary SIC :	7216 - DRYCLEANING PLANTS, EXCEPT RUG CLEANING
Primary NAICS :	N/R
Settlement FRS ICIS Facility :	2016 - TISCH CLEANERS
Pollutants (SRS) :	N/R
Admin EA Closed Actual Date :	2001-05-31
Enforcement Action Name :	TISCH LAUNDRY - HARRY TISCH
Enforcement Action Resolution :	Final Order No Penalty
Violation Types :	Discharge, Emission Or Activity WO Required Permit
Case Law Sections :	RCRA 3008A - Compliance Order: Injunctive & Penalty

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

DOCKET ***(cont.)***

Violation Penalties and Compliance Summary

Compliance Action Cost :	0
EPA Penalty Assessed Amount :	0
Cost Recovery Required :	N/R
Cost of SEP :	0
Cost of Complying Actions :	N/R

ECHO

Facility Name :	TDLC INCORPORATION
Facility Address :	10450 W TERRY ST, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	N/R
Registry ID :	110038642608
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 23 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040105
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710504001017
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

ECHO ***(cont.)***

CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	7216
Facility NAICS :	812320 - Drycleaning and Laundry Services (except Coin-Operated)
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	Y
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.34557
Longitude :	-81.77976
Last Date in Agency List :	2026-05-11
Facility Name :	TISCH COIN LAUNDRY
Facility Address :	10450 WEST TERRY STREET, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	2024-11-22
Registry ID :	110002008452

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

ECHO ***(cont.)***

FIPS Code :	12071
EPA Region :	04
Inspection Count :	3
Last Inspection Days :	324
Informal Count :	0
Last Informal Action Date :	2007-08-23
Formal Action Count :	0
Last Formal Action Date :	2001-05-31
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	GPS - UNSPECIFIED
Reference Point :	FACILITY CENTROID
Accuracy Meters :	10
Derived Tribes :	Seminole Tribe of Florida - 23 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040105
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710504004000
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

ECHO ***(cont.)***

Facility Last Inspection State Date :	2024-11-22
Facility Last Formal Act EPA Date :	2001-05-31
Facility Last Formal Act State Date :	2001-04-16
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2007-08-23
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	Y
Active Flag :	Y
NAA Flag :	N
Latitude :	26.345405
Longitude :	-81.779589
Last Date in Agency List :	2026-05-11

FA HWF

Facility Name :	TISCH COIN LAUNDRY
Facility Address :	10450 W TERRY ST, BONITA SPRINGS, FL 34135-5053
Effective Date :	2016-10-31
Site EPA ID :	FLD981859820
Provider :	NA
Mechanism Type :	NO MECHANISM ESTABLISHED
Cost Estimate Amount :	$0.00
Face Value Amount :	$0.00
EPA Region :	04
Last Date in Agency List :	2025-08-17

FRS

Facility Name :	TDLC INCORPORATION
Facility Address :	10450 W TERRY ST, BONITA SPRINGS, FL 341355053
County :	LEE

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

FRS ***(cont.)***

Site Details
Registry ID : 110038642608
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description
Source Description : AIR contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies. AFS contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies.

FRS Environmental Interest
Source and System ID : AIRS/AFS - 1207100179
ICIS - FL0000001207100179

Facility Name : TISCH COIN LAUNDRY
Facility Address : 10450 WEST TERRY STREET, BONITA SPRINGS, FL 34135-5053
County : LEE

Site Details
Registry ID : 110002008452
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

FRS ***(cont.)***

Source Description :

ICIS provides a database that, when complete, will contain enforcement and compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions and a subset of the Permit Compliance System (PCS), which supports the National Pollutant Discharge Elimination System (NPDES). This information is maintained in ICIS by EPA in the Regional offices and at Headquarters. A future release of ICIS will completely replace PCS and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities that support compliance and enforcement programs, including incident tracking, compliance assistance, and compliance monitoring.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 412 ICIS - 2016 RCRAINFO - FLD981859820

RCRA NONGEN

Facility Name :	TISCH COIN LAUNDRY
Facility Address :	10450 W TERRY ST, BONITA SPRINGS, FL 34135-5053
County :	LEE
Date Form Received by Agency :	2024-11-22
EPA ID :	FLD981859820
Mailing Address :	10450 W TERRY ST, BONITA SPRINGS, FL 34135-5053
Contact :	NABIL YOUSSEF
Contact Address :	10306 PENNSYLVANIA AVE, BONITA SPRINGS, FL 34135-4903
Contact Country :	US
Contact Telephone :	239-947-3211
Contact Email :	BOOLIDOG@HOTMAIL.COM
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Owner/Operator Summary

Owner/Operator Name :	HARRY TISCH
Owner/Operator Address :	10450 W TERNY ST, BONITA SPRINGS, FL 33923-0000
Owner/Operator Country :	US
Owner/Operator Telephone :	239-947-3211
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1999-03-16
Owner/Operator End Date :	1999-03-17

Owner/Operator Name :	NABIL YOUSSEF
Owner/Operator Address :	10306 PENNSYLVANIA AVE, BONITA SPRINGS, FL 34135-4903
Owner/Operator Country :	US
Owner/Operator Telephone :	239-947-3211
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1999-03-16
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N/R
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	Y
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	2023-11-15
Facility Name :	TISCH COIN LAUNDRY
Classification :	Not a generator, verified

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Date Form Received by Agency :	2021-11-09
Facility Name :	TISCH COIN LAUNDRY
Classification :	Not a generator, verified
Date Form Received by Agency :	2018-11-13
Facility Name :	TISCH COIN LAUNDRY
Classification :	Not a generator, verified
Date Form Received by Agency :	2015-11-17
Facility Name :	TISCH COIN LAUNDRY
Classification :	Not a generator, verified
Date Form Received by Agency :	2011-08-10
Facility Name :	TISCH COIN LAUNDRY
Classification :	Very Small Quantity Generator
Date Form Received by Agency :	2008-10-31
Facility Name :	TISCH COIN LAUNDRY
Classification :	Very Small Quantity Generator
Date Form Received by Agency :	1986-12-15
Facility Name :	TISCH COIN LAUNDRY
Classification :	Small Quantity Generator

Corrective Action Summary

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Date / Status / CA Event Description:

2015-06-09 (Active) CA800YE - READY FOR ANTICIPATED USE DETERMINATION - READY FOR ANTICIPATED USE
2013-11-04 (Active) CA550RC - REMEDY CONSTRUCTION-REMEDY CONSTRUCTED
2012-08-16 (Active) CA750YE - RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE
2012-08-16 (Active) CA725YE - HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE
2012-05-18 (Active) CA400 - REMEDY DECISION
2011-07-20 (Active) CA075ME - CA PRIORITIZATION-MEDIUM CA PRIORITY
2011-05-20 (Active) CA190 - INVESTIGATION REPORT RECEIVED
2011-03-01 (Active) CA180 - INVESTIGATION IMPLEMENTATION BEGUN

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

RCRA NONGEN ***(cont.)***

2011-01-20 (Active) CA155 - INVESTIGATION SUPPLEMENTAL INFO REQ BY AGENCY
2010-10-06 (Active) CA190 - INVESTIGATION REPORT RECEIVED

Notices of Violations Summary

Date of Violation :	2011-08-10
Date Achieved Compliance :	2011-08-10
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2007-08-06
Date Achieved Compliance :	2007-09-12
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP NON-COMPLIANCE LETTER
Enforcement Action Date :	2007-08-23
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2005-07-05
Date Achieved Compliance :	2005-08-23
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP NON-COMPLIANCE LETTER
Enforcement Action Date :	2005-07-08
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Date of Violation :	2003-02-19
Date Achieved Compliance :	2003-04-09
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP NON-COMPLIANCE LETTER
Enforcement Action Date :	2003-02-27
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	1999-03-08
Date Achieved Compliance :	1999-06-14
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP MEETING
Enforcement Action Date :	1999-03-31
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	EPA
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	1999-03-08
Date Achieved Compliance :	1999-06-14
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	JUDICIAL CONSENT DECREE
Enforcement Action Date :	2001-04-16
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	EPA
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	1999-03-08
Date Achieved Compliance :	1999-06-14
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP MEETING

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Enforcement Action Date :	2000-06-06
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	EPA
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	1999-03-08
Date Achieved Compliance :	1999-06-14
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP WARNING LETTER
Enforcement Action Date :	1999-03-12
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	EPA
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	1999-03-08
Date Achieved Compliance :	1999-06-14
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	EPA
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	1999-03-08
Date Achieved Compliance :	1999-03-08
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP WARNING LETTER
Enforcement Action Date :	1999-03-12
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	EPA
Enforcement Lead Agency :	State

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2024-11-22
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	2023-11-15
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	2021-11-09
Evaluation :	OPERATION AND MAINTENANCE INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	2018-11-13
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	2018-11-13
Evaluation :	OPERATION AND MAINTENANCE INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	2018-03-29
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Evaluation Date :	2015-11-17
Evaluation :	GROUNDWATER MONITORING EVALUATION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	2015-11-17
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	2014-01-24
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	2013-09-26
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

RCRA TSDF

Facility Name :	TISCH COIN LAUNDRY
Facility Address :	10450 W TERRY ST, BONITA SPRINGS, FL 34135-5053
County :	LEE

Site Details

EPA Handler ID :	FLD981859820
Receive Date :	2024-11-22
Handler Date of Last Change :	2026-01-08
Activity Location :	FL
Mailing Address :	10450 W TERRY ST, BONITA SPRINGS, FL 34135-5053
Mailing Country :	US
Contact Name :	NABIL YOUSSEF
Contact Title :	OWNER
Contact Email Address :	BOOLIDOG@HOTMAIL.COM
Contact Address :	10306 PENNSYLVANIA AVE, BONITA SPRINGS, FL 34135-4903
Contact Telephone Number and Extension:	239-947-3211
Contact Facsimile Number :	N/R
Region :	04

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

RCRA TSDF ***(cont.)***

Land Type :	Private
Source Type :	Implementer
Sequence Number :	202411
Non-Notifier :	N/R
Biennial Report Cycle :	N/R
Federal Facility Indicator :	Not a Federal Facility
Accessibility :	N/R
NAICS Codes :	N/R
Active Site Indicator :	Permitting Activities, Corrective Action Activities
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner Name :	NABIL YOUSSEF
Owner Type :	Private
Owner/Operator Sequence Number :	1
Operator Name :	N/R
Operator Type :	Not Reported

Handler Activities Summary

Commercial TSD Indicator :	N
Operating TSDF Universe :	No
Treatment, Storage, and Disposal Type:	Treatment
Full Enforcement Universe :	Treatment
Permit Renewals Workload Universe :	No
Permit Workload Universe :	No
Permit Progress Universe :	Treatment
Post-Closure Workload Universe :	No
Closure Workload Universe :	Treatment
TSDFs Potentially Subject to Corrective Action Under 3004 (u)/(v) Universe:	N
TSDFs Only Subject to Corrective Action Under Discretionary Authorities Universe:	Y
Active Site Federally-Regulated Treatment, Storage, and Disposal Facility:	Treatment
Active Site Converter Treatment, Storage, and Disposal Facility:	No
Active Site State-Regulated Treatment, Storage, and Disposal Facility:	No
In a Handler Universe :	N
In a Universe :	Y
Federal Generator Status Universe :	Non-Generator
Short-Term Generator Activity :	N
Importer Activity :	N
Mixed Waste Generator :	N

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

RCRA TSDF ***(cont.)***

Federal Waste Generator Code Owner :	HQ
Federal Waste Generator Code :	N
Federal Waste Generator Description :	Not a generator, verified
State Waste Generator Code Owner :	FL
State Waste Generator Code :	N
Transporter Activity :	N
Transfer Facility Activity :	N
Recycler Activity with Storage :	N
Small Quantity On-site Burner Exemption:	N
Smelting, Melting, and Refining Furnace Exemption:	N
Underground Injection Control :	N
Off-site Waste Receipt :	N
Universal Waste Indicator :	N
Universal Waste Destination Facility:	N
Federal Universal Waste :	N
Used Oil Transporter :	N
Used Oil Transfer Facility :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Burner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Active Site State-Regulated Handler :	---
Corrective Action Workload Universe :	Y
Subject to Corrective Action Universe:	Y
Non-TSDFs Where RCRA Corrective Action Has Been Imposed Universe:	N
Corrective Action Priority Ranking :	Medium
Environmental Control Indicator :	N
Institutional Control Indicator :	N
Human Exposure Controls Indicator :	Yes
Groundwater Controls Indicator :	Yes
Significant Non-Complier Universe :	N
Unaddressed Significant Non-Complier Universe:	N
Addressed Significant Non-Complier Universe:	N
Significant Non-Complier With a Compliance Schedule Universe:	N
Financial Assurance Required :	-C-S-
Public Notes :	Previously inspected on 09/25/2008
Recognized Trader - Importer :	N
Recognized Trader - Exporter :	N
Importer of Spent Lead Acid Batteries:	N
Exporter of Spent Lead Acid Batteries:	N
Recycler Activity without Storage :	N
Manifest Broker :	N
Subpart P :	N

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

SHWS ERIC - FL

Facility Name :	TISCH COIN LAUNDRY- FACILITYWIDE SITE
Facility Address :	10450 W TERRY ST, BONITA SPRINGS, FL 34135
County :	Lee
ERIC ID :	ERIC_17149
Site Status :	OPEN
Source Facility Name :	Tisch Coin Laundry
Source Facility ID :	412
Program :	Hazardous Waste Cleanup Program
Program Type :	RCRA
Program Status :	ACTIVE
District :	SD
Waste Management Office :	SFWMD
ICR Indicator :	N
Discharge Date :	N/R
Site Manager :	Andie Fulton
Site Phase Description :	Phase 4 - Design Implementation
Offsite Contamination :	CONTAMNOSCHOOL
Datum ID :	WGS84
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	26.345405
Longitude :	-81.779589
Last Date in Agency List :	2026-06-18

TSD - FL

Facility Name :	Tisch Coin Laundry
Facility Address :	10450 W Terry St, Bonita Springs, FL 34135
County :	Lee

Site Details

Facility ID :	N/R
EPA ID :	FLD981859820
Other ID :	N/R
Old Facility ID :	N/R
Status :	N/R
Follow Up :	N/R
Generator Status History :	NHR-Non-Handler of Hazardous Waste, TSD-CO-Treatment/Storage/Disposal Facility-CO
Status Date :	2024-11-22
SIC Code :	N/R
Generator Status :	N/R
Total HW Disposal :	N/R
Data Type :	N/R
Follow Up Date :	N/R

Map Id: A94
Direction: SSE
Distance: 0.140 mi., 737 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TISCH COIN LAUNDRY | AAG3717 | TDLC INCORPORATION
10450 W TERRY ST | 10450 WEST TERRY STREET
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS - FL, DEDB - FL, DOCKET, ECHO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC - FL, TSD - FL] ***(cont.)***

Envirosite ID: 68173732
EPA ID: N/R

TSD - FL ***(cont.)***

Org Contact :	N/R
Org Code :	N/R
Full-Time Employees :	N/R
Facility Updated Date :	N/R
District :	SD
Mailing Address :	N/R
Contact Name :	Nabil Youssef
Contact Number :	2399473211
Other Contact :	N/R
Title :	N/R
Phone :	N/R
E-mail Address :	N/R
Last Date in Agency List :	2026-06-10

Map Id: B95
Direction: S
Distance: 0.142 mi., 749 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : NAPLES TOMATO GROWERS | FL5110348 | FL5114116
15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH
NAPLES | Naples, FL

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RCRA NONGEN, T 2 - FL, UST - FL, WASTEWATER - FL]

Envirosite ID: 68173759
EPA ID: N/R

DWM CONTAM - FL

Facility Name :	NAPLES TOMATO GROWERS
Facility Address :	15000 OLD 41 N, NAPLES, FL 33963-8415
County :	COLLIER
Score Effective Date :	2001-03-09
Score :	N/R
Score Ranked :	N/R
Rank :	N/R
Facility ID :	8518313
Facility Status :	CLOSED
Facility Type :	C - Fuel user/Non-retail
County Code :	11
District :	SD
Operator :	NAPLES TOMATO GROWERS, INC
Phone :	(813)597-3131
Name Changed Date :	N/R

Map Id: B95
Direction: S
Distance: 0.142 mi., 749 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : NAPLES TOMATO GROWERS | FL5110348 | FL5114116
15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH
NAPLES | Naples, FL

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RCRA NONGEN, T 2 - FL, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173759
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

Address Changed Date :	N/R
Latitude Degrees :	26
Latitude Minutes :	18
Latitude Seconds :	29.6999
Longitude Degrees :	81
Longitude Minutes :	47
Longitude Seconds :	28.8559
Feature :	N/R
Method :	UNVR
Datum :	0
Section/Township/Range :	SEC 10, TWP 48, RNG 25
Related Party Begin Date :	1985-05-30
Related Party ID :	15183
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	GARGIULO, L P
Related Party Address 1 :	15000 OLD 41 N, NAPLES, FL 33963-8415
Related Party Address 2 :	N/R
Contact :	TOM REZNER
Related Party Phone :	(813)597-3131
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

EPA LUST

Facility Name :	NAPLES TOMATO GROWERS
Facility Address :	15000 OLD 41 N, NAPLES, Florida
County :	N/R
Facility ID :	FL8518313
LUST ID :	FL22928
Reported Date :	1990-07-27
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	273
Estimated Private Domestic Wells within 1500ft:	3
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	Yes

Map Id: B95
Direction: S
Distance: 0.142 mi., 749 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : NAPLES TOMATO GROWERS | FL5110348 | FL5114116
15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH
NAPLES | Naples, FL

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RCRA NONGEN, T 2 - FL, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173759
EPA ID: N/R

EPA LUST ***(cont.)***

WHPA Public Water System and Facility ID:	FL5110348_1120310709
WHPA Water Type :	GW
WHPA Facility Type :	WL
WHPA HUC12 :	30902040208
Within Estimated 100-year Floodplain:	No
Latitude :	26.3111099999999
Longitude :	-81.79
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	NAPLES TOMATO GROWERS
Facility Address :	15000 OLD 41 N, NAPLES, Florida 33963
County :	N/R
Facility ID :	FL8518313
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	2
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.31111111
Longitude :	-81.79
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8518313-1
Tank Status :	Closed
Installation Date :	1971-07-01
Removal Date :	N/R
Capacity :	900
Substances :	Vehicular Diesel
Tank Wall Type :	N/R
Tank ID :	FL8518313-2
Tank Status :	Closed
Installation Date :	1971-07-01
Removal Date :	N/R
Capacity :	900
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Map Id: B95
Direction: S
Distance: 0.142 mi., 749 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : NAPLES TOMATO GROWERS | FL5110348 | FL5114116
15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH
NAPLES | Naples, FL

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RCRA NONGEN, T 2 - FL, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173759
EPA ID: N/R

FRS

Facility Name : NAPLES TOMATO GROWERS PLANT-PLANT ID = 01 SOURCE ID = 00
Facility Address : 15000 OLD 41 NORTH, NAPLES, FL 33963
County : N/R

Site Details
Registry ID : 110047340908
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2021-05-03

Source Description

Source Description :

The Safe Drinking Water Information System Federal Data Warehouse contains information about public water systems and their violations of EPA's drinking water regulations.

FRS Environmental Interest
Source and System ID : SFDW - FL5114116 2

Facility Name : NTGARGIULO - NAPLES TOMATO GROWERS
Facility Address : 15000 OLD US 41 NORTH, NAPLES, FL 34110-8415
County : COLLIER

Site Details
Registry ID : 110035469249
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

FRS Environmental Interest
Source and System ID : FLORIDA DEP - 9143

Map Id: B95
Direction: S
Distance: 0.142 mi., 749 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : NAPLES TOMATO GROWERS | FL5110348 | FL5114116
15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH
NAPLES | Naples, FL

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RCRA NONGEN, T 2 - FL, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173759
EPA ID: N/R

FRS ***(cont.)***

Facility Name :	SANDY RIDGE LABOR CAMP-SANDY RIDGE LABOR CAMP WTP
Facility Address :	15000 OLD 41 N., NAPLES, FL 34110
County :	N/R

Site Details

Registry ID :	110047071217
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2021-05-03

Source Description

Source Description :

The Safe Drinking Water Information System Federal Data Warehouse contains information about public water systems and their violations of EPA's drinking water regulations.

FRS Environmental Interest

Source and System ID :	SFDW - FL5110348 95805110348

GWIF - FL

Facility Name :	NAPLES TOMATO GROWERS
Facility Address :	15000 OLD 41 N, NAPLES, 34110
County :	COLLIER
Facility ID :	8518313
Facility Type :	PETROLEUM
Location ID :	182467
Location Method :	DGPS = Differentially Corrected GPS
GPS ID :	182467
GPS Date :	2000-11-16
HAE (Height Above Ellipsoid) :	30.52
Project ID :	SUPER
Insp Name :	RALPH VANDERBEEK
Insp CHD :	COLLIER
Request Number :	N/R
Datum :	WS1984
Software :	N/R
Streetside :	N/R
Agency :	N/R
Comment :	N/R
Latitude :	26.307893
Longitude :	-81.792589
Last Date in Agency List :	2026-05-09

Map Id: B95
Direction: S
Distance: 0.142 mi., 749 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : NAPLES TOMATO GROWERS | FL5110348 | FL5114116
15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH
NAPLES | Naples, FL

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RCRA NONGEN, T 2 - FL, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173759
EPA ID: N/R

LUST - FL

Facility Name :	NAPLES TOMATO GROWERS
Facility Address :	15000 OLD 41 N, NAPLES, 33963
County :	COLLIER

Site Details

Facility ID :	8518313
Facility Status :	CLOSED
Facility Type :	Fuel user/Non-retail
Phone :	8135973131
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	15183
Owner Name :	GARGIULO, L P
Owner Address 1 :	15000 OLD 41 N, NAPLES, FL 33963
Owner Address 2 :	N/R
Owner Phone :	8135973131
Contact :	TOM REZNER

Discharge Details

Discharge Date :	1990-07-27
Status Date :	2005-05-24
Status Description :	CLEANUP NOT REQUIRED
DEP Code :	P
Description :	NO CLEANUP REQUIRED
Score Date :	2001-03-09
Score :	10
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

RCRA NONGEN

Facility Name :	GARGIULO INC FARM #7
Facility Address :	15000 OLD US HWY 41, NAPLES, FL 33963
County :	COLLIER

Date Form Received by Agency :	1996-12-30
EPA ID :	FLT960055986
Mailing Address :	N/R
Contact :	N/R
Contact Address :	N/R

Map Id: B95
Direction: S
Distance: 0.142 mi., 749 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : NAPLES TOMATO GROWERS | FL5110348 | FL5114116
15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH
NAPLES | Naples, FL

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RCRA NONGEN, T 2 - FL, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173759
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Contact Country :	N/R
Contact Telephone :	N/R
Contact Email :	N/R
EPA Region :	04
Land Type :	Other land type
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	N/R
Owner/Operator Address :	N/R
Owner/Operator Country :	N/R
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	N/R
Owner/Operator Type :	N/R
Owner/Operator Start Date :	N/R
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N/R
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	1996-10-03
Facility Name :	GARGIULO INC FARM #7
Classification :	Very Small Quantity Generator

Map Id: B95
Direction: S
Distance: 0.142 mi., 749 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : NAPLES TOMATO GROWERS | FL5110348 | FL5114116
15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH
NAPLES | Naples, FL

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RCRA NONGEN, T 2 - FL, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173759
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Notices of Violations Summary

Regulation Violated :	N

T 2 - FL

Facility Name :	GARGIULO - FARM 7
Facility Address :	15000 EAST US HIGHWAY 41, NAPLES, FL 34114
County :	Collier
Filing Year :	2018(Tier2)
Filing Type :	302 312
Company Name :	Gargiulo, Inc.
Facility ID :	6401794
State Facility ID :	N/R
SIC :	N/R
NAICS :	111219 - Other Vegetable (except Potato) and Melon Farming
Dun & Bradstreet Code :	N/A
De-Registered Date :	N/R
Data Submitted by :	Michael W. Sullivan, President/CEO
Contact 1 - Name :	Gargiulo, Inc.
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	JCollins@GargiuloFarms.com
Contact 1 - 24-hour Phone :	239-641-5714
Contact 1 - Work Phone :	239-592-8236
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2019-02-21
First Submit Date :	2019-02-21(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2020-01-16

Chemical Information

Filing Year :	N/R
CAS Number :	1910425
Chemical Name :	Paraquat dichloride [Gramoxone Inteon]
Maximum Daily Quantity :	99
Average Daily Quantity :	99
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	2
F :	0
R :	0
S :	N/R

Map Id: B95
Direction: S
Distance: 0.142 mi., 749 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : NAPLES TOMATO GROWERS | FL5110348 | FL5114116
15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH
NAPLES | Naples, FL

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RCRA NONGEN, T 2 - FL, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173759
EPA ID: N/R

T 2 - FL ***(cont.)***

Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2017(Tier2)
Filing Type :	302 312
Company Name :	Gargiulo, Inc.
Facility ID :	6114638
State Facility ID :	N/R
SIC :	N/R
NAICS :	111219 - Other Vegetable (except Potato) and Melon Farming
Dun & Bradstreet Code :	N/A
De-Registered Date :	N/R
Data Submitted by :	Michael W. Sullivan, President/CEO
Contact 1 - Name :	Gargiulo, Inc.
Contact 1 - Contact Type :	Owner / Operator

Map Id: B95
Direction: S
Distance: 0.142 mi., 749 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : NAPLES TOMATO GROWERS | FL5110348 | FL5114116
15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH
NAPLES | Naples, FL

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RCRA NONGEN, T 2 - FL, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173759
EPA ID: N/R

T 2 - FL ***(cont.)***

Contact 1 - Email :	JCollins@GargiuloFarms.com
Contact 1 - 24-hour Phone :	239-641-5714
Contact 1 - Work Phone :	239-592-8236
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2018-02-28
First Submit Date :	2018-02-28(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2018-12-05

Chemical Information

Filing Year :	N/R
CAS Number :	1910425
Chemical Name :	Paraquat dichloride [Gramoxone Inteon]
Maximum Daily Quantity :	40
Average Daily Quantity :	1
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	2
F :	0
R :	0
S :	N/R
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F

Map Id: B95
Direction: S
Distance: 0.142 mi., 749 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : NAPLES TOMATO GROWERS | FL5110348 | FL5114116
15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH
NAPLES | Naples, FL

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RCRA NONGEN, T 2 - FL, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173759
EPA ID: N/R

T 2 - FL ***(cont.)***

In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

UST - FL

Facility Name :	NAPLES TOMATO GROWERS
Facility Address :	15000 OLD 41 N, NAPLES, 33963
County :	COLLIER

Site Details

Facility ID :	8518313
Facility Phone :	8135973131
Facility Status :	CLOSED
Facility Type :	Fuel user/Non-retail
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	15183
Owner Name :	GARGIULO, L P
Owner Address 1 :	15000 OLD 41 N, NAPLES, FL 33963
Owner Address 2 :	N/R
Owner Phone :	8135973131
Contact :	TOM REZNER
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	900
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	1971-07-01
Status :	Removed from Site

Map Id: B95
Direction: S
Distance: 0.142 mi., 749 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : NAPLES TOMATO GROWERS | FL5110348 | FL5114116
15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH
NAPLES | Naples, FL

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RCRA NONGEN, T 2 - FL, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173759
EPA ID: N/R

UST - FL ***(cont.)***

Status Date :	1990-07-31
Tank ID :	2
Gallons :	900
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1971-07-01
Status :	Removed from Site
Status Date :	1990-07-31
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

WASTEWATER - FL

Facility Name :	COLLIER
Facility Address :	15000 Old Us 41 North, Naples, FL
County :	COLLIER
Issue Date :	2012-02-09
Effective Date :	2012-02-09
Expiration Date :	2017-02-08
Facility ID :	FLA014224
Facility Type :	Industrial Wastewater
Status :	Active
NPDES :	N
Major/Minor Discharge :	N/R
Environmental Interest :	Industrial Wastewater Program
Company Name :	Gargiulo, Inc.
Related Party Name :	Chris Davis, PMTE
Related Party Address :	15000 Old 41 N, Naples FL 34110-8415
Related Party Address 2 :	N/R
Related Party Phone :	2395973131
Related Party Email :	N/R
Document Description :	General Permit
Nature of Business :	Tomato Packing Plant
Ownership Type :	Private
Treatment Process Summary :	Gp - Tomato Washwater To Sprayfield. No Gw Monitoring, No Sw Discharge
Department Office :	South District
Capacity (MGD) :	0.017
DW Class :	N/R
Last Date in Agency List :	2021-01-13

Map Id: C96
Direction: SE
Distance: 0.142 mi., 751 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : HOLE IN ONE FAIRWAYS LLC | CIRCLE K #7312 | LA FIESTA
10530 ROSEMARY DR
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, RCRA VSQG, UST - FL]

Envirosite ID: 68173736
EPA ID: N/R

CS - FL

Facility Name :	HOLE IN ONE FAIRWAYS LLC
Facility Address :	10530 ROSEMARY DR, BONITA SPRINGS, 34135
County :	Leon County
DEP Cleanup Site Key :	62422431
Program Site ID :	8519083
Program Source Data :	STCM
Program Area :	PETRO
Collection Date :	2003-09-30
Verification Date :	2003-09-30
Load Date :	2020-04-09
Verifier :	DEMACK_P36
Collector :	DEMACK_P36
Verifier Agency :	DELEGATED COUNTY
Collection Agency :	DELEGATED COUNTY
Verification Status :	REVIEWED
Remediation Status :	ACTIVE
Office/District :	SD
Comments :	N/R
Last Date in Agency List :	2020-04-09

DWM CONTAM - FL

Facility Name :	HOLE IN ONE FAIRWAYS LLC
Facility Address :	10530 ROSEMARY DR, BONITA SPRINGS, FL 34135
County :	LEE
Score Effective Date :	2011-12-14
Score :	31
Score Ranked :	46
Rank :	3539
Facility ID :	8519083
Facility Status :	OPEN
Facility Type :	A - Retail Station
County Code :	36
District :	SD
Operator :	ALEX
Phone :	(239)495-6565
Name Changed Date :	2007-05-15
Address Changed Date :	2011-01-24
Latitude Degrees :	26
Latitude Minutes :	21
Latitude Seconds :	2.985
Longitude Degrees :	81
Longitude Minutes :	46
Longitude Seconds :	44.3897
Feature :	N/R
Method :	AGPS
Datum :	0
Section/Township/Range :	SEC 26, TWP 47S, RNG 25E
Related Party Begin Date :	2007-05-15

Map Id: C96
Direction: SE
Distance: 0.142 mi., 751 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : HOLE IN ONE FAIRWAYS LLC | CIRCLE K #7312 | LA FIESTA
10530 ROSEMARY DR
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173736
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

Related Party ID :	54607
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	HOLE IN ONE FAIRWAYS LLC
Related Party Address 1 :	10530 ROSEMARY DR, BONITA SPRINGS, FL 34135
Related Party Address 2 :	ATTN: ALEX
Contact :	ALEX
Related Party Phone :	(239)495-6565
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

ECHO

Facility Name :	CIRCLE K #7312
Facility Address :	10530 ROSEMARY DR, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	N/R
Registry ID :	110007463315
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	POINT WHERE SUBSTANCE IS MONITORED
Accuracy Meters :	5
Derived Tribes :	Seminole Tribe of Florida - 23 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040105
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710504002028
MYRTK Universe :	NNN
NPDES IDs :	FLG910145
CWA Permit Types :	Non-M
CWA Compliance Tracking :	Off
CWA NAICS :	N/R
CWA SICS :	5541
CWA Inspection Count :	N/R

Map Id: C96
Direction: SE
Distance: 0.142 mi., 751 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : HOLE IN ONE FAIRWAYS LLC | CIRCLE K #7312 | LA FIESTA
10530 ROSEMARY DR
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173736
EPA ID: N/R

ECHO ***(cont.)***

CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	Terminated Permit
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	5541
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.351211
Longitude :	-81.778835
Last Date in Agency List :	2026-05-11

EPA LUST

Facility Name :	HOLE IN ONE FAIRWAYS LLC
Facility Address :	10530 ROSEMARY DR, BONITA SPRINGS, Florida
County :	N/R
Facility ID :	FL8519083
LUST ID :	FL11176
Reported Date :	1996-03-05

Map Id: C96
Direction: SE
Distance: 0.142 mi., 751 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : HOLE IN ONE FAIRWAYS LLC | CIRCLE K #7312 | LA FIESTA
10530 ROSEMARY DR
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173736
EPA ID: N/R

EPA LUST ***(cont.)***

Status :	Open
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	1143
Estimated Private Domestic Wells within 1500ft:	20
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	Yes
WHPA Public Water System and Facility ID:	FL5360025_4359754407
WHPA Water Type :	GW
WHPA Facility Type :	WL
WHPA HUC12 :	30902040105
Within Estimated 100-year Floodplain:	No
Latitude :	26.3511099999999
Longitude :	-81.77889
Last Date in Agency List :	2024-05-23

Facility ID :	FL8519083
LUST ID :	FL20428
Reported Date :	1991-05-14
Status :	Open
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	1143
Estimated Private Domestic Wells within 1500ft:	20
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	Yes
WHPA Public Water System and Facility ID:	FL5360025_4359754407
WHPA Water Type :	GW

Map Id: C96
Direction: SE
Distance: 0.142 mi., 751 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : HOLE IN ONE FAIRWAYS LLC | CIRCLE K #7312 | LA FIESTA
10530 ROSEMARY DR
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173736
EPA ID: N/R

EPA LUST ***(cont.)***

WHPA Facility Type :	WL
WHPA HUC12 :	30902040105
Within Estimated 100-year Floodplain:	No
Latitude :	26.3511099999999
Longitude :	-81.77889
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	HOLE IN ONE FAIRWAYS LLC
Facility Address :	10530 ROSEMARY DR, BONITA SPRINGS, Florida 34135
County :	N/R
Facility ID :	FL8519083
Facility Status :	Open UST(s)
Open USTs :	2
Closed USTs :	2
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.3511111111111
Longitude :	-81.7788888888889
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8519083-1
Tank Status :	Closed
Installation Date :	1976-05-01
Removal Date :	N/R
Capacity :	10000
Substances :	Unleaded Gas
Tank Wall Type :	N/R
Tank ID :	FL8519083-2
Tank Status :	Closed
Installation Date :	1976-05-01
Removal Date :	N/R
Capacity :	10000
Substances :	Unleaded Gas
Tank Wall Type :	N/R
Tank ID :	FL8519083-3
Tank Status :	Open
Installation Date :	1996-03-01
Removal Date :	N/R

Map Id: C96
Direction: SE
Distance: 0.142 mi., 751 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : HOLE IN ONE FAIRWAYS LLC | CIRCLE K #7312 | LA FIESTA
10530 ROSEMARY DR
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173736
EPA ID: N/R

EPA UST ***(cont.)***

Capacity :	9684
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8519083-4
Tank Status :	Open
Installation Date :	1996-03-01
Removal Date :	N/R
Capacity :	9684
Substances :	Unleaded Gas
Tank Wall Type :	N/R

FA 3 - FL

Facility Name :	HOLE IN ONE FAIRWAYS LLC
Facility Address :	10530 ROSEMARY DR, BONITA SPRINGS, 34135
County :	LEE

Effectivity Date :	2014-02-13
Expiration Date :	2016-02-13
Facility ID :	8519083
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	CRUM & FORSTER INDEMNITY
Facility Phone :	2394956565
Owner ID :	54607
Owner Name :	HOLE IN ONE FAIRWAYS LLC
Address :	10530 ROSEMARY DR ATTN: ALEX, BONITA SPRINGS, FL 34135
Contact Name :	ALEX
Phone :	2394956565
Last Date in Agency List :	2026-06-03

Effectivity Date :	2012-02-13
Expiration Date :	2014-02-13
Facility ID :	8519083
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	AMERICAN SAFETY
Facility Phone :	2394956565
Owner ID :	54607
Owner Name :	HOLE IN ONE FAIRWAYS LLC
Address :	10530 ROSEMARY DR ATTN: ALEX, BONITA SPRINGS, FL 34135
Contact Name :	ALEX
Phone :	2394956565
Last Date in Agency List :	2026-06-03

Map Id: C96
Direction: SE
Distance: 0.142 mi., 751 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : HOLE IN ONE FAIRWAYS LLC | CIRCLE K #7312 | LA FIESTA
10530 ROSEMARY DR
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173736
EPA ID: N/R

FA 3 - FL ***(cont.)***

Effectivity Date :	2011-01-12
Expiration Date :	2012-01-12
Facility ID :	8519083
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	ACE
Facility Phone :	2394956565
Owner ID :	54607
Owner Name :	HOLE IN ONE FAIRWAYS LLC
Address :	10530 ROSEMARY DR ATTN: ALEX, BONITA SPRINGS, FL 34135
Contact Name :	ALEX
Phone :	2394956565
Last Date in Agency List :	2026-06-03

Effectivity Date :	2009-09-10
Expiration Date :	2010-09-10
Facility ID :	8519083
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	ZURICH-AMERICAN
Facility Phone :	2394956565
Owner ID :	54607
Owner Name :	HOLE IN ONE FAIRWAYS LLC
Address :	10530 ROSEMARY DR ATTN: ALEX, BONITA SPRINGS, FL 34135
Contact Name :	ALEX
Phone :	2394956565
Last Date in Agency List :	2026-06-03

Effectivity Date :	2005-05-15
Expiration Date :	2008-09-10
Facility ID :	8519083
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	ZURICH-AMERICAN
Facility Phone :	2394956565
Owner ID :	54607
Owner Name :	HOLE IN ONE FAIRWAYS LLC
Address :	10530 ROSEMARY DR ATTN: ALEX, BONITA SPRINGS, FL 34135
Contact Name :	ALEX
Phone :	2394956565
Last Date in Agency List :	2026-06-03

FRS

Facility Name :	CIRCLE K #7312

Map Id: C96
Direction: SE
Distance: 0.142 mi., 751 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : HOLE IN ONE FAIRWAYS LLC | CIRCLE K #7312 | LA FIESTA
10530 ROSEMARY DR
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173736
EPA ID: N/R

FRS ***(cont.)***

Facility Address : 10530 ROSEMARY DR, BONITA SPRINGS, FL 34135-5139
County : LEE

Site Details
Registry ID : 110007463315
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description
Source Description : The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.
The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest
Source and System ID : FLORIDA DEP - 19526
ICIS - FLG910145
RCRAINFO - FLD984251892

GWIF - FL

Facility Name : LA FIESTA
Facility Address : 10530 ROSEMARY DR, BONITA SPRINGS, 34135
County : LEE

Facility ID : 8519083
Facility Type : PETROLEUM
Location ID : 182889
Location Method : DGPS = Differentially Corrected GPS

Map Id: C96
Direction: SE
Distance: 0.142 mi., 751 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : HOLE IN ONE FAIRWAYS LLC | CIRCLE K #7312 | LA FIESTA
10530 ROSEMARY DR
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173736
EPA ID: N/R

GWIF - FL ***(cont.)***

GPS ID :	182889
GPS Date :	2004-07-09
HAE (Height Above Ellipsoid) :	3.78
Project ID :	SUPER
Insp Name :	MARK ASHTON
Insp CHD :	LEE
Request Number :	N/R
Datum :	WS1984
Software :	N/R
Streetside :	N/R
Agency :	N/R
Comment :	N/R
Latitude :	26.350805
Longitude :	-81.779039
Last Date in Agency List :	2026-05-09

ICIS

Facility Name :	CIRCLE K #7312
Facility Address :	10530 ROSEMARY DRIVE, BONITA SPRINGS, FL 34135

Site Details

NPDES ID :	FLG910145
ICIS Facility Interest ID :	2400027812
Facility UIN :	110007463315
Facility Type Code :	Privately Owned Facility
Impaired Waters :	303(D) Listed
Latitude :	26.350833
Longitude :	-81.779444
Last Date in Agency List :	2026-02-25

Facility SIC

SIC Code :	5541
SIC Description :	Gasoline Service Stations

INACTIVE PCS

Issue Date :	1995-12-27
Original Issue Date :	1995-12-27
Effective Date :	1995-12-27
Expiration Date :	2000-08-22
Retirement Date :	N/R
Termination Date :	2014-10-13
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	2400087218
External Permit Number :	FLG910145
Facility Type Indicator :	NON-POTW

Map Id: C96
Direction: SE
Distance: 0.142 mi., 751 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : HOLE IN ONE FAIRWAYS LLC | CIRCLE K #7312 | LA FIESTA
10530 ROSEMARY DR
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173736
EPA ID: N/R

INACTIVE PCS ***(cont.)***

Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Terminated
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	CIRCLE K #7312
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLG910000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2026-02-26

LUST - FL

Facility Name :	HOLE IN ONE FAIRWAYS LLC
Facility Address :	10530 ROSEMARY DR, BONITA SPRINGS, 34135
County :	LEE

Site Details

Facility ID :	8519083
Facility Status :	OPEN
Facility Type :	Retail Station
Phone :	2394956565
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	54607
Owner Name :	HOLE IN ONE FAIRWAYS LLC
Owner Address 1 :	10530 ROSEMARY DR, BONITA SPRINGS, FL 34135
Owner Address 2 :	ATTN: ALEX
Owner Phone :	2394956565
Contact :	ALEX

Discharge Details

Discharge Date :	1996-03-05
Status Date :	2020-07-16
Status Description :	SRCR COMPLETE
DEP Code :	P
Description :	COMBINED CLEANUP REQUIRED
Score Date :	2011-12-14
Score :	31
CU Status :	N/R

Map Id: C96
Direction: SE
Distance: 0.142 mi., 751 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : HOLE IN ONE FAIRWAYS LLC | CIRCLE K #7312 | LA FIESTA
10530 ROSEMARY DR
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173736
EPA ID: N/R

LUST - FL ***(cont.)***

Discharge Date :	1991-05-14
Status Date :	2020-07-16
Status Description :	SRCR COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2011-12-14
Score :	31
CU Status :	N/R
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

RCRA VSQG

Facility Name :	CIRCLE K #7312
Facility Address :	10530 ROSEMARY DR, BONITA SPRINGS, FL 34135-5139
County :	LEE
Date Form Received by Agency :	1993-03-02
EPA ID :	FLD984251892
Mailing Address :	500 FAULKENBURG RD, TAMPA, FL 33619
Contact :	STEVE BELIN
Contact Address :	500 FAULKENBURG RD, TAMPA, FL 33619
Contact Country :	US
Contact Telephone :	813-689-8161
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Notification
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2026-05-05

Owner/Operator Summary

Owner/Operator Name :	BELIN STEVE
Owner/Operator Address :	500 FAULKENBURG RD, TAMPA, FL 33619

Map Id: C96
Direction: SE
Distance: 0.142 mi., 751 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : HOLE IN ONE FAIRWAYS LLC | CIRCLE K #7312 | LA FIESTA
10530 ROSEMARY DR
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173736
EPA ID: N/R

RCRA VSQG ***(cont.)***

Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1998-11-19
Owner/Operator End Date :	N/R

Owner/Operator Name :	STEVE BELIN
Owner/Operator Address :	500 FAULKENBURG RD, TAMPA, FL 33619
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1998-11-19
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Hazardous Waste Summary

Waste Code / Name :	D018 - BENZENE

Notices of Violations Summary

Regulation Violated :	N

Map Id: C96
Direction: SE
Distance: 0.142 mi., 751 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : HOLE IN ONE FAIRWAYS LLC | CIRCLE K #7312 | LA FIESTA
10530 ROSEMARY DR
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173736
EPA ID: N/R

UST - FL

Facility Name :	HOLE IN ONE FAIRWAYS LLC
Facility Address :	10530 ROSEMARY DR, BONITA SPRINGS, 34135
County :	LEE

Site Details

Facility ID :	8519083
Facility Phone :	2394956565
Facility Status :	OPEN
Facility Type :	Retail Station
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	54607
Owner Name :	HOLE IN ONE FAIRWAYS LLC
Owner Address 1 :	10530 ROSEMARY DR, BONITA SPRINGS, FL 34135
Owner Address 2 :	ATTN: ALEX
Owner Phone :	2394956565
Contact :	ALEX
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1976-05-01
Status :	Removed from Site
Status Date :	1996-03-12

Tank ID :	2
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1976-05-01
Status :	Removed from Site
Status Date :	1996-03-12

Tank ID :	3
Gallons :	9684
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1996-03-01
Status :	In Service
Status Date :	1996-03-01

Map Id: C96
Direction: SE
Distance: 0.142 mi., 751 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : HOLE IN ONE FAIRWAYS LLC | CIRCLE K #7312 | LA FIESTA
10530 ROSEMARY DR
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173736
EPA ID: N/R

UST - FL ***(cont.)***

Construction Items :
Overfill/Spill - Ball check valve
Overfill/Spill - Tight fill
Overfill/Spill - Spill containment bucket
Overfill/Spill - Level gauges/alarms
Overfill/Spill - Flow shut-Off
Primary Construction - Fiberglass
Secondary Containment - Double wall

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Miscellaneous - Visual inspect pipe sumps
Miscellaneous - Visual inspect dispenser liners
Piping Monitoring - Mechanical line leak detector
Piping Monitoring - Monitor dbl wall pipe space

Piping Items :
Miscellaneous Attributes - Dispenser liners
Miscellaneous Attributes - Pressurized piping system
Primary Construction - Fiberglass
Secondary Containment - Double wall

Tank Information

Tank ID : 4
Gallons : 9684
Tank Location : UNDERGROUND
Substance : Unleaded Gas
Install Date : 1996-03-01
Status : In Service
Status Date : 1996-03-01

Construction Items :
Overfill/Spill - Ball check valve
Overfill/Spill - Level gauges/alarms
Overfill/Spill - Spill containment bucket
Overfill/Spill - Flow shut-Off
Overfill/Spill - Tight fill
Primary Construction - Fiberglass
Secondary Containment - Double wall

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Miscellaneous - Visual inspect pipe sumps
Miscellaneous - Visual inspect dispenser liners
Piping Monitoring - Monitor dbl wall pipe space
Piping Monitoring - Mechanical line leak detector

Piping Items :
Miscellaneous Attributes - Pressurized piping system
Miscellaneous Attributes - Dispenser liners
Primary Construction - Fiberglass

Map Id: C96
Direction: SE
Distance: 0.142 mi., 751 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : HOLE IN ONE FAIRWAYS LLC | CIRCLE K #7312 | LA FIESTA
10530 ROSEMARY DR
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, ICIS, INACTIVE PCS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173736
EPA ID: N/R

UST - FL ***(cont.)***

Secondary Containment - Double wall

Oculus Note : Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink : Click here for hyperlink provided by the agency.

Map Id: G97
Direction: N
Distance: 0.143 mi., 753 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : SPRING RUN GOLF COURSE MAINTENANCE
9350 SPRING RUN BLVD
BONITA SPRINGS, FL 34135

Database(s) : [AST - FL, FA 3 - FL]

Envirosite ID: 68173877
EPA ID: N/R

AST - FL

Facility Name : SPRING RUN GOLF COURSE MAINTENANCE
Facility Address : 9350 SPRING RUN BLVD, BONITA SPRINGS, 34135
County : LEE

Site Details
Facility ID : 9801048
Facility Phone : 2399924550
Facility Status : OPEN
Facility Type : C
Type Description : Fuel user/Non-retail
Last Date in Agency List : 2026-05-06

Owner Information
Owner ID : 48143
Owner Name : SPRING RUN GOLF COURSE
Owner Address 1 : N/R
Owner Address 2 : N/R
Owner Phone : 9414951000
Contact : RANDY BUTLER
DEP Contractor Own : P

Tank Information
Tank ID : 1
Gallons : 1500
Tank Location : ABOVEGROUND

Map Id: G97
Direction: N
Distance: 0.143 mi., 753 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : SPRING RUN GOLF COURSE MAINTENANCE
9350 SPRING RUN BLVD
BONITA SPRINGS, FL 34135

Database(s) : [AST - FL, FA 3 - FL] ***(cont.)***

Envirosite ID: 68173877
EPA ID: N/R

AST - FL ***(cont.)***

Substance :	Unleaded Gas
Install Date :	1998-10-01
Status :	In Service
Status Date :	1998-10-01
Construction Items :	Miscellaneous Attributes - Compartmented Overfill/Spill - Tight fill Overfill/Spill - Level gauges/alarms Overfill/Spill - Spill containment bucket Primary Construction - Steel Secondary Containment - Double wall
Monitoring Items :	External Tk Monitoring - Visual inspection of ASTs Internal Tk Monitoring - Monitor dbl wall tank space
Piping Items :	Miscellaneous Attributes - Suction piping system Miscellaneous Attributes - Abv, no soil contact Primary Construction - Steel/galvanized metal
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

FA 3 - FL

Facility Name :	SPRING RUN GOLF COURSE MAINTENANCE
Facility Address :	9350 SPRING RUN BLVD, BONITA SPRINGS, 34135
County :	LEE

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Effectivity Date :	2022-02-02
Expiration Date :	2023-02-02
Facility ID :	9801048
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	ACE AMERICAN INSURANCE COMPANY
Facility Phone :	2399924550
Owner ID :	48143
Owner Name :	SPRING RUN GOLF COURSE
Address :	9350 SPRING RUN BLVD, BONITA SPRINGS, FL 34135
Contact Name :	RANDY BUTLER
Phone :	9414951000
Last Date in Agency List :	2026-06-03

Map Id: G97
Direction: N
Distance: 0.143 mi., 753 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : SPRING RUN GOLF COURSE MAINTENANCE
9350 SPRING RUN BLVD
BONITA SPRINGS, FL 34135

Database(s) : [AST - FL, FA 3 - FL] ***(cont.)***

Envirosite ID: 68173877
EPA ID: N/R

FA 3 - FL ***(cont.)***

Effectivity Date :	2018-02-22
Expiration Date :	2019-02-22
Facility ID :	9801048
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	ACE
Facility Phone :	2399924550
Owner ID :	48143
Owner Name :	SPRING RUN GOLF COURSE
Address :	9350 SPRING RUN BLVD, BONITA SPRINGS, FL 34135
Contact Name :	RANDY BUTLER
Phone :	9414951000
Last Date in Agency List :	2026-06-03

Effectivity Date :	2017-02-22
Expiration Date :	2018-02-22
Facility ID :	9801048
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	ACE
Facility Phone :	2399924550
Owner ID :	48143
Owner Name :	SPRING RUN GOLF COURSE
Address :	9350 SPRING RUN BLVD, BONITA SPRINGS, FL 34135
Contact Name :	RANDY BUTLER
Phone :	9414951000
Last Date in Agency List :	2026-06-03

Effectivity Date :	2016-02-22
Expiration Date :	2017-02-22
Facility ID :	9801048
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	ACE
Facility Phone :	2399924550
Owner ID :	48143
Owner Name :	SPRING RUN GOLF COURSE
Address :	9350 SPRING RUN BLVD, BONITA SPRINGS, FL 34135
Contact Name :	RANDY BUTLER
Phone :	9414951000
Last Date in Agency List :	2026-06-03

Effectivity Date :	2015-02-22
Expiration Date :	2016-02-22
Facility ID :	9801048
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail

Map Id: G97
Direction: N
Distance: 0.143 mi., 753 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : SPRING RUN GOLF COURSE MAINTENANCE
9350 SPRING RUN BLVD
BONITA SPRINGS, FL 34135

Database(s) : [AST - FL, FA 3 - FL] ***(cont.)***

Envirosite ID: 68173877
EPA ID: N/R

FA 3 - FL ***(cont.)***

DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	ACE
Facility Phone :	2399924550
Owner ID :	48143
Owner Name :	SPRING RUN GOLF COURSE
Address :	9350 SPRING RUN BLVD, BONITA SPRINGS, FL 34135
Contact Name :	RANDY BUTLER
Phone :	9414951000
Last Date in Agency List :	2026-06-03

Map Id: F98
Direction: NNW
Distance: 0.143 mi., 756 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : OTT WELDING | AAG3723
24241 PRODUCTION CIR
BONITA SPGS | BONITA SPRINGS | Bonita Springs, FL 34135

Database(s) : [DEDB - FL, ECHO, FRS, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, STORMWATER]

Envirosite ID: 68173801
EPA ID: N/R

DEDB - FL

Sample Date :	2009-07-29
Sample ID :	090702-082
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3723
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	OTT WELDING
Well Address :	24241 PRODUCTION CIRCLE
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-090702-013
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2009-07-29
Sample ID :	090702-082
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3723
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L

Map Id: F98
Direction: NNW
Distance: 0.143 mi., 756 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : OTT WELDING | AAG3723
24241 PRODUCTION CIR
BONITA SPGS | BONITA SPRINGS | Bonita Springs, FL 34135

Database(s) : [DEDB - FL, ECHO, FRS, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, STORMWATER] ***(cont.)***

Envirosite ID: 68173801
EPA ID: N/R

DEDB - FL ***(cont.)***

Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	OTT WELDING
Well Address :	24241 PRODUCTION CIR
Well Type :	42
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-090702-013
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2003-03-20
Sample ID :	030324-040
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3723
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	OTT WELDING
Well Address :	24241 PRODUCTION CIR
Well Type :	42
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-030324-08
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2003-03-20
Sample ID :	030324-040
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3723
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	OTT WELDING
Well Address :	24241 PRODUCTION CIR
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030324-08
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Map Id: F98
Direction: NNW
Distance: 0.143 mi., 756 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : OTT WELDING | AAG3723
24241 PRODUCTION CIR
BONITA SPGS | BONITA SPRINGS | Bonita Springs, FL 34135

Database(s) : [DEDB - FL, ECHO, FRS, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, STORMWATER] ***(cont.)***

Envirosite ID: 68173801
EPA ID: N/R

ECHO

Facility Name :	OTT WELDING
Facility Address :	24241 PRODUCTION CIR, BONITA SPGS, FL 34135
County :	LEE
Last Inspection Date :	2013-12-30
Registry ID :	110020068629
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	4304
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	N/R
Three-Year Compliance Status :	N/R
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503081046
MYRTK Universe :	NNN
NPDES IDs :	FLR05F851
CWA Permit Types :	Non-M
CWA Compliance Tracking :	Off
CWA NAICS :	332312
CWA SICS :	3441
CWA Inspection Count :	N/R
CWA Last Inspection Days :	4303
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	Terminated Permit
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.

Map Id: F98
Direction: NNW
Distance: 0.143 mi., 756 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : OTT WELDING | AAG3723
24241 PRODUCTION CIR
BONITA SPGS | BONITA SPRINGS | Bonita Springs, FL 34135

Database(s) : [DEDB - FL, ECHO, FRS, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, STORMWATER] ***(cont.)***

Envirosite ID: 68173801
EPA ID: N/R

ECHO ***(cont.)***

Facility SIC :	3441
Facility NAICS :	332312 - Fabricated Structural Metal Manufacturing
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2013-12-30
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.38982
Longitude :	-81.80652
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	OTT WELDING
Facility Address :	24241 PRODUCTION CIR, BONITA SPGS, FL 34135
County :	LEE

Site Details

Registry ID :	110020068629
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :	The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Map Id: F98
Direction: NNW
Distance: 0.143 mi., 756 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : OTT WELDING | AAG3723
24241 PRODUCTION CIR
BONITA SPGS | BONITA SPRINGS | Bonita Springs, FL 34135

Database(s) : [DEDB - FL, ECHO, FRS, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, STORMWATER] ***(cont.)***

Envirosite ID: 68173801
EPA ID: N/R

FRS ***(cont.)***

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 20212 ICIS - FLR05F851

HIST PCS ENF

Facility Name :	OTT WELDING
Facility Address :	24241 PRODUCTION CIR, BONITA SPRINGS, FL 34135
Effective Date :	2014-05-01
Expiration Date :	2019-04-30
NPDES ID :	FLR05F851
FRS Facility Site ID :	829267
Primary Facility SIC Code :	N/R
Primary Facility SIC Description :	N/R
Current Major/Minor Status :	Minor
Facility Type Description :	Privately Owned Facility
Facility Non-Government Contact Name:	N/R
Facility Non-Gov Addresses :	24241 PRODUCTION CIR, BONITA SPGS, FL 34135
Total Actual Average Flow (MGD) :	N/R
Total App. Design Flow (MGD) :	N/R
Pretreat Program Required Indicator :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Tribal Land Code :	N/R
Tribal Land Name :	N/R
Contact Office Telephone Number :	N/R
Permit Non-Gov Addresses :	24241 PRODUCTION CIR
Permit Non-Government Contact Name :	N/R
Permit Type Description :	General Permit Covered Facility
Last Date in Agency List :	2015-01-15

ICIS

Facility Name :	OTT WELDING
Facility Address :	24241 PRODUCTION CIR, BONITA SPGS, FL 34135

Site Details

NPDES ID :	FLR05F851
ICIS Facility Interest ID :	2400034769

Map Id: F98
Direction: NNW
Distance: 0.143 mi., 756 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : OTT WELDING | AAG3723
24241 PRODUCTION CIR
BONITA SPGS | BONITA SPRINGS | Bonita Springs, FL 34135

Database(s) : [DEDB - FL, ECHO, FRS, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, STORMWATER] ***(cont.)***

Envirosite ID: 68173801
EPA ID: N/R

ICIS ***(cont.)***

Facility UIN :	110020068629
Facility Type Code :	Privately Owned Facility
Impaired Waters :	303(D) Listed
Latitude :	26.384444
Longitude :	-81.801111
Last Date in Agency List :	2026-02-25

Facility NAICS

NAICS Code :	332312
NAICS Description :	Fabricated Structural Metal Manufacturing

Facility SIC

SIC Code :	3441
SIC Description :	Fabricated Structural Metal

INACTIVE PCS

Issue Date :	2014-05-01
Original Issue Date :	2009-05-15
Effective Date :	2014-05-01
Expiration Date :	2019-04-30
Retirement Date :	N/R
Termination Date :	2015-02-05
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	3400246609
External Permit Number :	FLR05F851
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Terminated
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	OTT WELDING
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLR050000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2026-02-26

NPDES - FL

Facility Name :	Ott Welding
Facility Address :	24241 Production Cir, Bonita Springs, FL
County :	LEE

Map Id: F98
Direction: NNW
Distance: 0.143 mi., 756 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : OTT WELDING | AAG3723
24241 PRODUCTION CIR
BONITA SPGS | BONITA SPRINGS | Bonita Springs, FL 34135

Database(s) : [DEDB - FL, ECHO, FRS, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, STORMWATER] ***(cont.)***

Envirosite ID: 68173801
EPA ID: N/R

NPDES - FL ***(cont.)***

Site Details

Issue Date :	2014-05-01
Effective Date :	2014-05-01
Expiration Date :	2019-04-30
Facility ID :	FLR05F851
Facility Type :	Multi-Sector Stormwater GP
Status :	Active
NPDES :	N/R
Company Name :	PB Dulin Corp of Fla Inc DBA Ott Welding
Document Description :	Generic Permit
Nature of Business :	N/R
Ownership Type :	Private
Treatment Process Summary :	N/R
Department Office :	Tallahassee NPDES Stormwater
Capacity (MGD) :	N/R
DW Class :	N/R
Last Date in Agency List :	2014-12-24

Related Party Details

Related Party Name :	Barbara Dulin, President
Related Party Address :	24241 Production Cir, Bonita Springs FL 34135-7058
Related Party Address 2 :	N/R
Related Party Phone :	2399922377
Related Party Email :	pat@ottwelding.com

PCS FACILITY

Issue Date :	2009-05-15
Original Issue Date :	2009-05-15
Effective Date :	2009-05-15
Expiration Date :	2014-05-14
Retirement Date :	2014-04-30
Termination Date :	N/R
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	2400076142
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Administratively Continued
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	OTT WELDING
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR050000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R

Map Id: F98
Direction: NNW
Distance: 0.143 mi., 756 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : OTT WELDING | AAG3723
24241 PRODUCTION CIR
BONITA SPGS | BONITA SPRINGS | Bonita Springs, FL 34135

Database(s) : [DEDB - FL, ECHO, FRS, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES - FL, PCS FACILITY, STORMWATER] ***(cont.)***

Envirosite ID: 68173801
EPA ID: N/R

PCS FACILITY ***(cont.)***

Last Date in Agency List :	2026-02-27

STORMWATER

Facility Name :	OTT WELDING
Facility Address :	24241 PRODUCTION CIR, BONITA SPGS, FL 34135
NPDES ID :	FLR05F851
Permittee Name :	OTT WELDING
Permit Status :	Terminated
Permit Issuing Name :	State
Issued Date :	2014-05-01
Effective Date :	2014-05-01
Termination Date :	2015-02-05
Expiration Date :	2019-04-30
EPA Region :	04
SIC Code :	3441
NAICS Code :	332312
EJ Indexes Above 80th Percentile :	N
Significant Noncompliance Status :	N/R
Quarters with Noncompliance :	0
Industrial Stormwater Formal Enforcement Actions:	N/R
Facility Map Flag :	N/R
DRF URL :	Click here for hyperlink provided by the agency.
Latitude :	26.38982
Longitude :	-81.80652
Last Date in Agency List :	2024-02-21

Map Id: G99
Direction: N
Distance: 0.144 mi., 760 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : NORDSTROM INC 7767 | BB&B # 1048
8020 MEDITERRANEAN DR | 8020 MEDITERRANEAN DR BLDG 24
ESTERO, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA VSQG]

Envirosite ID: 68173863
EPA ID: N/R

ECHO

Facility Name :	NORDSTROM INC 7767
Facility Address :	8020 MEDITERRANEAN DR, ESTERO, FL 33928-8304
County :	LEE
Last Inspection Date :	N/R
Registry ID :	N/R

Map Id: G99
Direction: N
Distance: 0.144 mi., 760 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : NORDSTROM INC 7767 | BB&B # 1048
8020 MEDITERRANEAN DR | 8020 MEDITERRANEAN DR BLDG 24
ESTERO, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173863
EPA ID: N/R

ECHO ***(cont.)***

FIPS Code :	N/R
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	N/R
Reference Point :	N/R
Accuracy Meters :	N/R
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	N/R
Derived WBD :	N/R
Derived STCTY FIPS :	N/R
Derived Zip :	N/R
Derived CD113 :	N/R
Derived CB2010 :	N/R
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	455110
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R

Map Id: G99
Direction: N
Distance: 0.144 mi., 760 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : NORDSTROM INC 7767 | BB&B # 1048
8020 MEDITERRANEAN DR | 8020 MEDITERRANEAN DR BLDG 24
ESTERO, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173863
EPA ID: N/R

ECHO ***(cont.)***

Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.406678
Longitude :	-81.807884
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	NORDSTROM INC 7767
Facility Address :	8020 MEDITERRANEAN DR, ESTERO, FL 33928-8304
County :	LEE

Site Details

Registry ID :	110072089563
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	RCRAINFO - FLR000275834

Map Id: G99
Direction: N
Distance: 0.144 mi., 760 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : NORDSTROM INC 7767 | BB&B # 1048
8020 MEDITERRANEAN DR | 8020 MEDITERRANEAN DR BLDG 24
ESTERO, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173863
EPA ID: N/R

MANIFEST EPA

Manifest Details

Manifest Number :	003086684CLE
Shipped Date :	2021-02-23
Updated Date :	2021-03-05
Received Date :	2021-03-04
Status :	Signed
Generator ID :	CESQG
Generator Name :	BB&B # 1048
Generator Address :	8020 MEDITERRANEAN DR BLDG 24, ESTERO, FL 33928
Generator Mailing :	5151 SAN FELIPE BB&B 1048, HOUSTON, TX 77056
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	Allworth, LLC
Destination Mailing :	500 Medco Road, Birmingham, AL 35217
Destination Address :	500 Medco Road, Birmingham, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	N
DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	UNIVERSAL WASTE- LAMP(S) (FLUORESCENT LIGHT TUBES)
Quantity :	25 Pounds
Quantity Tons, Acute, Non-Acute :	0.0125, 0, 0.0125
Quantity Kg, Acute, Non-Acute :	0, 11.337875
Quantity Tons, Haz, Non-Haz :	0, 0.0125
Quantity Kg, Haz, Non-Haz :	0, 11.337875
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R

Manifest Details

Manifest Number :	002956046PSC
Shipped Date :	2020-11-04
Updated Date :	2020-11-18
Received Date :	2020-11-13
Status :	Signed
Generator ID :	CESQG
Generator Name :	BB&B # 1048
Generator Address :	8020 MEDITERRANEAN DR BLDG 24, ESTERO, FL 33928
Generator Mailing :	5151 SAN FELIPE BB&B 1048, HOUSTON, TX 77056
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	Allworth, LLC

Map Id: G99
Direction: N
Distance: 0.144 mi., 760 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : NORDSTROM INC 7767 | BB&B # 1048
8020 MEDITERRANEAN DR | 8020 MEDITERRANEAN DR BLDG 24
ESTERO, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173863
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Destination Mailing :	500 Medco Road, Birmingham, AL 35217
Destination Address :	500 Medco Road, Birmingham, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1950
DOT Information :	UN1950 WASTE AEROSOLS 2.1
Non Waste Description :	N/R
Quantity :	10 Pounds
Quantity Tons, Acute, Non-Acute :	0.005, 0, 0.005
Quantity Kg, Acute, Non-Acute :	0, 4.53515
Quantity Tons, Haz, Non-Haz :	0.005, 0
Quantity Kg, Haz, Non-Haz :	4.53515, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	N
DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	BATTERIES, DRY, SEALED, N.O.S (ALKALINE BATTERIES FOR RECYCLE,) UNIVERSAL WASTE
Quantity :	7 Pounds
Quantity Tons, Acute, Non-Acute :	0.0035, 0, 0.0035
Quantity Kg, Acute, Non-Acute :	0, 3.1746051
Quantity Tons, Haz, Non-Haz :	0, 0.0035
Quantity Kg, Haz, Non-Haz :	0, 3.1746051
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R

Waste Line Number :	3
Is DOT Hazardous :	N
DOT ID Number :	N/R

Map Id: G99
Direction: N
Distance: 0.144 mi., 760 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : NORDSTROM INC 7767 | BB&B # 1048
8020 MEDITERRANEAN DR | 8020 MEDITERRANEAN DR BLDG 24
ESTERO, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173863
EPA ID: N/R

MANIFEST EPA ***(cont.)***

DOT Information :	N/R
Non Waste Description :	UNIVERSAL WASTE - LAMP(S) (COMPACT FLUORESCENT LAMPS)
Quantity :	10 Pounds
Quantity Tons, Acute, Non-Acute :	0.005, 0, 0.005
Quantity Kg, Acute, Non-Acute :	0, 4.53515
Quantity Tons, Haz, Non-Haz :	0, 0.005
Quantity Kg, Haz, Non-Haz :	0, 4.53515
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R

Waste Line Number :	4
Is DOT Hazardous :	N
DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	UNIVERSAL WASTE - ELECTRONIC DEVICES(S) (GENERAL E-WASTE)
Quantity :	22 Pounds
Quantity Tons, Acute, Non-Acute :	0.011, 0, 0.011
Quantity Kg, Acute, Non-Acute :	0, 9.97733
Quantity Tons, Haz, Non-Haz :	0, 0.011
Quantity Kg, Haz, Non-Haz :	0, 9.97733
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R

Waste Line Number :	5
Is DOT Hazardous :	Y
DOT ID Number :	UN1993
DOT Information :	UN1993 WASTE FLAMMABLE LIQUIDS, N.O.S. (ACETONE, SOLVENTS) II 3
Non Waste Description :	N/R
Quantity :	16 Pounds
Quantity Tons, Acute, Non-Acute :	0.008, 0, 0.008
Quantity Kg, Acute, Non-Acute :	0, 7.2562404
Quantity Tons, Haz, Non-Haz :	0.008, 0
Quantity Kg, Haz, Non-Haz :	7.2562404, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, U002, U069
State Code :	N/R

Manifest Details

Manifest Number :	002324314PSC
Shipped Date :	2019-05-21
Updated Date :	2019-07-29
Received Date :	2019-06-14
Status :	Signed
Generator ID :	CESQG
Generator Name :	BB&B # 1048
Generator Address :	8020 MEDITERRANEAN DR BLDG 24, ESTERO, FL 33928

Map Id: G99
Direction: N
Distance: 0.144 mi., 760 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : NORDSTROM INC 7767 | BB&B # 1048
8020 MEDITERRANEAN DR | 8020 MEDITERRANEAN DR BLDG 24
ESTERO, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173863
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Generator Mailing :	5151 SAN FELIPE BB&B 1048, HOUSTON, TX 77056
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	Allworth, LLC
Destination Mailing :	500 Medco Road, Birmingham, AL 35217
Destination Address :	500 Medco Road, Birmingham, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1950
DOT Information :	UN1950 WASTE AEROSOLS 2.2 8 D001 (EACH NOT EXCEEDING 1 LITER CAPACITY)
Non Waste Description :	N/R
Quantity :	19 Pounds
Quantity Tons, Acute, Non-Acute :	0.0095, 0, 0.0095
Quantity Kg, Acute, Non-Acute :	0, 8.616785
Quantity Tons, Haz, Non-Haz :	0.0095, 0
Quantity Kg, Haz, Non-Haz :	8.616785, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1993
DOT Information :	UN1993 WASTE FLAMMABLE LIQUIDS, N.O.S. (ACETONE, SOLVENTS) II 3 D001
Non Waste Description :	N/R
Quantity :	26 Pounds
Quantity Tons, Acute, Non-Acute :	0.013, 0, 0.013
Quantity Kg, Acute, Non-Acute :	0, 11.79139
Quantity Tons, Haz, Non-Haz :	0.013, 0
Quantity Kg, Haz, Non-Haz :	11.79139, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, U002, U069
State Code :	N/R

Waste Line Number :	3
Is DOT Hazardous :	Y
DOT ID Number :	UN3266

Map Id: G99
Direction: N
Distance: 0.144 mi., 760 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : NORDSTROM INC 7767 | BB&B # 1048
8020 MEDITERRANEAN DR | 8020 MEDITERRANEAN DR BLDG 24
ESTERO, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173863
EPA ID: N/R

MANIFEST EPA ***(cont.)***

DOT Information :	UN3266 WASTE CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE, POTASSIUM HYDROXIDE) II 8 D002
Non Waste Description :	N/R
Quantity :	41 Pounds
Quantity Tons, Acute, Non-Acute :	0.0205, 0, 0.0205
Quantity Kg, Acute, Non-Acute :	0, 18.594116
Quantity Tons, Haz, Non-Haz :	0.0205, 0
Quantity Kg, Haz, Non-Haz :	18.594116, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R

Waste Line Number :	4
Is DOT Hazardous :	N
DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	UNIVERSAL WASTE - ELECTRONIC DEVICES(S) (GENERAL E-WASTE)
Quantity :	22 Pounds
Quantity Tons, Acute, Non-Acute :	0.011, 0, 0.011
Quantity Kg, Acute, Non-Acute :	0, 9.97733
Quantity Tons, Haz, Non-Haz :	0, 0.011
Quantity Kg, Haz, Non-Haz :	0, 9.97733
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R

Waste Line Number :	5
Is DOT Hazardous :	N
DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	NON-RCRA HAZARDOUS WASTE LIQUID (WATER BASED PRODUCTS)
Quantity :	16 Pounds
Quantity Tons, Acute, Non-Acute :	0.008, 0, 0.008
Quantity Kg, Acute, Non-Acute :	0, 7.2562404
Quantity Tons, Haz, Non-Haz :	0, 0.008
Quantity Kg, Haz, Non-Haz :	0, 7.2562404
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R

RCRA VSQG

Facility Name :	NORDSTROM INC 7767
Facility Address :	8020 MEDITERRANEAN DR, ESTERO, FL 33928-8304
County :	LEE
Date Form Received by Agency :	2025-09-18
EPA ID :	FLR000275834

Map Id: G99
Direction: N
Distance: 0.144 mi., 760 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : NORDSTROM INC 7767 | BB&B # 1048
8020 MEDITERRANEAN DR | 8020 MEDITERRANEAN DR BLDG 24
ESTERO, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173863
EPA ID: N/R

RCRA VSQG ***(cont.)***

Mailing Address :	8020 MEDITERRANEAN DR, ESTERO, FL 33928-8304
Contact :	ROBERT VARELA
Contact Address :	8020 MEDITERRANEAN DR, ESTERO, FL 33928-0000
Contact Country :	US
Contact Telephone :	850-245-8707
Contact Email :	ROBERT.L.VARELA@NORDSTROM.COM
EPA Region :	04
Land Type :	Private
Source Type :	Notification
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2026-05-05

Owner/Operator Summary

Owner/Operator Name :	NORDSTROM INC
Owner/Operator Address :	1600 7TH AVE 25TH FLOOR, SEATTLE, WA 98101-0000
Owner/Operator Country :	US
Owner/Operator Telephone :	206-628-2111
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2025-10-02
Owner/Operator End Date :	N/R

Owner/Operator Name :	SIMON PROPERTY GROUP
Owner/Operator Address :	225 W WASHINGTON ST, INDIANAPOLIS, IN 46204-0000
Owner/Operator Country :	US
Owner/Operator Telephone :	317-636-1600
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2025-02-17
Owner/Operator End Date :	N/R

Map Id: G99
Direction: N
Distance: 0.144 mi., 760 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : NORDSTROM INC 7767 | BB&B # 1048
8020 MEDITERRANEAN DR | 8020 MEDITERRANEAN DR BLDG 24
ESTERO, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173863
EPA ID: N/R

RCRA VSQG ***(cont.)***

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N/R
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Hazardous Waste Summary

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Waste Code / Name :

D001 - IGNITABLE WASTE
D002 - CORROSIVE WASTE
D003 - REACTIVE WASTE
D008 - LEAD
D009 - MERCURY
D018 - BENZENE
D035 - METHYL ETHYL KETONE
D038 - PYRIDINE
U002 - 2-PROPANONE (I) (OR) ACETONE (I)
U019 - BENZENE (I,T)

Notices of Violations Summary

Regulation Violated :	N

Map Id: C100
Direction: SE
Distance: 0.145 mi., 764 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FL POWER & LIGHT CO #NAB-545-BONITA CT | FPL BONITA SPRINGS SERVICE CENTER
26191 OLD 41 RD | 26191 OID 41 RD SE
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, LUST - FL, RCRA VSQG, UST - FL]

Envirosite ID: 68173830
EPA ID: FLD000733709

DWM CONTAM - FL

Facility Name :	FL POWER & LIGHT CO #NAB-545-BONITA CT
Facility Address :	26191 OLD 41 RD, BONITA SPRINGS, FL 33923-6633
County :	LEE
Score Effective Date :	1998-01-06
Score :	11
Score Ranked :	N/R
Rank :	N/R
Facility ID :	8519462
Facility Status :	CLOSED
Facility Type :	C - Fuel user/Non-retail
County Code :	36
District :	SD
Operator :	FL POWER & LIGHT CO
Phone :	(813)640-2033
Name Changed Date :	N/R
Address Changed Date :	N/R
Latitude Degrees :	26
Latitude Minutes :	21
Latitude Seconds :	13.8571
Longitude Degrees :	81
Longitude Minutes :	46
Longitude Seconds :	55.4053
Feature :	N/R
Method :	UNVR
Datum :	0
Section/Township/Range :	SEC 26, TWP 47S, RNG 25E
Related Party Begin Date :	1994-04-26
Related Party ID :	27028
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	FL POWER & LIGHT CO
Related Party Address 1 :	700 Universe Blvd, Juno Beach, FL 33408-2657
Related Party Address 2 :	ATTN: DELANEY O BRIEN
Contact :	DELANEY O BRIEN
Related Party Phone :	(386)576-6121
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

EPA LUST

Facility Name :	FL POWER & LIGHT CO #NAB-545-BONITA CT
Facility Address :	26191 OLD 41 RD, BONITA SPRINGS, Florida
County :	N/R
Facility ID :	FL8519462
LUST ID :	FL12325
Reported Date :	1995-02-16
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R

Map Id: C100
Direction: SE
Distance: 0.145 mi., 764 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FL POWER & LIGHT CO #NAB-545-BONITA CT | FPL BONITA SPRINGS SERVICE CENTER
26191 OLD 41 RD | 26191 OID 41 RD SE
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173830
EPA ID: FLD000733709

EPA LUST ***(cont.)***

NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	786
Estimated Private Domestic Wells within 1500ft:	17
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.3372199999999
Longitude :	-81.78194
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	FL POWER & LIGHT CO #NAB-545-BONITA CT
Facility Address :	26191 OLD 41 RD, BONITA SPRINGS, Florida 33923
County :	N/R
Facility ID :	FL8519462
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	3
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.3372222222222
Longitude :	-81.7819444444444
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8519462-1
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	3000
Substances :	Leaded Gas
Tank Wall Type :	N/R

Map Id: C100
Direction: SE
Distance: 0.145 mi., 764 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FL POWER & LIGHT CO #NAB-545-BONITA CT | FPL BONITA SPRINGS SERVICE CENTER
26191 OLD 41 RD | 26191 OID 41 RD SE
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173830
EPA ID: FLD000733709

EPA UST ***(cont.)***

Tank ID :	FL8519462-2
Tank Status :	Closed
Installation Date :	1985-05-01
Removal Date :	N/R
Capacity :	4000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R

Tank ID :	FL8519462-3
Tank Status :	Closed
Installation Date :	1985-05-01
Removal Date :	N/R
Capacity :	6000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

LUST - FL

Facility Name :	FL POWER & LIGHT CO #NAB-545-BONITA CT
Facility Address :	26191 OLD 41 RD, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	8519462
Facility Status :	CLOSED
Facility Type :	Fuel user/Non-retail
Phone :	8136402033
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	27028
Owner Name :	FL POWER & LIGHT CO
Owner Address 1 :	700 Universe Blvd, Juno Beach, FL 33408
Owner Address 2 :	ATTN: DELANEY O BRIEN
Owner Phone :	3865766121
Contact :	DELANEY O BRIEN

Discharge Details

Discharge Date :	1995-02-16
Status Date :	2002-06-04
Status Description :	NFA COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	1998-01-06
Score :	11
CU Status :	N/R

Map Id: C100
Direction: SE
Distance: 0.145 mi., 764 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FL POWER & LIGHT CO #NAB-545-BONITA CT | FPL BONITA SPRINGS SERVICE CENTER
26191 OLD 41 RD | 26191 OID 41 RD SE
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173830
EPA ID: FLD000733709

LUST - FL ***(cont.)***

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

RCRA VSQG

Facility Name :	FPL BONITA SPRINGS SERVICE CENTER
Facility Address :	26191 OID 41 RD SE, BONITA SPRINGS, FL 33407
County :	LEE
Date Form Received by Agency :	1997-09-25
EPA ID :	FLD000733709
Mailing Address :	PO BOX 78768, WEST PALM BEACH, FL 33407-0768
Contact :	WAREEN TITTLE
Contact Address :	26191 OLD 41 RD SE, BONITA SPRINGS, FL 33923
Contact Country :	US
Contact Telephone :	941-379-7419
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Notification
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2026-05-05

Owner/Operator Summary

Owner/Operator Name :	CHARLES HENDERSON
Owner/Operator Address :	PO BOX 78768, WEST PALM BEACH, FL 33407
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1996-10-18
Owner/Operator End Date :	1997-09-25

Map Id: C100
Direction: SE
Distance: 0.145 mi., 764 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FL POWER & LIGHT CO #NAB-545-BONITA CT | FPL BONITA SPRINGS SERVICE CENTER
26191 OLD 41 RD | 26191 OID 41 RD SE
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173830
EPA ID: FLD000733709

RCRA VSQG ***(cont.)***

Owner/Operator Name :	FLORIDA POWER & LIGHT CO
Owner/Operator Address :	PO BOX 1119, SARASOTA, FL 34230
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1996-10-18
Owner/Operator End Date :	N/R

Owner/Operator Name :	HENDERSON CHARLES
Owner/Operator Address :	PO BOX 78768, WEST PALM BEACH, FL 33407
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1996-10-18
Owner/Operator End Date :	1997-09-25

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE D002 - CORROSIVE WASTE D008 - LEAD

Notices of Violations Summary

Regulation Violated :	N

Map Id: C100
Direction: SE
Distance: 0.145 mi., 764 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FL POWER & LIGHT CO #NAB-545-BONITA CT | FPL BONITA SPRINGS SERVICE CENTER
26191 OLD 41 RD | 26191 OID 41 RD SE
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173830
EPA ID: FLD000733709

UST - FL

Facility Name :	FL POWER & LIGHT CO #NAB-545-BONITA CT
Facility Address :	26191 OLD 41 RD, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	8519462
Facility Phone :	8136402033
Facility Status :	CLOSED
Facility Type :	Fuel user/Non-retail
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	27028
Owner Name :	FL POWER & LIGHT CO
Owner Address 1 :	700 Universe Blvd, Juno Beach, FL 33408
Owner Address 2 :	ATTN: DELANEY O BRIEN
Owner Phone :	3865766121
Contact :	DELANEY O BRIEN
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	3000
Tank Location :	UNDERGROUND
Substance :	Leaded Gas
Install Date :	N/R
Status :	Removed from Site
Status Date :	1995-01-01

Tank ID :	2
Gallons :	4000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	1985-05-01
Status :	Removed from Site
Status Date :	1995-01-01

Tank ID :	3
Gallons :	6000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1985-05-01
Status :	Removed from Site
Status Date :	1995-01-01

Map Id: C100
Direction: SE
Distance: 0.145 mi., 764 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FL POWER & LIGHT CO #NAB-545-BONITA CT | FPL BONITA SPRINGS SERVICE CENTER
26191 OLD 41 RD | 26191 OID 41 RD SE
BONITA SPRINGS, FL

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173830
EPA ID: FLD000733709

UST - FL ***(cont.)***

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: A101
Direction: SSE
Distance: 0.148 mi., 783 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : MEDIAONE FACILITY (AKA COLONY, PALMER:SEE 93835 & 222576)
27820 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [RESP PARTY - FL, SHWS ERIC - FL]

Envirosite ID: 68173854
EPA ID: N/R

RESP PARTY - FL

Facility Name :	MEDIAONE FACILITY (AKA COLONY, PALMER:SEE 93835 & 222576)
Facility Address :	27820 OLD 41 RD, BONITA SPRINGS, 33923
Site ID :	78718
Project ID :	233147
Status :	CLOSED
District :	SD
ISDR Date :	1992-12-07
Project MGR :	MASELLA_C
OGC Number :	N/R
Contaminants :	Data logged by MASELLA_C.
Offsite COC :	N/R
Priority Score :	N/R
County ID :	36
Datum ID :	HARN
Method ID :	UNVR
Feature :	N/R
Object of Interest :	CAP_RAP SITE
Proximity :	CENTR
Collect Username :	STANDRIDGE_N
Collect Affiliation :	FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
Collect Program ID :	CL
Collect Date :	2004-11-08 10:00:49
Map Source :	2108
Map Source Scale :	1999 doqs
Interpolation Scale :	N/R
Coordinate Accuracy ID :	4
Verify Method ID :	DPHO
Verify Username :	STANDRIDGE_N
Verify Affiliation :	FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
Verifying Program ID :	CL
Verification Date :	2004-11-08 10:00:49
Documents :	Click here for hyperlink provided by the agency.
Latitude :	26.346196

Map Id: A101
Direction: SSE
Distance: 0.148 mi., 783 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : MEDIAONE FACILITY (AKA COLONY, PALMER:SEE 93835 & 222576)
27820 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [RESP PARTY - FL, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 68173854
EPA ID: N/R

RESP PARTY - FL ***(cont.)***

Longitude :	81.779671
Last Date in Agency List :	2021-04-22

SHWS ERIC - FL

Facility Name :	MEDIAONE FACILITY (AKA COLONY, PALMER:SEE 93835 & 222576)
Facility Address :	27820 OLD 41 RD, BONITA SPRINGS, FL 33923
County :	Lee
ERIC ID :	ERIC_11232
Site Status :	CLOSED
Source Facility Name :	MEDIAONE FACILITY (AKA COLONY, PALMER: SEE SITE 94078)
Source Facility ID :	139091
Program :	Responsible Party Cleanup
Program Type :	RESPONSPARTY
Program Status :	COMPLETEWITHCOND
District :	SD
Waste Management Office :	SFWMD
ICR Indicator :	N
Discharge Date :	N/R
Site Manager :	Charles Masella
Site Phase Description :	Phase 5 - Cleanup Complete
Offsite Contamination :	CONTAMUNKNOWN
Datum ID :	HARN
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	26.346195
Longitude :	-81.779671
Last Date in Agency List :	2026-06-18

Map Id: F102
Direction: NNW
Distance: 0.152 mi., 800 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAG3722
24263 PRODUCTION CIR | 24263 PRODUCTIN CIR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173804
EPA ID: N/R

DEDB - FL

Sample Date :	2003-03-20
Sample ID :	030324-038
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3722
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SUNCOAST SUPPLY

Map Id: F102
Direction: NNW
Distance: 0.152 mi., 800 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAG3722
24263 PRODUCTION CIR | 24263 PRODUCTIN CIR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173804
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Address :	24263 PRODUCTION CIR
Well Type :	42
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-030324-08
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2003-03-20
Sample ID :	030324-038
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3722
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SUNCOAST SUPPLY
Well Address :	24263 PRODUCTION CIR
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030324-08
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

Sample Date :	2003-03-20
Sample ID :	030324-038
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3722
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SUNCOAST SUPPLY
Well Address :	24263 PRODUCTIN CIR
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030324-08
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Map Id: F103
Direction: NNW
Distance: 0.154 mi., 811 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAG3725
24349 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173811
EPA ID: N/R

DEDB - FL

Sample Date :	2011-07-26
Sample ID :	110630-044
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3725
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	GOUSE FURNITURE
Well Address :	24349 PRODUCTION CIRCLE
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-110630-011
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2010-09-16
Sample ID :	100902-014
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3725
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	GOUSE FURNITURE
Well Address :	24349 PRODUCTION CIRCLE
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-100902-004
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2009-08-04
Sample ID :	090702-087
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3725
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	GOUSE FURNITURE
Well Address :	24349 PRODUCTION CIRCLE
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	LEE

Map Id: F103
Direction: NNW
Distance: 0.154 mi., 811 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAG3725
24349 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173811
EPA ID: N/R

DEDB - FL ***(cont.)***

Job Name :	LEE-090702-014
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2003-03-20
Sample ID :	030324-045
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3725
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	GOUSE FURNITURE
Well Address :	24349 PRODUCTION CIR
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030324-08
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2011-07-26
Sample ID :	110630-044
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3725
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	GOUSE FURNITURE
Well Address :	24349 PRODUCTION CIR
Well Type :	42
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-110630-011
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25
Sample Date :	2010-09-16
Sample ID :	100902-014
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3725
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R

Map Id: F103
Direction: NNW
Distance: 0.154 mi., 811 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAG3725
24349 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173811
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Business Name :	GOUSE FURNITURE
Well Address :	24349 PRODUCTION CIR
Well Type :	42
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-100902-004
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2009-08-04
Sample ID :	090702-087
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3725
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	GOUSE FURNITURE
Well Address :	24349 PRODUCTION CIR
Well Type :	42
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-090702-014
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2003-03-20
Sample ID :	030324-045
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3725
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	GOUSE FURNITURE
Well Address :	24349 PRODUCTION CIR
Well Type :	42
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-030324-08
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Map Id: G104
Direction: N
Distance: 0.155 mi., 820 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ULTA BEAUTY
8054 MEDITERRANEAN DRIVE
ESTERO, FL 33928

Database(s) : [MANIFEST EPA]

Envirosite ID: 68173865
EPA ID: CESQG

MANIFEST EPA

Manifest Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Manifest Number :	201127511CLE
Shipped Date :	2025-04-24
Updated Date :	2025-05-26
Received Date :	2025-05-13
Status :	Signed
Generator ID :	CESQG
Generator Name :	ULTA BEAUTY
Generator Address :	8054 MEDITERRANEAN DRIVE, ESTERO, FL 33928
Generator Mailing :	1000 REMINGTON BLVD SUITE 120, BOLINGBROOK, IL 60440
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	ALLWORTH, INC. (ESOL)
Destination Mailing :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Address :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1950
DOT Information :	UN1950, Waste Aerosols, 2.1
Non Waste Description :	N/R
Quantity :	111 Pounds
Quantity Tons, Acute, Non-Acute :	0.0555, 0, 0.0555
Quantity Kg, Acute, Non-Acute :	0, 50.340165
Quantity Tons, Haz, Non-Haz :	0.0555, 0
Quantity Kg, Haz, Non-Haz :	50.340165, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1993
DOT Information :	UN1993, Waste Flammable liquids, n.o.s. (ACETONE, METHANOL), 3, PG-II
Non Waste Description :	N/R
Quantity :	45 Pounds
Quantity Tons, Acute, Non-Acute :	0.0225, 0, 0.0225
Quantity Kg, Acute, Non-Acute :	0, 20.408175
Quantity Tons, Haz, Non-Haz :	0.0225, 0
Quantity Kg, Haz, Non-Haz :	20.408175, 0

Map Id: G104
Direction: N
Distance: 0.155 mi., 820 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ULTA BEAUTY
8054 MEDITERRANEAN DRIVE
ESTERO, FL 33928

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173865
EPA ID: CESQG

MANIFEST EPA ***(cont.)***

Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, U002
State Code :	N/R

Manifest Details

Manifest Number :	201066792CLE
Shipped Date :	2025-02-14
Updated Date :	2025-03-04
Received Date :	2025-02-28
Status :	Signed
Generator ID :	CESQG
Generator Name :	ULTA BEAUTY
Generator Address :	8054 MEDITERRANEAN DRIVE, ESTERO, FL 33928
Generator Mailing :	1000 REMINGTON BLVD SUITE 120, BOLINGBROOK, IL 60440
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	ALLWORTH, INC. (ESOL)
Destination Mailing :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Address :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1950
DOT Information :	UN1950, Waste Aerosols, 2.1
Non Waste Description :	N/R
Quantity :	84 Pounds
Quantity Tons, Acute, Non-Acute :	0.042, 0, 0.042
Quantity Kg, Acute, Non-Acute :	0, 38.09526
Quantity Tons, Haz, Non-Haz :	0.042, 0
Quantity Kg, Haz, Non-Haz :	38.09526, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1993
DOT Information :	UN1993, Waste Flammable liquids, n.o.s. (ACETONE, METHANOL), 3, PG-II
Non Waste Description :	N/R
Quantity :	209 Pounds
Quantity Tons, Acute, Non-Acute :	0.1045, 0, 0.1045
Quantity Kg, Acute, Non-Acute :	0, 94.784635

Map Id: G104
Direction: N
Distance: 0.155 mi., 820 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ULTA BEAUTY
8054 MEDITERRANEAN DRIVE
ESTERO, FL 33928

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173865
EPA ID: CESQG

MANIFEST EPA ***(cont.)***

Quantity Tons, Haz, Non-Haz :	0.1045, 0
Quantity Kg, Haz, Non-Haz :	94.784635, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, U002
State Code :	N/R

Manifest Details

Manifest Number :	201016046CLE
Shipped Date :	2024-12-16
Updated Date :	2025-04-22
Received Date :	2025-01-16
Status :	Corrected
Generator ID :	CESQG
Generator Name :	ULTA BEAUTY
Generator Address :	8054 MEDITERRANEAN DRIVE, ESTERO, FL 33928
Generator Mailing :	1000 REMINGTON BLVD SUITE 120, BOLINGBROOK, IL 60440
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	ALLWORTH, INC. (ESOL)
Destination Mailing :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Address :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1993
DOT Information :	UN1993, Waste Flammable liquids, n.o.s.,(ACETONE, METHANOL) 3, PG-II
Non Waste Description :	N/R
Quantity :	44 Pounds
Quantity Tons, Acute, Non-Acute :	0.022, 0, 0.022
Quantity Kg, Acute, Non-Acute :	0, 19.95466
Quantity Tons, Haz, Non-Haz :	0.022, 0
Quantity Kg, Haz, Non-Haz :	19.95466, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, U002
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1950
DOT Information :	UN1950, Waste Aerosols, 2.1
Non Waste Description :	N/R
Quantity :	32 Pounds
Quantity Tons, Acute, Non-Acute :	0.016, 0, 0.016

Map Id: G104
Direction: N
Distance: 0.155 mi., 820 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ULTA BEAUTY
8054 MEDITERRANEAN DRIVE
ESTERO, FL 33928

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173865
EPA ID: CESQG

MANIFEST EPA ***(cont.)***

Quantity Kg, Acute, Non-Acute :	0, 14.51248
Quantity Tons, Haz, Non-Haz :	0.016, 0
Quantity Kg, Haz, Non-Haz :	14.51248, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Manifest Details

Manifest Number :	200967747CLE
Shipped Date :	2024-10-21
Updated Date :	2024-11-21
Received Date :	2024-11-11
Status :	Signed
Generator ID :	CESQG
Generator Name :	ULTA BEAUTY
Generator Address :	8054 MEDITERRANEAN DRIVE, ESTERO, FL 33928
Generator Mailing :	1000 REMINGTON BLVD SUITE 120, BOLINGBROOK, IL 60440
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	ALLWORTH, INC. (ESOL)
Destination Mailing :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Address :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1993
DOT Information :	UN1993, Waste Flammable liquids, n.o.s. (ACETONE, METHANOL), 3, PG-II
Non Waste Description :	N/R
Quantity :	21 Pounds
Quantity Tons, Acute, Non-Acute :	0.0105, 0, 0.0105
Quantity Kg, Acute, Non-Acute :	0, 9.523815
Quantity Tons, Haz, Non-Haz :	0.0105, 0
Quantity Kg, Haz, Non-Haz :	9.523815, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, U002
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1950
DOT Information :	UN1950, Waste Aerosols, 2.1
Non Waste Description :	N/R

Map Id: G104
Direction: N
Distance: 0.155 mi., 820 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ULTA BEAUTY
8054 MEDITERRANEAN DRIVE
ESTERO, FL 33928

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173865
EPA ID: CESQG

MANIFEST EPA ***(cont.)***

Quantity :	34 Pounds
Quantity Tons, Acute, Non-Acute :	0.017, 0, 0.017
Quantity Kg, Acute, Non-Acute :	0, 15.41951
Quantity Tons, Haz, Non-Haz :	0.017, 0
Quantity Kg, Haz, Non-Haz :	15.41951, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Waste Line Number :	3
Is DOT Hazardous :	N
DOT ID Number :	N/R
DOT Information :	N/R

Non Waste Description :	Material Not Regulated by D.O.T. (Washington State Dangerous Waste Only, Toxic) (WATER BASED CLEANERS, LATEX PAINT)

Quantity :	14 Pounds
Quantity Tons, Acute, Non-Acute :	0.007, 0, 0.007
Quantity Kg, Acute, Non-Acute :	0, 6.34921
Quantity Tons, Haz, Non-Haz :	0, 0.007
Quantity Kg, Haz, Non-Haz :	0, 6.34921
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R

Manifest Details

Manifest Number :	200881009CLE
Shipped Date :	2024-08-15
Updated Date :	2024-09-12
Received Date :	2024-09-05
Status :	Signed
Generator ID :	VSQG
Generator Name :	ULTA BEAUTY
Generator Address :	8054 MEDITERRANEAN DRIVE, ESTERO, FL 33928
Generator Mailing :	8054 MEDITERRANEAN DRIVE, ESTERO, FL 33928
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	ALLWORTH, INC. (ESOL)
Destination Mailing :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Address :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Map Id: G104
Direction: N
Distance: 0.155 mi., 820 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ULTA BEAUTY
8054 MEDITERRANEAN DRIVE
ESTERO, FL 33928

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173865
EPA ID: CESQG

MANIFEST EPA ***(cont.)***

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1950
DOT Information :	UN1950, Waste Aerosols, 2.1
Non Waste Description :	N/R
Quantity :	21 Pounds
Quantity Tons, Acute, Non-Acute :	0.0105, 0, 0.0105
Quantity Kg, Acute, Non-Acute :	0, 9.523815
Quantity Tons, Haz, Non-Haz :	0.0105, 0
Quantity Kg, Haz, Non-Haz :	9.523815, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1993
DOT Information :	UN1993, Waste Flammable liquids, n.o.s. (ACETONE, METHANOL), 3, PG-II
Non Waste Description :	N/R
Quantity :	45 Pounds
Quantity Tons, Acute, Non-Acute :	0.0225, 0, 0.0225
Quantity Kg, Acute, Non-Acute :	0, 20.408175
Quantity Tons, Haz, Non-Haz :	0.0225, 0
Quantity Kg, Haz, Non-Haz :	20.408175, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, U002
State Code :	N/R

Map Id: A105
Direction: SSE
Distance: 0.156 mi., 824 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : CIRCLE K #2709767 | SHELL STATION
10460 BONITA BCH RD SE & OLD 41 |
10460 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HMIRS (DOT), LUST - FL, RCRA NONGEN, UST - FL]

Envirosite ID: 68173733
EPA ID: N/R

CS - FL

Facility Name :	CIRCLE K #2709767
Facility Address :	10460 BONITA BCH RD SE & OLD 41, BONITA SPRINGS, 33923
County :	Leon County

Map Id: A105
Direction: SSE
Distance: 0.156 mi., 824 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : CIRCLE K #2709767 | SHELL STATION
10460 BONITA BCH RD SE & OLD 41 |
10460 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HMIRS (DOT), LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173733
EPA ID: N/R

CS - FL ***(cont.)***

DEP Cleanup Site Key :	34890904
Program Site ID :	8622650
Program Source Data :	STCM
Program Area :	PETRO
Collection Date :	2003-10-03
Verification Date :	2003-10-03
Load Date :	2014-08-11
Verifier :	DEMACK_P36
Collector :	DEMACK_P36
Verifier Agency :	DELEGATED COUNTY
Collection Agency :	DELEGATED COUNTY
Verification Status :	REVIEWED
Remediation Status :	ACTIVE
Office/District :	SD
Comments :	N/R
Last Date in Agency List :	2014-08-11

DWM CONTAM - FL

Facility Name :	CIRCLE K #2709767
Facility Address :	10460 BONITA BCH RD SE & OLD 41, BONITA SPRINGS, FL 33923-5615
County :	LEE
Score Effective Date :	2012-03-16
Score :	11
Score Ranked :	8
Rank :	12280
Facility ID :	8622650
Facility Status :	OPEN
Facility Type :	A - Retail Station
County Code :	36
District :	SD
Operator :	GRAHAM BIGGS
Phone :	(919)774-6700
Name Changed Date :	2008-06-04
Address Changed Date :	2008-06-04
Latitude Degrees :	26
Latitude Minutes :	19
Latitude Seconds :	53.2632
Longitude Degrees :	81
Longitude Minutes :	46
Longitude Seconds :	46.6139
Feature :	N/R
Method :	AGPS
Datum :	0
Section/Township/Range :	SEC 35, TWP 47S, RNG 25E
Related Party Begin Date :	2006-12-05
Related Party ID :	4045
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	CIRCLE K STORES INC
Related Party Address 1 :	1100 Situs Ct, Raleigh, NC 27606-5446
Related Party Address 2 :	N/R

Map Id: A105
Direction: SSE
Distance: 0.156 mi., 824 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : CIRCLE K #2709767 | SHELL STATION
10460 BONITA BCH RD SE & OLD 41 |
10460 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HMIRS (DOT), LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173733
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

Contact :	JOANNE SISSLER
Related Party Phone :	(703)618-9183
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

ECHO

Facility Name :	SHELL STATION
Facility Address :	10460 BONITA BEACH RD, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	2006-04-04
Registry ID :	110007456323
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	7131
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	POINT WHERE SUBSTANCE IS MONITORED
Accuracy Meters :	5
Derived Tribes :	Seminole Tribe of Florida - 23 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040105
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710505001053
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R

Map Id: A105
Direction: SSE
Distance: 0.156 mi., 824 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : CIRCLE K #2709767 | SHELL STATION
10460 BONITA BCH RD SE & OLD 41 |
10460 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HMIRS (DOT), LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173733
EPA ID: N/R

ECHO ***(cont.)***

CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	44711 - Gasoline Stations with Convenience Stores
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2006-04-04
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.332025
Longitude :	-81.77927
Last Date in Agency List :	2026-05-11

EPA LUST

Facility Name :	CIRCLE K #2709767
Facility Address :	10460 BONITA BCH RD SE & OLD 41, BONITA SPRINGS, Florida
County :	N/R
Facility ID :	FL8622650
LUST ID :	FL24317
Reported Date :	1989-10-24
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R

Map Id: A105
Direction: SSE
Distance: 0.156 mi., 824 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : CIRCLE K #2709767 | SHELL STATION
10460 BONITA BCH RD SE & OLD 41 |
10460 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HMIRS (DOT), LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173733
EPA ID: N/R

EPA LUST ***(cont.)***

Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	254
Estimated Private Domestic Wells within 1500ft:	6
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.3313899999999
Longitude :	-81.7797199999999
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	CIRCLE K #2709767
Facility Address :	10460 BONITA BCH RD SE & OLD 41, BONITA SPRINGS, Florida 33923
County :	N/R
Facility ID :	FL8622650
Facility Status :	Open UST(s)
Open USTs :	3
Closed USTs :	4
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.3313888888889
Longitude :	-81.7797222222222
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8622650-1
Tank Status :	Closed
Installation Date :	1986-03-01
Removal Date :	N/R
Capacity :	12000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Map Id: A105
Direction: SSE
Distance: 0.156 mi., 824 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : CIRCLE K #2709767 | SHELL STATION
10460 BONITA BCH RD SE & OLD 41 |
10460 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HMIRS (DOT), LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173733
EPA ID: N/R

EPA UST ***(cont.)***

Tank ID :	FL8622650-2
Tank Status :	Closed
Installation Date :	1986-04-01
Removal Date :	N/R
Capacity :	12000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8622650-3
Tank Status :	Closed
Installation Date :	1986-03-01
Removal Date :	N/R
Capacity :	8000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8622650-4
Tank Status :	Closed
Installation Date :	1986-04-01
Removal Date :	N/R
Capacity :	8000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R

Tank ID :	FL8622650-5
Tank Status :	Open
Installation Date :	2004-12-01
Removal Date :	N/R
Capacity :	20000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8622650-6
Tank Status :	Open
Installation Date :	2004-12-01
Removal Date :	N/R
Capacity :	12000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8622650-7
Tank Status :	Open
Installation Date :	2004-12-01
Removal Date :	N/R
Capacity :	10000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R

Map Id: A105
Direction: SSE
Distance: 0.156 mi., 824 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : CIRCLE K #2709767 | SHELL STATION
10460 BONITA BCH RD SE & OLD 41 |
10460 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HMIRS (DOT), LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173733
EPA ID: N/R

FA 3 - FL

Facility Name :	CIRCLE K #2709767
Facility Address :	10460 BONITA BCH RD SE & OLD 41, BONITA SPRINGS, 33923
County :	LEE

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Effectivity Date :	2025-08-21
Expiration Date :	2026-08-21
Facility ID :	8622650
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	GUARANTEE
Insurance Company :	N/R
Facility Phone :	9197746700
Owner ID :	4045
Owner Name :	CIRCLE K STORES INC
Address :	1100 Situs Ct, Raleigh, NC 27606
Contact Name :	JOANNE SISSLER
Phone :	7036189183
Last Date in Agency List :	2026-06-03

Effectivity Date :	2024-08-21
Expiration Date :	2025-08-21
Facility ID :	8622650
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	GUARANTEE
Insurance Company :	N/R
Facility Phone :	9197746700
Owner ID :	4045
Owner Name :	CIRCLE K STORES INC
Address :	1100 Situs Ct, Raleigh, NC 27606
Contact Name :	JOANNE SISSLER
Phone :	7036189183
Last Date in Agency List :	2026-06-03

Effectivity Date :	2023-08-21
Expiration Date :	2024-08-21
Facility ID :	8622650
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	GUARANTEE
Insurance Company :	N/R
Facility Phone :	9197746700

Map Id: A105
Direction: SSE
Distance: 0.156 mi., 824 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : CIRCLE K #2709767 | SHELL STATION
10460 BONITA BCH RD SE & OLD 41 |
10460 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HMIRS (DOT), LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173733
EPA ID: N/R

FA 3 - FL ***(cont.)***

Owner ID :	4045
Owner Name :	CIRCLE K STORES INC
Address :	1100 Situs Ct, Raleigh, NC 27606
Contact Name :	JOANNE SISSLER
Phone :	7036189183
Last Date in Agency List :	2026-06-03

Effectivity Date :	2022-04-24
Expiration Date :	2023-08-21
Facility ID :	8622650
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	GUARANTEE
Insurance Company :	N/R
Facility Phone :	9197746700
Owner ID :	4045
Owner Name :	CIRCLE K STORES INC
Address :	1100 Situs Ct, Raleigh, NC 27606
Contact Name :	JOANNE SISSLER
Phone :	7036189183
Last Date in Agency List :	2026-06-03

Effectivity Date :	2020-12-01
Expiration Date :	2021-12-01
Facility ID :	8622650
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	NAVIGATORS SPECIALTY INSURANCE CO
Facility Phone :	9197746700
Owner ID :	4045
Owner Name :	CIRCLE K STORES INC
Address :	1100 Situs Ct, Raleigh, NC 27606
Contact Name :	JOANNE SISSLER
Phone :	7036189183
Last Date in Agency List :	2026-06-03

FRS

Facility Name :	SHELL STATION
Facility Address :	10460 BONITA BEACH RD, BONITA SPRINGS, FL 34135-5615
County :	LEE

Site Details

Registry ID :	110007456323
FRS Facility URL :	Click here for hyperlink provided by the agency.

Map Id: A105
Direction: SSE
Distance: 0.156 mi., 824 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : CIRCLE K #2709767 | SHELL STATION
10460 BONITA BCH RD SE & OLD 41 |
10460 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HMIRS (DOT), LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173733
EPA ID: N/R

FRS ***(cont.)***

Last Date in Agency List : 2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID : FLORIDA DEP - 45127
RCRAINFO - FLD984223438

GWIF - FL

Facility Name : SHELL STATION
Facility Address : 10460 BONITA BEACH RD, BONITA SPRINGS, 34135
County : LEE

Facility ID : 8622650
Facility Type : PETROLEUM
Location ID : 103807
Location Method : DGPS = Differentially Corrected GPS
GPS ID : 103807
GPS Date : 2006-03-16
HAE (Height Above Ellipsoid) : 11.4
Project ID : SUPER
Insp Name : MARK ASHTON
Insp CHD : LEE
Request Number : RE38490
Datum : N/R
Software : Risk_Solo_v2
Streetside : N/R
Agency : DOH
Comment : N/R
Latitude : 26.331373

Map Id: A105
Direction: SSE
Distance: 0.156 mi., 824 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : CIRCLE K #2709767 | SHELL STATION
10460 BONITA BCH RD SE & OLD 41 |
10460 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HMIRS (DOT), LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173733
EPA ID: N/R

GWIF - FL ***(cont.)***

Longitude :	-81.779685
Last Date in Agency List :	2026-05-09

HMIRS (DOT)

Facility Address :	10460 BONITA BEACH RD, BONITA SPRINGS, FL
County :	LEE

Site Details

Date of Incident :	1992-12-16
Time of Incident :	07:45
Report Submission Source :	Paper
Report Number :	I-1993010325
Multiple Rows per Incident :	No
NRC Number :	N/R
Federal DOT Agency Name :	N/R
Mode of Transportation :	Highway
Transportation Phase :	UNLOADING
Carrier/Reporter Name :	FLEET TRANSPORT COMPANY INC
Carrier/Reporter Address :	1749 MALLORY LN STE 300
Carrier/Reporter Non-US State :	TN
Carrier/Reporter FED DOT ID :	0
Carrier/Reporter HAZMAT Reg ID :	N/R
Carrier/Reporter Country :	UNITED STATES
Shipper Name :	MURPHY OIL USA INC.
Shipper Address :	1306 INGRAM AVE
Shipper Non-US State :	FL
Shipper Country :	UNITED STATES
Shipper Waybill/Shipping Paper :	B/L08251438
Shipper HAZMAT Registration ID :	N/R
Origin City :	TAMPA
Origin State :	FLORIDA
Origin Postal Code :	33601
Origin Country :	US
Destination City :	BONITA SPRINGS
Destination State :	FLORIDA
Destination Postal Code :	N/R
Destination Non-US State :	N/R
Destination Country :	US
Commodity Short Name :	GASOLINE INCLUDES GASOLI
Commodity Long Name :	GASOLINE INCLUDES GASOLINE MIXED WITH ETHYL ALCOHOL WITH NOT MORE THAN 10% ALCOHOL
Technical/Trade Name :	GASOLINE
Identification Number :	UN1203
Hazardous Class :	FLAMMABLE - COMBUSTIBLE LIQUID
Packing Group :	N/R
Quantity Released :	1
Unit of Measure :	Liquid - Gallon Liquid

Map Id: A105
Direction: SSE
Distance: 0.156 mi., 824 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : CIRCLE K #2709767 | SHELL STATION
10460 BONITA BCH RD SE & OLD 41 |
10460 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HMIRS (DOT), LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173733
EPA ID: N/R

HMIRS (DOT) ***(cont.)***

HAZMAT Waste Indicator :	No
HAZMAT Waste EPA Number :	N/R
HMIS Toxic by Inhalation Indicator :	No
TIH Hazard Zone :	N/R
Material Shipment Approval Indicator:	No
Material Shipment Approval Number :	N/R
Undeclared HAZMAT Shipment Indicator:	No
Packaging Type :	Cargo Tank Motor Vehicle (CTMV)
Failed Object Code :	N/R
Failed Object Description :	N/R
Manner of Failure Code :	N/R
Manner of Failure Description :	N/R
Failure Cause Code :	529
Failure Cause Description :	Overfilled
Identification Markings :	N/R
Cont 1 Packaging Type :	N/R
Cont 1 Material of Construction :	N/R
Cont 1 Head Type :	N/R
Cont 1 Package Amount :	N/R
Cont 1 Package Amount UOM :	N/R
Cont 1 Package Number in Shipment :	1
Cont 1 Package Shipment Number Failed:	1
Cont 1 Package Manufacturer :	TRAILMOBILE DIV PULLMAN INC
Cont 1 Pkg Manufacturer Date :	N/R
Cont 1 Package Serial Number :	N/R
Cont 1 Package Last Test Date :	N/R
Cont 1 Package Design Pressure Reported:	N/R
Cont 1 Design Pressure UOM Reported :	N/R
Cont 1 Package Shell Thickness Reported:	N/R
Cont 1 Shell Thickness UOM Reported :	N/R
Cont 1 Head Thickness Reported :	N/R
Cont 1 Head Thickness UOM Reported :	N/R
Cont 1 Valve or Device Fail Indicator:	No
Cont 1 Valve or Device Type :	N/R
Cont 1 Valve Device Manufacturer :	N/R
Cont 1 Valve or Device Model :	N/R
Cont 2 Package Type :	N/R
Cont 2 Material of Construction :	N/R
Cont 2 Package Capacity :	N/R
Cont 2 Capacity UOM Reported :	N/R
Cont 2 Package Amount UOM :	N/R
Cont 2 Package Number in Shipment :	N/R
Cont 2 Package Shipment Number Failed:	N/R
RAM Package Category :	N/R
RAM Package Certification :	FALSE
RAM Nuclide(s) Present :	N/R
RAM Transport Index :	N/R
RAM Activity Reported :	N/R
RAM UOM Reported :	N/R

Map Id: A105
Direction: SSE
Distance: 0.156 mi., 824 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : CIRCLE K #2709767 | SHELL STATION
10460 BONITA BCH RD SE & OLD 41 |
10460 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HMIRS (DOT), LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173733
EPA ID: N/R

HMIRS (DOT) ***(cont.)***

RAM Activity :	N/R
RAM Activity UOM :	N/R
Spillage (Result) Indicator :	Yes
Fire (Result) Indicator :	No
Explosion (Result) Indicator :	No
Water Sewer (Result) Indicator :	No
Gas Dispersion (Result) Indicator :	No
Environmental Damage (Result) :	No
No Release (Result) Indicator :	No
Fire/EMS Report Indicator :	No
Fire EMS/EMS Report Number :	N/R
Police Report Indicator :	No
Police Report Number :	N/R
In-House Cleanup Indicator :	No
Other Cleanup Indicator :	No
Damage More than 500 :	No
Material Loss :	$1.00
Carrier Damage :	$0.00
Property Damage :	$0.00
Response Cost :	$0.00
Remediation Cleanup Cost :	$0.00
Damage Other (Old Form) :	$0.00
Total Amount of Damages :	$1.00
HAZMAT Fatality Indicator :	No
HAZMAT Fatalities Employees :	0
HAZMAT Fatalities Responders :	0
HAZMAT Fatality General Public :	0
Total Hazmat Fatalities :	0
Non-HAZMAT Fatality Indicator :	No
Non-HAZMAT Fatalities :	0
HAZMAT Injury Indicator :	No
HAZMAT Hospitalized Employees :	0
HAZMAT Hospitalized Responders :	0
HAZMAT Hospitalized Gen Public :	0
HAZMAT Hospitalized (Old Form) :	0
Total Hazmat Hospital Injuries :	0
HAZMAT Non-Hospital Employees :	0
HAZMAT Non-Hospital Responders :	0
HAZMAT Non-Hospital General Public :	0
HAZMAT Non-Hospital (Old Form) :	0
Total Hazmat Non-Hospital Injuries :	0
Total Hazmat Injuries :	0
Evacuation Indicator :	No
Public Evacuated :	0
Employees Evacuated :	0
Total Evacuated :	0
Total Evacuation Hours :	0
Major Artery Closed :	No
Major Artery Hours Closed :	0
Material Involved in Accident :	No
Estimated Speed :	0
Weather Conditions :	N/R
Vehicle Overturn :	No

Map Id: A105
Direction: SSE
Distance: 0.156 mi., 824 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : CIRCLE K #2709767 | SHELL STATION
10460 BONITA BCH RD SE & OLD 41 |
10460 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HMIRS (DOT), LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173733
EPA ID: N/R

HMIRS (DOT) ***(cont.)***

Vehicle Left Roadway/Track :	No
Passenger Aircraft Indicator :	No
Cargo Passenger Baggage Indicator :	N/R
Incident Occurrence :	N/R
Shipphase Non-Transported Indicator :	No
Shipphase Air First Flight Indicator:	No
Shipphase Air SubFlight Indicator :	No
Shipphase Init Transport Indicator :	No
Shipphase Transfer Indicator :	No
Contact Name :	DEBORAH BUTLER
Contact Title :	CLERK
Contact Business Name :	N/R
Contact Address :	N/R
Contact Non-US State :	N/R
Contact Country :	US
Preparer of Incident Report :	N/R
Description of Events :	DRIVER THOUGHT COMPARTMENT WOULD HOLD MORE THAN IT COULD. WHILE FINISHING UNLOADING PRODUCT WENT INTO VAPOR LINE AND DRAINED OUT ONTO GROUND. DRIVER CONTAINED AND CLEANED UP SPILL BY PUTTING DOWN SPILL PADS.
Recommendations/Actions Taken :	N/R
HMIS Serious Incident Indicator :	No
HMIS Serious Fatality :	No
HMIS Serious Injury :	No
HMIS Serious Flight Plan :	No
HMIS Serious Evacuations :	No
HMIS Serious Major Artery :	No
HMIS Serious Bulk Release :	No
HMIS Serious Marine Pollutant :	No
HMIS Serious Radioactive :	No
HMIS General Package Type :	OHMIR.Ref_Container.descr_txt
HMIS Container Code :	MC306
HMIS Container Description :	Cargo tanks
HMIS Bulk Incident Indicator :	Yes
Undeclared Shipment :	No
Last Date in Agency List :	2014-05-05

LUST - FL

Facility Name :	CIRCLE K #2709767
Facility Address :	10460 BONITA BCH RD SE & OLD 41, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	8622650
Facility Status :	OPEN
Facility Type :	Retail Station
Phone :	9197746700

Map Id: A105
Direction: SSE
Distance: 0.156 mi., 824 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : CIRCLE K #2709767 | SHELL STATION
10460 BONITA BCH RD SE & OLD 41 |
10460 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HMIRS (DOT), LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173733
EPA ID: N/R

LUST - FL ***(cont.)***

Last Date in Agency List : 2026-05-06

Owner Information
Owner ID : 4045
Owner Name : CIRCLE K STORES INC
Owner Address 1 : 1100 Situs Ct, Raleigh, NC 27606
Owner Address 2 : Attn: Ess Storage Tank Regis Ste 100
Owner Phone : 4234002480
Contact : IRA LEWIS

Discharge Details
Discharge Date : 1989-10-24
Status Date : 2014-07-03
Status Description : SRCR COMPLETE
DEP Code : C
Description : CLEANUP REQUIRED
Score Date : 2012-03-16
Score : 11
CU Status : N/R

Oculus Note : Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink : Click here for hyperlink provided by the agency.

RCRA NONGEN

Facility Name : SHELL STATION
Facility Address : 10460 BONITA BEACH RD, BONITA SPRINGS, FL 34135-5615
County : LEE

Date Form Received by Agency : 2010-09-14
EPA ID : FLD984223438
Mailing Address : 13831 VECTOR AVE, FORT MYERS, FL 33907-8820
Contact : DAVID ZABCIK
Contact Address : 910 LOUISIANA ST, HOUSTON, TX 77002-4916
Contact Country : US
Contact Telephone : 713-241-5077
Contact Email : DAVID.ZABCIK@SHELL.COM
EPA Region : 04
Land Type : Private
Source Type : Notification
Classification : Not a generator, verified
Description : Not a generator, verified
Last Date in Agency List : 2026-05-05

Map Id: A105
Direction: SSE
Distance: 0.156 mi., 824 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : CIRCLE K #2709767 | SHELL STATION
10460 BONITA BCH RD SE & OLD 41 |
10460 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HMIRS (DOT), LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173733
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Owner/Operator Summary

Owner/Operator Name :	CASEY MCKENZIE
Owner/Operator Address :	13831 VECTOR AVE, FORT MYERS, FL 33907-8820
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1996-10-18
Owner/Operator End Date :	N/R

Owner/Operator Name :	DAVID ZABCIK
Owner/Operator Address :	13831 VECTOR AVE, FORT MYERS, FL 33907-8820
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	1991-10-15
Owner/Operator End Date :	N/R

Owner/Operator Name :	SUPERAMERICA OF FLORIDA #8002
Owner/Operator Address :	13831 VECTOR AVE, FORT MYERS, FL 33907-8820
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	1991-10-15
Owner/Operator End Date :	N/R

Owner/Operator Name :	SUPERAMERICA OF FLORIDA #8002
Owner/Operator Address :	13831 VECTOR AVE, FORT MYERS, FL 33907-8820
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	1991-10-15
Owner/Operator End Date :	2010-09-14

Map Id: A105
Direction: SSE
Distance: 0.156 mi., 824 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : CIRCLE K #2709767 | SHELL STATION
10460 BONITA BCH RD SE & OLD 41 |
10460 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HMIRS (DOT), LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173733
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	2006-04-04
Facility Name :	SHELL STATION
Classification :	Not a generator, verified

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE D018 - BENZENE

Notices of Violations Summary

Regulation Violated :	N

Evaluation Action Summary

Evaluation Date :	2006-04-04
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

UST - FL

Facility Name :	CIRCLE K #2709767
Facility Address :	10460 BONITA BCH RD SE & OLD 41, BONITA SPRINGS, 33923
County :	LEE

Map Id: A105
Direction: SSE
Distance: 0.156 mi., 824 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : CIRCLE K #2709767 | SHELL STATION
10460 BONITA BCH RD SE & OLD 41 |
10460 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HMIRS (DOT), LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173733
EPA ID: N/R

UST - FL ***(cont.)***

Site Details

Facility ID :	8622650
Facility Phone :	9197746700
Facility Status :	OPEN
Facility Type :	Retail Station
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	4045
Owner Name :	CIRCLE K STORES INC
Owner Address 1 :	1100 Situs Ct, Raleigh, NC 27606
Owner Address 2 :	Attn: Ess Storage Tank Regis Ste 100
Owner Phone :	4234002480
Contact :	IRA LEWIS
DEP Contractor Own :	C

Tank Information

Tank ID :	1
Gallons :	12000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1986-03-01
Status :	Removed from Site
Status Date :	2004-11-01

Tank ID :	2
Gallons :	12000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1986-04-01
Status :	Removed from Site
Status Date :	2004-11-01

Tank ID :	3
Gallons :	8000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1986-03-01
Status :	Removed from Site
Status Date :	2004-11-01

Tank ID :	4
Gallons :	8000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel

Map Id: A105
Direction: SSE
Distance: 0.156 mi., 824 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : CIRCLE K #2709767 | SHELL STATION
10460 BONITA BCH RD SE & OLD 41 |
10460 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HMIRS (DOT), LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173733
EPA ID: N/R

UST - FL ***(cont.)***

Install Date : 1986-04-01
Status : Removed from Site
Status Date : 2004-11-01

Tank ID : 5
Gallons : 20000
Tank Location : UNDERGROUND
Substance : Unleaded Gas
Install Date : 2004-12-01
Status : In Service
Status Date : 2005-01-01

Construction Items :
Overfill/Spill - Ball check valve
Overfill/Spill - Spill containment bucket
Overfill/Spill - Flow shut-Off
Overfill/Spill - Level gauges/alarms
Overfill/Spill - Tight fill
Primary Construction - Fiberglass
Secondary Containment - Double wall

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Miscellaneous - Visual inspect pipe sumps
Miscellaneous - Visual inspect dispenser liners
Piping Monitoring - Monitor dbl wall pipe space
Piping Monitoring - Mechanical line leak detector

Piping Items :
Miscellaneous Attributes - Dispenser liners
Miscellaneous Attributes - Pressurized piping system
Primary Construction - Fiberglass
Secondary Containment - Double wall

Tank Information

Tank ID : 6
Gallons : 12000
Tank Location : UNDERGROUND
Substance : Unleaded Gas
Install Date : 2004-12-01
Status : In Service
Status Date : 2005-01-01

Construction Items :
Overfill/Spill - Tight fill
Overfill/Spill - Spill containment bucket
Overfill/Spill - Ball check valve
Overfill/Spill - Flow shut-Off
Overfill/Spill - Level gauges/alarms

Map Id: A105
Direction: SSE
Distance: 0.156 mi., 824 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : CIRCLE K #2709767 | SHELL STATION
10460 BONITA BCH RD SE & OLD 41 |
10460 BONITA BEACH RD
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HMIRS (DOT), LUST - FL, RCRA NONGEN, UST - FL] ***(cont.)***

Envirosite ID: 68173733
EPA ID: N/R

UST - FL ***(cont.)***

Primary Construction - Fiberglass
Secondary Containment - Double wall

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Miscellaneous - Visual inspect dispenser liners
Miscellaneous - Visual inspect pipe sumps
Piping Monitoring - Monitor dbl wall pipe space
Piping Monitoring - Mechanical line leak detector

Piping Items :
Miscellaneous Attributes - Pressurized piping system
Miscellaneous Attributes - Dispenser liners
Primary Construction - Fiberglass
Secondary Containment - Double wall

Tank Information

Tank ID :	7
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	2004-12-01
Status :	In Service
Status Date :	2005-01-01

Construction Items :
Overfill/Spill - Level gauges/alarms
Overfill/Spill - Spill containment bucket
Overfill/Spill - Flow shut-Off
Overfill/Spill - Tight fill
Overfill/Spill - Ball check valve
Primary Construction - Fiberglass
Secondary Containment - Double wall

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Miscellaneous - Visual inspect pipe sumps
Miscellaneous - Visual inspect dispenser liners
Piping Monitoring - Mechanical line leak detector
Piping Monitoring - Monitor dbl wall pipe space

Piping Items :
Miscellaneous Attributes - Dispenser liners
Miscellaneous Attributes - Pressurized piping system
Primary Construction - Fiberglass
Secondary Containment - Double wall

Oculus Note : Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink : Click here for hyperlink provided by the agency.

Map Id: F106
Direction: NNW
Distance: 0.156 mi., 825 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MODERN RECYCLING INC OF FL
24297 PRODUCTION CR
BONITA SPRINGS, FL 33923

Database(s) : [AST - FL, FA 3 - FL]

Envirosite ID: 68173809
EPA ID: N/R

AST - FL

Facility Name :	MODERN RECYCLING INC OF FL
Facility Address :	24297 PRODUCTION CR, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	9502622
Facility Phone :	2394956660
Facility Status :	CLOSED
Facility Type :	C
Type Description :	Fuel user/Non-retail
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	41754
Owner Name :	MODERN RECYCLING INC OF FL
Owner Address 1 :	N/R
Owner Address 2 :	N/R
Owner Phone :	9414956660
Contact :	MIKE YOUNG
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	10000
Tank Location :	ABOVEGROUND
Substance :	Vehicular Diesel
Install Date :	1995-07-01
Status :	Removed from Site
Status Date :	2010-09-01

Tank ID :	2
Gallons :	2000
Tank Location :	ABOVEGROUND
Substance :	Unleaded Gas
Install Date :	1995-07-01
Status :	Removed from Site
Status Date :	2010-09-01

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

FA 3 - FL

Facility Name :	MODERN RECYCLING INC OF FL
Facility Address :	24297 PRODUCTION CR, BONITA SPRINGS, 33923
County :	LEE

Map Id: F106
Direction: NNW
Distance: 0.156 mi., 825 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MODERN RECYCLING INC OF FL
24297 PRODUCTION CR
BONITA SPRINGS, FL 33923

Database(s) : [AST - FL, FA 3 - FL] ***(cont.)***

Envirosite ID: 68173809
EPA ID: N/R

FA 3 - FL ***(cont.)***

Effectivity Date :	2008-11-21
Expiration Date :	2010-11-21
Facility ID :	9502622
Facility Status :	CLOSED
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	ZURICH-AMERICAN
Facility Phone :	2394956660
Owner ID :	41754
Owner Name :	MODERN RECYCLING INC OF FL
Address :	24278 PRODUCTION CR, BONITA SPRINGS, FL 34135
Contact Name :	MIKE YOUNG
Phone :	9414956660
Last Date in Agency List :	2026-06-03

Map Id: B107
Direction: SSE
Distance: 0.157 mi., 828 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MOOG INC
26.312488, -81.786684

Database(s) : [PFAS INDUSTRY]

Envirosite ID: 54268630
EPA ID: N/R

PFAS INDUSTRY

Facility Name :	MOOG INC
Status :	Inactive
Industry :	Electronics Industry
EPA Program :	CWA; RCRA
State :	FL
City :	NAPLES
County :	COLLIER
Fa SNC Flag :	N
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	26.312488
Longitude :	-81.786684
Last Date in Agency List :	2026-04-28

Map Id: B108
Direction: SSE
Distance: 0.159 mi., 840 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : MARCH PERFORMANCE INC
26.315607, -81.791356

Database(s) : [PFAS INDUSTRY]

Envirosite ID: 52640896
EPA ID: N/R

PFAS INDUSTRY

Facility Name :	MARCH PERFORMANCE INC
Status :	Active
Industry :	Metal Machinery Mfg
EPA Program :	RCRA
State :	FL
City :	NAPLES
County :	COLLIER
Fa SNC Flag :	N
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	26.315607
Longitude :	-81.791356
Last Date in Agency List :	2026-04-28

Map Id: C109
Direction: SE
Distance: 0.161 mi., 849 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : BASEWIDE- BONITA SPRING RADIO AX 5 | BONITA SPRING RADIO AX 5
26.353333, -81.78
BONITA SPRINGS, FL 34135

Database(s) : [FUDS, SHWS ERIC - FL]

Envirosite ID: 33916481
EPA ID: N/R

FUDS

Facility Name :	BONITA SPRING RADIO AX 5
Facility Address :	BONITA SPRINGS, FL
County :	LEE
FUDS Property ID :	I04FL0298
FUDS Installation ID :	FL49799F451500
Status :	Properties without projects
NPL Status :	Not on the NPL
Current Owner :	N/R
Eligibility :	Eligible
FUDS Property have project :	no
EPA Region :	04
Congressional District :	19
District :	saj
EMS Map Link :	Click here for hyperlink provided by the agency.
Latitude :	26.353333
Longitude :	-81.78
Fiscal Year :	2023
Last Date in Agency List :	2026-02-03

Map Id: C109
Direction: SE
Distance: 0.161 mi., 849 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : BASEWIDE- BONITA SPRING RADIO AX 5 | BONITA SPRING RADIO AX 5
26.353333, -81.78
BONITA SPRINGS, FL 34135

Database(s) : [FUDS, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 33916481
EPA ID: N/R

SHWS ERIC - FL

Facility Name :	BASEWIDE- BONITA SPRING RADIO AX 5
Facility Address :	BONITA SPRINGS, FL 34135
County :	Lee
ERIC ID :	ERIC_17472
Site Status :	OPEN
Source Facility Name :	BONITA SPRING RADIO AX 5
Source Facility ID :	115557
Program :	FORMERLY USED DEFENSE SITES
Program Type :	FUDS
Program Status :	ACTIVE
District :	SD
Waste Management Office :	SFWMD
ICR Indicator :	N
Discharge Date :	N/R
Site Manager :	N/R
Site Phase Description :	Phase 0 - Discovery
Offsite Contamination :	CONTAMUNKNOWN
Datum ID :	NAD83
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	26.353333
Longitude :	-81.78
Last Date in Agency List :	2026-06-18

Map Id: F110
Direction: NNW
Distance: 0.161 mi., 849 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : PRODUCTION TIRE | AAD4348
24367 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL, ECHO, FRS, RCRA NONGEN]

Envirosite ID: 68173812
EPA ID: N/R

DEDB - FL

Sample Date :	2003-03-20
Sample ID :	030324-044
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4348
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	GOODYEAR TIRE
Well Address :	24367 PRODUCTION CIR
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030324-08

Map Id: F110
Direction: NNW
Distance: 0.161 mi., 849 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : PRODUCTION TIRE | AAD4348
24367 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL, ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173812
EPA ID: N/R

DEDB - FL ***(cont.)***

Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2003-03-20
Sample ID :	030324-044
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4348
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	GOODYEAR TIRE
Well Address :	24367 PRODUCTION CIR
Well Type :	42
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-030324-08
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

ECHO

Facility Name :	PRODUCTION TIRE
Facility Address :	24367 PRODUCTION CIR, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	2011-08-10
Registry ID :	110007454637
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	5177
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	GPS CODE (PSEUDO RANGE) DIFFERENTIAL
Reference Point :	POINT WHERE SUBSTANCE IS MONITORED
Accuracy Meters :	3
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106

Map Id: F110
Direction: NNW
Distance: 0.161 mi., 849 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : PRODUCTION TIRE | AAD4348
24367 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL, ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173812
EPA ID: N/R

ECHO ***(cont.)***

Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503081046
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	811111 - General Automotive Repair
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2011-08-10
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.385118
Longitude :	-81.806292
Last Date in Agency List :	2026-05-11

Map Id: F110
Direction: NNW
Distance: 0.161 mi., 849 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : PRODUCTION TIRE | AAD4348
24367 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL, ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173812
EPA ID: N/R

FRS

Facility Name :	PRODUCTION TIRE
Facility Address :	24367 PRODUCTION CIR, BONITA SPRINGS, FL 341357058
County :	LEE

Site Details

Registry ID :	110007454637
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 56000 RCRAINFO - FLD984217653

RCRA NONGEN

Facility Name :	PRODUCTION TIRE
Facility Address :	24367 PRODUCTION CIR, BONITA SPRINGS, FL 34135-7058
County :	LEE
Date Form Received by Agency :	2011-08-10
EPA ID :	FLD984217653
Mailing Address :	24367 PRODUCTION CIR, BONITA SPRINGS, FL 34135-7058
Contact :	NON NOTIFIER
Contact Address :	24367 PRODUCTION CIR, BONITA SPRINGS, FL 34135-7058
Contact Country :	US
Contact Telephone :	N/R
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Not a generator, verified

Map Id: F110
Direction: NNW
Distance: 0.161 mi., 849 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : PRODUCTION TIRE | AAD4348
24367 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL, ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173812
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	NON NOTIFIER
Owner/Operator Address :	24367 PRODUCTION CIR, BONITA SPRINGS, FL 34135-7058
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1996-10-18
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	1991-09-23
Facility Name :	PRODUCTION TIRE
Classification :	Small Quantity Generator

Notices of Violations Summary

Date of Violation :	2011-08-10
Date Achieved Compliance :	2011-09-16
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R

Map Id: F110
Direction: NNW
Distance: 0.161 mi., 849 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : PRODUCTION TIRE | AAD4348
24367 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL, ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173812
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2011-08-10
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	State Statute or Regulation
Date Achieved Compliance :	2011-09-16
Evaluation Lead Agency :	State

Evaluation Date :	1991-08-01
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	1991-07-05
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Map Id: B111
Direction: S
Distance: 0.162 mi., 855 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : COASTAL CONSTRUCTION PROD INC
1320 RAIL HEAD BLVD STE 8
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG]

Envirosite ID: 68173745
EPA ID: N/R

ECHO

Facility Name :	COASTAL CONSTRUCTION PROD INC
Facility Address :	1320 RAIL HEAD BLVD STE 8, NAPLES, FL 34110
County :	COLLIER

Last Inspection Date :	1999-07-06
Registry ID :	110005657574
FIPS Code :	12021
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	9595
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R

Map Id: B111
Direction: S
Distance: 0.162 mi., 855 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : COASTAL CONSTRUCTION PROD INC
1320 RAIL HEAD BLVD STE 8
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173745
EPA ID: N/R

ECHO ***(cont.)***

Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	THE GEOGRAPHIC COORDINATE DETERMINATION METHOD BASED ON INTERPOLATION
Reference Point :	FACILITY/MONITORING SITE BOUNDARY POINT
Accuracy Meters :	4
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101082000
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	1999-07-06
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N

Map Id: B111
Direction: S
Distance: 0.162 mi., 855 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : COASTAL CONSTRUCTION PROD INC
1320 RAIL HEAD BLVD STE 8
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173745
EPA ID: N/R

ECHO ***(cont.)***

NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.293889
Longitude :	-81.795278
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	COASTAL CONSTRUCTION PROD INC
Facility Address :	1320 RAIL HEAD BLVD STE 8, NAPLES, FL 341108437
County :	COLLIER

Site Details

Registry ID :	110005657574
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 62258 RCRAINFO - FLR000058347

RCRA VSQG

Facility Name :	COASTAL CONSTRUCTION PROD INC
Facility Address :	1320 RAIL HEAD BLVD STE 8, NAPLES, FL 34110-8437
County :	COLLIER

Map Id: B111
Direction: S
Distance: 0.162 mi., 855 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : COASTAL CONSTRUCTION PROD INC
1320 RAIL HEAD BLVD STE 8
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173745
EPA ID: N/R

RCRA VSQG ***(cont.)***

Date Form Received by Agency :	1999-07-06
EPA ID :	FLR000058347
Mailing Address :	1320 RAIL HEAD BLVD, NAPLES, FL 34110-8437
Contact :	SCOTT WILLEMS
Contact Address :	1320 RAIL HEAD BLVD STE 8, NAPLES, FL 34110-8437
Contact Country :	US
Contact Telephone :	941-513-0633
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2026-05-05

Owner/Operator Summary

Owner/Operator Name :	COASTAL CONSTRUCTION PRODUCTS INC
Owner/Operator Address :	1901 SERVICE ST, JACKSONVILLE, FL 32207-3464
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1999-07-20
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N

Map Id: B111
Direction: S
Distance: 0.162 mi., 855 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : COASTAL CONSTRUCTION PROD INC
1320 RAIL HEAD BLVD STE 8
NAPLES, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173745
EPA ID: N/R

RCRA VSQG ***(cont.)***

Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE

Notices of Violations Summary

Regulation Violated :	N

Evaluation Action Summary

Evaluation Date :	1999-07-06
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	1999-07-05
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Map Id: A112
Direction: SSE
Distance: 0.163 mi., 863 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : RICK JOHNSON AUTO & TIRE
10100 BONITA BEACH RD SE
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG]

Envirosite ID: 68173727
EPA ID: N/R

ECHO

Facility Name :	RICK JOHNSON AUTO & TIRE
Facility Address :	10100 BONITA BEACH RD SE, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	2009-11-03
Registry ID :	110040135626
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	5822
Informal Count :	0
Last Informal Action Date :	2009-11-10
Formal Action Count :	0

Map Id: A112
Direction: SSE
Distance: 0.163 mi., 863 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : RICK JOHNSON AUTO & TIRE
10100 BONITA BEACH RD SE
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173727
EPA ID: N/R

ECHO ***(cont.)***

Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	POINT WHERE SUBSTANCE IS MONITORED
Accuracy Meters :	10
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040105
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710506021037
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	811191 - Automotive Oil Change and Lubrication Shops
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2009-11-03
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2009-11-10
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N

Map Id: A112
Direction: SSE
Distance: 0.163 mi., 863 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : RICK JOHNSON AUTO & TIRE
10100 BONITA BEACH RD SE
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173727
EPA ID: N/R

ECHO ***(cont.)***

NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.331344
Longitude :	-81.785237
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	RICK JOHNSON AUTO & TIRE
Facility Address :	10100 BONITA BEACH RD SE, BONITA SPRINGS, FL 34135-4805
County :	LEE

Site Details

Registry ID :	110040135626
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	RCRAINFO - FLR000161588

RCRA VSQG

Facility Name :	RICK JOHNSON AUTO & TIRE
Facility Address :	10100 BONITA BEACH RD SE, BONITA SPRINGS, FL 34135-4805
County :	LEE
Date Form Received by Agency :	2009-11-03
EPA ID :	FLR000161588
Mailing Address :	10100 BONITA BEACH RD SE, BONITA SPRINGS, FL 34135-4805
Contact :	MIKE WATSON
Contact Address :	10100 BONITA BEACH RD, BONITA SPRINGS, FL 34135
Contact Country :	US

Map Id: A112
Direction: SSE
Distance: 0.163 mi., 863 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : RICK JOHNSON AUTO & TIRE
10100 BONITA BEACH RD SE
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173727
EPA ID: N/R

RCRA VSQG ***(cont.)***

Contact Telephone :	239-643-4415
Contact Email :	RAJTIRES@AOL.COM
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2026-05-05

Owner/Operator Summary

Owner/Operator Name :	JOHNSON RICHARD
Owner/Operator Address :	10100 BONITA BEACH RD, BONITA SPRINGS, FL 34135
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2009-11-05
Owner/Operator End Date :	N/R

Owner/Operator Name :	RAJ LAND 8 LLC
Owner/Operator Address :	10100 BONITA BEACH RD, BONITA SPRINGS, FL 34135
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2009-11-05
Owner/Operator End Date :	N/R

Owner/Operator Name :	RICHARD JOHNSON
Owner/Operator Address :	10100 BONITA BEACH RD, BONITA SPRINGS, FL 34135
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2009-11-05

Map Id: A112
Direction: SSE
Distance: 0.163 mi., 863 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : RICK JOHNSON AUTO & TIRE
10100 BONITA BEACH RD SE
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173727
EPA ID: N/R

RCRA VSQG ***(cont.)***

Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Notices of Violations Summary

Date of Violation :	2009-11-03
Date Achieved Compliance :	2010-01-21
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP NON-COMPLIANCE LETTER
Enforcement Action Date :	2009-11-10
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2009-11-03
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	State Statute or Regulation
Date Achieved Compliance :	2010-01-21
Evaluation Lead Agency :	State

Map Id: B113
Direction: S
Distance: 0.169 mi., 893 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AMERICAN EQUIPMENT
15200 OLD US 41 N
NAPLES, FL 33963

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, LUST - FL, UST - FL]

Envirosite ID: 68173761
EPA ID: N/R

DWM CONTAM - FL

Facility Name :	AMERICAN EQUIPMENT
Facility Address :	15200 OLD US 41 N, NAPLES, FL 33963
County :	COLLIER
Score Effective Date :	1997-11-04
Score :	26
Score Ranked :	N/R
Rank :	N/R
Facility ID :	8945040
Facility Status :	CLOSED
Facility Type :	C - Fuel user/Non-retail
County Code :	11
District :	SD
Operator :	J M BEALS ENTERPRISES INC
Phone :	N/R
Name Changed Date :	N/R
Address Changed Date :	N/R
Latitude Degrees :	26
Latitude Minutes :	18
Latitude Seconds :	37.401
Longitude Degrees :	81
Longitude Minutes :	47
Longitude Seconds :	33.6873
Feature :	N/R
Method :	UNVR
Datum :	0
Section/Township/Range :	N/R
Related Party Begin Date :	1989-10-11
Related Party ID :	11299
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	J M BEALS ENTERPRISES INC
Related Party Address 1 :	4061 BONITA BEACH RD #201, BONITA SPRINGS, FL 33923
Related Party Address 2 :	N/R
Contact :	JAMES M BEALS
Related Party Phone :	(813)947-8989
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

EPA LUST

Facility Name :	AMERICAN EQUIPMENT
Facility Address :	15200 OLD US 41 N, NAPLES, Florida
County :	N/R
Facility ID :	FL8945040
LUST ID :	FL24460
Reported Date :	1989-09-14
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R

Map Id: B113
Direction: S
Distance: 0.169 mi., 893 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AMERICAN EQUIPMENT
15200 OLD US 41 N
NAPLES, FL 33963

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173761
EPA ID: N/R

EPA LUST ***(cont.)***

EPA Region :	4
Estimated Population within 1500ft :	190
Estimated Private Domestic Wells within 1500ft:	4
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	Yes
WHPA Public Water System and Facility ID:	FL5110348_1120310709
WHPA Water Type :	GW
WHPA Facility Type :	WL
WHPA HUC12 :	30902040208
Within Estimated 100-year Floodplain:	No
Latitude :	26.315
Longitude :	-81.7888899999999
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	AMERICAN EQUIPMENT
Facility Address :	15200 OLD US 41 N, NAPLES, Florida 33963
County :	N/R
Facility ID :	FL8945040
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	3
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.315
Longitude :	-81.78888889
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8945040-1
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	550
Substances :	Unknown/Not Reported
Tank Wall Type :	N/R
Tank ID :	FL8945040-2
Tank Status :	Closed

Map Id: B113
Direction: S
Distance: 0.169 mi., 893 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AMERICAN EQUIPMENT
15200 OLD US 41 N
NAPLES, FL 33963

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173761
EPA ID: N/R

EPA UST ***(cont.)***

Installation Date :	N/R
Removal Date :	N/R
Capacity :	4000
Substances :	Unknown/Not Reported
Tank Wall Type :	N/R

Tank ID :	FL8945040-3
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	3000
Substances :	Unknown/Not Reported
Tank Wall Type :	N/R

LUST - FL

Facility Name :	AMERICAN EQUIPMENT
Facility Address :	15200 OLD US 41 N, NAPLES, 33963
County :	COLLIER

Site Details

Facility ID :	8945040
Facility Status :	CLOSED
Facility Type :	Fuel user/Non-retail
Phone :	N/R
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	11299
Owner Name :	J M BEALS ENTERPRISES INC
Owner Address 1 :	4061 BONITA BEACH RD #201, BONITA SPRINGS, FL 33923
Owner Address 2 :	N/R
Owner Phone :	8139478989
Contact :	JAMES M BEALS

Discharge Details

Discharge Date :	1989-09-14
Status Date :	1996-07-02
Status Description :	NFA COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	1998-01-06
Score :	26
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: B113
Direction: S
Distance: 0.169 mi., 893 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AMERICAN EQUIPMENT
15200 OLD US 41 N
NAPLES, FL 33963

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173761
EPA ID: N/R

UST - FL

Facility Name :	AMERICAN EQUIPMENT
Facility Address :	15200 OLD US 41 N, NAPLES, 33963
County :	COLLIER

Site Details

Facility ID :	8945040
Facility Phone :	N/R
Facility Status :	CLOSED
Facility Type :	Fuel user/Non-retail
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	11299
Owner Name :	J M BEALS ENTERPRISES INC
Owner Address 1 :	4061 BONITA BEACH RD #201, BONITA SPRINGS, FL 33923
Owner Address 2 :	N/R
Owner Phone :	8139478989
Contact :	JAMES M BEALS
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	550
Tank Location :	UNDERGROUND
Substance :	Unknown/Not Reported
Install Date :	N/R
Status :	Removed from Site
Status Date :	1989-09-30

Tank ID :	2
Gallons :	4000
Tank Location :	UNDERGROUND
Substance :	Unknown/Not Reported
Install Date :	N/R
Status :	Removed from Site
Status Date :	1989-09-30

Tank ID :	3
Gallons :	3000
Tank Location :	UNDERGROUND
Substance :	Unknown/Not Reported
Install Date :	N/R
Status :	Removed from Site
Status Date :	1989-09-30

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: D114
Direction: N
Distance: 0.171 mi., 901 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : TRACEYS RADIATOR
ROUTE 2 BOX 1038
ESTERO | Estero, FL 32000

Database(s) : [RAATS, RCRA NONGEN, SQG - FL]

Envirosite ID: 9332175
EPA ID: FLD981480114

RAATS

Facility Name :	TRACEYS RADIATOR
Facility Address :	ROUTE 2 BOX 1038, ESTERO, FL 32000

Notices of Violations Summary

Date of Violation :	1989-07-27
Date Achieved Compliance :	N/R
Regulation Violated :	N
Area of Violation :	N/R
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	N/R
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	1986-06-18
Date Achieved Compliance :	N/R
Regulation Violated :	N
Area of Violation :	N/R
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	N/R
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Regulation Violated :	N

RCRA NONGEN

Facility Name :	TRACEYS RADIATOR
Facility Address :	ROUTE 2 BOX 1038, ESTERO, FL 32000-0000
County :	LEE

Date Form Received by Agency :	2016-04-14
EPA ID :	FLD981480114
Mailing Address :	RT 2 BOX 1038, ESTERO, FL 00000-0000
Contact :	NON NOTIFIER
Contact Address :	RT 2 BOX 1038, ESTERO, FL 00000-0000
Contact Country :	US
Contact Telephone :	941-332-0655
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer

Map Id: D114
Direction: N
Distance: 0.171 mi., 901 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : TRACEYS RADIATOR
ROUTE 2 BOX 1038
ESTERO | Estero, FL 32000

Database(s) : [RAATS, RCRA NONGEN, SQG - FL] ***(cont.)***

Envirosite ID: 9332175
EPA ID: FLD981480114

RCRA NONGEN ***(cont.)***

Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	NON NOTIFIER
Owner/Operator Address :	ROUTE 2 BOX 1038, ESTERO, FL 00000-0000
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1996-10-18
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	1990-05-11
Facility Name :	TRACEYS RADIATOR
Classification :	Small Quantity Generator

Notices of Violations Summary

Regulation Violated :	N

Evaluation Action Summary

Evaluation Date :	1989-07-27
Evaluation :	FOLLOW-UP INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R

Map Id: D114
Direction: N
Distance: 0.171 mi., 901 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : TRACEYS RADIATOR
ROUTE 2 BOX 1038
ESTERO | Estero, FL 32000

Database(s) : [RAATS, RCRA NONGEN, SQG - FL] ***(cont.)***

Envirosite ID: 9332175
EPA ID: FLD981480114

RCRA NONGEN ***(cont.)***

Evaluation Lead Agency :	State
Evaluation Date :	1986-06-18
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

SQG - FL

Facility Name :	Traceys Radiator
Facility Address :	Route 2 Box 1038, Estero, 32000
County :	LEE
Last Inspection Date :	1986-06-18
Date Notified :	1986-07-15
Site ID :	39547
Handler ID :	FLD981480114
Office :	South District
Facility Inspection Type :	N/R
Documents Link :	N/R
Last Date in Agency List :	2016-05-10

Map Id: C115
Direction: SE
Distance: 0.171 mi., 902 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : O'REILLY - BONITA SPRINGS | O'REILLY AUTO PARTS #6505
26501 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG]

Envirosite ID: 68173833
EPA ID: N/R

ECHO

Facility Name :	O'REILLY AUTO PARTS #6505
Facility Address :	26501 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	N/R
Registry ID :	110071679043
FIPS Code :	12071
EPA Region :	N/R
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0

Map Id: C115
Direction: SE
Distance: 0.171 mi., 902 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : O'REILLY - BONITA SPRINGS | O'REILLY AUTO PARTS #6505
26501 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173833
EPA ID: N/R

ECHO ***(cont.)***

Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 23 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040105
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710504002014
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	441330
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R

Map Id: C115
Direction: SE
Distance: 0.171 mi., 902 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : O'REILLY - BONITA SPRINGS | O'REILLY AUTO PARTS #6505
26501 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173833
EPA ID: N/R

ECHO ***(cont.)***

US Mexico Border Flag :	N/R
Chesapeake Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.35231
Longitude :	-81.77971
Last Date in Agency List :	2026-05-11
Facility Name :	O'REILLY - BONITA SPRINGS
Facility Address :	26501 OLD 41 RD, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	2021-03-25
Registry ID :	110070875115
FIPS Code :	12071
EPA Region :	04
Inspection Count :	1
Last Inspection Days :	1662
Informal Count :	1
Last Informal Action Date :	2021-04-16
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	N/R
Three-Year Compliance Status :	N/R
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 23 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040105
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710504002014
MYRTK Universe :	NNN
NPDES IDs :	FLR10TX96
CWA Permit Types :	Non-M
CWA Compliance Tracking :	Off
CWA NAICS :	N/R

Map Id: C115
Direction: SE
Distance: 0.171 mi., 902 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : O'REILLY - BONITA SPRINGS | O'REILLY AUTO PARTS #6505
26501 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173833
EPA ID: N/R

ECHO ***(cont.)***

CWA SICS :	N/R
CWA Inspection Count :	1
CWA Last Inspection Days :	1661
CWA Informal Count :	1
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	Terminated Permit
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2021-03-25
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2021-04-16
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.35231
Longitude :	-81.77971
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	O'REILLY AUTO PARTS #6505
Facility Address :	26501 OLD 41 RD, BONITA SPRINGS, FL 34135-5193
County :	LEE

Map Id: C115
Direction: SE
Distance: 0.171 mi., 902 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : O'REILLY - BONITA SPRINGS | O'REILLY AUTO PARTS #6505
26501 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173833
EPA ID: N/R

FRS ***(cont.)***

Site Details
Registry ID : 110071679043
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest
Source and System ID : RCRAINFO - FLR000265314

Facility Name : O'REILLY - BONITA SPRINGS
Facility Address : 26501 OLD 41 RD, BONITA SPRINGS, FL 34135
County : LEE

Site Details
Registry ID : 110070875115
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description

Source Description :

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest
Source and System ID : ICIS - FLR10TX96

Map Id: C115
Direction: SE
Distance: 0.171 mi., 902 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : O'REILLY - BONITA SPRINGS | O'REILLY AUTO PARTS #6505
26501 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173833
EPA ID: N/R

ICIS

Facility Name :	O'REILLY - BONITA SPRINGS
Facility Address :	26501 OLD 41 RD, BONITA SPRINGS, FL 34135

Site Details

NPDES ID :	FLR10TX96
ICIS Facility Interest ID :	3601250843
Facility UIN :	110070875115
Facility Type Code :	Privately Owned Facility
Impaired Waters :	303(D) Listed
Latitude :	26.35231
Longitude :	-81.77971
Last Date in Agency List :	2025-12-15

INACTIVE PCS

Issue Date :	2020-11-23
Original Issue Date :	2020-11-23
Effective Date :	2020-11-23
Expiration Date :	2025-11-22
Retirement Date :	N/R
Termination Date :	2021-11-17
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3602342085
External Permit Number :	FLR10TX96
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Terminated
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Bay to Bay Properties
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR100000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2025-12-17

NPDES - FL

Facility Name :	O'Reilly - Bonita Springs
Facility Address :	26501 Old 41 Rd, Bonita Springs
County :	LEE

Map Id: C115
Direction: SE
Distance: 0.171 mi., 902 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : O'REILLY - BONITA SPRINGS | O'REILLY AUTO PARTS #6505
26501 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173833
EPA ID: N/R

NPDES - FL ***(cont.)***

Site Details

Issue Date :	2020-11-23
Effective Date :	2020-11-23
Expiration Date :	2025-11-22
Facility ID :	FLR10TX96
Facility Type :	Construction Stormwater GP
Status :	Active
NPDES :	N/R
Company Name :	Bay to Bay Properties
Document Description :	Generic Permit
Nature of Business :	N/R
Ownership Type :	Private
Treatment Process Summary :	N/R
Department Office :	Tallahassee NPDES Stormwater
Capacity (MGD) :	N/R
DW Class :	N/R
Last Date in Agency List :	2021-09-29

Related Party Details

Related Party Name :	Jonathan Eudy, Project Manager
Related Party Address :	201 Main St, Safety Harbor FL 34695-3611
Related Party Address 2 :	Ste 300
Related Party Phone :	7274667137
Related Party Email :	jmorash@baytobayproperties.com

PCS ENF

Site Details

NPDES ID :	FLR10TX96
Last Date in Agency List :	2025-12-17

Formal Enforcement Actions

Settlement Entered Date :	N/R
ENF Identifier :	N/R
Activity ID :	N/R
Activity Type :	N/R
ENF Type :	N/R
Agency :	N/R
Fed Penalty Assessed Amount :	N/R
State Local Penalty Amount :	N/R

Informal Enforcement Actions

Achieved Date :	2021-04-16
Registry ID :	110070875115
ENF Identifier :	FL-NCOMET12446136
Activity ID :	3602724898
Activity Type :	Administrative - Informal
ENF Type :	Notice of Noncompliance Issued

Map Id: C115
Direction: SE
Distance: 0.171 mi., 902 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : O'REILLY - BONITA SPRINGS | O'REILLY AUTO PARTS #6505
26501 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173833
EPA ID: N/R

PCS ENF ***(cont.)***

Agency :	State

PCS FACILITY

Issue Date :	2020-11-23
Original Issue Date :	2020-11-23
Effective Date :	2020-11-23
Expiration Date :	2025-11-22
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3602342085
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Bay to Bay Properties
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR100000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2021-11-10

RCRA VSQG

Facility Name :	O'REILLY AUTO PARTS #6505
Facility Address :	26501 OLD 41 RD, BONITA SPRINGS, FL 34135-5193
County :	LEE
Date Form Received by Agency :	2024-01-17
EPA ID :	FLR000265314
Mailing Address :	26501 OLD 41 RD, BONITA SPRINGS, FL 34135-5193
Contact :	JOHN BOUNDS
Contact Address :	1700 N MAIN ST, KISSIMMEE, FL 34744-3315
Contact Country :	US
Contact Telephone :	417-520-4589
Contact Email :	EHS_TEAM@OREILLYAUTO.COM
EPA Region :	04
Land Type :	Private
Source Type :	Notification
Classification :	Very Small Quantity Generator

Map Id: C115
Direction: SE
Distance: 0.171 mi., 902 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : O'REILLY - BONITA SPRINGS | O'REILLY AUTO PARTS #6505
26501 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173833
EPA ID: N/R

RCRA VSQG ***(cont.)***

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2026-05-05

Owner/Operator Summary

Owner/Operator Name :	BONITA41 LLC
Owner/Operator Address :	P O BOX, NIANTIC, CT 63570-0000
Owner/Operator Country :	US
Owner/Operator Telephone :	860-326-6839
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2021-12-01
Owner/Operator End Date :	N/R

Owner/Operator Name :	O'REILLY AUTOMOTIVE STORES INC
Owner/Operator Address :	233 S PATTERSON AVE, SPRINGFIELD, MO 65802-2210
Owner/Operator Country :	US
Owner/Operator Telephone :	417-520-4589
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2021-12-01
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N/R
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N

Map Id: C115
Direction: SE
Distance: 0.171 mi., 902 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : O'REILLY - BONITA SPRINGS | O'REILLY AUTO PARTS #6505
26501 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173833
EPA ID: N/R

RCRA VSQG ***(cont.)***

Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Hazardous Waste Summary

Waste Code / Name : D001 - IGNITABLE WASTE
D002 - CORROSIVE WASTE
D035 - METHYL ETHYL KETONE

Waste Code / Name : F003 - THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F005 - THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste Code / Name :

F001 - THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLORETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste Code / Name :

F002 - THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Map Id: C115
Direction: SE
Distance: 0.171 mi., 902 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : O'REILLY - BONITA SPRINGS | O'REILLY AUTO PARTS #6505
26501 OLD 41 RD
BONITA SPRINGS | Bonita Springs, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173833
EPA ID: N/R

RCRA VSQG ***(cont.)***

Notices of Violations Summary
Regulation Violated : N

Map Id: D116
Direction: N
Distance: 0.171 mi., 904 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : COCONUT CAR WASH
8800 COMMONS WAY
ESTERO | Estero, FL 33928

Database(s) : [ECHO, FRS, RCRA NONGEN, WASTEWATER - FL]

Envirosite ID: 68173868
EPA ID: N/R

ECHO

Facility Name :	COCONUT CAR WASH
Facility Address :	8800 COMMONS WAY, ESTERO, FL 33928
County :	LEE
Last Inspection Date :	N/R
Registry ID :	110035502765
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040103
Derived STCTY FIPS :	12071
Derived Zip :	33928
Derived CD113 :	19
Derived CB2010 :	120710503061045
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R

Map Id: D116
Direction: N
Distance: 0.171 mi., 904 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : COCONUT CAR WASH
8800 COMMONS WAY
ESTERO | Estero, FL 33928

Database(s) : [ECHO, FRS, RCRA NONGEN, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173868
EPA ID: N/R

ECHO ***(cont.)***

CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	811192 - Car Washes
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.42848
Longitude :	-81.80945
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	COCONUT CAR WASH
Facility Address :	8800 COMMONS WAY, ESTERO, FL 33928
County :	LEE

Map Id: D116
Direction: N
Distance: 0.171 mi., 904 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : COCONUT CAR WASH
8800 COMMONS WAY
ESTERO | Estero, FL 33928

Database(s) : [ECHO, FRS, RCRA NONGEN, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173868
EPA ID: N/R

FRS ***(cont.)***

Site Details

Registry ID :	110035502765
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 28003 RCRAINFO - FLR000207431

RCRA NONGEN

Facility Name :	COCONUT CAR WASH
Facility Address :	8800 COMMONS WAY, ESTERO, FL 33928-0000
County :	LEE
Date Form Received by Agency :	2013-12-19
EPA ID :	FLR000207431
Mailing Address :	8800 COMMONS WAY, ESTERO, FL 33928-0000
Contact :	MIKE BARKIS
Contact Address :	18483 DEEP PASSAGE LN, FORT MYERS BEACH, FL 33931-2338
Contact Country :	US
Contact Telephone :	239-267-8885
Contact Email :	FASTEQUIP@AOL.COM
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Map Id: D116
Direction: N
Distance: 0.171 mi., 904 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : COCONUT CAR WASH
8800 COMMONS WAY
ESTERO | Estero, FL 33928

Database(s) : [ECHO, FRS, RCRA NONGEN, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173868
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Owner/Operator Summary

Owner/Operator Name :	BARKIS COMMONS WAY CAR WASH LLC
Owner/Operator Address :	18483 DEEP PASSAGE LN, FORT MYERS BEACH, FL 33931-2338
Owner/Operator Country :	US
Owner/Operator Telephone :	239-267-8885
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2013-12-20
Owner/Operator End Date :	N/R

Owner/Operator Name :	BARKIS COMMONS WAY CAR WASH LLC
Owner/Operator Address :	18483 DEEP PASSAGE LN, FORT MYERS BEACH, FL 33931-2338
Owner/Operator Country :	US
Owner/Operator Telephone :	239-267-8885
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2013-12-20
Owner/Operator End Date :	N/R

Owner/Operator Name :	MIKE BARKIS
Owner/Operator Address :	18483 DEEP PASSAGE LN, FORT MYERS BEACH, FL 33931-2338
Owner/Operator Country :	US
Owner/Operator Telephone :	239-267-8885
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2013-12-20
Owner/Operator End Date :	N/R

Owner/Operator Name :	MIKE BARKIS
Owner/Operator Address :	18483 DEEP PASSAGE LN, FORT MYERS BEACH, FL 33931-2338
Owner/Operator Country :	US
Owner/Operator Telephone :	239-267-8885
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2013-12-20
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N

Map Id: D116
Direction: N
Distance: 0.171 mi., 904 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : COCONUT CAR WASH
8800 COMMONS WAY
ESTERO | Estero, FL 33928

Database(s) : [ECHO, FRS, RCRA NONGEN, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 68173868
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Notices of Violations Summary

Regulation Violated :	N

Evaluation Action Summary

Evaluation Date :	2013-12-19
Evaluation :	COMPLIANCE ASSISTANCE VISIT
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

WASTEWATER - FL

Facility Name :	Coconut Car Wash
Facility Address :	8800 Commons Way, Estero, FL
County :	LEE
Issue Date :	2021-07-23
Effective Date :	2021-07-23
Expiration Date :	2026-07-22
Facility ID :	FLA441414
Facility Type :	Industrial Wastewater
Status :	Active
NPDES :	N
Major/Minor Discharge :	MI
Environmental Interest :	Industrial Wastewater Program
Company Name :	Barkis Commons Way Car Wash LLC
Related Party Name :	Mike Barkis, PMTE
Related Party Address :	18483 Deep Passage Ln, Fort Myers Beach FL 33931-2338
Related Party Address 2 :	N/R
Related Party Phone :	2392678885
Related Party Email :	fastequip@aol.com
Document Description :	General Permit
Nature of Business :	N/R
Ownership Type :	Private
Treatment Process Summary :	N/R
Department Office :	South District
Capacity (MGD) :	N/R
DW Class :	N/R
Last Date in Agency List :	2026-02-06

Map Id: G117
Direction: N
Distance: 0.174 mi., 920 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : MICHAELS
8018 MEDITERRANEAN DRIVE
Estero, FL 33928

Database(s) : [MANIFEST EPA]

Envirosite ID: 68173862
EPA ID: CESQG

MANIFEST EPA

Manifest Details

Manifest Number :	200834340CLE
Shipped Date :	2024-06-19
Updated Date :	2024-08-07
Received Date :	2024-07-05
Status :	Signed
Generator ID :	CESQG
Generator Name :	MICHAELS
Generator Address :	8018 MEDITERRANEAN DRIVE, ESTERO, FL 33928
Generator Mailing :	8018 MEDITERRANEAN DRIVE, ESTERO, FL 33928
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	ALLWORTH, INC. (ESOL)
Destination Mailing :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Address :	500 MEDCO ROAD, BIRMINGHAM, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1950
DOT Information :	UN1950, Waste Aerosols, 2.1,RQ(D001=100LBS)
Non Waste Description :	N/R
Quantity :	39 Pounds
Quantity Tons, Acute, Non-Acute :	0.0195, 0, 0.0195
Quantity Kg, Acute, Non-Acute :	0, 17.687085
Quantity Tons, Haz, Non-Haz :	0.0195, 0
Quantity Kg, Haz, Non-Haz :	17.687085, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	N
DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	Non RCRA Hazardous Waste, Liquid
Quantity :	27 Pounds
Quantity Tons, Acute, Non-Acute :	0.0135, 0, 0.0135
Quantity Kg, Acute, Non-Acute :	0, 12.244905
Quantity Tons, Haz, Non-Haz :	0, 0.0135
Quantity Kg, Haz, Non-Haz :	0, 12.244905
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R

Map Id: G117
Direction: N
Distance: 0.174 mi., 920 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : MICHAELS
8018 MEDITERRANEAN DRIVE
Estero, FL 33928

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173862
EPA ID: CESQG

MANIFEST EPA ***(cont.)***

Manifest Details

Manifest Number :	011358204FLE
Shipped Date :	2018-07-23
Updated Date :	2019-04-16
Received Date :	2018-08-03
Status :	Signed
Generator ID :	CESQG
Generator Name :	Michaels
Generator Address :	8018 Mediterranean Drive, Estero, FL 33928
Generator Mailing :	8000 Bent Branch Drive, Irving, TX 75063
Generator Contact :	N/R
Destination ID :	ALD094476793
Destination Name :	Allworth, LLC
Destination Mailing :	500 Medco Road, Birmingham, AL 35217
Destination Address :	500 Medco Road, Birmingham, AL 35217
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1950
DOT Information :	UN1950, Waste Aerosols, [flammable, (each not exceeding 1 L capacity)] 2.1, ERG#126
Non Waste Description :	N/R
Quantity :	12 Pounds
Quantity Tons, Acute, Non-Acute :	0.006, 0, 0.006
Quantity Kg, Acute, Non-Acute :	0, 5.44218
Quantity Tons, Haz, Non-Haz :	0.006, 0
Quantity Kg, Haz, Non-Haz :	5.44218, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Map Id: D118
Direction: N
Distance: 0.182 mi., 960 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAC5388
8661 CORK SCREW RD
ESTERO, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173867
EPA ID: N/R

DEDB - FL

Sample Date :	2012-09-28
Sample ID :	120913-051
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5388
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.15
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	Koreshan Unity Foundation
Well Address :	8661 Corkscrew
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-120913-010
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

Sample Date :	2009-09-29
Sample ID :	090924-033
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5388
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	Koreshan Unity Foundation
Well Address :	8661 Corkscrew
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-090924-007
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

Sample Date :	2008-06-09
Sample ID :	080509-026
Sample Type :	PRE-FILTER SAMPLE
FLUW ID :	AAC5388
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	Koreshan Unity Foundation
Well Address :	8661 Corkscrew
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	LEE

Map Id: D118
Direction: N
Distance: 0.182 mi., 960 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAC5388
8661 CORK SCREW RD
ESTERO, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173867
EPA ID: N/R

DEDB - FL ***(cont.)***

Job Name :	LEE-080509-008
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17
Sample Date :	2001-06-25
Sample ID :	010627-017
Sample Type :	FIRST_SAMP
FLUW ID :	AAC5388
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	Koreshan Unity Foundation
Well Address :	8661 Corkscrew
Well Type :	42
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-010627-06
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17
Sample Date :	2012-09-28
Sample ID :	120913-051
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5388
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.15
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	Koreshan Unity Foundation
Well Address :	8661 CORKSCREW RD
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-120913-010
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2009-09-29
Sample ID :	090924-033
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5388
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R

Map Id: D118
Direction: N
Distance: 0.182 mi., 960 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAC5388
8661 CORK SCREW RD
ESTERO, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173867
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Business Name :	Koreshan Unity Foundation
Well Address :	8661 CORKSCREW RD
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-090924-007
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2001-06-25
Sample ID :	010627-017
Sample Type :	FIRST_SAMP
FLUW ID :	AAC5388
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	Koreshan Unity Foundation
Well Address :	8661 CORKSCREW RD
Well Type :	42
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-010627-06
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2008-06-09
Sample ID :	080509-026
Sample Type :	PRE-FILTER SAMPLE
FLUW ID :	AAC5388
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	Koreshan Unity Foundation
Well Address :	8661 CORK SCREW RD
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-080509-008
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2012-09-28
Sample ID :	120913-051
Sample Type :	FIRST SAMPLE

Map Id: D118
Direction: N
Distance: 0.182 mi., 960 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAC5388
8661 CORK SCREW RD
ESTERO, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173867
EPA ID: N/R

DEDB - FL ***(cont.)***

FLUW ID :	AAC5388
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.15
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	Koreshan Unity Foundation
Well Address :	8661 Corkscrew
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-120913-010
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2009-09-29
Sample ID :	090924-033
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5388
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	Koreshan Unity Foundation
Well Address :	8661 Corkscrew
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-090924-007
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2008-06-09
Sample ID :	080509-026
Sample Type :	PRE-FILTER SAMPLE
FLUW ID :	AAC5388
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	Koreshan Unity Foundation
Well Address :	8661 Corkscrew
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-080509-008
Customer ID :	N/R
Description :	Limited Use

Map Id: D118
Direction: N
Distance: 0.182 mi., 960 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAC5388
8661 CORK SCREW RD
ESTERO, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173867
EPA ID: N/R

DEDB - FL ***(cont.)***

Last Date in Agency List :	2015-11-25
Sample Date :	2001-06-25
Sample ID :	010627-017
Sample Type :	FIRST_SAMP
FLUW ID :	AAC5388
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	Koreshan Unity Foundation
Well Address :	8661 Corkscrew
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-010627-06
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Map Id: F119
Direction: NNW
Distance: 0.186 mi., 980 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : COASTAL LANDSCAPE SUPPLY OF BONITA | COASTAL LANDSCAPE SUPPLY OF BONITA - PRODUCTION CIRCLE
24226 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [RCRA VSQG, SWRCY - FL]

Envirosite ID: 68173800
EPA ID: FLD982164618

RCRA VSQG

Facility Name :	COASTAL LANDSCAPE SUPPLY OF BONITA
Facility Address :	24226 PRODUCTION CIR, BONITA SPRINGS, FL 34135-7057
County :	LEE
Date Form Received by Agency :	2011-08-12
EPA ID :	FLD982164618
Mailing Address :	24226 PRODUCTION CIR, BONITA SPRINGS, FL 34135-7057
Contact :	DON CORDER
Contact Address :	24226 PRODUCTION CIR, BONITA SPRINGS, FL 34135-7057
Contact Country :	US
Contact Telephone :	239-498-7226
Contact Email :	DONATCOASTAL@AOL.COM
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Very Small Quantity Generator

Map Id: F119
Direction: NNW
Distance: 0.186 mi., 980 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : COASTAL LANDSCAPE SUPPLY OF BONITA | COASTAL LANDSCAPE SUPPLY OF BONITA - PRODUCTION CIRCLE
24226 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [RCRA VSQG, SWRCY - FL] ***(cont.)***

Envirosite ID: 68173800
EPA ID: FLD982164618

RCRA VSQG ***(cont.)***

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2026-05-05

Owner/Operator Summary

Owner/Operator Name :	CONSTANCE L HARRIS TRUST
Owner/Operator Address :	PO BOX 460, BONITA SPRINGS, FL 34133
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2011-08-11
Owner/Operator End Date :	N/R

Owner/Operator Name :	JAMES HARRIS
Owner/Operator Address :	24226 PRODUCTION CIR, BONITA SPRINGS, FL 34135-7057
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1997-04-17
Owner/Operator End Date :	2011-08-11

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N

Map Id: F119
Direction: NNW
Distance: 0.186 mi., 980 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : COASTAL LANDSCAPE SUPPLY OF BONITA | COASTAL LANDSCAPE SUPPLY OF BONITA - PRODUCTION CIRCLE
24226 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [RCRA VSQG, SWRCY - FL] ***(cont.)***

Envirosite ID: 68173800
EPA ID: FLD982164618

RCRA VSQG ***(cont.)***

Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	1997-03-12
Facility Name :	HARRIS AUTO CENTER INC
Classification :	Very Small Quantity Generator

Date Form Received by Agency :	1988-04-12
Facility Name :	COASTAL LANDSCAPE SUPPLY OF BONITA
Classification :	Very Small Quantity Generator

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE

Notices of Violations Summary

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Date of Violation :	2011-08-10
Date Achieved Compliance :	2011-09-02
Regulation Violated :	Y
Area of Violation :	Listing - General
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2011-08-10
Date Achieved Compliance :	2011-09-02
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R

Map Id: F119
Direction: NNW
Distance: 0.186 mi., 980 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : COASTAL LANDSCAPE SUPPLY OF BONITA | COASTAL LANDSCAPE SUPPLY OF BONITA - PRODUCTION CIRCLE
24226 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [RCRA VSQG, SWRCY - FL] ***(cont.)***

Envirosite ID: 68173800
EPA ID: FLD982164618

RCRA VSQG ***(cont.)***

Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	1998-08-24
Date Achieved Compliance :	1998-11-09
Regulation Violated :	Y
Area of Violation :	Used Oil - Generators
Enforcement Action :	DEP MEETING
Enforcement Action Date :	1998-10-20
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	1998-08-24
Date Achieved Compliance :	1998-11-09
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP SHORT FORM CONSENT ORDER
Enforcement Action Date :	1998-11-09
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	1910
Paid Penalty Amount :	1910

Date of Violation :	1998-08-24
Date Achieved Compliance :	1998-11-09
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP WARNING LETTER
Enforcement Action Date :	1998-09-15
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	1998-08-24
Date Achieved Compliance :	1998-11-09
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP MEETING
Enforcement Action Date :	1998-10-20

Map Id: F119
Direction: NNW
Distance: 0.186 mi., 980 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : COASTAL LANDSCAPE SUPPLY OF BONITA | COASTAL LANDSCAPE SUPPLY OF BONITA - PRODUCTION CIRCLE
24226 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [RCRA VSQG, SWRCY - FL] ***(cont.)***

Envirosite ID: 68173800
EPA ID: FLD982164618

RCRA VSQG ***(cont.)***

Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	1998-08-24
Date Achieved Compliance :	1998-11-09
Regulation Violated :	Y
Area of Violation :	Used Oil - Generators
Enforcement Action :	DEP WARNING LETTER
Enforcement Action Date :	1998-09-15
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	1998-08-24
Date Achieved Compliance :	1998-11-09
Regulation Violated :	Y
Area of Violation :	Used Oil - Generators
Enforcement Action :	DEP SHORT FORM CONSENT ORDER
Enforcement Action Date :	1998-11-09
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	1910
Paid Penalty Amount :	1910

Date of Violation :	1997-03-12
Date Achieved Compliance :	1997-09-18
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Map Id: F119
Direction: NNW
Distance: 0.186 mi., 980 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : COASTAL LANDSCAPE SUPPLY OF BONITA | COASTAL LANDSCAPE SUPPLY OF BONITA - PRODUCTION CIRCLE
24226 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [RCRA VSQG, SWRCY - FL] ***(cont.)***

Envirosite ID: 68173800
EPA ID: FLD982164618

RCRA VSQG ***(cont.)***

Date of Violation :	1997-03-12
Date Achieved Compliance :	1997-09-18
Regulation Violated :	Y
Area of Violation :	Used Oil - Generators
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2011-08-10
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Listing - General
Date Achieved Compliance :	2011-09-02
Evaluation Lead Agency :	State

Evaluation Date :	2011-08-10
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	State Statute or Regulation
Date Achieved Compliance :	2011-09-02
Evaluation Lead Agency :	State

Evaluation Date :	1998-11-09
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	1998-11-09
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	1998-08-24
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Used Oil - Generators
Date Achieved Compliance :	1998-11-09
Evaluation Lead Agency :	State

Evaluation Date :	1998-08-24
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	State Statute or Regulation

Map Id: F119
Direction: NNW
Distance: 0.186 mi., 980 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : COASTAL LANDSCAPE SUPPLY OF BONITA | COASTAL LANDSCAPE SUPPLY OF BONITA - PRODUCTION CIRCLE
24226 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [RCRA VSQG, SWRCY - FL] ***(cont.)***

Envirosite ID: 68173800
EPA ID: FLD982164618

RCRA VSQG ***(cont.)***

Date Achieved Compliance :	1998-11-09
Evaluation Lead Agency :	State
Evaluation Date :	1998-08-24
Evaluation :	SIGNIFICANT NON-COMPLIER
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State
Evaluation Date :	1997-07-11
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State
Evaluation Date :	1997-05-08
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State
Evaluation Date :	1997-05-07
Evaluation :	COMPLIANCE SCHEDULE EVALUATION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

SWRCY - FL

Facility Name :	COASTAL LANDSCAPE SUPPLY OF BONITA - PRODUCTION CIRCLE
Facility Address :	24226 PRODUCTION CIRCLE, BONITA SPRINGS, FL 34135
County :	LEE

Site Details

Facility ID :	99108
Class :	SOURCE-SEPARATED ORGANICS PROC. FAC. (SOPF)
Class Type :	330
Class Status :	REGISTERED (R)
Test Site Data :	TestSite Inventory Report, TestSite Result Report
Detail :	Facility Activities, Documents in OCULUS
District :	SD
Section/Township/Range :	N/R
Responsible Authority Name :	N/R
Responsible Authority Address :	N/R
Responsible Authority Phone Number :	N/R
Responsible Authority Email Address :	N/R
Land Owner Name :	N/R
Land Owner Address :	N/R
Land Owner Phone Number :	N/R

Map Id: F119
Direction: NNW
Distance: 0.186 mi., 980 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : COASTAL LANDSCAPE SUPPLY OF BONITA | COASTAL LANDSCAPE SUPPLY OF BONITA - PRODUCTION CIRCLE
24226 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [RCRA VSQG, SWRCY - FL] ***(cont.)***

Envirosite ID: 68173800
EPA ID: FLD982164618

SWRCY - FL ***(cont.)***

Site Supervisor Name :	N/R
Site Supervisor Address :	N/R
Site Supervisor Phone Number :	N/R
Site Supervisor Email Address :	N/R
Latitude :	26.38992
Longitude :	81.807062
Last Date in Agency List :	2024-05-10

Map Id: G120
Direction: N
Distance: 0.189 mi., 997 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : SALLY BEAUTY #10698
8016 MEDITERRANEAN DR, STE 103
ESTERO, FL 33928

Database(s) : [MANIFEST EPA]

Envirosite ID: 68173861
EPA ID: N/R

MANIFEST EPA

Manifest Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Manifest Number :	018953994FLE
Shipped Date :	2025-02-05
Updated Date :	2025-02-14
Received Date :	2025-02-06
Status :	Signed
Generator ID :	N/R
Generator Name :	SALLY BEAUTY 10698
Generator Address :	8016 MEDITERRANEAN DR, STE 103, ESTERO, FL 33928
Generator Mailing :	STORE MANAGER 8016 MEDITERRANEAN DR, STE 103, ESTERO, FL 33928
Generator Contact :	N/R
Destination ID :	FLD981932494
Destination Name :	US ECOLOGY TAMPA, INC.
Destination Mailing :	2002 NORTH ORIENT ROAD, TAMPA, FL 33619
Destination Address :	2002 NORTH ORIENT ROAD, TAMPA, FL 33619
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	N

Map Id: G120
Direction: N
Distance: 0.189 mi., 997 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : SALLY BEAUTY #10698
8016 MEDITERRANEAN DR, STE 103
ESTERO, FL 33928

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173861
EPA ID: N/R

MANIFEST EPA ***(cont.)***

DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	Recyclables Consumer Electronics
Quantity :	51 Pounds
Quantity Tons, Acute, Non-Acute :	0.0255, 0, 0.0255
Quantity Kg, Acute, Non-Acute :	0, 23.129265
Quantity Tons, Haz, Non-Haz :	0, 0.0255
Quantity Kg, Haz, Non-Haz :	0, 23.129265
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1950
DOT Information :	RQ, UN1950, Waste, Aerosols, 2.1, (RQ: D001), ERG#126
Non Waste Description :	N/R
Quantity :	46 Pounds
Quantity Tons, Acute, Non-Acute :	0.023, 0, 0.023
Quantity Kg, Acute, Non-Acute :	0, 20.86169
Quantity Tons, Haz, Non-Haz :	0.023, 0
Quantity Kg, Haz, Non-Haz :	20.86169, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Waste Line Number :	3
Is DOT Hazardous :	Y
DOT ID Number :	UN3266
DOT Information :	RQ, UN3266, Waste Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide, potassium hydroxide), 8, PGII, (RQ: D002), ERG#154
Non Waste Description :	N/R
Quantity :	28 Pounds
Quantity Tons, Acute, Non-Acute :	0.014, 0, 0.014
Quantity Kg, Acute, Non-Acute :	0, 12.69842
Quantity Tons, Haz, Non-Haz :	0.014, 0
Quantity Kg, Haz, Non-Haz :	12.69842, 0
Management Method :	H110 - STABILIZATION
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R

Waste Line Number :	4
Is DOT Hazardous :	Y
DOT ID Number :	UN1993
DOT Information :	RQ, UN1993, Waste Flammable liquids, n.o.s. (acetone, ethyl acetate), 3, PGII, (RQ: D018), ERG#128
Non Waste Description :	N/R

Map Id: G120
Direction: N
Distance: 0.189 mi., 997 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : SALLY BEAUTY #10698
8016 MEDITERRANEAN DR, STE 103
ESTERO, FL 33928

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173861
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Quantity :	14 Pounds
Quantity Tons, Acute, Non-Acute :	0.007, 0, 0.007
Quantity Kg, Acute, Non-Acute :	0, 6.34921
Quantity Tons, Haz, Non-Haz :	0.007, 0
Quantity Kg, Haz, Non-Haz :	6.34921, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D018, D035, U002, U112
State Code :	N/R

Waste Line Number :	5
Is DOT Hazardous :	Y
DOT ID Number :	UN1993
DOT Information :	RQ, UN1993, Waste Flammable liquids, n.o.s. (alcohol, nitrocellulose), 3, PGIII, (RQ: D001), ERG#128

Non Waste Description :	N/R
Quantity :	13 Pounds
Quantity Tons, Acute, Non-Acute :	0.0065, 0, 0.0065
Quantity Kg, Acute, Non-Acute :	0, 5.895695
Quantity Tons, Haz, Non-Haz :	0.0065, 0
Quantity Kg, Haz, Non-Haz :	5.895695, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D005, D011, D035, U112, U118
State Code :	N/R

Manifest Details

Manifest Number :	024193391JJK
Shipped Date :	2024-08-14
Updated Date :	2024-08-23
Received Date :	2024-08-15
Status :	Signed
Generator ID :	N/R
Generator Name :	SALLY BEAUTY 10698
Generator Address :	8016 MEDITERRANEAN DR, STE 103, ESTERO, FL 33928
Generator Mailing :	STORE MANAGER 8016 MEDITERRANEAN DR, STE 103, ESTERO, FL 33928
Generator Contact :	N/R
Destination ID :	FLD981932494
Destination Name :	US ECOLOGY TAMPA, INC.
Destination Mailing :	2002 NORTH ORIENT ROAD, TAMPA, FL 33619
Destination Address :	2002 NORTH ORIENT ROAD, TAMPA, FL 33619
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Map Id: G120
Direction: N
Distance: 0.189 mi., 997 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : SALLY BEAUTY #10698
8016 MEDITERRANEAN DR, STE 103
ESTERO, FL 33928

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173861
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	N
DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	Recyclables Consumer Electronics
Quantity :	25 Pounds
Quantity Tons, Acute, Non-Acute :	0.0125, 0, 0.0125
Quantity Kg, Acute, Non-Acute :	0, 11.337875
Quantity Tons, Haz, Non-Haz :	0, 0.0125
Quantity Kg, Haz, Non-Haz :	0, 11.337875
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1950
DOT Information :	RQ, UN1950, Waste, Aerosols, 2.1, (RQ: D001), ERG#126
Non Waste Description :	N/R
Quantity :	15 Pounds
Quantity Tons, Acute, Non-Acute :	0.0075, 0, 0.0075
Quantity Kg, Acute, Non-Acute :	0, 6.802725
Quantity Tons, Haz, Non-Haz :	0.0075, 0
Quantity Kg, Haz, Non-Haz :	6.802725, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Waste Line Number :	3
Is DOT Hazardous :	Y
DOT ID Number :	UN3266
DOT Information :	RQ, UN3266, Waste Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide, potassium hydroxide), 8, PGII, (RQ: D002), ERG#154
Non Waste Description :	N/R
Quantity :	5 Pounds
Quantity Tons, Acute, Non-Acute :	0.0025, 0, 0.0025
Quantity Kg, Acute, Non-Acute :	0, 2.267575
Quantity Tons, Haz, Non-Haz :	0.0025, 0
Quantity Kg, Haz, Non-Haz :	2.267575, 0
Management Method :	H110 - STABILIZATION
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R

Waste Line Number :	4
Is DOT Hazardous :	Y
DOT ID Number :	UN1993

Map Id: G120
Direction: N
Distance: 0.189 mi., 997 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : SALLY BEAUTY #10698
8016 MEDITERRANEAN DR, STE 103
ESTERO, FL 33928

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173861
EPA ID: N/R

MANIFEST EPA ***(cont.)***

DOT Information :	RQ, UN1993, Waste Flammable liquids, n.o.s. (acetone, ethyl acetate), 3, PGII, (RQ: D018), ERG#128
Non Waste Description :	N/R
Quantity :	15 Pounds
Quantity Tons, Acute, Non-Acute :	0.0075, 0, 0.0075
Quantity Kg, Acute, Non-Acute :	0, 6.802725
Quantity Tons, Haz, Non-Haz :	0.0075, 0
Quantity Kg, Haz, Non-Haz :	6.802725, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D018, D035, U002, U112
State Code :	N/R
Waste Line Number :	5
Is DOT Hazardous :	Y
DOT ID Number :	UN3098
DOT Information :	RQ, UN3098, Waste Oxidizing liquid, corrosive, n.o.s. (Hydrogen peroxide), 5.1(8), PGII, (RQ: D001), ERG#140
Non Waste Description :	N/R
Quantity :	15 Pounds
Quantity Tons, Acute, Non-Acute :	0.0075, 0, 0.0075
Quantity Kg, Acute, Non-Acute :	0, 6.802725
Quantity Tons, Haz, Non-Haz :	0.0075, 0
Quantity Kg, Haz, Non-Haz :	6.802725, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D002
State Code :	N/R

Manifest Details

Manifest Number :	024193272JJK
Shipped Date :	2024-02-20
Updated Date :	2024-02-29
Received Date :	2024-02-22
Status :	Signed
Generator ID :	N/R
Generator Name :	SALLY BEAUTY 10698
Generator Address :	8016 MEDITERRANEAN DR, STE 103, ESTERO, FL 33928
Generator Mailing :	STORE MANAGER 8016 MEDITERRANEAN DR, STE 103, ESTERO, FL 33928
Generator Contact :	N/R
Destination ID :	FLD981932494
Destination Name :	US ECOLOGY TAMPA, INC.
Destination Mailing :	2002 NORTH ORIENT ROAD, TAMPA, FL 33619
Destination Address :	2002 NORTH ORIENT ROAD, TAMPA, FL 33619
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Map Id: G120
Direction: N
Distance: 0.189 mi., 997 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : SALLY BEAUTY #10698
8016 MEDITERRANEAN DR, STE 103
ESTERO, FL 33928

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173861
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1950
DOT Information :	RQ, UN1950, Waste, Aerosols, 2.1, (RQ: D001), ERG#126
Non Waste Description :	N/R
Quantity :	10 Pounds
Quantity Tons, Acute, Non-Acute :	0.005, 0, 0.005
Quantity Kg, Acute, Non-Acute :	0, 4.53515
Quantity Tons, Haz, Non-Haz :	0.005,
Quantity Kg, Haz, Non-Haz :	4.53515,
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1993
DOT Information :	RQ, UN1993, Waste Flammable liquids, n.o.s. (acetone, ethyl acetate), 3, PGII, (RQ: D018), ERG#128
Non Waste Description :	N/R
Quantity :	22 Pounds
Quantity Tons, Acute, Non-Acute :	0.011, 0, 0.011
Quantity Kg, Acute, Non-Acute :	0, 9.97733
Quantity Tons, Haz, Non-Haz :	0.011,
Quantity Kg, Haz, Non-Haz :	9.97733,
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D018, D035, U002, U112
State Code :	N/R

Waste Line Number :	3
Is DOT Hazardous :	Y
DOT ID Number :	UN3098
DOT Information :	RQ, UN3098, Waste Oxidizing liquid, corrosive, n.o.s. (Hydrogen peroxide), 5.1(8), PGII, (RQ: D001), ERG#140
Non Waste Description :	N/R
Quantity :	12 Pounds
Quantity Tons, Acute, Non-Acute :	0.006, 0, 0.006
Quantity Kg, Acute, Non-Acute :	0, 5.44218
Quantity Tons, Haz, Non-Haz :	0.006,
Quantity Kg, Haz, Non-Haz :	5.44218,
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D002
State Code :	N/R

Waste Line Number :	4
Is DOT Hazardous :	N

Map Id: G120
Direction: N
Distance: 0.189 mi., 997 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : SALLY BEAUTY #10698
8016 MEDITERRANEAN DR, STE 103
ESTERO, FL 33928

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173861
EPA ID: N/R

MANIFEST EPA ***(cont.)***

DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	Non Hazardous Liquid
Quantity :	150 Pounds
Quantity Tons, Acute, Non-Acute :	0.075, 0, 0.075
Quantity Kg, Acute, Non-Acute :	0, 68.02725
Quantity Tons, Haz, Non-Haz :	, 0.075
Quantity Kg, Haz, Non-Haz :	, 68.02725
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R

Manifest Details

Manifest Number :	024196676JJK
Shipped Date :	2023-09-07
Updated Date :	2023-09-15
Received Date :	2023-09-08
Status :	Signed
Generator ID :	N/R
Generator Name :	SALLY BEAUTY 10698
Generator Address :	8016 MEDITERRANEAN DR, STE 103, ESTERO, FL 33928
Generator Mailing :	STORE MANAGER 8016 MEDITERRANEAN DR, STE 103, ESTERO, FL 33928
Generator Contact :	N/R
Destination ID :	FLD981932494
Destination Name :	US ECOLOGY TAMPA, INC.
Destination Mailing :	2002 NORTH ORIENT ROAD, TAMPA, FL 33619
Destination Address :	2002 NORTH ORIENT ROAD, TAMPA, FL 33619
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	N
DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	Recyclables Consumer Electronics
Quantity :	20 Pounds
Quantity Tons, Acute, Non-Acute :	0.01, 0, 0.01
Quantity Kg, Acute, Non-Acute :	0, 9.0703
Quantity Tons, Haz, Non-Haz :	, 0.01
Quantity Kg, Haz, Non-Haz :	, 9.0703
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R

Map Id: G120
Direction: N
Distance: 0.189 mi., 997 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : SALLY BEAUTY #10698
8016 MEDITERRANEAN DR, STE 103
ESTERO, FL 33928

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173861
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1950
DOT Information :	RQ, UN1950, Waste Aerosols, 2.1, (RQ: D001), ERG#126
Non Waste Description :	N/R
Quantity :	45 Pounds
Quantity Tons, Acute, Non-Acute :	0.0225, 0, 0.0225
Quantity Kg, Acute, Non-Acute :	0, 20.408176
Quantity Tons, Haz, Non-Haz :	0.0225,
Quantity Kg, Haz, Non-Haz :	20.408176,
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Waste Line Number :	3
Is DOT Hazardous :	Y
DOT ID Number :	UN1760
DOT Information :	RQ, UN1760, Waste Corrosive liquids, n.o.s., 8, PGII, (RQ: D002), ERG#154
Non Waste Description :	N/R
Quantity :	6 Pounds
Quantity Tons, Acute, Non-Acute :	0.003, 0, 0.003
Quantity Kg, Acute, Non-Acute :	0, 2.72109
Quantity Tons, Haz, Non-Haz :	0.003,
Quantity Kg, Haz, Non-Haz :	2.72109,
Management Method :	H110 - STABILIZATION
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R

Waste Line Number :	4
Is DOT Hazardous :	Y
DOT ID Number :	UN3266
DOT Information :	RQ, UN3266, Waste Corrosive liquid, basic, inorganic, n.o.s., 8, PGII, (RQ: D002), ERG#154
Non Waste Description :	N/R
Quantity :	50 Pounds
Quantity Tons, Acute, Non-Acute :	0.025, 0, 0.025
Quantity Kg, Acute, Non-Acute :	0, 22.67575
Quantity Tons, Haz, Non-Haz :	0.025,
Quantity Kg, Haz, Non-Haz :	22.67575,
Management Method :	H110 - STABILIZATION
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R

Waste Line Number :	5
Is DOT Hazardous :	Y
DOT ID Number :	UN1993
DOT Information :	RQ, UN1993, Waste Flammable liquids, n.o.s., 3, PGII, (RQ: D018), ERG#128

Map Id: G120
Direction: N
Distance: 0.189 mi., 997 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : SALLY BEAUTY #10698
8016 MEDITERRANEAN DR, STE 103
ESTERO, FL 33928

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173861
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Non Waste Description :	N/R
Quantity :	45 Pounds
Quantity Tons, Acute, Non-Acute :	0.0225, 0, 0.0225
Quantity Kg, Acute, Non-Acute :	0, 20.408176
Quantity Tons, Haz, Non-Haz :	0.0225,
Quantity Kg, Haz, Non-Haz :	20.408176,
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D018, D035, U002, U112
State Code :	N/R

Manifest Details

Manifest Number :	024195795JJK
Shipped Date :	2023-03-20
Updated Date :	2023-06-09
Received Date :	2023-03-22
Status :	Corrected
Generator ID :	N/R
Generator Name :	SALLY BEAUTY 10698
Generator Address :	8016 MEDITERRANEAN DR, STE 103, ESTERO, FL 33928
Generator Mailing :	STORE MANAGER 8016 MEDITERRANEAN DR, STE 103, ESTERO, FL 33928
Generator Contact :	N/R
Destination ID :	FLD981932494
Destination Name :	US ECOLOGY TAMPA, INC.
Destination Mailing :	2002 NORTH ORIENT ROAD, TAMPA, FL 33619
Destination Address :	2002 NORTH ORIENT ROAD, TAMPA, FL 33619
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	N
DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	Recyclables Consumer Electronics
Quantity :	19 Pounds
Quantity Tons, Acute, Non-Acute :	0.0095, 0, 0.0095
Quantity Kg, Acute, Non-Acute :	0, 8.616785
Quantity Tons, Haz, Non-Haz :	, 0.0095
Quantity Kg, Haz, Non-Haz :	, 8.616785
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	Y

Map Id: G120
Direction: N
Distance: 0.189 mi., 997 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : SALLY BEAUTY #10698
8016 MEDITERRANEAN DR, STE 103
ESTERO, FL 33928

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173861
EPA ID: N/R

MANIFEST EPA ***(cont.)***

DOT ID Number :	UN1950
DOT Information :	RQ, UN1950, Waste Aerosols, 2.1, (RQ: D001), ERG#126
Non Waste Description :	N/R
Quantity :	31 Pounds
Quantity Tons, Acute, Non-Acute :	0.0155, 0, 0.0155
Quantity Kg, Acute, Non-Acute :	0, 14.058966
Quantity Tons, Haz, Non-Haz :	0.0155,
Quantity Kg, Haz, Non-Haz :	14.058966,
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Waste Line Number :	3
Is DOT Hazardous :	Y
DOT ID Number :	UN1760
DOT Information :	RQ, UN1760, Waste Corrosive liquids, n.o.s., 8, PGII, (RQ: D002), ERG#154
Non Waste Description :	N/R
Quantity :	16 Pounds
Quantity Tons, Acute, Non-Acute :	0.008, 0, 0.008
Quantity Kg, Acute, Non-Acute :	0, 7.2562404
Quantity Tons, Haz, Non-Haz :	0.008,
Quantity Kg, Haz, Non-Haz :	7.2562404,
Management Method :	H110 - STABILIZATION
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R

Waste Line Number :	4
Is DOT Hazardous :	Y
DOT ID Number :	UN3266
DOT Information :	RQ, UN3266, Waste Corrosive liquid, basic, inorganic, n.o.s., 8, PGII, (RQ: D002), ERG#154
Non Waste Description :	N/R
Quantity :	21 Pounds
Quantity Tons, Acute, Non-Acute :	0.0105, 0, 0.0105
Quantity Kg, Acute, Non-Acute :	0, 9.523815
Quantity Tons, Haz, Non-Haz :	0.0105,
Quantity Kg, Haz, Non-Haz :	9.523815,
Management Method :	H110 - STABILIZATION
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R

Waste Line Number :	5
Is DOT Hazardous :	Y
DOT ID Number :	UN3098
DOT Information :	RQ, UN3098, Waste Oxidizing liquid, corrosive, n.o.s., 5.1(8), PGII, (RQ: D001), ERG#140

Map Id: G120
Direction: N
Distance: 0.189 mi., 997 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : SALLY BEAUTY #10698
8016 MEDITERRANEAN DR, STE 103
ESTERO, FL 33928

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 68173861
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Non Waste Description :	N/R
Quantity :	8 Pounds
Quantity Tons, Acute, Non-Acute :	0.004, 0, 0.004
Quantity Kg, Acute, Non-Acute :	0, 3.6281202
Quantity Tons, Haz, Non-Haz :	0.004,
Quantity Kg, Haz, Non-Haz :	3.6281202,
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D002
State Code :	N/R

Map Id: A121
Direction: SSE
Distance: 0.192 mi., 1012 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : M L CAR AUDIO INC
10060 BONITA BEACH RD SE
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN]

Envirosite ID: 68173726
EPA ID: N/R

ECHO

Facility Name :	M L CAR AUDIO INC
Facility Address :	10060 BONITA BEACH RD SE, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	2009-11-03
Registry ID :	110040135644
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	5822
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	POINT WHERE WATER OR OTHER SUBSTANCE COULD BE DRAWN FROM ENVIRONMENT FOR DELIVERY TO A FACILITY OR DISTRIBUTION SYSTEM (SUBSTANCE DESTINATION COULD RANGE FROM A SINGLE RESIDENCE TO A LARGE FACILITY)
Accuracy Meters :	10
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)

Map Id: A121
Direction: SSE
Distance: 0.192 mi., 1012 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : M L CAR AUDIO INC
10060 BONITA BEACH RD SE
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173726
EPA ID: N/R

ECHO ***(cont.)***

Derived HUC :	03090204
Derived WBD :	030902040105
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710506021037
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	811198 - All Other Automotive Repair and Maintenance
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2009-11-03
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.33133
Longitude :	-81.785801
Last Date in Agency List :	2026-05-11

Map Id: A121
Direction: SSE
Distance: 0.192 mi., 1012 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : M L CAR AUDIO INC
10060 BONITA BEACH RD SE
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173726
EPA ID: N/R

FRS

Facility Name : M L CAR AUDIO INC
Facility Address : 10060 BONITA BEACH RD SE, BONITA SPRINGS, FL 34135-4631
County : LEE

Site Details

Registry ID : 110040135644
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID : RCRAINFO - FLR000161604

RCRA NONGEN

Facility Name : M L CAR AUDIO INC
Facility Address : 10060 BONITA BEACH RD SE, BONITA SPRINGS, FL 34135-4631
County : LEE

Date Form Received by Agency : 2009-11-03
EPA ID : FLR000161604
Mailing Address : 10060 BONITA BEACH RD SE, BONITA SPRINGS, FL 34135-4631
Contact : NON NOTIFIER
Contact Address : 2600 BLAIR STONE ROAD, TALLAHASSEE, FL 32399-2400
Contact Country : US
Contact Telephone : 850-245-8707
Contact Email : N/R
EPA Region : 04
Land Type : Private
Source Type : Implementer
Classification : Not a generator, verified
Description : Not a generator, verified
Last Date in Agency List : 2026-05-05

Owner/Operator Summary

Owner/Operator Name : N/R
Owner/Operator Address : N/R

Map Id: A121
Direction: SSE
Distance: 0.192 mi., 1012 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : M L CAR AUDIO INC
10060 BONITA BEACH RD SE
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173726
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Owner/Operator Country :	N/R
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	N/R
Owner/Operator Type :	N/R
Owner/Operator Start Date :	N/R
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Notices of Violations Summary

Regulation Violated :	N

Evaluation Action Summary

Evaluation Date :	2009-11-03
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Map Id: F122
Direction: NNW
Distance: 0.192 mi., 1016 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : SARLO POWER MOWERS INC
24242 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG]

Envirosite ID: 68173802
EPA ID: N/R

ECHO

Facility Name :	SARLO POWER MOWERS INC

Map Id: F122
Direction: NNW
Distance: 0.192 mi., 1016 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : SARLO POWER MOWERS INC
24242 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173802
EPA ID: N/R

ECHO ***(cont.)***

Facility Address :	24242 PRODUCTION CIR, BONITA SPRINGS, FL 34135
County :	LEE
Last Inspection Date :	2011-08-10
Registry ID :	110043863085
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	5177
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503081046
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	811411 - Home and Garden Equipment Repair and Maintenance
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2011-08-10

Map Id: F122
Direction: NNW
Distance: 0.192 mi., 1016 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : SARLO POWER MOWERS INC
24242 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173802
EPA ID: N/R

ECHO ***(cont.)***

Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.38965
Longitude :	-81.80696
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	SARLO POWER MOWERS INC
Facility Address :	24242 PRODUCTION CIR, BONITA SPRINGS, FL 34135-7057
County :	LEE

Site Details

Registry ID :	110043863085
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	RCRAINFO - FLR000177964

Map Id: F122
Direction: NNW
Distance: 0.192 mi., 1016 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : SARLO POWER MOWERS INC
24242 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173802
EPA ID: N/R

RCRA VSQG

Facility Name :	SARLO POWER MOWERS INC
Facility Address :	24242 PRODUCTION CIR, BONITA SPRINGS, FL 34135-7057
County :	LEE
Date Form Received by Agency :	2011-08-10
EPA ID :	FLR000177964
Mailing Address :	24242 PRODUCTION CIR, BONITA SPRINGS, FL 34135
Contact :	JOE SARLO
Contact Address :	24242 PRODUCTION CIR, BONITA SPRINGS, FL 34135-7057
Contact Country :	US
Contact Telephone :	239-495-6826
Contact Email :	JOE@SARLOMOWER.COM
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	CONSTANCE L HARRIS TRUST
Owner/Operator Address :	PO BOX 460, BONITA SPRINGS, FL 34133
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2011-08-11
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N

Map Id: F122
Direction: NNW
Distance: 0.192 mi., 1016 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : SARLO POWER MOWERS INC
24242 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173802
EPA ID: N/R

RCRA VSQG ***(cont.)***

Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE

Notices of Violations Summary

Date of Violation :	2011-08-10
Date Achieved Compliance :	2011-08-30
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2011-08-10
Date Achieved Compliance :	2011-08-15
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2011-08-10
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	State Statute or Regulation
Date Achieved Compliance :	2011-08-30
Evaluation Lead Agency :	State

Evaluation Date :	2011-08-10
Evaluation :	COMPLIANCE EVALUATION INSPECTION

Map Id: F122
Direction: NNW
Distance: 0.192 mi., 1016 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : SARLO POWER MOWERS INC
24242 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173802
EPA ID: N/R

RCRA VSQG ***(cont.)***

Area of Violation :	State Statute or Regulation
Date Achieved Compliance :	2011-08-15
Evaluation Lead Agency :	State

Map Id: F123
Direction: NNW
Distance: 0.197 mi., 1043 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : SITE FOOD MART #108
24651 S TAMIAMI TRL
BONITA SPRINGS, FL 34135

Database(s) : [GWIF - FL]

Envirosite ID: 68173816
EPA ID: N/R

GWIF - FL

Facility Name :	SITE FOOD MART #108
Facility Address :	24651 S TAMIAMI TRL, BONITA SPRINGS, 34135
County :	LEE
Facility ID :	9803198
Facility Type :	PETROLEUM
Location ID :	208247
Location Method :	DGPS = Differentially Corrected GPS
GPS ID :	208247
GPS Date :	2005-03-18
HAE (Height Above Ellipsoid) :	4.77
Project ID :	SUPER
Insp Name :	MARK ASHTON
Insp CHD :	LEE
Request Number :	N/R
Datum :	WS1984
Software :	N/R
Streetside :	N/R
Agency :	N/R
Comment :	N/R
Latitude :	26.380698
Longitude :	-81.807349
Last Date in Agency List :	2026-05-09

Map Id: F124
Direction: NNW
Distance: 0.200 mi., 1055 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : MODERN RECYCLING INC. OF FLORIDA
24296 PRODUCTION CIRCLE
BONITA SPRINGS, FL 33923

Database(s) : [SWRCY - FL]

Envirosite ID: 68173808
EPA ID: N/R

SWRCY - FL

Facility Name :	MODERN RECYCLING INC. OF FLORIDA
Facility Address :	24296 PRODUCTION CIRCLE, BONITA SPRINGS, FL 33923
County :	LEE

Site Details

Facility ID :	89584
Class :	WASTE TIRE PROCESSING FACILITY
Class Type :	710
Class Status :	CLOSED, NO GW MONITORING (J)
Test Site Data :	TestSite Inventory Report, TestSite Result Report
Detail :	Facility Activities, Documents in OCULUS
District :	SD
Section/Township/Range :	SEC: 16, TWP: 47S, RNG: 25E
Responsible Authority Name :	MODERN RECYCLING INC. OF FL
Responsible Authority Address :	FL
Responsible Authority Phone Number :	N/R
Responsible Authority Email Address :	N/R
Land Owner Name :	N/R
Land Owner Address :	N/R
Land Owner Phone Number :	N/R
Site Supervisor Name :	N/R
Site Supervisor Address :	N/R
Site Supervisor Phone Number :	N/R
Site Supervisor Email Address :	N/R
Latitude :	26.388294
Longitude :	81.807606
Last Date in Agency List :	2024-05-10

Facility ID :	89584
Class :	WASTE TIRE COLLECTOR
Class Type :	754
Class Status :	INACTIVE (I)
Test Site Data :	TestSite Inventory Report, TestSite Result Report
Detail :	Facility Activities, Documents in OCULUS
District :	SD
Section/Township/Range :	SEC: 16, TWP: 47S, RNG: 25E
Responsible Authority Name :	MODERN RECYCLING INC. OF FL
Responsible Authority Address :	FL
Responsible Authority Phone Number :	N/R
Responsible Authority Email Address :	N/R
Land Owner Name :	N/R
Land Owner Address :	N/R
Land Owner Phone Number :	N/R
Site Supervisor Name :	N/R
Site Supervisor Address :	N/R
Site Supervisor Phone Number :	N/R
Site Supervisor Email Address :	N/R
Latitude :	26.388294
Longitude :	81.807606
Last Date in Agency List :	2024-05-10

Map Id: F125
Direction: NNW
Distance: 0.207 mi., 1093 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : CIRCLE K #7462
24931 S TAMIAMI TR | 24931 S TAMIAMI TRL
NORTH BONITA SPRINGS | BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL]

Envirosite ID: 68173818
EPA ID: N/R

CS - FL

Facility Name :	CIRCLE K #7462
Facility Address :	24931 S TAMIAMI TR, NORTH BONITA SPRINGS, 33923
County :	Leon County
DEP Cleanup Site Key :	62424849
Program Site ID :	8518903
Program Source Data :	STCM
Program Area :	PETRO
Collection Date :	2003-09-30
Verification Date :	2003-09-30
Load Date :	2020-04-09
Verifier :	DEMACK_P36
Collector :	DEMACK_P36
Verifier Agency :	DELEGATED COUNTY
Collection Agency :	DELEGATED COUNTY
Verification Status :	REVIEWED
Remediation Status :	ACTIVE
Office/District :	SD
Comments :	N/R
Last Date in Agency List :	2020-04-09

DWM CONTAM - FL

Facility Name :	CIRCLE K #7462
Facility Address :	24931 S TAMIAMI TR, NORTH BONITA SPRINGS, FL 33923
County :	LEE
Score Effective Date :	2011-09-16
Score :	10
Score Ranked :	6
Rank :	12937
Facility ID :	8518903
Facility Status :	OPEN
Facility Type :	A - Retail Station
County Code :	36
District :	SD
Operator :	GRAHAM BIGGS
Phone :	(919)774-6700
Name Changed Date :	N/R
Address Changed Date :	2011-09-06
Latitude Degrees :	26
Latitude Minutes :	22
Latitude Seconds :	41.2999
Longitude Degrees :	81
Longitude Minutes :	48
Longitude Seconds :	26.2209
Feature :	N/R
Method :	AGPS
Datum :	0
Section/Township/Range :	SEC 16, TWP 47S, RNG 25E
Related Party Begin Date :	1994-05-20

Map Id: F125
Direction: NNW
Distance: 0.207 mi., 1093 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : CIRCLE K #7462
24931 S TAMIAMI TR | 24931 S TAMIAMI TRL
NORTH BONITA SPRINGS | BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173818
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

Related Party ID :	4045
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	CIRCLE K STORES INC
Related Party Address 1 :	1100 Situs Ct, Raleigh, NC 27606-5446
Related Party Address 2 :	N/R
Contact :	JOANNE SISSLER
Related Party Phone :	(703)618-9183
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

EPA LUST

Facility Name :	CIRCLE K #7462
Facility Address :	24931 S TAMIAMI TR, NORTH BONITA SPRINGS, Florida
County :	N/R
Facility ID :	FL8518903
LUST ID :	FL28360
Reported Date :	1988-11-23
Status :	Open
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	106
Estimated Private Domestic Wells within 1500ft:	28
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	Yes
WHPA Public Water System and Facility ID:	FL5360025_4359750931
WHPA Water Type :	GW
WHPA Facility Type :	WL
WHPA HUC12 :	30902040106
Within Estimated 100-year Floodplain:	No
Latitude :	26.37806
Longitude :	-81.80722
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	CIRCLE K #7462
Facility Address :	24931 S TAMIAMI TR, NORTH BONITA SPRINGS, Florida 33923

Map Id: F125
Direction: NNW
Distance: 0.207 mi., 1093 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : CIRCLE K #7462
24931 S TAMIAMI TR | 24931 S TAMIAMI TRL
NORTH BONITA SPRINGS | BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173818
EPA ID: N/R

EPA UST ***(cont.)***

County :	N/R
Facility ID :	FL8518903
Facility Status :	Open UST(s)
Open USTs :	4
Closed USTs :	4
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.3780555555556
Longitude :	-81.8072222222222
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8518903-1
Tank Status :	Closed
Installation Date :	1983-03-01
Removal Date :	N/R
Capacity :	10000
Substances :	Unleaded Gas
Tank Wall Type :	N/R
Tank ID :	FL8518903-2
Tank Status :	Closed
Installation Date :	1983-03-01
Removal Date :	N/R
Capacity :	10000
Substances :	Unleaded Gas
Tank Wall Type :	N/R
Tank ID :	FL8518903-3
Tank Status :	Closed
Installation Date :	1983-03-01
Removal Date :	N/R
Capacity :	10000
Substances :	Unleaded Gas
Tank Wall Type :	N/R
Tank ID :	FL8518903-4
Tank Status :	Closed
Installation Date :	1983-03-01
Removal Date :	N/R
Capacity :	10000
Substances :	Vehicular Diesel

Map Id: F125
Direction: NNW
Distance: 0.207 mi., 1093 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : CIRCLE K #7462
24931 S TAMIAMI TR | 24931 S TAMIAMI TRL
NORTH BONITA SPRINGS | BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173818
EPA ID: N/R

EPA UST ***(cont.)***

Tank Wall Type :	N/R
Tank ID :	FL8518903-5
Tank Status :	Open
Installation Date :	1995-11-01
Removal Date :	N/R
Capacity :	9684
Substances :	Unleaded Gas
Tank Wall Type :	N/R
Tank ID :	FL8518903-6
Tank Status :	Open
Installation Date :	1995-11-01
Removal Date :	N/R
Capacity :	9684
Substances :	Unleaded Gas
Tank Wall Type :	N/R
Tank ID :	FL8518903-7
Tank Status :	Open
Installation Date :	1995-11-01
Removal Date :	N/R
Capacity :	9684
Substances :	Unleaded Gas
Tank Wall Type :	N/R
Tank ID :	FL8518903-8
Tank Status :	Open
Installation Date :	1995-11-01
Removal Date :	N/R
Capacity :	9684
Substances :	Vehicular Diesel
Tank Wall Type :	N/R

FA 3 - FL

Facility Name :	CIRCLE K #7462
Facility Address :	24931 S TAMIAMI TR, NORTH BONITA SPRINGS, 33923
County :	LEE

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Effectivity Date :	2025-08-21
Expiration Date :	2026-08-21

Map Id: F125
Direction: NNW
Distance: 0.207 mi., 1093 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : CIRCLE K #7462
24931 S TAMIAMI TR | 24931 S TAMIAMI TRL
NORTH BONITA SPRINGS | BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173818
EPA ID: N/R

FA 3 - FL ***(cont.)***

Facility ID :	8518903
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	GUARANTEE
Insurance Company :	N/R
Facility Phone :	9197746700
Owner ID :	4045
Owner Name :	CIRCLE K STORES INC
Address :	1100 Situs Ct, Raleigh, NC 27606
Contact Name :	JOANNE SISSLER
Phone :	7036189183
Last Date in Agency List :	2026-06-03

Effectivity Date :	2024-08-21
Expiration Date :	2025-08-21
Facility ID :	8518903
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	GUARANTEE
Insurance Company :	N/R
Facility Phone :	9197746700
Owner ID :	4045
Owner Name :	CIRCLE K STORES INC
Address :	1100 Situs Ct, Raleigh, NC 27606
Contact Name :	JOANNE SISSLER
Phone :	7036189183
Last Date in Agency List :	2026-06-03

Effectivity Date :	2023-08-21
Expiration Date :	2024-08-21
Facility ID :	8518903
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	GUARANTEE
Insurance Company :	N/R
Facility Phone :	9197746700
Owner ID :	4045
Owner Name :	CIRCLE K STORES INC
Address :	1100 Situs Ct, Raleigh, NC 27606
Contact Name :	JOANNE SISSLER
Phone :	7036189183
Last Date in Agency List :	2026-06-03

Effectivity Date :	2022-04-24
Expiration Date :	2023-08-24
Facility ID :	8518903
Facility Status :	OPEN

Map Id: F125
Direction: NNW
Distance: 0.207 mi., 1093 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : CIRCLE K #7462
24931 S TAMIAMI TR | 24931 S TAMIAMI TRL
NORTH BONITA SPRINGS | BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173818
EPA ID: N/R

FA 3 - FL ***(cont.)***

Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	GUARANTEE
Insurance Company :	N/R
Facility Phone :	9197746700
Owner ID :	4045
Owner Name :	CIRCLE K STORES INC
Address :	1100 Situs Ct, Raleigh, NC 27606
Contact Name :	JOANNE SISSLER
Phone :	7036189183
Last Date in Agency List :	2026-06-03

Effectivity Date :	2020-12-01
Expiration Date :	2021-12-01
Facility ID :	8518903
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	NAVIGATORS SPECIALTY INSURANCE CO
Facility Phone :	9197746700
Owner ID :	4045
Owner Name :	CIRCLE K STORES INC
Address :	1100 Situs Ct, Raleigh, NC 27606
Contact Name :	JOANNE SISSLER
Phone :	7036189183
Last Date in Agency List :	2026-06-03

GWIF - FL

Facility Name :	CIRCLE K #7462
Facility Address :	24931 S TAMIAMI TRL, BONITA SPRINGS, 34135
County :	LEE

Facility ID :	8518903
Facility Type :	PETROLEUM
Location ID :	106585
Location Method :	DGPS = Differentially Corrected GPS
GPS ID :	106585
GPS Date :	2006-08-04
HAE (Height Above Ellipsoid) :	9.3
Project ID :	SUPER
Insp Name :	MARK ASHTON
Insp CHD :	LEE
Request Number :	RE39377
Datum :	N/R
Software :	Risk_Solo_v2
Streetside :	N/R
Agency :	DOH
Comment :	N/R
Latitude :	26.378089

Map Id: F125
Direction: NNW
Distance: 0.207 mi., 1093 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : CIRCLE K #7462
24931 S TAMIAMI TR | 24931 S TAMIAMI TRL
NORTH BONITA SPRINGS | BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173818
EPA ID: N/R

GWIF - FL ***(cont.)***

Longitude :	-81.807351
Last Date in Agency List :	2026-05-09

LUST - FL

Facility Name :	CIRCLE K #7462
Facility Address :	24931 S TAMIAMI TR, NORTH BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	8518903
Facility Status :	OPEN
Facility Type :	Retail Station
Phone :	9197746700
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	4045
Owner Name :	CIRCLE K STORES INC
Owner Address 1 :	1100 Situs Ct, Raleigh, NC 27606
Owner Address 2 :	Attn: Ess Storage Tank Regis Ste 100
Owner Phone :	4234002480
Contact :	IRA LEWIS

Discharge Details

Discharge Date :	1988-11-23
Status Date :	2020-04-20
Status Description :	SRCR COMPLETE
DEP Code :	C
Description :	CLEANUP REQUIRED
Score Date :	2011-09-16
Score :	10
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

UST - FL

Facility Name :	CIRCLE K #7462
Facility Address :	24931 S TAMIAMI TR, NORTH BONITA SPRINGS, 33923
County :	LEE

Map Id: F125
Direction: NNW
Distance: 0.207 mi., 1093 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : CIRCLE K #7462
24931 S TAMIAMI TR | 24931 S TAMIAMI TRL
NORTH BONITA SPRINGS | BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173818
EPA ID: N/R

UST - FL ***(cont.)***

Site Details

Facility ID :	8518903
Facility Phone :	9197746700
Facility Status :	OPEN
Facility Type :	Retail Station
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	4045
Owner Name :	CIRCLE K STORES INC
Owner Address 1 :	1100 Situs Ct, Raleigh, NC 27606
Owner Address 2 :	Attn: Ess Storage Tank Regis Ste 100
Owner Phone :	4234002480
Contact :	IRA LEWIS
DEP Contractor Own :	C

Tank Information

Tank ID :	1
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1983-03-01
Status :	Removed from Site
Status Date :	1995-11-01

Tank ID :	2
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1983-03-01
Status :	Removed from Site
Status Date :	1995-11-01

Tank ID :	3
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1983-03-01
Status :	Removed from Site
Status Date :	1995-11-01

Tank ID :	4
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel

Map Id: F125
Direction: NNW
Distance: 0.207 mi., 1093 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : CIRCLE K #7462
24931 S TAMIAMI TR | 24931 S TAMIAMI TRL
NORTH BONITA SPRINGS | BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173818
EPA ID: N/R

UST - FL ***(cont.)***

Install Date : 1983-03-01
Status : Removed from Site
Status Date : 1995-11-01

Tank ID : 5
Gallons : 9684
Tank Location : UNDERGROUND
Substance : Unleaded Gas
Install Date : 1995-11-01
Status : In Service
Status Date : 1995-11-01

Construction Items :
Overfill/Spill - Spill containment bucket
Overfill/Spill - Tight fill
Overfill/Spill - Ball check valve
Overfill/Spill - Flow shut-Off
Primary Construction - Fiberglass
Secondary Containment - Double wall

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Miscellaneous - Visual inspect dispenser liners
Miscellaneous - Visual inspect pipe sumps
Piping Monitoring - Mechanical line leak detector
Piping Monitoring - Monitor dbl wall pipe space

Piping Items :
Miscellaneous Attributes - Dispenser liners
Miscellaneous Attributes - Pressurized piping system
Primary Construction - Fiberglass
Secondary Containment - Double wall

Tank Information

Tank ID : 6
Gallons : 9684
Tank Location : UNDERGROUND
Substance : Unleaded Gas
Install Date : 1995-11-01
Status : In Service
Status Date : 1995-11-01

Construction Items :
Overfill/Spill - Tight fill
Overfill/Spill - Flow shut-Off
Overfill/Spill - Ball check valve
Overfill/Spill - Spill containment bucket
Primary Construction - Fiberglass
Secondary Containment - Double wall

Map Id: F125
Direction: NNW
Distance: 0.207 mi., 1093 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : CIRCLE K #7462
24931 S TAMIAMI TR | 24931 S TAMIAMI TRL
NORTH BONITA SPRINGS | BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173818
EPA ID: N/R

UST - FL ***(cont.)***

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Miscellaneous - Visual inspect pipe sumps
Miscellaneous - Visual inspect dispenser liners
Piping Monitoring - Mechanical line leak detector
Piping Monitoring - Monitor dbl wall pipe space

Piping Items :
Miscellaneous Attributes - Pressurized piping system
Miscellaneous Attributes - Dispenser liners
Primary Construction - Fiberglass
Secondary Containment - Double wall

Tank Information
Tank ID : 7
Gallons : 9684
Tank Location : UNDERGROUND
Substance : Unleaded Gas
Install Date : 1995-11-01
Status : In Service
Status Date : 1995-11-01

Construction Items :
Overfill/Spill - Flow shut-Off
Overfill/Spill - Spill containment bucket
Overfill/Spill - Ball check valve
Overfill/Spill - Tight fill
Primary Construction - Fiberglass
Secondary Containment - Double wall

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Miscellaneous - Visual inspect pipe sumps
Miscellaneous - Visual inspect dispenser liners
Piping Monitoring - Mechanical line leak detector
Piping Monitoring - Monitor dbl wall pipe space

Piping Items :
Miscellaneous Attributes - Dispenser liners
Miscellaneous Attributes - Pressurized piping system
Primary Construction - Fiberglass
Secondary Containment - Double wall

Tank Information
Tank ID : 8
Gallons : 9684
Tank Location : UNDERGROUND
Substance : Vehicular Diesel
Install Date : 1995-11-01

Map Id: F125
Direction: NNW
Distance: 0.207 mi., 1093 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : CIRCLE K #7462
24931 S TAMIAMI TR | 24931 S TAMIAMI TRL
NORTH BONITA SPRINGS | BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173818
EPA ID: N/R

UST - FL ***(cont.)***

Status :	In Service
Status Date :	1995-11-01
Construction Items :	Overfill/Spill - Spill containment bucket Overfill/Spill - Ball check valve Overfill/Spill - Tight fill Overfill/Spill - Flow shut-Off Primary Construction - Fiberglass Secondary Containment - Double wall
Monitoring Items :	Internal Tk Monitoring - Monitor dbl wall tank space Miscellaneous - Visual inspect pipe sumps Miscellaneous - Visual inspect dispenser liners Piping Monitoring - Mechanical line leak detector Piping Monitoring - Monitor dbl wall pipe space
Piping Items :	Miscellaneous Attributes - Dispenser liners Miscellaneous Attributes - Pressurized piping system Primary Construction - Fiberglass Secondary Containment - Double wall
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: F126
Direction: NNW
Distance: 0.211 mi., 1115 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAK7782
24266 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173805
EPA ID: N/R

DEDB - FL

Sample Date :	2009-07-29
Sample ID :	090702-085
Sample Type :	FIRST SAMPLE
FLUW ID :	AAK7782
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	HARRIS AUTO
Well Address :	24266 PRODUCTION CIR

Map Id: F126
Direction: NNW
Distance: 0.211 mi., 1115 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAK7782
24266 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173805
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-090702-013
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2009-07-29
Sample ID :	090702-085
Sample Type :	FIRST SAMPLE
FLUW ID :	AAK7782
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	HARRIS AUTO
Well Address :	24266 PRODUCTION CIR
Well Type :	42
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-090702-013
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Map Id: F127
Direction: NNW
Distance: 0.214 mi., 1132 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAC5354
24260 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173803
EPA ID: N/R

DEDB - FL

Sample Date :	2009-07-29
Sample ID :	090702-083
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5354
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	CONSHORE CONST.
Well Address :	24260 PRODUCTION CIR
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE

Map Id: F127
Direction: NNW
Distance: 0.214 mi., 1132 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAC5354
24260 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173803
EPA ID: N/R

DEDB - FL ***(cont.)***

City :	N/R
County :	LEE
Job Name :	LEE-090702-013
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2003-03-20
Sample ID :	030324-039
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5354
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	CONSHORE CONST.
Well Address :	24260 PRODUCTION CIR
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030324-08
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2009-07-29
Sample ID :	090702-083
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5354
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	CONSHORE CONST.
Well Address :	24260 PRODUCTION CIR
Well Type :	42
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-090702-013
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25
Sample Date :	2003-03-20
Sample ID :	030324-039
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5354
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L

Map Id: F127
Direction: NNW
Distance: 0.214 mi., 1132 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAC5354
24260 PRODUCTION CIR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173803
EPA ID: N/R

DEDB - FL ***(cont.)***

Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	CONSHORE CONST.
Well Address :	24260 PRODUCTION CIR
Well Type :	42
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-030324-08
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Map Id: D128
Direction: N
Distance: 0.215 mi., 1136 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : MAYFIELD CORNORS CO LLC | KORESHAN GAS INC
21481 S TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL]

Envirosite ID: 68173788
EPA ID: N/R

DWM CONTAM - FL

Facility Name :	KORESHAN GAS INC
Facility Address :	21481 S TAMIAMI TRL, ESTERO, FL 33928
County :	LEE
Score Effective Date :	2008-07-18
Score :	27
Score Ranked :	N/R
Rank :	N/R
Facility ID :	9800466
Facility Status :	OPEN
Facility Type :	A - Retail Station
County Code :	36
District :	SD
Operator :	DENIZ GUN
Phone :	(239)949-9350
Name Changed Date :	2021-11-10
Address Changed Date :	N/R
Latitude Degrees :	26
Latitude Minutes :	25
Latitude Seconds :	41.903
Longitude Degrees :	81
Longitude Minutes :	48
Longitude Seconds :	37.2417
Feature :	N/R
Method :	AGPS
Datum :	N/R
Section/Township/Range :	N/R

Map Id: D128
Direction: N
Distance: 0.215 mi., 1136 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : MAYFIELD CORNORS CO LLC | KORESHAN GAS INC
21481 S TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173788
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

Related Party Begin Date :	2021-11-10
Related Party ID :	82539
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	KORESHAN GAS INC
Related Party Address 1 :	21481 S TAMIAMI TRL, ESTERO, FL 33928
Related Party Address 2 :	N/R
Contact :	DENIZ GUN
Related Party Phone :	(631)813-0715
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

Facility Name :	MAYFIELD CORNORS CO LLC
Facility Address :	21481 S TAMIAMI TRL, ESTERO, FL 33928
County :	LEE

Score Effective Date :	2008-07-18
Score :	27
Score Ranked :	N/R
Rank :	N/R
Facility ID :	9800466
Facility Status :	OPEN
Facility Type :	A - Retail Station
County Code :	36
District :	SD
Operator :	MICHAEL MATEJKA
Phone :	(440)477-9356
Name Changed Date :	2013-11-14
Address Changed Date :	N/R
Latitude Degrees :	26
Latitude Minutes :	25
Latitude Seconds :	41.903
Longitude Degrees :	81
Longitude Minutes :	48
Longitude Seconds :	37.2417
Feature :	N/R
Method :	AGPS
Datum :	N/R
Section/Township/Range :	N/R
Related Party Begin Date :	2013-11-14
Related Party ID :	69531
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	MAYFIELD CORNORS CO LLC
Related Party Address 1 :	1110 EUCLID AVE #300, CLEVELAND, OH 44115
Related Party Address 2 :	N/R
Contact :	BRIAN INTIHAR
Related Party Phone :	(216)696-5442
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2021-09-16

Map Id: D128
Direction: N
Distance: 0.215 mi., 1136 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : MAYFIELD CORNORS CO LLC | KORESHAN GAS INC
21481 S TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173788
EPA ID: N/R

EPA LUST

Facility Name :	MAYFIELD CORNORS CO LLC
Facility Address :	21481 S TAMIAMI TRL, ESTERO, Florida
County :	N/R
Facility ID :	FL9800466
LUST ID :	FL2861
Reported Date :	2007-10-16
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	157
Estimated Private Domestic Wells within 1500ft:	16
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.4280599999999
Longitude :	-81.8111099999999
Last Date in Agency List :	2024-05-23

Facility ID :	FL9800466
LUST ID :	FL5596
Reported Date :	2003-08-18
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	157
Estimated Private Domestic Wells within 1500ft:	16
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R

Map Id: D128
Direction: N
Distance: 0.215 mi., 1136 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : MAYFIELD CORNORS CO LLC | KORESHAN GAS INC
21481 S TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173788
EPA ID: N/R

EPA LUST ***(cont.)***

SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.4280599999999
Longitude :	-81.8111099999999
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	MAYFIELD CORNORS CO LLC
Facility Address :	21481 S TAMIAMI TRL, ESTERO, Florida 33928
County :	N/R
Facility ID :	FL9800466
Facility Status :	Open UST(s)
Open USTs :	3
Closed USTs :	0
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.4280555555556
Longitude :	-81.8111111111111
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL9800466-1
Tank Status :	Open
Installation Date :	1997-09-01
Removal Date :	N/R
Capacity :	15000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL9800466-2
Tank Status :	Open
Installation Date :	1997-09-01
Removal Date :	N/R
Capacity :	12000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Map Id: D128
Direction: N
Distance: 0.215 mi., 1136 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : MAYFIELD CORNORS CO LLC | KORESHAN GAS INC
21481 S TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173788
EPA ID: N/R

EPA UST ***(cont.)***

Tank ID :	FL9800466-3
Tank Status :	Open
Installation Date :	1997-09-01
Removal Date :	N/R
Capacity :	10000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R

FA 3 - FL

Facility Name :	KORESHAN GAS INC
Facility Address :	21481 S TAMIAMI TRL, ESTERO, 33928
County :	LEE

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Effectivity Date :	2022-07-14
Expiration Date :	2023-07-14
Facility ID :	9800466
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	CRUM & FORSTER SPECIALTY INSURANCE COMPANY
Facility Phone :	2399499350
Owner ID :	82539
Owner Name :	KORESHAN GAS INC
Address :	21481 S TAMIAMI TRL, ESTERO, FL 33928
Contact Name :	DENIZ GUN
Phone :	6318130715
Last Date in Agency List :	2026-06-03

Effectivity Date :	2020-07-14
Expiration Date :	2021-07-14
Facility ID :	9800466
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	CRUM & FORSTER SPECIALTY INS. CO.
Facility Phone :	2399499350
Owner ID :	82539
Owner Name :	KORESHAN GAS INC
Address :	21481 S TAMIAMI TRL, ESTERO, FL 33928
Contact Name :	DENIZ GUN
Phone :	6318130715
Last Date in Agency List :	2026-06-03

Map Id: D128
Direction: N
Distance: 0.215 mi., 1136 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : MAYFIELD CORNORS CO LLC | KORESHAN GAS INC
21481 S TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173788
EPA ID: N/R

FA 3 - FL ***(cont.)***

Effectivity Date :	2019-07-14
Expiration Date :	2020-07-14
Facility ID :	9800466
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	CRUM & FORSTER SPECIALTY INS. CO.
Facility Phone :	2399499350
Owner ID :	82539
Owner Name :	KORESHAN GAS INC
Address :	21481 S TAMIAMI TRL, ESTERO, FL 33928
Contact Name :	DENIZ GUN
Phone :	6318130715
Last Date in Agency List :	2026-06-03

Effectivity Date :	2018-07-14
Expiration Date :	2019-07-14
Facility ID :	9800466
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	CRUM & FORSTER SPECIALTY INS. CO.
Facility Phone :	2399499350
Owner ID :	82539
Owner Name :	KORESHAN GAS INC
Address :	21481 S TAMIAMI TRL, ESTERO, FL 33928
Contact Name :	DENIZ GUN
Phone :	6318130715
Last Date in Agency List :	2026-06-03

Effectivity Date :	2017-07-14
Expiration Date :	2018-07-14
Facility ID :	9800466
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	CRUM & FORSTER SPECIALTY INS. CO.
Facility Phone :	2399499350
Owner ID :	82539
Owner Name :	KORESHAN GAS INC
Address :	21481 S TAMIAMI TRL, ESTERO, FL 33928
Contact Name :	DENIZ GUN
Phone :	6318130715
Last Date in Agency List :	2026-06-03

Facility Name :	MAYFIELD CORNORS CO LLC
Facility Address :	21481 S TAMIAMI TRL, ESTERO, 33928
County :	LEE

Map Id: D128
Direction: N
Distance: 0.215 mi., 1136 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : MAYFIELD CORNORS CO LLC | KORESHAN GAS INC
21481 S TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173788
EPA ID: N/R

FA 3 - FL ***(cont.)***

Effectivity Date :	2020-07-14
Expiration Date :	2021-07-14
Facility ID :	9800466
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	CRUM & FORSTER SPECIALTY INS. CO.
Facility Phone :	4404779356
Owner ID :	69531
Owner Name :	MAYFIELD CORNORS CO LLC
Address :	1110 EUCLID AVE #300, CLEVELAND, OH 44115
Contact Name :	BRIAN INTIHAR
Phone :	2166965442
Last Date in Agency List :	2021-12-03

Effectivity Date :	2019-07-14
Expiration Date :	2020-07-14
Facility ID :	9800466
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	CRUM & FORSTER SPECIALTY INS. CO.
Facility Phone :	4404779356
Owner ID :	69531
Owner Name :	MAYFIELD CORNORS CO LLC
Address :	1110 EUCLID AVE #300, CLEVELAND, OH 44115
Contact Name :	BRIAN INTIHAR
Phone :	2166965442
Last Date in Agency List :	2021-12-03

Effectivity Date :	2018-07-14
Expiration Date :	2019-07-14
Facility ID :	9800466
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	CRUM & FORSTER SPECIALTY INS. CO.
Facility Phone :	4404779356
Owner ID :	69531
Owner Name :	MAYFIELD CORNORS CO LLC
Address :	1110 EUCLID AVE #300, CLEVELAND, OH 44115
Contact Name :	BRIAN INTIHAR
Phone :	2166965442
Last Date in Agency List :	2021-12-03

Effectivity Date :	2017-07-14
Expiration Date :	2018-07-14
Facility ID :	9800466
Facility Status :	OPEN

Map Id: D128
Direction: N
Distance: 0.215 mi., 1136 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : MAYFIELD CORNORS CO LLC | KORESHAN GAS INC
21481 S TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173788
EPA ID: N/R

FA 3 - FL ***(cont.)***

Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	CRUM & FORSTER SPECIALTY INS. CO.
Facility Phone :	4404779356
Owner ID :	69531
Owner Name :	MAYFIELD CORNORS CO LLC
Address :	1110 EUCLID AVE #300, CLEVELAND, OH 44115
Contact Name :	BRIAN INTIHAR
Phone :	2166965442
Last Date in Agency List :	2021-12-03

Effectivity Date :	2016-08-11
Expiration Date :	2017-08-11
Facility ID :	9800466
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY INSURANCE CO
Facility Phone :	4404779356
Owner ID :	69531
Owner Name :	MAYFIELD CORNORS CO LLC
Address :	1110 EUCLID AVE #300, CLEVELAND, OH 44115
Contact Name :	BRIAN INTIHAR
Phone :	2166965442
Last Date in Agency List :	2021-12-03

LUST - FL

Facility Name :	KORESHAN GAS INC
Facility Address :	21481 S TAMIAMI TRL, ESTERO, 33928
County :	LEE

Site Details

Facility ID :	9800466
Facility Status :	OPEN
Facility Type :	Retail Station
Phone :	2399499350
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	82539
Owner Name :	KORESHAN GAS INC
Owner Address 1 :	21481 S TAMIAMI TRL, ESTERO, FL 33928
Owner Address 2 :	N/R
Owner Phone :	6318130715
Contact :	DENIZ GUN

Map Id: D128
Direction: N
Distance: 0.215 mi., 1136 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : MAYFIELD CORNORS CO LLC | KORESHAN GAS INC
21481 S TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173788
EPA ID: N/R

LUST - FL ***(cont.)***

Discharge Details

Discharge Date :	2007-10-16
Status Date :	2012-10-24
Status Description :	SRCR COMPLETE
DEP Code :	C
Description :	CLEANUP REQUIRED
Score Date :	2008-07-18
Score :	27
CU Status :	N/R

Discharge Date :	2003-08-18
Status Date :	2012-10-24
Status Description :	SRCR COMPLETE
DEP Code :	C
Description :	CLEANUP REQUIRED
Score Date :	2008-07-18
Score :	27
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Facility Name :	MAYFIELD CORNORS CO LLC
Facility Address :	21481 S TAMIAMI TRL, ESTERO, 33928
County :	LEE

Site Details

Facility ID :	9800466
Facility Status :	OPEN
Facility Type :	Retail Station
Phone :	4404779356
Last Date in Agency List :	2021-10-12

Owner Information

Owner ID :	69531
Owner Name :	MAYFIELD CORNORS CO LLC
Owner Address 1 :	1110 EUCLID AVE #300, CLEVELAND, OH 44115
Owner Address 2 :	N/R
Owner Phone :	2166965442
Contact :	BRIAN INTIHAR

Discharge Details

Discharge Date :	2007-10-16
Status Date :	2012-10-24
Status Description :	SRCR COMPLETE
DEP Code :	P

Map Id: D128
Direction: N
Distance: 0.215 mi., 1136 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : MAYFIELD CORNORS CO LLC | KORESHAN GAS INC
21481 S TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173788
EPA ID: N/R

LUST - FL ***(cont.)***

Description :	CLEANUP REQUIRED
Score Date :	2008-07-18
Score :	27
CU Status :	SRCR
Discharge Date :	2003-08-18
Status Date :	2012-10-24
Status Description :	SRCR COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2008-07-18
Score :	27
CU Status :	SRCR
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

UST - FL

Facility Name :	KORESHAN GAS INC
Facility Address :	21481 S TAMIAMI TRL, ESTERO, 33928
County :	LEE

Site Details

Facility ID :	9800466
Facility Phone :	2399499350
Facility Status :	OPEN
Facility Type :	Retail Station
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	82539
Owner Name :	KORESHAN GAS INC
Owner Address 1 :	21481 S TAMIAMI TRL, ESTERO, FL 33928
Owner Address 2 :	N/R
Owner Phone :	6318130715
Contact :	DENIZ GUN
DEP Contractor Own :	C

Tank Information

Tank ID :	1
Gallons :	15000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1997-09-01
Status :	In Service
Status Date :	1997-09-01

Map Id: D128
Direction: N
Distance: 0.215 mi., 1136 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : MAYFIELD CORNORS CO LLC | KORESHAN GAS INC
21481 S TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173788
EPA ID: N/R

UST - FL ***(cont.)***

Construction Items :
Overfill/Spill - Spill containment bucket
Overfill/Spill - Level gauges/alarms
Overfill/Spill - Tight fill
Overfill/Spill - Flow shut-Off
Overfill/Spill - Ball check valve
Primary Construction - Steel
Secondary Containment - Double wall - tank jacket

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Miscellaneous - Visual inspect dispenser liners
Miscellaneous - Continuous electronic sensing
Miscellaneous - Electronic monitor pipe sumps
Piping Monitoring - Mechanical line leak detector
Piping Monitoring - Monitor dbl wall pipe space

Piping Items :
Miscellaneous Attributes - Pressurized piping system
Miscellaneous Attributes - Dispenser liners
Primary Construction - Approved synthetic material
Secondary Containment - Double wall

Tank Information

Tank ID :	2
Gallons :	12000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1997-09-01
Status :	In Service
Status Date :	1997-09-01

Construction Items :
Overfill/Spill - Flow shut-Off
Overfill/Spill - Level gauges/alarms
Overfill/Spill - Spill containment bucket
Overfill/Spill - Ball check valve
Overfill/Spill - Tight fill
Primary Construction - Steel
Secondary Containment - Double wall - tank jacket

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Miscellaneous - Visual inspect dispenser liners
Miscellaneous - Electronic monitor pipe sumps
Miscellaneous - Continuous electronic sensing
Piping Monitoring - Monitor dbl wall pipe space
Piping Monitoring - Mechanical line leak detector

Piping Items :
Miscellaneous Attributes - Pressurized piping system
Miscellaneous Attributes - Dispenser liners
Primary Construction - Approved synthetic material
Secondary Containment - Double wall

Map Id: D128
Direction: N
Distance: 0.215 mi., 1136 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : MAYFIELD CORNORS CO LLC | KORESHAN GAS INC
21481 S TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173788
EPA ID: N/R

UST - FL ***(cont.)***

Tank Information

Tank ID :	3
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	1997-09-01
Status :	In Service
Status Date :	1997-09-01

Construction Items :
Overfill/Spill - Spill containment bucket
Overfill/Spill - Level gauges/alarms
Overfill/Spill - Tight fill
Overfill/Spill - Flow shut-Off
Overfill/Spill - Ball check valve
Primary Construction - Steel
Secondary Containment - Double wall - tank jacket

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Miscellaneous - Visual inspect dispenser liners
Miscellaneous - Electronic monitor pipe sumps
Miscellaneous - Continuous electronic sensing
Piping Monitoring - Monitor dbl wall pipe space
Piping Monitoring - Mechanical line leak detector

Piping Items :
Miscellaneous Attributes - Dispenser liners
Miscellaneous Attributes - Pressurized piping system
Primary Construction - Approved synthetic material
Secondary Containment - Double wall

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.
Facility Name :	MAYFIELD CORNORS CO LLC
Facility Address :	21481 S TAMIAMI TRL, ESTERO, 33928
County :	LEE

Site Details

Facility ID :	9800466
Facility Phone :	4404779356
Facility Status :	OPEN
Facility Type :	Retail Station
Last Date in Agency List :	2021-10-07

Owner Information

Owner ID :	69531
Owner Name :	MAYFIELD CORNORS CO LLC

Map Id: D128
Direction: N
Distance: 0.215 mi., 1136 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : MAYFIELD CORNORS CO LLC | KORESHAN GAS INC
21481 S TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173788
EPA ID: N/R

UST - FL ***(cont.)***

Owner Address 1 : 1110 EUCLID AVE #300, CLEVELAND, OH 44115
Owner Address 2 : N/R
Owner Phone : 2166965442
Contact : BRIAN INTIHAR
DEP Contractor Own : P

Tank Information
Tank ID : 1
Gallons : 15000
Tank Location : UNDERGROUND
Substance : Unleaded Gas
Install Date : 1997-09-01
Status : In Service
Status Date : 1997-09-01

Construction Items :
Overfill/Spill - Tight fill
Overfill/Spill - Ball check valve
Overfill/Spill - Flow shut-Off
Overfill/Spill - Level gauges/alarms
Overfill/Spill - Spill containment bucket
Primary Construction - Steel
Secondary Containment - Double wall - tank jacket

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Miscellaneous - Electronic monitor pipe sumps
Miscellaneous - Continuous electronic sensing
Miscellaneous - Visual inspect dispenser liners
Piping Monitoring - Mechanical line leak detector
Piping Monitoring - Monitor dbl wall pipe space

Piping Items :
Miscellaneous Attributes - Pressurized piping system
Miscellaneous Attributes - Dispenser liners
Primary Construction - Approved synthetic material
Secondary Containment - Double wall

Tank Information
Tank ID : 2
Gallons : 12000
Tank Location : UNDERGROUND
Substance : Unleaded Gas
Install Date : 1997-09-01
Status : In Service
Status Date : 1997-09-01

Construction Items :
Overfill/Spill - Ball check valve
Overfill/Spill - Tight fill
Overfill/Spill - Flow shut-Off

Map Id: D128
Direction: N
Distance: 0.215 mi., 1136 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : MAYFIELD CORNORS CO LLC | KORESHAN GAS INC
21481 S TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173788
EPA ID: N/R

UST - FL ***(cont.)***

Overfill/Spill - Level gauges/alarms
Overfill/Spill - Spill containment bucket
Primary Construction - Steel
Secondary Containment - Double wall - tank jacket

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Miscellaneous - Continuous electronic sensing
Miscellaneous - Electronic monitor pipe sumps
Miscellaneous - Visual inspect dispenser liners
Piping Monitoring - Monitor dbl wall pipe space
Piping Monitoring - Mechanical line leak detector

Piping Items :
Miscellaneous Attributes - Dispenser liners
Miscellaneous Attributes - Pressurized piping system
Primary Construction - Approved synthetic material
Secondary Containment - Double wall

Tank Information

Tank ID :	3
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	1997-09-01
Status :	In Service
Status Date :	1997-09-01

Construction Items :
Overfill/Spill - Level gauges/alarms
Overfill/Spill - Tight fill
Overfill/Spill - Ball check valve
Overfill/Spill - Flow shut-Off
Overfill/Spill - Spill containment bucket
Primary Construction - Steel
Secondary Containment - Double wall - tank jacket

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Miscellaneous - Electronic monitor pipe sumps
Miscellaneous - Continuous electronic sensing
Miscellaneous - Visual inspect dispenser liners
Piping Monitoring - Monitor dbl wall pipe space
Piping Monitoring - Mechanical line leak detector

Piping Items :
Miscellaneous Attributes - Dispenser liners
Miscellaneous Attributes - Pressurized piping system
Primary Construction - Approved synthetic material
Secondary Containment - Double wall

Map Id: D128
Direction: N
Distance: 0.215 mi., 1136 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : MAYFIELD CORNORS CO LLC | KORESHAN GAS INC
21481 S TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173788
EPA ID: N/R

UST - FL ***(cont.)***

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: F129
Direction: NNW
Distance: 0.217 mi., 1144 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : 7-ELEVEN FOOD STORE #34151
24651 OLD 41ST RD
BONITA SPRINGS, FL 34133

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL]

Envirosite ID: 68173815
EPA ID: N/R

DWM CONTAM - FL

Facility Name :	7-ELEVEN FOOD STORE #34151
Facility Address :	24651 OLD 41ST RD, BONITA SPRINGS, FL 34133
County :	LEE
Score Effective Date :	2005-04-12
Score :	5
Score Ranked :	5
Rank :	14364
Facility ID :	9803198
Facility Status :	OPEN
Facility Type :	A - Retail Station
County Code :	36
District :	SD
Operator :	CATHY WISE
Phone :	(407)247-6750
Name Changed Date :	2008-07-16
Address Changed Date :	2011-08-10
Latitude Degrees :	26
Latitude Minutes :	22
Latitude Seconds :	50.6918
Longitude Degrees :	81
Longitude Minutes :	48
Longitude Seconds :	26.2747
Feature :	N/R
Method :	AGPS
Datum :	N/R
Section/Township/Range :	N/R
Related Party Begin Date :	2008-07-16
Related Party ID :	20385
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	7-ELEVEN INC.
Related Party Address 1 :	PO BOX 711, Dallas, TX 75221-711
Related Party Address 2 :	ATTN: MGR-FL REGION GAS & ENVIRN COMPL
Contact :	DAVID PETERSEN | MILEI AVILES | JENNIFER DART
Related Party Phone :	(407)403-2995
Related Party Extension :	N/R

Map Id: F129
Direction: NNW
Distance: 0.217 mi., 1144 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : 7-ELEVEN FOOD STORE #34151
24651 OLD 41ST RD
BONITA SPRINGS, FL 34133

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173815
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

EPA LUST

Facility Name :	7-ELEVEN FOOD STORE #34151
Facility Address :	24651 OLD 41ST RD, BONITA SPRINGS, Florida
County :	N/R
Facility ID :	FL9803198
LUST ID :	FL5336
Reported Date :	2004-01-26
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	91
Estimated Private Domestic Wells within 1500ft:	44
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	Yes
WHPA Public Water System and Facility ID:	FL5360025_4359750931
WHPA Water Type :	GW
WHPA Facility Type :	WL
WHPA HUC12 :	30902040106
Within Estimated 100-year Floodplain:	No
Latitude :	26.38111
Longitude :	-81.80611
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	7-ELEVEN FOOD STORE #34151
Facility Address :	24651 OLD 41ST RD, BONITA SPRINGS, Florida 34133
County :	N/R
Facility ID :	FL9803198
Facility Status :	Open UST(s)
Open USTs :	3
Closed USTs :	0
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R

Map Id: F129
Direction: NNW
Distance: 0.217 mi., 1144 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : 7-ELEVEN FOOD STORE #34151
24651 OLD 41ST RD
BONITA SPRINGS, FL 34133

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173815
EPA ID: N/R

EPA UST ***(cont.)***

Facility ID 2 :	N/R
Latitude :	26.3811111111111
Longitude :	-81.8061111111111
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL9803198-1
Tank Status :	Open
Installation Date :	2000-04-01
Removal Date :	N/R
Capacity :	15000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL9803198-2
Tank Status :	Open
Installation Date :	2000-04-01
Removal Date :	N/R
Capacity :	12000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL9803198-3
Tank Status :	Open
Installation Date :	2000-04-01
Removal Date :	N/R
Capacity :	12000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R

FA 3 - FL

Facility Name :	7-ELEVEN FOOD STORE #34151
Facility Address :	24651 OLD 41ST RD, BONITA SPRINGS, 34133
County :	LEE

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Effectivity Date :	2023-12-18
Expiration Date :	2024-12-18
Facility ID :	9803198
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	IRONSHORE SPECIALTY INSURANCE COMPANY
Facility Phone :	4072476750
Owner ID :	20385

Map Id: F129
Direction: NNW
Distance: 0.217 mi., 1144 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : 7-ELEVEN FOOD STORE #34151
24651 OLD 41ST RD
BONITA SPRINGS, FL 34133

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173815
EPA ID: N/R

FA 3 - FL ***(cont.)***

Owner Name :	7-ELEVEN INC.
Address :	PO BOX 711 ATTN: MGR-FL REGION GAS & ENVIRN COMPL, Dallas, TX 75221
Contact Name :	DAVID PETERSEN | MILEI AVILES | JENNIFER DART
Phone :	4074032995
Last Date in Agency List :	2026-06-03
Effectivity Date :	2020-12-18
Expiration Date :	2021-12-18
Facility ID :	9803198
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	IRONSHORE SPECIALTY INSURANCE CO
Facility Phone :	4072476750
Owner ID :	20385
Owner Name :	7-ELEVEN INC.
Address :	PO BOX 711 ATTN: MGR-FL REGION GAS & ENVIRN COMPL, Dallas, TX 75221
Contact Name :	DAVID PETERSEN | MILEI AVILES | JENNIFER DART
Phone :	4074032995
Last Date in Agency List :	2026-06-03
Effectivity Date :	2018-12-18
Expiration Date :	2019-12-18
Facility ID :	9803198
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	IRONSHORE SPECIALTY INSURANCE CO
Facility Phone :	4072476750
Owner ID :	20385
Owner Name :	7-ELEVEN INC.
Address :	PO BOX 711 ATTN: MGR-FL REGION GAS & ENVIRN COMPL, Dallas, TX 75221
Contact Name :	DAVID PETERSEN | MILEI AVILES | JENNIFER DART
Phone :	4074032995
Last Date in Agency List :	2026-06-03
Effectivity Date :	2017-12-18
Expiration Date :	2018-12-18
Facility ID :	9803198
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	IRONSHORE SPECIALTY INSURANCE CO
Facility Phone :	4072476750
Owner ID :	20385
Owner Name :	7-ELEVEN INC.

Map Id: F129
Direction: NNW
Distance: 0.217 mi., 1144 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : 7-ELEVEN FOOD STORE #34151
24651 OLD 41ST RD
BONITA SPRINGS, FL 34133

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173815
EPA ID: N/R

FA 3 - FL ***(cont.)***

Address :	PO BOX 711 ATTN: MGR-FL REGION GAS & ENVIRN COMPL, Dallas, TX 75221
Contact Name :	DAVID PETERSEN | MILEI AVILES | JENNIFER DART
Phone :	4074032995
Last Date in Agency List :	2026-06-03
Effectivity Date :	2016-12-18
Expiration Date :	2017-12-18
Facility ID :	9803198
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	IRONSHORE SPECIALTY INSURANCE CO
Facility Phone :	4072476750
Owner ID :	20385
Owner Name :	7-ELEVEN INC.
Address :	PO BOX 711 ATTN: MGR-FL REGION GAS & ENVIRN COMPL, Dallas, TX 75221
Contact Name :	DAVID PETERSEN | MILEI AVILES | JENNIFER DART
Phone :	4074032995
Last Date in Agency List :	2026-06-03

LUST - FL

Facility Name :	7-ELEVEN FOOD STORE #34151
Facility Address :	24651 OLD 41ST RD, BONITA SPRINGS, 34133
County :	LEE

Site Details

Facility ID :	9803198
Facility Status :	OPEN
Facility Type :	Retail Station
Phone :	4072476750
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	20385
Owner Name :	7-ELEVEN INC.
Owner Address 1 :	PO BOX 711, Dallas, TX 75221
Owner Address 2 :	ATTN: MGR-FL REGION GAS & ENVIRN COMPL
Owner Phone :	4074032995
Contact :	DAVID PETERSEN | MILEI AVILES | JENNIFER DART

Discharge Details

Discharge Date :	2004-01-26
Status Date :	2006-01-11
Status Description :	SRCR COMPLETE
DEP Code :	P

Map Id: F129
Direction: NNW
Distance: 0.217 mi., 1144 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : 7-ELEVEN FOOD STORE #34151
24651 OLD 41ST RD
BONITA SPRINGS, FL 34133

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173815
EPA ID: N/R

LUST - FL ***(cont.)***

Description :	CLEANUP REQUIRED
Score Date :	2005-04-12
Score :	5
CU Status :	N/R
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

UST - FL

Facility Name :	7-ELEVEN FOOD STORE #34151
Facility Address :	24651 OLD 41ST RD, BONITA SPRINGS, 34133
County :	LEE

Site Details

Facility ID :	9803198
Facility Phone :	4072476750
Facility Status :	OPEN
Facility Type :	Retail Station
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	20385
Owner Name :	7-ELEVEN INC.
Owner Address 1 :	PO BOX 711, Dallas, TX 75221
Owner Address 2 :	ATTN: MGR-FL REGION GAS & ENVIRN COMPL
Owner Phone :	4074032995
Contact :	DAVID PETERSEN | MILEI AVILES | JENNIFER DART
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	15000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	2000-04-01
Status :	In Service
Status Date :	2000-04-01
Construction Items :	Overfill/Spill - Flow shut-Off Overfill/Spill - Level gauges/alarms Overfill/Spill - Tight fill Overfill/Spill - Spill containment bucket Primary Construction - Fiberglass clad steel Secondary Containment - Double wall - tank jacket

Map Id: F129
Direction: NNW
Distance: 0.217 mi., 1144 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : 7-ELEVEN FOOD STORE #34151
24651 OLD 41ST RD
BONITA SPRINGS, FL 34133

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173815
EPA ID: N/R

UST - FL ***(cont.)***

Monitoring Items :
Internal Tk Monitoring - Automatic tank gauging - USTs
Internal Tk Monitoring - Monitor dbl wall tank space
Miscellaneous - Visual inspect pipe sumps
Miscellaneous - Visual inspect dispenser liners
Miscellaneous - Continuous electronic sensing
Miscellaneous - Electronic monitor pipe sumps
Piping Monitoring - Electronic line leak detector
Piping Monitoring - Monitor dbl wall pipe space

Piping Items :
Miscellaneous Attributes - Pressurized piping system
Miscellaneous Attributes - Dispenser liners
Primary Construction - Fiberglass
Secondary Containment - Double wall

Tank Information
Tank ID : 2
Gallons : 12000
Tank Location : UNDERGROUND
Substance : Unleaded Gas
Install Date : 2000-04-01
Status : In Service
Status Date : 2000-04-01

Construction Items :
Overfill/Spill - Tight fill
Overfill/Spill - Spill containment bucket
Overfill/Spill - Flow shut-Off
Overfill/Spill - Level gauges/alarms
Primary Construction - Fiberglass clad steel
Secondary Containment - Double wall - tank jacket

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Internal Tk Monitoring - Automatic tank gauging - USTs
Miscellaneous - Electronic monitor pipe sumps
Miscellaneous - Continuous electronic sensing
Miscellaneous - Visual inspect dispenser liners
Miscellaneous - Visual inspect pipe sumps
Piping Monitoring - Monitor dbl wall pipe space
Piping Monitoring - Electronic line leak detector

Piping Items :
Miscellaneous Attributes - Dispenser liners
Miscellaneous Attributes - Pressurized piping system
Primary Construction - Fiberglass
Secondary Containment - Double wall

Tank Information
Tank ID : 3
Gallons : 12000
Tank Location : UNDERGROUND

Map Id: F129
Direction: NNW
Distance: 0.217 mi., 1144 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : 7-ELEVEN FOOD STORE #34151
24651 OLD 41ST RD
BONITA SPRINGS, FL 34133

Database(s) : [DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173815
EPA ID: N/R

UST - FL ***(cont.)***

Substance :	Vehicular Diesel
Install Date :	2000-04-01
Status :	In Service
Status Date :	2000-04-01
Construction Items :	Overfill/Spill - Tight fill Overfill/Spill - Level gauges/alarms Overfill/Spill - Spill containment bucket Overfill/Spill - Flow shut-Off Primary Construction - Fiberglass clad steel Secondary Containment - Double wall - tank jacket
Monitoring Items :	Internal Tk Monitoring - Monitor dbl wall tank space Internal Tk Monitoring - Automatic tank gauging - USTs Miscellaneous - Continuous electronic sensing Miscellaneous - Visual inspect dispenser liners Miscellaneous - Electronic monitor pipe sumps Miscellaneous - Visual inspect pipe sumps Piping Monitoring - Monitor dbl wall pipe space Piping Monitoring - Electronic line leak detector
Piping Items :	Miscellaneous Attributes - Pressurized piping system Miscellaneous Attributes - Dispenser liners Primary Construction - Fiberglass Secondary Containment - Double wall
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: A130
Direction: SSE
Distance: 0.218 mi., 1150 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : LEE COUNTY - NAPLES DOG TRACK SITE
28191 OLD 41 RD.
BONITA SPRINGS, FL 34135

Database(s) : [SWF/LF - FL]

Envirosite ID: 68173856
EPA ID: N/R

SWF/LF - FL

Facility Name :	LEE COUNTY - NAPLES DOG TRACK SITE
Facility Address :	28191 OLD 41 RD., BONITA SPRINGS, FL 34135
County :	LEE

Site Details

Facility ID :	98005
Class :	DISASTER DEBRIS MANAGEMENT SITE

Map Id: A130
Direction: SSE
Distance: 0.218 mi., 1150 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : LEE COUNTY - NAPLES DOG TRACK SITE
28191 OLD 41 RD.
BONITA SPRINGS, FL 34135

Database(s) : [SWF/LF - FL] ***(cont.)***

Envirosite ID: 68173856
EPA ID: N/R

SWF/LF - FL ***(cont.)***

Class Type :	910
Class Status :	PRE-AUTHORIZED (B)
Test Site Data :	TestSite Inventory Report, TestSite Result Report
Detail :	Facility Activities, Documents in OCULUS
District :	SD
Section/Township/Range :	N/R
Responsible Authority Name :	N/R
Responsible Authority Address :	N/R
Responsible Authority Phone Number :	N/R
Responsible Authority Email Address :	N/R
Land Owner Name :	N/R
Land Owner Address :	N/R
Land Owner Phone Number :	N/R
Site Supervisor Name :	N/R
Site Supervisor Address :	N/R
Site Supervisor Phone Number :	N/R
Site Supervisor Email Address :	N/R
Latitude :	26.329056
Longitude :	81.779889
Last Date in Agency List :	2024-05-14

Map Id: G131
Direction: N
Distance: 0.222 mi., 1173 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : Coconut Point Ford
23106 Fashion Dr
Estero, FL 33928

Database(s) : [ALT FUELING]

Envirosite ID: 68173789
EPA ID: N/R

ALT FUELING

Facility Name :	Coconut Point Ford
Facility Address :	23106 Fashion Dr, Estero, FL 33928
ID Number :	416873
Date Last Confirmed :	2025-07-25
Status :	Open: The station is open.
Station Phone :	1-888-357-1009
Expected Date :	N/R
Groups With Access Code :	Public
Access Days Time :	Mon: 8:00am-7:00pm; Tue: 8:00am-7:00pm; Wed: 8:00am-7:00pm; Thu: 8:00am-7:00pm; Fri: 8:00am-7:00pm; Sat: 8:00am-6:00pm
Cards Accepted :	N/R
Date Updated :	2025-07-25 04:56:48
BD Blends :	N/R
Open Date :	2025-06-16
Fuel Type :	Electric
NG Fill Type :	N/R
NG PSI :	N/R
EV Level 1 EVSE Number :	N/R

Map Id: G131
Direction: N
Distance: 0.222 mi., 1173 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : Coconut Point Ford
23106 Fashion Dr
Estero, FL 33928

Database(s) : [ALT FUELING] ***(cont.)***

Envirosite ID: 68173789
EPA ID: N/R

ALT FUELING ***(cont.)***

EV Level 2 EVSE Number :	N/R
EV DC Fast Count :	4
EV Other Information :	N/R
EV Network :	FORD_CHARGE
EV Network Website :	Click here for hyperlink provided by the agency.
Hydrogen Status Link :	N/R
NG Vehicle Class :	N/R
LPG Primary :	N/R
E85 Blender Pump :	N/R
EV Connector Types :	J1772COMBO
Hydrogen is Retail :	N/R
Access Code :	public
Access Detail Code :	N/R
Intersection Directions :	N/R
Geocode Status :	GPS
Geocode Status Description :	The location is from a real GPS readout at the station.
Owner Type :	N/R
Federal Agency ID :	N/R
Federal Agency Name :	N/R
Facility Type :	PUBLIC
CNG Dispenser Num :	N/R
CNG On-Site Renewable Source :	N/R
CNG Total Compression Capacity :	N/R
CNG Storage Capacity :	N/R
LNG On-Site Renewable Source :	N/R
E85 Other Ethanol Blends :	N/R
EV Pricing :	N/R
LPG Nozzle Types :	N/R
Hydrogen Pressures :	N/R
Hydrogen Standards :	N/R
CNG Fill Type :	N/R
CNG PSI :	N/R
CNG Vehicle Class :	N/R
LNG Vehicle Class :	N/R
Latitude :	26.403896
Longitude :	-81.807261
EV On-Site Renewable Source :	N/R
Last Date in Agency List :	2025-12-11

Map Id: F132
Direction: NNW
Distance: 0.223 mi., 1177 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : GULF SHUTTER SYSTEMS INC
24430 PRODUCTION CIRCLE
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN]

Envirosite ID: 68173813
EPA ID: FLD982171431

ECHO

Facility Name :	GULF SHUTTER SYSTEMS INC
Facility Address :	24430 PRODUCTION CIRCLE, BONITA SPRINGS, FL 34135
County :	LEE

Map Id: F132
Direction: NNW
Distance: 0.223 mi., 1177 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : GULF SHUTTER SYSTEMS INC
24430 PRODUCTION CIRCLE
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173813
EPA ID: FLD982171431

ECHO ***(cont.)***

Last Inspection Date :	1991-12-03
Registry ID :	110007434650
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	12367
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	FACILITY/MONITORING SITE BOUNDARY POINT
Accuracy Meters :	5
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503081046
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	1991-12-03
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R

Map Id: F132
Direction: NNW
Distance: 0.223 mi., 1177 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : GULF SHUTTER SYSTEMS INC
24430 PRODUCTION CIRCLE
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173813
EPA ID: FLD982171431

ECHO ***(cont.)***

Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.38572
Longitude :	-81.806761
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	GULF SHUTTER SYSTEMS INC
Facility Address :	24430 PRODUCTION CIRCLE, BONITA SPRINGS, FL 34135
County :	LEE

Site Details

Registry ID :	110007434650
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

Map Id: F132
Direction: NNW
Distance: 0.223 mi., 1177 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : GULF SHUTTER SYSTEMS INC
24430 PRODUCTION CIRCLE
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173813
EPA ID: FLD982171431

FRS ***(cont.)***

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 60668 RCRAINFO - FLD982171431

RCRA NONGEN

Facility Name :	GULF SHUTTER SYSTEMS INC
Facility Address :	24430 PRODUCTION CIR, BONITA SPRINGS, FL 34135-7059
County :	LEE
Date Form Received by Agency :	2011-12-21
EPA ID :	FLD982171431
Mailing Address :	24430 PRODUCTION CIRCLE, BONITA SPRINGS, FL 33959
Contact :	BRUCE SIJAN
Contact Address :	24430 PRODUCTION CIRCLE, BONITA SPRINGS, FL 33959
Contact Country :	US
Contact Telephone :	941-992-8131
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	N/R
Owner/Operator Address :	N/R
Owner/Operator Country :	N/R
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	N/R
Owner/Operator Type :	N/R
Owner/Operator Start Date :	N/R
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N

Map Id: F132
Direction: NNW
Distance: 0.223 mi., 1177 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : GULF SHUTTER SYSTEMS INC
24430 PRODUCTION CIRCLE
BONITA SPRINGS, FL

Database(s) : [ECHO, FRS, RCRA NONGEN] ***(cont.)***

Envirosite ID: 68173813
EPA ID: FLD982171431

RCRA NONGEN ***(cont.)***

Used Oil Transporter : N

Historical Generators
Date Form Received by Agency : 1989-01-26
Facility Name : GULF SHUTTER SYSTEMS INC
Classification : Small Quantity Generator

Notices of Violations Summary
Regulation Violated : N

Evaluation Action Summary
Evaluation Date : 1991-12-03
Evaluation : COMPLIANCE EVALUATION INSPECTION
Area of Violation : N/R
Date Achieved Compliance : N/R
Evaluation Lead Agency : State

Map Id: D133
Direction: N
Distance: 0.235 mi., 1242 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : ESTERO BAY PRESERVE STATE PARK |
STATE PARK-KORESHAN
US 41 AND CORKSCREW RD
ESTERO, FL 33928

Database(s) : [AST - FL, ECHO, FRS, RCRA VSQG]

Envirosite ID: 1741306
EPA ID: N/R

AST - FL

Facility Name : STATE PARK-KORESHAN
Facility Address : US 41 & CORKSCREW RD, ESTERO, 33928
County : LEE

Site Details
Facility ID : 8943398
Facility Phone : 8139920311
Facility Status : CLOSED
Facility Type : G
Type Description : State Government
Last Date in Agency List : 2026-05-06

Map Id: D133
Direction: N
Distance: 0.235 mi., 1242 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : ESTERO BAY PRESERVE STATE PARK | STATE PARK-KORESHAN
US 41 AND CORKSCREW RD
ESTERO, FL 33928

Database(s) : [AST - FL, ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 1741306
EPA ID: N/R

AST - FL ***(cont.)***

Owner Information

Owner ID :	7309
Owner Name :	FL DEPT OF ENVIRONMENTAL PROTECTION
Owner Address 1 :	N/R
Owner Address 2 :	N/R
Owner Phone :	3054511202
Contact :	DIR OF PARK OPERATIONS
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	1000
Tank Location :	ABOVEGROUND
Substance :	Unknown/Not Reported
Install Date :	N/R
Status :	Removed from Site
Status Date :	1989-05-31

Tank ID :	2
Gallons :	500
Tank Location :	ABOVEGROUND
Substance :	Unknown/Not Reported
Install Date :	N/R
Status :	Removed from Site
Status Date :	1989-05-31

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

ECHO

Facility Name :	ESTERO BAY PRESERVE STATE PARK
Facility Address :	US 41 AND CORKSCREW RD, ESTERO, FL 33928
County :	LEE
Last Inspection Date :	2007-09-11
Registry ID :	110032648464
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	6606
Informal Count :	0
Last Informal Action Date :	2007-09-25
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0

Map Id: D133
Direction: N
Distance: 0.235 mi., 1242 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : ESTERO BAY PRESERVE STATE PARK | STATE PARK-KORESHAN
US 41 AND CORKSCREW RD
ESTERO, FL 33928

Database(s) : [AST - FL, ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 1741306
EPA ID: N/R

ECHO ***(cont.)***

Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ZIP+2 CENTROID
Reference Point :	POINT WHERE WATER OR OTHER SUBSTANCE COULD BE DRAWN FROM ENVIRONMENT FOR DELIVERY TO A FACILITY OR DISTRIBUTION SYSTEM (SUBSTANCE DESTINATION COULD RANGE FROM A SINGLE RESIDENCE TO A LARGE FACILITY)
Accuracy Meters :	6000
Derived Tribes :	Seminole Tribe of Florida - 24 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040103
Derived STCTY FIPS :	12071
Derived Zip :	33928
Derived CD113 :	19
Derived CB2010 :	120710503061029
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	721214 - Recreational and Vacation Camps (except Campgrounds)
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2007-09-11
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2007-09-25
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R

Map Id: D133
Direction: N
Distance: 0.235 mi., 1242 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : ESTERO BAY PRESERVE STATE PARK | STATE PARK-KORESHAN
US 41 AND CORKSCREW RD
ESTERO, FL 33928

Database(s) : [AST - FL, ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 1741306
EPA ID: N/R

ECHO ***(cont.)***

AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.433352
Longitude :	-81.799121
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	ESTERO BAY PRESERVE STATE PARK
Facility Address :	US 41 AND CORKSCREW RD, ESTERO, FL 33928
County :	LEE

Site Details

Registry ID :	110032648464
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 81618 RCRAINFO - FLR000141382

Map Id: D133
Direction: N
Distance: 0.235 mi., 1242 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : ESTERO BAY PRESERVE STATE PARK | STATE PARK-KORESHAN
US 41 AND CORKSCREW RD
ESTERO, FL 33928

Database(s) : [AST - FL, ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 1741306
EPA ID: N/R

RCRA VSQG

Facility Name :	ESTERO BAY PRESERVE STATE PARK
Facility Address :	US 41 AND CORKSCREW RD, ESTERO, FL 33928-0000
County :	LEE
Date Form Received by Agency :	2007-09-11
EPA ID :	FLR000141382
Mailing Address :	PO BOX 7 US 41 AND CORKSCREW RD, ESTERO, FL 33928-0007
Contact :	ROBERT BAKER
Contact Address :	PO BOX 7, ESTERO, FL 33928-0007
Contact Country :	US
Contact Telephone :	239-992-0311
Contact Email :	ROBERT.BAKER@DEP.STATE.FL.US
EPA Region :	04
Land Type :	State
Source Type :	Implementer
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2026-05-05

Owner/Operator Summary

Owner/Operator Name :	STATE OF FLORIDA
Owner/Operator Address :	3900 COMMONWEALTH BLVD, TALLAHASSEE, FL 32399-6515
Owner/Operator Country :	US
Owner/Operator Telephone :	561-691-7050
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	State
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2007-09-11
Owner/Operator End Date :	N/R

Owner/Operator Name :	STATE OF FLORIDA
Owner/Operator Address :	3900 COMMONWEALTH BLVD, TALLAHASSEE, FL 32399-6515
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner

Map Id: D133
Direction: N
Distance: 0.235 mi., 1242 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : ESTERO BAY PRESERVE STATE PARK | STATE PARK-KORESHAN
US 41 AND CORKSCREW RD
ESTERO, FL 33928

Database(s) : [AST - FL, ECHO, FRS, RCRA VSQG] ***(cont.)***

Envirosite ID: 1741306
EPA ID: N/R

RCRA VSQG ***(cont.)***

Owner/Operator Start Date :	2007-09-11
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Notices of Violations Summary

Regulation Violated :	N

Evaluation Action Summary

Evaluation Date :	2007-09-11
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Map Id: G134
Direction: NNW
Distance: 0.238 mi., 1255 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY | FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
8440 MURANO DEL LAGO DR
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG]

Envirosite ID: 68173866
EPA ID: N/R

ECHO

Facility Name :	FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY
Facility Address :	8440 MURANO DEL LAGO DR, ESTERO, FL 34135
County :	N/R
Last Inspection Date :	N/R
Registry ID :	110070686393
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	50
Derived Tribes :	Seminole Tribe of Florida - 24.2 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503081037
MYRTK Universe :	NNN
NPDES IDs :	FLR10TG96
CWA Permit Types :	Minor
CWA Compliance Tracking :	On
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation Identified
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	_____
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R

Map Id: G134
Direction: NNW
Distance: 0.238 mi., 1255 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY | FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
8440 MURANO DEL LAGO DR
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173866
EPA ID: N/R

ECHO ***(cont.)***

DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.392234
Longitude :	-81.808734
Last Date in Agency List :	2020-12-31

Facility Name :	FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY
Facility Address :	8440 MURANO DEL LAGO DR, ESTERO, FL 34135-8615
County :	N/R

Last Inspection Date :	N/R
Registry ID :	N/R
FIPS Code :	N/R
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified

Map Id: G134
Direction: NNW
Distance: 0.238 mi., 1255 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY | FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
8440 MURANO DEL LAGO DR
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173866
EPA ID: N/R

ECHO ***(cont.)***

Three-Year Compliance Status :	_____
Collection Method :	Zip Code Centroid
Reference Point :	N/R
Accuracy Meters :	10000
Derived Tribes :	N/R
Derived HUC :	N/R
Derived WBD :	N/R
Derived STCTY FIPS :	N/R
Derived Zip :	N/R
Derived CD113 :	N/R
Derived CB2010 :	N/R
MYRTK Universe :	NNN
NPDES IDs :	FLR10TG96
CWA Permit Types :	Minor
CWA Compliance Tracking :	On
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation Identified
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	_____
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N

Map Id: G134
Direction: NNW
Distance: 0.238 mi., 1255 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY | FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
8440 MURANO DEL LAGO DR
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173866
EPA ID: N/R

ECHO ***(cont.)***

GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N/R
Latitude :	26.370304
Longitude :	-81.777213
Last Date in Agency List :	2020-02-10
Facility Name :	FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY
Facility Address :	8440 MURANO DEL LAGO DR, ESTERO, FL 34135
County :	LEE
Last Inspection Date :	N/R
Registry ID :	110070686393
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	50
Derived Tribes :	Seminole Tribe of Florida - 24.2 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503081037
MYRTK Universe :	NNN
NPDES IDs :	FLR10TG96
CWA Permit Types :	Minor
CWA Compliance Tracking :	On
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R

Map Id: G134
Direction: NNW
Distance: 0.238 mi., 1255 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY | FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
8440 MURANO DEL LAGO DR
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173866
EPA ID: N/R

ECHO ***(cont.)***

CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation Identified
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	_____
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	621112 - Offices of Physicians, Mental Health Specialists
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.392234
Longitude :	-81.808734
Last Date in Agency List :	2023-01-16

Facility Name :	FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
Facility Address :	8440 MURANO DEL LAGO DR, ESTERO, FL 34135
County :	LEE

Last Inspection Date :	N/R
Registry ID :	110070686393
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R

Map Id: G134
Direction: NNW
Distance: 0.238 mi., 1255 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY | FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
8440 MURANO DEL LAGO DR
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173866
EPA ID: N/R

ECHO ***(cont.)***

Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	50
Derived Tribes :	Seminole Tribe of Florida - 24.2 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503081037
MYRTK Universe :	NNN
NPDES IDs :	FLR10TG96
CWA Permit Types :	Minor
CWA Compliance Tracking :	On
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation Identified
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	_____
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	621112 - Offices of Physicians, Mental Health Specialists
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N

Map Id: G134
Direction: NNW
Distance: 0.238 mi., 1255 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY | FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
8440 MURANO DEL LAGO DR
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173866
EPA ID: N/R

ECHO ***(cont.)***

Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.392234
Longitude :	-81.808734
Last Date in Agency List :	2023-07-21
Facility Name :	FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
Facility Address :	8440 MURANO DEL LAGO DR, ESTERO, FL 34135-8615
County :	LEE
Last Inspection Date :	N/R
Registry ID :	N/R
FIPS Code :	N/R
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	Zip Code Centroid
Reference Point :	N/R
Accuracy Meters :	10000
Derived Tribes :	N/R
Derived HUC :	N/R
Derived WBD :	N/R
Derived STCTY FIPS :	N/R
Derived Zip :	N/R
Derived CD113 :	N/R
Derived CB2010 :	N/R
MYRTK Universe :	NNN
NPDES IDs :	N/R

Map Id: G134
Direction: NNW
Distance: 0.238 mi., 1255 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY | FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
8440 MURANO DEL LAGO DR
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173866
EPA ID: N/R

ECHO ***(cont.)***

CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	621112 - Offices of Physicians, Mental Health Specialists
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.370304
Longitude :	-81.777213
Last Date in Agency List :	2021-04-16

Facility Name :	FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE LLC
Facility Address :	8440 MURANO DEL LAGO DR, ESTERO, FL 34135
County :	LEE

Map Id: G134
Direction: NNW
Distance: 0.238 mi., 1255 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY | FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
8440 MURANO DEL LAGO DR
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173866
EPA ID: N/R

ECHO ***(cont.)***

Last Inspection Date :	N/R
Registry ID :	110070686393
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____U_
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	50
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34135
Derived CD113 :	19
Derived CB2010 :	120710503081037
MYRTK Universe :	NNN
NPDES IDs :	FLR10TG96
CWA Permit Types :	Non-M
CWA Compliance Tracking :	Off
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	Terminated Permit
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	_____U
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	621112 - Offices of Physicians, Mental Health Specialists
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R

Map Id: G134
Direction: NNW
Distance: 0.238 mi., 1255 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY | FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
8440 MURANO DEL LAGO DR
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173866
EPA ID: N/R

ECHO ***(cont.)***

Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.392234
Longitude :	-81.808734
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY
Facility Address :	8440 MURANO DEL LAGO DR, ESTERO, FL 34135-8615
County :	LEE

Site Details

Registry ID :	110070686393
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2023-02-13

Source Description

Source Description :

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

Map Id: G134
Direction: NNW
Distance: 0.238 mi., 1255 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY | FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
8440 MURANO DEL LAGO DR
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173866
EPA ID: N/R

FRS ***(cont.)***

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	ICIS - FLR10TG96 RCRAINFO - FLR000240291
Facility Name :	FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
Facility Address :	8440 MURANO DEL LAGO DR, ESTERO, FL 34135-8615
County :	LEE

Site Details

Registry ID :	110070686393
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2024-05-20

Source Description

Source Description :

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

Map Id: G134
Direction: NNW
Distance: 0.238 mi., 1255 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY | FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
8440 MURANO DEL LAGO DR
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173866
EPA ID: N/R

FRS ***(cont.)***

FRS Environmental Interest

Source and System ID :	ICIS - FLR10TG96 RCRAINFO - FLR000240291
Facility Name :	FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE LLC
Facility Address :	8440 MURANO DEL LAGO DR, ESTERO, FL 34135-8615
County :	LEE

Site Details

Registry ID :	110070686393
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	ICIS - FLR10TG96 RCRAINFO - FLR000240291

ICIS

Facility Name :	FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY
Facility Address :	8440 MURANO DEL LAGO DR, ESTERO, FL 34135-8615

Map Id: G134
Direction: NNW
Distance: 0.238 mi., 1255 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY | FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
8440 MURANO DEL LAGO DR
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173866
EPA ID: N/R

ICIS ***(cont.)***

Site Details

NPDES ID :	FLR10TG96
ICIS Facility Interest ID :	3601159595
Facility UIN :	110070686393
Facility Type Code :	Privately Owned Facility
Impaired Waters :	303(D) Listed
Latitude :	26.392234
Longitude :	-81.808734
Last Date in Agency List :	2025-12-15

INACTIVE PCS

Issue Date :	2020-01-12
Original Issue Date :	2020-01-12
Effective Date :	2020-01-12
Expiration Date :	2025-01-11
Retirement Date :	N/R
Termination Date :	2025-04-26
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3602086983
External Permit Number :	FLR10TG96
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Terminated
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Precise Construction, Inc
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR100000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2025-12-17

MANIFEST EPA

Manifest Details

Manifest Number :	026687729JJK
Shipped Date :	2025-02-24
Updated Date :	2025-03-17
Received Date :	2025-03-04
Status :	Signed
Generator ID :	FLR000240291
Generator Name :	FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE LLC
Generator Address :	8440 MURANO DEL LAGO DR, ESTERO, FL 34135-8615
Generator Mailing :	8440 MURANO DEL LAGO DR, ESTERO, FL 34135-8615
Generator Contact :	N/R
Destination ID :	FLD980559728

Map Id: G134
Direction: NNW
Distance: 0.238 mi., 1255 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY | FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
8440 MURANO DEL LAGO DR
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173866
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Destination Name :	TRIUMVIRATE ENVIRONMENTAL (ORLANDO) INC.
Destination Mailing :	10100 ROCKET BOULEVARD, ORLANDO, FL 32824
Destination Address :	10100 ROCKET BOULEVARD, ORLANDO, FL 32824
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN3248
DOT Information :	UN3248, Waste Medicine, liquid, flammable, toxic, n.o.s. (Ethanol, Mitomycin), 3(6.1), II
Non Waste Description :	N/R
Quantity :	90 Pounds
Quantity Tons, Acute, Non-Acute :	0.045, 0, 0.045
Quantity Kg, Acute, Non-Acute :	0, 40.81635
Quantity Tons, Haz, Non-Haz :	0.045, 0
Quantity Kg, Haz, Non-Haz :	40.81635, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	PHARMS
State Code :	N/R

Manifest Details

Manifest Number :	026687730JJK
Shipped Date :	2025-02-24
Updated Date :	2025-03-24
Received Date :	2025-03-04
Status :	Signed
Generator ID :	FLR000240291
Generator Name :	FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE LLC
Generator Address :	8440 MURANO DEL LAGO DR, ESTERO, FL 34135-8615
Generator Mailing :	8440 MURANO DEL LAGO DR, ESTERO, FL 34135-8615
Generator Contact :	N/R
Destination ID :	ALD981020894
Destination Name :	CLEAN EARTH OF ALABAMA, INC.
Destination Mailing :	402 WEBSTER CHAPEL ROAD, GLENCOE, AL 35905
Destination Address :	402 WEBSTER CHAPEL ROAD, GLENCOE, AL 35905
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N

Map Id: G134
Direction: NNW
Distance: 0.238 mi., 1255 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY | FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
8440 MURANO DEL LAGO DR
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173866
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1230
DOT Information :	UN1230, Waste Methanol SOLUTION, 3,(6.1) PG II
Non Waste Description :	N/R
Quantity :	5 Gallons
Quantity Tons, Acute, Non-Acute :	0.02085, 0, 0.02085
Quantity Kg, Acute, Non-Acute :	0, 18.9115755
Quantity Tons, Haz, Non-Haz :	0.02085, 0
Quantity Kg, Haz, Non-Haz :	18.9115755, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, F003
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1791
DOT Information :	UN1791, Waste Hypochlorite solutions, 8, PG II
Non Waste Description :	N/R
Quantity :	5 Gallons
Quantity Tons, Acute, Non-Acute :	0.02085, 0, 0.02085
Quantity Kg, Acute, Non-Acute :	0, 18.9115755
Quantity Tons, Haz, Non-Haz :	0.02085, 0
Quantity Kg, Haz, Non-Haz :	18.9115755, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R

Manifest Details

Manifest Number :	026686642JJK
Shipped Date :	2024-08-26
Updated Date :	2024-09-26
Received Date :	2024-09-10
Status :	Signed
Generator ID :	FLR000240291
Generator Name :	FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE LLC
Generator Address :	8440 MURANO DEL LAGO DR, ESTERO, FL 34135-8615
Generator Mailing :	8440 MURANO DEL LAGO DR, ESTERO, FL 34135-8615
Generator Contact :	N/R
Destination ID :	ALD981020894
Destination Name :	CLEAN EARTH OF ALABAMA, INC.
Destination Mailing :	402 WEBSTER CHAPEL ROAD, GLENCOE, AL 35905

Map Id: G134
Direction: NNW
Distance: 0.238 mi., 1255 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY | FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
8440 MURANO DEL LAGO DR
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173866
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Destination Address :	402 WEBSTER CHAPEL ROAD, GLENCOE, AL 35905
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1230
DOT Information :	UN1230, Waste Methanol Solution, 3 (6.1), PG II
Non Waste Description :	N/R
Quantity :	5 Gallons
Quantity Tons, Acute, Non-Acute :	0.02085, 0, 0.02085
Quantity Kg, Acute, Non-Acute :	0, 18.9115755
Quantity Tons, Haz, Non-Haz :	0.02085, 0
Quantity Kg, Haz, Non-Haz :	18.9115755, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, F003
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1791
DOT Information :	UN1791, Waste Hypochlorite solution, 8, PG II
Non Waste Description :	N/R
Quantity :	5 Gallons
Quantity Tons, Acute, Non-Acute :	0.02085, 0, 0.02085
Quantity Kg, Acute, Non-Acute :	0, 18.9115755
Quantity Tons, Haz, Non-Haz :	0.02085, 0
Quantity Kg, Haz, Non-Haz :	18.9115755, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R

Manifest Details

Manifest Number :	023006352JJK
Shipped Date :	2022-02-15
Updated Date :	2022-04-01
Received Date :	2022-03-15
Status :	Signed
Generator ID :	FLR000240291
Generator Name :	FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
Generator Address :	8440 MURANO DEL LAGO DR, ESTERO, FL 34135-8615

Map Id: G134
Direction: NNW
Distance: 0.238 mi., 1255 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY | FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
8440 MURANO DEL LAGO DR
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173866
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Generator Mailing :	8440 MURANO DEL LAGO DR, ESTERO, FL 34135-8615
Generator Contact :	N/R
Destination ID :	ALD981020894
Destination Name :	CLEAN EARTH OF ALABAMA, INC.
Destination Mailing :	402 WEBSTER CHAPEL ROAD, GLENCOE, AL 35905
Destination Address :	402 WEBSTER CHAPEL ROAD, GLENCOE, AL 35905
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1230
DOT Information :	UN1230, Waste Methanol, 3, PG II, RQ
Non Waste Description :	N/R
Quantity :	5 Gallons
Quantity Tons, Acute, Non-Acute :	0.020850709, 0, 0.020850709
Quantity Kg, Acute, Non-Acute :	0, 18.912218
Quantity Tons, Haz, Non-Haz :	0.020850709, 0
Quantity Kg, Haz, Non-Haz :	18.912218, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, F003
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1791
DOT Information :	UN1791, Waste Hypochlorite solutions, 8, PG II, RQ
Non Waste Description :	N/R
Quantity :	5 Gallons
Quantity Tons, Acute, Non-Acute :	0.020850709, 0, 0.020850709
Quantity Kg, Acute, Non-Acute :	0, 18.912218
Quantity Tons, Haz, Non-Haz :	0.020850709, 0
Quantity Kg, Haz, Non-Haz :	18.912218, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R

NPDES - FL

Facility Name :	Florida Cancer Specialists new treatment Facility
Facility Address :	8440 Murano Del Lago Dr, Estero
County :	LEE

Map Id: G134
Direction: NNW
Distance: 0.238 mi., 1255 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY | FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
8440 MURANO DEL LAGO DR
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173866
EPA ID: N/R

NPDES - FL ***(cont.)***

Site Details

Issue Date :	2020-01-12
Effective Date :	N/R
Expiration Date :	2025-01-11
Facility ID :	FLR10TG96
Facility Type :	Construction Stormwater GP
Status :	Active
NPDES :	N/R
Company Name :	Precise Construction, Inc
Document Description :	Generic Permit
Nature of Business :	N/R
Ownership Type :	Private
Treatment Process Summary :	N/R
Department Office :	Tallahassee NPDES Stormwater
Capacity (MGD) :	4.5
DW Class :	N/R
Last Date in Agency List :	2025-02-12

Related Party Details

Related Party Name :	Michael Firminger
Related Party Address :	5026 Trenton St, Tampa FL 33619-6832
Related Party Address 2 :	-
Related Party Phone :	8135237694
Related Party Email :	michael.firminger@preciseconstruction.com

PCS FACILITY

Issue Date :	2020-01-12
Original Issue Date :	2020-01-12
Effective Date :	2020-01-12
Expiration Date :	2025-01-11
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3602086983
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Administratively Continued
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Precise Construction, Inc
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR100000
TMDL Interface :	N/R
EDMR Authorization :	N

Map Id: G134
Direction: NNW
Distance: 0.238 mi., 1255 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY | FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
8440 MURANO DEL LAGO DR
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173866
EPA ID: N/R

PCS FACILITY ***(cont.)***

Pretreatment Indicator :	N/R
Last Date in Agency List :	2025-09-04

RCRA VSQG

Facility Name :	FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE LLC
Facility Address :	8440 MURANO DEL LAGO DR, ESTERO, FL 34135-8615
County :	LEE
Date Form Received by Agency :	2023-11-07
EPA ID :	FLR000240291
Mailing Address :	8440 MURANO DEL LAGO DR, ESTERO, FL 34135-8615
Contact :	AMANDA FIELDS
Contact Address :	2890 CENTER POINTE DR, FT MYERS, FL 33916-0000
Contact Country :	US
Contact Telephone :	239-274-8200
Contact Email :	REGULATORYLICENSING@FLCANCER.COM
EPA Region :	04
Land Type :	Private
Source Type :	Notification
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	ESTERO RANCH LLC
Owner/Operator Address :	4371 VERONICA S SHOEMAKER BLVD, FT MYERS, FL 33916-0000
Owner/Operator Country :	US
Owner/Operator Telephone :	239-274-6062
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2019-12-18
Owner/Operator End Date :	N/R

Map Id: G134
Direction: NNW
Distance: 0.238 mi., 1255 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY | FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
8440 MURANO DEL LAGO DR
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173866
EPA ID: N/R

RCRA VSQG ***(cont.)***

Owner/Operator Name :	FLORIDA CANCER SPECIALISTS & RESEARCH IN
Owner/Operator Address :	4371 VERONICA S SHOEMAKER BLVD, FORT MYERS, FL 33916-2216
Owner/Operator Country :	US
Owner/Operator Telephone :	239-274-8200
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2019-12-18
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N/R
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	2020-12-11
Facility Name :	FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
Classification :	Very Small Quantity Generator

Hazardous Waste Summary

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Waste Code / Name :	D001 - IGNITABLE WASTE D004 - ARSENIC P012 - ARSENIC OXIDE AS2O3 (OR) ARSENIC TRIOXIDE U010 - AZIRINO [2',3':3,4]PYRROLO[1,2-A]INDOLE-4,7-DIONE, 6-AMINO-8-[[(AMINOCARBONYL)OXY]METHYL]-1,1A,2,8,8A,8B-HEXAHYDRO-8A-METHOXY-5-METHYL-, [1AS-(1AALPHA, 8BETA, 8AALPHA, 8BALPHA)]-(OR) MITOMYCIN C

Map Id: G134
Direction: NNW
Distance: 0.238 mi., 1255 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : FLORIDA CANCER SPECIALISTS NEW TREATMENT FACILITY | FLORIDA CANCER SPECIALISTS & RESEARCH INSTITUTE
8440 MURANO DEL LAGO DR
ESTERO | Estero, FL

Database(s) : [ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG] ***(cont.)***

Envirosite ID: 68173866
EPA ID: N/R

RCRA VSQG ***(cont.)***

U035 - BENZENEBUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) CHLORAMBUCIL
U058 - 2H-1,3,2-OXAZAPHOSPHORIN-2-AMINE, N,N-BIS(2-CHLOROETHYL) TETRAHYDRO-, 2-OXIDE (OR) CYCLOPHOSPHAMIDE
U059 - 5,12-NAPHTHACENEDIONE, 8-ACETYL-10-[(3-AMINO-2,3,6-TRIDEOXY)-ALPHA-L-LYXO-HEXOPYRANOSYL)OXY]-7,8,9,10-TETRAHYDRO-6,8,11-TRIHYDROXY-1-METHOXY-, (8S-CIS)- (OR) DAUNOMYCIN
U089 - DIETHYLSTILBESTEROL (OR) PHENOL, 4,4'-(1,2-DIETHYL-1,2-ETHENEDIYL)BIS, (E)-
U150 - L-PHENYLALANINE, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) MELPHALAN
U206 - D-GLUCOSE, 2-DEOXY-2-[[(METHYLNITROSOAMINO)-CARBONYL] AMINO]- (OR) GLUCOPYRANOSE, 2-DEOXY-2-(3-METHYL-3-NITROSOUREIDO)-,D- (OR) STREPTOZOTOCIN

Notices of Violations Summary
Regulation Violated : N

Map Id: F135
Direction: NW
Distance: 0.242 mi., 1276 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY
26.375034, -81.807777

Database(s) : [PFAS INDUSTRY]

Envirosite ID: 52685613
EPA ID: N/R

PFAS INDUSTRY

Facility Name : BONITA SPRINGS UTILITIES WWTP

Status : Active
Industry : Waste Management
EPA Program : CWA
State : FL
City : BONITA SPRINGS
County : LEE
Fa SNC Flag : N
AIR Flag : N
NPDES Flag : Y
SDWIS Flag : N
RCRA Flag : N
TRI Flag : N
GHG Flag : N

Map Id: F135
Direction: NW
Distance: 0.242 mi., 1276 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : BONITA SPRINGS UTILITIES WWTP | BSU WATER RECLAMATION FACILITY
26.375034, -81.807777

Database(s) : [PFAS INDUSTRY] ***(cont.)***

Envirosite ID: 52685613
EPA ID: N/R

PFAS INDUSTRY ***(cont.)***

Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	26.375034
Longitude :	-81.807777
Last Date in Agency List :	2025-11-07
Facility Name :	BSU WATER RECLAMATION FACILITY
Status :	Active
Industry :	Waste Management
EPA Program :	CWA
State :	FL
City :	BONITA SPRINGS
County :	LEE
Fa SNC Flag :	N
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	26.375034
Longitude :	-81.807777
Last Date in Agency List :	2026-04-28

Map Id: F136
Direction: NNE
Distance: 0.252 mi., 1329 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : AAD5735
9275 STRIKE LN N
BONITA SPRINGS, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173875
EPA ID: N/R

DEDB - FL

Sample Date :	2002-03-13
Sample ID :	020314-062
Sample Type :	FIRST SAMPL
FLUW ID :	AAD5735
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	CHERYL MATTSON
Well Address :	9275 STRIKE LN N
Well Type :	43
Well Status :	ABANDONED
City :	BONITA SPRINGS
County :	LEE

Map Id: F136
Direction: NNE
Distance: 0.252 mi., 1329 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : AAD5735
9275 STRIKE LN N
BONITA SPRINGS, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173875
EPA ID: N/R

DEDB - FL ***(cont.)***

Job Name :	LEE-020314-13
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25
Sample Date :	2002-03-13
Sample ID :	020314-062
Sample Type :	FIRST SAMPL
FLUW ID :	AAD5735
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	CHERYL MATTSON
Well Address :	9275 STRIKE LN N
Well Type :	43 - PRIVAT
Well Status :	ABANDONED
City :	N/R
County :	LEE
Job Name :	LEE-020314-13
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Map Id: F137
Direction: NNE
Distance: 0.252 mi., 1330 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAD5731
25231 TUCK DR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173825
EPA ID: N/R

DEDB - FL

Sample Date :	2002-03-13
Sample ID :	020314-060
Sample Type :	FIRST SAMPL
FLUW ID :	AAD5731
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	DEBBIE NORTON
Well Address :	25231 TUCK DR
Well Type :	50
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-020314-13
Customer ID :	N/R

Map Id: F137
Direction: NNE
Distance: 0.252 mi., 1330 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAD5731
25231 TUCK DR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173825
EPA ID: N/R

DEDB - FL ***(cont.)***

Description :	Irrigation Well
Last Date in Agency List :	2015-11-25
Sample Date :	2002-03-13
Sample ID :	020314-060
Sample Type :	FIRST SAMPL
FLUW ID :	AAD5731
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	DEBBIE NORTON
Well Address :	25231 TUCK DR
Well Type :	43 - PRIVAT
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-020314-13
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Map Id: I138
Direction: N
Distance: 0.255 mi., 1347 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAC5384 | ESTERO CITY-FIRE DEPT
20241 S TAMIAMI TRL | 20241 S TAMIAMI TRL S
ESTERO, FL 33928

Database(s) : [AST - FL, DEDB - FL]

Envirosite ID: 68173775
EPA ID: N/R

AST - FL

Facility Name :	ESTERO CITY-FIRE DEPT
Facility Address :	20241 S TAMIAMI TRL, ESTERO, 33928
County :	LEE

Site Details

Facility ID :	8734016
Facility Phone :	2399473473
Facility Status :	CLOSED
Facility Type :	H
Type Description :	Local Government
Last Date in Agency List :	2026-05-06

Map Id: I138
Direction: N
Distance: 0.255 mi., 1347 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAC5384 | ESTERO CITY-FIRE DEPT
20241 S TAMIAMI TRL | 20241 S TAMIAMI TRL S
ESTERO, FL 33928

Database(s) : [AST - FL, DEDB - FL] ***(cont.)***

Envirosite ID: 68173775
EPA ID: N/R

AST - FL ***(cont.)***

Owner Information

Owner ID :	51598
Owner Name :	ESTERO FIRE RESCUE
Owner Address 1 :	N/R
Owner Address 2 :	N/R
Owner Phone :	2399471473
Contact :	JOHN KLINGERMAN
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	550
Tank Location :	ABOVEGROUND
Substance :	Unleaded Gas
Install Date :	1986-01-01
Status :	Removed from Site
Status Date :	2001-03-01

Tank ID :	2
Gallons :	550
Tank Location :	ABOVEGROUND
Substance :	Vehicular Diesel
Install Date :	1987-01-01
Status :	Removed from Site
Status Date :	2001-03-01

Tank ID :	3
Gallons :	1000
Tank Location :	ABOVEGROUND
Substance :	Unleaded Gas
Install Date :	2001-03-01
Status :	Moved to New Site
Status Date :	2003-07-01

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

DEDB - FL

Sample Date :	2000-04-18
Sample ID :	000419-129
Sample Type :	FIRST_SAMP
FLUW ID :	AAC5384
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	LEE CORP
Well Address :	20241 S TAMIAMI TRL S
Well Type :	42

Map Id: I138
Direction: N
Distance: 0.255 mi., 1347 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAC5384 | ESTERO CITY-FIRE DEPT
20241 S TAMIAMI TRL | 20241 S TAMIAMI TRL S
ESTERO, FL 33928

Database(s) : [AST - FL, DEDB - FL] ***(cont.)***

Envirosite ID: 68173775
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-000419-25
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2009-06-12
Sample ID :	090521-025
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5384
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	LEE CORP
Well Address :	20241 S TAMIAMI TRL
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-090521-006
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2003-11-20
Sample ID :	031121-070
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5384
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	LEE CORP
Well Address :	20241 S TAMIAMI TRL
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-031121-16
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2003-02-25
Sample ID :	030226-052
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5384
Analyte :	ETHYLENE DIBROMIDE (EDB)

Map Id: I138
Direction: N
Distance: 0.255 mi., 1347 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAC5384 | ESTERO CITY-FIRE DEPT
20241 S TAMIAMI TRL | 20241 S TAMIAMI TRL S
ESTERO, FL 33928

Database(s) : [AST - FL, DEDB - FL] ***(cont.)***

Envirosite ID: 68173775
EPA ID: N/R

DEDB - FL ***(cont.)***

Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	LEE CORP
Well Address :	20241 S TAMIAMI TRL
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2009-06-12
Sample ID :	090521-025
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5384
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	LEE CORP
Well Address :	20241 S TAMIAMI TRL
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-090521-006
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2003-11-20
Sample ID :	031121-070
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5384
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	LEE CORP
Well Address :	20241 S TAMIAMI TRL
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-031121-16
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Map Id: I138
Direction: N
Distance: 0.255 mi., 1347 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAC5384 | ESTERO CITY-FIRE DEPT
20241 S TAMIAMI TRL | 20241 S TAMIAMI TRL S
ESTERO, FL 33928

Database(s) : [AST - FL, DEDB - FL] ***(cont.)***

Envirosite ID: 68173775
EPA ID: N/R

DEDB - FL ***(cont.)***

Sample Date :	2003-02-25
Sample ID :	030226-052
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5384
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	LEE CORP
Well Address :	20241 S TAMIAMI TRL
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2000-04-18
Sample ID :	000419-129
Sample Type :	FIRST_SAMP
FLUW ID :	AAC5384
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	LEE CORP
Well Address :	20241 S TAMIAMI TRL
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-000419-25
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Map Id: D139
Direction: N
Distance: 0.270 mi., 1428 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAC4008 | COVERED WAGON TRAILER PARK | Mason E. Tony
21450 S TAMIAMI TRL UNIT 140 | 21450 TAMIAMI TRL S | 21450 S TAMIAMI TRL
ESTERO, FL

Database(s) : [DEDB - FL, ECHO, FRS, RCRA NONGEN, SPILLS - FL]

Envirosite ID: 68173787
EPA ID: N/R

DEDB - FL

Sample Date :	2001-06-25
Sample ID :	010627-016
Sample Type :	FIRST_SAMP
FLUW ID :	AAC4008
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	COVERED WAGON
Well Address :	21450 TAMIAMI TRL S
Well Type :	46
Well Status :	ABANDONED
City :	ESTERO
County :	LEE
Job Name :	LEE-010627-06
Customer ID :	N/R
Description :	Community Well
Last Date in Agency List :	2015-11-25

Sample Date :	2001-06-25
Sample ID :	010627-016
Sample Type :	FIRST_SAMP
FLUW ID :	AAC4008
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	COVERED WAGON
Well Address :	21450 TAMIAMI TRL S
Well Type :	45
Well Status :	ABANDONED
City :	N/R
County :	LEE
Job Name :	LEE-010627-06
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

Sample Date :	2001-06-25
Sample ID :	010627-016
Sample Type :	FIRST_SAMP
FLUW ID :	AAC4008
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	COVERED WAGON
Well Address :	21450 S TAMIAMI TRL
Well Type :	45

Map Id: D139
Direction: N
Distance: 0.270 mi., 1428 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAC4008 | COVERED WAGON TRAILER PARK | Mason E. Tony
21450 S TAMIAMI TRL UNIT 140 | 21450 TAMIAMI TRL S | 21450 S TAMIAMI TRL
ESTERO, FL

Database(s) : [DEDB - FL, ECHO, FRS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173787
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Status :	ABANDONED
City :	N/R
County :	LEE
Job Name :	LEE-010627-06
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

ECHO

Facility Name :	COVERED WAGON TRAILER PARK
Facility Address :	21450 S TAMIAMI TRL UNIT 140, ESTERO, FL 33928
County :	LEE
Last Inspection Date :	2006-11-08
Registry ID :	110035674099
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	6913
Informal Count :	0
Last Informal Action Date :	2004-01-29
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	POINT WHERE SUBSTANCE IS MONITORED
Accuracy Meters :	5
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040103
Derived STCTY FIPS :	12071
Derived Zip :	33928
Derived CD113 :	19
Derived CB2010 :	120710503132005
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R

Map Id: D139
Direction: N
Distance: 0.270 mi., 1428 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAC4008 | COVERED WAGON TRAILER PARK | Mason E. Tony
21450 S TAMIAMI TRL UNIT 140 | 21450 TAMIAMI TRL S | 21450 S TAMIAMI TRL
ESTERO, FL

Database(s) : [DEDB - FL, ECHO, FRS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173787
EPA ID: N/R

ECHO ***(cont.)***

CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	721211 - RV (Recreational Vehicle) Parks and Campgrounds
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2006-11-08
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2004-01-29
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	Y
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.428178
Longitude :	-81.812538
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	COVERED WAGON TRAILER PARK
Facility Address :	21450 S TAMIAMI TRL UNIT 140, ESTERO, FL 339282914
County :	LEE

Site Details

Registry ID :	110035674099
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Map Id: D139
Direction: N
Distance: 0.270 mi., 1428 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAC4008 | COVERED WAGON TRAILER PARK | Mason E. Tony
21450 S TAMIAMI TRL UNIT 140 | 21450 TAMIAMI TRL S | 21450 S TAMIAMI TRL
ESTERO, FL

Database(s) : [DEDB - FL, ECHO, FRS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173787
EPA ID: N/R

FRS ***(cont.)***

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.
The Safe Drinking Water Information System Federal Data Warehouse contains information about public water systems and their violations of EPA's drinking water regulations.

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

FRS Environmental Interest

Source and System ID :

FLORIDA DEP - 20553
RCRAINFO - FLR000050906
SFDW - FL5360065
SFDW - FL5360065 98485360065

RCRA NONGEN

Facility Name :	COVERED WAGON TRAILER PARK
Facility Address :	21450 S TAMIAMI TRL UNIT 140, ESTERO, FL 33928-2914
County :	LEE
Date Form Received by Agency :	2006-11-08
EPA ID :	FLR000050906
Mailing Address :	21450 S TAMIAMI TRL, ESTERO, FL 33928-2914
Contact :	LARRY MOTCHY
Contact Address :	21450 S TAMIAMI TRL UNIT 150, ESTERO, FL 33928-2914
Contact Country :	US
Contact Telephone :	941-992-0965
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Map Id: D139
Direction: N
Distance: 0.270 mi., 1428 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAC4008 | COVERED WAGON TRAILER PARK | Mason E. Tony
21450 S TAMIAMI TRL UNIT 140 | 21450 TAMIAMI TRL S | 21450 S TAMIAMI TRL
ESTERO, FL

Database(s) : [DEDB - FL, ECHO, FRS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173787
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Owner/Operator Summary

Owner/Operator Name :	FRANK NICKERSON
Owner/Operator Address :	RT.2, C.W. BOX 150, ESTERO, FL 33928
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1998-12-02
Owner/Operator End Date :	N/R

Owner/Operator Name :	NICKERSON FRANK
Owner/Operator Address :	RT.2, C.W. BOX 150, ESTERO, FL 33928
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1998-12-02
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE

Notices of Violations Summary

Date of Violation :	1998-11-18
Date Achieved Compliance :	1998-12-23
Regulation Violated :	Y

Map Id: D139
Direction: N
Distance: 0.270 mi., 1428 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAC4008 | COVERED WAGON TRAILER PARK | Mason E. Tony
21450 S TAMIAMI TRL UNIT 140 | 21450 TAMIAMI TRL S | 21450 S TAMIAMI TRL
ESTERO, FL

Database(s) : [DEDB - FL, ECHO, FRS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173787
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP NON-COMPLIANCE LETTER
Enforcement Action Date :	1998-11-30
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2006-11-08
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	1998-12-23
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	1998-11-18
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	State Statute or Regulation
Date Achieved Compliance :	1998-12-23
Evaluation Lead Agency :	State

SPILLS - FL

Facility Name :	Mason E. Tony
Facility Address :	21450 Tamiami Trail, ESTERO
County :	Lee

Incident Details

Incident Number :	23303
Incident Date :	2003-09-04
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	Dumping
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R

Map Id: D139
Direction: N
Distance: 0.270 mi., 1428 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAC4008 | COVERED WAGON TRAILER PARK | Mason E. Tony
21450 S TAMIAMI TRL UNIT 140 | 21450 TAMIAMI TRL S | 21450 S TAMIAMI TRL
ESTERO, FL

Database(s) : [DEDB - FL, ECHO, FRS, RCRA NONGEN, SPILLS - FL] ***(cont.)***

Envirosite ID: 68173787
EPA ID: N/R

SPILLS - FL ***(cont.)***

Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Pollutants

Pollutant Name :	Gasoline
Pollutant Actual Volume :	20 gallon
Pollutant Category :	Petroleum

Map Id: F140
Direction: WNW
Distance: 0.272 mi., 1434 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : LEE CNTY SCHOOL BD-SPRING CREEK ES
25571 US HWY 41
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, UST - FL]

Envirosite ID: 68173829
EPA ID: N/R

AST - FL

Facility Name :	LEE CNTY SCHOOL BD-SPRING CREEK ES
Facility Address :	25571 US HWY 41, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	8733921
Facility Phone :	2397070987
Facility Status :	OPEN
Facility Type :	I
Type Description :	County Government
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	12724
Owner Name :	LEE CNTY SCHOOL BD-MAINT DEPT
Owner Address 1 :	N/R
Owner Address 2 :	ATTN: STORAGE TANK REGIS
Owner Phone :	2394794245
Contact :	STEPHEN HANNA/JAMES FLOCK;ROX LANIER @239-479-4210
DEP Contractor Own :	P

Map Id: F140
Direction: WNW
Distance: 0.272 mi., 1434 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : LEE CNTY SCHOOL BD-SPRING CREEK ES
25571 US HWY 41
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173829
EPA ID: N/R

AST - FL ***(cont.)***

Tank Information

Tank ID :	3
Gallons :	1000
Tank Location :	ABOVEGROUND
Substance :	Emerg Generator Diesel
Install Date :	1995-05-01
Status :	In Service
Status Date :	1995-05-01
Construction Items :	Overfill/Spill - Spill containment bucket Overfill/Spill - Tight fill Overfill/Spill - Level gauges/alarms Primary Construction - Steel Secondary Containment - Double wall - tank jacket
Monitoring Items :	External Tk Monitoring - Visual inspection of ASTs Internal Tk Monitoring - Monitor dbl wall tank space Piping Monitoring - External piping monitoring Piping Monitoring - Monitor dbl wall pipe space
Piping Items :	Corrosion Protection - External protective coating Miscellaneous Attributes - Abv, no soil contact Miscellaneous Attributes - Suction piping system Primary Construction - Steel/galvanized metal Primary Construction - Fiberglass Secondary Containment - Double wall
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

CS - FL

Facility Name :	LEE CNTY SCHOOL BD-SPRING CREEK ES
Facility Address :	25571 US HWY 41, BONITA SPRINGS, 33923
County :	Leon County
DEP Cleanup Site Key :	32203782
Program Site ID :	8733921
Program Source Data :	STCM
Program Area :	PETRO
Collection Date :	2003-12-17
Verification Date :	2003-12-17
Load Date :	2014-02-10
Verifier :	STANDRIDGE_N
Collector :	STANDRIDGE_N
Verifier Agency :	CONTRACTOR
Collection Agency :	CONTRACTOR
Verification Status :	REVIEWED
Remediation Status :	PENDING
Office/District :	SD

Map Id: F140
Direction: WNW
Distance: 0.272 mi., 1434 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : LEE CNTY SCHOOL BD-SPRING CREEK ES
25571 US HWY 41
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173829
EPA ID: N/R

CS - FL ***(cont.)***

Comments :	N/R
Last Date in Agency List :	2014-02-12

DWM CONTAM - FL

Facility Name :	LEE CNTY SCHOOL BD-SPRING CREEK ES
Facility Address :	25571 US HWY 41, BONITA SPRINGS, FL 33923-7808
County :	LEE
Score Effective Date :	2012-05-07
Score :	10
Score Ranked :	5
Rank :	14364
Facility ID :	8733921
Facility Status :	OPEN
Facility Type :	I - County Government
County Code :	36
District :	SD
Operator :	JAMES THOMPSON
Phone :	(239)707-0987
Name Changed Date :	2000-12-21
Address Changed Date :	2007-05-29
Latitude Degrees :	26
Latitude Minutes :	22
Latitude Seconds :	8.3321
Longitude Degrees :	81
Longitude Minutes :	48
Longitude Seconds :	18.9272
Feature :	N/R
Method :	AGPS
Datum :	0
Section/Township/Range :	SEC 21, TWP 47, RNG 25
Related Party Begin Date :	1994-05-20
Related Party ID :	12724
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	LEE CNTY SCHOOL BD-MAINT DEPT
Related Party Address 1 :	3308 CANAL ST, FORT MYERS, FL 33916
Related Party Address 2 :	ATTN: STORAGE TANK REGIS
Contact :	STEPHEN HANNA/JAMES FLOCK;ROX LANIER @239-479-4210
Related Party Phone :	(239)479-4245
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

EPA LUST

Facility Name :	LEE CNTY SCHOOL BD-SPRING CREEK ES
Facility Address :	25571 US HWY 41, BONITA SPRINGS, Florida
County :	N/R
Facility ID :	FL8733921
LUST ID :	FL26810
Reported Date :	1988-12-20

Map Id: F140
Direction: WNW
Distance: 0.272 mi., 1434 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : LEE CNTY SCHOOL BD-SPRING CREEK ES
25571 US HWY 41
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173829
EPA ID: N/R

EPA LUST ***(cont.)***

Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	268
Estimated Private Domestic Wells within 1500ft:	37
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	Yes
WHPA Public Water System and Facility ID:	FL5360025_4359750931
WHPA Water Type :	GW
WHPA Facility Type :	WL
WHPA HUC12 :	30902040106
Within Estimated 100-year Floodplain:	No
Latitude :	26.36889
Longitude :	-81.8052799999999
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	LEE CNTY SCHOOL BD-SPRING CREEK ES
Facility Address :	25571 US HWY 41, BONITA SPRINGS, Florida 33923
County :	N/R
Facility ID :	FL8733921
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	1
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.3688888888889
Longitude :	-81.8052777777778
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8733921-1
Tank Status :	Closed
Installation Date :	1982-05-01
Removal Date :	N/R

Map Id: F140
Direction: WNW
Distance: 0.272 mi., 1434 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : LEE CNTY SCHOOL BD-SPRING CREEK ES
25571 US HWY 41
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173829
EPA ID: N/R

EPA UST ***(cont.)***

Capacity :	500
Substances :	Emerg Generator Diesel
Tank Wall Type :	N/R

FA 3 - FL

Facility Name :	LEE CNTY SCHOOL BD-SPRING CREEK ES
Facility Address :	25571 US HWY 41, BONITA SPRINGS, 33923
County :	LEE

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Effectivity Date :	2022-07-01
Expiration Date :	2023-07-01
Facility ID :	8733921
Facility Status :	OPEN
Facility Type :	County Government
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE AND INDUSTRY INSURANCE COMPANY
Facility Phone :	2397070987
Owner ID :	12724
Owner Name :	LEE CNTY SCHOOL BD-MAINT DEPT
Address :	3308 CANAL ST ATTN: STORAGE TANK REGIS, FORT MYERS, FL 33916
Contact Name :	STEPHEN HANNA/JAMES FLOCK;ROX LANIER @239-479-4210
Phone :	2394794245
Last Date in Agency List :	2026-06-03

Effectivity Date :	2019-07-01
Expiration Date :	2020-07-01
Facility ID :	8733921
Facility Status :	OPEN
Facility Type :	County Government
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY INSURANCE CO
Facility Phone :	2397070987
Owner ID :	12724
Owner Name :	LEE CNTY SCHOOL BD-MAINT DEPT
Address :	3308 CANAL ST ATTN: STORAGE TANK REGIS, FORT MYERS, FL 33916
Contact Name :	STEPHEN HANNA/JAMES FLOCK;ROX LANIER @239-479-4210
Phone :	2394794245
Last Date in Agency List :	2026-06-03

Effectivity Date :	2018-07-01
Expiration Date :	2019-07-01
Facility ID :	8733921
Facility Status :	OPEN
Facility Type :	County Government

Map Id: F140
Direction: WNW
Distance: 0.272 mi., 1434 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : LEE CNTY SCHOOL BD-SPRING CREEK ES
25571 US HWY 41
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173829
EPA ID: N/R

FA 3 - FL ***(cont.)***

DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY INSURANCE CO
Facility Phone :	2397070987
Owner ID :	12724
Owner Name :	LEE CNTY SCHOOL BD-MAINT DEPT
Address :	3308 CANAL ST ATTN: STORAGE TANK REGIS, FORT MYERS, FL 33916
Contact Name :	STEPHEN HANNA/JAMES FLOCK;ROX LANIER @239-479-4210
Phone :	2394794245
Last Date in Agency List :	2026-06-03

Effectivity Date :	2017-07-01
Expiration Date :	2018-07-01
Facility ID :	8733921
Facility Status :	OPEN
Facility Type :	County Government
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY INSURANCE CO
Facility Phone :	2397070987
Owner ID :	12724
Owner Name :	LEE CNTY SCHOOL BD-MAINT DEPT
Address :	3308 CANAL ST ATTN: STORAGE TANK REGIS, FORT MYERS, FL 33916
Contact Name :	STEPHEN HANNA/JAMES FLOCK;ROX LANIER @239-479-4210
Phone :	2394794245
Last Date in Agency List :	2026-06-03

Effectivity Date :	2016-07-01
Expiration Date :	2017-07-01
Facility ID :	8733921
Facility Status :	OPEN
Facility Type :	County Government
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY INSURANCE CO
Facility Phone :	2397070987
Owner ID :	12724
Owner Name :	LEE CNTY SCHOOL BD-MAINT DEPT
Address :	3308 CANAL ST ATTN: STORAGE TANK REGIS, FORT MYERS, FL 33916
Contact Name :	STEPHEN HANNA/JAMES FLOCK;ROX LANIER @239-479-4210
Phone :	2394794245
Last Date in Agency List :	2026-06-03

LAST - FL

Facility Name :	LEE CNTY SCHOOL BD-SPRING CREEK ES
Facility Address :	25571 US HWY 41, BONITA SPRINGS, 33923
County :	LEE

Map Id: F140
Direction: WNW
Distance: 0.272 mi., 1434 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : LEE CNTY SCHOOL BD-SPRING CREEK ES
25571 US HWY 41
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173829
EPA ID: N/R

LAST - FL ***(cont.)***

Site Details

Facility ID :	8733921
Facility Status :	OPEN
Facility Type :	County Government
Phone :	2397070987
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	12724
Owner Name :	LEE CNTY SCHOOL BD-MAINT DEPT
Owner Address 1 :	3308 CANAL ST, FORT MYERS, FL 33916
Owner Address 2 :	ATTN: STORAGE TANK REGIS
Owner Phone :	2394794245
Contact :	STEPHEN HANNA/JAMES FLOCK;ROX LANIER @239-479-4210

Discharge Details

Discharge Date :	1988-12-20
Status Date :	2014-04-07
Status Description :	NFA COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2012-05-07
Score :	10
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

LUST - FL

Facility Name :	LEE CNTY SCHOOL BD-SPRING CREEK ES
Facility Address :	25571 US HWY 41, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	8733921
Facility Status :	OPEN
Facility Type :	County Government
Phone :	2397070987
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	12724
Owner Name :	LEE CNTY SCHOOL BD-MAINT DEPT
Owner Address 1 :	3308 CANAL ST, FORT MYERS, FL 33916
Owner Address 2 :	ATTN: STORAGE TANK REGIS

Map Id: F140
Direction: WNW
Distance: 0.272 mi., 1434 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : LEE CNTY SCHOOL BD-SPRING CREEK ES
25571 US HWY 41
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173829
EPA ID: N/R

LUST - FL ***(cont.)***

Owner Phone :	2394794245
Contact :	STEPHEN HANNA/JAMES FLOCK;ROX LANIER @239-479-4210

Discharge Details

Discharge Date :	1988-12-20
Status Date :	2014-04-07
Status Description :	NFA COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2012-05-07
Score :	10
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

UST - FL

Facility Name :	LEE CNTY SCHOOL BD-SPRING CREEK ES
Facility Address :	25571 US HWY 41, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	8733921
Facility Phone :	2397070987
Facility Status :	OPEN
Facility Type :	County Government
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	12724
Owner Name :	LEE CNTY SCHOOL BD-MAINT DEPT
Owner Address 1 :	3308 CANAL ST, FORT MYERS, FL 33916
Owner Address 2 :	ATTN: STORAGE TANK REGIS
Owner Phone :	2394794245
Contact :	STEPHEN HANNA/JAMES FLOCK;ROX LANIER @239-479-4210
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	500
Tank Location :	UNDERGROUND
Substance :	Emerg Generator Diesel
Install Date :	1982-05-01
Status :	Removed from Site
Status Date :	1995-05-01

Map Id: F140
Direction: WNW
Distance: 0.272 mi., 1434 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : LEE CNTY SCHOOL BD-SPRING CREEK ES
25571 US HWY 41
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173829
EPA ID: N/R

UST - FL ***(cont.)***

Tank ID :	2
Gallons :	1000
Tank Location :	UNDERGROUND
Substance :	Fuel Oil - Onsite Heat
Install Date :	1982-07-01
Status :	In Service
Status Date :	N/R
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: H141
Direction: S
Distance: 0.284 mi., 1501 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : LAKE SAN MARINO RV RESORT
1000 WIGGINS PASS ROAD
FL

Database(s) : [RESP PARTY - FL, SHWS ERIC - FL]

Envirosite ID: 68173725
EPA ID: N/R

RESP PARTY - FL

Facility Name :	LAKE SAN MARINO RV RESORT
Facility Address :	1000 WIGGINS PASS ROAD
Site ID :	83012
Project ID :	72282
Status :	CLOSED
District :	SD
ISDR Date :	1992-05-06
Project MGR :	GOULD_J
OGC Number :	N/R
Contaminants :	N/R
Offsite COC :	N/R
Priority Score :	N/R
County ID :	11
Datum ID :	HARN
Method ID :	UNVR
Feature :	N/R
Object of Interest :	CAP_RAP SITE
Proximity :	APPRX
Collect Username :	STONE_H
Collect Affiliation :	DEPARTMENT OF ENVIRONMENTAL PROTECTION
Collect Program ID :	CL
Collect Date :	2005-06-06 14:54:23
Map Source :	4202
Map Source Scale :	1999 doqs
Interpolation Scale :	N/R
Coordinate Accuracy ID :	4

Map Id: H141
Direction: S
Distance: 0.284 mi., 1501 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : LAKE SAN MARINO RV RESORT
1000 WIGGINS PASS ROAD
FL

Database(s) : [RESP PARTY - FL, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 68173725
EPA ID: N/R

RESP PARTY - FL ***(cont.)***

Verify Method ID :	DPHO
Verify Username :	STONE_H
Verify Affiliation :	DEPARTMENT OF ENVIRONMENTAL PROTECTION
Verifying Program ID :	CL
Verification Date :	2005-06-06 14:54:23
Documents :	Click here for hyperlink provided by the agency.
Latitude :	26.293948
Longitude :	81.798025
Last Date in Agency List :	2021-04-22

SHWS ERIC - FL

Facility Name :	LAKE SAN MARINO RV RESORT
Facility Address :	1000 WIGGINS PASS ROAD, FL
County :	Collier

ERIC ID :	ERIC_11893
Site Status :	CLOSED
Source Facility Name :	LAKE SAN MARINO RV RESORT
Source Facility ID :	6452
Program :	Responsible Party Cleanup
Program Type :	RESPONSPARTY
Program Status :	COMPLETE
District :	SD
Waste Management Office :	SFWMD
ICR Indicator :	N
Discharge Date :	N/R
Site Manager :	J Gould
Site Phase Description :	Phase 1 - Initial Assessment
Offsite Contamination :	CONTAMUNKNOWN
Datum ID :	HARN
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	26.293952
Longitude :	-81.798022
Last Date in Agency List :	2026-06-18

Map Id: I142
Direction: N
Distance: 0.285 mi., 1502 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : LEECORP HOMES | AAC7548 | LEE CORP HOMES
20251 S TAMIAMI TRL | 20251 TAMIAMI TRL S
ESTERO, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LUST - FL, UST - FL]

Envirosite ID: 68173776
EPA ID: N/R

DEDB - FL

Sample Date :	2000-04-18
Sample ID :	000419-128
Sample Type :	RESAMPLE
FLUW ID :	AAC7548
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	CYPRESS RV
Well Address :	20251 S TAMIAMI TRL
Well Type :	42
Well Status :	RETAGGED
City :	N/R
County :	LEE
Job Name :	LEE-000419-25
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

Sample Date :	2000-04-18
Sample ID :	000419-128
Sample Type :	RESAMPLE
FLUW ID :	AAC7548
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	CYPRESS RV
Well Address :	20251 TAMIAMI TRL S
Well Type :	42
Well Status :	RETAGGED
City :	N/R
County :	LEE
Job Name :	LEE-000419-25
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2000-04-18
Sample ID :	000419-128
Sample Type :	RESAMPLE
FLUW ID :	AAC7548
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	CYPRESS RV
Well Address :	20251 S TAMIAMI TRL

Map Id: I142
Direction: N
Distance: 0.285 mi., 1502 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : LEECORP HOMES | AAC7548 | LEE CORP HOMES
20251 S TAMIAMI TRL | 20251 TAMIAMI TRL S
ESTERO, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173776
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Type :	42
Well Status :	RETAGGED
City :	ESTERO
County :	LEE
Job Name :	LEE-000419-25
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2009-06-18
Sample ID :	090609-021
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD5800
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	LEE CORP HOMES
Well Address :	20251 S TAMIAMI TRL
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-090609-003
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2003-11-20
Sample ID :	031121-069
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD5800
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	LEE CORP HOMES
Well Address :	20251 S TAMIAMI TRL
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-031121-16
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Map Id: I142
Direction: N
Distance: 0.285 mi., 1502 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : LEECORP HOMES | AAC7548 | LEE CORP HOMES
20251 S TAMIAMI TRL | 20251 TAMIAMI TRL S
ESTERO, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173776
EPA ID: N/R

DEDB - FL ***(cont.)***

Sample Date :	2003-02-25
Sample ID :	030226-051
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD5800
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	LEE CORP HOMES
Well Address :	20251 S TAMIAMI TRL
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2009-06-18
Sample ID :	090609-021
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD5800
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	LEE CORP HOMES
Well Address :	20251 S TAMIAMI TRL
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-090609-003
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2003-11-20
Sample ID :	031121-069
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD5800
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	LEE CORP HOMES
Well Address :	20251 S TAMIAMI TRL

Map Id: I142
Direction: N
Distance: 0.285 mi., 1502 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : LEECORP HOMES | AAC7548 | LEE CORP HOMES
20251 S TAMIAMI TRL | 20251 TAMIAMI TRL S
ESTERO, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173776
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-031121-16
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2003-02-25
Sample ID :	030226-051
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD5800
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	LEE CORP HOMES
Well Address :	20251 S TAMIAMI TRL
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

DWM CONTAM - FL

Facility Name :	LEECORP HOMES
Facility Address :	20251 S TAMIAMI TRL, ESTERO, FL 33928-2117
County :	LEE

Score Effective Date :	2003-04-15
Score :	51
Score Ranked :	51
Rank :	3014
Facility ID :	8519467
Facility Status :	CLOSED
Facility Type :	C - Fuel user/Non-retail
County Code :	36
District :	SD
Operator :	MAY JOSEPH G
Phone :	(813)992-8288
Name Changed Date :	2003-07-10
Address Changed Date :	N/R
Latitude Degrees :	26
Latitude Minutes :	26
Latitude Seconds :	44.3953

Map Id: I142
Direction: N
Distance: 0.285 mi., 1502 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : LEECORP HOMES | AAC7548 | LEE CORP HOMES
20251 S TAMIAMI TRL | 20251 TAMIAMI TRL S
ESTERO, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173776
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

Longitude Degrees :	81
Longitude Minutes :	48
Longitude Seconds :	48.2015
Feature :	N/R
Method :	UNVR
Datum :	0
Section/Township/Range :	SEC 28, TWP 46S, RNG 25E
Related Party Begin Date :	1998-02-20
Related Party ID :	47023
Primary Related Party Role :	FACILITY OWNER
Related Party Name :	SPENCER AUTOMOTIVE
Related Party Address 1 :	20251 S TAMIAMI TRL, ESTERO, FL 33928-2117
Related Party Address 2 :	N/R
Contact :	N/R
Related Party Phone :	N/R
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

EPA LUST

Facility Name :	LEECORP HOMES
Facility Address :	20251 S TAMIAMI TRL, ESTERO, Florida
County :	N/R
Facility ID :	FL8519467
LUST ID :	FL23953
Reported Date :	1990-01-19
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	160
Estimated Private Domestic Wells within 1500ft:	38
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No

Map Id: I142
Direction: N
Distance: 0.285 mi., 1502 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : LEECORP HOMES | AAC7548 | LEE CORP HOMES
20251 S TAMIAMI TRL | 20251 TAMIAMI TRL S
ESTERO, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173776
EPA ID: N/R

EPA LUST ***(cont.)***

Latitude :	26.4419399999999
Longitude :	-81.8111099999999
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	LEECORP HOMES
Facility Address :	20251 S TAMIAMI TRL, ESTERO, Florida 33928
County :	N/R
Facility ID :	FL8519467
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	5
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.4419444444444
Longitude :	-81.8111111111111
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8519467-1
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	1000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R
Tank ID :	FL8519467-2
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	2000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R
Tank ID :	FL8519467-3
Tank Status :	Closed
Installation Date :	1976-06-01
Removal Date :	N/R
Capacity :	4000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Map Id: I142
Direction: N
Distance: 0.285 mi., 1502 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : LEECORP HOMES | AAC7548 | LEE CORP HOMES
20251 S TAMIAMI TRL | 20251 TAMIAMI TRL S
ESTERO, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173776
EPA ID: N/R

EPA UST ***(cont.)***

Tank ID :	FL8519467-4
Tank Status :	Closed
Installation Date :	1976-06-01
Removal Date :	N/R
Capacity :	4000
Substances :	Leaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8519467-5
Tank Status :	Closed
Installation Date :	1976-06-01
Removal Date :	N/R
Capacity :	4000
Substances :	Leaded Gas
Tank Wall Type :	N/R

GWIF - FL

Facility Name :	LEE CORP HOMES
Facility Address :	20251 S TAMIAMI TRL, ESTERO, 33928
County :	LEE

Facility ID :	8519467
Facility Type :	PETROLEUM
Location ID :	183181
Location Method :	DGPS = Differentially Corrected GPS
GPS ID :	183181
GPS Date :	2003-02-25
HAE (Height Above Ellipsoid) :	-3.81
Project ID :	SUPER
Insp Name :	MARK ASHTON
Insp CHD :	LEE
Request Number :	N/R
Datum :	WS1984
Software :	N/R
Streetside :	N/R
Agency :	N/R
Comment :	N/R
Latitude :	26.445779
Longitude :	-81.813323
Last Date in Agency List :	2026-05-09

LUST - FL

Facility Name :	LEECORP HOMES
Facility Address :	20251 S TAMIAMI TRL, ESTERO, 33928
County :	LEE

Map Id: I142
Direction: N
Distance: 0.285 mi., 1502 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : LEECORP HOMES | AAC7548 | LEE CORP HOMES
20251 S TAMIAMI TRL | 20251 TAMIAMI TRL S
ESTERO, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173776
EPA ID: N/R

LUST - FL ***(cont.)***

Site Details

Facility ID :	8519467
Facility Status :	CLOSED
Facility Type :	Fuel user/Non-retail
Phone :	8139928288
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	N/R
Owner Name :	N/R
Owner Address 1 :	N/R
Owner Address 2 :	N/R
Owner Phone :	N/R
Contact :	N/R

Discharge Details

Discharge Date :	1990-01-19
Status Date :	2006-12-18
Status Description :	SRCR COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2003-04-15
Score :	51
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

UST - FL

Facility Name :	LEECORP HOMES
Facility Address :	20251 S TAMIAMI TRL, ESTERO, 33928
County :	LEE

Site Details

Facility ID :	8519467
Facility Phone :	8139928288
Facility Status :	CLOSED
Facility Type :	Fuel user/Non-retail
Last Date in Agency List :	2026-05-06

Map Id: I142
Direction: N
Distance: 0.285 mi., 1502 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : LEECORP HOMES | AAC7548 | LEE CORP HOMES
20251 S TAMIAMI TRL | 20251 TAMIAMI TRL S
ESTERO, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173776
EPA ID: N/R

UST - FL ***(cont.)***

Tank Information

Tank ID :	1
Gallons :	1000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	N/R
Status :	Closed In Place
Status Date :	1987-07-31

Tank ID :	2
Gallons :	2000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	N/R
Status :	Closed In Place
Status Date :	1987-07-31

Tank ID :	3
Gallons :	4000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1976-06-01
Status :	Closed In Place
Status Date :	1987-07-31

Tank ID :	4
Gallons :	4000
Tank Location :	UNDERGROUND
Substance :	Leaded Gas
Install Date :	1976-06-01
Status :	Closed In Place
Status Date :	1987-07-31

Tank ID :	5
Gallons :	4000
Tank Location :	UNDERGROUND
Substance :	Leaded Gas
Install Date :	1976-06-01
Status :	Closed In Place
Status Date :	1987-07-31

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: I143
Direction: N
Distance: 0.309 mi., 1633 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : 360001901
US HWY 41
ESTERO, FL

Database(s) : [DEDB - FL]

Envirosite ID: 8424811
EPA ID: N/R

DEDB - FL

Sample Date :	1984-07-30
Sample ID :	2432508
Sample Type :	N/R
FLUW ID :	360001901
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	N/R
Well Address :	US HWY 41
Well Type :	N/R
Well Status :	ACTIVE
City :	N/R
County :	N/R
Job Name :	N/R
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

Map Id: F144
Direction: NE
Distance: 0.312 mi., 1646 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD5734
25294 CATSKILL DR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173828
EPA ID: N/R

DEDB - FL

Sample Date :	2009-05-29
Sample ID :	090521-015
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD5734
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	STEPHEN TOZIER
Well Address :	25294 CATSKILL DR
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-090521-004
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2002-03-13
Sample ID :	020314-061

Map Id: F144
Direction: NE
Distance: 0.312 mi., 1646 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD5734
25294 CATSKILL DR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173828
EPA ID: N/R

DEDB - FL ***(cont.)***

Sample Type :	FIRST SAMPL
FLUW ID :	AAD5734
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	STEPHEN TOZIER
Well Address :	25294 CATSKILL DR
Well Type :	43 - PRIVAT
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-020314-13
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2009-05-29
Sample ID :	090521-015
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD5734
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	STEPHEN TOZIER
Well Address :	25294 CATSKILL DR
Well Type :	50
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-090521-004
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2002-03-13
Sample ID :	020314-061
Sample Type :	FIRST SAMPL
FLUW ID :	AAD5734
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	STEPHEN TOZIER
Well Address :	25294 CATSKILL DR
Well Type :	50
Well Status :	ACTIVE
City :	BONITA SPRINGS
County :	LEE
Job Name :	LEE-020314-13
Customer ID :	N/R

Map Id: F144
Direction: NE
Distance: 0.312 mi., 1646 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD5734
25294 CATSKILL DR
BONITA SPRINGS, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173828
EPA ID: N/R

DEDB - FL ***(cont.)***

Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Map Id: F145
Direction: NNW
Distance: 0.312 mi., 1648 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : 7-ELEVEN STORE #34838 | EXXONMOBIL OIL CORP #12581
24530 S TAMIAMI TRL
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA UST, FA 3 - FL, FRS, LUST - FL, RCRA VSQG, UST - FL]

Envirosite ID: 68173814
EPA ID: N/R

CS - FL

Facility Name :	7-ELEVEN STORE #34838
Facility Address :	24530 S TAMIAMI TRL, BONITA SPRINGS, 34134
County :	Leon County
DEP Cleanup Site Key :	88015677
Program Site ID :	9700582
Program Source Data :	STCM
Program Area :	PETRO
Collection Date :	2024-04-04
Verification Date :	2024-04-04
Load Date :	2026-06-18
Verifier :	WILLIAMS_CA
Collector :	WILLIAMS_CA
Verifier Agency :	FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
Collection Agency :	FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
Verification Status :	REVIEWED
Remediation Status :	ACTIVE
Office/District :	SD
Comments :	N/R
Last Date in Agency List :	2026-06-18

DWM CONTAM - FL

Facility Name :	7-ELEVEN STORE #34838
Facility Address :	24530 S TAMIAMI TRL, BONITA SPRINGS, FL 34134
County :	LEE
Score Effective Date :	N/R
Score :	N/R
Score Ranked :	N/R
Rank :	N/R
Facility ID :	9700582
Facility Status :	OPEN
Facility Type :	A - Retail Station
County Code :	36

Map Id: F145
Direction: NNW
Distance: 0.312 mi., 1648 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : 7-ELEVEN STORE #34838 | EXXONMOBIL OIL CORP #12581
24530 S TAMIAMI TRL
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA UST, FA 3 - FL, FRS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173814
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

District :	SD
Operator :	David Petersen
Phone :	(407)403-2995
Name Changed Date :	2011-05-13
Address Changed Date :	2021-04-30
Latitude Degrees :	26
Latitude Minutes :	23
Latitude Seconds :	0.228
Longitude Degrees :	81
Longitude Minutes :	48
Longitude Seconds :	32.0609
Feature :	N/R
Method :	AGPS
Datum :	N/R
Section/Township/Range :	N/R
Related Party Begin Date :	2011-05-04
Related Party ID :	20385
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	7-ELEVEN INC.
Related Party Address 1 :	PO BOX 711, Dallas, TX 75221-711
Related Party Address 2 :	ATTN: MGR-FL REGION GAS & ENVIRN COMPL
Contact :	DAVID PETERSEN | MILEI AVILES | JENNIFER DART
Related Party Phone :	(407)403-2995
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

ECHO

Facility Name :	EXXONMOBIL OIL CORP #12581
Facility Address :	24530 S TAMIAMI TRL, BONITA SPRINGS, FL 34134
County :	LEE
Last Inspection Date :	N/R
Registry ID :	110043416372
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION

Map Id: F145
Direction: NNW
Distance: 0.312 mi., 1648 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : 7-ELEVEN STORE #34838 | EXXONMOBIL OIL CORP #12581
24530 S TAMIAMI TRL
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA UST, FA 3 - FL, FRS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173814
EPA ID: N/R

ECHO ***(cont.)***

Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34134
Derived CD113 :	19
Derived CB2010 :	120710503081068
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	44711 - Gasoline Stations with Convenience Stores
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N

Map Id: F145
Direction: NNW
Distance: 0.312 mi., 1648 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : 7-ELEVEN STORE #34838 | EXXONMOBIL OIL CORP #12581
24530 S TAMIAMI TRL
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA UST, FA 3 - FL, FRS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173814
EPA ID: N/R

ECHO ***(cont.)***

Latitude :	26.38337
Longitude :	-81.80836
Last Date in Agency List :	2026-05-11

EPA UST

Facility Name :	7-ELEVEN STORE #34838
Facility Address :	24530 S TAMIAMI TRL, BONITA SPRINGS, Florida 34134
County :	N/R
Facility ID :	FL9700582
Facility Status :	Open UST(s)
Open USTs :	3
Closed USTs :	0
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.3997222222222
Longitude :	-81.8088888888889
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL9700582-1
Tank Status :	Open
Installation Date :	1997-07-01
Removal Date :	N/R
Capacity :	12000
Substances :	Unleaded Gas
Tank Wall Type :	N/R
Tank ID :	FL9700582-2
Tank Status :	Open
Installation Date :	1997-07-01
Removal Date :	N/R
Capacity :	10000
Substances :	Unleaded Gas
Tank Wall Type :	N/R
Tank ID :	FL9700582-3
Tank Status :	Open
Installation Date :	1997-07-01
Removal Date :	N/R
Capacity :	10000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R

Map Id: F145
Direction: NNW
Distance: 0.312 mi., 1648 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : 7-ELEVEN STORE #34838 | EXXONMOBIL OIL CORP #12581
24530 S TAMIAMI TRL
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA UST, FA 3 - FL, FRS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173814
EPA ID: N/R

FA 3 - FL

Facility Name :	7-ELEVEN STORE #34838
Facility Address :	24530 S TAMIAMI TRL, BONITA SPRINGS, 34134
County :	LEE

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Effectivity Date :	2023-12-18
Expiration Date :	2024-12-18
Facility ID :	9700582
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	IRONSHORE SPECIALTY INSURANCE COMPANY
Facility Phone :	4074032995
Owner ID :	20385
Owner Name :	7-ELEVEN INC.
Address :	PO BOX 711 ATTN: MGR-FL REGION GAS & ENVIRN COMPL, Dallas, TX 75221
Contact Name :	DAVID PETERSEN | MILEI AVILES | JENNIFER DART
Phone :	4074032995
Last Date in Agency List :	2026-06-03

Effectivity Date :	2020-12-18
Expiration Date :	2021-12-18
Facility ID :	9700582
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	IRONSHORE SPECIALTY INSURANCE CO
Facility Phone :	4074032995
Owner ID :	20385
Owner Name :	7-ELEVEN INC.
Address :	PO BOX 711 ATTN: MGR-FL REGION GAS & ENVIRN COMPL, Dallas, TX 75221
Contact Name :	DAVID PETERSEN | MILEI AVILES | JENNIFER DART
Phone :	4074032995
Last Date in Agency List :	2026-06-03

Effectivity Date :	2018-12-18
Expiration Date :	2019-12-18
Facility ID :	9700582
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	IRONSHORE SPECIALTY INSURANCE CO

Map Id: F145
Direction: NNW
Distance: 0.312 mi., 1648 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : 7-ELEVEN STORE #34838 | EXXONMOBIL OIL CORP #12581
24530 S TAMIAMI TRL
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA UST, FA 3 - FL, FRS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173814
EPA ID: N/R

FA 3 - FL ***(cont.)***

Facility Phone :	4074032995
Owner ID :	20385
Owner Name :	7-ELEVEN INC.
Address :	PO BOX 711 ATTN: MGR-FL REGION GAS & ENVIRN COMPL, Dallas, TX 75221
Contact Name :	DAVID PETERSEN | MILEI AVILES | JENNIFER DART
Phone :	4074032995
Last Date in Agency List :	2026-06-03

Effectivity Date :	2017-12-18
Expiration Date :	2018-12-18
Facility ID :	9700582
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	IRONSHORE SPECIALTY INSURANCE CO
Facility Phone :	4074032995
Owner ID :	20385
Owner Name :	7-ELEVEN INC.
Address :	PO BOX 711 ATTN: MGR-FL REGION GAS & ENVIRN COMPL, Dallas, TX 75221
Contact Name :	DAVID PETERSEN | MILEI AVILES | JENNIFER DART
Phone :	4074032995
Last Date in Agency List :	2026-06-03

Effectivity Date :	2016-12-18
Expiration Date :	2017-12-18
Facility ID :	9700582
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	IRONSHORE SPECIALTY INSURANCE CO
Facility Phone :	4074032995
Owner ID :	20385
Owner Name :	7-ELEVEN INC.
Address :	PO BOX 711 ATTN: MGR-FL REGION GAS & ENVIRN COMPL, Dallas, TX 75221
Contact Name :	DAVID PETERSEN | MILEI AVILES | JENNIFER DART
Phone :	4074032995
Last Date in Agency List :	2026-06-03

FRS

Facility Name :	EXXONMOBIL OIL CORP #12581
Facility Address :	24530 S TAMIAMI TRL, BONITA SPRINGS, FL 34134-7027
County :	LEE

Map Id: F145
Direction: NNW
Distance: 0.312 mi., 1648 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : 7-ELEVEN STORE #34838 | EXXONMOBIL OIL CORP #12581
24530 S TAMIAMI TRL
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA UST, FA 3 - FL, FRS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173814
EPA ID: N/R

FRS ***(cont.)***

Site Details

Registry ID :	110043416372
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	RCRAINFO - FLR000173096

LUST - FL

Facility Name :	7-ELEVEN STORE #34838
Facility Address :	24530 S TAMIAMI TRL, BONITA SPRINGS, 34134
County :	LEE

Site Details

Facility ID :	9700582
Facility Status :	OPEN
Facility Type :	Retail Station
Phone :	4074032995
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	20385
Owner Name :	7-ELEVEN INC.
Owner Address 1 :	PO BOX 711, Dallas, TX 75221
Owner Address 2 :	ATTN: MGR-FL REGION GAS & ENVIRN COMPL
Owner Phone :	4074032995
Contact :	DAVID PETERSEN | MILEI AVILES | JENNIFER DART

Map Id: F145
Direction: NNW
Distance: 0.312 mi., 1648 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : 7-ELEVEN STORE #34838 | EXXONMOBIL OIL CORP #12581
24530 S TAMIAMI TRL
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA UST, FA 3 - FL, FRS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173814
EPA ID: N/R

LUST - FL ***(cont.)***

Discharge Details

Discharge Date :	2020-09-16
Status Date :	2022-07-29
Status Description :	RA ONGOING
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	N/R
Score :	N/R
CU Status :	N/R
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

RCRA VSQG

Facility Name :	EXXONMOBIL OIL CORP #12581
Facility Address :	24530 S TAMIAMI TRL, BONITA SPRINGS, FL 34134-7027
County :	LEE
Date Form Received by Agency :	2011-01-21
EPA ID :	FLR000173096
Mailing Address :	24530 S TAMIAMI TRL, BONITA SPRINGS, FL 34134-7027
Contact :	DONNA HYMES
Contact Address :	800 E WASHINGTON ST, WEST CHESTER, PA 19380-4542
Contact Country :	US
Contact Telephone :	610-430-8151
Contact Email :	DHYMES@JD2ENV.COM
EPA Region :	04
Land Type :	Private
Source Type :	Notification
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2026-05-05

Owner/Operator Summary

Owner/Operator Name :	EXXONMOBIL OIL CORP
Owner/Operator Address :	3225 GALLOWS RD, FAIRFAX, VA 22037

Map Id: F145
Direction: NNW
Distance: 0.312 mi., 1648 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : 7-ELEVEN STORE #34838 | EXXONMOBIL OIL CORP #12581
24530 S TAMIAMI TRL
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA UST, FA 3 - FL, FRS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173814
EPA ID: N/R

RCRA VSQG ***(cont.)***

Owner/Operator Country :	US
Owner/Operator Telephone :	703-846-3000
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2011-01-21
Owner/Operator End Date :	N/R

Owner/Operator Name :	EXXONMOBIL OIL CORP
Owner/Operator Address :	3225 GALLOWS RD, FAIRFAX, VA 22037
Owner/Operator Country :	US
Owner/Operator Telephone :	703-846-3000
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2011-01-21
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE D018 - BENZENE

Notices of Violations Summary

Regulation Violated :	N

Map Id: F145
Direction: NNW
Distance: 0.312 mi., 1648 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : 7-ELEVEN STORE #34838 | EXXONMOBIL OIL CORP #12581
24530 S TAMIAMI TRL
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA UST, FA 3 - FL, FRS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173814
EPA ID: N/R

UST - FL

Facility Name :	7-ELEVEN STORE #34838
Facility Address :	24530 S TAMIAMI TRL, BONITA SPRINGS, 34134
County :	LEE

Site Details

Facility ID :	9700582
Facility Phone :	4074032995
Facility Status :	OPEN
Facility Type :	Retail Station
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	20385
Owner Name :	7-ELEVEN INC.
Owner Address 1 :	PO BOX 711, Dallas, TX 75221
Owner Address 2 :	ATTN: MGR-FL REGION GAS & ENVIRN COMPL
Owner Phone :	4074032995
Contact :	DAVID PETERSEN | MILEI AVILES | JENNIFER DART
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	12000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1997-07-01
Status :	In Service
Status Date :	1997-07-01
Construction Items :	Overfill/Spill - Spill containment bucket Overfill/Spill - Flow shut-Off Overfill/Spill - Level gauges/alarms Overfill/Spill - Tight fill Primary Construction - Fiberglass Secondary Containment - Double wall
Monitoring Items :	Internal Tk Monitoring - Monitor dbl wall tank space Miscellaneous - Electronic monitor pipe sumps Miscellaneous - Electronic monitor dispenser liners Miscellaneous - Continuous electronic sensing Piping Monitoring - Mechanical line leak detector Piping Monitoring - Monitor dbl wall pipe space

Map Id: F145
Direction: NNW
Distance: 0.312 mi., 1648 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : 7-ELEVEN STORE #34838 | EXXONMOBIL OIL CORP #12581
24530 S TAMIAMI TRL
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA UST, FA 3 - FL, FRS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173814
EPA ID: N/R

UST - FL ***(cont.)***

Piping Items :
Miscellaneous Attributes - Dispenser liners
Miscellaneous Attributes - Pressurized piping system
Primary Construction - Approved synthetic material
Secondary Containment - Double wall

Tank Information
Tank ID : 2
Gallons : 10000
Tank Location : UNDERGROUND
Substance : Unleaded Gas
Install Date : 1997-07-01
Status : In Service
Status Date : 1997-07-01

Construction Items :
Overfill/Spill - Flow shut-Off
Overfill/Spill - Spill containment bucket
Overfill/Spill - Level gauges/alarms
Overfill/Spill - Tight fill
Primary Construction - Fiberglass
Secondary Containment - Double wall

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Miscellaneous - Continuous electronic sensing
Miscellaneous - Electronic monitor pipe sumps
Miscellaneous - Electronic monitor dispenser liners
Piping Monitoring - Mechanical line leak detector
Piping Monitoring - Monitor dbl wall pipe space

Piping Items :
Miscellaneous Attributes - Pressurized piping system
Miscellaneous Attributes - Dispenser liners
Primary Construction - Approved synthetic material
Secondary Containment - Double wall

Tank Information
Tank ID : 3
Gallons : 10000
Tank Location : UNDERGROUND
Substance : Vehicular Diesel
Install Date : 1997-07-01
Status : In Service
Status Date : 1997-07-01

Construction Items :
Overfill/Spill - Level gauges/alarms
Overfill/Spill - Flow shut-Off
Overfill/Spill - Tight fill
Overfill/Spill - Spill containment bucket

Map Id: F145
Direction: NNW
Distance: 0.312 mi., 1648 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : 7-ELEVEN STORE #34838 | EXXONMOBIL OIL CORP #12581
24530 S TAMIAMI TRL
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, ECHO, EPA UST, FA 3 - FL, FRS, LUST - FL, RCRA VSQG, UST - FL] ***(cont.)***

Envirosite ID: 68173814
EPA ID: N/R

UST - FL ***(cont.)***

Primary Construction - Fiberglass
Secondary Containment - Double wall

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Miscellaneous - Electronic monitor dispenser liners
Miscellaneous - Electronic monitor pipe sumps
Miscellaneous - Continuous electronic sensing
Piping Monitoring - Monitor dbl wall pipe space
Piping Monitoring - Mechanical line leak detector

Piping Items :
Miscellaneous Attributes - Pressurized piping system
Miscellaneous Attributes - Dispenser liners
Primary Construction - Approved synthetic material
Secondary Containment - Double wall

Oculus Note : Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink : Click here for hyperlink provided by the agency.

Map Id: C146
Direction: SE
Distance: 0.334 mi., 1765 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : LEE CNTY SCHOOL BD-BONITA SPRINGS MS
10141 W TERRY ST
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, LAST - FL, LUST - FL, UST - FL]

Envirosite ID: 68173728
EPA ID: N/R

AST - FL

Facility Name : LEE CNTY SCHOOL BD-BONITA SPRINGS MS
Facility Address : 10141 W TERRY ST, BONITA SPRINGS, 33923
County : LEE

Site Details
Facility ID : 8944049
Facility Phone : 2397070987
Facility Status : OPEN
Facility Type : H
Type Description : Local Government
Last Date in Agency List : 2026-05-06

Map Id: C146
Direction: SE
Distance: 0.334 mi., 1765 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : LEE CNTY SCHOOL BD-BONITA SPRINGS MS
10141 W TERRY ST
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, LAST - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173728
EPA ID: N/R

AST - FL ***(cont.)***

Owner Information

Owner ID :	12724
Owner Name :	LEE CNTY SCHOOL BD-MAINT DEPT
Owner Address 1 :	N/R
Owner Address 2 :	ATTN: STORAGE TANK REGIS
Owner Phone :	2394794245
Contact :	STEPHEN HANNA/JAMES FLOCK;ROX LANIER @239-479-4210
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	380
Tank Location :	ABOVEGROUND
Substance :	Fuel Oil - Onsite Heat
Install Date :	1986-07-01
Status :	In Service
Status Date :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

CS - FL

Facility Name :	LEE CNTY SCHOOL BD-BONITA SPRINGS MS
Facility Address :	10141 W TERRY ST, BONITA SPRINGS, 33923
County :	Leon County

DEP Cleanup Site Key :	59127019
Program Site ID :	8944049
Program Source Data :	STCM
Program Area :	PETRO
Collection Date :	2004-08-27
Verification Date :	2004-08-27
Load Date :	2019-07-03
Verifier :	STANDRIDGE_N
Collector :	STANDRIDGE_N
Verifier Agency :	FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
Collection Agency :	FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
Verification Status :	REVIEWED
Remediation Status :	ACTIVE
Office/District :	SD
Comments :	N/R
Last Date in Agency List :	2019-07-04

DWM CONTAM - FL

Facility Name :	LEE CNTY SCHOOL BD-BONITA SPRINGS MS
Facility Address :	10141 W TERRY ST, BONITA SPRINGS, FL 33923-4734
County :	LEE

Map Id: C146
Direction: SE
Distance: 0.334 mi., 1765 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : LEE CNTY SCHOOL BD-BONITA SPRINGS MS
10141 W TERRY ST
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, LAST - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173728
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

Score Effective Date :	2012-03-16
Score :	10
Score Ranked :	5
Rank :	14364
Facility ID :	8944049
Facility Status :	OPEN
Facility Type :	H - Local Government
County Code :	36
District :	SD
Operator :	JAMES THOMPSON
Phone :	(239)707-0987
Name Changed Date :	2000-12-21
Address Changed Date :	2005-05-17
Latitude Degrees :	26
Latitude Minutes :	20
Latitude Seconds :	47.4281
Longitude Degrees :	81
Longitude Minutes :	47
Longitude Seconds :	12.0512
Feature :	N/R
Method :	UNVR
Datum :	0
Section/Township/Range :	SEC 27, TWP 47, RNG 25
Related Party Begin Date :	1994-05-20
Related Party ID :	12724
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	LEE CNTY SCHOOL BD-MAINT DEPT
Related Party Address 1 :	3308 CANAL ST, FORT MYERS, FL 33916
Related Party Address 2 :	ATTN: STORAGE TANK REGIS
Contact :	STEPHEN HANNA/JAMES FLOCK;ROX LANIER @239-479-4210
Related Party Phone :	(239)479-4245
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

EPA LUST

Facility Name :	LEE CNTY SCHOOL BD-BONITA SPRINGS MS
Facility Address :	10141 W TERRY ST, BONITA SPRINGS, Florida
County :	N/R
Facility ID :	FL8944049
LUST ID :	FL26654
Reported Date :	1988-12-21
Status :	Open
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	578

Map Id: C146
Direction: SE
Distance: 0.334 mi., 1765 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : LEE CNTY SCHOOL BD-BONITA SPRINGS MS
10141 W TERRY ST
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, LAST - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173728
EPA ID: N/R

EPA LUST ***(cont.)***

Estimated Private Domestic Wells within 1500ft:	34
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.34639
Longitude :	-81.78667
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	LEE CNTY SCHOOL BD-BONITA SPRINGS MS
Facility Address :	10141 W TERRY ST, BONITA SPRINGS, Florida 33923
County :	N/R
Facility ID :	FL8944049
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	3
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.3463888888889
Longitude :	-81.7866666666667
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8944049-2
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	750
Substances :	Vehicular Diesel
Tank Wall Type :	N/R
Tank ID :	FL8944049-3
Tank Status :	Closed

Map Id: C146
Direction: SE
Distance: 0.334 mi., 1765 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : LEE CNTY SCHOOL BD-BONITA SPRINGS MS
10141 W TERRY ST
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, LAST - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173728
EPA ID: N/R

EPA UST ***(cont.)***

Installation Date :	N/R
Removal Date :	N/R
Capacity :	750
Substances :	Vehicular Diesel
Tank Wall Type :	N/R

Tank ID :	FL8944049-4
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	750
Substances :	Vehicular Diesel
Tank Wall Type :	N/R

LAST - FL

Facility Name :	LEE CNTY SCHOOL BD-BONITA SPRINGS MS
Facility Address :	10141 W TERRY ST, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	8944049
Facility Status :	OPEN
Facility Type :	Local Government
Phone :	2397070987
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	12724
Owner Name :	LEE CNTY SCHOOL BD-MAINT DEPT
Owner Address 1 :	3308 CANAL ST, FORT MYERS, FL 33916
Owner Address 2 :	ATTN: STORAGE TANK REGIS
Owner Phone :	2394794245
Contact :	STEPHEN HANNA/JAMES FLOCK;ROX LANIER @239-479-4210

Discharge Details

Discharge Date :	1988-12-21
Status Date :	2019-07-10
Status Description :	SRCR COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2012-03-16
Score :	10
CU Status :	N/R

Map Id: C146
Direction: SE
Distance: 0.334 mi., 1765 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : LEE CNTY SCHOOL BD-BONITA SPRINGS MS
10141 W TERRY ST
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, LAST - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173728
EPA ID: N/R

LAST - FL ***(cont.)***

Oculus Note : Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink : Click here for hyperlink provided by the agency.

LUST - FL

Facility Name : LEE CNTY SCHOOL BD-BONITA SPRINGS MS
Facility Address : 10141 W TERRY ST, BONITA SPRINGS, 33923
County : LEE

Site Details
Facility ID : 8944049
Facility Status : OPEN
Facility Type : Local Government
Phone : 2397070987
Last Date in Agency List : 2026-05-06

Owner Information
Owner ID : 12724
Owner Name : LEE CNTY SCHOOL BD-MAINT DEPT
Owner Address 1 : 3308 CANAL ST, FORT MYERS, FL 33916
Owner Address 2 : ATTN: STORAGE TANK REGIS
Owner Phone : 2394794245
Contact : STEPHEN HANNA/JAMES FLOCK;ROX LANIER @239-479-4210

Discharge Details
Discharge Date : 1988-12-21
Status Date : 2019-07-10
Status Description : SRCR COMPLETE
DEP Code : P
Description : CLEANUP REQUIRED
Score Date : 2012-03-16
Score : 10
CU Status : N/R

Oculus Note : Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink : Click here for hyperlink provided by the agency.

UST - FL

Facility Name : LEE CNTY SCHOOL BD-BONITA SPRINGS MS
Facility Address : 10141 W TERRY ST, BONITA SPRINGS, 33923
County : LEE

Map Id: C146
Direction: SE
Distance: 0.334 mi., 1765 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : LEE CNTY SCHOOL BD-BONITA SPRINGS MS
10141 W TERRY ST
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, LAST - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173728
EPA ID: N/R

UST - FL ***(cont.)***

Site Details

Facility ID :	8944049
Facility Phone :	2397070987
Facility Status :	OPEN
Facility Type :	Local Government
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	12724
Owner Name :	LEE CNTY SCHOOL BD-MAINT DEPT
Owner Address 1 :	3308 CANAL ST, FORT MYERS, FL 33916
Owner Address 2 :	ATTN: STORAGE TANK REGIS
Owner Phone :	2394794245
Contact :	STEPHEN HANNA/JAMES FLOCK;ROX LANIER @239-479-4210
DEP Contractor Own :	P

Tank Information

Tank ID :	2
Gallons :	750
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	N/R
Status :	Removed from Site
Status Date :	1992-07-31

Tank ID :	3
Gallons :	750
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	N/R
Status :	Removed from Site
Status Date :	1992-07-31

Tank ID :	4
Gallons :	750
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	N/R
Status :	Closed In Place
Status Date :	1992-07-31

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: I147
Direction: N
Distance: 0.335 mi., 1770 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TRAILSIDE DRIVE | AAD4489 | AAG3706
20350 TRAILSIDE DR
ESTERO | Estero, FL

Database(s) : [DEDB - FL, ECHO, FRS, ICIS, INACTIVE PCS, NPDES - FL]

Envirosite ID: 68173779
EPA ID: N/R

DEDB - FL

Sample Date :	2006-07-13
Sample ID :	060714-097
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3706
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	RETHERFOR, MARGIE
Well Address :	20350 TRAILSIDE DR
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-060714-020
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2003-02-25
Sample ID :	030226-060
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3706
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	RETHERFOR, MARGIE
Well Address :	20350 TRAILSIDE DR
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2000-04-06
Sample ID :	000407-073
Sample Type :	FIRST_SAMP
FLUW ID :	AAD4489
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	REATHERFORD
Well Address :	20350 TRAILSIDE DR
Well Type :	43
Well Status :	ACTIVE
City :	N/R

Map Id: I147
Direction: N
Distance: 0.335 mi., 1770 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TRAILSIDE DRIVE | AAD4489 | AAG3706
20350 TRAILSIDE DR
ESTERO | Estero, FL

Database(s) : [DEDB - FL, ECHO, FRS, ICIS, INACTIVE PCS, NPDES - FL] ***(cont.)***

Envirosite ID: 68173779
EPA ID: N/R

DEDB - FL ***(cont.)***

County :	LEE
Job Name :	LEE-000407-11
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2000-04-06
Sample ID :	000407-073
Sample Type :	FIRST_SAMP
FLUW ID :	AAD4489
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	REATHERFORD
Well Address :	20350 TRAILSIDE DR
Well Type :	43
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-000407-11
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Sample Date :	2006-07-13
Sample ID :	060714-097
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3706
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	RETHERFOR, MARGIE
Well Address :	20350 TRAILSIDE DR
Well Type :	43
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-060714-020
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Sample Date :	2003-02-25
Sample ID :	030226-060
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3706
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L

Map Id: I147
Direction: N
Distance: 0.335 mi., 1770 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TRAILSIDE DRIVE | AAD4489 | AAG3706
20350 TRAILSIDE DR
ESTERO | Estero, FL

Database(s) : [DEDB - FL, ECHO, FRS, ICIS, INACTIVE PCS, NPDES - FL] ***(cont.)***

Envirosite ID: 68173779
EPA ID: N/R

DEDB - FL ***(cont.)***

Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	RETHERFOR, MARGIE
Well Address :	20350 TRAILSIDE DR
Well Type :	43
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

ECHO

Facility Name :	TRAILSIDE DRIVE
Facility Address :	20350 TRAILSIDE DR, ESTERO, FL 33928
County :	LEE COUNTY
Last Inspection Date :	N/R
Registry ID :	110070824769
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	N/R
Three-Year Compliance Status :	N/R
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040103
Derived STCTY FIPS :	12071
Derived Zip :	33928
Derived CD113 :	19
Derived CB2010 :	120710501043014
MYRTK Universe :	NNN
NPDES IDs :	FLR10TR54
CWA Permit Types :	Non-M
CWA Compliance Tracking :	Off
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R

Map Id: I147
Direction: N
Distance: 0.335 mi., 1770 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TRAILSIDE DRIVE | AAD4489 | AAG3706
20350 TRAILSIDE DR
ESTERO | Estero, FL

Database(s) : [DEDB - FL, ECHO, FRS, ICIS, INACTIVE PCS, NPDES - FL] ***(cont.)***

Envirosite ID: 68173779
EPA ID: N/R

ECHO ***(cont.)***

CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	Terminated Permit
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.44357
Longitude :	-81.81269
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	TRAILSIDE DRIVE
Facility Address :	20350 TRAILSIDE DR, ESTERO, FL 33928-2146
County :	LEE COUNTY

Site Details

Registry ID :	110070824769
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Map Id: I147
Direction: N
Distance: 0.335 mi., 1770 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TRAILSIDE DRIVE | AAD4489 | AAG3706
20350 TRAILSIDE DR
ESTERO | Estero, FL

Database(s) : [DEDB - FL, ECHO, FRS, ICIS, INACTIVE PCS, NPDES - FL] ***(cont.)***

Envirosite ID: 68173779
EPA ID: N/R

FRS ***(cont.)***

Source Description

Source Description :

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest

Source and System ID :	ICIS - FLR10TR54

ICIS

Facility Name :	TRAILSIDE DRIVE
Facility Address :	20350 TRAILSIDE DR, ESTERO, FL 33928-2146

Site Details

NPDES ID :	FLR10TR54
ICIS Facility Interest ID :	3601217532
Facility UIN :	110070824769
Facility Type Code :	N/R
Impaired Waters :	303(D) Listed
Latitude :	26.44357
Longitude :	-81.81269
Last Date in Agency List :	2025-12-15

INACTIVE PCS

Issue Date :	2020-07-16
Original Issue Date :	2020-07-16
Effective Date :	2020-07-16
Expiration Date :	2025-07-15
Retirement Date :	N/R
Termination Date :	2020-09-30
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3602239441
External Permit Number :	FLR10TR54
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Terminated
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Ajax Paving Industries LLC
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR100000

Map Id: I147
Direction: N
Distance: 0.335 mi., 1770 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TRAILSIDE DRIVE | AAD4489 | AAG3706
20350 TRAILSIDE DR
ESTERO | Estero, FL

Database(s) : [DEDB - FL, ECHO, FRS, ICIS, INACTIVE PCS, NPDES - FL] ***(cont.)***

Envirosite ID: 68173779
EPA ID: N/R

INACTIVE PCS ***(cont.)***

TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2025-12-17

NPDES - FL

Facility Name :	Trailside Drive
Facility Address :	20350 Trailside Dr, Estero
County :	LEE

Site Details

Issue Date :	2020-07-16
Effective Date :	2020-07-16
Expiration Date :	2025-07-15
Facility ID :	FLR10TR54
Facility Type :	Construction Stormwater GP
Status :	Active
NPDES :	N/R
Company Name :	Ajax Paving Industries LLC
Document Description :	Generic Permit
Nature of Business :	N/R
Ownership Type :	Unknown
Treatment Process Summary :	N/R
Department Office :	Tallahassee NPDES Stormwater
Capacity (MGD) :	N/R
DW Class :	N/R
Last Date in Agency List :	2020-10-20

Related Party Details

Related Party Name :	Charles Webb, PMTE
Related Party Address :	1 Ajax Dr, Nokomis FL 34275-3505
Related Party Address 2 :	N/R
Related Party Phone :	2399369444
Related Party Email :	swebb@ajaxpaving.com

Map Id: F148
Direction: NNW
Distance: 0.339 mi., 1792 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : AUTO CREDIT OF LEE COUNTY | CONGO RIVER GOLF DEVELOPMENT
24270 S TAMIAMI TRL
BONITA SPRINGS | Bonita Springs, FL 34134

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, UST - FL]

Envirosite ID: 68173806
EPA ID: N/R

DWM CONTAM - FL

Facility Name :	AUTO CREDIT OF LEE COUNTY
Facility Address :	24270 S TAMIAMI TRL, BONITA SPRINGS, FL 34134
County :	LEE
Score Effective Date :	2003-05-09
Score :	26
Score Ranked :	26
Rank :	6627
Facility ID :	9101041
Facility Status :	CLOSED
Facility Type :	A - Retail Station
County Code :	36
District :	SD
Operator :	GIORGIO VOZZA
Phone :	(813)992-7838
Name Changed Date :	N/R
Address Changed Date :	2018-03-26
Latitude Degrees :	26
Latitude Minutes :	23
Latitude Seconds :	13.1618
Longitude Degrees :	81
Longitude Minutes :	48
Longitude Seconds :	34.121
Feature :	N/R
Method :	UNVR
Datum :	0
Section/Township/Range :	N/R
Related Party Begin Date :	1994-05-20
Related Party ID :	20703
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	STAUFFER, LUTHER
Related Party Address 1 :	24280 TAMIAMI TRL, BONITA SPRINGS, FL 33923-7045
Related Party Address 2 :	N/R
Contact :	LUTHER STAUFFER
Related Party Phone :	(813)992-7838
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

ECHO

Facility Name :	CONGO RIVER GOLF DEVELOPMENT
Facility Address :	24270 S TAMIAMI TRL, BONITA SPRINGS, FL 34134
County :	LEE
Last Inspection Date :	N/R
Registry ID :	110040329873
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R

Map Id: F148
Direction: NNW
Distance: 0.339 mi., 1792 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : AUTO CREDIT OF LEE COUNTY | CONGO RIVER GOLF DEVELOPMENT
24270 S TAMIAMI TRL
BONITA SPRINGS | Bonita Springs, FL 34134

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173806
EPA ID: N/R

ECHO ***(cont.)***

Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	N/R
Three-Year Compliance Status :	N/R
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	34134
Derived CD113 :	19
Derived CB2010 :	120710503081068
MYRTK Universe :	NNN
NPDES IDs :	FLR10IO59
CWA Permit Types :	Non-M
CWA Compliance Tracking :	Off
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	Terminated Permit
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R

Map Id: F148
Direction: NNW
Distance: 0.339 mi., 1792 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : AUTO CREDIT OF LEE COUNTY | CONGO RIVER GOLF DEVELOPMENT
24270 S TAMIAMI TRL
BONITA SPRINGS | Bonita Springs, FL 34134

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173806
EPA ID: N/R

ECHO ***(cont.)***

Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.38731
Longitude :	-81.80916
Last Date in Agency List :	2026-05-11

EPA LUST

Facility Name :	AUTO CREDIT OF LEE COUNTY
Facility Address :	24270 S TAMIAMI TRL, BONITA SPRINGS, Florida
County :	N/R
Facility ID :	FL9101041
LUST ID :	FL21559
Reported Date :	1991-02-21
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	5
Estimated Private Domestic Wells within 1500ft:	0
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	Yes
WHPA Public Water System and Facility ID:	FL5114113_1125510766
WHPA Water Type :	GW
WHPA Facility Type :	WL
WHPA HUC12 :	30902040202
Within Estimated 100-year Floodplain:	Yes

Map Id: F148
Direction: NNW
Distance: 0.339 mi., 1792 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : AUTO CREDIT OF LEE COUNTY | CONGO RIVER GOLF DEVELOPMENT
24270 S TAMIAMI TRL
BONITA SPRINGS | Bonita Springs, FL 34134

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173806
EPA ID: N/R

EPA LUST ***(cont.)***

Latitude :	26.44611
Longitude :	-81.63472
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	AUTO CREDIT OF LEE COUNTY
Facility Address :	24270 S TAMIAMI TRL, BONITA SPRINGS, Florida 34134
County :	N/R
Facility ID :	FL9101041
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	5
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.4461111111111
Longitude :	-81.6347222222222
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL9101041-1
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	3000
Substances :	Leaded Gas
Tank Wall Type :	N/R
Tank ID :	FL9101041-2
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	3000
Substances :	Leaded Gas
Tank Wall Type :	N/R
Tank ID :	FL9101041-3
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	3000
Substances :	Leaded Gas
Tank Wall Type :	N/R

Map Id: F148
Direction: NNW
Distance: 0.339 mi., 1792 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : AUTO CREDIT OF LEE COUNTY | CONGO RIVER GOLF DEVELOPMENT
24270 S TAMIAMI TRL
BONITA SPRINGS | Bonita Springs, FL 34134

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173806
EPA ID: N/R

EPA UST ***(cont.)***

Tank ID :	FL9101041-4
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	3000
Substances :	Leaded Gas
Tank Wall Type :	N/R

Tank ID :	FL9101041-5
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	1000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R

FRS

Facility Name :	CONGO RIVER GOLF DEVELOPMENT
Facility Address :	24270 S TAMIAMI TRL, BONITA SPRINGS, FL 34134
County :	LEE

Site Details

Registry ID :	110040329873
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest

Source and System ID :	ICIS - FLR10IO59

ICIS

Facility Name :	CONGO RIVER GOLF DEVELOPMENT
Facility Address :	24270 S TAMIAMI TRL, BONITA SPRINGS, FL 34134

Map Id: F148
Direction: NNW
Distance: 0.339 mi., 1792 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : AUTO CREDIT OF LEE COUNTY | CONGO RIVER GOLF DEVELOPMENT
24270 S TAMIAMI TRL
BONITA SPRINGS | Bonita Springs, FL 34134

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173806
EPA ID: N/R

ICIS ***(cont.)***

Site Details

NPDES ID :	FLR10IO59
ICIS Facility Interest ID :	2400021216
Facility UIN :	110040329873
Facility Type Code :	Privately Owned Facility
Impaired Waters :	303(D) Listed
Latitude :	26.387028
Longitude :	-81.809861
Last Date in Agency List :	2026-02-25

INACTIVE PCS

Issue Date :	2009-08-12
Original Issue Date :	2009-08-12
Effective Date :	2009-08-12
Expiration Date :	2014-08-11
Retirement Date :	N/R
Termination Date :	2015-12-17
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	2400093306
External Permit Number :	FLR10IO59
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Terminated
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Congo River Golf Development
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR100000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2026-02-26

LUST - FL

Facility Name :	AUTO CREDIT OF LEE COUNTY
Facility Address :	24270 S TAMIAMI TRL, BONITA SPRINGS, 34134
County :	LEE

Site Details

Facility ID :	9101041
Facility Status :	CLOSED
Facility Type :	Retail Station
Phone :	8139927838

Map Id: F148
Direction: NNW
Distance: 0.339 mi., 1792 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : AUTO CREDIT OF LEE COUNTY | CONGO RIVER GOLF DEVELOPMENT
24270 S TAMIAMI TRL
BONITA SPRINGS | Bonita Springs, FL 34134

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173806
EPA ID: N/R

LUST - FL ***(cont.)***

Last Date in Agency List : 2026-05-06

Owner Information
- Owner ID : 20703
- Owner Name : STAUFFER, LUTHER
- Owner Address 1 : 24280 TAMIAMI TRL, BONITA SPRINGS, FL 33923
- Owner Address 2 : N/R
- Owner Phone : 8139927838
- Contact : LUTHER STAUFFER

Discharge Details
- Discharge Date : 1991-02-21
- Status Date : 2018-04-11
- Status Description : SRCR COMPLETE
- DEP Code : P
- Description : CLEANUP REQUIRED
- Score Date : 2009-10-13
- Score : 26
- CU Status : N/R

- Oculus Note : Use the Public Oculus Login button to enter the Oculus Website
- Oculus Hyperlink : Click here for hyperlink provided by the agency.

NPDES - FL

- Facility Name : Congo River Golf Development
- Facility Address : 24270 S Tamiami Trl, Bonita Springs, FL
- County : LEE

Site Details
- Issue Date : 2009-08-12
- Effective Date : 2009-08-12
- Expiration Date : 2014-08-11
- Facility ID : FLR10IO59
- Facility Type : Construction Stormwater GP
- Status : Active
- NPDES : N/R
- Company Name : Adventure Golf Design & Development Inc
- Document Description : Generic Permit
- Nature of Business : N/R
- Ownership Type : Private
- Treatment Process Summary : N/R
- Department Office : Tallahassee NPDES Stormwater
- Capacity (MGD) : N/R
- DW Class : N/R

Map Id: F148
Direction: NNW
Distance: 0.339 mi., 1792 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : AUTO CREDIT OF LEE COUNTY | CONGO RIVER GOLF DEVELOPMENT
24270 S TAMIAMI TRL
BONITA SPRINGS | Bonita Springs, FL 34134

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173806
EPA ID: N/R

NPDES - FL ***(cont.)***

Last Date in Agency List : 2016-01-04

Related Party Details
Related Party Name : Tyson Vozza, Vice President of Development
Related Party Address : 13721 S West Bay Shore Dr, Traverse City MI 49684
Related Party Address 2 : N/R
Related Party Phone : 4072474411
Related Party Email : tyson.rozza@cargoriver.com

UST - FL

Facility Name : AUTO CREDIT OF LEE COUNTY
Facility Address : 24270 S TAMIAMI TRL, BONITA SPRINGS, 34134
County : LEE

Site Details
Facility ID : 9101041
Facility Phone : 8139927838
Facility Status : CLOSED
Facility Type : Retail Station
Last Date in Agency List : 2026-05-06

Owner Information
Owner ID : 20703
Owner Name : STAUFFER, LUTHER
Owner Address 1 : 24280 TAMIAMI TRL, BONITA SPRINGS, FL 33923
Owner Address 2 : N/R
Owner Phone : 8139927838
Contact : LUTHER STAUFFER
DEP Contractor Own : P

Tank Information
Tank ID : 1
Gallons : 3000
Tank Location : UNDERGROUND
Substance : Leaded Gas
Install Date : N/R
Status : Removed from Site
Status Date : N/R

Tank ID : 2
Gallons : 3000
Tank Location : UNDERGROUND

Map Id: F148
Direction: NNW
Distance: 0.339 mi., 1792 ft.
Elevation: 18 ft.
Relative: Higher

Site Name : AUTO CREDIT OF LEE COUNTY | CONGO RIVER GOLF DEVELOPMENT
24270 S TAMIAMI TRL
BONITA SPRINGS | Bonita Springs, FL 34134

Database(s) : [DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, ICIS, INACTIVE PCS, LUST - FL, NPDES - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173806
EPA ID: N/R

UST - FL ***(cont.)***

Substance :	Leaded Gas
Install Date :	N/R
Status :	Removed from Site
Status Date :	N/R

Tank ID :	3
Gallons :	3000
Tank Location :	UNDERGROUND
Substance :	Leaded Gas
Install Date :	N/R
Status :	Removed from Site
Status Date :	N/R

Tank ID :	4
Gallons :	3000
Tank Location :	UNDERGROUND
Substance :	Leaded Gas
Install Date :	N/R
Status :	Removed from Site
Status Date :	N/R

Tank ID :	5
Gallons :	1000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	N/R
Status :	Removed from Site
Status Date :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: I149
Direction: N
Distance: 0.340 mi., 1798 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ZMILLION OIL INC | AAC4007
20260 S TAMIAMI TRAIL | 20260 S TAMIAMI TRL | 20260 TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL]

Envirosite ID: 68173777
EPA ID: N/R

DEDB - FL

Sample Date :	2005-01-04
Sample ID :	050105-115
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC4007
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SQUARE K
Well Address :	20260 S TAMIAMI TRL
Well Type :	50
Well Status :	INACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-050105-23
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2004-04-07
Sample ID :	040408-082
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC4007
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SQUARE K
Well Address :	20260 S TAMIAMI TRL
Well Type :	50
Well Status :	INACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-040408-20
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2003-11-20
Sample ID :	031121-068
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC4007
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SQUARE K
Well Address :	20260 S TAMIAMI TRL
Well Type :	50

Map Id: I149
Direction: N
Distance: 0.340 mi., 1798 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ZMILLION OIL INC | AAC4007
20260 S TAMIAMI TRAIL | 20260 S TAMIAMI TRL | 20260 TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173777
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Status :	INACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-031121-16
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2003-01-29
Sample ID :	030130-078
Sample Type :	COMPLIANCE MONITORING
FLUW ID :	AAC4007
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SQUARE K
Well Address :	20260 S TAMIAMI TRL
Well Type :	50
Well Status :	INACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-030130-16
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2002-01-16
Sample ID :	020117-011
Sample Type :	COMPLIANCE
FLUW ID :	AAC4007
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SQUARE K
Well Address :	20260 S TAMIAMI TRL
Well Type :	50
Well Status :	INACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-020117-02
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2001-03-19
Sample ID :	010320-039
Sample Type :	COMPLIANCE

Map Id: I149
Direction: N
Distance: 0.340 mi., 1798 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ZMILLION OIL INC | AAC4007
20260 S TAMIAMI TRAIL | 20260 S TAMIAMI TRL | 20260 TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173777
EPA ID: N/R

DEDB - FL ***(cont.)***

FLUW ID :	AAC4007
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SQUARE K
Well Address :	20260 S TAMIAMI TRL
Well Type :	50
Well Status :	INACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-010320-10
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2000-04-06
Sample ID :	000407-071
Sample Type :	RESAMPLE
FLUW ID :	AAC4007
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SQUARE K
Well Address :	20260 S TAMIAMI TRL
Well Type :	50
Well Status :	INACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-000407-11
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2000-04-06
Sample ID :	000407-071
Sample Type :	RESAMPLE
FLUW ID :	AAC4007
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SQUARE K
Well Address :	20260 TAMIAMI TRL S
Well Type :	41
Well Status :	INACTIVE
City :	N/R
County :	LEE

Map Id: I149
Direction: N
Distance: 0.340 mi., 1798 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ZMILLION OIL INC | AAC4007
20260 S TAMIAMI TRAIL | 20260 S TAMIAMI TRL | 20260 TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173777
EPA ID: N/R

DEDB - FL ***(cont.)***

Job Name :	LEE-000407-11
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2003-01-29
Sample ID :	030130-078
Sample Type :	COMPLIANCE MONITORING
FLUW ID :	AAC4007
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SQUARE K
Well Address :	20260 TAMIAMI TRL
Well Type :	41 - NON-COMMUNITY WATER SYSTEM
Well Status :	INACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030130-16
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2004-04-07
Sample ID :	040408-082
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC4007
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SQUARE K
Well Address :	20260 S. TAMIAMI TRL
Well Type :	41 - NON-COMMUNITY WATER SYSTEM
Well Status :	INACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-040408-20
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2001-03-19
Sample ID :	010320-039
Sample Type :	COMPLIANCE
FLUW ID :	AAC4007
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2

Map Id: I149
Direction: N
Distance: 0.340 mi., 1798 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ZMILLION OIL INC | AAC4007
20260 S TAMIAMI TRAIL | 20260 S TAMIAMI TRL | 20260 TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173777
EPA ID: N/R

DEDB - FL ***(cont.)***

Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SQUARE K
Well Address :	20260 S. TAMIAMI TRL
Well Type :	41
Well Status :	INACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-010320-10
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2005-01-04
Sample ID :	050105-115
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC4007
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SQUARE K
Well Address :	20260 S TAMIAMI TRL
Well Type :	41 - NON-COMMUNITY WATER SYSTEM
Well Status :	INACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-050105-23
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2003-11-20
Sample ID :	031121-068
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC4007
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SQUARE K
Well Address :	20260 S TAMIAMI TRL
Well Type :	41 - NON-COMMUNITY WATER SYSTEM
Well Status :	INACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-031121-16
Customer ID :	N/R
Description :	N/R

Map Id: I149
Direction: N
Distance: 0.340 mi., 1798 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ZMILLION OIL INC | AAC4007
20260 S TAMIAMI TRAIL | 20260 S TAMIAMI TRL | 20260 TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173777
EPA ID: N/R

DEDB - FL ***(cont.)***

Last Date in Agency List :	2026-03-13
Sample Date :	2002-01-16
Sample ID :	020117-011
Sample Type :	COMPLIANCE
FLUW ID :	AAC4007
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SQUARE K
Well Address :	20260 S TAMIAMI TRL
Well Type :	41 - NON-CO
Well Status :	INACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-020117-02
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

DWM CONTAM - FL

Facility Name :	ZMILLION OIL INC
Facility Address :	20260 S TAMIAMI TRAIL, ESTERO, FL 33928
County :	LEE
Score Effective Date :	1998-01-06
Score :	66
Score Ranked :	N/R
Rank :	N/R
Facility ID :	8518908
Facility Status :	OPEN
Facility Type :	A - Retail Station
County Code :	36
District :	SD
Operator :	ZAMIL AHAMMAD
Phone :	(239)948-3111
Name Changed Date :	2005-01-04
Address Changed Date :	2005-01-04
Latitude Degrees :	26
Latitude Minutes :	26
Latitude Seconds :	41.8238
Longitude Degrees :	81
Longitude Minutes :	48
Longitude Seconds :	50.6453
Feature :	N/R
Method :	AGPS
Datum :	0
Section/Township/Range :	SEC 33, TWP 37S, RNG 30E
Related Party Begin Date :	2005-01-04

Map Id: I149
Direction: N
Distance: 0.340 mi., 1798 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ZMILLION OIL INC | AAC4007
20260 S TAMIAMI TRAIL | 20260 S TAMIAMI TRL | 20260 TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173777
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

Related Party ID :	57352
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	ZMILLION OIL INC
Related Party Address 1 :	20260 S TAMIAMI TR, ESTERO, FL 33928
Related Party Address 2 :	N/R
Contact :	ZAMIL AHAMMAD
Related Party Phone :	(239)948-3111
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

EPA LUST

Facility Name :	ZMILLION OIL INC
Facility Address :	20260 S TAMIAMI TRAIL, ESTERO, Florida
County :	N/R
Facility ID :	FL8518908
LUST ID :	FL14144
Reported Date :	1993-12-07
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	410
Estimated Private Domestic Wells within 1500ft:	102
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.44639
Longitude :	-81.8163899999999
Last Date in Agency List :	2024-05-23
Facility ID :	FL8518908
LUST ID :	FL28359
Reported Date :	1988-11-23
Status :	No Further Action

Map Id: I149
Direction: N
Distance: 0.340 mi., 1798 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ZMILLION OIL INC | AAC4007
20260 S TAMIAMI TRAIL | 20260 S TAMIAMI TRL | 20260 TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173777
EPA ID: N/R

EPA LUST ***(cont.)***

Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	410
Estimated Private Domestic Wells within 1500ft:	102
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.44639
Longitude :	-81.8163899999999
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	ZMILLION OIL INC
Facility Address :	20260 S TAMIAMI TRAIL, ESTERO, Florida 33928
County :	N/R
Facility ID :	FL8518908
Facility Status :	Open UST(s)
Open USTs :	1
Closed USTs :	4
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.4463888888889
Longitude :	-81.8163888888889
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8518908-1
Tank Status :	Closed
Installation Date :	1982-12-01
Removal Date :	N/R

Map Id: I149
Direction: N
Distance: 0.340 mi., 1798 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ZMILLION OIL INC | AAC4007
20260 S TAMIAMI TRAIL | 20260 S TAMIAMI TRL | 20260 TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173777
EPA ID: N/R

EPA UST ***(cont.)***

Capacity :	10000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8518908-2
Tank Status :	Closed
Installation Date :	1982-12-01
Removal Date :	N/R
Capacity :	10000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8518908-3
Tank Status :	Closed
Installation Date :	1982-12-01
Removal Date :	N/R
Capacity :	10000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8518908-4
Tank Status :	Closed
Installation Date :	1982-12-01
Removal Date :	N/R
Capacity :	10000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R

Tank ID :	FL8518908-5
Tank Status :	Open
Installation Date :	1998-05-01
Removal Date :	N/R
Capacity :	20000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

FA 3 - FL

Facility Name :	ZMILLION OIL INC
Facility Address :	20260 S TAMIAMI TRAIL, ESTERO, 33928
County :	LEE

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Map Id: I149
Direction: N
Distance: 0.340 mi., 1798 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ZMILLION OIL INC | AAC4007
20260 S TAMIAMI TRAIL | 20260 S TAMIAMI TRL | 20260 TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173777
EPA ID: N/R

FA 3 - FL ***(cont.)***

Effectivity Date :	2025-04-24
Expiration Date :	2026-04-24
Facility ID :	8518908
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE AND INDUSTRY INSURANCE COMPANY
Facility Phone :	2399483111
Owner ID :	57352
Owner Name :	ZMILLION OIL INC
Address :	20260 S TAMIAMI TR, ESTERO, FL 33928
Contact Name :	ZAMIL AHAMMAD
Phone :	2399483111
Last Date in Agency List :	2026-06-03

Effectivity Date :	2023-04-24
Expiration Date :	2024-04-24
Facility ID :	8518908
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE AND INDUSTRY INSURANCE COMPANY
Facility Phone :	2399483111
Owner ID :	57352
Owner Name :	ZMILLION OIL INC
Address :	20260 S TAMIAMI TR, ESTERO, FL 33928
Contact Name :	ZAMIL AHAMMAD
Phone :	2399483111
Last Date in Agency List :	2026-06-03

Effectivity Date :	2022-04-01
Expiration Date :	2023-04-01
Facility ID :	8518908
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY INSURANCE CO
Facility Phone :	2399483111
Owner ID :	57352
Owner Name :	ZMILLION OIL INC
Address :	20260 S TAMIAMI TR, ESTERO, FL 33928
Contact Name :	ZAMIL AHAMMAD
Phone :	2399483111
Last Date in Agency List :	2026-06-03

Effectivity Date :	2018-04-24
Expiration Date :	2019-04-24
Facility ID :	8518908

Map Id: I149
Direction: N
Distance: 0.340 mi., 1798 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ZMILLION OIL INC | AAC4007
20260 S TAMIAMI TRAIL | 20260 S TAMIAMI TRL | 20260 TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173777
EPA ID: N/R

FA 3 - FL ***(cont.)***

Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY INSURANCE CO
Facility Phone :	2399483111
Owner ID :	57352
Owner Name :	ZMILLION OIL INC
Address :	20260 S TAMIAMI TR, ESTERO, FL 33928
Contact Name :	ZAMIL AHAMMAD
Phone :	2399483111
Last Date in Agency List :	2026-06-03

Effectivity Date :	2015-05-25
Expiration Date :	2016-05-25
Facility ID :	8518908
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY
Facility Phone :	2399483111
Owner ID :	57352
Owner Name :	ZMILLION OIL INC
Address :	20260 S TAMIAMI TR, ESTERO, FL 33928
Contact Name :	ZAMIL AHAMMAD
Phone :	2399483111
Last Date in Agency List :	2026-06-03

LUST - FL

Facility Name :	ZMILLION OIL INC
Facility Address :	20260 S TAMIAMI TRAIL, ESTERO, 33928
County :	LEE

Site Details

Facility ID :	8518908
Facility Status :	OPEN
Facility Type :	Retail Station
Phone :	2399483111
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	57352
Owner Name :	ZMILLION OIL INC
Owner Address 1 :	20260 S TAMIAMI TR, ESTERO, FL 33928
Owner Address 2 :	N/R
Owner Phone :	2399483111
Contact :	ZAMIL AHAMMAD

Map Id: I149
Direction: N
Distance: 0.340 mi., 1798 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ZMILLION OIL INC | AAC4007
20260 S TAMIAMI TRAIL | 20260 S TAMIAMI TRL | 20260 TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173777
EPA ID: N/R

LUST - FL ***(cont.)***

Discharge Details

Discharge Date :	1993-12-07
Status Date :	1996-09-12
Status Description :	SRCR COMPLETE
DEP Code :	C
Description :	CLEANUP REQUIRED
Score Date :	1998-01-06
Score :	66
CU Status :	N/R

Discharge Date :	1988-11-23
Status Date :	1993-09-09
Status Description :	SRCR COMPLETE
DEP Code :	C
Description :	CLEANUP REQUIRED
Score Date :	1998-01-06
Score :	66
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

UST - FL

Facility Name :	ZMILLION OIL INC
Facility Address :	20260 S TAMIAMI TRAIL, ESTERO, 33928
County :	LEE

Site Details

Facility ID :	8518908
Facility Phone :	2399483111
Facility Status :	OPEN
Facility Type :	Retail Station
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	57352
Owner Name :	ZMILLION OIL INC
Owner Address 1 :	20260 S TAMIAMI TR, ESTERO, FL 33928
Owner Address 2 :	N/R
Owner Phone :	2399483111
Contact :	ZAMIL AHAMMAD
DEP Contractor Own :	C

Map Id: I149
Direction: N
Distance: 0.340 mi., 1798 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ZMILLION OIL INC | AAC4007
20260 S TAMIAMI TRAIL | 20260 S TAMIAMI TRL | 20260 TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173777
EPA ID: N/R

UST - FL ***(cont.)***

Tank Information

Tank ID :	1
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1982-12-01
Status :	Removed from Site
Status Date :	1993-12-31

Tank ID :	2
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1982-12-01
Status :	Removed from Site
Status Date :	1993-12-31

Tank ID :	3
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1982-12-01
Status :	Removed from Site
Status Date :	1993-12-31

Tank ID :	4
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	1982-12-01
Status :	Removed from Site
Status Date :	1993-12-31

Tank ID :	5
Gallons :	20000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1998-05-01
Status :	In Service
Status Date :	1998-05-01

Construction Items :
Miscellaneous Attributes - Compartmented
Overfill/Spill - Ball check valve
Overfill/Spill - Tight fill
Overfill/Spill - Level gauges/alarms
Overfill/Spill - Spill containment bucket
Primary Construction - Fiberglass clad steel
Secondary Containment - Double wall - tank jacket

Map Id: I149
Direction: N
Distance: 0.340 mi., 1798 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ZMILLION OIL INC | AAC4007
20260 S TAMIAMI TRAIL | 20260 S TAMIAMI TRL | 20260 TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173777
EPA ID: N/R

UST - FL ***(cont.)***

Monitoring Items :	Internal Tk Monitoring - Monitor dbl wall tank space Internal Tk Monitoring - Automatic tank gauging - USTs Piping Monitoring - Electronic line leak detector
Piping Items :	Miscellaneous Attributes - Pressurized piping system Miscellaneous Attributes - Dispenser liners Primary Construction - Fiberglass Secondary Containment - Double wall
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: I150
Direction: N
Distance: 0.342 mi., 1806 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAG3702 | AAD4488
20361 POINCIANA AVE
ESTERO, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173780
EPA ID: N/R

DEDB - FL

Sample Date :	2003-02-25
Sample ID :	030226-056
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3702
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	HAWKINSON, ROBERT
Well Address :	20361 POINCIANA AVE
Well Type :	43
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Sample Date :	2003-02-25
Sample ID :	030226-056
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3702
Analyte :	ETHYLENE DIBROMIDE (EDB)

Map Id: I150
Direction: N
Distance: 0.342 mi., 1806 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAG3702 | AAD4488
20361 POINCIANA AVE
ESTERO, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173780
EPA ID: N/R

DEDB - FL ***(cont.)***

Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	HAWKINSON, ROBERT
Well Address :	20361 POINCIANA AV
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2000-04-06
Sample ID :	000407-072
Sample Type :	FIRST_SAMP
FLUW ID :	AAD4488
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	KNUTSON
Well Address :	20361 POINCIANA AVE
Well Type :	43
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-000407-11
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Sample Date :	2003-02-25
Sample ID :	030226-056
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3702
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	HAWKINSON, ROBERT
Well Address :	20361 POINCIANA AVE
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

Map Id: I150
Direction: N
Distance: 0.342 mi., 1806 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAG3702 | AAD4488
20361 POINCIANA AVE
ESTERO, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173780
EPA ID: N/R

DEDB - FL ***(cont.)***

Sample Date :	2000-04-06
Sample ID :	000407-072
Sample Type :	FIRST_SAMP
FLUW ID :	AAD4488
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	KNUTSON
Well Address :	20361 POINCIANA AVE
Well Type :	43
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-000407-11
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Map Id: I151
Direction: N
Distance: 0.345 mi., 1819 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAG3701
20371 POINCIANA AVE
ESTERO, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173781
EPA ID: N/R

DEDB - FL

Sample Date :	2003-02-25
Sample ID :	030226-055
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3701
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TOURANGEAU, ALBERT
Well Address :	20371 POINCIANA AVE
Well Type :	43
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Sample Date :	2003-02-25
Sample ID :	030226-055

Map Id: I151
Direction: N
Distance: 0.345 mi., 1819 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAG3701
20371 POINCIANA AVE
ESTERO, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173781
EPA ID: N/R

DEDB - FL ***(cont.)***

Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3701
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TOURANGEAU, ALBERT
Well Address :	20371 POINCIANA AVE
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

Sample Date :	2003-02-25
Sample ID :	030226-055
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3701
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TOURANGEAU, ALBERT
Well Address :	20371 POINCIANA AV
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Map Id: I152
Direction: N
Distance: 0.347 mi., 1831 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAG3704
20381 POINCIANA AVE
ESTERO, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173782
EPA ID: N/R

DEDB - FL

Sample Date :	2003-02-25
Sample ID :	030226-058
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3704

Map Id: I152
Direction: N
Distance: 0.347 mi., 1831 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAG3704
20381 POINCIANA AVE
ESTERO, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173782
EPA ID: N/R

DEDB - FL ***(cont.)***

Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	FONES, KATHLEEN
Well Address :	20381 POINCIANA DR
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2003-02-25
Sample ID :	030226-058
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3704
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	FONES, KATHLEEN
Well Address :	20381 POINCIANA AVE
Well Type :	43
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Sample Date :	2003-02-25
Sample ID :	030226-058
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3704
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	FONES, KATHLEEN
Well Address :	20381 POINCIANA AVE
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

Map Id: I153
Direction: N
Distance: 0.353 mi., 1865 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAG3705
20399 POINCIANA AVE | 20399 POINCIANNA DR
ESTERO, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173783
EPA ID: N/R

DEDB - FL

Sample Date :	2003-02-25
Sample ID :	030226-059
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3705
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	STEWART, JOHN
Well Address :	20399 POINCIANA AVE
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

Sample Date :	2003-02-25
Sample ID :	030226-059
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3705
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	STEWART, JOHN
Well Address :	20399 POINCIANA AVE
Well Type :	43
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Sample Date :	2003-02-25
Sample ID :	030226-059
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3705
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	STEWART, JOHN
Well Address :	20399 POINCIANNA DR
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R

Map Id: I153
Direction: N
Distance: 0.353 mi., 1865 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAG3705
20399 POINCIANA AVE | 20399 POINCIANNA DR
ESTERO, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173783
EPA ID: N/R

DEDB - FL ***(cont.)***

County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Map Id: I154
Direction: N
Distance: 0.364 mi., 1921 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAC5389 | GREENWAY LANDSCAPE SUPPLY
20190 S TAMIAMI TRL | 20190 TAMIAMI TRAIL | 20190 TAMIAMI TRL S
ESTERO, FL 33928

Database(s) : [DEDB - FL, SWF/LF - FL, SWRCY - FL]

Envirosite ID: 68173771
EPA ID: N/R

DEDB - FL

Sample Date :	2004-03-25
Sample ID :	040326-045
Sample Type :	COMPLIANCE MONITORING
FLUW ID :	AAC5389
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	ESTERO SOD AND LANDSCAPE
Well Address :	20190 S. TAMIAMI TRL
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-040326-13
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2003-12-16
Sample ID :	031217-079
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5389
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	ESTERO SOD AND LANDSCAPE
Well Address :	20190 S. TAMIAMI TRL
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C

Map Id: I154
Direction: N
Distance: 0.364 mi., 1921 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAC5389 | GREENWAY LANDSCAPE SUPPLY
20190 S TAMIAMI TRL | 20190 TAMIAMI TRAIL | 20190 TAMIAMI TRL S
ESTERO, FL 33928

Database(s) : [DEDB - FL, SWF/LF - FL, SWRCY - FL] ***(cont.)***

Envirosite ID: 68173771
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-031217-18
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2005-01-04
Sample ID :	050105-113
Sample Type :	COMPLIANCE MONITORING
FLUW ID :	AAC5389
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	ESTERO SOD AND LANDSCAPE
Well Address :	20190 S TAMIAMI TRL
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-050105-23
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2003-02-25
Sample ID :	030226-053
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5389
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	ESTERO SOD AND LANDSCAPE
Well Address :	20190 S TAMIAMI TRL
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2009-06-12
Sample ID :	090521-026
Sample Type :	FIRST SAMPLE

Map Id: I154
Direction: N
Distance: 0.364 mi., 1921 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAC5389 | GREENWAY LANDSCAPE SUPPLY
20190 S TAMIAMI TRL | 20190 TAMIAMI TRAIL | 20190 TAMIAMI TRL S
ESTERO, FL 33928

Database(s) : [DEDB - FL, SWF/LF - FL, SWRCY - FL] ***(cont.)***

Envirosite ID: 68173771
EPA ID: N/R

DEDB - FL ***(cont.)***

FLUW ID :	AAC5389
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	ESTERO SOD AND LANDSCAPE
Well Address :	20190 TAMIAMI TRL S
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-090521-006
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2005-01-04
Sample ID :	050105-113
Sample Type :	COMPLIANCE MONITORING
FLUW ID :	AAC5389
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	ESTERO SOD AND LANDSCAPE
Well Address :	20190 TAMIAMI TRL S
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-050105-23
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2004-03-25
Sample ID :	040326-045
Sample Type :	COMPLIANCE MONITORING
FLUW ID :	AAC5389
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	ESTERO SOD AND LANDSCAPE
Well Address :	20190 TAMIAMI TRL S
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE

Map Id: I154
Direction: N
Distance: 0.364 mi., 1921 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAC5389 | GREENWAY LANDSCAPE SUPPLY
20190 S TAMIAMI TRL | 20190 TAMIAMI TRAIL | 20190 TAMIAMI TRL S
ESTERO, FL 33928

Database(s) : [DEDB - FL, SWF/LF - FL, SWRCY - FL] ***(cont.)***

Envirosite ID: 68173771
EPA ID: N/R

DEDB - FL ***(cont.)***

Job Name :	LEE-040326-13
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25
Sample Date :	2003-12-16
Sample ID :	031217-079
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5389
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	ESTERO SOD AND LANDSCAPE
Well Address :	20190 TAMIAMI TRL S
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-031217-18
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25
Sample Date :	2003-02-25
Sample ID :	030226-053
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5389
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	ESTERO SOD AND LANDSCAPE
Well Address :	20190 TAMIAMI TRL S
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25
Sample Date :	2000-04-06
Sample ID :	000407-070
Sample Type :	RESAMPLE
FLUW ID :	AAC5389
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2

Map Id: I154
Direction: N
Distance: 0.364 mi., 1921 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAC5389 | GREENWAY LANDSCAPE SUPPLY
20190 S TAMIAMI TRL | 20190 TAMIAMI TRAIL | 20190 TAMIAMI TRL S
ESTERO, FL 33928

Database(s) : [DEDB - FL, SWF/LF - FL, SWRCY - FL] ***(cont.)***

Envirosite ID: 68173771
EPA ID: N/R

DEDB - FL ***(cont.)***

Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	ESTERO SOD AND LANDSCAPE
Well Address :	20190 TAMIAMI TRL S
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-000407-11
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2009-06-12
Sample ID :	090521-026
Sample Type :	FIRST SAMPLE
FLUW ID :	AAC5389
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	ESTERO SOD AND LANDSCAPE
Well Address :	20190 TAMIAMI TRL S
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-090521-006
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2000-04-06
Sample ID :	000407-070
Sample Type :	RESAMPLE
FLUW ID :	AAC5389
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	ESTERO SOD AND LANDSCAPE
Well Address :	20190 TAMIAMI TRL S
Well Type :	42
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-000407-11
Customer ID :	N/R
Description :	N/R

Map Id: I154
Direction: N
Distance: 0.364 mi., 1921 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAC5389 | GREENWAY LANDSCAPE SUPPLY
20190 S TAMIAMI TRL | 20190 TAMIAMI TRAIL | 20190 TAMIAMI TRL S
ESTERO, FL 33928

Database(s) : [DEDB - FL, SWF/LF - FL, SWRCY - FL] ***(cont.)***

Envirosite ID: 68173771
EPA ID: N/R

DEDB - FL ***(cont.)***

Last Date in Agency List :	2026-03-13

SWF/LF - FL

Facility Name :	GREENWAY LANDSCAPE SUPPLY
Facility Address :	20190 TAMIAMI TRAIL, ESTERO, FL 33928
County :	LEE

Site Details

Facility ID :	95357
Class :	UNAUTHORIZED DISPOSAL/PROCESSING-COMPLAINT
Class Type :	595
Class Status :	INVALID COMPLAINT (M)
Test Site Data :	TestSite Inventory Report, TestSite Result Report
Detail :	Facility Activities, Documents in OCULUS
District :	SD
Section/Township/Range :	N/R
Responsible Authority Name :	N/R
Responsible Authority Address :	N/R
Responsible Authority Phone Number :	N/R
Responsible Authority Email Address :	N/R
Land Owner Name :	N/R
Land Owner Address :	N/R
Land Owner Phone Number :	N/R
Site Supervisor Name :	N/R
Site Supervisor Address :	N/R
Site Supervisor Phone Number :	N/R
Site Supervisor Email Address :	N/R
Latitude :	26.445259
Longitude :	81.814166
Last Date in Agency List :	2024-05-14

SWRCY - FL

Facility Name :	GREENWAY LANDSCAPE SUPPLY
Facility Address :	20190 TAMIAMI TRAIL, ESTERO, FL 33928
County :	LEE

Site Details

Facility ID :	95357
Class :	SOURCE-SEPARATED ORGANICS PROC. FAC. (SOPF)
Class Type :	330
Class Status :	CLOSED, NO GW MONITORING (J)
Test Site Data :	TestSite Inventory Report, TestSite Result Report
Detail :	Facility Activities, Documents in OCULUS
District :	SD
Section/Township/Range :	N/R
Responsible Authority Name :	N/R
Responsible Authority Address :	N/R
Responsible Authority Phone Number :	N/R

Map Id: I154
Direction: N
Distance: 0.364 mi., 1921 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAC5389 | GREENWAY LANDSCAPE SUPPLY
20190 S TAMIAMI TRL | 20190 TAMIAMI TRAIL | 20190 TAMIAMI TRL S
ESTERO, FL 33928

Database(s) : [DEDB - FL, SWF/LF - FL, SWRCY - FL] ***(cont.)***

Envirosite ID: 68173771
EPA ID: N/R

SWRCY - FL ***(cont.)***

Responsible Authority Email Address :	N/R
Land Owner Name :	N/R
Land Owner Address :	N/R
Land Owner Phone Number :	N/R
Site Supervisor Name :	N/R
Site Supervisor Address :	N/R
Site Supervisor Phone Number :	N/R
Site Supervisor Email Address :	N/R
Latitude :	26.445259
Longitude :	81.814166
Last Date in Agency List :	2024-05-10

Map Id: G155
Direction: NNW
Distance: 0.371 mi., 1960 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : COCONUT RD TRACT
US 41
BONITA SPRINGS, FL 34134

Database(s) : [AST - FL, DWM CONTAM - FL, EPA LUST, LAST - FL, LUST - FL]

Envirosite ID: 8004441
EPA ID: N/R

AST - FL

Facility Name :	COCONUT RD TRACT
Facility Address :	US 41, BONITA SPRINGS, 34134
County :	LEE

Site Details

Facility ID :	8942875
Facility Phone :	N/R
Facility Status :	CLOSED
Facility Type :	C
Type Description :	Fuel user/Non-retail
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	20745
Owner Name :	STEPHEN DALTON,TRUSTEE
Owner Address 1 :	N/R
Owner Address 2 :	N/R
Owner Phone :	8133342195
Contact :	STEPHEN DALTON,TRUSTEE
DEP Contractor Own :	P

Map Id: G155
Direction: NNW
Distance: 0.371 mi., 1960 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : COCONUT RD TRACT
US 41
BONITA SPRINGS, FL 34134

Database(s) : [AST - FL, DWM CONTAM - FL, EPA LUST, LAST - FL, LUST - FL] ***(cont.)***

Envirosite ID: 8004441
EPA ID: N/R

AST - FL ***(cont.)***

Tank Information

Tank ID :	1
Gallons :	888
Tank Location :	ABOVEGROUND
Substance :	Vehicular Diesel
Install Date :	N/R
Status :	Removed from Site
Status Date :	N/R
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

DWM CONTAM - FL

Facility Name :	COCONUT RD TRACT
Facility Address :	US 41, BONITA SPRINGS, FL 34134
County :	LEE
Score Effective Date :	1998-01-06
Score :	6
Score Ranked :	N/R
Rank :	N/R
Facility ID :	8942875
Facility Status :	CLOSED
Facility Type :	C - Fuel user/Non-retail
County Code :	36
District :	SD
Operator :	VACANT
Phone :	N/R
Name Changed Date :	N/R
Address Changed Date :	N/R
Latitude Degrees :	26
Latitude Minutes :	23
Latitude Seconds :	28.5176
Longitude Degrees :	81
Longitude Minutes :	48
Longitude Seconds :	37.5757
Feature :	N/R
Method :	UNVR
Datum :	0
Section/Township/Range :	SEC 9, TWP 47S, RNG 25E
Related Party Begin Date :	1994-05-20
Related Party ID :	20745
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	STEPHEN DALTON,TRUSTEE
Related Party Address 1 :	PO DRAWER 1507, FORT MYERS, FL 33902
Related Party Address 2 :	N/R
Contact :	STEPHEN DALTON,TRUSTEE
Related Party Phone :	(813)334-2195
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

Map Id: G155
Direction: NNW
Distance: 0.371 mi., 1960 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : COCONUT RD TRACT
US 41
BONITA SPRINGS, FL 34134

Database(s) : [AST - FL, DWM CONTAM - FL, EPA LUST, LAST - FL, LUST - FL] ***(cont.)***

Envirosite ID: 8004441
EPA ID: N/R

EPA LUST

Facility Name :	COCONUT RD TRACT
Facility Address :	US 41, BONITA SPRINGS, Florida
County :	N/R
Facility ID :	FL8942875
LUST ID :	FL27417
Reported Date :	1988-12-12
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	271
Estimated Private Domestic Wells within 1500ft:	58
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	Yes
WHPA Public Water System and Facility ID:	FL5360025_4359750931
WHPA Water Type :	GW
WHPA Facility Type :	WL
WHPA HUC12 :	30902040106
Within Estimated 100-year Floodplain:	No
Latitude :	26.38833
Longitude :	-81.8125
Last Date in Agency List :	2024-05-23

LAST - FL

Facility Name :	COCONUT RD TRACT
Facility Address :	US 41, BONITA SPRINGS, 34134
County :	LEE

Site Details

Facility ID :	8942875
Facility Status :	CLOSED
Facility Type :	Fuel user/Non-retail
Phone :	N/R
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	20745
Owner Name :	STEPHEN DALTON,TRUSTEE

Map Id: G155
Direction: NNW
Distance: 0.371 mi., 1960 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : COCONUT RD TRACT
US 41
BONITA SPRINGS, FL 34134

Database(s) : [AST - FL, DWM CONTAM - FL, EPA LUST, LAST - FL, LUST - FL] ***(cont.)***

Envirosite ID: 8004441
EPA ID: N/R

LAST - FL ***(cont.)***

Owner Address 1 :	PO DRAWER 1507, FORT MYERS, FL 33902
Owner Address 2 :	N/R
Owner Phone :	8133342195
Contact :	STEPHEN DALTON,TRUSTEE

Discharge Details

Discharge Date :	1988-12-12
Status Date :	1995-10-10
Status Description :	NFA COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	1998-01-06
Score :	6
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

LUST - FL

Facility Name :	COCONUT RD TRACT
Facility Address :	US 41, BONITA SPRINGS, 34134
County :	LEE

Site Details

Facility ID :	8942875
Facility Status :	CLOSED
Facility Type :	Fuel user/Non-retail
Phone :	N/R
Last Date in Agency List :	2015-11-16

Owner Information

Owner ID :	N/R
Owner Name :	N/R
Owner Address 1 :	N/R
Owner Address 2 :	N/R
Owner Phone :	N/R
Contact :	N/R

Discharge Details

Discharge Date :	1988-12-12
Status Date :	1995-10-10
Status Description :	NFA COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	1998-01-06
Score :	00006

Map Id: G155
Direction: NNW
Distance: 0.371 mi., 1960 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : COCONUT RD TRACT
US 41
BONITA SPRINGS, FL 34134

Database(s) : [AST - FL, DWM CONTAM - FL, EPA LUST, LAST - FL, LUST - FL] ***(cont.)***

Envirosite ID: 8004441
EPA ID: N/R

LUST - FL ***(cont.)***

CU Status :	NFA
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	N/R

Map Id: I156
Direction: N
Distance: 0.376 mi., 1985 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAG3700
20280 TRAILSIDE DR
ESTERO, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173778
EPA ID: N/R

DEDB - FL

Sample Date :	2009-06-12
Sample ID :	090521-027
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3700
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	FERNADEZ
Well Address :	20280 TRAILSIDE DR
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-090521-006
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2003-11-20
Sample ID :	031121-065
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3700
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	FERNADEZ
Well Address :	20280 TRAILSIDE DR
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	LEE

Map Id: I156
Direction: N
Distance: 0.376 mi., 1985 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAG3700
20280 TRAILSIDE DR
ESTERO, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173778
EPA ID: N/R

DEDB - FL ***(cont.)***

Job Name :	LEE-031121-16
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2003-02-25
Sample ID :	030226-054
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3700
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	FERNADEZ
Well Address :	20280 TRAILSIDE DR
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2009-06-12
Sample ID :	090521-027
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3700
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	FERNADEZ
Well Address :	20280 TRAILSIDE DR
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-090521-006
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25
Sample Date :	2003-11-20
Sample ID :	031121-065
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3700
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R

Map Id: I156
Direction: N
Distance: 0.376 mi., 1985 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAG3700
20280 TRAILSIDE DR
ESTERO, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173778
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Business Name :	FERNADEZ
Well Address :	20280 TRAILSIDE DR
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-031121-16
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2003-02-25
Sample ID :	030226-054
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3700
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	FERNADEZ
Well Address :	20280 TRAILSIDE DR
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Map Id: I157
Direction: N
Distance: 0.390 mi., 2060 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD4485 | MARCO PROPERTY | BUESING'S SERVICE & REPAIR
20170 S TAMIAMI TRL | 20170 TAMIAMI TRL
ESTERO | Estero, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RAATS, RCRA NONGEN, SQG - FL, UST - FL]

Envirosite ID: 68173770
EPA ID: N/R

DEDB - FL

Sample Date :	2005-01-04
Sample ID :	050105-112
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4485
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25

Map Id: I157
Direction: N
Distance: 0.390 mi., 2060 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD4485 | MARCO PROPERTY | BUESING'S SERVICE & REPAIR
20170 S TAMIAMI TRL | 20170 TAMIAMI TRL
ESTERO | Estero, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RAATS, RCRA NONGEN, SQG - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173770
EPA ID: N/R

DEDB - FL ***(cont.)***

Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	J & C AUTO
Well Address :	20170 TAMIAMI TRL
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-050105-23
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2009-06-12
Sample ID :	090521-024
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4485
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	J & C AUTO
Well Address :	20170 S TAMIAMI TRL
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-090521-006
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2005-11-09
Sample ID :	051110-059
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4485
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	J & C AUTO
Well Address :	20170 S TAMIAMI TRL
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-051110-013

Map Id: I157
Direction: N
Distance: 0.390 mi., 2060 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD4485 | MARCO PROPERTY | BUESING'S SERVICE & REPAIR
20170 S TAMIAMI TRL | 20170 TAMIAMI TRL
ESTERO | Estero, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RAATS, RCRA NONGEN, SQG - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173770
EPA ID: N/R

DEDB - FL ***(cont.)***

Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2003-11-20
Sample ID :	031121-064
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4485
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	J & C AUTO
Well Address :	20170 S TAMIAMI TRL
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-031121-16
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2003-01-29
Sample ID :	030130-077
Sample Type :	COMPLIANCE MONITORING
FLUW ID :	AAD4485
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	J & C AUTO
Well Address :	20170 S TAMIAMI TRL
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.C
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030130-16
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2009-06-12
Sample ID :	090521-024
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4485

Map Id: I157
Direction: N
Distance: 0.390 mi., 2060 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD4485 | MARCO PROPERTY | BUESING'S SERVICE & REPAIR
20170 S TAMIAMI TRL | 20170 TAMIAMI TRL
ESTERO | Estero, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RAATS, RCRA NONGEN, SQG - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173770
EPA ID: N/R

DEDB - FL ***(cont.)***

Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	J & C AUTO
Well Address :	20170 S TAMIAMI TRL
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-090521-006
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2005-11-09
Sample ID :	051110-059
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4485
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	J & C AUTO
Well Address :	20170 S TAMIAMI TRL
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-051110-013
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2005-01-04
Sample ID :	050105-112
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4485
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	J & C AUTO
Well Address :	20170 S TAMIAMI TRL
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO

Map Id: I157
Direction: N
Distance: 0.390 mi., 2060 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD4485 | MARCO PROPERTY | BUESING'S SERVICE & REPAIR
20170 S TAMIAMI TRL | 20170 TAMIAMI TRL
ESTERO | Estero, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RAATS, RCRA NONGEN, SQG - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173770
EPA ID: N/R

DEDB - FL ***(cont.)***

County :	LEE
Job Name :	LEE-050105-23
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25
Sample Date :	2004-04-07
Sample ID :	040408-081
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4485
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	J & C AUTO
Well Address :	20170 S TAMIAMI TRL
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-040408-20
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25
Sample Date :	2003-11-20
Sample ID :	031121-064
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4485
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	J & C AUTO
Well Address :	20170 S TAMIAMI TRL
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-031121-16
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25
Sample Date :	2003-01-29
Sample ID :	030130-077

Map Id: I157
Direction: N
Distance: 0.390 mi., 2060 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD4485 | MARCO PROPERTY | BUESING'S SERVICE & REPAIR
20170 S TAMIAMI TRL | 20170 TAMIAMI TRL
ESTERO | Estero, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RAATS, RCRA NONGEN, SQG - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173770
EPA ID: N/R

DEDB - FL ***(cont.)***

Sample Type :	COMPLIANCE MONITORING
FLUW ID :	AAD4485
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	J & C AUTO
Well Address :	20170 S TAMIAMI TRL
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-030130-16
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2001-03-19
Sample ID :	010320-040
Sample Type :	COMPLIANCE
FLUW ID :	AAD4485
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	J & C AUTO
Well Address :	20170 S TAMIAMI TRL
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-010320-10
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2001-03-19
Sample ID :	010320-040
Sample Type :	COMPLIANCE
FLUW ID :	AAD4485
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	J & C AUTO
Well Address :	20170 S. TAMIAMI TRL.
Well Type :	42

Map Id: I157
Direction: N
Distance: 0.390 mi., 2060 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD4485 | MARCO PROPERTY | BUESING'S SERVICE & REPAIR
20170 S TAMIAMI TRL | 20170 TAMIAMI TRL
ESTERO | Estero, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RAATS, RCRA NONGEN, SQG - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173770
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-010320-10
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2004-04-07
Sample ID :	040408-081
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4485
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	J & C AUTO
Well Address :	20170 S. TAMIAMI TRL
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8, F.A.
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-040408-20
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

DWM CONTAM - FL

Facility Name :	MARCO PROPERTY
Facility Address :	20170 S TAMIAMI TRL, ESTERO, FL 33928-2116
County :	LEE

Score Effective Date :	2003-12-19
Score :	51
Score Ranked :	51
Rank :	3014
Facility ID :	8942774
Facility Status :	CLOSED
Facility Type :	C - Fuel user/Non-retail
County Code :	36
District :	SD
Operator :	N/R
Phone :	N/R
Name Changed Date :	2001-06-11
Address Changed Date :	N/R
Latitude Degrees :	26
Latitude Minutes :	26

Map Id: I157
Direction: N
Distance: 0.390 mi., 2060 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD4485 | MARCO PROPERTY | BUESING'S SERVICE & REPAIR
20170 S TAMIAMI TRL | 20170 TAMIAMI TRL
ESTERO | Estero, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RAATS, RCRA NONGEN, SQG - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173770
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

Latitude Seconds :	45.7858
Longitude Degrees :	81
Longitude Minutes :	48
Longitude Seconds :	56.0947
Feature :	N/R
Method :	UNVR
Datum :	0
Section/Township/Range :	SEC 28, TWP 46, RNG 25
Related Party Begin Date :	2004-05-11
Related Party ID :	56206
Primary Related Party Role :	PROPERTY OWNER
Related Party Name :	JC AUTO SALES INC
Related Party Address 1 :	2390 J & L BLVD, NAPLES, FL 34109
Related Party Address 2 :	ATTN: ANTHONY CARTER
Contact :	ANTHONY CARTER
Related Party Phone :	(239)597-7027
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

ECHO

Facility Name :	BUESING'S SERVICE & REPAIR
Facility Address :	20170 S TAMIAMI TRL, ESTERO, FL 33928
County :	LEE
Last Inspection Date :	1989-01-31
Registry ID :	110002556804
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	13403
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	POINT WHERE SUBSTANCE IS MONITORED
Accuracy Meters :	5
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040103

Map Id: I157
Direction: N
Distance: 0.390 mi., 2060 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD4485 | MARCO PROPERTY | BUESING'S SERVICE & REPAIR
20170 S TAMIAMI TRL | 20170 TAMIAMI TRL
ESTERO | Estero, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RAATS, RCRA NONGEN, SQG - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173770
EPA ID: N/R

ECHO ***(cont.)***

Derived STCTY FIPS :	12071
Derived Zip :	33928
Derived CD113 :	19
Derived CB2010 :	120710502031022
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	1989-01-31
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.446335
Longitude :	-81.815495

Map Id: I157
Direction: N
Distance: 0.390 mi., 2060 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD4485 | MARCO PROPERTY | BUESING'S SERVICE & REPAIR
20170 S TAMIAMI TRL | 20170 TAMIAMI TRL
ESTERO | Estero, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RAATS, RCRA NONGEN, SQG - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173770
EPA ID: N/R

ECHO ***(cont.)***

Last Date in Agency List :	2026-05-11

EPA LUST

Facility Name :	MARCO PROPERTY
Facility Address :	20170 S TAMIAMI TRL, ESTERO, Florida
County :	N/R
Facility ID :	FL8942774
LUST ID :	FL26492
Reported Date :	1988-12-22
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	374
Estimated Private Domestic Wells within 1500ft:	98
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.44639
Longitude :	-81.81694
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	MARCO PROPERTY
Facility Address :	20170 S TAMIAMI TRL, ESTERO, Florida 33928
County :	N/R
Facility ID :	FL8942774
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	4

Map Id: I157
Direction: N
Distance: 0.390 mi., 2060 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD4485 | MARCO PROPERTY | BUESING'S SERVICE & REPAIR
20170 S TAMIAMI TRL | 20170 TAMIAMI TRL
ESTERO | Estero, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RAATS, RCRA NONGEN, SQG - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173770
EPA ID: N/R

EPA UST ***(cont.)***

Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.4463888888889
Longitude :	-81.8169444444444
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8942774-1
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	888
Substances :	Leaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8942774-2
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	888
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8942774-3
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	550
Substances :	Waste Oil
Tank Wall Type :	N/R

Tank ID :	FL8942774-4
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	550
Substances :	Kerosene
Tank Wall Type :	N/R

FRS

Facility Name :	BUESING'S SERVICE & REPAIR
Facility Address :	20170 S TAMIAMI TRL, ESTERO, FL 339282116

Map Id: I157
Direction: N
Distance: 0.390 mi., 2060 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD4485 | MARCO PROPERTY | BUESING'S SERVICE & REPAIR
20170 S TAMIAMI TRL | 20170 TAMIAMI TRL
ESTERO | Estero, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RAATS, RCRA NONGEN, SQG - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173770
EPA ID: N/R

FRS ***(cont.)***

County : LEE

Site Details
Registry ID : 110002556804
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest
Source and System ID : FLORIDA DEP - 19549
RCRAINFO - FLD982081200

GWIF - FL

Facility Name : J & C AUTO
Facility Address : 20170 S TAMIAMI TRL, ESTERO, 33928
County : LEE

Facility ID : 8942774
Facility Type : PETROLEUM
Location ID : 192561
Location Method : DGPS OFFSET = Calculated location using DGPS
GPS ID : 192561
GPS Date : 2003-11-21
HAE (Height Above Ellipsoid) : 5.3
Project ID : SUPER
Insp Name : MARK ASHTON

Map Id: I157
Direction: N
Distance: 0.390 mi., 2060 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD4485 | MARCO PROPERTY | BUESING'S SERVICE & REPAIR
20170 S TAMIAMI TRL | 20170 TAMIAMI TRL
ESTERO | Estero, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RAATS, RCRA NONGEN, SQG - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173770
EPA ID: N/R

GWIF - FL ***(cont.)***

Insp CHD :	LEE
Request Number :	N/R
Datum :	WS1984
Software :	N/R
Streetside :	N/R
Agency :	N/R
Comment :	N/R
Latitude :	26.446259
Longitude :	-81.815799
Last Date in Agency List :	2026-05-09

LUST - FL

Facility Name :	MARCO PROPERTY
Facility Address :	20170 S TAMIAMI TRL, ESTERO, 33928
County :	LEE

Site Details

Facility ID :	8942774
Facility Status :	CLOSED
Facility Type :	Fuel user/Non-retail
Phone :	N/R
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	N/R
Owner Name :	N/R
Owner Address 1 :	N/R
Owner Address 2 :	N/R
Owner Phone :	N/R
Contact :	N/R

Discharge Details

Discharge Date :	1988-12-22
Status Date :	2010-03-25
Status Description :	SRCR COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2009-08-06
Score :	51
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: I157
Direction: N
Distance: 0.390 mi., 2060 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD4485 | MARCO PROPERTY | BUESING'S SERVICE & REPAIR
20170 S TAMIAMI TRL | 20170 TAMIAMI TRL
ESTERO | Estero, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RAATS, RCRA NONGEN, SQG - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173770
EPA ID: N/R

RAATS

Facility Name :	BUESING'S SERVICE & REPAIR
Facility Address :	20170 S TAMIAMI TRL, ESTERO, FL 339282116

Notices of Violations Summary

Date of Violation :	1989-01-31
Date Achieved Compliance :	N/R
Regulation Violated :	N
Area of Violation :	N/R
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	N/R
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Regulation Violated :	N

RCRA NONGEN

Facility Name :	BUESING'S SERVICE & REPAIR
Facility Address :	20170 S TAMIAMI TRL, ESTERO, FL 33928-2116
County :	LEE
Date Form Received by Agency :	2015-06-30
EPA ID :	FLD982081200
Mailing Address :	20170 S TAMIAMI TRL, ESTERO, FL 33928-2116
Contact :	HOWARD BUESING
Contact Address :	20170 S TAMIAMI TRL, ESTERO, FL 33928-2116
Contact Country :	US
Contact Telephone :	941-992-1519
Contact Email :	N/R
EPA Region :	04
Land Type :	Other land type
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2026-05-05

Owner/Operator Summary

Owner/Operator Name :	HOWARD BUESING
Owner/Operator Address :	20170 S TAMIAMI TRL, ESTERO, FL 33928-2116
Owner/Operator Country :	US

Map Id: I157
Direction: N
Distance: 0.390 mi., 2060 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD4485 | MARCO PROPERTY | BUESING'S SERVICE & REPAIR
20170 S TAMIAMI TRL | 20170 TAMIAMI TRL
ESTERO | Estero, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RAATS, RCRA NONGEN, SQG - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173770
EPA ID: N/R

RCRA NONGEN ***(cont.)***

Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1996-10-18
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	1989-06-28
Facility Name :	BUESING'S SERVICE & REPAIR
Classification :	Small Quantity Generator

Notices of Violations Summary

Regulation Violated :	N

Evaluation Action Summary

Evaluation Date :	1989-01-31
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

SQG - FL

Facility Name :	Buesing's Service & Repair

Map Id: I157
Direction: N
Distance: 0.390 mi., 2060 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD4485 | MARCO PROPERTY | BUESING'S SERVICE & REPAIR
20170 S TAMIAMI TRL | 20170 TAMIAMI TRL
ESTERO | Estero, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RAATS, RCRA NONGEN, SQG - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173770
EPA ID: N/R

SQG - FL ***(cont.)***

Facility Address :	20170 S Tamiami Trl, Estero, 33928
County :	LEE
Last Inspection Date :	1989-01-31
Date Notified :	1989-05-15
Site ID :	19549
Handler ID :	FLD982081200
Office :	South District
Facility Inspection Type :	N/R
Documents Link :	N/R
Last Date in Agency List :	2015-06-06

UST - FL

Facility Name :	MARCO PROPERTY
Facility Address :	20170 S TAMIAMI TRL, ESTERO, 33928
County :	LEE

Site Details

Facility ID :	8942774
Facility Phone :	N/R
Facility Status :	CLOSED
Facility Type :	Fuel user/Non-retail
Last Date in Agency List :	2026-05-06

Tank Information

Tank ID :	1
Gallons :	888
Tank Location :	UNDERGROUND
Substance :	Leaded Gas
Install Date :	N/R
Status :	Removed from Site
Status Date :	1985-06-30
Tank ID :	2
Gallons :	888
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	N/R
Status :	Removed from Site
Status Date :	1985-06-30
Tank ID :	3
Gallons :	550

Map Id: I157
Direction: N
Distance: 0.390 mi., 2060 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD4485 | MARCO PROPERTY | BUESING'S SERVICE & REPAIR
20170 S TAMIAMI TRL | 20170 TAMIAMI TRL
ESTERO | Estero, FL

Database(s) : [DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF - FL, LUST - FL, RAATS, RCRA NONGEN, SQG - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173770
EPA ID: N/R

UST - FL ***(cont.)***

Tank Location :	UNDERGROUND
Substance :	Waste Oil
Install Date :	N/R
Status :	Removed from Site
Status Date :	1992-04-30
Tank ID :	4
Gallons :	550
Tank Location :	UNDERGROUND
Substance :	Kerosene
Install Date :	N/R
Status :	Removed from Site
Status Date :	1992-04-30
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: I158
Direction: N
Distance: 0.411 mi., 2171 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAG3703
3531 WESTWOOD DR
ESTERO, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173859
EPA ID: N/R

DEDB - FL

Sample Date :	2003-02-25
Sample ID :	030226-057
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3703
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	MURPHY, VICTOR
Well Address :	3531 WESTWOOD DR
Well Type :	43
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Map Id: I158
Direction: N
Distance: 0.411 mi., 2171 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAG3703
3531 WESTWOOD DR
ESTERO, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173859
EPA ID: N/R

DEDB - FL ***(cont.)***

Sample Date :	2003-02-25
Sample ID :	030226-057
Sample Type :	FIRST SAMPLE
FLUW ID :	AAG3703
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	MURPHY, VICTOR
Well Address :	3531 WESTWOOD DR
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-030226-17
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Map Id: I159
Direction: N
Distance: 0.420 mi., 2216 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : AAK7772
20241 NORTHWEST DR
ESTERO, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173774
EPA ID: N/R

DEDB - FL

Sample Date :	2009-06-18
Sample ID :	090609-019
Sample Type :	FIRST SAMPLE
FLUW ID :	AAK7772
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	LEASURE
Well Business Name :	N/R
Well Address :	20241 NORTHWEST DR
Well Type :	43
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-090609-003
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Sample Date :	2009-06-18
Sample ID :	090609-019

Map Id: I159
Direction: N
Distance: 0.420 mi., 2216 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : AAK7772
20241 NORTHWEST DR
ESTERO, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173774
EPA ID: N/R

DEDB - FL ***(cont.)***

Sample Type :	FIRST SAMPLE
FLUW ID :	AAK7772
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	LEASURE
Well Business Name :	N/R
Well Address :	20241 NORTHWEST DR
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-090609-003
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Map Id: I160
Direction: N
Distance: 0.424 mi., 2237 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAD4493
20160 TRAILSIDE DR
ESTERO, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173769
EPA ID: N/R

DEDB - FL

Sample Date :	2009-06-12
Sample ID :	090521-023
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4493
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	LAND
Well Address :	20160 TRAILSIDE DR
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-090521-006
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2005-01-04
Sample ID :	050105-116
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4493

Map Id: I160
Direction: N
Distance: 0.424 mi., 2237 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAD4493
20160 TRAILSIDE DR
ESTERO, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173769
EPA ID: N/R

DEDB - FL ***(cont.)***

Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	LAND
Well Address :	20160 TRAILSIDE DR
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-050105-23
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2003-12-16
Sample ID :	031217-078
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4493
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	LAND
Well Address :	20160 TRAILSIDE DR
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-031217-18
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2003-11-20
Sample ID :	031121-066
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4493
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	LAND
Well Address :	20160 TRAILSIDE DR
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-031121-16
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Map Id: I160
Direction: N
Distance: 0.424 mi., 2237 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAD4493
20160 TRAILSIDE DR
ESTERO, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173769
EPA ID: N/R

DEDB - FL ***(cont.)***

Sample Date :	2000-04-18
Sample ID :	000419-127
Sample Type :	FIRST_SAMP
FLUW ID :	AAD4493
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	LAND
Well Address :	20160 TRAILSIDE DR
Well Type :	42
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-000419-25
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2009-06-12
Sample ID :	090521-023
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4493
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	LAND
Well Address :	20160 TRAILSIDE DR
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-090521-006
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	2005-01-04
Sample ID :	050105-116
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4493
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	LAND
Well Address :	20160 TRAILSIDE DR
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	LEE

Map Id: I160
Direction: N
Distance: 0.424 mi., 2237 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAD4493
20160 TRAILSIDE DR
ESTERO, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173769
EPA ID: N/R

DEDB - FL ***(cont.)***

Job Name :	LEE-050105-23
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2003-12-16
Sample ID :	031217-078
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4493
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	LAND
Well Address :	20160 TRAILSIDE DR
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-031217-18
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2003-11-20
Sample ID :	031121-066
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4493
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	LAND
Well Address :	20160 TRAILSIDE DR
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-031121-16
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2000-04-18
Sample ID :	000419-127
Sample Type :	FIRST_SAMP
FLUW ID :	AAD4493
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R

Map Id: I160
Direction: N
Distance: 0.424 mi., 2237 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAD4493
20160 TRAILSIDE DR
ESTERO, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173769
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Business Name :	LAND
Well Address :	20160 TRAILSIDE DR
Well Type :	43
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-000419-25
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Sample Date :	1999-03-18
Sample ID :	990319-073
Sample Type :	FIRST_SAMP
FLUW ID :	N/R
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	N/R
Well Address :	20160 TRAILSIDE DR
Well Type :	43
Well Status :	N/R
City :	N/R
County :	LEE
Job Name :	LEE-990319-10
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Map Id: F161
Direction: NNW
Distance: 0.431 mi., 2278 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : COASTAL LANDSCAPE SUPPLY OF BONITA
24300 S Tamiami Trl
Bonita Springs, FL 34134

Database(s) : [SWRCY - FL]

Envirosite ID: 68173810
EPA ID: N/R

SWRCY - FL

Facility Name :	COASTAL LANDSCAPE SUPPLY OF BONITA
Facility Address :	24300 S Tamiami Trl, Bonita Springs, FL 34134
County :	LEE

Site Details

Facility ID :	98565
Class :	SOURCE-SEPARATED ORGANICS PROC. FAC. (SOPF)
Class Type :	330
Class Status :	CLOSED, NO GW MONITORING (J)

Map Id: F161
Direction: NNW
Distance: 0.431 mi., 2278 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : COASTAL LANDSCAPE SUPPLY OF BONITA
24300 S Tamiami Trl
Bonita Springs, FL 34134

Database(s) : [SWRCY - FL] ***(cont.)***

Envirosite ID: 68173810
EPA ID: N/R

SWRCY - FL ***(cont.)***

Test Site Data :	TestSite Inventory Report, TestSite Result Report
Detail :	Facility Activities, Documents in OCULUS
District :	SD
Section/Township/Range :	N/R
Responsible Authority Name :	N/R
Responsible Authority Address :	N/R
Responsible Authority Phone Number :	N/R
Responsible Authority Email Address :	N/R
Land Owner Name :	N/R
Land Owner Address :	N/R
Land Owner Phone Number :	N/R
Site Supervisor Name :	N/R
Site Supervisor Address :	N/R
Site Supervisor Phone Number :	N/R
Site Supervisor Email Address :	N/R
Latitude :	26.386605
Longitude :	81.810726
Last Date in Agency List :	2024-05-10

Map Id: I162
Direction: N
Distance: 0.451 mi., 2383 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAD4495
20240 NORTHWEST DR
ESTERO, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173773
EPA ID: N/R

DEDB - FL

Sample Date :	2005-01-04
Sample ID :	050105-114
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4495
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	GROEL
Well Address :	20240 NORTHWEST DR
Well Type :	42
Well Status :	INACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-050105-23
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2004-04-07
Sample ID :	040408-083
Sample Type :	FIRST SAMPLE

Map Id: I162
Direction: N
Distance: 0.451 mi., 2383 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAD4495
20240 NORTHWEST DR
ESTERO, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173773
EPA ID: N/R

DEDB - FL ***(cont.)***

FLUW ID :	AAD4495
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	GROEL
Well Address :	20240 NORTHWEST DR
Well Type :	42
Well Status :	INACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-040408-20
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2003-11-20
Sample ID :	031121-067
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4495
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	GROEL
Well Address :	20240 NORTHWEST DR
Well Type :	42
Well Status :	INACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-031121-16
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2002-01-16
Sample ID :	020117-010
Sample Type :	COMPLIANCE
FLUW ID :	AAD4495
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	GROEL
Well Address :	20240 NORTHWEST DR
Well Type :	42
Well Status :	INACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-020117-02
Customer ID :	N/R
Description :	Limited Use

Map Id: I162
Direction: N
Distance: 0.451 mi., 2383 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAD4495
20240 NORTHWEST DR
ESTERO, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173773
EPA ID: N/R

DEDB - FL ***(cont.)***

Last Date in Agency List :	2015-11-25
Sample Date :	2000-04-18
Sample ID :	000419-126
Sample Type :	FIRST_SAMP
FLUW ID :	AAD4495
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	GROEL
Well Address :	20240 NORTHWEST DR
Well Type :	42
Well Status :	INACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-000419-25
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25
Sample Date :	2005-01-04
Sample ID :	050105-114
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4495
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	GROEL
Well Address :	20240 NORTHWEST DR
Well Type :	43 - PRIVATE WELL
Well Status :	INACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-050105-23
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2004-04-07
Sample ID :	040408-083
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4495
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	GROEL
Well Address :	20240 NORTHWEST DR
Well Type :	43 - PRIVATE WELL

Map Id: I162
Direction: N
Distance: 0.451 mi., 2383 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAD4495
20240 NORTHWEST DR
ESTERO, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173773
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Status :	INACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-040408-20
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2003-11-20
Sample ID :	031121-067
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4495
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.37
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	GROEL
Well Address :	20240 NORTHWEST DR
Well Type :	43 - PRIVATE WELL
Well Status :	INACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-031121-16
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2002-01-16
Sample ID :	020117-010
Sample Type :	COMPLIANCE
FLUW ID :	AAD4495
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	GROEL
Well Address :	20240 NORTHWEST DR
Well Type :	43 - PRIVAT
Well Status :	INACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-020117-02
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13
Sample Date :	2000-04-18
Sample ID :	000419-126
Sample Type :	FIRST_SAMP
FLUW ID :	AAD4495
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2

Map Id: I162
Direction: N
Distance: 0.451 mi., 2383 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAD4495
20240 NORTHWEST DR
ESTERO, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173773
EPA ID: N/R

DEDB - FL ***(cont.)***

Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	GROEL
Well Address :	20240 NORTHWEST DR
Well Type :	43
Well Status :	INACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-000419-25
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Map Id: H163
Direction: S
Distance: 0.453 mi., 2390 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : MANLEY FARMS
SE CRNR OF US 41 & IMMOKALEE RD
NAPLES, FL 33923

Database(s) : [AST - FL, DWM CONTAM - FL, EPA LUST, LAST - FL, LUST - FL]

Envirosite ID: 1478972
EPA ID: N/R

AST - FL

Facility Name :	MANLEY FARMS
Facility Address :	SE CRNR OF US 41 & IMMOKALEE RD, NAPLES, 33923
County :	COLLIER

Site Details

Facility ID :	8942692
Facility Phone :	8132633437
Facility Status :	OPEN
Facility Type :	M
Type Description :	Agricultural
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	13491
Owner Name :	MANLEY FARMS INC
Owner Address 1 :	N/R
Owner Address 2 :	N/R
Owner Phone :	8132633437
Contact :	RON ROSE
DEP Contractor Own :	P

Map Id: H163
Direction: S
Distance: 0.453 mi., 2390 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : MANLEY FARMS
SE CRNR OF US 41 & IMMOKALEE RD
NAPLES, FL 33923

Database(s) : [AST - FL, DWM CONTAM - FL, EPA LUST, LAST - FL, LUST - FL] ***(cont.)***

Envirosite ID: 1478972
EPA ID: N/R

AST - FL ***(cont.)***

Tank Information

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Tank ID :	1
Gallons :	1000
Tank Location :	ABOVEGROUND
Substance :	Vehicular Diesel
Install Date :	N/R
Status :	Removed from Site
Status Date :	1994-03-31

Tank ID :	10
Gallons :	550
Tank Location :	ABOVEGROUND
Substance :	Vehicular Diesel
Install Date :	N/R
Status :	In Service
Status Date :	N/R

Tank ID :	11
Gallons :	550
Tank Location :	ABOVEGROUND
Substance :	Vehicular Diesel
Install Date :	N/R
Status :	In Service
Status Date :	N/R

Tank ID :	12
Gallons :	550
Tank Location :	ABOVEGROUND
Substance :	Vehicular Diesel
Install Date :	N/R
Status :	In Service
Status Date :	N/R

Tank ID :	13
Gallons :	550
Tank Location :	ABOVEGROUND
Substance :	Vehicular Diesel
Install Date :	N/R
Status :	In Service
Status Date :	N/R

Tank ID :	14
Gallons :	550
Tank Location :	ABOVEGROUND
Substance :	Vehicular Diesel
Install Date :	N/R

Map Id: H163
Direction: S
Distance: 0.453 mi., 2390 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : MANLEY FARMS
SE CRNR OF US 41 & IMMOKALEE RD
NAPLES, FL 33923

Database(s) : [AST - FL, DWM CONTAM - FL, EPA LUST, LAST - FL, LUST - FL] ***(cont.)***

Envirosite ID: 1478972
EPA ID: N/R

AST - FL ***(cont.)***

Status :	In Service
Status Date :	N/R
Tank ID :	15
Gallons :	550
Tank Location :	ABOVEGROUND
Substance :	Vehicular Diesel
Install Date :	N/R
Status :	In Service
Status Date :	N/R
Tank ID :	16
Gallons :	550
Tank Location :	ABOVEGROUND
Substance :	Vehicular Diesel
Install Date :	N/R
Status :	In Service
Status Date :	N/R
Tank ID :	17
Gallons :	550
Tank Location :	ABOVEGROUND
Substance :	Vehicular Diesel
Install Date :	N/R
Status :	In Service
Status Date :	N/R
Tank ID :	18
Gallons :	550
Tank Location :	ABOVEGROUND
Substance :	Vehicular Diesel
Install Date :	N/R
Status :	In Service
Status Date :	N/R
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

DWM CONTAM - FL

Facility Name :	MANLEY FARMS
Facility Address :	SE CRNR OF US 41 & IMMOKALEE RD, NAPLES, FL 33923
County :	COLLIER
Score Effective Date :	1997-11-04
Score :	29
Score Ranked :	N/R
Rank :	N/R
Facility ID :	8942692
Facility Status :	OPEN

Map Id: H163
Direction: S
Distance: 0.453 mi., 2390 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : MANLEY FARMS
SE CRNR OF US 41 & IMMOKALEE RD
NAPLES, FL 33923

Database(s) : [AST - FL, DWM CONTAM - FL, EPA LUST, LAST - FL, LUST - FL] ***(cont.)***

Envirosite ID: 1478972
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

Facility Type :	M - Agricultural
County Code :	11
District :	SD
Operator :	ROSE, RON
Phone :	(813)263-3437
Name Changed Date :	N/R
Address Changed Date :	N/R
Latitude Degrees :	26
Latitude Minutes :	16
Latitude Seconds :	17.75
Longitude Degrees :	81
Longitude Minutes :	47
Longitude Seconds :	48.134
Feature :	N/R
Method :	UNVR
Datum :	0
Section/Township/Range :	SEC 27, TWP 48S, RNG 25E
Related Party Begin Date :	1994-05-20
Related Party ID :	13491
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	MANLEY FARMS INC
Related Party Address 1 :	2077 PINE RIDGE RD, NAPLES, FL 34109
Related Party Address 2 :	N/R
Contact :	RON ROSE
Related Party Phone :	(813)263-3437
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

EPA LUST

Facility Name :	MANLEY FARMS
Facility Address :	SE CRNR OF US 41 & IMMOKALEE RD, NAPLES, Florida
County :	N/R
Facility ID :	FL8942692
LUST ID :	FL25746
Reported Date :	1988-12-28
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	27
Estimated Private Domestic Wells within 1500ft:	4
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R

Map Id: H163
Direction: S
Distance: 0.453 mi., 2390 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : MANLEY FARMS
SE CRNR OF US 41 & IMMOKALEE RD
NAPLES, FL 33923

Database(s) : [AST - FL, DWM CONTAM - FL, EPA LUST, LAST - FL, LUST - FL] ***(cont.)***

Envirosite ID: 1478972
EPA ID: N/R

EPA LUST ***(cont.)***

Within Groundwater Wellhead Protection Area (WHPA):	Yes
WHPA Public Water System and Facility ID:	FL5110198_2587010690
WHPA Water Type :	GW
WHPA Facility Type :	WL
WHPA HUC12 :	30902040208
Within Estimated 100-year Floodplain:	No
Latitude :	26.2694399999999
Longitude :	-81.7972199999999
Last Date in Agency List :	2024-05-23

LAST - FL

Facility Name :	MANLEY FARMS
Facility Address :	SE CRNR OF US 41 & IMMOKALEE RD, NAPLES, 33923
County :	COLLIER

Site Details

Facility ID :	8942692
Facility Status :	OPEN
Facility Type :	Agricultural
Phone :	8132633437
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	13491
Owner Name :	MANLEY FARMS INC
Owner Address 1 :	2077 PINE RIDGE RD, NAPLES, FL 34109
Owner Address 2 :	N/R
Owner Phone :	8132633437
Contact :	RON ROSE

Discharge Details

Discharge Date :	1988-12-28
Status Date :	1991-08-19
Status Description :	NFA COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	1998-01-06
Score :	29
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

LUST - FL

Facility Name :	MANLEY FARMS

Map Id: H163
Direction: S
Distance: 0.453 mi., 2390 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : MANLEY FARMS
SE CRNR OF US 41 & IMMOKALEE RD
NAPLES, FL 33923

Database(s) : [AST - FL, DWM CONTAM - FL, EPA LUST, LAST - FL, LUST - FL] ***(cont.)***

Envirosite ID: 1478972
EPA ID: N/R

LUST - FL ***(cont.)***

Facility Address :	SE CRNR OF US 41 & IMMOKALEE RD, NAPLES, 33923
County :	COLLIER

Site Details

Facility ID :	8942692
Facility Status :	OPEN
Facility Type :	Agricultural
Phone :	(813) 263-3437
Last Date in Agency List :	2015-11-16

Owner Information

Owner ID :	N/R
Owner Name :	N/R
Owner Address 1 :	N/R
Owner Address 2 :	N/R
Owner Phone :	N/R
Contact :	N/R

Discharge Details

Discharge Date :	1988-12-28
Status Date :	1991-08-19
Status Description :	NFA COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	1998-01-06
Score :	00029
CU Status :	NFA

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	N/R

Map Id: A164
Direction: SSE
Distance: 0.464 mi., 2448 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : NAPLES-FT MYERS KENNEL CLUB | BER | City of Plant City Police Department
10601 BONITA BCH RD | 10601 Bonita Beach Road
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, SPILLS - FL, UST - FL]

Envirosite ID: 68173739
EPA ID: N/R

AST - FL

Facility Name :	NAPLES-FT MYERS KENNEL CLUB
Facility Address :	10601 BONITA BCH RD, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	8627259
Facility Phone :	2399922411
Facility Status :	OPEN
Facility Type :	C
Type Description :	Fuel user/Non-retail
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	20425
Owner Name :	SOUTHWEST FL ENTERPRISES
Owner Address 1 :	N/R
Owner Address 2 :	N/R
Owner Phone :	8139922411
Contact :	PETE WEDELES
DEP Contractor Own :	P

Tank Information

Tank ID :	6
Gallons :	500
Tank Location :	ABOVEGROUND
Substance :	Kerosene
Install Date :	1980-07-01
Status :	In Service
Status Date :	N/R

Tank ID :	7
Gallons :	110
Tank Location :	ABOVEGROUND
Substance :	Other Non Regulated
Install Date :	1980-07-01
Status :	In Service
Status Date :	N/R

Tank ID :	8
Gallons :	5000
Tank Location :	ABOVEGROUND
Substance :	Vehicular Diesel
Install Date :	1994-07-01
Status :	Removed from Site

Map Id: A164
Direction: SSE
Distance: 0.464 mi., 2448 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : NAPLES-FT MYERS KENNEL CLUB | BER | City of Plant City Police Department
10601 BONITA BCH RD | 10601 Bonita Beach Road
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, SPILLS - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173739
EPA ID: N/R

AST - FL ***(cont.)***

Status Date :	2017-10-01
Tank ID :	9
Gallons :	250
Tank Location :	ABOVEGROUND
Substance :	Generator/Pump Diesel
Install Date :	1999-05-01
Status :	In Service
Status Date :	1999-05-01
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

CS - FL

Facility Name :	NAPLES-FT MYERS KENNEL CLUB
Facility Address :	10601 BONITA BCH RD, BONITA SPRINGS, 33923
County :	Leon County
DEP Cleanup Site Key :	88014039
Program Site ID :	8627259
Program Source Data :	STCM
Program Area :	PETRO
Collection Date :	2009-09-11
Verification Date :	2009-09-11
Load Date :	2026-06-18
Verifier :	FRENCH_B
Collector :	FRENCH_B
Verifier Agency :	YORK CLAIMS SERVICE, INC
Collection Agency :	YORK CLAIMS SERVICE, INC
Verification Status :	REVIEWED
Remediation Status :	ACTIVE
Office/District :	SD
Comments :	N/R
Last Date in Agency List :	2026-06-18

DWM CONTAM - FL

Facility Name :	NAPLES-FT MYERS KENNEL CLUB
Facility Address :	10601 BONITA BCH RD, BONITA SPRINGS, FL 33923-5620
County :	LEE
Score Effective Date :	2009-09-25
Score :	25
Score Ranked :	10
Rank :	8533
Facility ID :	8627259
Facility Status :	OPEN

Map Id: A164
Direction: SSE
Distance: 0.464 mi., 2448 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : NAPLES-FT MYERS KENNEL CLUB | BER | City of Plant City Police Department
10601 BONITA BCH RD | 10601 Bonita Beach Road
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, SPILLS - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173739
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

Facility Type :	C - Fuel user/Non-retail
County Code :	36
District :	SD
Operator :	PETE WEDELES
Phone :	(239)992-2411
Name Changed Date :	N/R
Address Changed Date :	2003-03-27
Latitude Degrees :	26
Latitude Minutes :	19
Latitude Seconds :	30.0001
Longitude Degrees :	81
Longitude Minutes :	46
Longitude Seconds :	32.7684
Feature :	N/R
Method :	AGPS
Datum :	0
Section/Township/Range :	N/R
Related Party Begin Date :	1986-10-29
Related Party ID :	20425
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	SOUTHWEST FL ENTERPRISES
Related Party Address 1 :	PO BOX 2567, BONITA SPRINGS, FL 34133-2567
Related Party Address 2 :	N/R
Contact :	PETE WEDELES
Related Party Phone :	(813)992-2411
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

EPA LUST

Facility Name :	NAPLES-FT MYERS KENNEL CLUB
Facility Address :	10601 BONITA BCH RD, BONITA SPRINGS, Florida
County :	N/R
Facility ID :	FL8627259
LUST ID :	FL28705
Reported Date :	1988-11-08
Status :	Open
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	122
Estimated Private Domestic Wells within 1500ft:	9
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R

Map Id: A164
Direction: SSE
Distance: 0.464 mi., 2448 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : NAPLES-FT MYERS KENNEL CLUB | BER | City of Plant City Police Department
10601 BONITA BCH RD | 10601 Bonita Beach Road
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, SPILLS - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173739
EPA ID: N/R

EPA LUST ***(cont.)***

SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.3241699999999
Longitude :	-81.7755599999999
Last Date in Agency List :	2024-05-23

Facility ID :	FL8627259
LUST ID :	FL13850
Reported Date :	1994-02-16
Status :	Open
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	122
Estimated Private Domestic Wells within 1500ft:	9
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.3241699999999
Longitude :	-81.7755599999999
Last Date in Agency List :	2024-05-23

Facility ID :	FL8627259
LUST ID :	FL13177
Reported Date :	1994-07-27
Status :	Open
Substance :	N/R

Map Id: A164
Direction: SSE
Distance: 0.464 mi., 2448 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : NAPLES-FT MYERS KENNEL CLUB | BER | City of Plant City Police Department
10601 BONITA BCH RD | 10601 Bonita Beach Road
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, SPILLS - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173739
EPA ID: N/R

EPA LUST ***(cont.)***

Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	122
Estimated Private Domestic Wells within 1500ft:	9
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.3241699999999
Longitude :	-81.7755599999999
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	NAPLES-FT MYERS KENNEL CLUB
Facility Address :	10601 BONITA BCH RD, BONITA SPRINGS, Florida 33923
County :	N/R
Facility ID :	FL8627259
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	5
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.3241666666667
Longitude :	-81.7755555555556
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8627259-1
Tank Status :	Closed
Installation Date :	1978-07-01
Removal Date :	N/R

Map Id: A164
Direction: SSE
Distance: 0.464 mi., 2448 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : NAPLES-FT MYERS KENNEL CLUB | BER | City of Plant City Police Department
10601 BONITA BCH RD | 10601 Bonita Beach Road
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, SPILLS - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173739
EPA ID: N/R

EPA UST ***(cont.)***

Capacity :	1000
Substances :	Leaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8627259-2
Tank Status :	Closed
Installation Date :	1979-07-01
Removal Date :	N/R
Capacity :	5000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R

Tank ID :	FL8627259-3
Tank Status :	Closed
Installation Date :	1979-07-01
Removal Date :	N/R
Capacity :	6000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8627259-4
Tank Status :	Closed
Installation Date :	1978-07-01
Removal Date :	N/R
Capacity :	5000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R

Tank ID :	FL8627259-5
Tank Status :	Closed
Installation Date :	1985-06-01
Removal Date :	N/R
Capacity :	1000
Substances :	Emerg Generator Diesel
Tank Wall Type :	N/R

FA 3 - FL

Facility Name :	NAPLES-FT MYERS KENNEL CLUB
Facility Address :	10601 BONITA BCH RD, BONITA SPRINGS, 33923
County :	LEE

Map Id: A164
Direction: SSE
Distance: 0.464 mi., 2448 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : NAPLES-FT MYERS KENNEL CLUB | BER | City of Plant City Police Department
10601 BONITA BCH RD | 10601 Bonita Beach Road
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, SPILLS - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173739
EPA ID: N/R

FA 3 - FL ***(cont.)***

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Effectivity Date :	2017-06-26
Expiration Date :	2018-06-26
Facility ID :	8627259
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY
Facility Phone :	2399922411
Owner ID :	20425
Owner Name :	SOUTHWEST FL ENTERPRISES
Address :	PO BOX 2567, BONITA SPRINGS, FL 34133
Contact Name :	PETE WEDELES
Phone :	8139922411
Last Date in Agency List :	2026-06-03

Effectivity Date :	2016-06-29
Expiration Date :	2017-06-26
Facility ID :	8627259
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY INSURANCE CO
Facility Phone :	2399922411
Owner ID :	20425
Owner Name :	SOUTHWEST FL ENTERPRISES
Address :	PO BOX 2567, BONITA SPRINGS, FL 34133
Contact Name :	PETE WEDELES
Phone :	8139922411
Last Date in Agency List :	2026-06-03

Effectivity Date :	2014-01-12
Expiration Date :	2015-01-12
Facility ID :	8627259
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY
Facility Phone :	2399922411
Owner ID :	20425
Owner Name :	SOUTHWEST FL ENTERPRISES
Address :	PO BOX 2567, BONITA SPRINGS, FL 34133
Contact Name :	PETE WEDELES
Phone :	8139922411
Last Date in Agency List :	2026-06-03

Map Id: A164
Direction: SSE
Distance: 0.464 mi., 2448 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : NAPLES-FT MYERS KENNEL CLUB | BER | City of Plant City Police Department
10601 BONITA BCH RD | 10601 Bonita Beach Road
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, SPILLS - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173739
EPA ID: N/R

FA 3 - FL ***(cont.)***

Effectivity Date :	2012-01-12
Expiration Date :	2013-01-12
Facility ID :	8627259
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY
Facility Phone :	2399922411
Owner ID :	20425
Owner Name :	SOUTHWEST FL ENTERPRISES
Address :	PO BOX 2567, BONITA SPRINGS, FL 34133
Contact Name :	PETE WEDELES
Phone :	8139922411
Last Date in Agency List :	2026-06-03

Effectivity Date :	2011-01-12
Expiration Date :	2012-01-12
Facility ID :	8627259
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY
Facility Phone :	2399922411
Owner ID :	20425
Owner Name :	SOUTHWEST FL ENTERPRISES
Address :	PO BOX 2567, BONITA SPRINGS, FL 34133
Contact Name :	PETE WEDELES
Phone :	8139922411
Last Date in Agency List :	2026-06-03

LAST - FL

Facility Name :	NAPLES-FT MYERS KENNEL CLUB
Facility Address :	10601 BONITA BCH RD, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	8627259
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
Phone :	2399922411
Last Date in Agency List :	2026-05-06

Map Id: A164
Direction: SSE
Distance: 0.464 mi., 2448 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : NAPLES-FT MYERS KENNEL CLUB | BER | City of Plant City Police Department
10601 BONITA BCH RD | 10601 Bonita Beach Road
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, SPILLS - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173739
EPA ID: N/R

LAST - FL ***(cont.)***

Owner Information

Owner ID :	20425
Owner Name :	SOUTHWEST FL ENTERPRISES
Owner Address 1 :	PO BOX 2567, BONITA SPRINGS, FL 34133
Owner Address 2 :	N/R
Owner Phone :	8139922411
Contact :	PETE WEDELES

Discharge Details

Discharge Date :	1994-02-16
Status Date :	2021-03-17
Status Description :	SA ONGOING
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2009-09-25
Score :	25
CU Status :	N/R

Discharge Date :	1994-07-27
Status Date :	2020-12-29
Status Description :	SA ONGOING
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2009-09-25
Score :	25
CU Status :	N/R

Discharge Date :	1988-11-08
Status Date :	2023-07-11
Status Description :	RA ONGOING
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2009-09-25
Score :	25
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

LUST - FL

Facility Name :	NAPLES-FT MYERS KENNEL CLUB
Facility Address :	10601 BONITA BCH RD, BONITA SPRINGS, 33923
County :	LEE

Map Id: A164
Direction: SSE
Distance: 0.464 mi., 2448 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : NAPLES-FT MYERS KENNEL CLUB | BER | City of Plant City Police Department
10601 BONITA BCH RD | 10601 Bonita Beach Road
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, SPILLS - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173739
EPA ID: N/R

LUST - FL ***(cont.)***

Site Details

Facility ID :	8627259
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
Phone :	2399922411
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	20425
Owner Name :	SOUTHWEST FL ENTERPRISES
Owner Address 1 :	PO BOX 2567, BONITA SPRINGS, FL 34133
Owner Address 2 :	N/R
Owner Phone :	8139922411
Contact :	PETE WEDELES

Discharge Details

Discharge Date :	1994-02-16
Status Date :	2021-03-17
Status Description :	SA ONGOING
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2009-09-25
Score :	25
CU Status :	N/R

Discharge Date :	1994-07-27
Status Date :	2020-12-29
Status Description :	SA ONGOING
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2009-09-25
Score :	25
CU Status :	N/R

Discharge Date :	1988-11-08
Status Date :	2023-07-11
Status Description :	RA ONGOING
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2009-09-25
Score :	25
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: A164
Direction: SSE
Distance: 0.464 mi., 2448 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : NAPLES-FT MYERS KENNEL CLUB | BER | City of Plant City Police Department
10601 BONITA BCH RD | 10601 Bonita Beach Road
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, SPILLS - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173739
EPA ID: N/R

SPILLS - FL

Facility Name :	BER
Facility Address :	10601 Bonita Beach Road, BONITA SPRINGS
County :	Lee

Incident Details

Incident Number :	41617
Incident Date :	2009-06-02
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	Fuel Leak/Overflow
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Incident Number :	41617
Incident Date :	2009-06-02
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	Vehicle Accident
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Pollutants

Pollutant Name :	Diesel fuel
Pollutant Actual Volume :	50 gallon
Pollutant Category :	Petroleum

Facility Name :	City of Plant City Police Department
Facility Address :	10601 Bonita Beach Road, BONITA SPRINGS

Map Id: A164
Direction: SSE
Distance: 0.464 mi., 2448 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : NAPLES-FT MYERS KENNEL CLUB | BER | City of Plant City Police Department
10601 BONITA BCH RD | 10601 Bonita Beach Road
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, SPILLS - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173739
EPA ID: N/R

SPILLS - FL ***(cont.)***

County : Lee

Incident Details

Incident Number :	41617
Incident Date :	2009-06-02
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	Fuel Leak/Overflow
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Incident Number :	41617
Incident Date :	2009-06-02
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	Vehicle Accident
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Pollutants

Pollutant Name :	Diesel fuel
Pollutant Actual Volume :	50 gallon
Pollutant Category :	Petroleum

Facility Name :	European Pavers, LLC
Facility Address :	10601 Bonita Beach Road, BONITA SPRINGS
County :	Lee

Map Id: A164
Direction: SSE
Distance: 0.464 mi., 2448 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : NAPLES-FT MYERS KENNEL CLUB | BER | City of Plant City Police Department
10601 BONITA BCH RD | 10601 Bonita Beach Road
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, SPILLS - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173739
EPA ID: N/R

SPILLS - FL ***(cont.)***

Incident Details

Incident Number :	41617
Incident Date :	2009-06-02
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	Fuel Leak/Overflow
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Incident Number :	41617
Incident Date :	2009-06-02
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	Vehicle Accident
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Pollutants

Pollutant Name :	Diesel fuel
Pollutant Actual Volume :	50 gallon
Pollutant Category :	Petroleum

Facility Name :	Lee County Emergency Management
Facility Address :	10601 Bonita Beach Road, BONITA SPRINGS
County :	Lee

Map Id: A164
Direction: SSE
Distance: 0.464 mi., 2448 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : NAPLES-FT MYERS KENNEL CLUB | BER | City of Plant City Police Department
10601 BONITA BCH RD | 10601 Bonita Beach Road
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, SPILLS - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173739
EPA ID: N/R

SPILLS - FL ***(cont.)***

Incident Details

Incident Number :	41617
Incident Date :	2009-06-02
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	Fuel Leak/Overflow
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Incident Number :	41617
Incident Date :	2009-06-02
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	Vehicle Accident
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Pollutants

Pollutant Name :	Diesel fuel
Pollutant Actual Volume :	50 gallon
Pollutant Category :	Petroleum

Facility Name :	SWS Environmental Services
Facility Address :	10601 Bonita Beach Road, BONITA SPRINGS
County :	Lee

Map Id: A164
Direction: SSE
Distance: 0.464 mi., 2448 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : NAPLES-FT MYERS KENNEL CLUB | BER | City of Plant City Police Department
10601 BONITA BCH RD | 10601 Bonita Beach Road
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, SPILLS - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173739
EPA ID: N/R

SPILLS - FL ***(cont.)***

Incident Details

Incident Number :	41617
Incident Date :	2009-06-02
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	Fuel Leak/Overflow
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Incident Number :	41617
Incident Date :	2009-06-02
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	Vehicle Accident
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Pollutants

Pollutant Name :	Diesel fuel
Pollutant Actual Volume :	50 gallon
Pollutant Category :	Petroleum

UST - FL

Facility Name :	NAPLES-FT MYERS KENNEL CLUB
Facility Address :	10601 BONITA BCH RD, BONITA SPRINGS, 33923
County :	LEE

Map Id: A164
Direction: SSE
Distance: 0.464 mi., 2448 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : NAPLES-FT MYERS KENNEL CLUB | BER | City of Plant City Police Department
10601 BONITA BCH RD | 10601 Bonita Beach Road
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, SPILLS - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173739
EPA ID: N/R

UST - FL ***(cont.)***

Site Details

Facility ID :	8627259
Facility Phone :	2399922411
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	20425
Owner Name :	SOUTHWEST FL ENTERPRISES
Owner Address 1 :	PO BOX 2567, BONITA SPRINGS, FL 34133
Owner Address 2 :	N/R
Owner Phone :	8139922411
Contact :	PETE WEDELES
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	1000
Tank Location :	UNDERGROUND
Substance :	Leaded Gas
Install Date :	1978-07-01
Status :	Removed from Site
Status Date :	1993-07-31

Tank ID :	2
Gallons :	5000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	1979-07-01
Status :	Removed from Site
Status Date :	1994-07-01

Tank ID :	3
Gallons :	6000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1979-07-01
Status :	Removed from Site
Status Date :	1994-07-01

Tank ID :	4
Gallons :	5000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel

Map Id: A164
Direction: SSE
Distance: 0.464 mi., 2448 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : NAPLES-FT MYERS KENNEL CLUB | BER | City of Plant City Police Department
10601 BONITA BCH RD | 10601 Bonita Beach Road
BONITA SPRINGS, FL

Database(s) : [AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, LAST - FL, LUST - FL, SPILLS - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173739
EPA ID: N/R

UST - FL ***(cont.)***

Install Date :	1978-07-01
Status :	Removed from Site
Status Date :	1994-07-01
Tank ID :	5
Gallons :	1000
Tank Location :	UNDERGROUND
Substance :	Emerg Generator Diesel
Install Date :	1985-06-01
Status :	Removed from Site
Status Date :	2009-08-25
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: G165
Direction: NNW
Distance: 0.470 mi., 2480 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : WOODFIELD COCONUT | LEE COUNTY - LYDEN DRIVE
23281 LYDEN DR.
ESTERO | Estero, FL 33928

Database(s) : [ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SWF/LF - FL]

Envirosite ID: 68173792
EPA ID: N/R

ECHO

Facility Name :	WOODFIELD COCONUT
Facility Address :	23281 LYDEN DR., ESTERO, FL 33928
County :	N/R
Last Inspection Date :	N/R
Registry ID :	110072076222
FIPS Code :	12071
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0

Map Id: G165
Direction: NNW
Distance: 0.470 mi., 2480 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : WOODFIELD COCONUT | LEE COUNTY - LYDEN DRIVE
23281 LYDEN DR.
ESTERO | Estero, FL 33928

Database(s) : [ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SWF/LF - FL] ***(cont.)***

Envirosite ID: 68173792
EPA ID: N/R

ECHO ***(cont.)***

QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	50
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040106
Derived STCTY FIPS :	12071
Derived Zip :	33928
Derived CD113 :	19
Derived CB2010 :	120710503131034
MYRTK Universe :	NNN
NPDES IDs :	FLR20IP83
CWA Permit Types :	Non-M
CWA Compliance Tracking :	On
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation Identified
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	_____
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N

Map Id: G165
Direction: NNW
Distance: 0.470 mi., 2480 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : WOODFIELD COCONUT | LEE COUNTY - LYDEN DRIVE
23281 LYDEN DR.
ESTERO | Estero, FL 33928

Database(s) : [ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SWF/LF - FL] ***(cont.)***

Envirosite ID: 68173792
EPA ID: N/R

ECHO ***(cont.)***

TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.39977
Longitude :	-81.81173
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	WOODFIELD COCONUT
Facility Address :	23281 LYDEN DR., ESTERO, FL 33928
County :	LEE

Site Details

Registry ID :	110072076222
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest

Source and System ID :	ICIS - FLR20IP83

ICIS

Facility Name :	WOODFIELD COCONUT
Facility Address :	23281 LYDEN DR., ESTERO, FL 33928

Site Details

NPDES ID :	FLR20IP83
ICIS Facility Interest ID :	3601907641
Facility UIN :	110072076222
Facility Type Code :	Privately Owned Facility
Impaired Waters :	N/R
Latitude :	N/R
Longitude :	N/R

Map Id: G165
Direction: NNW
Distance: 0.470 mi., 2480 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : WOODFIELD COCONUT | LEE COUNTY - LYDEN DRIVE
23281 LYDEN DR.
ESTERO | Estero, FL 33928

Database(s) : [ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SWF/LF - FL] ***(cont.)***

Envirosite ID: 68173792
EPA ID: N/R

ICIS ***(cont.)***

Last Date in Agency List :	2025-12-15

NPDES - FL

Facility Name :	Woodfield Coconut
Facility Address :	23281 Lyden Dr., Estero
County :	LEE

Site Details

Issue Date :	2025-09-25
Effective Date :	N/R
Expiration Date :	2030-09-24
Facility ID :	FLR20IP83
Facility Type :	Construction Generic Dewatering
Status :	Active
NPDES :	N/R
Company Name :	Brooks and Freund, LLC
Document Description :	Generic Permit
Nature of Business :	N/R
Ownership Type :	Private
Treatment Process Summary :	N/R
Department Office :	Tallahassee NPDES Stormwater
Capacity (MGD) :	45.62
DW Class :	N/R
Last Date in Agency List :	2026-06-03

Related Party Details

Related Party Name :	SCOTT PFAFF
Related Party Address :	5661 Independence Cir, Fort Myers FL 33912-4419
Related Party Address 2 :	Ste 1
Related Party Phone :	2399395251
Related Party Email :	SPFAFF@brooksandfreund.com

PCS FACILITY

Issue Date :	2025-09-25
Original Issue Date :	2025-09-25
Effective Date :	2025-09-25
Expiration Date :	2030-09-24
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3604557320
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R

Map Id: G165
Direction: NNW
Distance: 0.470 mi., 2480 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : WOODFIELD COCONUT | LEE COUNTY - LYDEN DRIVE
23281 LYDEN DR.
ESTERO | Estero, FL 33928

Database(s) : [ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SWF/LF - FL] ***(cont.)***

Envirosite ID: 68173792
EPA ID: N/R

PCS FACILITY ***(cont.)***

State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Brooks and Freund, LLC
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR200000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2025-12-18

SWF/LF - FL

Facility Name :	LEE COUNTY - LYDEN DRIVE
Facility Address :	23281 LYDEN DRIVE, ESTERO, FL 33928
County :	LEE

Site Details

Facility ID :	105835
Class :	DISASTER DEBRIS MANAGEMENT SITE
Class Type :	910
Class Status :	PRE-AUTHORIZED (B)
Test Site Data :	TestSite Inventory Report, TestSite Result Report
Detail :	Facility Activities, Documents in OCULUS
District :	SD
Section/Township/Range :	N/R
Responsible Authority Name :	N/R
Responsible Authority Address :	N/R
Responsible Authority Phone Number :	N/R
Responsible Authority Email Address :	N/R
Land Owner Name :	N/R
Land Owner Address :	N/R
Land Owner Phone Number :	N/R
Site Supervisor Name :	N/R
Site Supervisor Address :	N/R
Site Supervisor Phone Number :	N/R
Site Supervisor Email Address :	N/R
Latitude :	26.399381
Longitude :	81.812283
Last Date in Agency List :	2024-05-14

Facility Name :	LEE COUNTY LYDEN DRIVE
Facility Address :	23281 LYDEN DRIVE, ESTERO, FL 33928
County :	LEE

Site Details

Facility ID :	105835
Class :	DISASTER DEBRIS MANAGEMENT SITE
Class Type :	910
Class Status :	PRE-AUTHORIZED (B)

Map Id: G165
Direction: NNW
Distance: 0.470 mi., 2480 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : WOODFIELD COCONUT | LEE COUNTY - LYDEN DRIVE
23281 LYDEN DR.
ESTERO | Estero, FL 33928

Database(s) : [ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SWF/LF - FL] ***(cont.)***

Envirosite ID: 68173792
EPA ID: N/R

SWF/LF - FL ***(cont.)***

Test Site Data :	TestSite Inventory Report, TestSite Result Report
Detail :	Facility Activities, Documents in OCULUS
District :	SD
Section/Township/Range :	N/R
Responsible Authority Name :	N/R
Responsible Authority Address :	N/R
Responsible Authority Phone Number :	N/R
Responsible Authority Email Address :	N/R
Land Owner Name :	N/R
Land Owner Address :	N/R
Land Owner Phone Number :	N/R
Site Supervisor Name :	N/R
Site Supervisor Address :	N/R
Site Supervisor Phone Number :	N/R
Site Supervisor Email Address :	N/R
Latitude :	26.433787
Longitude :	81.791597
Last Date in Agency List :	2022-06-08

Map Id: I166
Direction: N
Distance: 0.484 mi., 2556 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAK7774
20200 PARK AVE
ESTERO, FL

Database(s) : [DEDB - FL]

Envirosite ID: 68173772
EPA ID: N/R

DEDB - FL

Sample Date :	2009-06-30
Sample ID :	090609-013
Sample Type :	FIRST SAMPLE
FLUW ID :	AAK7774
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	WOLF
Well Business Name :	N/R
Well Address :	20200 PARK AVE
Well Type :	43 - PRIVATE WELL
Well Status :	ACTIVE
City :	N/R
County :	LEE
Job Name :	LEE-090609-002
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2026-03-13

Map Id: I166
Direction: N
Distance: 0.484 mi., 2556 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAK7774
20200 PARK AVE
ESTERO, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 68173772
EPA ID: N/R

DEDB - FL ***(cont.)***

Sample Date :	2009-06-30
Sample ID :	090609-013
Sample Type :	FIRST SAMPLE
FLUW ID :	AAK7774
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	WOLF
Well Business Name :	N/R
Well Address :	20200 PARK AVE
Well Type :	43
Well Status :	ACTIVE
City :	ESTERO
County :	LEE
Job Name :	LEE-090609-002
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Map Id: H167
Direction: S
Distance: 0.592 mi., 3128 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : CIRCLE K #7356
13550 TAMIAMI TRL N
NAPLES | BONITA SPRINGS, FL 34110

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL]

Envirosite ID: 1479091
EPA ID: N/R

CS - FL

Facility Name :	CIRCLE K #7356
Facility Address :	13550 TAMIAMI TRL N, NAPLES, 34110
County :	Collier County
DEP Cleanup Site Key :	88013760
Program Site ID :	8518920
Program Source Data :	STCM
Program Area :	PETRO
Collection Date :	2003-04-22
Verification Date :	2003-04-22
Load Date :	2026-06-18
Verifier :	HOGAN_S11
Collector :	HOGAN_S11
Verifier Agency :	CONTRACTOR
Collection Agency :	CONTRACTOR
Verification Status :	REVIEWED
Remediation Status :	ACTIVE
Office/District :	SD
Comments :	N/R
Last Date in Agency List :	2026-06-18

Map Id: H167
Direction: S
Distance: 0.592 mi., 3128 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : CIRCLE K #7356
13550 TAMIAMI TRL N
NAPLES | BONITA SPRINGS, FL 34110

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1479091
EPA ID: N/R

DWM CONTAM - FL

Facility Name :	CIRCLE K #7356
Facility Address :	13550 TAMIAMI TRL N, NAPLES, FL 34110
County :	COLLIER
Score Effective Date :	2011-05-31
Score :	10
Score Ranked :	10
Rank :	8533
Facility ID :	8518920
Facility Status :	OPEN
Facility Type :	A - Retail Station
County Code :	11
District :	SD
Operator :	GRAHAM BIGGS
Phone :	(919)774-6700
Name Changed Date :	N/R
Address Changed Date :	2011-06-01
Latitude Degrees :	26
Latitude Minutes :	17
Latitude Seconds :	41.9883
Longitude Degrees :	81
Longitude Minutes :	48
Longitude Seconds :	5.2315
Feature :	N/R
Method :	AGPS
Datum :	0
Section/Township/Range :	SEC 15, TWP 48S, RNG 25E
Related Party Begin Date :	1994-05-20
Related Party ID :	4045
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	CIRCLE K STORES INC
Related Party Address 1 :	1100 Situs Ct, Raleigh, NC 27606-5446
Related Party Address 2 :	N/R
Contact :	JOANNE SISSLER
Related Party Phone :	(703)618-9183
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2026-05-06

EPA LUST

Facility Name :	CIRCLE K #7356
Facility Address :	13550 TAMIAMI TRL N, NAPLES, Florida
County :	N/R
Facility ID :	FL8518920
LUST ID :	FL15635
Reported Date :	1993-01-18
Status :	Open
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R

Map Id: H167
Direction: S
Distance: 0.592 mi., 3128 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : CIRCLE K #7356
13550 TAMIAMI TRL N
NAPLES | BONITA SPRINGS, FL 34110

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1479091
EPA ID: N/R

EPA LUST ***(cont.)***

Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	684
Estimated Private Domestic Wells within 1500ft:	15
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.295
Longitude :	-81.8013899999999
Last Date in Agency List :	2024-05-23

Facility ID :	FL8518920
LUST ID :	FL28395
Reported Date :	1988-11-22
Status :	Open
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	684
Estimated Private Domestic Wells within 1500ft:	15
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	26.295
Longitude :	-81.8013899999999
Last Date in Agency List :	2024-05-23

Map Id: H167
Direction: S
Distance: 0.592 mi., 3128 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : CIRCLE K #7356
13550 TAMIAMI TRL N
NAPLES | BONITA SPRINGS, FL 34110

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1479091
EPA ID: N/R

EPA UST

Facility Name :	CIRCLE K #7356
Facility Address :	13550 TAMIAMI TRL N, NAPLES, Florida 34110
County :	N/R
Facility ID :	FL8518920
Facility Status :	Open UST(s)
Open USTs :	2
Closed USTs :	3
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	26.295
Longitude :	-81.80138889
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8518920-1
Tank Status :	Closed
Installation Date :	1978-08-01
Removal Date :	N/R
Capacity :	7928
Substances :	Unleaded Gas
Tank Wall Type :	N/R
Tank ID :	FL8518920-2
Tank Status :	Closed
Installation Date :	1978-08-01
Removal Date :	N/R
Capacity :	7928
Substances :	Unleaded Gas
Tank Wall Type :	N/R
Tank ID :	FL8518920-3
Tank Status :	Closed
Installation Date :	1986-04-01
Removal Date :	N/R
Capacity :	10152
Substances :	Unleaded Gas
Tank Wall Type :	N/R
Tank ID :	FL8518920-4
Tank Status :	Open
Installation Date :	1998-02-01
Removal Date :	N/R
Capacity :	11527
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Map Id: H167
Direction: S
Distance: 0.592 mi., 3128 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : CIRCLE K #7356
13550 TAMIAMI TRL N
NAPLES | BONITA SPRINGS, FL 34110

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1479091
EPA ID: N/R

EPA UST ***(cont.)***

Tank ID :	FL8518920-5
Tank Status :	Open
Installation Date :	1998-02-01
Removal Date :	N/R
Capacity :	11527
Substances :	Unleaded Gas
Tank Wall Type :	N/R

FA 3 - FL

Facility Name :	CIRCLE K #7356
Facility Address :	13550 TAMIAMI TRL N, NAPLES, 34110
County :	COLLIER

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Effectivity Date :	2021-04-25
Expiration Date :	2026-08-25
Facility ID :	8518920
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	GUARANTEE
Insurance Company :	N/R
Facility Phone :	9197746700
Owner ID :	4045
Owner Name :	CIRCLE K STORES INC
Address :	1100 Situs Ct, Raleigh, NC 27606
Contact Name :	JOANNE SISSLER
Phone :	7036189183
Last Date in Agency List :	2026-06-03

Effectivity Date :	2020-12-01
Expiration Date :	2021-12-01
Facility ID :	8518920
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	NAVIGATORS SPECIALTY INSURANCE CO
Facility Phone :	9197746700
Owner ID :	4045
Owner Name :	CIRCLE K STORES INC
Address :	1100 Situs Ct, Raleigh, NC 27606
Contact Name :	JOANNE SISSLER
Phone :	7036189183
Last Date in Agency List :	2026-06-03

Map Id: H167
Direction: S
Distance: 0.592 mi., 3128 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : CIRCLE K #7356
13550 TAMIAMI TRL N
NAPLES | BONITA SPRINGS, FL 34110

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1479091
EPA ID: N/R

FA 3 - FL ***(cont.)***

Effectivity Date :	2019-12-01
Expiration Date :	2020-12-01
Facility ID :	8518920
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	NAVIGATORS SPECIALTY INSURANCE CO
Facility Phone :	9197746700
Owner ID :	4045
Owner Name :	CIRCLE K STORES INC
Address :	1100 Situs Ct, Raleigh, NC 27606
Contact Name :	JOANNE SISSLER
Phone :	7036189183
Last Date in Agency List :	2026-06-03

Effectivity Date :	2018-12-01
Expiration Date :	2019-12-01
Facility ID :	8518920
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	IRONSHORE SPECIALTY INSURANCE CO
Facility Phone :	9197746700
Owner ID :	4045
Owner Name :	CIRCLE K STORES INC
Address :	1100 Situs Ct, Raleigh, NC 27606
Contact Name :	JOANNE SISSLER
Phone :	7036189183
Last Date in Agency List :	2026-06-03

Effectivity Date :	2017-12-01
Expiration Date :	2018-12-01
Facility ID :	8518920
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	IRONSHORE SPECIALTY INSURANCE CO
Facility Phone :	9197746700
Owner ID :	4045
Owner Name :	CIRCLE K STORES INC
Address :	1100 Situs Ct, Raleigh, NC 27606
Contact Name :	JOANNE SISSLER
Phone :	7036189183
Last Date in Agency List :	2026-06-03

GWIF - FL

Facility Name :	CIRCLE K #7356
Facility Address :	13550 TAMIAMI TRL N, BONITA SPRINGS, 34110
County :	COLLIER

Map Id: H167
Direction: S
Distance: 0.592 mi., 3128 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : CIRCLE K #7356
13550 TAMIAMI TRL N
NAPLES | BONITA SPRINGS, FL 34110

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1479091
EPA ID: N/R

GWIF - FL ***(cont.)***

Facility ID :	8518920
Facility Type :	PETROLEUM
Location ID :	182799
Location Method :	DGPS = Differentially Corrected GPS
GPS ID :	182799
GPS Date :	2003-06-27
HAE (Height Above Ellipsoid) :	3.19
Project ID :	SUPER
Insp Name :	MARK ASHTON
Insp CHD :	COLLIER
Request Number :	N/R
Datum :	WS1984
Software :	N/R
Streetside :	N/R
Agency :	N/R
Comment :	N/R
Latitude :	26.294973
Longitude :	-81.80153
Last Date in Agency List :	2026-05-09

LUST - FL

Facility Name :	CIRCLE K #7356
Facility Address :	13550 TAMIAMI TRL N, NAPLES, 34110
County :	COLLIER

Site Details

Facility ID :	8518920
Facility Status :	OPEN
Facility Type :	Retail Station
Phone :	9197746700
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	4045
Owner Name :	CIRCLE K STORES INC
Owner Address 1 :	1100 Situs Ct, Raleigh, NC 27606
Owner Address 2 :	Attn: Ess Storage Tank Regis Ste 100
Owner Phone :	4234002480
Contact :	IRA LEWIS

Discharge Details

Discharge Date :	1988-11-22
Status Date :	1993-07-27
Status Description :	RAP ONGOING
DEP Code :	C
Description :	CLEANUP REQUIRED
Score Date :	2011-05-31
Score :	10

Map Id: H167
Direction: S
Distance: 0.592 mi., 3128 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : CIRCLE K #7356
13550 TAMIAMI TRL N
NAPLES | BONITA SPRINGS, FL 34110

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1479091
EPA ID: N/R

LUST - FL ***(cont.)***

CU Status :	N/R
Discharge Date :	1993-01-18
Status Date :	1993-03-31
Status Description :	ELIGIBLE - NO TASK LEVEL DATA
DEP Code :	C
Description :	CLEANUP REQUIRED
Score Date :	2011-05-31
Score :	10
CU Status :	N/R
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

UST - FL

Facility Name :	CIRCLE K #7356
Facility Address :	13550 TAMIAMI TRL N, NAPLES, 34110
County :	COLLIER

Site Details

Facility ID :	8518920
Facility Phone :	9197746700
Facility Status :	OPEN
Facility Type :	Retail Station
Last Date in Agency List :	2026-05-06

Owner Information

Owner ID :	4045
Owner Name :	CIRCLE K STORES INC
Owner Address 1 :	1100 Situs Ct, Raleigh, NC 27606
Owner Address 2 :	Attn: Ess Storage Tank Regis Ste 100
Owner Phone :	4234002480
Contact :	IRA LEWIS
DEP Contractor Own :	C

Tank Information

Tank ID :	1
Gallons :	7928
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1978-08-01
Status :	Removed from Site
Status Date :	1998-01-01

Map Id: H167
Direction: S
Distance: 0.592 mi., 3128 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : CIRCLE K #7356
13550 TAMIAMI TRL N
NAPLES | BONITA SPRINGS, FL 34110

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1479091
EPA ID: N/R

UST - FL ***(cont.)***

Tank ID :	2
Gallons :	7928
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1978-08-01
Status :	Removed from Site
Status Date :	1998-01-01

Tank ID :	3
Gallons :	10152
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1986-04-01
Status :	Removed from Site
Status Date :	1998-01-01

Tank ID :	4
Gallons :	11527
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1998-02-01
Status :	In Service
Status Date :	1998-02-01

Construction Items :
Overfill/Spill - Flow shut-Off
Overfill/Spill - Tight fill
Overfill/Spill - Spill containment bucket
Primary Construction - Fiberglass
Secondary Containment - Double wall

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Miscellaneous - Visual inspect pipe sumps
Miscellaneous - Continuous electronic sensing
Miscellaneous - Visual inspect dispenser liners
Piping Monitoring - Electronic line leak detector
Piping Monitoring - Monitor dbl wall pipe space

Piping Items :
Miscellaneous Attributes - Pressurized piping system
Miscellaneous Attributes - Dispenser liners
Primary Construction - Fiberglass
Secondary Containment - Double wall

Tank Information

Tank ID :	5
Gallons :	11527
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1998-02-01

Map Id: H167
Direction: S
Distance: 0.592 mi., 3128 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : CIRCLE K #7356
13550 TAMIAMI TRL N
NAPLES | BONITA SPRINGS, FL 34110

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1479091
EPA ID: N/R

UST - FL ***(cont.)***

Status :	In Service
Status Date :	1998-02-01
Construction Items :	Overfill/Spill - Spill containment bucket Overfill/Spill - Flow shut-Off Overfill/Spill - Tight fill Primary Construction - Fiberglass Secondary Containment - Double wall
Monitoring Items :	Internal Tk Monitoring - Monitor dbl wall tank space Miscellaneous - Continuous electronic sensing Miscellaneous - Visual inspect dispenser liners Miscellaneous - Visual inspect pipe sumps Piping Monitoring - Monitor dbl wall pipe space Piping Monitoring - Electronic line leak detector
Piping Items :	Miscellaneous Attributes - Dispenser liners Miscellaneous Attributes - Pressurized piping system Primary Construction - Fiberglass Secondary Containment - Double wall
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: H168
Direction: S
Distance: 0.633 mi., 3341 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : GERMAIN LINCOLN | GERMAIN TOYOTA | GERMAIN TOYOTA (PIPE)
13315 TAMIAMI TRL N
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, HIST PCS ENF, HIST PCS FACILITY, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG, SHWS ERIC - FL]

Envirosite ID: 33530741
EPA ID: N/R

ECHO

Facility Name :	GERMAIN LINCOLN
Facility Address :	13315 TAMIAMI TRL N, NAPLES, FL 34110
County :	COLLIER COUNTY
Last Inspection Date :	2016-01-12
Registry ID :	110064405068
FIPS Code :	12021

Map Id: H168
Direction: S
Distance: 0.633 mi., 3341 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : GERMAIN LINCOLN | GERMAIN TOYOTA | GERMAIN TOYOTA (PIPE)
13315 TAMIAMI TRL N
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, HIST PCS ENF, HIST PCS FACILITY, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 33530741
EPA ID: N/R

ECHO ***(cont.)***

EPA Region :	04
Inspection Count :	0
Last Inspection Days :	3561
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	N/R
Three-Year Compliance Status :	N/R
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	50
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)
Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101051000
MYRTK Universe :	NNN
NPDES IDs :	FLR10PC74
CWA Permit Types :	Non-M
CWA Compliance Tracking :	Off
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	3560
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	Terminated Permit
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2016-01-12
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R

Map Id: H168
Direction: S
Distance: 0.633 mi., 3341 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : GERMAIN LINCOLN | GERMAIN TOYOTA | GERMAIN TOYOTA (PIPE)
13315 TAMIAMI TRL N
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, HIST PCS ENF, HIST PCS FACILITY, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 33530741
EPA ID: N/R

ECHO ***(cont.)***

Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	26.29121
Longitude :	-81.80206
Last Date in Agency List :	2026-05-11

FRS

Facility Name :	GERMAIN LINCOLN
Facility Address :	13315 TAMIAMI TRL N, NAPLES, FL 34110
County :	COLLIER COUNTY

Site Details

Registry ID :	110064405068
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2026-05-25

Source Description

Source Description :

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest

Source and System ID :	ICIS - FLR10PC74

Map Id: H168
Direction: S
Distance: 0.633 mi., 3341 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : GERMAIN LINCOLN | GERMAIN TOYOTA | GERMAIN TOYOTA (PIPE)
13315 TAMIAMI TRL N
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, HIST PCS ENF, HIST PCS FACILITY, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 33530741
EPA ID: N/R

HIST PCS ENF

Facility Name :	GERMAIN TOYOTA
Facility Address :	13315 TAMIAMI TRL N, NAPLES, FL 34110
Effective Date :	2011-04-11
Expiration Date :	2016-04-10
NPDES ID :	FLR10KK29
FRS Facility Site ID :	1100987
Primary Facility SIC Code :	N/R
Primary Facility SIC Description :	N/R
Current Major/Minor Status :	Minor
Facility Type Description :	N/R
Facility Non-Government Contact Name:	N/R
Facility Non-Gov Addresses :	N/R
Total Actual Average Flow (MGD) :	N/R
Total App. Design Flow (MGD) :	N/R
Pretreat Program Required Indicator :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Tribal Land Code :	N/R
Tribal Land Name :	N/R
Contact Office Telephone Number :	N/R
Permit Non-Gov Addresses :	N/R
Permit Non-Government Contact Name :	N/R
Permit Type Description :	General Permit Covered Facility
Last Date in Agency List :	2015-01-15

Effective Date :	2011-04-11
Expiration Date :	2016-04-10
NPDES ID :	FLR10KK29
FRS Facility Site ID :	1100987
Primary Facility SIC Code :	N/R
Primary Facility SIC Description :	N/R
Current Major/Minor Status :	Minor
Facility Type Description :	N/R
Facility Non-Government Contact Name:	N/R
Facility Non-Gov Addresses :	N/R
Total Actual Average Flow (MGD) :	N/R
Total App. Design Flow (MGD) :	N/R
Pretreat Program Required Indicator :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Tribal Land Code :	N/R
Tribal Land Name :	N/R
Contact Office Telephone Number :	N/R
Permit Non-Gov Addresses :	8113 Lowbank Dr
Permit Non-Government Contact Name :	N/R
Permit Type Description :	General Permit Covered Facility
Last Date in Agency List :	2015-01-15

Map Id: H168
Direction: S
Distance: 0.633 mi., 3341 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : GERMAIN LINCOLN | GERMAIN TOYOTA | GERMAIN TOYOTA (PIPE)
13315 TAMIAMI TRL N
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, HIST PCS ENF, HIST PCS FACILITY, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 33530741
EPA ID: N/R

HIST PCS ENF ***(cont.)***

Effective Date :	2011-04-11
Expiration Date :	2016-04-10
NPDES ID :	FLR10KK29
FRS Facility Site ID :	1100987
Primary Facility SIC Code :	N/R
Primary Facility SIC Description :	N/R
Current Major/Minor Status :	Minor
Facility Type Description :	N/R
Facility Non-Government Contact Name:	N/R
Facility Non-Gov Addresses :	8113 Lowbank Dr, Naples, FL 34109
Total Actual Average Flow (MGD) :	N/R
Total App. Design Flow (MGD) :	N/R
Pretreat Program Required Indicator :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Tribal Land Code :	N/R
Tribal Land Name :	N/R
Contact Office Telephone Number :	N/R
Permit Non-Gov Addresses :	N/R
Permit Non-Government Contact Name :	N/R
Permit Type Description :	General Permit Covered Facility
Last Date in Agency List :	2015-01-15

Effective Date :	2011-04-11
Expiration Date :	2016-04-10
NPDES ID :	FLR10KK29
FRS Facility Site ID :	1100987
Primary Facility SIC Code :	N/R
Primary Facility SIC Description :	N/R
Current Major/Minor Status :	Minor
Facility Type Description :	N/R
Facility Non-Government Contact Name:	N/R
Facility Non-Gov Addresses :	8113 Lowbank Dr, Naples, FL 34109
Total Actual Average Flow (MGD) :	N/R
Total App. Design Flow (MGD) :	N/R
Pretreat Program Required Indicator :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Tribal Land Code :	N/R
Tribal Land Name :	N/R
Contact Office Telephone Number :	N/R
Permit Non-Gov Addresses :	8113 Lowbank Dr
Permit Non-Government Contact Name :	N/R
Permit Type Description :	General Permit Covered Facility
Last Date in Agency List :	2015-01-15

HIST PCS FACILITY

Facility Name :	GERMAIN TOYOTA
Facility Address :	13315 TAMIAMI TRL N, NAPLES, FL 34110
County :	N/R

Map Id: H168
Direction: S
Distance: 0.633 mi., 3341 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : GERMAIN LINCOLN | GERMAIN TOYOTA | GERMAIN TOYOTA (PIPE)
13315 TAMIAMI TRL N
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, HIST PCS ENF, HIST PCS FACILITY, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 33530741
EPA ID: N/R

HIST PCS FACILITY ***(cont.)***

FRS Facility Site ID :	1100987
NPDES ID :	FLR10KK29
Current Major/Minor Status :	Minor
Facility Type Description :	N/R
Permit Type :	General Permit Covered Facility
Primary Facility SIC Code :	N/R
Primary Facility SIC Description :	N/R
Total Actual Average Flow (MGD) :	N/R
Total App. Design Flow (MGD) :	N/R
Pretreat Prog Req'd Indicator Description:	N/R
State Water Body Number :	N/R
State Water Body Name :	N/R
Effective Date :	2011-04-11 00:00:00
Expiration Date :	2016-04-10 00:00:00
Tribal Land Code :	N/R
Tribal Land Name :	N/R
Facility Contact Name :	N/R
Contact Number :	N/R
Contact Address :	N/R
Permit Contact Name :	N/R
Permit Contact Address :	8113 Lowbank Dr, Naples, FL 34109
Latitude :	26.2933
Longitude :	-81.8027
Last Date in Agency list :	2014-12-10

FRS Facility Site ID :	1100987
NPDES ID :	FLR10KK29
Current Major/Minor Status :	Minor
Facility Type Description :	N/R
Permit Type :	General Permit Covered Facility
Primary Facility SIC Code :	N/R
Primary Facility SIC Description :	N/R
Total Actual Average Flow (MGD) :	N/R
Total App. Design Flow (MGD) :	N/R
Pretreat Prog Req'd Indicator Description:	N/R
State Water Body Number :	N/R
State Water Body Name :	N/R
Effective Date :	2011-04-11 00:00:00
Expiration Date :	2016-04-10 00:00:00
Tribal Land Code :	N/R
Tribal Land Name :	N/R
Facility Contact Name :	N/R
Contact Number :	N/R
Contact Address :	8113 Lowbank Dr, Naples, FL 34109
Permit Contact Name :	N/R
Permit Contact Address :	N/R
Latitude :	26.2933
Longitude :	-81.8027
Last Date in Agency list :	2014-12-10

Map Id: H168
Direction: S
Distance: 0.633 mi., 3341 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : GERMAIN LINCOLN | GERMAIN TOYOTA | GERMAIN TOYOTA (PIPE)
13315 TAMIAMI TRL N
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, HIST PCS ENF, HIST PCS FACILITY, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 33530741
EPA ID: N/R

HIST PCS FACILITY ***(cont.)***

FRS Facility Site ID :	1100987
NPDES ID :	FLR10KK29
Current Major/Minor Status :	Minor
Facility Type Description :	N/R
Permit Type :	General Permit Covered Facility
Primary Facility SIC Code :	N/R
Primary Facility SIC Description :	N/R
Total Actual Average Flow (MGD) :	N/R
Total App. Design Flow (MGD) :	N/R
Pretreat Prog Req'd Indicator Description:	N/R
State Water Body Number :	N/R
State Water Body Name :	N/R
Effective Date :	2011-04-11 00:00:00
Expiration Date :	2016-04-10 00:00:00
Tribal Land Code :	N/R
Tribal Land Name :	N/R
Facility Contact Name :	N/R
Contact Number :	N/R
Contact Address :	8113 Lowbank Dr, Naples, FL 34109
Permit Contact Name :	N/R
Permit Contact Address :	8113 Lowbank Dr, Naples, FL 34109
Latitude :	26.2933
Longitude :	-81.8027
Last Date in Agency list :	2014-12-10

FRS Facility Site ID :	1100987
NPDES ID :	FLR10KK29
Current Major/Minor Status :	Minor
Facility Type Description :	N/R
Permit Type :	General Permit Covered Facility
Primary Facility SIC Code :	N/R
Primary Facility SIC Description :	N/R
Total Actual Average Flow (MGD) :	N/R
Total App. Design Flow (MGD) :	N/R
Pretreat Prog Req'd Indicator Description:	N/R
State Water Body Number :	N/R
State Water Body Name :	N/R
Effective Date :	2011-04-11 00:00:00
Expiration Date :	2016-04-10 00:00:00
Tribal Land Code :	N/R
Tribal Land Name :	N/R
Facility Contact Name :	N/R
Contact Number :	N/R
Contact Address :	N/R
Permit Contact Name :	N/R
Permit Contact Address :	N/R
Latitude :	26.2933
Longitude :	-81.8027
Last Date in Agency list :	2014-12-10

Map Id: H168
Direction: S
Distance: 0.633 mi., 3341 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : GERMAIN LINCOLN | GERMAIN TOYOTA | GERMAIN TOYOTA (PIPE)
13315 TAMIAMI TRL N
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, HIST PCS ENF, HIST PCS FACILITY, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 33530741
EPA ID: N/R

ICIS

Facility Name :	GERMAIN LINCOLN
Facility Address :	13315 TAMIAMI TRL N, NAPLES, FL 34110

Site Details

NPDES ID :	FLR10PC74
ICIS Facility Interest ID :	3600042422
Facility UIN :	110064405068
Facility Type Code :	N/R
Impaired Waters :	303(D) Listed
Latitude :	26.2902778
Longitude :	-81.8036111
Last Date in Agency List :	2026-02-25

Facility Name :	GERMAIN TOYOTA
Facility Address :	13315 TAMIAMI TRL N, NAPLES, FL 34110

Site Details

NPDES ID :	FLR10KK29
ICIS Facility Interest ID :	2600014833
Facility UIN :	110007478880
Facility Type Code :	N/R
Impaired Waters :	303(D) Listed
Latitude :	26.2933
Longitude :	-81.8027
Last Date in Agency List :	2026-02-25

INACTIVE PCS

Issue Date :	2015-03-08
Original Issue Date :	2015-03-08
Effective Date :	2015-03-08
Expiration Date :	2020-03-07
Retirement Date :	N/R
Termination Date :	2020-05-14
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3600134974
External Permit Number :	FLR10PC74
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Terminated
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Germain Real Estate Co LLC

Map Id: H168
Direction: S
Distance: 0.633 mi., 3341 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : GERMAIN LINCOLN | GERMAIN TOYOTA | GERMAIN TOYOTA (PIPE)
13315 TAMIAMI TRL N
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, HIST PCS ENF, HIST PCS FACILITY, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 33530741
EPA ID: N/R

INACTIVE PCS ***(cont.)***

Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR100000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2026-02-26

Issue Date :	2011-04-11
Original Issue Date :	2011-04-11
Effective Date :	2011-04-11
Expiration Date :	2016-04-10
Retirement Date :	N/R
Termination Date :	2012-10-29
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	2600032446
External Permit Number :	FLR10KK29
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Terminated
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Germain Properties of Columbus, Inc.
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR100000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2026-02-26

MANIFEST EPA

Manifest Details

Manifest Number :	003393487GBF
Shipped Date :	2022-05-03
Updated Date :	2022-05-24
Received Date :	2022-05-17
Status :	Signed
Generator ID :	FLR000051615
Generator Name :	GERMAIN TOYOTA
Generator Address :	13315 TAMIAMI TRL N, NAPLES, FL 34110-6338
Generator Mailing :	13315 TAMIAMI TRL N, NAPLES, FL 34110-6338
Generator Contact :	N/R
Destination ID :	SCD036275626
Destination Name :	GIANT RESOURCE RECOVERY SUMTER INC
Destination Mailing :	PO BOX 1755, SUMTER, SC 29151
Destination Address :	LAT 33.906028, LONG -80.330972, SUMTER, SC 29150-6705

Map Id: H168
Direction: S
Distance: 0.633 mi., 3341 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : GERMAIN LINCOLN | GERMAIN TOYOTA | GERMAIN TOYOTA (PIPE)
13315 TAMIAMI TRL N
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, HIST PCS ENF, HIST PCS FACILITY, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 33530741
EPA ID: N/R

MANIFEST EPA ***(cont.)***

Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Web
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2026-02-16

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	(RQ) UN1263, WASTE PAINT RELATED MATERIAL 3, PG II ERG#128
Non Waste Description :	N/R
Quantity :	55 Gallons
Quantity Tons, Acute, Non-Acute :	0.2293578, 0, 0.2293578
Quantity Kg, Acute, Non-Acute :	0, 208.03441
Quantity Tons, Haz, Non-Haz :	0.2293578, 0
Quantity Kg, Haz, Non-Haz :	208.03441, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, F003, F005
State Code :	N/R

NPDES - FL

Facility Name :	Germain Lincoln
Facility Address :	13315 Tamiami Trl N, Naples
County :	COLLIER

Site Details

Issue Date :	2015-03-08
Effective Date :	2015-03-08
Expiration Date :	2020-03-07
Facility ID :	FLR10PC74
Facility Type :	Construction Stormwater GP
Status :	Active
NPDES :	N/R
Company Name :	Germain Real Estate Co LLC
Document Description :	Generic Permit
Nature of Business :	N/R
Ownership Type :	Unknown
Treatment Process Summary :	N/R
Department Office :	Tallahassee NPDES Stormwater
Capacity (MGD) :	N/R
DW Class :	N/R
Last Date in Agency List :	2020-04-14

Map Id: H168
Direction: S
Distance: 0.633 mi., 3341 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : GERMAIN LINCOLN | GERMAIN TOYOTA | GERMAIN TOYOTA (PIPE)
13315 TAMIAMI TRL N
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, HIST PCS ENF, HIST PCS FACILITY, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 33530741
EPA ID: N/R

NPDES - FL ***(cont.)***

Related Party Details

Related Party Name :	Robert L Germain, Managing Member
Related Party Address :	13315 Tamiami Trl N, Naples FL 34110-6338
Related Party Address 2 :	N/R
Related Party Phone :	2394312301
Related Party Email :	BPACIOLLA@GERMAINCARS.COM

PCS FACILITY

Issue Date :	2015-03-08
Original Issue Date :	2015-03-08
Effective Date :	2015-03-08
Expiration Date :	2020-03-07
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3600134974
External Permit Number :	FLR10PC74
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Germain Real Estate Co LLC
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR100000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2020-02-11

RCRA VSQG

Facility Name :	GERMAIN TOYOTA OF NAPLES
Facility Address :	13315 TAMIAMI TRL N, NAPLES, FL 34110-6338
County :	COLLIER
Date Form Received by Agency :	1998-12-10
EPA ID :	FLR000051615
Mailing Address :	13315 TAMIAMI TRL N, NAPLES, FL 34110-6338
Contact :	ROBERT GERMAIN
Contact Address :	13315 TAMIAMI TRL N, NAPLES, FL 34110-6338
Contact Country :	US
Contact Telephone :	999-999-9999
Contact Email :	N/R
EPA Region :	04
Land Type :	Not Reported

Map Id: H168
Direction: S
Distance: 0.633 mi., 3341 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : GERMAIN LINCOLN | GERMAIN TOYOTA | GERMAIN TOYOTA (PIPE)
13315 TAMIAMI TRL N
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, HIST PCS ENF, HIST PCS FACILITY, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 33530741
EPA ID: N/R

RCRA VSQG ***(cont.)***

Source Type : Implementer
Classification : Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2026-05-05

Owner/Operator Summary

Owner/Operator Name : GERMAIN INC
Owner/Operator Address : 13315 TAMIAMI TRL N, NAPLES, FL 34110-6338
Owner/Operator Country : US
Owner/Operator Telephone : N/R
Owner/Operator Email : N/R
Owner/Operator Fax : N/R
Legal Status : Private
Owner/Operator Type : Owner
Owner/Operator Start Date : 1998-12-22
Owner/Operator End Date : N/R

Owner/Operator Name : GERMAIN INC
Owner/Operator Address : 13315 TAMIAMI TRL N, NAPLES, FL 34110-6338
Owner/Operator Country : US
Owner/Operator Telephone : 561-845-6311
Owner/Operator Email : N/R
Owner/Operator Fax : N/R
Legal Status : Private
Owner/Operator Type : Owner
Owner/Operator Start Date : 1998-12-22
Owner/Operator End Date : N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste : N
Mixed Waste (Haz. and Radioactive) : N
Recycler of Hazardous Waste : N
Transporter of Hazardous Waste : N
Treater, Storer or Disposer of HW : N
Underground Injection Activity : N

Map Id: H168
Direction: S
Distance: 0.633 mi., 3341 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : GERMAIN LINCOLN | GERMAIN TOYOTA | GERMAIN TOYOTA (PIPE)
13315 TAMIAMI TRL N
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, HIST PCS ENF, HIST PCS FACILITY, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 33530741
EPA ID: N/R

RCRA VSQG ***(cont.)***

On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE

Notices of Violations Summary

Date of Violation :	1998-12-10
Date Achieved Compliance :	1999-03-03
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation
Enforcement Action :	DEP MEETING
Enforcement Action Date :	1999-01-21
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	1998-12-10
Date Achieved Compliance :	1999-03-03
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	DEP MEETING
Enforcement Action Date :	1999-01-21
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	1998-12-10
Date Achieved Compliance :	1999-03-03
Regulation Violated :	Y
Area of Violation :	State Statute or Regulation

Map Id: H168
Direction: S
Distance: 0.633 mi., 3341 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : GERMAIN LINCOLN | GERMAIN TOYOTA | GERMAIN TOYOTA (PIPE)
13315 TAMIAMI TRL N
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, HIST PCS ENF, HIST PCS FACILITY, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 33530741
EPA ID: N/R

RCRA VSQG ***(cont.)***

Enforcement Action :	DEP SHORT FORM CONSENT ORDER
Enforcement Action Date :	1999-03-03
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	8750
Paid Penalty Amount :	8750

Date of Violation :	1998-12-10
Date Achieved Compliance :	1999-03-03
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	DEP SHORT FORM CONSENT ORDER
Enforcement Action Date :	1999-03-03
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	8750
Paid Penalty Amount :	8750

Evaluation Action Summary

Evaluation Date :	1999-01-15
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	1999-01-05
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	1999-01-04
Evaluation :	NON-FINANCIAL RECORD REVIEW
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	1998-12-10
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	State Statute or Regulation

Map Id: H168
Direction: S
Distance: 0.633 mi., 3341 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : GERMAIN LINCOLN | GERMAIN TOYOTA | GERMAIN TOYOTA (PIPE)
13315 TAMIAMI TRL N
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, HIST PCS ENF, HIST PCS FACILITY, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES - FL, PCS FACILITY, RCRA VSQG, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 33530741
EPA ID: N/R

RCRA VSQG ***(cont.)***

Date Achieved Compliance :	1999-03-03
Evaluation Lead Agency :	State
Evaluation Date :	1998-12-10
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Generators - General
Date Achieved Compliance :	1999-03-03
Evaluation Lead Agency :	State

SHWS ERIC - FL

Facility Name :	GERMAIN TOYOTA (PIPE)
Facility Address :	13315 TAMIAMI TRL N, NAPLES, FL 34110
County :	Collier
ERIC ID :	ERIC_11906
Site Status :	CLOSED
Source Facility Name :	Germain Toyota of Naples
Source Facility ID :	56783
Program :	Responsible Party Cleanup
Program Type :	RESPONSPARTY
Program Status :	COMPLETEWITHCOND
District :	SD
Waste Management Office :	SFWMD
ICR Indicator :	N
Discharge Date :	N/R
Site Manager :	C Emery
Site Phase Description :	Phase 1 - Initial Assessment
Offsite Contamination :	CONTAMUNKNOWN
Datum ID :	WGS84
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	26.291708
Longitude :	-81.802962
Last Date in Agency List :	2026-06-18

Map Id: A169
Direction: SE
Distance: 0.786 mi., 4148 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : HICKORY CORP OF BONITA | AIR CLIMA , INC.
11100 BONITA BCH RD | 11100 BONITA BEACH RD (103-B)
BONITA SPRINGS, FL

Database(s) : [AIRS MIAMI-DADE COUNTY - FL, CS - FL, LUST - FL, UST - FL]

Envirosite ID: 1688745
EPA ID: N/R

AIRS MIAMI-DADE COUNTY - FL

Facility Name :	AIR CLIMA , INC.
Facility Address :	11100 BONITA BEACH RD (103-B), BONITA SPRINGS, FL 34135
Permit Number :	APCF-00003566
File ID :	2.0061005140154E+15
Work Group :	APCF
Work Group Number :	3566
Address Description :	N/R
Folio :	9E+12
Permit Status :	2
Permit Status Description :	NOV ISSUED
Permit Title :	STRATOSPHERIC OZONE PROTECTION
Permit Class :	MOB
Permit Class Description :	MOBILE SOURCES
Title Code :	AOP
Title Code Description :	MOB
Last Date in Agency List :	2026-05-20

Facility Name :	AIR CLIMA, INC.
Facility Address :	11100 BONITA BEACH RD (103-B), BONITA SPRINGS, FL 34135
Permit Number :	APCF-00003566
File ID :	2006100514015399
Work Group :	APCF
Work Group Number :	3566
Address Description :	N/R
Folio :	9000000000001
Permit Status :	2
Permit Status Description :	NOV ISSUED
Permit Title :	STRATOSPHERIC OZONE PROTECTION
Permit Class :	MOB
Permit Class Description :	MOBILE SOURCES
Title Code :	AOP
Title Code Description :	MOB
Last Date in Agency List :	2026-03-09

CS - FL

Facility Name :	HICKORY CORP OF BONITA
Facility Address :	11100 BONITA BCH RD, BONITA SPRINGS, 33923
County :	Collier County
DEP Cleanup Site Key :	50113994
Program Site ID :	8518325
Program Source Data :	STCM
Program Area :	PETRO
Collection Date :	2009-11-06
Verification Date :	2009-11-06
Load Date :	2017-07-30
Verifier :	FRENCH_B

Map Id: A169
Direction: SE
Distance: 0.786 mi., 4148 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : HICKORY CORP OF BONITA | AIR CLIMA , INC.
11100 BONITA BCH RD | 11100 BONITA BEACH RD (103-B)
BONITA SPRINGS, FL

Database(s) : [AIRS MIAMI-DADE COUNTY - FL, CS - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1688745
EPA ID: N/R

CS - FL ***(cont.)***

Collector :	FRENCH_B
Verifier Agency :	YORK CLAIMS SERVICE, INC
Collection Agency :	YORK CLAIMS SERVICE, INC
Verification Status :	REVIEWED
Remediation Status :	PENDING
Office/District :	SD
Comments :	N/R
Last Date in Agency List :	2017-08-03

LUST - FL

Facility Name :	HICKORY CORP OF BONITA
Facility Address :	11100 BONITA BCH RD, BONITA SPRINGS, 33923
County :	Collier

Site Details

Facility ID :	8518325
Facility Status :	CLOSED
Facility Type :	Retail Station
Phone :	N/R
Last Date in Agency List :	2017-07-17

Owner Information

Owner ID :	16547
Owner Name :	PAYLESS OIL CO INC
Owner Address 1 :	6035 N DALE MABRY, TAMPA, FL 33614
Owner Address 2 :	N/R
Owner Phone :	ED BOYETTE
Contact :	N/R

Discharge Details

Discharge Date :	1988-04-15
Status Date :	1994-07-15
Status Description :	RA ONGOING
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2011-07-07
Score :	00010
CU Status :	RA

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	N/R

UST - FL

Facility Name :	HICKORY CORP OF BONITA

Map Id: A169
Direction: SE
Distance: 0.786 mi., 4148 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : HICKORY CORP OF BONITA | AIR CLIMA , INC.
11100 BONITA BCH RD | 11100 BONITA BEACH RD (103-B)
BONITA SPRINGS, FL

Database(s) : [AIRS MIAMI-DADE COUNTY - FL, CS - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1688745
EPA ID: N/R

UST - FL ***(cont.)***

Facility Address :	11100 BONITA BCH RD, BONITA SPRINGS, 33923
County :	Collier

Site Details

Facility ID :	8518325
Facility Phone :	N/R
Facility Status :	CLOSED
Facility Type :	Retail Station
Last Date in Agency List :	2020-08-27

Owner Information

Owner ID :	16547
Owner Name :	PAYLESS OIL CO INC
Owner Address 1 :	6035 N DALE MABRY, TAMPA, FL 33614
Owner Address 2 :	N/R
Owner Phone :	(813) 872-8180
Contact :	ED BOYETTE
DEP Contractor Own :	P

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: J170
Direction: S
Distance: 0.916 mi., 4836 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AUTO CREDIT OF LEE COUNTY
24280 TAMIAMI TRL
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, LUST - FL, UST - FL]

Envirosite ID: 68173807
EPA ID: N/R

CS - FL

Facility Name :	AUTO CREDIT OF LEE COUNTY
Facility Address :	24280 TAMIAMI TRL, BONITA SPRINGS, 33923
County :	Leon County

DEP Cleanup Site Key :	52869427
Program Site ID :	9101041
Program Source Data :	STCM
Program Area :	PETRO
Collection Date :	2004-10-22
Verification Date :	2004-10-22

Map Id: J170
Direction: S
Distance: 0.916 mi., 4836 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AUTO CREDIT OF LEE COUNTY
24280 TAMIAMI TRL
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173807
EPA ID: N/R

CS - FL ***(cont.)***

Load Date :	2018-02-27
Verifier :	STANDRIDGE_N
Collector :	STANDRIDGE_N
Verifier Agency :	FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
Collection Agency :	FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
Verification Status :	REVIEWED
Remediation Status :	ACTIVE
Office/District :	SD
Comments :	N/R
Last Date in Agency List :	2018-03-01

DWM CONTAM - FL

Facility Name :	AUTO CREDIT OF LEE COUNTY
Facility Address :	24280 TAMIAMI TRL, BONITA SPRINGS, FL 33923-7045
County :	LEE
Score Effective Date :	2003-05-09
Score :	26
Score Ranked :	26
Rank :	6627
Facility ID :	9101041
Facility Status :	CLOSED
Facility Type :	A - Retail Station
County Code :	36
District :	SD
Operator :	AUTO CREDIT OF LEE COUNTY
Phone :	(813)992-7838
Name Changed Date :	N/R
Address Changed Date :	N/R
Latitude Degrees :	26
Latitude Minutes :	23
Latitude Seconds :	13.1618
Longitude Degrees :	81
Longitude Minutes :	48
Longitude Seconds :	34.121
Feature :	N/R
Method :	UNVR
Datum :	0
Section/Township/Range :	N/R
Related Party Begin Date :	1994-05-20
Related Party ID :	20703
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	STAUFFER, LUTHER
Related Party Address 1 :	24280 TAMIAMI TRL, BONITA SPRINGS, FL 33923-7045
Related Party Address 2 :	N/R
Contact :	LUTHER STAUFFER
Related Party Phone :	(813)992-7838
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2018-02-28

LUST - FL

Facility Name :	AUTO CREDIT OF LEE COUNTY

Map Id: J170
Direction: S
Distance: 0.916 mi., 4836 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AUTO CREDIT OF LEE COUNTY
24280 TAMIAMI TRL
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173807
EPA ID: N/R

LUST - FL ***(cont.)***

Facility Address :	24280 TAMIAMI TRL, BONITA SPRINGS, 33923
County :	LEE

Site Details

Facility ID :	9101041
Facility Status :	CLOSED
Facility Type :	Retail Station
Phone :	(813) 992-7838
Last Date in Agency List :	2018-02-12

Owner Information

Owner ID :	N/R
Owner Name :	N/R
Owner Address 1 :	N/R
Owner Address 2 :	N/R
Owner Phone :	N/R
Contact :	N/R

Discharge Details

Discharge Date :	1991-02-21
Status Date :	2016-02-16
Status Description :	SA ONGOING
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2009-10-13
Score :	00026
CU Status :	SA

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

UST - FL

Facility Name :	AUTO CREDIT OF LEE COUNTY
Facility Address :	24280 TAMIAMI TRL, BONITA SPRINGS, 33923
County :	Lee

Site Details

Facility ID :	9101041
Facility Phone :	(813) 992-7838
Facility Status :	CLOSED
Facility Type :	Retail Station
Last Date in Agency List :	2020-08-27

Map Id: J170
Direction: S
Distance: 0.916 mi., 4836 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AUTO CREDIT OF LEE COUNTY
24280 TAMIAMI TRL
BONITA SPRINGS, FL

Database(s) : [CS - FL, DWM CONTAM - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 68173807
EPA ID: N/R

UST - FL ***(cont.)***

Owner Information

Owner ID :	20703
Owner Name :	STAUFFER, LUTHER
Owner Address 1 :	24280 TAMIAMI TRL, BONITA SPRINGS, FL 33923
Owner Address 2 :	N/R
Owner Phone :	(813) 992-7838
Contact :	LUTHER STAUFFER
DEP Contractor Own :	P
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: J171
Direction: S
Distance: 0.924 mi., 4880 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BENTLEY VILLAGE SITE WORK ONLY | VI
AT BENTLEY VILLAGE
850 RETREAT DR
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SHWS ERIC - FL]

Envirosite ID: 49409617
EPA ID: N/R

ECHO

Facility Name :	BENTLEY VILLAGE SITE WORK ONLY
Facility Address :	850 RETREAT DR, NAPLES, FL 34110
County :	COLLIER
Last Inspection Date :	N/R
Registry ID :	110071336983
FIPS Code :	12021
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	0
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	N/R
Reference Point :	N/R
Accuracy Meters :	17481
Derived Tribes :	Seminole Tribe of Florida - 25 mile(s)

Map Id: J171
Direction: S
Distance: 0.924 mi., 4880 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BENTLEY VILLAGE SITE WORK ONLY | VI
AT BENTLEY VILLAGE
850 RETREAT DR
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 49409617
EPA ID: N/R

ECHO ***(cont.)***

Derived HUC :	03090204
Derived WBD :	030902040208
Derived STCTY FIPS :	12021
Derived Zip :	34110
Derived CD113 :	19
Derived CB2010 :	120210101064004
MYRTK Universe :	NNN
NPDES IDs :	FLR20FS23
CWA Permit Types :	Non-M
CWA Compliance Tracking :	On
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation Identified
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	_____
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	26.308046
Longitude :	-81.807122
Last Date in Agency List :	2026-05-11

Map Id: J171
Direction: S
Distance: 0.924 mi., 4880 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BENTLEY VILLAGE SITE WORK ONLY | VI
AT BENTLEY VILLAGE
850 RETREAT DR
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 49409617
EPA ID: N/R

FRS

Facility Name : BENTLEY VILLAGE SITE WORK ONLY
Facility Address : 850 RETREAT DR, NAPLES, FL 34110-7925
County : COLLIER

Site Details

Registry ID : 110071336983
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2026-05-25

Source Description

Source Description :

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest

Source and System ID : ICIS - FLR20FS23

ICIS

Facility Name : BENTLEY VILLAGE SITE WORK ONLY
Facility Address : 850 RETREAT DR, NAPLES, FL 34110-7925

Site Details

NPDES ID : FLR20FS23
ICIS Facility Interest ID : 3601466910
Facility UIN : 110071336983
Facility Type Code : N/R
Impaired Waters : 303(D) Listed
Latitude : 26.3080457
Longitude : -81.8071219
Last Date in Agency List : 2025-12-15

NPDES - FL

Facility Name : Bentley Village Site Work Only
Facility Address : 850 Retreat Dr, Naples
County : COLLIER

Map Id: J171
Direction: S
Distance: 0.924 mi., 4880 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BENTLEY VILLAGE SITE WORK ONLY | VI
AT BENTLEY VILLAGE
850 RETREAT DR
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 49409617
EPA ID: N/R

NPDES - FL ***(cont.)***

Site Details

Issue Date :	2022-09-17
Effective Date :	N/R
Expiration Date :	2027-09-16
Facility ID :	FLR20FS23
Facility Type :	Construction Generic Dewatering
Status :	Active
NPDES :	N/R
Company Name :	South Florida Excavation
Document Description :	Generic Permit
Nature of Business :	N/R
Ownership Type :	Unknown
Treatment Process Summary :	N/R
Department Office :	Tallahassee NPDES Stormwater
Capacity (MGD) :	4.68
DW Class :	N/R
Last Date in Agency List :	2026-06-03

Related Party Details

Related Party Name :	Elizabeth Filbrandt
Related Party Address :	1455 Rail Head Blvd, Naples FL 34110-8407
Related Party Address 2 :	Ste 3
Related Party Phone :	2399102774
Related Party Email :	Elizabeth@katesmaterials.com

PCS FACILITY

Issue Date :	2022-09-17
Original Issue Date :	2022-09-17
Effective Date :	2022-09-17
Expiration Date :	2027-09-16
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3603362444
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	South Florida Excavation
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR200000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2025-12-18

Map Id: J171
Direction: S
Distance: 0.924 mi., 4880 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : BENTLEY VILLAGE SITE WORK ONLY | VI AT BENTLEY VILLAGE
850 RETREAT DR
NAPLES | Naples, FL

Database(s) : [ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 49409617
EPA ID: N/R

SHWS ERIC - FL

Facility Name :	VI AT BENTLEY VILLAGE
Facility Address :	850 RETREAT DR, NAPLES, FL 34110
County :	Collier
ERIC ID :	ERIC_18018
Site Status :	OPEN
Source Facility Name :	VI AT BENTLEY VILLAGE
Source Facility ID :	8945351
Program :	Responsible Party Cleanup
Program Type :	RESPONSPARTY
Program Status :	ACTIVE
District :	SD
Waste Management Office :	SFWMD
ICR Indicator :	N
Discharge Date :	N/R
Site Manager :	Benjamin Zalles
Site Phase Description :	Phase 4 - Design Implementation
Offsite Contamination :	CONTAMUNKNOWN
Datum ID :	WGS84
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	26.306353
Longitude :	-81.806328
Last Date in Agency List :	2026-06-18

Map Id: 172
Direction: ENE
Distance: 0.996 mi., 5258 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : FORMER BONITA SPRINGS COUNTRY CLUB MAINTENANCE FACILITY
23950 COCKLESHELL DR
BONITA SPRINGS, FL 34135

Database(s) : [SHWS ERIC - FL]

Envirosite ID: 53204740
EPA ID: N/R

SHWS ERIC - FL

Facility Name :	FORMER BONITA SPRINGS COUNTRY CLUB MAINTENANCE FACILITY
Facility Address :	23950 COCKLESHELL DR, BONITA SPRINGS, FL 34135
County :	Lee
ERIC ID :	ERIC_18359
Site Status :	OPEN
Source Facility Name :	Bonita Springs Country Club
Source Facility ID :	23297
Program :	Responsible Party Cleanup
Program Type :	RESPONSPARTY
Program Status :	ACTIVE
District :	SD
Waste Management Office :	SFWMD
ICR Indicator :	N

Map Id: 172
Direction: ENE
Distance: 0.996 mi., 5258 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : FORMER BONITA SPRINGS COUNTRY CLUB MAINTENANCE FACILITY
23950 COCKLESHELL DR
BONITA SPRINGS, FL 34135

Database(s) : [SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 53204740
EPA ID: N/R

SHWS ERIC - FL ***(cont.)***

Discharge Date :	N/R
Site Manager :	Benjamin Zalles
Site Phase Description :	Phase 4 - Design Implementation
Offsite Contamination :	CONTAMUNKNOWN
Datum ID :	WGS84
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	26.375561
Longitude :	-81.78746
Last Date in Agency List :	2026-06-18

No unmappable sites reported.

STANDARD ENVIRONMENTAL RECORDS

FEDERAL NPL SITE LIST

NPL: List of priority contaminated sites among identified releases or threatened releases of hazardous substances pollutants or contaminants nationally

Source Version Date: 02/03/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/27/2026
Source: U.S. Environmental Protection Agency
Source Contact: 703-603-8867
Most Recent Contact: 04/30/2026

PART NPL: Sites that are a part of an National Priority List site referred to as the parent site

Source Version Date: 02/03/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/27/2026
Source: U.S. Environmental Protection Agency
Source Contact: 703-603-8867
Most Recent Contact: 04/30/2026

SEMS_FINAL NPL: All Included National Priority List Sites

Source Version Date: 02/03/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/27/2026
Source: U.S. Environmental Protection Agency
Source Contact: 703-603-8867
Most Recent Contact: 04/30/2026

SEMS_PROPOSED NPL: All Proposed National Priority List Sites

Source Version Date: 02/03/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/27/2026
Source: U.S. Environmental Protection Agency
Source Contact: 703-603-8867
Most Recent Contact: 04/30/2026

PROPOSED NPL: Sites that have been proposed for the National Priority List

Source Version Date: 02/03/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/27/2026
Source: U.S. Environmental Protection Agency
Source Contact: 703-603-8867
Most Recent Contact: 04/30/2026

NPL EPA GIS: Geospatial data for Areas related to the US EPA National Priority List.

Source Version Date: 02/03/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/27/2026
Source: U.S. Environmental Protection Agency
Source Contact: 202-566-2132
Most Recent Contact: 04/30/2026

NPL LIENS: National Priority List of sites with Liens

Source Version Date: 02/03/2026
Source Update Frequency: Varies
Planned Next Contact: 07/27/2026
Source: U.S. Environmental Protection Agency
Source Contact: 703-603-8867
Most Recent Contact: 04/30/2026

FEDERAL DELISTED NPL SITE LIST

DELISTED NPL: National Priority List of sites that were delisted and no longer require action

Source Version Date: 02/03/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/27/2026
Source: U.S. Environmental Protection Agency
Source Contact: 703-603-8867
Most Recent Contact: 04/30/2026

DELISTED PROPOSED NPL: Sites that have been delisted from the proposed National Priority List

Source Version Date: 02/03/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/27/2026
Source: U.S. Environmental Protection Agency
Source Contact: 703-603-8867
Most Recent Contact: 04/30/2026

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL DELISTED NPL SITE LIST (cont.)

SEMS_DELETED NPL: All Deleted National Priority List Sties

Source Version Date: 02/03/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/27/2026
Source: U.S. Environmental Protection Agency
Source Contact: 703-603-8867
Most Recent Contact: 04/30/2026

FEDERAL CERCLIS LIST

SEMS_8R_ACTIVE SITES: The Active Site Inventory Report displays site and location information at active SEMS sites. An active site is one at which site assessment, removal, remedial, enforcement, cost recovery, or oversight activities are being planned or conducted. NPL sites include latitude and longitude information. For non-NPL sites, a brief site status is provided.

Source Version Date: 02/03/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/27/2026
Source: U.S. Environmental Protection Agency
Source Contact: 703-603-8867
Most Recent Contact: 04/30/2026

FEDERAL FACILITY: Sites where Federal Facilities Restoration and Reuse Office (FFRRO) arranged cleanup for Base Closure and Property Transfer at Federal Facilities

Source Version Date: 02/03/2026
Source Update Frequency: Varies
Planned Next Contact: 07/27/2026
Source: U.S. Environmental Protection Agency
Source Contact: 703-603-8712
Most Recent Contact: 04/30/2026

CERCLIS NFRAP: The CERCLIS sites with No Further Remedial Action Planned from the CERCLIS program database. The Environmental Protection Agency decommissioned the CERCLIS data in 2014. The last update was November 12, 2013.

Source Version Date: 02/03/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/27/2026
Source: U.S. Environmental Protection Agency
Source Contact: 800-424-9346
Most Recent Contact: 04/30/2026

CERCLIS-HIST: The CERCLIS program database contains information on the assessment and remediation of federal hazardous waste sites. The Environmental Protection Agency decommissioned the CERCLIS data in 2014. The last update was November 12, 2013.

Source Version Date: 02/03/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/27/2026
Source: U.S. Environmental Protection Agency
Source Contact: 800-424-9346
Most Recent Contact: 04/30/2026

SEMS_8R_ARCHIVED SITES: The Archived Site Inventory displays site and location information at sites archived from SEMS. An archived site is one at which EPA has determined that assessment has been completed and no further remedial action is planned under the Superfund program at this time.

Source Version Date: 02/03/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/27/2026
Source: U.S. Environmental Protection Agency
Source Contact: 703-603-8867
Most Recent Contact: 04/30/2026

EPA SAA: Listing of Sites with Superfund Alternative Approach Agreements.

Source Version Date: 09/16/2024
Source Update Frequency: Quarterly
Planned Next Contact: 08/03/2026
Source: U.S. Environmental Protection Agency
Source Contact: 800-424-9346
Most Recent Contact: 05/07/2026

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL RCRA CORRACTS FACILITIES LIST

CORRACTS: List of facilities where Resource Conservation and Recovery Act Corrective Action Program used to investigate and remediate hazardous releases

Source Version Date: 01/16/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/09/2026
Source: U.S. Environmental Protection Agency
Source Contact: 202-566-1667
Most Recent Contact: 04/14/2026

HIST CORRACTS 2: List of facilities where Resource Conservation and Recovery Act Corrective Action Program used to investigate and remediate hazardous releases that are no longer in current agency list.

Source Version Date: 10/12/2018
Source Update Frequency: Annually
Planned Next Contact: 08/31/2026
Source: U.S. Environmental Protection Agency
Source Contact: 202-566-1667
Most Recent Contact: 06/04/2026

FEDERAL RCRA NON-CORRACTS TSD FACILITIES LIST

RCRA TSDF: Resource Conservation and Recovery Act hazardous waste transportation storage disposal and treatment facilities

Source Version Date: 01/16/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/09/2026
Source: U.S. Environmental Protection Agency
Source Contact: 215-814-2469
Most Recent Contact: 04/14/2026

ARCHIVED RCRA TSDF: Resource Conservation and Recovery Act hazardous waste transportation storage disposal and treatment facilities

Source Version Date: 01/16/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/09/2026
Source: U.S. Environmental Protection Agency
Source Contact: 215-814-2469
Most Recent Contact: 04/14/2026

FEDERAL RCRA GENERATORS LIST

RCRA LQG: Resource Conservation and Recovery Act listing of licensed large quantity generators

Source Version Date: 01/16/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/09/2026
Source: U.S. Environmental Protection Agency
Source Contact: 215-814-2469
Most Recent Contact: 04/14/2026

RCRA SQG: Resource Conservation and Recovery Act listing of licensed small quantity generators

Source Version Date: 01/16/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/09/2026
Source: U.S. Environmental Protection Agency
Source Contact: 215-814-2469
Most Recent Contact: 04/14/2026

RCRA VSQG: Resource Conservation and Recovery Act listing of licensed very small quantity generators.

Source Version Date: 01/16/2026
Source Update Frequency: Varies
Planned Next Contact: 07/09/2026
Source: U.S. Environmental Protection Agency
Source Contact: 215-814-2469
Most Recent Contact: 04/14/2026

RCRA NONGEN: Resource Conservation and Recovery Act listing of licensed non-generators

Source Version Date: 01/16/2026
Source Update Frequency: Varies
Planned Next Contact: 07/09/2026
Source: U.S. Environmental Protection Agency
Source Contact: 215-814-2469
Most Recent Contact: 04/14/2026

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL RCRA GENERATORS LIST (cont.)

HIST RCRA LQG: List of Resource Conservation and Recovery Act licensed large quantity generators that are no longer in current agency list.

Source Version Date: 10/12/2018
Source Update Frequency: Annually
Planned Next Contact: 08/31/2026
Source: U.S. Environmental Protection Agency
Source Contact: 215-814-2469
Most Recent Contact: 06/04/2026

HIST RCRA SQG: List of Resource Conservation and Recovery Act licensed small quantity generators that are no longer in current agency list.

Source Version Date: 10/12/2018
Source Update Frequency: Annually
Planned Next Contact: 08/31/2026
Source: U.S. Environmental Protection Agency
Source Contact: 215-814-2469
Most Recent Contact: 06/04/2026

HIST RCRA CESQG: List of Resource Conservation and Recovery Act licensed conditionally exempt small quantity generators that are no longer in current agency list.

Source Version Date: 10/12/2018
Source Update Frequency: Annually
Planned Next Contact: 08/31/2026
Source: U.S. Environmental Protection Agency
Source Contact: 215-814-2469
Most Recent Contact: 06/04/2026

HIST RCRA NONGEN: List of Resource Conservation and Recovery Act licensed non-generators that are no longer in current agency list.

Source Version Date: 10/12/2018
Source Update Frequency: Annually
Planned Next Contact: 08/31/2026
Source: U.S. Environmental Protection Agency
Source Contact: 215-814-2469
Most Recent Contact: 06/04/2026

EJ HAZ WASTE: Hazardous waste facilities from Environmental Justice.

Source Version Date: 04/21/2025
Source Update Frequency: Quarterly
Planned Next Contact: 09/23/2026
Source: ejscreen.epa.gov
Source Contact: (800) 962-6215
Most Recent Contact: 06/29/2026

FEDERAL INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES

LUCIS: Land Use Control Information Systems

Source Version Date: 03/08/2023
Source Update Frequency: Quarterly
Planned Next Contact: 07/07/2026
Source: Department of the Navy: BRAC PMO
Source Contact: (619) 532-0900
Most Recent Contact: 04/10/2026

LUCIS 2: Land Use Control Information Systems

Source Version Date: 01/17/2018
Source Update Frequency: No Longer Maintained
Planned Next Contact: 08/12/2026
Source: Department of the Navy: BRAC PMO
Source Contact: (619) 532-0900
Most Recent Contact: 05/18/2026

FED E C: Federal listing of remediation sites with engineering controls

Source Version Date: 06/05/2026
Source Update Frequency: Varies
Planned Next Contact: 09/01/2026
Source: U.S. Environmental Protection Agency
Source Contact: 800-424-9346
Most Recent Contact: 06/05/2026

FED I C: Federal listing of remediation sites with institutional controls

Source Version Date: 06/05/2026
Source Update Frequency: Varies
Planned Next Contact: 09/01/2026
Source: U.S. Environmental Protection Agency
Source Contact: 800-424-9346
Most Recent Contact: 06/05/2026

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES (cont.)

RCRA IC EC: Sites with institutional or engineering controls related to Resource Conservation and Recovery Act

Source Version Date: 09/03/2025
Source Update Frequency: Varies
Planned Next Contact: 08/17/2026
Source: U.S. Environmental Protection Agency
Source Contact: 215-814-2469
Most Recent Contact: 05/21/2026

FEDERAL ERNS LIST

ERNS: Emergency Response Notification System records of reported spills

Source Version Date: 05/27/2025
Source Update Frequency: Annually
Planned Next Contact: 08/04/2026
Source: National Response Center United States Coast Guard
Source Contact: N/R
Most Recent Contact: 05/08/2026

STATE- AND TRIBAL - EQUIVALENT CERCLIS

SITES - FL: Summary status report compiled and revised from existing lists and intended to track progress of activities within and outside of the department as they relate to the listed sites

Source Version Date: 12/24/2012
Source Update Frequency: No Longer Maintained
Planned Next Contact: 07/17/2026
Source: Department of Environmental Protection
Source Contact: 850-245-2006
Most Recent Contact: 04/22/2026

SHWS ERIC - FL: Environmental Restoration Integrated Cleanup (ERIC) contains these datasets: Superfund National Priorities List (NPL) Sites, CERCLA Site Screening Program, State Funded Cleanup Program, State-owned Lands Cleanup Program, Site Rehabilitation Program, Hazardous Waste Cleanup Program, Petroleum Restoration Program, Department of Defense, Formerly Used Defense Site, Drycleaning Solvent Cleanup Program, Responsible Party Cleanup, Site Investigation Section, Brownfield Site Rehabilitation, Hillsborough EPC Brownfields.

Source Version Date: 04/13/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/08/2026
Source: Department of Environmental Protection
Source Contact: 850-245-2006
Most Recent Contact: 04/13/2026

SHWS - FL: State -funded cleanup program sites

Source Version Date: 07/21/2021
Source Update Frequency: Semi Annually
Planned Next Contact: 09/29/2026
Source: Department of Environmental Protection
Source Contact: 850-245-8927
Most Recent Contact: 07/03/2026

CS - FL: All cleanup sites in the state of Florida

Source Version Date: 06/17/2026
Source Update Frequency: Quarterly
Planned Next Contact: 09/11/2026
Source: Department of Environmental Protection
Source Contact: 850-245-2006
Most Recent Contact: 06/17/2026

STATE RCRA GENERATORS LIST

LQG - FL: Listing of permitted large quantity hazardous waste generators

Source Version Date: 01/15/2026
Source Update Frequency: Varies
Planned Next Contact: 07/08/2026
Source: Florida Department of Environmental Protection
Source Contact: 850-245-2118
Most Recent Contact: 04/13/2026

SQG - FL: Listing of permitted small quantity hazardous waste generators

Source Version Date: 02/20/2026
Source Update Frequency: Varies
Planned Next Contact: 08/13/2026
Source: Florida Department of Environmental Protection
Source Contact: 850-245-2118
Most Recent Contact: 05/19/2026

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

STATE RCRA GENERATORS LIST (cont.)

TRA - FL: Listing of permitted hazardous waste transporters

Source Version Date: 04/05/2024
Source Update Frequency: Quarterly
Planned Next Contact: 09/08/2026
Source: Department of Environmental Protection
Source Contact: 850-245-8707
Most Recent Contact: 06/12/2026

TSD - FL: Treatment storage and disposal facility listing

Source Version Date: 03/03/2026
Source Update Frequency: Quarterly
Planned Next Contact: 08/24/2026
Source: Department of Environmental Protection
Source Contact: 850-245-8707
Most Recent Contact: 05/28/2026

HIST TSD - FL: List of Treatment Storage and Disposal facility records that are no longer in current agency list.

Source Version Date: 02/04/2019
Source Update Frequency: Annually
Planned Next Contact: 08/03/2026
Source: Department of Environmental Protection
Source Contact: 850-245-8707
Most Recent Contact: 05/07/2026

STATE AND TRIBAL LANDFILL AND/OR SOLID WASTE DISPOSAL SITE LISTS

SWF/LF - FL: Solid waste facility and landfill listing

Source Version Date: 04/25/2024
Source Update Frequency: Quarterly
Planned Next Contact: 09/10/2026
Source: Department of Environmental Protection
Source Contact: 850-245-8707
Most Recent Contact: 06/16/2026

FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS

EPA LUST: Releases listed in the EPA UST Finder database

Source Version Date: 03/28/2024
Source Update Frequency: Quarterly
Planned Next Contact: 08/13/2026
Source: EPA
Source Contact: (202) 566-1667
Most Recent Contact: 05/19/2026

LUST - FL: Leaking underground storage tank sites listing

Source Version Date: 12/01/2025
Source Update Frequency: Quarterly
Planned Next Contact: 08/18/2026
Source: Department of Environmental Protection
Source Contact: 850-245-8705
Most Recent Contact: 05/22/2026

LAST - FL: Leaking Aboveground Storage Tank Listing

Source Version Date: 12/01/2025
Source Update Frequency: Varies
Planned Next Contact: 08/18/2026
Source: Department of Environmental Protection
Source Contact: 850-245-8705
Most Recent Contact: 05/22/2026

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land in EPA Region 4

Source Version Date: 05/29/2026
Source Update Frequency: Semi Annually
Planned Next Contact: 08/25/2026
Source: U.S. Environmental Protection Agency Region 4
Source Contact: 855-246-3642
Most Recent Contact: 05/29/2026

HIST INDIAN LUST R4: Historical Leaking Underground Storage Tanks on Indian Land in EPA Region 4

Source Version Date: 10/18/2023
Source Update Frequency: Quarterly
Planned Next Contact: 08/24/2026
Source: U.S. Environmental Protection Agency Region 4
Source Contact: 855-246-3642
Most Recent Contact: 05/28/2026

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS

FEMA UST: FEMA underground storage tank listing

Source Version Date: 05/01/2025
Source Update Frequency: Varies
Planned Next Contact: 07/09/2026
Source: FEMA
Source Contact: 202-212-5283
Most Recent Contact: 04/14/2026

EPA UST: Facilities listed in the EPA UST Finder database

Source Version Date: 03/28/2024
Source Update Frequency: Quarterly
Planned Next Contact: 08/13/2026
Source: EPA
Source Contact: (202) 566-1667
Most Recent Contact: 05/19/2026

AST PBS: Bulk petroleum terminals with a total bulk storage capacity of 50,000 barrels or more.

Source Version Date: 05/10/2024
Source Update Frequency: Quarterly
Planned Next Contact: 09/25/2026
Source: Department of Homeland Security
Source Contact: 202-853-5361
Most Recent Contact: 07/01/2026

UST - FL: Underground storage tank listing

Source Version Date: 12/01/2025
Source Update Frequency: Quarterly
Planned Next Contact: 08/18/2026
Source: Department of Environmental Protection
Source Contact: 850-245-8705
Most Recent Contact: 05/22/2026

AST - FL: Aboveground storage tank listing

Source Version Date: 12/01/2025
Source Update Frequency: Quarterly
Planned Next Contact: 08/18/2026
Source: Department of Environmental Protection
Source Contact: 850-245-8705
Most Recent Contact: 05/22/2026

HIST UST - FL: List of underground storage tanks that is no longer in current agency list.

Source Version Date: 01/28/2019
Source Update Frequency: Annually
Planned Next Contact: 07/23/2026
Source: Department of Environmental Protection
Source Contact: 850-245-8705
Most Recent Contact: 04/28/2026

HIST AST - FL: List of aboveground storage tank that are no longer in current agency list.

Source Version Date: 11/19/2018
Source Update Frequency: Annually
Planned Next Contact: 07/20/2026
Source: Department of Environmental Protection
Source Contact: 850-245-8705
Most Recent Contact: 04/23/2026

INDIAN UST R4: Underground Storage Tanks on Indian Land in EPA Region 4

Source Version Date: 05/29/2026
Source Update Frequency: Semi Annually
Planned Next Contact: 08/25/2026
Source: U.S. Environmental Protection Agency Region 4
Source Contact: 855-246-3642
Most Recent Contact: 05/29/2026

HIST INDIAN UST R4: Historical Underground Storage Tanks on Indian Land in EPA Region 4

Source Version Date: 10/18/2023
Source Update Frequency: No Longer Maintained
Planned Next Contact: 08/25/2026
Source: U.S. Environmental Protection Agency Region 4
Source Contact: 855-246-3642
Most Recent Contact: 05/29/2026

STANDARD ENVIRONMENTAL RECORDS *(cont.)*

STATE INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES

E C - FL: Remediation sites with engineering controls

Source Version Date: 06/23/2026
Source Update Frequency: Semi Annually
Planned Next Contact: 09/17/2026
Source: Department of Environmental Protection
Source Contact: 850-245-8927
Most Recent Contact: 06/23/2026

I C - FL: Remediation sites with institutional controls

Source Version Date: 06/23/2026
Source Update Frequency: Semi Annually
Planned Next Contact: 09/17/2026
Source: Department of Environmental Protection
Source Contact: 850-245-8927
Most Recent Contact: 06/23/2026

STATE AND TRIBAL VOLUNTARY CLEANUP SITES

VCP - FL: Voluntary cleanup program site list

Source Version Date: 02/19/2025
Source Update Frequency: Varies
Planned Next Contact: 07/24/2026
Source: Department of Environmental Protection
Source Contact: 850-245-8961
Most Recent Contact: 04/29/2026

STATE AND TRIBAL BROWNFIELD SITES

BROWNFIELDS - FL: Brownfield site listing

Source Version Date: 01/13/2026
Source Update Frequency: Varies
Planned Next Contact: 09/30/2026
Source: Department of Environmental Protection
Source Contact: 407-897-4322
Most Recent Contact: 07/06/2026

BROWNFIELDS_SITES - FL: Brownfield site listing

Source Version Date: 06/02/2026
Source Update Frequency: Varies
Planned Next Contact: 08/27/2026
Source: Department of Environmental Protection
Source Contact: 407-897-4322
Most Recent Contact: 06/02/2026

TRIBAL BROWNFIELDS: Tribal brownfield remediation site listing

Source Version Date: 02/10/2017
Source Update Frequency: No Longer Maintained
Planned Next Contact: 09/16/2026
Source: U.S. Environmental Protection Agency
Source Contact: 855-246-3642
Most Recent Contact: 06/22/2026

ADDITIONAL ENVIRONMENTAL RECORDS

LOCAL BROWNFIELD LISTS

FED BROWNFIELDS: Federal brownfield remediation sites

Source Version Date: 11/18/2025
Source Update Frequency: Semi Annually
Planned Next Contact: 08/05/2026
Source: U.S. Environmental Protection Agency
Source Contact: 855-246-3642
Most Recent Contact: 05/11/2026

HIST FED BROWNFIELDS: Historical federal brownfield remediation sites

Source Version Date: 09/28/2023
Source Update Frequency: No Longer Maintained
Planned Next Contact: 07/31/2026
Source: U.S. Environmental Protection Agency
Source Contact: 855-246-3642
Most Recent Contact: 05/06/2026

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

LOCAL BROWNFIELD LISTS (cont.)

BROWNFIELDS-ACRES: EPA Brownfields Assessment, Cleanup and Redevelopment Exchange System.

Source Version Date: 01/01/2026
Source Update Frequency: Quarterly
Planned Next Contact: 09/18/2026
Source: U.S. Environmental Protection Agency
Source Contact: 855-246-3642
Most Recent Contact: 06/24/2026

EJ BROWNFIELDS: Brownfield remediation sites listing from Environmental Justice.

Source Version Date: 10/29/2024
Source Update Frequency: Quarterly
Planned Next Contact: 09/23/2026
Source: ejscreen.epa.gov
Source Contact: (800) 962-6215
Most Recent Contact: 06/29/2026

BROWNFIELDS_AREAS - FL: Designated Redevelopment Areas where property owners are eligible to enter into a Brownfields Site Rehabilitation Agreement (BSRA) with the State.

Source Version Date: 06/03/2026
Source Update Frequency: Varies
Planned Next Contact: 08/28/2026
Source: Department of Environmental Protection
Source Contact: 407-897-4322
Most Recent Contact: 06/03/2026

LOCAL LISTS OF LANDFILL / SOLID WASTE DISPOSAL SITES

EPA LF MOP: Sites in the EPA Landfill Methane Outreach Program

Source Version Date: 01/15/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/08/2026
Source: U.S. Environmental Protection Agency
Source Contact: 703-603-8867
Most Recent Contact: 04/13/2026

ODI: Open dump inventory sites

Source Version Date: 10/03/2017
Source Update Frequency: No Update
Planned Next Contact: 08/21/2026
Source: U.S. Environmental Protection Agency
Source Contact: 855-246-3642
Most Recent Contact: 05/27/2026

SWRCY - FL: Permitted recycling centers

Source Version Date: 04/25/2024
Source Update Frequency: Varies
Planned Next Contact: 09/10/2026
Source: Department of Environmental Protection
Source Contact: 850-245-8731
Most Recent Contact: 06/16/2026

HIST SWRCY - FL: List of permitted recycling centers that is no longer in current agency list.

Source Version Date: 02/23/2018
Source Update Frequency: Annually
Planned Next Contact: 08/20/2026
Source: Department of Environmental Protection
Source Contact: 850-245-8731
Most Recent Contact: 05/26/2026

TRIBAL ODI: Indian land open dump inventory for all regions

Source Version Date: 01/02/2025
Source Update Frequency: Varies
Planned Next Contact: 09/02/2026
Source: Indian Health Service
Source Contact: 301-443-3593
Most Recent Contact: 06/08/2026

LOCAL LISTS OF HAZARDOUS WASTE / CONTAMINATED SITES

FED CDL: The U.S. Department of Justice listing of clandestine drug lab locations

Source Version Date: 04/29/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/24/2026
Source: U.S. Department of Justice
Source Contact: 202-307-7610
Most Recent Contact: 04/29/2026

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

LOCAL LISTS OF HAZARDOUS WASTE / CONTAMINATED SITES (cont.)

US HIST CDL: The U.S. Department of Justice historical listing of clandestine drug lab locations

Source Version Date: 08/05/2019
Source Update Frequency: Quarterly
Planned Next Contact: 08/26/2026
Source: U.S. Department of Justice
Source Contact: 202-307-7610
Most Recent Contact: 06/01/2026

DWM CONTAM - FL: Listing of known contaminated sites (primarily petroleum and drycleaning)

Source Version Date: 03/30/2026
Source Update Frequency: Quarterly
Planned Next Contact: 09/18/2026
Source: Florida Department of Environmental Protection
Source Contact: 850-245-8705
Most Recent Contact: 06/24/2026

RESP PARTY - FL: Responsible party waste cleanups - Open, Closed, Inactive

Source Version Date: 06/22/2021
Source Update Frequency: Quarterly
Planned Next Contact: 09/15/2026
Source: Department of Environmental Resources Management
Source Contact: 850-245-2118
Most Recent Contact: 06/19/2026

LOCAL LAND RECORDS

LIENS 2: Comprehensive Environmental Response Compensation and Liability Act sites with liens

Source Version Date: 05/11/2017
Source Update Frequency: No Longer Maintained
Planned Next Contact: 09/24/2026
Source: U.S. Environmental Protection Agency
Source Contact: 800-424-9346
Most Recent Contact: 06/30/2026

RECORDS OF EMERGENCY RELEASE REPORTS

HMIRS (DOT): Hazardous Material spills reported by the Department of Transportation

Source Version Date: 10/14/2025
Source Update Frequency: Varies
Planned Next Contact: 09/25/2026
Source: U.S. Department of Transportation
Source Contact: (202) 366-4996
Most Recent Contact: 07/01/2026

SPILLS - FL: Listing of chemical spills and incidents referred to the emergency response unit

Source Version Date: 04/01/2026
Source Update Frequency: Quarterly
Planned Next Contact: 09/22/2026
Source: Department of Environmental Protection
Source Contact: 850-245-2006
Most Recent Contact: 06/26/2026

OTHER ASCERTAINABLE RECORDS

NPL AOC: Areas of Concern related to the US EPA NPL remediation sites.

Source Version Date: 02/03/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/27/2026
Source: Environmental Protection Agency
Source Contact: 202-566-2132
Most Recent Contact: 04/30/2026

FUDS: Defense sites that require cleanup

Source Version Date: 09/05/2025
Source Update Frequency: Varies
Planned Next Contact: 08/19/2026
Source: US Army Corps of Engineering
Source Contact: (202) 761-0011
Most Recent Contact: 05/25/2026

FUDS MRA: Formerly Used Defense military munition response areas

Source Version Date: 06/04/2025
Source Update Frequency: Varies
Planned Next Contact: 08/12/2026
Source: DHS Homeland Infrastructure Foundation
Source Contact: N/R
Most Recent Contact: 05/18/2026

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

OTHER ASCERTAINABLE RECORDS (cont.)

FUDS MRS: Formerly Used Defense military munition response sites

Source Version Date: 02/19/2026
Source Update Frequency: Varies
Planned Next Contact: 08/12/2026
Source: US Army Corps of Engineering
Source Contact: N/R
Most Recent Contact: 05/18/2026

DOD: Department of Defense sites from the Protected Areas Database (PAD-US)

Source Version Date: 02/03/2026
Source Update Frequency: Varies
Planned Next Contact: 07/27/2026
Source: United States Geologic Survey (USGS)
Source Contact: 1-888-275-8747
Most Recent Contact: 04/30/2026

HIST DOD: Department of Defense historical sites

Source Version Date: 05/19/2025
Source Update Frequency: No Longer Maintained
Planned Next Contact: 07/27/2026
Source: Environmental Protection Agency
Source Contact: (800) 424-9346
Most Recent Contact: 04/30/2026

FEDLAND: Federal Lands from the Protected Areas Database (PAD-US)

Source Version Date: 02/17/2026
Source Update Frequency: Varies
Planned Next Contact: 08/10/2026
Source: United States Geologic Survey (USGS)
Source Contact: 1-888-275-8747
Most Recent Contact: 05/14/2026

CDC HAZDAT: The Agency for Toxic Substances and Disease Registry's Hazardous Substance Release/Health Effects Database.

Source Version Date: 02/03/2026
Source Update Frequency: Varies
Planned Next Contact: 07/27/2026
Source: Agency for Toxic Substances and Disease Registry
Source Contact: 770-488-6399
Most Recent Contact: 04/30/2026

COAL GAS: Manufactured Gas Plant locations

Source Version Date: 08/20/2024
Source Update Frequency: Quarterly
Planned Next Contact: 07/15/2026
Source: U.S. Environmental Protection Agency
Source Contact: 855-246-3642
Most Recent Contact: 04/20/2026

MGP: Locations of all Manufactured Gas Plants

Source Version Date: 10/01/2024
Source Update Frequency: Quarterly
Planned Next Contact: 08/26/2026
Source: Environmental Protection Agency
Source Contact: N/R
Most Recent Contact: 06/01/2026

PIPELINES: Federal Pipeline facilities data

Source Version Date: 06/28/2014
Source Update Frequency: No update
Planned Next Contact: 08/13/2026
Source: USGS
Source Contact: (202) 366-4595
Most Recent Contact: 05/19/2026

ROD: Permanent remedy at an NPL site

Source Version Date: 02/03/2026
Source Update Frequency: Varies
Planned Next Contact: 07/27/2026
Source: Environmental Protection Agency
Source Contact: (800) 424-9346
Most Recent Contact: 04/30/2026

CONSENT (DECREES): Legal decisions regarding responsibility for Superfund locations

Source Version Date: 02/03/2026
Source Update Frequency: Varies
Planned Next Contact: 07/27/2026
Source: Environmental Protection Agency
Source Contact: (800) 424-9346
Most Recent Contact: 04/30/2026

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

OTHER ASCERTAINABLE RECORDS (cont.)

BRS: Reporting of hazardous waste generation and management from large quantity generators

Source Version Date: 01/16/2026
Source Update Frequency: Biennial
Planned Next Contact: 07/09/2026
Source: Environmental Protection Agency
Source Contact: (202) 566-1667
Most Recent Contact: 04/14/2026

INDIAN RESERVATION: American Indian Lands from the Protected Areas Database (PAD-US)

Source Version Date: 05/14/2026
Source Update Frequency: Varies
Planned Next Contact: 08/10/2026
Source: United States Geologic Survey (USGS)
Source Contact: 1-888-275-8747
Most Recent Contact: 05/14/2026

EPA WATCH: The EPA Watch List was used to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. EPA maintained the lists from 2011 - 2013.

Source Version Date: 02/09/2018
Source Update Frequency: No Longer Maintained
Planned Next Contact: 09/16/2026
Source: U.S. Environmental Protection Agency
Source Contact: (202) 564-2307
Most Recent Contact: 06/22/2026

CORRECTIVE ACTIONS 2020: In 2009 the EPA created the 2020 Corrective Action Baseline list of contaminated or potentially contaminated sites with a cleanup goal to complete 95% by the year 2020. The names on the list indicate the facility owners who may or may not have caused the contamination.

Source Version Date: 12/21/2018
Source Update Frequency: No Longer Maintained
Planned Next Contact: 08/26/2026
Source: U.S. Environmental Protection Agency
Source Contact: N/R
Most Recent Contact: 06/01/2026

COAL ASH DOE: List of existing and planned generators with 1 megawatt or greater of combined capacity that are utilizing coal ash impoundments.

Source Version Date: 01/05/2026
Source Update Frequency: Varies
Planned Next Contact: 09/22/2026
Source: Department of Energy
Source Contact: (202) 586-8800
Most Recent Contact: 06/26/2026

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

Source Version Date: 03/29/2024
Source Update Frequency: Varies
Planned Next Contact: 08/14/2026
Source: Environmental Protection Agency
Source Contact: (202) 566-1667
Most Recent Contact: 05/20/2026

DEBRIS EPA LF: EPA list of designated landfill facilities for the safe disposal of disaster debris.

Source Version Date: 11/06/2025
Source Update Frequency: Quarterly
Planned Next Contact: 07/24/2026
Source: U.S. Environmental Protection Agency
Source Contact: 855-246-3642
Most Recent Contact: 04/29/2026

DEBRIS EPA SWRCY: EPA list of facilities for the safe recovery, recycling, and disposal of disaster debris.

Source Version Date: 11/06/2025
Source Update Frequency: Quarterly
Planned Next Contact: 07/24/2026
Source: U.S. Environmental Protection Agency
Source Contact: 855-246-3642
Most Recent Contact: 04/29/2026

PFAS FED SITES: PFAS Detection on Federal Facilities

Source Version Date: 12/16/2025
Source Update Frequency: Quarterly
Planned Next Contact: 09/02/2026
Source: U.S. Environmental Protection Agency
Source Contact: N/R
Most Recent Contact: 06/08/2026

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

OTHER ASCERTAINABLE RECORDS (cont.)

PFAS INDUSTRY: List of Industries potentially handling PFAS

Source Version Date: 12/16/2025
Source Update Frequency: Quarterly
Planned Next Contact: 09/02/2026
Source: U.S. Environmental Protection Agency
Source Contact: N/R
Most Recent Contact: 06/08/2026

PFAS MANIFEST: PFAS Transfer Manifest

Source Version Date: 12/16/2025
Source Update Frequency: Quarterly
Planned Next Contact: 09/02/2026
Source: U.S. Environmental Protection Agency
Source Contact: N/R
Most Recent Contact: 06/08/2026

PFAS NPL: List of NPL sites with PFAS or PFOA contamination

Source Version Date: 11/04/2025
Source Update Frequency: Quarterly
Planned Next Contact: 07/22/2026
Source: U.S. Environmental Protection Agency
Source Contact: 703-603-8867
Most Recent Contact: 04/27/2026

PFAS PROD: PFAS Production Sites

Source Version Date: 12/16/2025
Source Update Frequency: Quarterly
Planned Next Contact: 09/02/2026
Source: U.S. Environmental Protection Agency
Source Contact: N/R
Most Recent Contact: 06/08/2026

PFAS SPILLS: List of PFAS Spill Sites

Source Version Date: 12/16/2025
Source Update Frequency: Quarterly
Planned Next Contact: 09/02/2026
Source: U.S. Environmental Protection Agency
Source Contact: N/R
Most Recent Contact: 06/08/2026

PFAS TRIS: List of TRIS sites where PFAS or PFOA are used/manufactured/ treated/ transported/released.

Source Version Date: 01/15/2026
Source Update Frequency: Varies
Planned Next Contact: 07/08/2026
Source: U.S. Environmental Protection Agency
Source Contact: (202) 566-1667
Most Recent Contact: 04/13/2026

PFAS UCMR3: List of PWS wells sampled for Unregulated Contaminant Monitoring Rule (UCMR)

Source Version Date: 12/29/2025
Source Update Frequency: Quarterly
Planned Next Contact: 09/15/2026
Source: U.S. Environmental Protection Agency
Source Contact: 703-603-8867
Most Recent Contact: 06/19/2026

PFAS WQP: List of PFAS from Water Quality Portal

Source Version Date: 12/16/2025
Source Update Frequency: Quarterly
Planned Next Contact: 09/02/2026
Source: U.S. Environmental Protection Agency
Source Contact: N/R
Most Recent Contact: 06/08/2026

UMTRA: Uranium Recovery Sites

Source Version Date: 08/13/2024
Source Update Frequency: Varies
Planned Next Contact: 07/08/2026
Source: United States Nuclear Regulatory Commission
Source Contact: (301) 415-8200
Most Recent Contact: 04/13/2026

VAPOR: EPA Vapor Intrusion Database

Source Version Date: 06/22/2026
Source Update Frequency: Varies
Planned Next Contact: 09/16/2026
Source: U.S. Environmental Protection Agency
Source Contact: 855-246-3642
Most Recent Contact: 06/22/2026

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

OTHER ASCERTAINABLE RECORDS (cont.)

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners

Source Version Date: 03/20/2026
Source Update Frequency: No Update
Planned Next Contact: 09/10/2026
Source: Environmental Protection Agency
Source Contact: (202) 566-1667
Most Recent Contact: 06/16/2026

ALT FUELING: Alternative Fueling Stations by fuel type.

Source Version Date: 10/21/2025
Source Update Frequency: Quarterly
Planned Next Contact: 07/08/2026
Source: U.S. Department of Energy
Source Contact: N/R
Most Recent Contact: 04/13/2026

MINES USGS: Listing of all active mines and mineral plants in 2003

Source Version Date: 12/04/2025
Source Update Frequency: Varies
Planned Next Contact: 08/21/2026
Source: USGS Mineral Resources Program
Source Contact: (703) 648-5953
Most Recent Contact: 05/27/2026

MINE OPERATIONS: Mine plants and operations for commodities monitored by the National Minerals Information Center of the USGS

Source Version Date: 05/27/2026
Source Update Frequency: Varies
Planned Next Contact: 08/21/2026
Source: USGS Mineral Resources Program
Source Contact: (703) 648-5953
Most Recent Contact: 05/27/2026

MINES: Mines Master Index Files

Source Version Date: 05/01/2025
Source Update Frequency: Varies
Planned Next Contact: 07/09/2026
Source: Department of Labor
Source Contact: (202) 693-9400
Most Recent Contact: 04/14/2026

ASBESTOS NOA: USGS Asbestos mines, prospects, and natural occurrences (2011).

Source Version Date: 04/17/2026
Source Update Frequency: No Longer Maintained
Planned Next Contact: 07/14/2026
Source: USGS Mineral Resources Program
Source Contact: N/R
Most Recent Contact: 04/17/2026

HIST ASBESTOS NOA: USGS Asbestos mines, prospects, and natural occurrences (2007).

Source Version Date: 04/17/2026
Source Update Frequency: No Longer Maintained
Planned Next Contact: 07/14/2026
Source: USGS ScienceBased catalog
Source Contact: N/R
Most Recent Contact: 04/17/2026

RMP: Facilities producing/handling/ process/ distribute/ store specific chemicals report plans required by the Clean Air Act

Source Version Date: 06/14/2023
Source Update Frequency: Monthly
Planned Next Contact: 07/16/2026
Source: Environmental Protection Agency
Source Contact: (202) 564-2534
Most Recent Contact: 04/21/2026

MANIFEST EPA: EPA Hazardous Waste Electronic Manifest System (e-Manifest)

Source Version Date: 09/08/2025
Source Update Frequency: Quarterly
Planned Next Contact: 08/20/2026
Source: Environmental Protection Agency
Source Contact: (202) 566-1667
Most Recent Contact: 05/26/2026

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

OTHER ASCERTAINABLE RECORDS (cont.)

EPA OSC: Listing of oil spills and hazardous substance release sites requiring EPA On-Site Coordinators.

Source Version Date: 01/06/2026
Source Update Frequency: Quarterly
Planned Next Contact: 09/23/2026
Source: U.S. Environmental Protection Agency
Source Contact: (202) 564-2307
Most Recent Contact: 06/29/2026

RAATS: Listing of major violators with enforcement actions issued under RCRA. Includes administrative and civil actions filed by the EPA. This dataset is no longer maintained.

Source Version Date: 09/23/2019
Source Update Frequency: Varies
Planned Next Contact: 07/29/2026
Source: Environmental Protection Agency
Source Contact: N/R
Most Recent Contact: 05/04/2026

TRIS: Information regarding toxic chemicals that are being used/manufactured/ treated/ transported/released into the environment

Source Version Date: 01/15/2026
Source Update Frequency: Varies
Planned Next Contact: 07/08/2026
Source: Environmental Protection Agency
Source Contact: (202) 566-1667
Most Recent Contact: 04/13/2026

SSTS: Tracking of facilities who produce pesticides and their quantity

Source Version Date: 12/30/2025
Source Update Frequency: Annually
Planned Next Contact: 09/16/2026
Source: Environmental Protection Agency
Source Contact: (202) 566-1667
Most Recent Contact: 06/22/2026

HIST SSTS: List of tracking of facilities who produce pesticides and their quantity that are no longer in current agency list.

Source Version Date: 02/13/2019
Source Update Frequency: Annually
Planned Next Contact: 08/13/2026
Source: Environmental Protection Agency
Source Contact: (202) 566-1667
Most Recent Contact: 05/19/2026

EJ TOXIC RELEASE: Toxic release inventory from Environmental Justice.

Source Version Date: 10/29/2024
Source Update Frequency: Quarterly
Planned Next Contact: 09/23/2026
Source: ejscreen.epa.gov
Source Contact: (800) 962-6215
Most Recent Contact: 06/29/2026

FA HWF: Hazardous Waste Facilities with Financial Assurance

Source Version Date: 08/04/2025
Source Update Frequency: Varies
Planned Next Contact: 07/16/2026
Source: Environmental Protection Agency
Source Contact: (800) 424-9346
Most Recent Contact: 04/21/2026

PADS: Listing of generators transporters commercial store/ brokers and disposers of PCB

Source Version Date: 05/13/2026
Source Update Frequency: Varies
Planned Next Contact: 08/07/2026
Source: Environmental Protection Agency
Source Contact: (703) 308-8404
Most Recent Contact: 05/13/2026

ICIS: Comprised of all Federal Administrative and Judicial enforcement information [intended to replace PCS] by tracking enforcement and compliance information (also contains what used to be known as FFTS)

Source Version Date: 01/15/2026
Source Update Frequency: Varies
Planned Next Contact: 07/08/2026
Source: Environmental Protection Agency
Source Contact: (202) 566-1667
Most Recent Contact: 04/13/2026

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

OTHER ASCERTAINABLE RECORDS (cont.)

FTTS: Tracking of administrative and enforcement activities related to FIFRA/TSCA

Source Version Date: 04/06/2013
Source Update Frequency: No Longer Maintained
Planned Next Contact: 07/13/2026
Source: Environmental Protection Agency
Source Contact: (202) 564-2280
Most Recent Contact: 04/16/2026

FTTS INSP: Tracking of inspections related to FIFRA/TSCA

Source Version Date: 05/08/2017
Source Update Frequency: No Longer Maintained
Planned Next Contact: 07/06/2026
Source: Environmental Protection Agency
Source Contact: (202) 564-2280
Most Recent Contact: 04/09/2026

MLTS: Sites in possession/use of radioactive materials regulated by NRC

Source Version Date: 09/09/2024
Source Update Frequency: Varies
Planned Next Contact: 08/04/2026
Source: Nuclear Regulatory Commission
Source Contact: (800) 397-4209
Most Recent Contact: 05/08/2026

HIST MLTS: List of sites in possession/use of radioactive materials regulated by NRC that is no longer in current agency list.

Source Version Date: 07/13/2016
Source Update Frequency: Annually
Planned Next Contact: 07/20/2026
Source: Nuclear Regulatory Commission
Source Contact: (800) 397-4209
Most Recent Contact: 04/23/2026

RADINFO: EPA regulated facilities with radiation and radioactive materials

Source Version Date: 08/01/2019
Source Update Frequency: Varies
Planned Next Contact: 07/17/2026
Source: Environmental Protection Agency
Source Contact: (202) 566-1667
Most Recent Contact: 04/22/2026

PCB TRANSFORMER: Disposal and Storage of Polychlorinated Biphenyl (PCB) Waste

Source Version Date: 03/02/2026
Source Update Frequency: Quarterly
Planned Next Contact: 08/21/2026
Source: Environmental Protection Agency
Source Contact: (703) 308-8404
Most Recent Contact: 05/27/2026

HIST PCB TRANS: List of PCB Disposal Facilities that are no longer in current agency list.

Source Version Date: 01/18/2018
Source Update Frequency: No Update
Planned Next Contact: 08/06/2026
Source: Environmental Protection Agency
Source Contact: (703) 308-8404
Most Recent Contact: 05/12/2026

DOT OPS: Incident Data Report

Source Version Date: 10/02/2024
Source Update Frequency: Varies
Planned Next Contact: 08/27/2026
Source: U.S. Department of Transportation
Source Contact: (202) 366-4996
Most Recent Contact: 06/02/2026

SEMS_SMELTER: This report includes sites that have smelting-related, or potentially smelting-related, indicators in the SEMS database. The report includes information on the site location as well as contaminants of concern.

Source Version Date: 02/03/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/27/2026
Source: U.S. Environmental Protection Agency
Source Contact: 703-603-8867
Most Recent Contact: 04/30/2026

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

OTHER ASCERTAINABLE RECORDS (cont.)

HIST LEAD_SMELTER: List of former lead smelter sites that is no longer in current agency list.

Source Version Date: 12/12/2018
Source Update Frequency: Annually
Planned Next Contact: 07/13/2026
Source: Environmental Protection Agency
Source Contact: (202) 566-1667
Most Recent Contact: 04/16/2026

TOSCA-PLANT: Plants controlled by the Toxic Substance Control Act

Source Version Date: 08/22/2023
Source Update Frequency: Varies
Planned Next Contact: 09/23/2026
Source: Environmental Protection Agency
Source Contact: (202) 566-1667
Most Recent Contact: 06/29/2026

HWC DOCKET: Listing of Federal facilities which are managing or have managed hazardous waste; or have had a release of hazardous waste.

Source Version Date: 06/09/2025
Source Update Frequency: Quarterly
Planned Next Contact: 08/17/2026
Source: U.S. Environmental Protection Agency
Source Contact: (202) 564-2307
Most Recent Contact: 05/21/2026

AFS: Air Facility Systems Quarterly Extract

Source Version Date: 02/17/2026
Source Update Frequency: Quarterly
Planned Next Contact: 08/10/2026
Source: Environmental Protection Agency
Source Contact: (202) 566-1667
Most Recent Contact: 05/14/2026

HIST AFS: List of Air Facility Systems Quarterly Extract that are no longer in current agency list.

Source Version Date: 06/14/2019
Source Update Frequency: Quarterly
Planned Next Contact: 09/17/2026
Source: Environmental Protection Agency
Source Contact: (202) 566-1667
Most Recent Contact: 06/23/2026

HIST AFS 2: List of Air Facility Systems Quarterly Extract that are no longer in current agency list.

Source Version Date: 11/26/2018
Source Update Frequency: Quarterly
Planned Next Contact: 07/27/2026
Source: Environmental Protection Agency
Source Contact: (202) 566-1667
Most Recent Contact: 04/30/2026

FRS: Facility Registry Systems

Source Version Date: 05/22/2026
Source Update Frequency: Varies
Planned Next Contact: 08/18/2026
Source: Environmental Protection Agency
Source Contact: (202) 566-1667
Most Recent Contact: 05/22/2026

ECHO: ECHO is EPA Enforcement and Compliance History Online website to search for facilities in your community to assess their compliance with environmental regulations related to CAA, CWA, RCRA, & SDWA.

Source Version Date: 10/17/2025
Source Update Frequency: Quarterly
Planned Next Contact: 09/30/2026
Source: U.S. Environmental Protection Agency
Source Contact: 202-566-1667
Most Recent Contact: 07/06/2026

DOCKET CRIM PROS 2: Criminal affirmative cases filed by the United States involving CAA CWA CERCLA EPCRA FIFRA MPRSA RCRA & TSCA.

Source Version Date: 06/06/2023
Source Update Frequency: Quarterly
Planned Next Contact: 07/08/2026
Source: U.S. Environmental Protection Agency
Source Contact: 202-566-1744
Most Recent Contact: 04/13/2026

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

OTHER ASCERTAINABLE RECORDS (cont.)

PCS ENF: Permitted facilities to discharge wastewater (Federal equivalent to NPDES)

Source Version Date: 01/15/2026
Source Update Frequency: Varies
Planned Next Contact: 07/08/2026
Source: Environmental Protection Agency
Source Contact: (202) 564-6582
Most Recent Contact: 04/13/2026

INACTIVE PCS: Inactive Permitted facilities to discharge wastewater

Source Version Date: 01/15/2026
Source Update Frequency: Varies
Planned Next Contact: 07/08/2026
Source: Environmental Protection Agency
Source Contact: (202) 564-6582
Most Recent Contact: 04/13/2026

PCS FACILITY: Permitted facilities to discharge wastewater (Federal equivalent to NPDES)

Source Version Date: 01/15/2026
Source Update Frequency: Varies
Planned Next Contact: 07/08/2026
Source: Environmental Protection Agency
Source Contact: (202) 564-6582
Most Recent Contact: 04/13/2026

HIST PCS ENF: List of permitted facilities to discharge wastewater (Federal equivalent to NPDES) that are no longer in current agency list.

Source Version Date: 12/08/2018
Source Update Frequency: Annually
Planned Next Contact: 08/25/2026
Source: Environmental Protection Agency
Source Contact: (202) 564-6582
Most Recent Contact: 05/29/2026

HIST PCS FACILITY: List of Permitted facilities to discharge wastewater (Federal equivalent to NPDES) that are no longer in current agency list.

Source Version Date: 12/18/2018
Source Update Frequency: Annually
Planned Next Contact: 08/25/2026
Source: Environmental Protection Agency
Source Contact: (202) 564-6582
Most Recent Contact: 05/29/2026

ENOI: The Electronic Notice of Intent (eNOI) database contains construction sites and industrial facilities that submit permit requests to EPA for Construction General Permits (CGP) and Multi-Sector General Permits (MSGP).

Source Version Date: 03/19/2021
Source Update Frequency: Quarterly
Planned Next Contact: 09/15/2026
Source: Environmental Protection Agency
Source Contact: (202) 566-1667
Most Recent Contact: 06/19/2026

EPA FUELS: List of companies and facilities registered to participate in EPA Fuel Programs under Title 40 CFR Part 80.

Source Version Date: 11/28/2025
Source Update Frequency: Quarterly
Planned Next Contact: 08/17/2026
Source: U.S. Environmental Protection Agency
Source Contact: (202) 564-2307
Most Recent Contact: 05/21/2026

OSHA: OSHA's listing of inspections violations and fatality information

Source Version Date: 10/23/2025
Source Update Frequency: Varies
Planned Next Contact: 07/08/2026
Source: Occupational Safety & Health Administration
Source Contact: 800-321-6742
Most Recent Contact: 04/13/2026

STORMWATER: Permitted storm water sites

Source Version Date: 01/08/2026
Source Update Frequency: Varies
Planned Next Contact: 09/25/2026
Source: Environmental Protection Agency
Source Contact: (202) 566-1667
Most Recent Contact: 07/01/2026

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

OTHER ASCERTAINABLE RECORDS (cont.)

PRIORITY CLEANERS - FL: Listing of sites included in the Drycleaning Solvent Cleanup Program Priority Ranking List

Source Version Date: 08/09/2021
Source Update Frequency: No Longer Maintained
Planned Next Contact: 08/06/2026
Source: Department of Environmental Protection
Source Contact: N/R
Most Recent Contact: 05/12/2026

CATTLE DIPPING VATS - FL: Cattle Dipping Vats from the Ground Water Inspection Facility listing.

Source Version Date: 04/21/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/16/2026
Source: Florida Department of Environmental Protection
Source Contact: 850-245-8927
Most Recent Contact: 04/21/2026

COAL ASH - FL: Coal Ash Disposal Site Listing

Source Version Date: 04/25/2024
Source Update Frequency: Quarterly
Planned Next Contact: 09/10/2026
Source: Florida Department of Environmental Protection
Source Contact: 850.245.8712
Most Recent Contact: 06/16/2026

DEDB - FL: Drinking water wells contaminated with ethylene dibromide

Source Version Date: 01/20/2026
Source Update Frequency: Varies
Planned Next Contact: 07/13/2026
Source: Florida Department of Environmental Protection
Source Contact: 850-245-2006
Most Recent Contact: 04/16/2026

SIS - FL: Listing of site investigation section sites

Source Version Date: 08/10/2021
Source Update Frequency: Varies
Planned Next Contact: 07/29/2026
Source: Florida Department of Environmental Protection
Source Contact: 850-245-2118
Most Recent Contact: 05/04/2026

GWCA - FL: Ground water contaminated areas

Source Version Date: 05/25/2026
Source Update Frequency: Varies
Planned Next Contact: 08/19/2026
Source: Florida Department of Environmental Protection
Source Contact: 850-245-2118
Most Recent Contact: 05/25/2026

PFAS - FL: List of PFAS sites and areas of interest

Source Version Date: 07/01/2025
Source Update Frequency: Quarterly
Planned Next Contact: 09/08/2026
Source: Florida Department of Environmental Protection
Source Contact: 850-245-8927
Most Recent Contact: 06/12/2026

PFAS AFFF - FL: List of sites with environmental assessments related to the historic and current use of chemicals found in aqueous film forming foam (AFFF) at fire training facilities.

Source Version Date: 04/29/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/24/2026
Source: Department of Environmental Protection
Source Contact: 850-245-2006
Most Recent Contact: 04/29/2026

HIST CATTLE DIPPING VATS - FL: Vats from the 1910's through the 1950's that were filled with an arsenic solution for the control and eradication of the cattle fever tick

Source Version Date: 08/19/2016
Source Update Frequency: No Longer Maintained
Planned Next Contact: 08/06/2026
Source: Florida Department of Environmental Protection
Source Contact: 850-245-8927
Most Recent Contact: 05/12/2026

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

OTHER ASCERTAINABLE RECORDS (cont.)

HIST DEDB - FL: List of drinking water wells contaminated with ethylene dibromide that is no longer in current agency list.

Source Version Date: 02/04/2019
Source Update Frequency: Annually
Planned Next Contact: 07/09/2026
Source: Florida Department of Environmental Protection
Source Contact: 850-245-2006
Most Recent Contact: 04/14/2026

DRYCLEANERS - FL: Drycleaner facility listing

Source Version Date: 01/12/2026
Source Update Frequency: Varies
Planned Next Contact: 09/29/2026
Source: Florida Department of Environmental Protection
Source Contact: 850-245-8927
Most Recent Contact: 07/03/2026

FF TANKS - FL: listing of Federal facilities with tanks, no longer updated

Source Version Date: 12/01/2025
Source Update Frequency: Quarterly
Planned Next Contact: 08/18/2026
Source: Department of Environmental Protection
Source Contact: 850-245-8705
Most Recent Contact: 05/22/2026

HIST FF TANKS - FL: List of Federal facilities with tanks that are no longer in current agency list.

Source Version Date: 01/28/2019
Source Update Frequency: Quarterly
Planned Next Contact: 07/16/2026
Source: Department of Environmental Protection
Source Contact: N/R
Most Recent Contact: 04/21/2026

MINES - FL: Location information of recorded mines

Source Version Date: 02/27/2026
Source Update Frequency: Varies
Planned Next Contact: 08/20/2026
Source: Florida Department of Environmental Protection
Source Contact: 850-245-2118
Most Recent Contact: 05/26/2026

HIST MINES - FL: Location information of recorded mines

Source Version Date: 02/08/2019
Source Update Frequency: Annually
Planned Next Contact: 08/12/2026
Source: Florida Department of Environmental Protection
Source Contact: 850-245-2118
Most Recent Contact: 05/18/2026

T 2 - FL: List of facilities that must submit an Emergency and Hazardous Chemical Inventory Form

Source Version Date: 10/16/2025
Source Update Frequency: Varies
Planned Next Contact: 07/03/2026
Source: Florida Division of Emergency Management
Source Contact: 850-413-9928
Most Recent Contact: 04/08/2026

FA 1 - FL: Financial Assurance for SWF/LF facilities

Source Version Date: 01/05/2026
Source Update Frequency: Varies
Planned Next Contact: 09/22/2026
Source: Florida Department of Environmental Protection
Source Contact: 850-245-2118
Most Recent Contact: 06/26/2026

FA 2 - FL: Financial Assurance for Hazardous Waste Managment facilities

Source Version Date: 04/01/2026
Source Update Frequency: Quarterly
Planned Next Contact: 09/22/2026
Source: Florida Department of Environmental Protection
Source Contact: 850-245-2118
Most Recent Contact: 06/26/2026

FA 3 - FL: Financial Assurance and Insurance Information for Tank Facilities

Source Version Date: 04/17/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/14/2026
Source: Florida Department of Environmental Protection
Source Contact: 850-245-2118
Most Recent Contact: 04/17/2026

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

OTHER ASCERTAINABLE RECORDS (cont.)

AIRS - FL: Listing of facilities with air permits

Source Version Date: 12/01/2025
Source Update Frequency: Varies
Planned Next Contact: 08/18/2026
Source: Florida Department of Environmental Protection
Source Contact: 850-717-9091
Most Recent Contact: 05/22/2026

NPDES - FL: Listing of facilities with wastewater and NPDES permits

Source Version Date: 04/08/2026
Source Update Frequency: Monthly
Planned Next Contact: 09/29/2026
Source: Florida Department of Environmental Protection
Source Contact: 850-245-8325
Most Recent Contact: 07/03/2026

UIC - FL: Underground injection well permits

Source Version Date: 04/02/2026
Source Update Frequency: Varies
Planned Next Contact: 09/23/2026
Source: Florida Department of Environmental Protection
Source Contact: 850-245-2118
Most Recent Contact: 06/29/2026

WASTEWATER - FL: Listing of permitted wastewater facilities

Source Version Date: 02/06/2026
Source Update Frequency: Monthly
Planned Next Contact: 07/30/2026
Source: Florida Department of Environmental Protection
Source Contact: 850-245-8325
Most Recent Contact: 05/05/2026

GWIF - FL: Groundwater Monitoring sites that are inspected and monitored.

Source Version Date: 04/21/2026
Source Update Frequency: Quarterly
Planned Next Contact: 07/16/2026
Source: Florida Bureau of Environmental Health
Source Contact: 850-245-4240
Most Recent Contact: 04/21/2026

ARENAS: List of Arenas and Sport Venues

Source Version Date: 04/11/2024
Source Update Frequency: Varies
Planned Next Contact: 08/27/2026
Source: DHS Homeland Infrastructure Foundation
Source Contact: N/R
Most Recent Contact: 06/02/2026

ARENAS 2: List of Convention Centers and Fairgrounds

Source Version Date: 05/29/2026
Source Update Frequency: Varies
Planned Next Contact: 08/25/2026
Source: DHS Homeland Infrastructure Foundation
Source Contact: N/R
Most Recent Contact: 05/29/2026

CHURCHES: List of places of worship

Source Version Date: 04/14/2024
Source Update Frequency: Varies
Planned Next Contact: 08/31/2026
Source: DHS Homeland Infrastructure Foundation
Source Contact: N/R
Most Recent Contact: 06/04/2026

HOSPITALS: List of major Hospitals

Source Version Date: 06/10/2024
Source Update Frequency: Varies
Planned Next Contact: 07/31/2026
Source: DHS Homeland Infrastructure Foundation
Source Contact: N/R
Most Recent Contact: 05/06/2026

NURSING HOMES: List of Nursing Homes

Source Version Date: 06/07/2024
Source Update Frequency: Varies
Planned Next Contact: 07/29/2026
Source: DHS Homeland Infrastructure Foundation
Source Contact: N/R
Most Recent Contact: 05/04/2026

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

OTHER ASCERTAINABLE RECORDS (cont.)

GOV MANSIONS: List of Governors Mansions

Source Version Date: 06/02/2026
Source Update Frequency: Varies
Planned Next Contact: 08/27/2026
Source: DHS Homeland Infrastructure Foundation
Source Contact: N/R
Most Recent Contact: 06/02/2026

SCHOOLS PRIVATE: List of Private Schools

Source Version Date: 06/10/2024
Source Update Frequency: Varies
Planned Next Contact: 07/31/2026
Source: DHS Homeland Infrastructure Foundation
Source Contact: N/R
Most Recent Contact: 05/06/2026

SCHOOLS PUBLIC: List of Public Schools

Source Version Date: 06/10/2024
Source Update Frequency: Varies
Planned Next Contact: 07/31/2026
Source: DHS Homeland Infrastructure Foundation
Source Contact: N/R
Most Recent Contact: 05/06/2026

COLLEGES: List of major Universities & Colleges

Source Version Date: 03/14/2024
Source Update Frequency: Varies
Planned Next Contact: 07/31/2026
Source: DHS Homeland Infrastructure Foundation
Source Contact: N/R
Most Recent Contact: 05/06/2026

COLLEGES 2: List of Universities & Colleges

Source Version Date: 03/20/2024
Source Update Frequency: Varies
Planned Next Contact: 08/05/2026
Source: DHS Homeland Infrastructure Foundation
Source Contact: N/R
Most Recent Contact: 05/11/2026

PRISONS: List of Prison facilities

Source Version Date: 05/03/2024
Source Update Frequency: Varies
Planned Next Contact: 09/18/2026
Source: DHS Homeland Infrastructure Foundation
Source Contact: N/R
Most Recent Contact: 06/24/2026

EJ CHURCH: List of places of worship from Environmental Justice.

Source Version Date: 10/29/2024
Source Update Frequency: Quarterly
Planned Next Contact: 09/23/2026
Source: ejscreen.epa.gov
Source Contact: (800) 962-6215
Most Recent Contact: 06/29/2026

EJ SCHOOLS: Schools list from Environmental Justice.

Source Version Date: 10/29/2024
Source Update Frequency: Quarterly
Planned Next Contact: 09/23/2026
Source: ejscreen.epa.gov
Source Contact: (800) 962-6215
Most Recent Contact: 06/29/2026

EJ HOSPITALS: Hospitals list from Environmental Justice.

Source Version Date: 10/29/2024
Source Update Frequency: Quarterly
Planned Next Contact: 09/23/2026
Source: ejscreen.epa.gov
Source Contact: (800) 962-6215
Most Recent Contact: 06/29/2026

DAYCARE: List of Daycare facilities

Source Version Date: 08/15/2025
Source Update Frequency: Varies
Planned Next Contact: 07/29/2026
Source: DHS Homeland Infrastructure Foundation
Source Contact: N/R
Most Recent Contact: 05/04/2026

ADDITIONAL ENVIRONMENTAL RECORDS *(cont.)*

OTHER ASCERTAINABLE RECORDS (cont.)

DAYCARE - FL: Daycare listing

Source Version Date: 03/06/2024
Source Update Frequency: Varies
Planned Next Contact: 07/22/2026

Source: Florida Department of Children & Families
Source Contact: 866-762-2237
Most Recent Contact: 04/27/2026

SUBJECT PROPERTY ADDRESS:

BERT Rail-Trail
8888 Bernwood Pkwy
Bonita Springs, Florida 34135

SUBJECT PROPERTY COORDINATES:

Latitude(North):	26.370759 - 26°22'14.7"
Longitude(West):	-81.802379 - -81°48'8.6"
Universal Transverse Mercator:	Zone 17N
UTM X (Meters):	419951.96
UTM Y (Meters):	2916993.04
State Plane Coordinates:	0902 - Florida West (US Survey Feet)
X Coordinate (Feet):	720870.409 E
Y Coordinate (Feet):	740497.853 N

ELEVATION:

Elevation:	12 ft. above sea level

TOPOGRAPHIC MAP:

Subject Property Map:	26081-C7 Bonita Springs, FL
Most Recent Revision:	2021
Subject Property Map:	26081-D7 Estero, FL
Most Recent Revision:	2021

GEOHYDROLOGY DATA:

SUBJECT PROPERTY TOPOGRAPHY:

Topographic Gradient: North

DFIRM FLOOD ZONE:

	DFIRM Flood
Subject Property County:	Electronic Data:
LEE	Yes - refer to the PROPERTY PROXIMITY MAP and AREA MAP
Flood Plain Panel at Subject Property:	12021C0191J (Eff. date 2/8/2024) 12071C0591H (Eff. date 11/17/2022) 12071C0659G (Eff. date 11/17/2022) 12071C0593H (Eff. date 11/17/2022) 12021C0185H (Eff. date 5/16/2012) 12071C0658G (Eff. date 11/17/2022) 12071C0657G (Eff. date 11/17/2022) 12021C0184H (Eff. date 5/16/2012) 12021C0183J (Eff. date 2/8/2024) 12071C0583G (Eff. date 11/17/2022) 12071C0656G (Eff. date 11/17/2022)
Additional Panels in search area:	12071C0652G (Eff. date 11/17/2022) 12071C0587G (Eff. date 11/17/2022) 12071C0579G (Eff. date 11/17/2022) 12021C0193J (Eff. date 2/8/2024) 12071C0589G (Eff. date 11/17/2022) 12021C0192J (Eff. date 2/8/2024) 12021C0180H (Eff. date 5/16/2012)

FEMA FLOOD ZONE:

	FEMA Flood
Subject Property County:	Electronic Data:
LEE	Yes - refer to the PROPERTY PROXIMITY MAP and AREA MAP
Flood Plain Panel at Subject Property:	1200670191D 1251240510C 1251240475B 1200670185D
Additional Panels in search area:	1200670193D 1251240455B 1251240465C 1251240505D 1200670195D


NATIONAL WETLAND INVENTORY:


	NWI Electronic
NWI Quad at Subject Property:	Data Coverage:
Bonita Springs	Yes - refer to the Geological Findings Map

LITHOSTRATIGRAPHIC INFORMATION:

ROCK STRATIGRAPHIC UNIT:		GEOLOGIC AGE IDENTIFICATION
Era:	Cenozoic	Category: 3 Qp Pleistocene
System:	Quaternary	
Series:	Pleistocene	
Code:	Qp	


SURROUNDING ELEVATION PROFILES:





SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida,...
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: July 02, 2026



SOIL COMPOSITION IN GENERAL AREA OF SUBJECT PROPERTY:

Source: Soil Conservation Service, US Department of Agriculture

SOIL MAP ID 1	SSURGO
USDA Soil Name	Valkaria,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	54
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3
2	13-41	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3
3	41-130	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	130-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.8

SOIL MAP ID 2 **SSURGO**

USDA Soil Name	Pineda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	22
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-3	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
2	3-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM,	42-141	4.5-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	3-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	1984).	42-141	4.5-7.3
3	13-91	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
4	91-137	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.1-42.3	4.5-7.8
5	137-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	5.1-7.8

SOIL MAP ID 3	SSURGO
USDA Soil Name	Pompano,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	56
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-10	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-6.5
2	10-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3

SOIL MAP ID 4	SSURGO
USDA Soil Name	Water,Miscellaneous area
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	0
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 5	SSURGO
USDA Soil Name	Water,Miscellaneous area
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	0
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 6	SSURGO
USDA Soil Name	Pineda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	22
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-3	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
2	3-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
3	13-91	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and	42-141	4.5-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	13-91	Fine sand	M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
4	91-137	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.1-42.3	4.5-7.8
5	137-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	5.1-7.8

SOIL MAP ID 7 **SSURGO**

USDA Soil Name	Valkaria,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	54
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3
2	13-41	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3
3	41-130	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.8
4	130-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.8

SOIL MAP ID 8	SSURGO
USDA Soil Name	Pineda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	22
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-3	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
2	3-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
3	13-91	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
4	91-137	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for	14.1-42.3	4.5-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	91-137	Fine sandy loam	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.1-42.3	4.5-7.8
5	137-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	5.1-7.8

SOIL MAP ID 9 **SSURGO**

USDA Soil Name	Malabar,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	56
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	5.1-7

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	13-43	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	5.1-8
3	43-107	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	5.1-8
4	107-150	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.11-42.34	3.3-8
5	150-203	Loamy fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	5.1-8

SOIL MAP ID 10	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 11	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 12	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 13	SSURGO
USDA Soil Name	Floridana,Series
USDA Soil Texture	Sand
Hydrologic Soil Group	C/D
Soil Drainage Class	Very poorly drained
Hydric Classification	100
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-53	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM	42-141	5.6-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-53	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	test D 2487, in ASTM, 1984).	42-141	5.6-8.4
2	53-64	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.6-8.4
3	64-152	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	0.42-1.4	5.6-8.4
4	152-203	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	0.42-1.4	5.6-8.4

SOIL MAP ID 14	SSURGO
USDA Soil Name	Water,Miscellaneous area
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	0
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 15	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 16	SSURGO
USDA Soil Name	Pineda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	22
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-3	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
2	3-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil	42-141	4.5-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	3-13	Fine sand	Transportation Officials, 1984.	material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
3	13-91	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
4	91-137	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.1-42.3	4.5-7.8
5	137-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	5.1-7.8

SOIL MAP ID 17	SSURGO
USDA Soil Name	Valkaria,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	54
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3
2	13-41	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3
3	41-130	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.8
4	130-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size	42.34-141.14	4.5-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	130-203	Fine sand	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.8

SOIL MAP ID 18 **SSURGO**

USDA Soil Name	Pineda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	58
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-8	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
2	8-30	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
3	30-79	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure	Reference: This is a classification of soil material designed for general construction purposes. It is dependent	42-141	4.5-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	30-79	Fine sand	M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
4	79-99	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.1-42.3	5.1-8.4
5	99-140	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.1-42.3	5.1-8.4
6	140-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	5.6-8.4

SOIL MAP ID 19	SSURGO
USDA Soil Name	Felda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	99
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
2	18-61	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
3	61-91	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-42.34	5.1-7.8
4	91-203	Fine sand	Reference: This is a classification of soil material for highway	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference:	42.34-141.14	6.1-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	91-203	Fine sand	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	6.1-8.4

SOIL MAP ID 20 **SSURGO**

USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 21 **SSURGO**

USDA Soil Name	Myakka,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	57
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-5
2	13-64	Fine sand	Granular materials (35% or less passing	Reference: This is a classification of soil	42-141	3.5-5

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	13-64	Fine sand	No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-5
3	64-99	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-42	4.5-5.5
4	99-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-5.5

SOIL MAP ID 22 **SSURGO**

USDA Soil Name	Immokalee,Series
USDA Soil Texture	Sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	6
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-23	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
2	23-91	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
3	91-140	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	3.5-6
4	140-203	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6

SOIL MAP ID 23	SSURGO
USDA Soil Name	Myakka,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	57
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-5
2	13-64	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-5
3	64-99	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-42	4.5-5.5
4	99-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a	Reference: This is a classification of soil material designed for general construction	42-141	4.5-5.5

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	99-203	Fine sand	classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-5.5

SOIL MAP ID 24 **SSURGO**

USDA Soil Name	Orsino,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A
Soil Drainage Class	Moderately well drained
Hydric Classification	0
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-5	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	3.5-5.5
2	5-58	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	3.5-6
3	58-109	Fine sand	Reference: This is a classification of soil material for highway	Reference: This is a classification of soil material designed for	141-353	3.5-5.5

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	58-109	Fine sand	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	3.5-5.5
4	109-157	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	4.5-6
5	157-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	4.5-6

SOIL MAP ID 25	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 26	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 27	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 28	SSURGO
USDA Soil Name	Valkaria,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	55
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-5	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
2	5-18	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil	42-141	4.5-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	5-18	Fine sand	Transportation Officials, 1984.	material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
3	18-130	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.9
4	130-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.9

SOIL MAP ID 29	**SSURGO**
USDA Soil Name	Pompano,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	56
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-10	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-6.5
2	10-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3

SOIL MAP ID 30 **SSURGO**

USDA Soil Name	Felda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	59
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM,	42.34-141.14	3.5-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	1984).	42.34-141.14	3.5-7.8
2	18-61	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
3	61-91	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-42.34	5.1-7.8
4	91-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	6.1-8.4

SOIL MAP ID 31	SSURGO
USDA Soil Name	Valkaria,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	54
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3
2	13-41	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3
3	41-130	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.8
4	130-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size	42.34-141.14	4.5-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	130-203	Fine sand	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.8

SOIL MAP ID 32 **SSURGO**

USDA Soil Name	Immokalee,Series
USDA Soil Texture	Sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	10
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-23	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
2	23-91	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
3	91-140	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil	Reference: This is a classification of soil material designed for general construction purposes. It is dependent	4-14	3.5-6

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	91-140	Sand	material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	3.5-6
4	140-203	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6

SOIL MAP ID 33 **SSURGO**

USDA Soil Name	Pineda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	22
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-3	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
2	3-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a	Reference: This is a classification of soil material designed for general construction	42-141	4.5-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	3-13	Fine sand	classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
3	13-91	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
4	91-137	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.1-42.3	4.5-7.8
5	137-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	5.1-7.8

SOIL MAP ID 34	SSURGO
USDA Soil Name	Immokalee,Series
USDA Soil Texture	Sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	10
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-23	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
2	23-91	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
3	91-140	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	3.5-6
4	140-203	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size	42-141	3.5-6

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	140-203	Sand	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6

SOIL MAP ID 35 **SSURGO**

USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 36 **SSURGO**

USDA Soil Name	Pineda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	22
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-3	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
2	3-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75	42-141	4.5-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	3-13	Fine sand	construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
3	13-91	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
4	91-137	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.1-42.3	4.5-7.8
5	137-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	5.1-7.8

SOIL MAP ID 37	SSURGO
USDA Soil Name	Pineda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	22
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-3	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
2	3-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
3	13-91	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
4	91-137	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for	14.1-42.3	4.5-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	91-137	Fine sandy loam	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.1-42.3	4.5-7.8
5	137-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	5.1-7.8

SOIL MAP ID 38 **SSURGO**

USDA Soil Name	Wabasso,Family
USDA Soil Texture	Sand
Hydrologic Soil Group	C/D
Soil Drainage Class	Poorly drained
Hydric Classification	15
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.3528-141.176	4.5-6.5

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	15-63	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.3528-141.176	4.5-6.5
3	63-88	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.2352-141.176	4.5-6.5
4	88-115	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	0.4235-1.4117	6.1-8.4
5	115-140		No data	No data	14.114-141.14	0-0

SOIL MAP ID 39	SSURGO
USDA Soil Name	Water,Miscellaneous area
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	0
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 40	SSURGO
USDA Soil Name	Daytona,Series
USDA Soil Texture	Sand
Hydrologic Soil Group	A
Soil Drainage Class	Moderately well drained
Hydric Classification	1
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	3.5-6
2	13-91	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	3.5-6
3	91-119	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	3.5-6
4	119-203	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size	141-353	3.5-6

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	119-203	Sand	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	3.5-6

SOIL MAP ID 41 **SSURGO**

USDA Soil Name	Myakka,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	5
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5
2	15-51	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5
3	51-91	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for	4-42	3.5-6.5

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	51-91	Fine sand	M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-42	3.5-6.5
4	91-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5

SOIL MAP ID 42 **SSURGO**

USDA Soil Name	Satellite,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A
Soil Drainage Class	Somewhat poorly drained
Hydric Classification	3
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-8	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141.14-353	4.5-7.8
2	8-165	Fine sand	Granular materials (35% or less passing	Reference: This is a classification of soil	141.14-353	4.5-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	8-165	Fine sand	No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141.14-353	4.5-7.8
3	165-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141.14-353	4.5-7.8

SOIL MAP ID 43 **SSURGO**

USDA Soil Name	Cocoa,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A
Soil Drainage Class	Moderately well drained
Hydric Classification	15
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-8	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.1-7.3
2	8-33	Fine sand	Granular materials	Reference: This is a	42-141	5.1-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	8-33	Fine sand	(35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.1-7.3
3	33-69	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.1-7.3
4	69-79	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.1-7.3
5	79-104		No data	No data	14-141	0-0

SOIL MAP ID 44	SSURGO
USDA Soil Name	Pompano,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	99
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-30	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.8
2	30-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.8

SOIL MAP ID 45	**SSURGO**
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 46	**SSURGO**
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 47	SSURGO
USDA Soil Name	Felda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	99
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
2	18-61	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
3	61-91	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-42.34	5.1-7.8
4	91-203	Fine sand	Reference: This is a classification of soil material for highway	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference:	42.34-141.14	6.1-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	91-203	Fine sand	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	6.1-8.4

SOIL MAP ID 48 **SSURGO**

USDA Soil Name	Immokalee,Series
USDA Soil Texture	Sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	10
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-23	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
2	23-91	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	91-140	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	3.5-6
4	140-203	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6

SOIL MAP ID 49 **SSURGO**

USDA Soil Name	Orsino,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A
Soil Drainage Class	Moderately well drained
Hydric Classification	0
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-5	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM,	141-353	3.5-5.5

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-5	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	1984).	141-353	3.5-5.5
2	5-58	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	3.5-6
3	58-109	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	3.5-5.5
4	109-157	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	4.5-6
5	157-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil	Reference: This is a classification of soil material designed for general construction purposes. It is dependent	141-353	4.5-6

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
5	157-203	Fine sand	material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	4.5-6

SOIL MAP ID 50 **SSURGO**

USDA Soil Name	Orsino,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A
Soil Drainage Class	Moderately well drained
Hydric Classification	0
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-5	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	3.5-5.5
2	5-58	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	3.5-6
3	58-109	Fine sand	Reference: This is a classification of soil material for highway and airfield	Reference: This is a classification of soil material designed for general construction	141-353	3.5-5.5

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	58-109	Fine sand	construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	3.5-5.5
4	109-157	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	4.5-6
5	157-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	4.5-6

SOIL MAP ID 51	**SSURGO**
USDA Soil Name	Matlacha,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B
Soil Drainage Class	Somewhat poorly drained
Hydric Classification	0
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-89	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	5.6-8.4
2	89-102	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.6-7.3
3	102-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.6-7.3

SOIL MAP ID 52 **SSURGO**

USDA Soil Name	Isles,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Very poorly drained
Hydric Classification	63
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.1-7.3
2	13-54	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.1-7.3
3	54-120	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	5.6-8.4
4	120-145		No data	No data	14-141	0-0

SOIL MAP ID 53	SSURGO
USDA Soil Name	Water,Miscellaneous area
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	0
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 54	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 55	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 56	SSURGO
USDA Soil Name	Pompano,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	56
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-10	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-6.5
2	10-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil	42.34-141.14	4.5-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	10-203	Fine sand	Transportation Officials, 1984.	material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3

SOIL MAP ID 57	SSURGO
USDA Soil Name	Water,Miscellaneous area
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	0
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 58	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 59	SSURGO
USDA Soil Name	Pineda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	22
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-3	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
2	3-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
3	13-91	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
4	91-137	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.1-42.3	4.5-7.8
5	137-203	Fine sand	Reference: This is a	COARSE-GRAINED SOILS,	14-42	5.1-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
5	137-203	Fine sand	classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	5.1-7.8

SOIL MAP ID 60	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 61	SSURGO
USDA Soil Name	Copeland,Series
USDA Soil Texture	Fine sandy loam
Hydrologic Soil Group	D
Soil Drainage Class	Very poorly drained
Hydric Classification	58
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-20	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM	4-42	6.1-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-20	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	test D 2487, in ASTM, 1984).	4-42	6.1-7.3
2	20-51	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-42	6.1-7.8
3	51-71	Sandy clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	0.42-1.4	7.4-8.4
4	71-96		No data	No data	14-141	0-0

SOIL MAP ID 62	SSURGO
USDA Soil Name	Wabasso,Family
USDA Soil Texture	Sand
Hydrologic Soil Group	C/D
Soil Drainage Class	Poorly drained
Hydric Classification	15
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.3528-141.176	4.5-6.5
2	15-63	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.3528-141.176	4.5-6.5
3	63-88	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.2352-141.176	4.5-6.5
4	88-115	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for	0.4235-1.4117	6.1-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	88-115	Sandy clay loam	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	0.4235-1.4117	6.1-8.4
5	115-140		No data	No data	14.114-141.14	0-0

SOIL MAP ID 63 **SSURGO**

USDA Soil Name	Felda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	59
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
2	18-61	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	61-91	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-42.34	5.1-7.8
4	91-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	6.1-8.4

SOIL MAP ID 64 **SSURGO**

USDA Soil Name	Immokalee,Series
USDA Soil Texture	Sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	10
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-23	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and	42-141	3.5-6

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-23	Sand	M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
2	23-91	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
3	91-140	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	3.5-6
4	140-203	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6

SOIL MAP ID 65	SSURGO
USDA Soil Name	Valkaria,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	100
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-5	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
2	5-18	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
3	18-130	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.9
4	130-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size	42-141	4.5-7.9

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	130-203	Fine sand	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.9

SOIL MAP ID 66 **SSURGO**

USDA Soil Name	Water,Miscellaneous area
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	0
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 67 **SSURGO**

USDA Soil Name	Myakka,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	57
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-5
2	13-64	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75	42-141	3.5-5

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	13-64	Fine sand	construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-5
3	64-99	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-42	4.5-5.5
4	99-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-5.5

SOIL MAP ID 68	**SSURGO**
USDA Soil Name	Malabar,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	56
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	5.1-7
2	13-43	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	5.1-8
3	43-107	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	5.1-8
4	107-150	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.11-42.34	3.3-8
5	150-203	Loamy fine sand	Reference: This is a	COARSE-GRAINED SOILS,	42.34-141.14	5.1-8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
5	150-203	Loamy fine sand	classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	5.1-8

SOIL MAP ID 69 **SSURGO**

USDA Soil Name	Felda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	59
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
2	18-61	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM	42.34-141.14	3.5-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	18-61	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
3	61-91	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-42.34	5.1-7.8
4	91-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	6.1-8.4

SOIL MAP ID 70	SSURGO
USDA Soil Name	Myakka,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	57
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-5
2	13-64	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-5
3	64-99	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-42	4.5-5.5
4	99-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-5.5

SOIL MAP ID 71	SSURGO
USDA Soil Name	Satellite,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A
Soil Drainage Class	Somewhat poorly drained
Hydric Classification	3
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-8	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141.14-353	4.5-7.8
2	8-165	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141.14-353	4.5-7.8
3	165-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141.14-353	4.5-7.8

SOIL MAP ID 72	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 73	SSURGO
USDA Soil Name	Daytona,Series
USDA Soil Texture	Sand
Hydrologic Soil Group	A
Soil Drainage Class	Moderately well drained
Hydric Classification	1
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	3.5-6
2	13-91	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	3.5-6
3	91-119	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and	14-42	3.5-6

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	91-119	Sand	M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	3.5-6
4	119-203	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	3.5-6

SOIL MAP ID 74 **SSURGO**

USDA Soil Name	Cocoa,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A
Soil Drainage Class	Moderately well drained
Hydric Classification	15
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-8	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.1-7.3
2	8-33	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a	Reference: This is a classification of soil material designed for general construction	42-141	5.1-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	8-33	Fine sand	classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.1-7.3
3	33-69	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.1-7.3
4	69-79	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.1-7.3
5	79-104		No data	No data	14-141	0-0

SOIL MAP ID 75	SSURGO
USDA Soil Name	Immokalee,Series
USDA Soil Texture	Sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	10
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-23	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
2	23-91	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
3	91-140	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	3.5-6
4	140-203	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6

SOIL MAP ID 76	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 77	SSURGO
USDA Soil Name	Urban land,Miscellaneous area
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	2
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 78	SSURGO
USDA Soil Name	Myakka,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	5
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5
2	15-51	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and	42-141	3.5-6.5

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	15-51	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5
3	51-91	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-42	3.5-6.5
4	91-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5

SOIL MAP ID 79	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 80	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 81	SSURGO
USDA Soil Name	Pompano,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	56
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-10	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-6.5
2	10-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3

SOIL MAP ID 82	SSURGO
USDA Soil Name	Copeland,Series
USDA Soil Texture	Fine sandy loam
Hydrologic Soil Group	D
Soil Drainage Class	Very poorly drained
Hydric Classification	58
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-20	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-42	6.1-7.3
2	20-51	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-42	6.1-7.8
3	51-71	Sandy clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM,	0.42-1.4	7.4-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	51-71	Sandy clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	1984).	0.42-1.4	7.4-8.4
4	71-96		No data	No data	14-141	0-0

SOIL MAP ID 83 **SSURGO**

USDA Soil Name	Floridana,Series
USDA Soil Texture	Sand
Hydrologic Soil Group	C/D
Soil Drainage Class	Very poorly drained
Hydric Classification	60
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-53	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.6-8.4
2	53-64	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and	42-141	5.6-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	53-64	Sand	of State Highway and Transportation Officials, 1984.	on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.6-8.4
3	64-152	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	0.42-1.4	5.6-8.4
4	152-203	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	0.42-1.4	5.6-8.4

SOIL MAP ID 84	**SSURGO**
USDA Soil Name	Pineda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	100
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-8	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
2	8-30	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
3	30-79	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
4	79-99	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.1-42.3	5.1-8.4
5	99-140	Fine sandy loam	Silt-Clay materials	COARSE-GRAINED SOILS,	14.1-42.3	5.1-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
5	99-140	Fine sandy loam	(more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.1-42.3	5.1-8.4
6	140-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	5.6-8.4

SOIL MAP ID 85	**SSURGO**
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 86	**SSURGO**
USDA Soil Name	Pineda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	58
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-8	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
2	8-30	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
3	30-79	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
4	79-99	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.1-42.3	5.1-8.4
5	99-140	Fine sandy loam	Silt-Clay materials	COARSE-GRAINED SOILS,	14.1-42.3	5.1-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
5	99-140	Fine sandy loam	(more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.1-42.3	5.1-8.4
6	140-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	5.6-8.4

SOIL MAP ID 87	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 88	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 89	SSURGO
USDA Soil Name	Felda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	59
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
2	18-61	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
3	61-91	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-42.34	5.1-7.8
4	91-203	Fine sand	Reference: This is a classification of soil material for highway	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference:	42.34-141.14	6.1-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	91-203	Fine sand	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	6.1-8.4

SOIL MAP ID 90 **SSURGO**

USDA Soil Name	Floridana,Series
USDA Soil Texture	Sand
Hydrologic Soil Group	C/D
Soil Drainage Class	Very poorly drained
Hydric Classification	100
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-53	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.6-8.4
2	53-64	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.6-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	64-152	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	0.42-1.4	5.6-8.4
4	152-203	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	0.42-1.4	5.6-8.4

SOIL MAP ID 91 **SSURGO**

USDA Soil Name	Copeland,Series
USDA Soil Texture	Fine sandy loam
Hydrologic Soil Group	D
Soil Drainage Class	Very poorly drained
Hydric Classification	58
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-20	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent	4-42	6.1-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-20	Fine sandy loam	construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-42	6.1-7.3
2	20-51	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-42	6.1-7.8
3	51-71	Sandy clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	0.42-1.4	7.4-8.4
4	71-96		No data	No data	14-141	0-0

SOIL MAP ID 92	SSURGO
USDA Soil Name	Felda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	59
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
2	18-61	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
3	61-91	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-42.34	5.1-7.8
4	91-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	6.1-8.4

SOIL MAP ID 93	SSURGO
USDA Soil Name	Felda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	59
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
2	18-61	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
3	61-91	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-42.34	5.1-7.8
4	91-203	Fine sand	Reference: This is a classification of soil material for highway	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference:	42.34-141.14	6.1-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	91-203	Fine sand	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	6.1-8.4

SOIL MAP ID 94 **SSURGO**

USDA Soil Name	Felda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	99
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
2	18-61	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	61-91	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-42.34	5.1-7.8
4	91-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	6.1-8.4

SOIL MAP ID 95 **SSURGO**

USDA Soil Name	Valkaria,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	54
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and	42.34-141.14	4.5-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3
2	13-41	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3
3	41-130	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.8
4	130-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.8

SOIL MAP ID 96	SSURGO
USDA Soil Name	Myakka,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	57
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-5
2	13-64	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-5
3	64-99	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-42	4.5-5.5
4	99-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a	Reference: This is a classification of soil material designed for general construction	42-141	4.5-5.5

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	99-203	Fine sand	classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-5.5

SOIL MAP ID 97 **SSURGO**

USDA Soil Name	Malabar,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	56
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	5.1-7
2	13-43	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	5.1-8
3	43-107	Fine sand	Granular materials (35% or less passing No. 200), fine sand.	Reference: This is a classification of soil material designed for	42.34-141.14	5.1-8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	43-107	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	5.1-8
4	107-150	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.11-42.34	3.3-8
5	150-203	Loamy fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	5.1-8

SOIL MAP ID 98	**SSURGO**
USDA Soil Name	Pompano,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	57
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-30	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.8
2	30-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.8

SOIL MAP ID 99 **SSURGO**

USDA Soil Name	Pompano,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	57
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-30	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM,	42-141	4.5-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-30	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	1984).	42-141	4.5-7.8
2	30-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.8

SOIL MAP ID 100 **SSURGO**

USDA Soil Name	Pineda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	22
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-3	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM,	42-141	4.5-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-3	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	1984).	42-141	4.5-7.3
2	3-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
3	13-91	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
4	91-137	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.1-42.3	4.5-7.8
5	137-203	Fine sand	Reference: This is a	COARSE-GRAINED SOILS,	14-42	5.1-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
5	137-203	Fine sand	classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	5.1-7.8

SOIL MAP ID 101 **SSURGO**

USDA Soil Name	Myakka,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	5
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5
2	15-51	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM	42-141	3.5-6.5

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	15-51	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	test D 2487, in ASTM, 1984).	42-141	3.5-6.5
3	51-91	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-42	3.5-6.5
4	91-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5

SOIL MAP ID 102	**SSURGO**
USDA Soil Name	Myakka,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	5
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5
2	15-51	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5
3	51-91	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-42	3.5-6.5
4	91-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5

SOIL MAP ID 103	SSURGO
USDA Soil Name	Immokalee,Series
USDA Soil Texture	Sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	10
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-23	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
2	23-91	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
3	91-140	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	3.5-6
4	140-203	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size	42-141	3.5-6

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	140-203	Sand	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6

SOIL MAP ID 104 **SSURGO**

USDA Soil Name	Smyrna,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	6
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-10	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4-5.6
2	10-33	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4-5.6
3	33-46	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure	Reference: This is a classification of soil material designed for general construction purposes. It is dependent	4.23-42.34	4-5.6

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	33-46	Fine sand	M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-42.34	4-5.6
4	46-124	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4-5.6
5	124-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4-5.6

SOIL MAP ID 105	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 106	SSURGO
USDA Soil Name	Immokalee,Series
USDA Soil Texture	Sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	10
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-23	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
2	23-91	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
3	91-140	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	3.5-6
4	140-203	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size	42-141	3.5-6

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	140-203	Sand	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6

SOIL MAP ID 107 **SSURGO**

USDA Soil Name	Myakka,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	5
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5
2	15-51	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5
3	51-91	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for	4-42	3.5-6.5

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	51-91	Fine sand	M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-42	3.5-6.5
4	91-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5

SOIL MAP ID 108 **SSURGO**

USDA Soil Name	Wabasso,Series
USDA Soil Texture	Sand
Hydrologic Soil Group	C/D
Soil Drainage Class	Poorly drained
Hydric Classification	15
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.3528-141.1176	5.1-6.5
2	15-63	Sand	Granular materials (35% or less passing	Reference: This is a classification of soil	42.3528-141.1176	5.1-6.5

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	15-63	Sand	No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.3528-141.1176	5.1-6.5
3	63-76	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.3528-141.1176	5-5.5
4	76-147	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	0.4235-1.4117	6.1-7.3
5	147-203	Loamy sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.2-42	6.1-7.3

SOIL MAP ID 109	SSURGO
USDA Soil Name	Smyrna,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	6
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-10	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4-5.6
2	10-33	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4-5.6
3	33-46	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-42.34	4-5.6
4	46-124	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size	42.34-141.14	4-5.6

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	46-124	Fine sand	of State Highway and Transportation Officials, 1984.	distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4-5.6
5	124-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4-5.6

SOIL MAP ID 110 **SSURGO**

USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 111 **SSURGO**

USDA Soil Name	Felda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	59
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75	42.34-141.14	3.5-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
2	18-61	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
3	61-91	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-42.34	5.1-7.8
4	91-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	6.1-8.4

SOIL MAP ID 112	SSURGO
USDA Soil Name	Pineda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	22
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-3	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
2	3-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
3	13-91	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
4	91-137	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for	14.1-42.3	4.5-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	91-137	Fine sandy loam	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.1-42.3	4.5-7.8
5	137-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	5.1-7.8

SOIL MAP ID 113 **SSURGO**

USDA Soil Name	Pineda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	22
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-3	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	3-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
3	13-91	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
4	91-137	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.1-42.3	4.5-7.8
5	137-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	5.1-7.8

SOIL MAP ID 114	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 115	SSURGO
USDA Soil Name	Isles,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Very poorly drained
Hydric Classification	63
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.1-7.3
2	13-54	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.1-7.3
3	54-120	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent	4-14	5.6-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	54-120	Fine sandy loam	M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	5.6-8.4
4	120-145		No data	No data	14-141	0-0

SOIL MAP ID 116 **SSURGO**

USDA Soil Name	Felda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	59
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
2	18-61	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
3	61-91	Fine sandy loam	Silt-Clay materials (more than 35%	COARSE-GRAINED SOILS, Sands, sands with fines,	4.23-42.34	5.1-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	61-91	Fine sandy loam	passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-42.34	5.1-7.8
4	91-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	6.1-8.4

SOIL MAP ID 117 **SSURGO**

USDA Soil Name	Pineda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	100
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-8	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil	42-141	4.5-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-8	Fine sand	Transportation Officials, 1984.	material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
2	8-30	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
3	30-79	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
4	79-99	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.1-42.3	5.1-8.4
5	99-140	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil	14.1-42.3	5.1-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
5	99-140	Fine sandy loam	material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.1-42.3	5.1-8.4
6	140-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	5.6-8.4

SOIL MAP ID 118 **SSURGO**

USDA Soil Name	Matlacha,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B
Soil Drainage Class	Somewhat poorly drained
Hydric Classification	0
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-89	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	5.6-8.4
2	89-102	Fine sand	Reference: This is a	Reference: This is a	42-141	5.6-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	89-102	Fine sand	classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.6-7.3
3	102-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.6-7.3

SOIL MAP ID 119 **SSURGO**

USDA Soil Name	Valkaria,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	54
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	13-41	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3
3	41-130	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.8
4	130-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.8

SOIL MAP ID 120	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 121	SSURGO
USDA Soil Name	Matlacha,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B
Soil Drainage Class	Somewhat poorly drained
Hydric Classification	0
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-89	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	5.6-8.4
2	89-102	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.6-7.3
3	102-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.6-7.3

SOIL MAP ID 122	SSURGO
USDA Soil Name	Pineda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	22
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-3	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
2	3-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
3	13-91	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
4	91-137	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for	14.1-42.3	4.5-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	91-137	Fine sandy loam	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.1-42.3	4.5-7.8
5	137-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	5.1-7.8

SOIL MAP ID 123 **SSURGO**

USDA Soil Name	Valkaria,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	54
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	13-41	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3
3	41-130	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.8
4	130-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.8

SOIL MAP ID 124	**SSURGO**
USDA Soil Name	Pompano,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	57
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-30	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.8
2	30-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.8

SOIL MAP ID 125 **SSURGO**

USDA Soil Name	Pompano,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	57
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-30	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM,	42-141	4.5-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-30	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	1984).	42-141	4.5-7.8
2	30-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.8

SOIL MAP ID 126 **SSURGO**

USDA Soil Name	Myakka,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	57
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM,	42-141	3.5-5

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	1984).	42-141	3.5-5
2	13-64	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-5
3	64-99	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-42	4.5-5.5
4	99-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-5.5

SOIL MAP ID 127	SSURGO
USDA Soil Name	Felda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	59
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
2	18-61	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
3	61-91	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-42.34	5.1-7.8
4	91-203	Fine sand	Reference: This is a classification of soil material for highway	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference:	42.34-141.14	6.1-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	91-203	Fine sand	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	6.1-8.4

SOIL MAP ID 128 **SSURGO**

USDA Soil Name	Felda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	99
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
2	18-61	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	61-91	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-42.34	5.1-7.8
4	91-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	6.1-8.4

SOIL MAP ID 129 **SSURGO**

USDA Soil Name	Felda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	59
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and	42.34-141.14	3.5-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
2	18-61	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	3.5-7.8
3	61-91	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-42.34	5.1-7.8
4	91-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	6.1-8.4

SOIL MAP ID 130	SSURGO
USDA Soil Name	Urban land,Miscellaneous area
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	2
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 131	SSURGO
USDA Soil Name	Cocoa,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A
Soil Drainage Class	Moderately well drained
Hydric Classification	15
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-8	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.1-7.3
2	8-33	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.1-7.3
3	33-69	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75	42-141	5.1-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	33-69	Fine sand	Transportation Officials, 1984.	mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.1-7.3
4	69-79	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.1-7.3
5	79-104		No data	No data	14-141	0-0

SOIL MAP ID 132 **SSURGO**

USDA Soil Name	Matlacha,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B
Soil Drainage Class	Somewhat poorly drained
Hydric Classification	0
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-89	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	5.6-8.4
2	89-102	Fine sand	Reference: This is a classification of soil	Reference: This is a classification of soil	42-141	5.6-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	89-102	Fine sand	material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.6-7.3
3	102-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.6-7.3

SOIL MAP ID 133 **SSURGO**

USDA Soil Name	Wabasso,Series
USDA Soil Texture	Sand
Hydrologic Soil Group	C/D
Soil Drainage Class	Poorly drained
Hydric Classification	15
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.3528-141.1176	5.1-6.5
2	15-63	Sand	Granular materials	Reference: This is a	42.3528-	5.1-6.5

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	15-63	Sand	(35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141.1176	5.1-6.5
3	63-76	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.3528-141.1176	5-5.5
4	76-147	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	0.4235-1.4117	6.1-7.3
5	147-203	Loamy sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.2-42	6.1-7.3

SOIL MAP ID 134	SSURGO
USDA Soil Name	Pompano,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	57
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-30	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.8
2	30-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.8

SOIL MAP ID 135	SSURGO
USDA Soil Name	Immokalee,Series
USDA Soil Texture	Sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	10
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-23	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
2	23-91	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
3	91-140	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	3.5-6
4	140-203	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6

SOIL MAP ID 136	SSURGO
USDA Soil Name	Wabasso,Family
USDA Soil Texture	Sand
Hydrologic Soil Group	C/D
Soil Drainage Class	Poorly drained
Hydric Classification	15
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.3528-141.176	4.5-6.5
2	15-63	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.3528-141.176	4.5-6.5
3	63-88	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.2352-141.176	4.5-6.5
4	88-115	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for	0.4235-1.4117	6.1-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	88-115	Sandy clay loam	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	0.4235-1.4117	6.1-8.4
5	115-140		No data	No data	14.114-141.14	0-0

SOIL MAP ID 137 **SSURGO**

USDA Soil Name	Pompano,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	57
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-30	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.8
2	30-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.8

SOIL MAP ID 138	SSURGO
USDA Soil Name	Water of the Gulf of Mexico, Miscellaneous area
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	0
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 139	SSURGO
USDA Soil Name	Pompano,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	56
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-10	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-6.5
2	10-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3

SOIL MAP ID 140	SSURGO
USDA Soil Name	Pompano,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	56
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-10	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-6.5
2	10-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3

SOIL MAP ID 141	SSURGO
USDA Soil Name	Immokalee,Series
USDA Soil Texture	Sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	10
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-23	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
2	23-91	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
3	91-140	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	3.5-6
4	140-203	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6

SOIL MAP ID 142	SSURGO
USDA Soil Name	Copeland,Series
USDA Soil Texture	Fine sandy loam
Hydrologic Soil Group	D
Soil Drainage Class	Very poorly drained
Hydric Classification	58
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-20	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-42	6.1-7.3
2	20-51	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-42	6.1-7.8
3	51-71	Sandy clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM,	0.42-1.4	7.4-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	51-71	Sandy clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	1984).	0.42-1.4	7.4-8.4
4	71-96		No data	No data	14-141	0-0

SOIL MAP ID 143 **SSURGO**

USDA Soil Name	Pompano,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	56
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-10	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-6.5
2	10-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and	42.34-141.14	4.5-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	10-203	Fine sand	of State Highway and Transportation Officials, 1984.	on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3

SOIL MAP ID 144 **SSURGO**

USDA Soil Name	Matlacha,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B
Soil Drainage Class	Somewhat poorly drained
Hydric Classification	12
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-58	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	5.6-8.4
2	58-71	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.6-7.3
3	71-112	Fine sand	Reference: This is a classification of soil material for highway	Reference: This is a classification of soil material designed for	42-141	5.6-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	71-112	Fine sand	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.6-7.3
4	112-122	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	0.42-1.4	6.6-8.4
5	122-147		No data	No data	14-141	0-0

SOIL MAP ID 145 **SSURGO**

USDA Soil Name	Matlacha,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B
Soil Drainage Class	Somewhat poorly drained
Hydric Classification	0
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-89	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	5.6-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	89-102	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.6-7.3
3	102-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.6-7.3

SOIL MAP ID 146	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 147	SSURGO
USDA Soil Name	Urban land,Miscellaneous area
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	2
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 148	SSURGO
USDA Soil Name	Basinger,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	50
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-5	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-6
2	5-46	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-6
3	46-91	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-6
4	91-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size	42-141	5.1-6.5

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	91-203	Fine sand	of State Highway and Transportation Officials, 1984.	distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.1-6.5

SOIL MAP ID 149 **SSURGO**

USDA Soil Name	Basinger,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	50
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-5	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-6
2	5-46	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-6
3	46-91	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure	Reference: This is a classification of soil material designed for general construction purposes. It is dependent	42-141	4.5-6

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	46-91	Fine sand	M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-6
4	91-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.1-6.5

SOIL MAP ID 150 **SSURGO**

USDA Soil Name	Basinger,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	50
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-5	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-6
2	5-46	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a	Reference: This is a classification of soil material designed for general construction	42-141	4.5-6

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	5-46	Fine sand	classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-6
3	46-91	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-6
4	91-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.1-6.5

SOIL MAP ID 151	**SSURGO**
USDA Soil Name	Immokalee,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	11
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
2	15-89	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
3	89-137	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	3.5-6
4	137-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6

SOIL MAP ID 152	SSURGO
USDA Soil Name	Immokalee,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	8
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
2	15-89	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
3	89-137	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	3.5-6
4	137-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size	42-141	3.5-6

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	137-203	Fine sand	of State Highway and Transportation Officials, 1984.	distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6

SOIL MAP ID 153 **SSURGO**

USDA Soil Name	Holopaw,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	65
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.33-141.15	5.5-7.3
2	15-107	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.33-141.15	5.5-7.3
3	107-152	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil	14.1-42.33	5.5-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	107-152	Fine sandy loam	material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.1-42.33	5.5-8.4
4	152-203	Loamy sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.33-141.15	5.5-8.4

SOIL MAP ID 154 **SSURGO**

USDA Soil Name	Immokalee,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	8
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM,	42-141	3.5-6

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	1984).	42-141	3.5-6
2	15-89	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
3	89-137	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	3.5-6
4	137-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6

SOIL MAP ID 155	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 156	SSURGO
USDA Soil Name	Immokalee,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	8
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
2	15-89	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
3	89-137	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials,	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and	4-14	3.5-6

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	89-137	Fine sand	1984.	the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	3.5-6
4	137-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6

SOIL MAP ID 157 **SSURGO**

USDA Soil Name	Satellite,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A
Soil Drainage Class	Somewhat poorly drained
Hydric Classification	5
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-8	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141.14-353	4.5-7.8
2	8-165	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a	Reference: This is a classification of soil material designed for general construction	141.14-353	4.5-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	8-165	Fine sand	classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141.14-353	4.5-7.8
3	165-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141.14-353	4.5-7.8

SOIL MAP ID 158 **SSURGO**

USDA Soil Name	Immokalee,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	11
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
2	15-89	Fine sand	Granular materials (35% or less passing No. 200), fine sand.	Reference: This is a classification of soil material designed for	42-141	3.5-6

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	15-89	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
3	89-137	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	3.5-6
4	137-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6

SOIL MAP ID 159	**SSURGO**
USDA Soil Name	Riviera,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	68
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3
2	15-81	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3
3	81-114	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.1-7.8
4	114-137	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM,	4.23-14.11	5.6-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	114-137	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	1984).	4.23-14.11	5.6-7.8
5	137-162		No data	No data	14-141	0-0

SOIL MAP ID 160	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 161	SSURGO
USDA Soil Name	Water,Miscellaneous area
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	0
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 162	SSURGO
USDA Soil Name	Water,Miscellaneous area
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	0
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 163	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 164	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 165	SSURGO
USDA Soil Name	Riviera,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	68
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3
2	15-81	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil	42.34-141.14	4.5-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	15-81	Fine sand	Transportation Officials, 1984.	material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3
3	81-114	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.1-7.8
4	114-137	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.6-7.8
5	137-162		No data	No data	14-141	0-0

SOIL MAP ID 166	SSURGO
USDA Soil Name	Immokalee,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	8
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
2	15-89	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
3	89-137	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	3.5-6
4	137-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6

SOIL MAP ID 167	SSURGO
USDA Soil Name	Pineda,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	C/D
Soil Drainage Class	Poorly drained
Hydric Classification	59
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-10	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3
2	10-30	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3
3	30-46	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-7.3
4	46-76	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size	42.34-141.14	4.5-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	46-76	Fine sand	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3
5	76-97	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.1-42.3	4.5-7.8
6	97-140	Fine sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	0.42-1.41	5.1-7.8
7	140-165		No data	No data	14-141	0-0

SOIL MAP ID 168	SSURGO
USDA Soil Name	Riviera,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	57
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3
2	15-81	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	4.5-7.3
3	81-114	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.1-7.8
4	114-137	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM,	4.23-14.11	5.6-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	114-137	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	1984).	4.23-14.11	5.6-7.8
5	137-162		No data	No data	14-141	0-0

SOIL MAP ID 169 **SSURGO**

USDA Soil Name	Satellite,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A
Soil Drainage Class	Somewhat poorly drained
Hydric Classification	3
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-8	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141.14-353	4.5-7.8
2	8-165	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and	141.14-353	4.5-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	8-165	Fine sand	of State Highway and Transportation Officials, 1984.	on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141.14-353	4.5-7.8
3	165-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141.14-353	4.5-7.8

SOIL MAP ID 170	SSURGO
USDA Soil Name	Water,Miscellaneous area
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	0
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 171	SSURGO
USDA Soil Name	Not Reported
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	Not Reported
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID A	STATSGO
USDA Soil Name	Floridana,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	D
Soil Drainage Class	Very poorly drained
Hydric Classification	99
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-21	Fine sand	No data	No data	42.343-141.1433	4.5-8.4
2	21-25	No data	No data	No data	42.343-141.1433	4.5-8.4
3	25-80	No data	No data	No data	0-1.4114	4.5-8.4

SOIL MAP ID B	STATSGO
USDA Soil Name	Boca,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	67
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-7	Fine sand	No data	No data	42.343-141.1433	5.1-8.4
2	7-25	No data	No data	No data	42.343-141.1433	5.1-8.4
3	25-32	No data	No data	No data	4.2343-14.1143	5.1-8.4
4	32-34		No data	No data	14.1143-141.1433	No data
5	34-38		No data	No data	14.1143-141.1433	No data

SOIL MAP ID C	STATSGO
USDA Soil Name	Smyrna,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	54
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	No data	No data	42.343-141.1433	3.6-7.3
2	13-28	No data	No data	No data	4.2343-42.343	3.6-7.3
3	28-80	No data	No data	No data	42.343-141.1433	4.5-5.5

SOIL MAP ID D	STATSGO
USDA Soil Name	Boca,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	67
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-7	Fine sand	No data	No data	42.343-141.1433	5.1-8.4
2	7-25	No data	No data	No data	42.343-141.1433	5.1-8.4
3	25-32	No data	No data	No data	4.2343-14.1143	5.1-8.4
4	32-34		No data	No data	14.1143-141.1433	No data
5	34-38		No data	No data	14.1143-141.1433	No data

SOIL MAP ID E	STATSGO
USDA Soil Name	Pomona,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	37
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-5	Fine sand	No data	No data	42.343-141.1433	3.6-6
2	5-26	No data	No data	No data	42.343-141.1433	3.6-6
3	26-39	No data	No data	No data	4.2343-42.343	3.6-6
4	39-51	No data	No data	No data	14.1143-141.1433	3.6-6
5	51-72	No data	No data	No data	1.4114-14.1143	3.6-6

SOIL MAP ID F	STATSGO
USDA Soil Name	Boca,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	67
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-7	Fine sand	No data	No data	42.343-141.1433	5.1-8.4
2	7-25	No data	No data	No data	42.343-141.1433	5.1-8.4
3	25-32	No data	No data	No data	4.2343-14.1143	5.1-8.4
4	32-34		No data	No data	14.1143-141.1433	No data
5	34-38		No data	No data	14.1143-141.1433	No data

SOIL MAP ID G	STATSGO
USDA Soil Name	Boca,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	67
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-7	Fine sand	No data	No data	42.343-141.1433	5.1-8.4
2	7-25	No data	No data	No data	42.343-141.1433	5.1-8.4
3	25-32	No data	No data	No data	4.2343-14.1143	5.1-8.4
4	32-34		No data	No data	14.1143-141.1433	No data
5	34-38		No data	No data	14.1143-141.1433	No data

SOIL MAP ID H	STATSGO
USDA Soil Name	Pomona,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	37
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-5	Fine sand	No data	No data	42.343-141.1433	3.6-6
2	5-26	No data	No data	No data	42.343-141.1433	3.6-6
3	26-39	No data	No data	No data	4.2343-42.343	3.6-6
4	39-51	No data	No data	No data	14.1143-141.1433	3.6-6
5	51-72	No data	No data	No data	1.4114-14.1143	3.6-6

SOIL MAP ID I	STATSGO
USDA Soil Name	Arents,Taxon above family
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B
Soil Drainage Class	Somewhat poorly drained
Hydric Classification	22
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-12	Fine sand	No data	No data	42.343-141.1433	6.6-8.4
2	12-38	No data	No data	No data	42.343-141.1433	5.6-7.3
3	38-52		No data	No data	42.343-141.1433	5.1-7.3
4	52-72	No data	No data	No data	42.343-141.1433	5.1-7.3

WELL DATA:

WELL SEARCH DISTANCES:

DATABASE:	SEARCH DISTANCE (MILES):
NWIS	1.000
OIL & GAS WELLS - FL	1.000
PWS	1.000
WELLS - FL	1.000
WELLS NW - FL	1.000
WELLS SJ - FL	1.000
WELLS SR - FL	1.000
WELLS SW - FL	1.000

DISTANCE TO NEAREST:	DISTANCE:
NWIS	0.000 mi / 0 ft
OIL & GAS WELLS - FL	N/A
PWS	0.021 mi / 110 ft
WELLS - FL	0.000 mi / 0 ft
WELLS NW - FL	N/A
WELLS SJ - FL	N/A
WELLS SR - FL	N/A
WELLS SW - FL	N/A

FEDERAL WELL DATA SUMMARY:

MAP ID:	WELL ID:	LOCATION FROM SP:
A1	261805081473302	< 1/8 Mile SSE
C5	261805081473301	< 1/8 Mile S

FEDERAL WELL DATA SUMMARY: *(cont.)*

MAP ID:	WELL ID:	LOCATION FROM SP:
D8	FL5360242 | MANNA CHRISTIAN MISSIONS INC | MANNA CHRISTIAN /ED SALDIVAR-SALDIVAR/ MANNA CHRISTIAN WTP	< 1/8 Mile SE
D10	262034081464700	< 1/8 Mile SE
B11	262227081481501	< 1/8 Mile NNW
B13	262258081481801	< 1/8 Mile N
D15	262032081464500	< 1/8 Mile SE
D16	262033081464501	< 1/8 Mile SE
B19	FL5360309 | GULF COAST CAMPING RESORT-GULF COAST CAMPING RES	< 1/8 Mile NNW
E20	262604081481900	< 1/8 Mile N
E21	262628081482001	< 1/8 Mile N
E22	262628081482002	< 1/8 Mile N
E24	02291600	< 1/8 Mile N
26	CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH	< 1/8 Mile S
D27	262022081464201	< 1/8 Mile SE
D29	BONITA SPRINGS CHILD CARE CTR-PLANT ID = 01 SOURCE ID = 00 | FL5364073	1/8 - 1/4 Mile SE
D30	262102081464402	1/8 - 1/4 Mile SE
D31	262102081464401	1/8 - 1/4 Mile SE
D33	262022081464202	1/8 - 1/4 Mile SE
A34	NAPLES TOMATO GROWERS | FL5110348 | FL5114116	1/8 - 1/4 Mile S
D36	262000081464400	1/8 - 1/4 Mile SSE
F40	02291524	1/8 - 1/4 Mile SE
G41	262159081474500 | 02291525	1/8 - 1/4 Mile ESE
A42	261859081481902	1/8 - 1/4 Mile SSE
E46	262625081483800	1/8 - 1/4 Mile N
C48	FL5110196 | NAPLES TOMATO GROW CAMP SANDY-PLANT ID = 01 SOURCE ID = 00	1/8 - 1/4 Mile S
E50	262604081481000 | 262604081481001	1/8 - 1/4 Mile N
E51	FL5360083 | ESTERO RIVER TRAILER PARK-PLANT ID = 01 SOURCE ID = 00	1/8 - 1/4 Mile N
E54	FL5360277 | SUNNY GROVE PARK-SUNNY GROVE PAR	1/4 - 1/2 Mile N
D56	262057081471101	1/4 - 1/2 Mile SE
D57	262058081471202	1/4 - 1/2 Mile SE
D59	262058081471201	1/4 - 1/2 Mile SE
64	262216081483001	1/4 - 1/2 Mile W
I74	262352081483800	1/4 - 1/2 Mile NNW
J77	262625081480201	1/4 - 1/2 Mile N
J81	262635081480101	1/4 - 1/2 Mile N
K82	262428081484100	1/4 - 1/2 Mile NNW
D84	262032081462400	1/4 - 1/2 Mile SE
K88	FL5360084 | ESTERO WOODS VILLAGE-2 WELLS	1/4 - 1/2 Mile NNW
B89	PELICAN LANDING COMMUNITY CENT | FL5364192 | PELICAN LANDING BEACH PARK-PELICAN LANDING BEACH PARK	1/4 - 1/2 Mile NW
E90	262637081485803	1/4 - 1/2 Mile N
E92	262552081485701	1/4 - 1/2 Mile NNW
E93	262552081485702	1/4 - 1/2 Mile NNW
E95	262552081485703	1/4 - 1/2 Mile NNW
96	262054081472601	1/2 - 1 Mile SSE
K97	262441081484701 | 262441081484702	1/2 - 1 Mile NNW
L99	262002081472901	1/2 - 1 Mile SSE
A104	OH2864812	1/2 - 1 Mile S
E105	262551081490201	1/2 - 1 Mile NNW
I106	262351081485401	1/2 - 1 Mile NNW
M107	262138081482901 | 262138081482902 | 262138081482903	1/2 - 1 Mile SSW

FEDERAL WELL DATA SUMMARY: *(cont.)*

MAP ID:	WELL ID:	LOCATION FROM SP:
J108	262612081474601	1/2 - 1 Mile N
J109	02291580	1/2 - 1 Mile N
J110	262631081474601	1/2 - 1 Mile N
I111	262351081485402	1/2 - 1 Mile NNW
J112	262610081474501	1/2 - 1 Mile N
N114	FARMER MIKES PRODUCE, INC.-FARMER MIKES PRODUCE, INC. | FL5364188	1/2 - 1 Mile SSE
E115	262558081490801	1/2 - 1 Mile NNW
J116	02291597	1/2 - 1 Mile N
C122	FL5114097 | COMMUNITY CHURCH OF CHRIST-PLANT ID = 01 SOURCE ID = 00	1/2 - 1 Mile S
M126	262112081481701	1/2 - 1 Mile S
L130	HOLZINGER, DR. JEFF | 7-ELEVEN NO. 38285-7-ELEVEN NO. 38285 WTP | FL5364180	1/2 - 1 Mile S
141	261650081473500	1/2 - 1 Mile S
142	FL5114136 | FL5114137 | FL5114131	1/2 - 1 Mile NNE
K143	FL5360025 | Bonita Springs Utilities	1/2 - 1 Mile NNW
N144	261951081455801	1/2 - 1 Mile SE
O146	262513081472001	1/2 - 1 Mile NNE
O148	262513081472002	1/2 - 1 Mile NNE
P149	262258081471802	1/2 - 1 Mile NE
P150	262258081471801	1/2 - 1 Mile NE
151	261859081481901	1/2 - 1 Mile S
O153	262513081471802	1/2 - 1 Mile NNE

Note: PWS System location is not always the same as well location.

STATE/LOCAL WELL DATA SUMMARY:


MAP ID:	WELL ID:	LOCATION FROM SP:
A2	AAI4568	< 1/8 Mile SSE
A3	AAI4567	< 1/8 Mile SSE
B4	AAC4026	< 1/8 Mile N
A6	AAC5500	< 1/8 Mile SSE
D7	AAG3717	< 1/8 Mile SE
D12	AAG3717A	< 1/8 Mile SE
B17	AAC4009	< 1/8 Mile N
D18	AAC7514 | AAE1583A	< 1/8 Mile SE
B23	AAD4350	< 1/8 Mile NNW
D25	AAC5355	< 1/8 Mile SE
B28	AAG3724	1/8 - 1/4 Mile NNW
B32	AAG3722	1/8 - 1/4 Mile NNW
E35	AAC5385	1/8 - 1/4 Mile N
B37	AAG3723	1/8 - 1/4 Mile NNW
B38	AAD4348	1/8 - 1/4 Mile NNW
B39	AAG3725	1/8 - 1/4 Mile NNW
E43	AAC5388	1/8 - 1/4 Mile N
B44	AAK7782	1/8 - 1/4 Mile NNW
B47	AAC5354	1/8 - 1/4 Mile NNW
B49	AAD5735	1/8 - 1/4 Mile NNE
E52	AAC5384	1/8 - 1/4 Mile N
B53	AAD5731	1/4 - 1/2 Mile NNE
E55	AAC7548	1/4 - 1/2 Mile N
E60	AAD5800	1/4 - 1/2 Mile N
G61	AAD5734	1/4 - 1/2 Mile NE
E63	360001901	1/4 - 1/2 Mile N
E65	AAC4008	1/4 - 1/2 Mile N
E66	AAG3702	1/4 - 1/2 Mile N
E67	AAG3701	1/4 - 1/2 Mile N
E68	ZMILLION OIL INC | AAC4007	1/4 - 1/2 Mile N
E69	AAG3706	1/4 - 1/2 Mile N
E70	AAD4489	1/4 - 1/2 Mile N
E71	AAD4488	1/4 - 1/2 Mile N

STATE/LOCAL WELL DATA SUMMARY: *(cont.)*

MAP ID:	WELL ID:	LOCATION FROM SP:
E72	AAG3705	1/4 - 1/2 Mile N
E73	AAG3704	1/4 - 1/2 Mile N
E75	AAG3700	1/4 - 1/2 Mile N
E76	AAC5389	1/4 - 1/2 Mile N
H78	AAD4485	1/4 - 1/2 Mile N
E79	AAD4334	1/4 - 1/2 Mile N
E80	AAG3703	1/4 - 1/2 Mile N
E83	AAD4495	1/4 - 1/2 Mile N
E85	AAD4493	1/4 - 1/2 Mile N
E86	AAK7772	1/4 - 1/2 Mile N
E91	AAK7774	1/4 - 1/2 Mile N
E94	AAK7773	1/4 - 1/2 Mile N
E98	AAD4498	1/2 - 1 Mile N
F100	AAR2936	1/2 - 1 Mile ESE
J101	AAD4497	1/2 - 1 Mile N
F102	AAR2937	1/2 - 1 Mile ESE
F103	AAR2938	1/2 - 1 Mile ESE
F117	AAR2939	1/2 - 1 Mile E
F118	AAR2951	1/2 - 1 Mile E
F119	AAR2955	1/2 - 1 Mile E
F120	AAR2949	1/2 - 1 Mile E
F121	AAR2940	1/2 - 1 Mile E
F123	AAR2950	1/2 - 1 Mile E
F124	AAR2952	1/2 - 1 Mile E
J125	AAR2983	1/2 - 1 Mile N
J127	AAR2980	1/2 - 1 Mile N
J128	AAR2984	1/2 - 1 Mile N
F129	AAR2941	1/2 - 1 Mile E
F131	AAR2947	1/2 - 1 Mile E
J132	AAR2979	1/2 - 1 Mile N
F133	AAR2945	1/2 - 1 Mile E
J134	AAR2981	1/2 - 1 Mile N
J135	AAR2985	1/2 - 1 Mile N
J136	AAR2986	1/2 - 1 Mile N
J137	AAR2982	1/2 - 1 Mile N
F138	AAR2948	1/2 - 1 Mile E
F139	AAR2953	1/2 - 1 Mile E
F140	AAR2954	1/2 - 1 Mile E
F145	AAR2946	1/2 - 1 Mile E
F152	AAR2943	1/2 - 1 Mile E

SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida,...
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: July 02, 2026



Map Id: A1
Direction: SSE
Distance: 0.000 mi., 0 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : 261805081473302
26.315918, -81.78842
FL

Database(s) : [NWIS]

Envirosite ID: 8479705
EPA ID: N/R

NWIS

Site Identification Number :	261805081473302
Site Type :	Well
Station Name :	C -1083
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Collier County
Country :	USA
Land Net Location :	NWNENES10 T48S R25E T
Name of Location Map :	BONITA SPRINGS
Scale of Location Map :	24000
Altitude of Gage/Land Surface :	13.83
Method Altitude Determined :	Level or other surveyed method.
Altitude Accuracy :	.1
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	Flat surface
Flags for the Type of Data Collected:	ANANNNNNNNNNNNNNNNNNNNNNNNNNO
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	1987-06-05
Date Site Established or Inventoried:	1987-06-11
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYNNNYNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Tamiami Formation
Local Aquifer Type :	Confined single aquifer
Well Depth :	74
Hole Depth :	74
Source of Depth Data :	D
Project Number :	2080-00200
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1987-06-30
Water-Quality Data End Date :	2004-05-07
Water-Quality Data Count :	121
Field Water-Level Measurements Begin Date:	1987-06-30
Field Water-level Measurements End Date:	1998-05-27
Field Water-Level Measurements Count:	101
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.315918
Longitude :	-81.78842
Last Date in Agency List :	2026-02-23

Map Id: A2
Direction: SSE
Distance: 0.000 mi., 0 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : AAI4568
16210 OLD US 41 HIGHWAY | 16210 OLS US HWY 41
NAPLES, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8374359
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAI4568
Well Type :	Non-Transient Non-Community PWS Well
Well Name :	NORTH COLLIER COLLISION
Status :	ACTIVE
Well Address :	16210 OLD US HWY 41 HWY, NAPLES, 34110
Well County :	COLLIER
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	0
Length :	0
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	939854
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	JAIME COOK
Insp CHD :	COLLIER
Request Number :	N/R
Property ID :	N/R
GPS ID :	939854
Water Supply Restoration Program ID :	110010201
Water Supply Restoration Program Action:	UNFILTERED
Potable Status :	POTABLE
Resident Type :	OWNER
Other Well ID :	N/R
Software :	Well_Solo_v2
Streetside :	No
Agency :	DOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	16.31
GPS Date :	2010-08-17
Large PWS Well :	0
Datum :	N/R
Latitude :	26.31567
Longitude :	-81.788623
Comments :	UNABLE TO OBTAIN SAMPLING PERMISSION
Last Date in Agency List :	2026-05-09

Map Id: A3
Direction: SSE
Distance: 0.002 mi., 10 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAI4567
26.31632, -81.788417
Naples, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8374357
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAI4567
Well Type :	Non-Transient Non-Community PWS Well
Well Name :	ACE SOLUTIONS INC.
Status :	ACTIVE
Well Address :	16300 OLD US 41 HWY, Naples, 34135
Well County :	COLLIER
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	2
Sanitary Seal :	YES
Permit Number :	N/R
Location ID :	939852
Location Method :	DPHO = Digital Aerial Photos
Project ID :	SUPER
Insp Name :	Jaime Cook
Insp CHD :	COLLIER
Request Number :	57259
Property ID :	N/R
GPS ID :	939852
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	OWNER
Other Well ID :	N/R
Software :	N/R
Streetside :	No
Agency :	DOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	-20.57
GPS Date :	2012-09-07
Large PWS Well :	0
Datum :	N/R
Latitude :	26.31632
Longitude :	-81.788417
Comments :	UNABLE TO OBTAIN PERMISSION TO SAMPLE(PROPERTY LOCKED)
Last Date in Agency List :	2026-05-09

Map Id: B4
Direction: N
Distance: 0.007 mi., 38 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAC4026
26.383912, -81.804163
BONITA SPRINGS, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8313550
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAC4026
Well Type :	Non-Transient Non-Community PWS Well
Well Name :	GULF COAST CAMPING RESORT
Status :	ABANDONED
Well Address :	24020 PRODUCTION CIRCLE, BONITA SPRINGS, 34135
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	0
Length :	N/R
Diameter :	4
Sanitary Seal :	N/R
Permit Number :	5360309
Location ID :	288100
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	DEP
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	288100
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	NON-POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	0
GPS Date :	1997-12-10
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.383912
Longitude :	-81.804163
Comments :	Abandoned per CHD
Last Date in Agency List :	2026-05-09

Map Id: C5
Direction: S
Distance: 0.009 mi., 48 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : 261805081473301
26.305583, -81.791583
FL

Database(s) : [NWIS]

Envirosite ID: 8505092
EPA ID: N/R

NWIS

Site Identification Number :	261805081473301
Site Type :	Well
Station Name :	C -1082
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Collier County
Country :	USA
Land Net Location :	SESESWS10 T48S R25E T
Name of Location Map :	BONITA SPRINGS
Scale of Location Map :	24000
Altitude of Gage/Land Surface :	13.83
Method Altitude Determined :	Level or other surveyed method.
Altitude Accuracy :	.01
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	Flat surface
Flags for the Type of Data Collected:	ANANNNNNNNNNNNNNNNNNNNNNNNNNO
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	1987-06-05
Date Site Established or Inventoried:	1987-06-11
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYNNNYNN
National Aquifer :	Surficial aquifer system
Local Aquifer :	Nonartesian Sand Aquifer
Local Aquifer Type :	Unconfined single aquifer
Well Depth :	20
Hole Depth :	20
Source of Depth Data :	D
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1987-06-30
Water-Quality Data End Date :	1999-04-30
Water-Quality Data Count :	115
Field Water-Level Measurements Begin Date:	1987-06-30
Field Water-level Measurements End Date:	1996-07-23
Field Water-Level Measurements Count:	114
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.305583
Longitude :	-81.791583
Last Date in Agency List :	2026-02-23

Map Id: A6
Direction: SSE
Distance: 0.017 mi., 87 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : AAC5500
26.315422, -81.789
Naples, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8314485
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAC5500
Well Type :	Non-Transient Non-Community PWS Well
Well Name :	COX LUMBER
Status :	INACTIVE
Well Address :	16000 OLD US 41 HWY, Naples, 34135
Well County :	COLLIER
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	2
Sanitary Seal :	YES
Permit Number :	N/R
Location ID :	288760
Location Method :	DPHO = Digital Aerial Photos
Project ID :	SUPER
Insp Name :	Jaime Cook
Insp CHD :	COLLIER
Request Number :	57259
Property ID :	N/R
GPS ID :	288760
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	OWNER
Other Well ID :	N/R
Software :	N/R
Streetside :	No
Agency :	DOH
Parcel ID :	N/R
PWS Design :	22600
PWS Verify :	0
HAE (Height Above Ellipsoid) :	-16.82
GPS Date :	2012-09-07
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.315422
Longitude :	-81.789
Comments :	UNABLE TO OBTAIN PERMISSION TO SAMPLE(PROPERTY ABANDONED)
Last Date in Agency List :	2026-05-09

Map Id: D7
Direction: SE
Distance: 0.020 mi., 108 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : AAG3717
26.34524, -81.77965
BONITA SPRINGS, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8325078
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAG3717
Well Type :	Irrigation or other Non-potable well
Well Name :	TISCH LAUNDRY
Status :	ACTIVE
Well Address :	10450 W TERRY ST, BONITA SPRINGS, 34135
Well County :	LEE
Well Owner Name :	HARRY TISCH
Phone :	N/R
Phone Extension :	N/R
Casing Material :	GALVANIZED
Well Depth :	0
Length :	0
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	319898
Location Method :	DGPS OFFSET = Calculated location using DGPS
Project ID :	SUPER
Insp Name :	MARK ASHTON
Insp CHD :	LEE
Request Number :	RE37881
Property ID :	N/R
GPS ID :	319898
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	NON-POTABLE
Resident Type :	OWNER
Other Well ID :	N/R
Software :	Well_Solo_v2
Streetside :	No
Agency :	DOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	1.21
GPS Date :	2005-12-09
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.34524
Longitude :	-81.77965
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: D8
Direction: SE
Distance: 0.021 mi., 110 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : FL5360242 | MANNA CHRISTIAN MISSIONS INC | MANNA CHRISTIAN /ED SALDIVAR-SALDIVAR/ MANNA CHRISTIAN WTP
10421 PENNSYLVANIA AVE
BONITA SPRINGS | BONITA SPGS, FL 34135

Database(s) : [PWS, PWS ENF]

Envirosite ID: 68173882
EPA ID: N/R

PWS

Facility Address :	10421 PENNSYLVANIA AVE, BONITA SPRINGS, FL 34135
PWS ID :	FL5360242
PWS Type :	Community water system
PWS Name :	MANNA CHRISTIAN /ED SALDIVAR
Activity Status :	Inactive
Primary Source :	Ground water
Submission Year :	2025
Submission Year Quarter :	2025Q3
Population Served Count :	499
Service Connections Count :	225
Population Category 2 :	<10,000
Population Category 3 :	<=3300
Population Category 4 :	<10K
Population Category 5 :	<=500
Population Category 11 :	101-500
Submission Quarter :	3
Submission Status Code :	Y
First Reported Date :	1979-02-10
Last Reported Date :	2025-09-18
Deactivation Date :	2004-04-01
GW or SW :	GW
Is Grant Eligible :	N
Is Outstanding Performer :	N/R
Is School or Daycare :	N/R
Is Source Water Protected :	N/R
Primacy Agency :	Florida
Primacy Type :	State
Org Name :	MANNA CHRISTIAN/ED SALDIVAR
EPA Region :	Region 4
Admin Name :	TOM QUINN
Owner Type :	Private
Phone Number :	239-992-1211
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	N/R
Fax Number :	N/R
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	P
CDS ID :	N/R
DBPR Schedule Category :	N/R
Outstanding Performer Date :	N/R
Season Begin Date :	N/R
Season End Date :	N/R
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2026-03-05

Map Id: D8
Direction: SE
Distance: 0.021 mi., 110 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : FL5360242 | MANNA CHRISTIAN MISSIONS INC | MANNA CHRISTIAN /ED SALDIVAR-SALDIVAR/ MANNA CHRISTIAN WTP
10421 PENNSYLVANIA AVE
BONITA SPRINGS | BONITA SPGS, FL 34135

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 68173882
EPA ID: N/R

PWS ENF

Facility Address : 10421 PENNSYLVANIA AVE, BONITA SPRINGS, FL 34135

Site Details

PWS ID :	FL5360242
PWS Name :	MANNA CHRISTIAN /ED SALDIVAR
EPA Region :	Region 4
Primacy Agency :	Florida
PWS Type :	Community water system
Primacy Type :	State
Primary Source :	Ground water
Activity Status :	Inactive
Deactivation Date :	2004-04-01
Owner Type :	Private
Phone Number :	239-992-1211
Last Date in Agency List :	2026-03-13

Violation Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

RTC Enforcement ID :	N/R
Violation ID :	88V0001
Submission Year :	2025
Violation First Reported Date :	1991-07-01
Contaminant Name :	Gross Alpha, Excl. Radon and U
Rule Family :	Radionuclides and Revised Rad Rule
Rule Group :	Chemicals
Rule Name :	Radionuclides and Revised Rad Rule
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	10421 PENNSYLVANIA AVE, BONITA SPRINGS, 34135
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2004-04-01
Enforcement Action Description :	State Intentional no-action
Admin Name :	TOM QUINN
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8212880
Submission Year :	2025
Violation First Reported Date :	1982-09-30

Map Id: D8
Direction: SE
Distance: 0.021 mi., 110 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : FL5360242 | MANNA CHRISTIAN MISSIONS INC | MANNA CHRISTIAN /ED SALDIVAR-SALDIVAR/ MANNA CHRISTIAN WTP
10421 PENNSYLVANIA AVE
BONITA SPRINGS | BONITA SPGS, FL 34135

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 68173882
EPA ID: N/R

PWS ENF ***(cont.)***

Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	10421 PENNSYLVANIA AVE, BONITA SPRINGS, 34135
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2004-04-01
Enforcement Action Description :	N/R
Admin Name :	TOM QUINN
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	88V0011
Submission Year :	2025
Violation First Reported Date :	1991-07-01
Contaminant Name :	Barium
Rule Family :	Inorganic Chemicals
Rule Group :	Chemicals
Rule Name :	Inorganic Chemicals
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	10421 PENNSYLVANIA AVE, BONITA SPRINGS, 34135
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2004-04-01
Enforcement Action Description :	State Intentional no-action
Admin Name :	TOM QUINN
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	20080008357
Submission Year :	2025
Violation First Reported Date :	2008-12-01
Contaminant Name :	Total Haloacetic Acids (HAA5)
Rule Family :	Stage 1 Disinfectants and Disinfection Byproducts Rule
Rule Group :	Disinfectants and Disinfection Byproducts Rule
Rule Name :	Stage 1 Disinfectants and Disinfection Byproducts Rule
Violation Type :	Monitoring and Reporting (DBP)
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3

Map Id: D8
Direction: SE
Distance: 0.021 mi., 110 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : FL5360242 | MANNA CHRISTIAN MISSIONS INC | MANNA CHRISTIAN /ED SALDIVAR-SALDIVAR/ MANNA CHRISTIAN WTP
10421 PENNSYLVANIA AVE
BONITA SPRINGS | BONITA SPGS, FL 34135

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 68173882
EPA ID: N/R

PWS ENF ***(cont.)***

Address Line 1 :	10421 PENNSYLVANIA AVE, BONITA SPRINGS, 34135
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2004-04-01
Enforcement Action Description :	State Public Notification requested
Admin Name :	TOM QUINN
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	88V0017
Submission Year :	2025
Violation First Reported Date :	1991-07-01
Contaminant Name :	BHC-GAMMA
Rule Family :	Synthetic Organic Chemicals
Rule Group :	Chemicals
Rule Name :	Synthetic Organic Chemicals
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	10421 PENNSYLVANIA AVE, BONITA SPRINGS, 34135
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2004-04-01
Enforcement Action Description :	State Intentional no-action
Admin Name :	TOM QUINN
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	88V0013
Submission Year :	2025
Violation First Reported Date :	1991-07-01
Contaminant Name :	2,4,5-TP
Rule Family :	Synthetic Organic Chemicals
Rule Group :	Chemicals
Rule Name :	Synthetic Organic Chemicals
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	10421 PENNSYLVANIA AVE, BONITA SPRINGS, 34135
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2004-04-01
Enforcement Action Description :	State Intentional no-action
Admin Name :	TOM QUINN
Email Address :	N/R

Map Id: D8
Direction: SE
Distance: 0.021 mi., 110 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : FL5360242 | MANNA CHRISTIAN MISSIONS INC | MANNA CHRISTIAN /ED SALDIVAR-SALDIVAR/ MANNA CHRISTIAN WTP
10421 PENNSYLVANIA AVE
BONITA SPRINGS | BONITA SPGS, FL 34135

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 68173882
EPA ID: N/R

PWS ENF ***(cont.)***

RTC Enforcement ID :	N/R
Violation ID :	88V0015
Submission Year :	2025
Violation First Reported Date :	1991-07-01
Contaminant Name :	Toxaphene
Rule Family :	Synthetic Organic Chemicals
Rule Group :	Chemicals
Rule Name :	Synthetic Organic Chemicals
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	10421 PENNSYLVANIA AVE, BONITA SPRINGS, 34135
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2004-04-01
Enforcement Action Description :	State Intentional no-action
Admin Name :	TOM QUINN
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	88V0008
Submission Year :	2025
Violation First Reported Date :	1991-07-01
Contaminant Name :	Fluoride
Rule Family :	Inorganic Chemicals
Rule Group :	Chemicals
Rule Name :	Inorganic Chemicals
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	10421 PENNSYLVANIA AVE, BONITA SPRINGS, 34135
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2004-04-01
Enforcement Action Description :	State Intentional no-action
Admin Name :	TOM QUINN
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	88V0014
Submission Year :	2025
Violation First Reported Date :	1991-07-01
Contaminant Name :	2,4-D
Rule Family :	Synthetic Organic Chemicals
Rule Group :	Chemicals
Rule Name :	Synthetic Organic Chemicals
Violation Type :	Monitoring, Regular

Map Id: D8
Direction: SE
Distance: 0.021 mi., 110 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : FL5360242 | MANNA CHRISTIAN MISSIONS INC | MANNA CHRISTIAN /ED SALDIVAR-SALDIVAR/ MANNA CHRISTIAN WTP
10421 PENNSYLVANIA AVE
BONITA SPRINGS | BONITA SPGS, FL 34135

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 68173882
EPA ID: N/R

PWS ENF ***(cont.)***

Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	10421 PENNSYLVANIA AVE, BONITA SPRINGS, 34135
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2004-04-01
Enforcement Action Description :	State Intentional no-action
Admin Name :	TOM QUINN
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8970006
Submission Year :	2025
Violation First Reported Date :	1991-08-19
Contaminant Name :	Gross Alpha, Excl. Radon and U
Rule Family :	Radionuclides and Revised Rad Rule
Rule Group :	Chemicals
Rule Name :	Radionuclides and Revised Rad Rule
Violation Type :	Maximum Contaminant Level Violation, Single Sample
Is Health Based :	Y
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	2
Address Line 1 :	10421 PENNSYLVANIA AVE, BONITA SPRINGS, 34135
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2004-04-01
Enforcement Action Description :	State Violation/Reminder Notice
Admin Name :	TOM QUINN
Email Address :	N/R

Map Id: A9
Direction: SSE
Distance: 0.021 mi., 112 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : TOWER
26.317589, -81.787144
BONITA SPRINGS, FL

Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 1651179
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action :	2025-02-12
Action :	Change
FAA Study Number :	1999ASO00602OE
OBS Number :	12-027469
Obstacle Type :	TOWER

Map Id: A9
Direction: SSE
Distance: 0.021 mi., 112 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : TOWER
26.317589, -81.787144
BONITA SPRINGS, FL

Database(s) : [DIGITAL OBSTACLE] ***(cont.)***

Envirosite ID: 1651179
EPA ID: N/R

DIGITAL OBSTACLE ***(cont.)***

City Name :	BONITA SPRINGS
State Identifier :	FL
Country Identifier :	USA
Type of Lighting :	Medium Intensity White Strobe & Red
Verification Status :	Verified
Quantity :	1
Mark Indicator :	None
Above Ground Level Height (Feet) :	00280
Above Mean Sea Level Height (Feet) :	00295
Horizontal Accuracy :	+-250'
Vertical Accuracy :	+-50'
Latitude :	26 19 03.32N
Longitude :	081 47 13.72W

Map Id: D10
Direction: SE
Distance: 0.025 mi., 133 ft.
Elevation: 7 ft.
Relative: Lower

Site Name : 262034081464700
26.343139, -81.779531
FL

Database(s) : [NWIS]

Envirosite ID: 8524922
EPA ID: N/R

NWIS

Site Identification Number :	262034081464700
Site Type :	Well
Station Name :	L. PIPER WELL BONITA SPRINGS
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	NNNNNNNN
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R

Map Id: D10
Direction: SE
Distance: 0.025 mi., 133 ft.
Elevation: 7 ft.
Relative: Lower

Site Name : 262034081464700
26.343139, -81.779531
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8524922
EPA ID: N/R

NWIS ***(cont.)***

Well Depth :	N/R
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	N/R
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	N/R
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	N/R
Water-Quality Data Count :	N/R
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	N/R
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	N/R
Latitude :	26.343139
Longitude :	-81.779531
Last Date in Agency List :	2026-02-23

Map Id: B11
Direction: NNW
Distance: 0.025 mi., 134 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : 262227081481501
26.374167, -81.804167
FL

Database(s) : [NWIS]

Envirosite ID: 8487760
EPA ID: N/R

NWIS

Site Identification Number :	262227081481501
Site Type :	Well
Station Name :	BS WRF IW1
Agency :	U.S. Geological Survey
District :	Florida
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	N/R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	12
Method Altitude Determined :	Interpolated from topographic map.
Altitude Accuracy :	5
Altitude Datum :	North American Vertical Datum of 1988
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN

Map Id: B11
Direction: NNW
Distance: 0.025 mi., 134 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : 262227081481501
26.374167, -81.804167
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8487760
EPA ID: N/R

NWIS ***(cont.)***

Date of First Construction :	2003-05-07
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Unchecked data.
Data-Other GW Files :	N/R
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	3220
Hole Depth :	N/R
Source of Depth Data :	R
Project Number :	N/R
Real-Time Data Flag :	N/R
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	N/R
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	N/R
Water-Quality Data Count :	N/R
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	N/R
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	N/R
Latitude :	26.374167
Longitude :	-81.804167
Last Date in Agency List :	2026-02-23

Map Id: D12
Direction: SE
Distance: 0.026 mi., 138 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : AAG3717A
26.345262, -81.77956
BONITA SPRINGS, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8328186
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAG3717A
Well Type :	Limited Use PWS Well
Well Name :	TISCH LAUNDRY
Status :	ERROR
Well Address :	10450 W TERRY ST, BONITA SPRINGS, 34135
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	Galvanized
Well Depth :	N/R

Map Id: D12
Direction: SE
Distance: 0.026 mi., 138 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : AAG3717A
26.345262, -81.77956
BONITA SPRINGS, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 8328186
EPA ID: N/R

WELLS - FL ***(cont.)***

Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	319900
Location Method :	GPS = Uncorrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	319900
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	-0.4
GPS Date :	2003-03-05
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.345262
Longitude :	-81.77956
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: B13
Direction: N
Distance: 0.048 mi., 255 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : 262258081481801
26.383138, -81.804808
FL

Database(s) : [NWIS]

Envirosite ID: 31332058
EPA ID: N/R

NWIS

Site Identification Number :	262258081481801
Site Type :	Well
Station Name :	L -2519
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R

Map Id: B13
Direction: N
Distance: 0.048 mi., 255 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : 262258081481801
26.383138, -81.804808
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 31332058
EPA ID: N/R

NWIS ***(cont.)***

Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	13.00
Method Altitude Determined :	N/R
Altitude Accuracy :	.1
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	NNNNNNNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Sandstone Aquifer
Local Aquifer Type :	Confined single aquifer
Well Depth :	110
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	N/R
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	N/R
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	N/R
Water-Quality Data Count :	N/R
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	N/R
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	N/R
Latitude :	26.383138
Longitude :	-81.804808
Last Date in Agency List :	2026-02-23

Map Id: A14
Direction: SSE
Distance: 0.055 mi., 288 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TOWER
26.317281, -81.7867
BONITA SPRINGS, FL

Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 1646450
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action :	2025-02-12

Map Id: A14
Direction: SSE
Distance: 0.055 mi., 288 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : TOWER
26.317281, -81.7867
BONITA SPRINGS, FL

Database(s) : [DIGITAL OBSTACLE] ***(cont.)***

Envirosite ID: 1646450
EPA ID: N/R

DIGITAL OBSTACLE ***(cont.)***

Action :	Change
FAA Study Number :	2016ASO17665OE
OBS Number :	12-027468
Obstacle Type :	TOWER
City Name :	BONITA SPRINGS
State Identifier :	FL
Country Identifier :	USA
Type of Lighting :	High Intensity White Strobe & Red
Verification Status :	Verified
Quantity :	1
Mark Indicator :	None
Above Ground Level Height (Feet) :	00734
Above Mean Sea Level Height (Feet) :	00748
Horizontal Accuracy :	+-250'
Vertical Accuracy :	+-50'
Latitude :	26 19 02.21N
Longitude :	081 47 12.12W

Map Id: D15
Direction: SE
Distance: 0.059 mi., 311 ft.
Elevation: 4 ft.
Relative: Lower

Site Name : 262032081464500
26.342584, -81.778975
FL

Database(s) : [NWIS]

Envirosite ID: 8484954
EPA ID: N/R

NWIS

Site Identification Number :	262032081464500
Site Type :	Stream
Station Name :	OAK CREEK AT BONITA SPRINGS FL
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNI
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	N/R

Map Id: D15
Direction: SE
Distance: 0.059 mi., 311 ft.
Elevation: 4 ft.
Relative: Lower

Site Name : 262032081464500
26.342584, -81.778975
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8484954
EPA ID: N/R

NWIS ***(cont.)***

Data-Other GW Files :	NNNNNNNN
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	N/R
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1973-01-17
Water-Quality Data End Date :	1975-04-22
Water-Quality Data Count :	4
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	1973-09-05
Site-Visit Data End Date :	1974-06-26
Site-Visit Data Count :	3
Latitude :	26.342584
Longitude :	-81.778975
Last Date in Agency List :	2026-02-23

Map Id: D16
Direction: SE
Distance: 0.059 mi., 313 ft.
Elevation: 3 ft.
Relative: Lower

Site Name : 262033081464501
26.342862, -81.778975
FL

Database(s) : [NWIS]

Envirosite ID: 8473797
EPA ID: N/R

NWIS

Site Identification Number :	262033081464501
Site Type :	Well
Station Name :	L - 348
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	7.00
Method Altitude Determined :	N/R
Altitude Accuracy :	.1
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp

Map Id: D16
Direction: SE
Distance: 0.059 mi., 313 ft.
Elevation: 3 ft.
Relative: Lower

Site Name : 262033081464501
26.342862, -81.778975
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8473797
EPA ID: N/R

NWIS ***(cont.)***

Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	NNNNNNNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Sandstone Aquifer
Local Aquifer Type :	Confined single aquifer
Well Depth :	75
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1983-11-10
Water-Quality Data End Date :	1983-11-10
Water-Quality Data Count :	1
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.342862
Longitude :	-81.778975
Last Date in Agency List :	2026-02-23

Map Id: B17
Direction: N
Distance: 0.066 mi., 349 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAC4009
26.386575, -81.805177
BONITA SPRINGS, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8312259
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAC4009
Well Type :	Non-Transient Non-Community PWS Well
Well Name :	GULF COAST CAMPGROUND
Status :	ABANDONED
Well Address :	24020 PRODUCTION CIR, BONITA SPRINGS, 34135
Well County :	LEE
Well Owner Name :	N/R

Map Id: B17
Direction: N
Distance: 0.066 mi., 349 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAC4009
26.386575, -81.805177
BONITA SPRINGS, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 8312259
EPA ID: N/R

WELLS - FL ***(cont.)***

Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	80
Length :	N/R
Diameter :	4
Sanitary Seal :	Yes
Permit Number :	5360309
Location ID :	288068
Location Method :	DGPS OFFSET = Calculated location using DGPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	288068
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	NON-POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	8.69
GPS Date :	2003-03-20
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.386575
Longitude :	-81.805177
Comments :	Abandoned per CHD
Last Date in Agency List :	2026-05-09

Map Id: D18
Direction: SE
Distance: 0.070 mi., 368 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : AAC7514 | AAE1583A
27421 OLD US HWY 41 RD | 27421 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [WELLS - FL]

Envirosite ID: 68173848
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAC7514
Well Type :	Irrigation or other Non-potable well
Well Name :	BONITA TRANSMISSIONS
Status :	INACTIVE
Well Address :	27421 OLD US HWY 41 RD, BONITA SPRINGS, 34135

Map Id: D18
Direction: SE
Distance: 0.070 mi., 368 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : AAC7514 | AAE1583A
27421 OLD US HWY 41 RD | 27421 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 68173848
EPA ID: N/R

WELLS - FL ***(cont.)***

Well County :	LEE
Well Owner Name :	AMANDA BERRY
Phone :	N/R
Phone Extension :	N/R
Casing Material :	GALVANIZED
Well Depth :	0
Length :	0
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	759488
Location Method :	DGPS OFFSET = Calculated location using DGPS
Project ID :	SUPER
Insp Name :	MARK ASHTON
Insp CHD :	LEE
Request Number :	RE37881
Property ID :	N/R
GPS ID :	759488
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	NON-POTABLE
Resident Type :	OWNER
Other Well ID :	N/R
Software :	Well_Solo_v2
Streetside :	No
Agency :	DOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	3.26
GPS Date :	2005-12-09
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.33918
Longitude :	-81.778713
Comments :	Well inactive no longer in use. On BSU utilities
Last Date in Agency List :	2026-05-09

Florida Unique Well ID :	AAE1583A
Well Type :	N/R
Well Name :	N/R
Status :	ERROR
Well Address :	27421 OLD US HWY 41 RD, BONITA SPRINGS, 34135
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	N/R
Well Depth :	N/R
Length :	N/R
Diameter :	2
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	759488

Map Id: D18
Direction: SE
Distance: 0.070 mi., 368 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : AAC7514 | AAE1583A
27421 OLD US HWY 41 RD | 27421 OLD 41 RD
BONITA SPRINGS, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 68173848
EPA ID: N/R

WELLS - FL ***(cont.)***

Location Method :	DGPS OFFSET = Calculated location using DGPS
Project ID :	SUPER
Insp Name :	MARK ASHTON
Insp CHD :	LEE
Request Number :	RE37881
Property ID :	N/R
GPS ID :	759488
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Solo_v2
Streetside :	No
Agency :	DOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	3.26
GPS Date :	2005-12-09
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.33918
Longitude :	-81.778713
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: B19
Direction: NNW
Distance: 0.077 mi., 407 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FL5360309 | GULF COAST CAMPING RESORT-GULF COAST CAMPING RES
24020 PRODUCTION CIRCLE
BONITA SPRINGS, FL 33923

Database(s) : [PWS, PWS ENF]

Envirosite ID: 1676435
EPA ID: N/R

PWS

Facility Address :	24020 PRODUCTION CIRCLE, BONITA SPRINGS, FL 33923
PWS ID :	FL5360309
PWS Type :	Non-Transient non-community system
PWS Name :	GULF COAST CAMPING RESORT
Activity Status :	Inactive
Primary Source :	Ground water
Submission Year :	2025
Submission Year Quarter :	2025Q3
Population Served Count :	450
Service Connections Count :	260
Population Category 2 :	<10,000

Map Id: B19
Direction: NNW
Distance: 0.077 mi., 407 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FL5360309 | GULF COAST CAMPING RESORT-GULF COAST CAMPING RES
24020 PRODUCTION CIRCLE
BONITA SPRINGS, FL 33923

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1676435
EPA ID: N/R

PWS ***(cont.)***

Population Category 3 :	<=3300
Population Category 4 :	<10K
Population Category 5 :	<=500
Population Category 11 :	101-500
Submission Quarter :	3
Submission Status Code :	Y
First Reported Date :	1980-03-15
Last Reported Date :	2025-09-18
Deactivation Date :	2004-04-01
GW or SW :	GW
Is Grant Eligible :	N
Is Outstanding Performer :	N/R
Is School or Daycare :	N/R
Is Source Water Protected :	N/R
Primacy Agency :	Florida
Primacy Type :	State
Org Name :	N/R
EPA Region :	Region 4
Admin Name :	M. SCOTT STEWART
Owner Type :	Private
Phone Number :	239-992-3808
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	N/R
Fax Number :	N/R
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	P
CDS ID :	N/R
DBPR Schedule Category :	N/R
Outstanding Performer Date :	N/R
Season Begin Date :	01-01
Season End Date :	12-31
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2026-03-05

PWS ENF

Facility Address :	24020 PRODUCTION CIRCLE, BONITA SPRINGS, FL 33923

Site Details

PWS ID :	FL5360309
PWS Name :	GULF COAST CAMPING RESORT
EPA Region :	Region 4
Primacy Agency :	Florida
PWS Type :	Non-Transient non-community system
Primacy Type :	State
Primary Source :	Ground water
Activity Status :	Inactive
Deactivation Date :	2004-04-01

Map Id: B19
Direction: NNW
Distance: 0.077 mi., 407 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FL5360309 | GULF COAST CAMPING RESORT-GULF COAST CAMPING RES
24020 PRODUCTION CIRCLE
BONITA SPRINGS, FL 33923

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1676435
EPA ID: N/R

PWS ENF ***(cont.)***

Owner Type :	Private
Phone Number :	239-992-3808
Last Date in Agency List :	2026-03-13

Violation Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

RTC Enforcement ID :	N/R
Violation ID :	8015101
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	24020 PRODUCTION CIRCLE, BONITA SPRINGS, 33923
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2004-04-01
Enforcement Action Description :	N/R
Admin Name :	M. SCOTT STEWART
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8024163
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	24020 PRODUCTION CIRCLE, BONITA SPRINGS, 33923
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2004-04-01
Enforcement Action Description :	N/R
Admin Name :	M. SCOTT STEWART
Email Address :	N/R

Map Id: B19
Direction: NNW
Distance: 0.077 mi., 407 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FL5360309 | GULF COAST CAMPING RESORT-GULF COAST CAMPING RES
24020 PRODUCTION CIRCLE
BONITA SPRINGS, FL 33923

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1676435
EPA ID: N/R

PWS ENF ***(cont.)***

RTC Enforcement ID :	N/R
Violation ID :	8020583
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	24020 PRODUCTION CIRCLE, BONITA SPRINGS, 33923
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2004-04-01
Enforcement Action Description :	N/R
Admin Name :	M. SCOTT STEWART
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8315726
Submission Year :	2025
Violation First Reported Date :	1983-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	24020 PRODUCTION CIRCLE, BONITA SPRINGS, 33923
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2004-04-01
Enforcement Action Description :	State Violation/Reminder Notice
Admin Name :	M. SCOTT STEWART
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8010570
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R

Map Id: B19
Direction: NNW
Distance: 0.077 mi., 407 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FL5360309 | GULF COAST CAMPING RESORT-GULF COAST CAMPING RES
24020 PRODUCTION CIRCLE
BONITA SPRINGS, FL 33923

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1676435
EPA ID: N/R

PWS ENF ***(cont.)***

Public Notification Tier :	3
Address Line 1 :	24020 PRODUCTION CIRCLE, BONITA SPRINGS, 33923
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2004-04-01
Enforcement Action Description :	N/R
Admin Name :	M. SCOTT STEWART
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8421228
Submission Year :	2025
Violation First Reported Date :	1984-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	24020 PRODUCTION CIRCLE, BONITA SPRINGS, 33923
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2004-04-01
Enforcement Action Description :	N/R
Admin Name :	M. SCOTT STEWART
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	94V0002
Submission Year :	2025
Violation First Reported Date :	1994-06-27
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Maximum Contaminant Level Violation, Monthly (TCR)
Is Health Based :	Y
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	2
Address Line 1 :	24020 PRODUCTION CIRCLE, BONITA SPRINGS, 33923
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2004-04-01
Enforcement Action Description :	N/R
Admin Name :	M. SCOTT STEWART
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8023156

Map Id: B19
Direction: NNW
Distance: 0.077 mi., 407 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FL5360309 | GULF COAST CAMPING RESORT-GULF COAST CAMPING RES
24020 PRODUCTION CIRCLE
BONITA SPRINGS, FL 33923

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1676435
EPA ID: N/R

PWS ENF ***(cont.)***

Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	24020 PRODUCTION CIRCLE, BONITA SPRINGS, 33923
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2004-04-01
Enforcement Action Description :	N/R
Admin Name :	M. SCOTT STEWART
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8017271
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	24020 PRODUCTION CIRCLE, BONITA SPRINGS, 33923
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2004-04-01
Enforcement Action Description :	N/R
Admin Name :	M. SCOTT STEWART
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	20030005648
Submission Year :	2025
Violation First Reported Date :	2005-12-20
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Maximum Contaminant Level Violation, Monthly (TCR)
Is Health Based :	Y
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	2
Address Line 1 :	24020 PRODUCTION CIRCLE, BONITA SPRINGS, 33923

Map Id: B19
Direction: NNW
Distance: 0.077 mi., 407 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FL5360309 | GULF COAST CAMPING RESORT-GULF COAST CAMPING RES
24020 PRODUCTION CIRCLE
BONITA SPRINGS, FL 33923

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1676435
EPA ID: N/R

PWS ENF ***(cont.)***

Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2004-04-01
Enforcement Action Description :	State Public Notification received
Admin Name :	M. SCOTT STEWART
Email Address :	N/R

Map Id: E20
Direction: N
Distance: 0.086 mi., 454 ft.
Elevation: 4 ft.
Relative: Lower

Site Name : 262604081481900
26.434803, -81.805086
FL

Database(s) : [NWIS]

Envirosite ID: 8488954
EPA ID: N/R

NWIS

Site Identification Number :	262604081481900
Site Type :	Stream
Station Name :	ESTERO RIVER NR ESTERO
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNI
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	N/R
Data-Other GW Files :	NNNNNNNN
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	N/R
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R

Map Id: E20
Direction: N
Distance: 0.086 mi., 454 ft.
Elevation: 4 ft.
Relative: Lower

Site Name : 262604081481900
26.434803, -81.805086
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8488954
EPA ID: N/R

NWIS ***(cont.)***

Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	N/R
Water-Quality Data Count :	0
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	1972-06-19
Site-Visit Data End Date :	1975-03-11
Site-Visit Data Count :	8
Latitude :	26.434803
Longitude :	-81.805086
Last Date in Agency List :	2026-02-23

Map Id: E21
Direction: N
Distance: 0.091 mi., 479 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : 262628081482001
26.44125, -81.805056
FL

Database(s) : [NWIS]

Envirosite ID: 8488296
EPA ID: N/R

NWIS

Site Identification Number :	262628081482001
Site Type :	Well
Station Name :	L -5846
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	1999-06-23
Date Site Established or Inventoried:	2000-03-14
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YNNNNNNN

Map Id: E21
Direction: N
Distance: 0.091 mi., 479 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : 262628081482001
26.44125, -81.805056
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8488296
EPA ID: N/R

NWIS ***(cont.)***

National Aquifer :	Intermediate aquifer system
Local Aquifer :	Sandstone Aquifer
Local Aquifer Type :	N/R
Well Depth :	120
Hole Depth :	N/R
Source of Depth Data :	A
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	2000-05-09
Water-Quality Data End Date :	2000-05-09
Water-Quality Data Count :	1
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.44125
Longitude :	-81.805056
Last Date in Agency List :	2026-02-23

Map Id: E22
Direction: N
Distance: 0.091 mi., 479 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : 262628081482002
26.441278, -81.805056
FL

Database(s) : [NWIS]

Envirosite ID: 8521113
EPA ID: N/R

NWIS

Site Identification Number :	262628081482002
Site Type :	Well
Station Name :	L -5845
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R

Map Id: E22
Direction: N
Distance: 0.091 mi., 479 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : 262628081482002
26.441278, -81.805056
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8521113
EPA ID: N/R

NWIS ***(cont.)***

Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	1999-06-23
Date Site Established or Inventoried:	2000-03-15
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YNNNNNNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Hawthorn Limestone Aquifer
Local Aquifer Type :	N/R
Well Depth :	178
Hole Depth :	N/R
Source of Depth Data :	A
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	2000-03-20
Water-Quality Data End Date :	2000-03-20
Water-Quality Data Count :	1
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.441278
Longitude :	-81.805056
Last Date in Agency List :	2026-02-23

Map Id: B23
Direction: NNW
Distance: 0.096 mi., 505 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD4350
26.386534, -81.805652
BONITA SPRINGS, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8439229
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAD4350
Well Type :	Limited Use PWS Well
Well Name :	U HAUL STORAGE
Status :	ACTIVE
Well Address :	24051 PRODUCTION CIR, BONITA SPRINGS, 34135
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R

Map Id: B23
Direction: NNW
Distance: 0.096 mi., 505 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD4350
26.386534, -81.805652
BONITA SPRINGS, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 8439229
EPA ID: N/R

WELLS - FL ***(cont.)***

Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	42
Length :	N/R
Diameter :	4
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	294348
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	294348
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	10.42
GPS Date :	2003-03-20
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.386534
Longitude :	-81.805652
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: E24
Direction: N
Distance: 0.103 mi., 545 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 02291600
26.434803, -81.804808
FL

Database(s) : [NWIS]

Envirosite ID: 8467742
EPA ID: N/R

NWIS

Site Identification Number :	02291600
Site Type :	Stream
Station Name :	ESTERO RIVER AT ESTERO, FLA.
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County

Map Id: E24
Direction: N
Distance: 0.103 mi., 545 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 02291600
26.434803, -81.804808
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8467742
EPA ID: N/R

NWIS ***(cont.)***

Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	50.00
Contributing Drainage Area :	N/R
Data Reliability :	N/R
Data-Other GW Files :	NNNNNNNN
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	N/R
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1962-08-24
Water-Quality Data End Date :	1975-04-22
Water-Quality Data Count :	10
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.434803
Longitude :	-81.804808
Last Date in Agency List :	2026-02-23

Map Id: D25
Direction: SE
Distance: 0.110 mi., 581 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : AAC5355
26.349612, -81.778837
BONITA SPRINGS, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8443775
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAC5355
Well Type :	Irrigation or other Non-potable well
Well Name :	HIGGINSON BARBER SHOP
Status :	INACTIVE
Well Address :	26671 OLD US HWY 41 RD, BONITA SPRINGS, 34135
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	GALVANIZED
Well Depth :	0
Length :	0
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	109842
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	MARK ASHTON
Insp CHD :	LEE
Request Number :	RE37881
Property ID :	N/R
GPS ID :	109842
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	NON-POTABLE
Resident Type :	OWNER
Other Well ID :	N/R
Software :	Well_Solo_v2
Streetside :	No
Agency :	DOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	0.98
GPS Date :	2005-12-09
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.349612
Longitude :	-81.778837
Comments :	On city water
Last Date in Agency List :	2026-05-09

Map Id: 26
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [PWS, PWS ENF]

Envirosite ID: 68173751
EPA ID: N/R

PWS

Facility Address :	1425 EAST WIGGINS PASS RD, NAPLES, FL 34110
PWS ID :	FL4134439
PWS Type :	Transient non-community system
PWS Name :	CEMEX-F.E.C., OFFICE
Activity Status :	Active
Primary Source :	Ground water
Submission Year :	2025
Submission Year Quarter :	2025Q3
Population Served Count :	160
Service Connections Count :	1
Population Category 2 :	<10,000
Population Category 3 :	<=3300
Population Category 4 :	<10K
Population Category 5 :	<=500
Population Category 11 :	101-500
Submission Quarter :	3
Submission Status Code :	Y
First Reported Date :	1991-05-23
Last Reported Date :	2025-09-18
Deactivation Date :	N/R
GW or SW :	GW
Is Grant Eligible :	N
Is Outstanding Performer :	N/R
Is School or Daycare :	N/R
Is Source Water Protected :	N/R
Primacy Agency :	Florida
Primacy Type :	State
Org Name :	CEMEX
EPA Region :	Region 4
Admin Name :	CEMEX
Owner Type :	Private
Phone Number :	239-597-0236
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	N/R
Fax Number :	N/R
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	P
CDS ID :	N/R
DBPR Schedule Category :	N/R
Outstanding Performer Date :	N/R
Season Begin Date :	01-01
Season End Date :	12-31
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2026-03-05

Map Id: 26
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

PWS ENF

Facility Address : 1425 EAST WIGGINS PASS RD, NAPLES, FL 34110

Site Details

PWS ID :	FL4134439
PWS Name :	CEMEX-F.E.C., OFFICE
EPA Region :	Region 4
Primacy Agency :	Florida
PWS Type :	Transient non-community system
Primacy Type :	State
Primary Source :	Ground water
Activity Status :	Active
Deactivation Date :	N/R
Owner Type :	Private
Phone Number :	239-597-0236
Last Date in Agency List :	2026-03-13

Violation Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

RTC Enforcement ID :	N/R
Violation ID :	97V0001
Submission Year :	2025
Violation First Reported Date :	1997-06-05
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Maximum Contaminant Level Violation, Monthly (TCR)
Is Health Based :	Y
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	2
Address Line 1 :	1425 EAST WIGGINS PASS RD, NAPLES, 34110
Address Line 2 :	N/R
Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	Federal Site Visit for Enforcement purposes
Admin Name :	CEMEX
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	97V0004
Submission Year :	2025
Violation First Reported Date :	1997-08-23

Map Id: 26
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

PWS ENF ***(cont.)***

Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Monitoring, Repeat Major (TCR)
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	1425 EAST WIGGINS PASS RD, NAPLES, 34110
Address Line 2 :	N/R
Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	Federal Site Visit for Enforcement purposes
Admin Name :	CEMEX
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	97V0006
Submission Year :	2025
Violation First Reported Date :	1997-11-22
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Monitoring, Repeat Major (TCR)
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	1425 EAST WIGGINS PASS RD, NAPLES, 34110
Address Line 2 :	N/R
Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	Federal Site Visit for Enforcement purposes
Admin Name :	CEMEX
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	97V0003
Submission Year :	2025
Violation First Reported Date :	1997-08-23
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Maximum Contaminant Level Violation, Monthly (TCR)
Is Health Based :	Y
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	2

Map Id: 26
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

PWS ENF ***(cont.)***

Address Line 1 :	1425 EAST WIGGINS PASS RD, NAPLES, 34110
Address Line 2 :	N/R
Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	Federal Site Visit for Enforcement purposes
Admin Name :	CEMEX
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	20230003946
Submission Year :	2025
Violation First Reported Date :	2023-02-16
Contaminant Name :	Nitrate
Rule Family :	Inorganic Chemicals
Rule Group :	Chemicals
Rule Name :	Nitrate Rule
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	1425 EAST WIGGINS PASS RD, NAPLES, 34110
Address Line 2 :	N/R
Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	N/R
Admin Name :	CEMEX
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	0105149
Submission Year :	2025
Violation First Reported Date :	2001-03-13
Contaminant Name :	Nitrate
Rule Family :	Inorganic Chemicals
Rule Group :	Chemicals
Rule Name :	Nitrate Rule
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	1425 EAST WIGGINS PASS RD, NAPLES, 34110
Address Line 2 :	N/R
Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	N/R
Admin Name :	CEMEX
Email Address :	N/R

Map Id: 26
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

PWS ENF ***(cont.)***

RTC Enforcement ID :	N/R
Violation ID :	97V0005
Submission Year :	2025
Violation First Reported Date :	1997-11-22
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Maximum Contaminant Level Violation, Monthly (TCR)
Is Health Based :	Y
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	2
Address Line 1 :	1425 EAST WIGGINS PASS RD, NAPLES, 34110
Address Line 2 :	N/R
Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	Federal Site Visit for Enforcement purposes
Admin Name :	CEMEX
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	20040009484
Submission Year :	2025
Violation First Reported Date :	2005-12-20
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Maximum Contaminant Level Violation, Acute (TCR)
Is Health Based :	Y
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	1
Address Line 1 :	1425 EAST WIGGINS PASS RD, NAPLES, 34110
Address Line 2 :	N/R
Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	State Boil Water Order
Admin Name :	CEMEX
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	97V0002
Submission Year :	2025
Violation First Reported Date :	1997-06-05
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Monitoring, Repeat Major (TCR)

Map Id: 26
Direction: S
Distance: 0.113 mi., 598 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : CEMEX - WIGGINS PASS RM, BLOCK AND PAVER | CEMEX LLC - WIGGINS PASS | KREHLING PLANT 1 NORTH
1425 WIGGINS PASS RD E | 1425 WIGGINS PASS RD | 1425 E. WIGGINS PASS ROAD
NAPLES | Naples, FL

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 68173751
EPA ID: N/R

PWS ENF ***(cont.)***

Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	1425 EAST WIGGINS PASS RD, NAPLES, 34110
Address Line 2 :	N/R
Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	Federal Site Visit for Enforcement purposes
Admin Name :	CEMEX
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	20040010411
Submission Year :	2025
Violation First Reported Date :	2005-12-20
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Monitoring, Repeat Major (TCR)
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	1425 EAST WIGGINS PASS RD, NAPLES, 34110
Address Line 2 :	N/R
Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	N/R
Admin Name :	CEMEX
Email Address :	N/R

Map Id: D27
Direction: SE
Distance: 0.124 mi., 657 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : 262022081464201
26.340084, -81.777864
FL

Database(s) : [NWIS]

Envirosite ID: 8524918
EPA ID: N/R

NWIS

Site Identification Number :	262022081464201
Site Type :	Well
Station Name :	L - 738
Agency :	U.S. Geological Survey
District :	N/R

Map Id: D27
Direction: SE
Distance: 0.124 mi., 657 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : 262022081464201
26.340084, -81.777864
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8524918
EPA ID: N/R

NWIS ***(cont.)***

State :	FL
County :	Lee County
Country :	USA
Land Net Location :	SWSWNES35 T47S R25E T
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	9.16
Method Altitude Determined :	Interpolated from topographic map.
Altitude Accuracy :	.1
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	ANNINNNNNNNNNNNNNNNNNNNNNNNA
Flags for Instruments at Site :	NNNNYNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYYNNYNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Tamiami Formation
Local Aquifer Type :	N/R
Well Depth :	75
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	2080-00200
Real-Time Data Flag :	1
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1968-08-28
Water-Quality Data End Date :	2022-04-05
Water-Quality Data Count :	444
Field Water-Level Measurements Begin Date:	1975-10-29
Field Water-level Measurements End Date:	2025-06-13
Field Water-Level Measurements Count:	460
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.340084
Longitude :	-81.777864
Last Date in Agency List :	2026-02-23

Map Id: B28
Direction: NNW
Distance: 0.125 mi., 661 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAG3724
26.385752, -81.806111
BONITA SPRINGS, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8342554
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAG3724
Well Type :	Limited Use PWS Well
Well Name :	BUILDERS GLASS
Status :	ACTIVE
Well Address :	24033 PRODUCTION CIR, BONITA SPRINGS, 34135
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	120
Length :	N/R
Diameter :	4
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	319912
Location Method :	GPS = Uncorrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	319912
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	5.44
GPS Date :	2003-03-20
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.385752
Longitude :	-81.806111
Comments :	same as aad 4349 new tag installed
Last Date in Agency List :	2026-05-09

Map Id: D29
Direction: SE
Distance: 0.131 mi., 690 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : BONITA SPRINGS CHILD CARE CTR-PLANT ID = 01 SOURCE ID = 00 | FL5364073
27624 FELTS AVENUE
BONITA SPRINGS, FL 33923

Database(s) : [PWS]

Envirosite ID: 1678456
EPA ID: N/R

PWS

Facility Address :	27624 FELTS AVENUE, BONITA SPRINGS, FL 33923
PWS ID :	FL5364073
PWS Type :	Non-Transient non-community system
PWS Name :	BONITA SPRINGS CHILD CARE CTR
Activity Status :	Inactive
Primary Source :	Ground water
Submission Year :	2025
Submission Year Quarter :	2025Q3
Population Served Count :	37
Service Connections Count :	1
Population Category 2 :	<10,000
Population Category 3 :	<=3300
Population Category 4 :	<10K
Population Category 5 :	<=500
Population Category 11 :	<=100
Submission Quarter :	3
Submission Status Code :	Y
First Reported Date :	1990-12-31
Last Reported Date :	2025-09-18
Deactivation Date :	1990-11-07
GW or SW :	GW
Is Grant Eligible :	Y
Is Outstanding Performer :	N/R
Is School or Daycare :	N/R
Is Source Water Protected :	N/R
Primacy Agency :	Florida
Primacy Type :	State
Org Name :	N/R
EPA Region :	Region 4
Admin Name :	BONITA SPRINGS CHILD CARE CTR
Owner Type :	Private
Phone Number :	N/R
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	N/R
Fax Number :	N/R
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	P
CDS ID :	N/R
DBPR Schedule Category :	N/R
Outstanding Performer Date :	N/R
Season Begin Date :	01-01
Season End Date :	12-31
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2026-03-05

Map Id: D30
Direction: SE
Distance: 0.132 mi., 697 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : 262102081464402
26.351167, -81.779167
FL

Database(s) : [NWIS]

Envirosite ID: 8487602
EPA ID: N/R

NWIS

Site Identification Number :	262102081464402
Site Type :	Well
Station Name :	L -5723
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	NWNWSES26 T47S R25E T
Name of Location Map :	BONITA SPRINGS
Scale of Location Map :	24000
Altitude of Gage/Land Surface :	10.82
Method Altitude Determined :	Level or other surveyed method.
Altitude Accuracy :	.1
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NANANNNNNNNNNNNNNNNNNNNNNNNO
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYNNNYNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Tamiami Formation
Local Aquifer Type :	N/R
Well Depth :	140
Hole Depth :	N/R
Source of Depth Data :	O
Project Number :	2080-00200
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1986-03-31
Water-Quality Data End Date :	2004-09-20
Water-Quality Data Count :	401
Field Water-Level Measurements Begin Date:	1986-03-31
Field Water-level Measurements End Date:	2004-09-20
Field Water-Level Measurements Count:	166
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.351167
Longitude :	-81.779167
Last Date in Agency List :	2026-02-23

Map Id: D31
Direction: SE
Distance: 0.134 mi., 710 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : 262102081464401
26.351194, -81.779139
FL

Database(s) : [NWIS]

Envirosite ID: 8505496
EPA ID: N/R

NWIS

Site Identification Number :	262102081464401
Site Type :	Well
Station Name :	L -5722
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	NWNWSES26 T47S R25E T
Name of Location Map :	BONITA SPRINGS
Scale of Location Map :	24000
Altitude of Gage/Land Surface :	10.52
Method Altitude Determined :	Level or other surveyed method.
Altitude Accuracy :	.1
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NANANNNNNNNNNNNNNNNNNNNNNNNO
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYNNNYNN
National Aquifer :	Surficial aquifer system
Local Aquifer :	Nonartesian Sand Aquifer
Local Aquifer Type :	N/R
Well Depth :	21
Hole Depth :	N/R
Source of Depth Data :	O
Project Number :	2080-00200
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1986-03-26
Water-Quality Data End Date :	2004-09-20
Water-Quality Data Count :	252
Field Water-Level Measurements Begin Date:	1986-03-31
Field Water-level Measurements End Date:	2004-09-20
Field Water-Level Measurements Count:	249
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.351194
Longitude :	-81.779139
Last Date in Agency List :	2026-02-23

Map Id: B32
Direction: NNW
Distance: 0.140 mi., 741 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAG3722
26.388426, -81.806419
BONITA SPRINGS, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8357670
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAG3722
Well Type :	Limited Use PWS Well
Well Name :	SUNCOAST SUPPLY
Status :	ACTIVE
Well Address :	24263 PRODUCTION CIR, BONITA SPRINGS, 34135
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	160
Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	319908
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	319908
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	4.48
GPS Date :	2003-03-20
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.388426
Longitude :	-81.806419
Comments :	Business is closed down and for rent at this time. I could not gain permission to sample.
Last Date in Agency List :	2026-05-09

Map Id: D33
Direction: SE
Distance: 0.142 mi., 748 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : 262022081464202
26.340084, -81.777586
FL

Database(s) : [NWIS]

Envirosite ID: 8487560
EPA ID: N/R

NWIS

Site Identification Number :	262022081464202
Site Type :	Well
Station Name :	L -2310
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	SWNES35 T47S R25E T
Name of Location Map :	BONITA SPRINGS
Scale of Location Map :	24000
Altitude of Gage/Land Surface :	9.16
Method Altitude Determined :	Level or other surveyed method.
Altitude Accuracy :	.01
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNANNNNNNNNNNNNNNNNNNNNNNNNO
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYNYNYNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Limestone Aquifer
Local Aquifer Type :	N/R
Well Depth :	550
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	459831200
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1977-10-27
Water-Quality Data End Date :	1998-11-24
Water-Quality Data Count :	245
Field Water-Level Measurements Begin Date:	1977-10-27
Field Water-level Measurements End Date:	1998-11-24
Field Water-Level Measurements Count:	244
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.340084
Longitude :	-81.777586
Last Date in Agency List :	2026-02-23

Map Id: A34
Direction: S
Distance: 0.142 mi., 749 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : NAPLES TOMATO GROWERS | FL5110348 | FL5114116
15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH
NAPLES | Naples, FL

Database(s) : [PWS, PWS ENF]

Envirosite ID: 68173759
EPA ID: N/R

PWS

Facility Address :	15000 OLD 41 NORTH, NAPLES, FL 33963
PWS ID :	FL5114116
PWS Type :	Transient non-community system
PWS Name :	NAPLES TOMATO GROWERS PLANT
Activity Status :	Inactive
Primary Source :	Ground water
Submission Year :	2025
Submission Year Quarter :	2025Q3
Population Served Count :	30
Service Connections Count :	1
Population Category 2 :	<10,000
Population Category 3 :	<=3300
Population Category 4 :	<10K
Population Category 5 :	<=500
Population Category 11 :	<=100
Submission Quarter :	3
Submission Status Code :	Y
First Reported Date :	1991-05-23
Last Reported Date :	2025-09-18
Deactivation Date :	1995-10-16
GW or SW :	GW
Is Grant Eligible :	N
Is Outstanding Performer :	N/R
Is School or Daycare :	N/R
Is Source Water Protected :	N/R
Primacy Agency :	Florida
Primacy Type :	State
Org Name :	N/R
EPA Region :	Region 4
Admin Name :	NAPLES TOMATO GROWERS PLANT
Owner Type :	Private
Phone Number :	813-597-3131
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	N/R
Fax Number :	N/R
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	P
CDS ID :	N/R
DBPR Schedule Category :	N/R
Outstanding Performer Date :	N/R
Season Begin Date :	01-01
Season End Date :	12-31
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2026-03-05

Map Id: A34
Direction: S
Distance: 0.142 mi., 749 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : NAPLES TOMATO GROWERS | FL5110348 | FL5114116
15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH
NAPLES | Naples, FL

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 68173759
EPA ID: N/R

PWS ***(cont.)***

Facility Address :	15000 OLD 41 N., NAPLES, FL 34110
PWS ID :	FL5110348
PWS Type :	Non-Transient non-community system
PWS Name :	SANDY RIDGE LABOR CAMP
Activity Status :	Inactive
Primary Source :	Ground water
Submission Year :	2025
Submission Year Quarter :	2025Q3
Population Served Count :	300
Service Connections Count :	24
Population Category 2 :	<10,000
Population Category 3 :	<=3300
Population Category 4 :	<10K
Population Category 5 :	<=500
Population Category 11 :	101-500
Submission Quarter :	3
Submission Status Code :	Y
First Reported Date :	1981-08-24
Last Reported Date :	2025-09-18
Deactivation Date :	2021-02-17
GW or SW :	GW
Is Grant Eligible :	N
Is Outstanding Performer :	N/R
Is School or Daycare :	N/R
Is Source Water Protected :	N/R
Primacy Agency :	Florida
Primacy Type :	State
Org Name :	CHRIS DAVIS
EPA Region :	Region 4
Admin Name :	CHRIS DAVIS
Owner Type :	Private
Phone Number :	239-597-3131
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	N/R
Fax Number :	N/R
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	P
CDS ID :	N/R
DBPR Schedule Category :	4
Outstanding Performer Date :	N/R
Season Begin Date :	08-01
Season End Date :	05-30
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2026-03-05

Map Id: A34
Direction: S
Distance: 0.142 mi., 749 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : NAPLES TOMATO GROWERS | FL5110348 | FL5114116
15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH
NAPLES | Naples, FL

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 68173759
EPA ID: N/R

PWS ENF

Facility Address : 15000 OLD 41 NORTH, NAPLES, FL 33963

Site Details

PWS ID :	FL5114116
PWS Name :	NAPLES TOMATO GROWERS PLANT
EPA Region :	Region 4
Primacy Agency :	Florida
PWS Type :	Transient non-community system
Primacy Type :	State
Primary Source :	Ground water
Activity Status :	Inactive
Deactivation Date :	1995-10-16
Owner Type :	Private
Phone Number :	813-597-3131
Last Date in Agency List :	2026-03-13

Violation Details

RTC Enforcement ID :	N/R
Violation ID :	91V0001
Submission Year :	2025
Violation First Reported Date :	1991-11-26
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Monitoring, Routine Minor (TCR)
Is Health Based :	N
Is Major Violation :	N
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	NAPLES, 33963
Address Line 2 :	15000 OLD 41 NORTH
Compliance Status :	System Inactive
RTC Date :	1995-10-16
Enforcement Action Description :	State Violation/Reminder Notice
Admin Name :	NAPLES TOMATO GROWERS PLANT
Email Address :	N/R

Facility Address : 15000 OLD 41 N., NAPLES, FL 34110

Site Details

PWS ID :	FL5110348
PWS Name :	SANDY RIDGE LABOR CAMP
EPA Region :	Region 4
Primacy Agency :	Florida
PWS Type :	Non-Transient non-community system
Primacy Type :	State
Primary Source :	Ground water

Map Id: A34
Direction: S
Distance: 0.142 mi., 749 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : NAPLES TOMATO GROWERS | FL5110348 | FL5114116
15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH
NAPLES | Naples, FL

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 68173759
EPA ID: N/R

PWS ENF ***(cont.)***

Activity Status :	Inactive
Deactivation Date :	2021-02-17
Owner Type :	Private
Phone Number :	239-597-3131
Last Date in Agency List :	2026-03-13

Violation Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

RTC Enforcement ID :	N/R
Violation ID :	94V0001
Submission Year :	2025
Violation First Reported Date :	1994-12-08
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Maximum Contaminant Level Violation, Monthly (TCR)
Is Health Based :	Y
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	2
Address Line 1 :	15000 OLD 41 N., NAPLES, 34110
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2021-02-17
Enforcement Action Description :	State Violation/Reminder Notice
Admin Name :	CHRIS DAVIS
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	90V0003
Submission Year :	2025
Violation First Reported Date :	1990-12-31
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	15000 OLD 41 N., NAPLES, 34110
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2021-02-17
Enforcement Action Description :	State Violation/Reminder Notice
Admin Name :	CHRIS DAVIS

Map Id: A34
Direction: S
Distance: 0.142 mi., 749 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : NAPLES TOMATO GROWERS | FL5110348 | FL5114116
15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH
NAPLES | Naples, FL

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 68173759
EPA ID: N/R

PWS ENF ***(cont.)***

Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8219377
Submission Year :	2025
Violation First Reported Date :	1982-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	15000 OLD 41 N., NAPLES, 34110
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2021-02-17
Enforcement Action Description :	State Violation/Reminder Notice
Admin Name :	CHRIS DAVIS
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	89V0001
Submission Year :	2025
Violation First Reported Date :	1990-01-19
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	15000 OLD 41 N., NAPLES, 34110
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2021-02-17
Enforcement Action Description :	N/R
Admin Name :	CHRIS DAVIS
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8119446
Submission Year :	2025
Violation First Reported Date :	1981-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated

Map Id: A34
Direction: S
Distance: 0.142 mi., 749 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : NAPLES TOMATO GROWERS | FL5110348 | FL5114116
15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH
NAPLES | Naples, FL

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 68173759
EPA ID: N/R

PWS ENF ***(cont.)***

Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	15000 OLD 41 N., NAPLES, 34110
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2021-02-17
Enforcement Action Description :	State Violation/Reminder Notice
Admin Name :	CHRIS DAVIS
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	90V0001
Submission Year :	2025
Violation First Reported Date :	1990-02-16
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	15000 OLD 41 N., NAPLES, 34110
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2021-02-17
Enforcement Action Description :	N/R
Admin Name :	CHRIS DAVIS
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	90V0002
Submission Year :	2025
Violation First Reported Date :	1990-09-21
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	15000 OLD 41 N., NAPLES, 34110
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2021-02-17
Enforcement Action Description :	State Violation/Reminder Notice
Admin Name :	CHRIS DAVIS

Map Id: A34
Direction: S
Distance: 0.142 mi., 749 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : NAPLES TOMATO GROWERS | FL5110348 | FL5114116
15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH
NAPLES | Naples, FL

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 68173759
EPA ID: N/R

PWS ENF ***(cont.)***

Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	0110754
Submission Year :	2025
Violation First Reported Date :	2001-05-19
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Maximum Contaminant Level Violation, Monthly (TCR)
Is Health Based :	Y
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	2
Address Line 1 :	15000 OLD 41 N., NAPLES, 34110
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2021-02-17
Enforcement Action Description :	State Boil Water Order
Admin Name :	CHRIS DAVIS
Email Address :	N/R

RTC Enforcement ID :	220310
Violation ID :	20060000038
Submission Year :	2025
Violation First Reported Date :	2005-12-20
Contaminant Name :	TTHM
Rule Family :	Stage 1 Disinfectants and Disinfection Byproducts Rule
Rule Group :	Disinfectants and Disinfection Byproducts Rule
Rule Name :	Stage 1 Disinfectants and Disinfection Byproducts Rule
Violation Type :	Maximum Contaminant Level Violation, Average
Is Health Based :	Y
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	2
Address Line 1 :	15000 OLD 41 N., NAPLES, 34110
Address Line 2 :	N/R
Compliance Status :	Returned to Compliance
RTC Date :	2007-01-01
Enforcement Action Description :	State Compliance achieved
Admin Name :	CHRIS DAVIS
Email Address :	N/R

RTC Enforcement ID :	220310
Violation ID :	20070000510
Submission Year :	2025
Violation First Reported Date :	2006-11-22
Contaminant Name :	Total Haloacetic Acids (HAA5)
Rule Family :	Stage 1 Disinfectants and Disinfection Byproducts Rule
Rule Group :	Disinfectants and Disinfection Byproducts Rule
Rule Name :	Stage 1 Disinfectants and Disinfection Byproducts Rule

Map Id: A34
Direction: S
Distance: 0.142 mi., 749 ft.
Elevation: 12 ft.
Relative: Lower

Site Name : NAPLES TOMATO GROWERS | FL5110348 | FL5114116
15000 OLD 41 N | 15000 OLD 41 NORTH | 15000 OLD US 41 NORTH
NAPLES | Naples, FL

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 68173759
EPA ID: N/R

PWS ENF ***(cont.)***

Violation Type :	Maximum Contaminant Level Violation, Average
Is Health Based :	Y
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	2
Address Line 1 :	15000 OLD 41 N., NAPLES, 34110
Address Line 2 :	N/R
Compliance Status :	Returned to Compliance
RTC Date :	2007-01-01
Enforcement Action Description :	State Compliance achieved
Admin Name :	CHRIS DAVIS
Email Address :	N/R

Site Details

PWS ID :	FL5114116
PWS Name :	NAPLES TOMATO GROWERS PLANT
EPA Region :	Region 4
Primacy Agency :	Florida
PWS Type :	Transient non-community system
Primacy Type :	State
Primary Source :	Ground water
Activity Status :	Inactive
Deactivation Date :	1995-10-16
Owner Type :	Private
Phone Number :	813-597-3131
Last Date in Agency List :	2021-09-28

Violation Details

RTC Enforcement ID :	N/R
Violation ID :	91V0001
Submission Year :	2021
Violation First Reported Date :	1991-11-26
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Monitoring, Routine Minor (TCR)
Is Health Based :	N
Is Major Violation :	N
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	NAPLES, 33963
Address Line 2 :	15000 OLD 41 NORTH
Compliance Status :	System Inactive
RTC Date :	1995-10-16
Enforcement Action Description :	State Violation/Reminder Notice
Admin Name :	NAPLES TOMATO GROWERS PLANT
Email Address :	N/R

Map Id: E35
Direction: N
Distance: 0.150 mi., 792 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : AAC5385
26.437515, -81.809385
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8443302
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAC5385
Well Type :	Transient Non-Community PWS Well
Well Name :	CHRIST COMMUNITY MINISTRIES
Status :	ACTIVE
Well Address :	8681 COUNTY RD, ESTERO, 33928
Well County :	LEE
Well Owner Name :	ROD BUZZARD
Phone :	239-498-4352
Phone Extension :	N/R
Casing Material :	GALVANIZED
Well Depth :	0
Length :	0
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	979264
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	PETE HAENGGI
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	979264
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	OWNER
Other Well ID :	N/R
Software :	Well_Solo_v2
Streetside :	Yes
Agency :	DOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	3.67
GPS Date :	2009-01-09
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.437515
Longitude :	-81.809385
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: D36
Direction: SSE
Distance: 0.151 mi., 799 ft.
Elevation: 3 ft.
Relative: Lower

Site Name : 262000081464400
26.333695, -81.778697
FL

Database(s) : [NWIS]

Envirosite ID: 8521273
EPA ID: N/R

NWIS

Site Identification Number :	262000081464400
Site Type :	Stream
Station Name :	OAK CREEK NEAR BONITA SPRINGS FL
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	N/R
Data-Other GW Files :	NNNNNNNN
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	N/R
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	N/R
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	N/R
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	N/R
Water-Quality Data Count :	N/R
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	N/R
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	N/R
Latitude :	26.333695
Longitude :	-81.778697
Last Date in Agency List :	2026-02-23

Map Id: B37
Direction: NNW
Distance: 0.153 mi., 809 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAG3723
26.389451, -81.80665
BONITA SPRINGS, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8346469
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAG3723
Well Type :	Limited Use PWS Well
Well Name :	OTT WELDING
Status :	ACTIVE
Well Address :	24241 PRODUCTION CIR, BONITA SPRINGS, 34135
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	4
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	319910
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	319910
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	6
GPS Date :	2003-03-20
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.389451
Longitude :	-81.80665
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: B38
Direction: NNW
Distance: 0.155 mi., 817 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAD4348
26.385111, -81.806574
BONITA SPRINGS, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8414072
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAD4348
Well Type :	Limited Use PWS Well
Well Name :	GOODYEAR TIRE
Status :	ACTIVE
Well Address :	24367 PRODUCTION CIR, BONITA SPRINGS, 34135
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	294346
Location Method :	GPS = Uncorrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	294346
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	7.77
GPS Date :	2003-03-20
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.385111
Longitude :	-81.806574
Comments :	Owner refused sampling.
Last Date in Agency List :	2026-05-09

Map Id: B39
Direction: NNW
Distance: 0.158 mi., 833 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAG3725
26.386177, -81.806649
BONITA SPRINGS, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8328386
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAG3725
Well Type :	Limited Use PWS Well
Well Name :	GOUSE FURNITURE
Status :	ACTIVE
Well Address :	24349 PRODUCTION CIR, BONITA SPRINGS, 34135
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	319914
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	319914
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	-1.61
GPS Date :	2003-03-20
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.386177
Longitude :	-81.806649
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: F40
Direction: SE
Distance: 0.166 mi., 875 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : 02291524
26.362333, -81.790361
FL

Database(s) : [NWIS]

Envirosite ID: 8460774
EPA ID: N/R

NWIS

Site Identification Number :	02291524
Site Type :	Stream
Station Name :	SPRING CREEK HEADWATER NEAR BONITA SPRINGS, FL
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	SES22 T47S R25E T
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	ANANNNNNNNNNNNNNNNNNNNNNNNNNA
Flags for Instruments at Site :	YNNNYNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	1987-11-04
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	N/R
Data-Other GW Files :	NNNNNNNN
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	N/R
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	2080-00100
Real-Time Data Flag :	1
Peak-Streamflow Data Begin Date :	1989-09-07
Peak-Streamflow Data End Date :	2023-08-29
Peak-Streamflow Data Count :	34
Water-Quality Data Begin Date :	1987-12-09
Water-Quality Data End Date :	1990-09-18
Water-Quality Data Count :	21
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	1987-12-09
Site-Visit Data End Date :	2025-08-27
Site-Visit Data Count :	343
Latitude :	26.362333
Longitude :	-81.790361
Last Date in Agency List :	2026-02-23

Map Id: G41
Direction: ESE
Distance: 0.175 mi., 924 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : 262159081474500 | 02291525
26.36675, -81.795642
FL

Database(s) : [NWIS]

Envirosite ID: 8461217
EPA ID: N/R

NWIS

Site Identification Number :	262159081474500
Site Type :	Stream
Station Name :	UNNAMEDTRIBUTARYNWOFBONITASPRINGS FLA
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Collier County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	N/R
Data-Other GW Files :	NNNNNNNN
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	N/R
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	N/R
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	N/R
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	N/R
Water-Quality Data Count :	N/R
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	N/R
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	N/R
Latitude :	26.36675
Longitude :	-81.795642
Last Date in Agency List :	2026-02-23

Site Identification Number :	02291525
Site Type :	Stream
Station Name :	SPRING CREEK OVERFLOW NEAR BONITA SPRINGS, FL
Agency :	U.S. Geological Survey

Map Id: G41
Direction: ESE
Distance: 0.175 mi., 924 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : 262159081474500 | 02291525
26.36675, -81.795642
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8461217
EPA ID: N/R

NWIS ***(cont.)***

District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	N/R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	ANANNNNNNNNNNNNNNNNNNNNNNNNNNI
Flags for Instruments at Site :	YNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	1987-11-04
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	N/R
Data-Other GW Files :	NNNNNNNN
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	N/R
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	459800100
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	N/R
Water-Quality Data Count :	0
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	1991-07-02
Site-Visit Data End Date :	1992-08-11
Site-Visit Data Count :	3
Latitude :	26.36675
Longitude :	-81.795642
Last Date in Agency List :	2026-02-23

Map Id: A42
Direction: SSE
Distance: 0.178 mi., 940 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : 261859081481902
26.316389, -81.791389
FL

Database(s) : [NWIS]

Envirosite ID: 8521094
EPA ID: N/R

NWIS

Site Identification Number :	261859081481902
Site Type :	Well
Station Name :	L -5727
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S04 T48S R25E T
Name of Location Map :	BONITA SPRINGS
Scale of Location Map :	24000
Altitude of Gage/Land Surface :	11.00
Method Altitude Determined :	Level or other surveyed method.
Altitude Accuracy :	.1
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NANANNNNNNNNNNNNNNNNNNNNNNNO
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYNNNYNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Tamiami Formation
Local Aquifer Type :	N/R
Well Depth :	100
Hole Depth :	N/R
Source of Depth Data :	O
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1986-04-24
Water-Quality Data End Date :	2000-07-11
Water-Quality Data Count :	321
Field Water-Level Measurements Begin Date:	1986-04-24
Field Water-level Measurements End Date:	1997-05-08
Field Water-Level Measurements Count:	134
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.316389
Longitude :	-81.791389
Last Date in Agency List :	2026-02-23

Map Id: E43
Direction: N
Distance: 0.191 mi., 1010 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAC5388
26.431631, -81.810036
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8311995
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAC5388
Well Type :	Limited Use PWS Well
Well Name :	Koreshan Unity Foundation
Status :	ACTIVE
Well Address :	8661 Corkscrew, ESTERO, 33928
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	180
Length :	0
Diameter :	4
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	288750
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	57314
Property ID :	N/R
GPS ID :	288750
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	OWNER
Other Well ID :	N/R
Software :	Well_Solo_v2
Streetside :	No
Agency :	DOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	3.48
GPS Date :	2012-10-22
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.431631
Longitude :	-81.810036
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: B44
Direction: NNW
Distance: 0.192 mi., 1013 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAK7782
26.389996, -81.807275
BONITA SPRINGS, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8382483
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAK7782
Well Type :	Limited Use PWS Well
Well Name :	HARRIS AUTO
Status :	ACTIVE
Well Address :	24266 PRODUCTION CIR, BONITA SPRINGS, 34135
Well County :	LEE
Well Owner Name :	N/R
Phone :	239-495-5555
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	0
Length :	0
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	987898
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	PETE HAENGGI
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	987898
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	OWNER
Other Well ID :	N/R
Software :	Well_Solo_v2
Streetside :	No
Agency :	DOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	5.27
GPS Date :	2009-07-29
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.389996
Longitude :	-81.807275
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: B45
Direction: NNE
Distance: 0.205 mi., 1082 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : TOWER
26.377147, -81.800228
BONITA SPRINGS, FL

Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 54474356
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action :	2023-12-22
Action :	Change
FAA Study Number :	2023ASO03976OE
OBS Number :	12-004127
Obstacle Type :	TOWER
City Name :	BONITA SPRINGS
State Identifier :	FL
Country Identifier :	USA
Type of Lighting :	Medium Intensity White Strobe & Red
Verification Status :	Verified
Quantity :	1
Mark Indicator :	None
Above Ground Level Height (Feet) :	00250
Above Mean Sea Level Height (Feet) :	00264
Horizontal Accuracy :	+-20'
Vertical Accuracy :	+-3'
Latitude :	26 22 37.73N
Longitude :	081 48 00.82W

Map Id: E46
Direction: N
Distance: 0.209 mi., 1101 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : 262625081483800
26.440636, -81.810364
FL

Database(s) : [NWIS]

Envirosite ID: 8488071
EPA ID: N/R

NWIS

Site Identification Number :	262625081483800
Site Type :	Ditch
Station Name :	DRAINAGE DITCH NO 2 AT ESTERO FL
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	N/R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R

Map Id: E46
Direction: N
Distance: 0.209 mi., 1101 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : 262625081483800
26.440636, -81.810364
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8488071
EPA ID: N/R

NWIS ***(cont.)***

Data Reliability :	N/R
Data-Other GW Files :	NNNNNNNN
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	N/R
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	N/R
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	N/R
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	N/R
Water-Quality Data Count :	N/R
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	N/R
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	N/R
Latitude :	26.440636
Longitude :	-81.810364
Last Date in Agency List :	2026-02-23

Map Id: B47
Direction: NNW
Distance: 0.222 mi., 1172 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAC5354
26.388823, -81.80775
BONITA SPRINGS, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8413410
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAC5354
Well Type :	Limited Use PWS Well
Well Name :	CONSHORE CONST.
Status :	ACTIVE
Well Address :	24260 PRODUCTION CIR, BONITA SPRINGS, 34135
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	225
Length :	N/R
Diameter :	4
Sanitary Seal :	Yes
Permit Number :	N/R

Map Id: B47
Direction: NNW
Distance: 0.222 mi., 1172 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAC5354
26.388823, -81.80775
BONITA SPRINGS, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 8413410
EPA ID: N/R

WELLS - FL ***(cont.)***

Location ID :	288734
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	288734
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	6.4
GPS Date :	2003-03-20
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.388823
Longitude :	-81.80775
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: C48
Direction: S
Distance: 0.237 mi., 1252 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : FL5110196 | NAPLES TOMATO GROW CAMP SANDY-PLANT ID = 01 SOURCE ID = 00
15000 OLD 41
NAPLES, FL 33940

Database(s) : [PWS, PWS ENF]

Envirosite ID: 47987877
EPA ID: N/R

PWS

Facility Address :	15000 OLD 41, NAPLES, FL 33940
PWS ID :	FL5110196
PWS Type :	Transient non-community system
PWS Name :	NAPLES TOMATO GROW CAMP SANDY
Activity Status :	Inactive
Primary Source :	Ground water
Submission Year :	2025
Submission Year Quarter :	2025Q3
Population Served Count :	150
Service Connections Count :	38

Map Id: C48
Direction: S
Distance: 0.237 mi., 1252 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : FL5110196 | NAPLES TOMATO GROW CAMP SANDY-PLANT ID = 01 SOURCE ID = 00
15000 OLD 41
NAPLES, FL 33940

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 47987877
EPA ID: N/R

PWS ***(cont.)***

Population Category 2 :	<10,000
Population Category 3 :	<=3300
Population Category 4 :	<10K
Population Category 5 :	<=500
Population Category 11 :	101-500
Submission Quarter :	3
Submission Status Code :	Y
First Reported Date :	1979-02-10
Last Reported Date :	2025-09-18
Deactivation Date :	1995-10-16
GW or SW :	GW
Is Grant Eligible :	N
Is Outstanding Performer :	N/R
Is School or Daycare :	N/R
Is Source Water Protected :	N/R
Primacy Agency :	Florida
Primacy Type :	State
Org Name :	N/R
EPA Region :	Region 4
Admin Name :	NAPLES TOMATO GROW CAMP SANDY
Owner Type :	Private
Phone Number :	813-597-3131
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	N/R
Fax Number :	N/R
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	P
CDS ID :	N/R
DBPR Schedule Category :	N/R
Outstanding Performer Date :	N/R
Season Begin Date :	09-24
Season End Date :	06-14
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2026-03-05

PWS ENF

Facility Address :	15000 OLD 41, NAPLES, FL 33940

Site Details

PWS ID :	FL5110196
PWS Name :	NAPLES TOMATO GROW CAMP SANDY
EPA Region :	Region 4
Primacy Agency :	Florida
PWS Type :	Transient non-community system
Primacy Type :	State
Primary Source :	Ground water

Map Id: C48
Direction: S
Distance: 0.237 mi., 1252 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : FL5110196 | NAPLES TOMATO GROW CAMP SANDY-PLANT ID = 01 SOURCE ID = 00
15000 OLD 41
NAPLES, FL 33940

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 47987877
EPA ID: N/R

PWS ENF ***(cont.)***

Activity Status :	Inactive
Deactivation Date :	1995-10-16
Owner Type :	Private
Phone Number :	813-597-3131
Last Date in Agency List :	2026-03-13

Violation Details

RTC Enforcement ID :	N/R
Violation ID :	8513569
Submission Year :	2025
Violation First Reported Date :	1985-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	NAPLES, 33940
Address Line 2 :	15000 OLD 41
Compliance Status :	System Inactive
RTC Date :	1995-10-16
Enforcement Action Description :	N/R
Admin Name :	NAPLES TOMATO GROW CAMP SANDY
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8020385
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	NAPLES, 33940
Address Line 2 :	15000 OLD 41
Compliance Status :	System Inactive
RTC Date :	1995-10-16
Enforcement Action Description :	N/R
Admin Name :	NAPLES TOMATO GROW CAMP SANDY
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	89V0001

Map Id: C48
Direction: S
Distance: 0.237 mi., 1252 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : FL5110196 | NAPLES TOMATO GROW CAMP SANDY-PLANT ID = 01 SOURCE ID = 00
15000 OLD 41
NAPLES, FL 33940

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 47987877
EPA ID: N/R

PWS ENF ***(cont.)***

Submission Year :	2025
Violation First Reported Date :	1990-01-19
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	NAPLES, 33940
Address Line 2 :	15000 OLD 41
Compliance Status :	System Inactive
RTC Date :	1995-10-16
Enforcement Action Description :	N/R
Admin Name :	NAPLES TOMATO GROW CAMP SANDY
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8014951
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	NAPLES, 33940
Address Line 2 :	15000 OLD 41
Compliance Status :	System Inactive
RTC Date :	1995-10-16
Enforcement Action Description :	N/R
Admin Name :	NAPLES TOMATO GROW CAMP SANDY
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8025897
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3

Map Id: C48
Direction: S
Distance: 0.237 mi., 1252 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : FL5110196 | NAPLES TOMATO GROW CAMP SANDY-PLANT ID = 01 SOURCE ID = 00
15000 OLD 41
NAPLES, FL 33940

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 47987877
EPA ID: N/R

PWS ENF ***(cont.)***

Address Line 1 :	NAPLES, 33940
Address Line 2 :	15000 OLD 41
Compliance Status :	System Inactive
RTC Date :	1995-10-16
Enforcement Action Description :	N/R
Admin Name :	NAPLES TOMATO GROW CAMP SANDY
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	88V0001
Submission Year :	2025
Violation First Reported Date :	1991-07-01
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	NAPLES, 33940
Address Line 2 :	15000 OLD 41
Compliance Status :	System Inactive
RTC Date :	1995-10-16
Enforcement Action Description :	N/R
Admin Name :	NAPLES TOMATO GROW CAMP SANDY
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	90V0001
Submission Year :	2025
Violation First Reported Date :	1990-06-26
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	NAPLES, 33940
Address Line 2 :	15000 OLD 41
Compliance Status :	System Inactive
RTC Date :	1995-10-16
Enforcement Action Description :	State Violation/Reminder Notice
Admin Name :	NAPLES TOMATO GROW CAMP SANDY
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8117734

Map Id: C48
Direction: S
Distance: 0.237 mi., 1252 ft.
Elevation: 9 ft.
Relative: Lower

Site Name : FL5110196 | NAPLES TOMATO GROW CAMP SANDY-PLANT ID = 01 SOURCE ID = 00
15000 OLD 41
NAPLES, FL 33940

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 47987877
EPA ID: N/R

PWS ENF ***(cont.)***

Submission Year :	2025
Violation First Reported Date :	1981-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	NAPLES, 33940
Address Line 2 :	15000 OLD 41
Compliance Status :	System Inactive
RTC Date :	1995-10-16
Enforcement Action Description :	State Unresolved
Admin Name :	NAPLES TOMATO GROW CAMP SANDY
Email Address :	N/R

RTC Enforcement ID :	91E0002
Violation ID :	90V0002
Submission Year :	2025
Violation First Reported Date :	1990-12-31
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	NAPLES, 33940
Address Line 2 :	15000 OLD 41
Compliance Status :	Returned to Compliance
RTC Date :	1990-11-30
Enforcement Action Description :	State Compliance achieved
Admin Name :	NAPLES TOMATO GROW CAMP SANDY
Email Address :	N/R

Map Id: B49
Direction: NNE
Distance: 0.238 mi., 1254 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : AAD5735
26.378738, -81.799732
BONITA SPRINGS, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8438978
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAD5735
Well Type :	Private Well
Well Name :	CHERYL MATTSON
Status :	ABANDONED
Well Address :	9275 STRIKE LN N, BONITA SPRINGS, 34135
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	230
Length :	N/R
Diameter :	4
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	295546
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	295546
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	NON-POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	4.84
GPS Date :	2002-03-13
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.378738
Longitude :	-81.799732
Comments :	Residence is no longer there. Well is gone.
Last Date in Agency List :	2026-05-09

Map Id: E50
Direction: N
Distance: 0.241 mi., 1271 ft.
Elevation: 2 ft.
Relative: Lower

Site Name : 262604081481000 | 262604081481001
26.434803, -81.802586
FL

Database(s) : [NWIS]

Envirosite ID: 8476657
EPA ID: N/R

NWIS

Site Identification Number :	262604081481000
Site Type :	Stream
Station Name :	ESTERO RIVER AT ESTERO FL
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	N/R
Data-Other GW Files :	NNNNNNNN
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	N/R
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	N/R
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	N/R
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	N/R
Water-Quality Data Count :	N/R
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	N/R
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	N/R
Latitude :	26.434803
Longitude :	-81.802586
Last Date in Agency List :	2026-02-23

Site Identification Number :	262604081481001
Site Type :	Stream
Station Name :	ESTERO R @ SAND HILL RD
Agency :	U.S. Geological Survey

Map Id: E50
Direction: N
Distance: 0.241 mi., 1271 ft.
Elevation: 2 ft.
Relative: Lower

Site Name : 262604081481000 | 262604081481001
26.434803, -81.802586
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8476657
EPA ID: N/R

NWIS ***(cont.)***

District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNI
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	N/R
Data-Other GW Files :	NNNNNNNN
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	N/R
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1975-04-16
Water-Quality Data End Date :	1975-09-16
Water-Quality Data Count :	2
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.434803
Longitude :	-81.802586
Last Date in Agency List :	2026-02-23

Map Id: E51
Direction: N
Distance: 0.248 mi., 1310 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : FL5360083 | ESTERO RIVER TRAILER PARK-PLANT ID = 01 SOURCE ID = 00
20950 US 41 SOUTH
ESTERO, FL 33928

Database(s) : [PWS, PWS ENF]

Envirosite ID: 1675193
EPA ID: N/R

PWS

Facility Address :	20950 US 41 SOUTH, ESTERO, FL 33928
PWS ID :	FL5360083
PWS Type :	Transient non-community system
PWS Name :	ESTERO RIVER TRAILER PARK
Activity Status :	Inactive
Primary Source :	Ground water
Submission Year :	2025
Submission Year Quarter :	2025Q3
Population Served Count :	80
Service Connections Count :	46
Population Category 2 :	<10,000
Population Category 3 :	<=3300
Population Category 4 :	<10K
Population Category 5 :	<=500
Population Category 11 :	<=100
Submission Quarter :	3
Submission Status Code :	Y
First Reported Date :	1979-02-10
Last Reported Date :	2025-09-18
Deactivation Date :	1990-11-30
GW or SW :	GW
Is Grant Eligible :	N
Is Outstanding Performer :	N/R
Is School or Daycare :	N/R
Is Source Water Protected :	N/R
Primacy Agency :	Florida
Primacy Type :	State
Org Name :	N/R
EPA Region :	Region 4
Admin Name :	ESTERO RIVER TRAILER PARK
Owner Type :	Private
Phone Number :	N/R
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	N/R
Fax Number :	N/R
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	P
CDS ID :	N/R
DBPR Schedule Category :	N/R
Outstanding Performer Date :	N/R
Season Begin Date :	01-01
Season End Date :	12-31
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2026-03-05

PWS ENF

Facility Address :	20950 US 41 SOUTH, ESTERO, FL 33928

Map Id: E51
Direction: N
Distance: 0.248 mi., 1310 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : FL5360083 | ESTERO RIVER TRAILER PARK-PLANT ID = 01 SOURCE ID = 00
20950 US 41 SOUTH
ESTERO, FL 33928

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1675193
EPA ID: N/R

PWS ENF ***(cont.)***

Site Details

PWS ID :	FL5360083
PWS Name :	ESTERO RIVER TRAILER PARK
EPA Region :	Region 4
Primacy Agency :	Florida
PWS Type :	Transient non-community system
Primacy Type :	State
Primary Source :	Ground water
Activity Status :	Inactive
Deactivation Date :	1990-11-30
Owner Type :	Private
Phone Number :	N/R
Last Date in Agency List :	2026-03-13

Violation Details

RTC Enforcement ID :	N/R
Violation ID :	8023131
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	ESTERO, 33928
Address Line 2 :	20950 US 41 SOUTH
Compliance Status :	System Inactive
RTC Date :	1990-11-30
Enforcement Action Description :	N/R
Admin Name :	ESTERO RIVER TRAILER PARK
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8026039
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	ESTERO, 33928
Address Line 2 :	20950 US 41 SOUTH
Compliance Status :	System Inactive
RTC Date :	1990-11-30

Map Id: E51
Direction: N
Distance: 0.248 mi., 1310 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : FL5360083 | ESTERO RIVER TRAILER PARK-PLANT ID = 01 SOURCE ID = 00
20950 US 41 SOUTH
ESTERO, FL 33928

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1675193
EPA ID: N/R

PWS ENF ***(cont.)***

Enforcement Action Description :	N/R
Admin Name :	ESTERO RIVER TRAILER PARK
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8010545
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	ESTERO, 33928
Address Line 2 :	20950 US 41 SOUTH
Compliance Status :	System Inactive
RTC Date :	1990-11-30
Enforcement Action Description :	N/R
Admin Name :	ESTERO RIVER TRAILER PARK
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8221743
Submission Year :	2025
Violation First Reported Date :	1982-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Maximum Contaminant Level Violation, Average
Is Health Based :	Y
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	2
Address Line 1 :	ESTERO, 33928
Address Line 2 :	20950 US 41 SOUTH
Compliance Status :	System Inactive
RTC Date :	1990-11-30
Enforcement Action Description :	N/R
Admin Name :	ESTERO RIVER TRAILER PARK
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8011926
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated

Map Id: E51
Direction: N
Distance: 0.248 mi., 1310 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : FL5360083 | ESTERO RIVER TRAILER PARK-PLANT ID = 01 SOURCE ID = 00
20950 US 41 SOUTH
ESTERO, FL 33928

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1675193
EPA ID: N/R

PWS ENF ***(cont.)***

Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	ESTERO, 33928
Address Line 2 :	20950 US 41 SOUTH
Compliance Status :	System Inactive
RTC Date :	1990-11-30
Enforcement Action Description :	N/R
Admin Name :	ESTERO RIVER TRAILER PARK
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8221742
Submission Year :	2025
Violation First Reported Date :	1982-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Check/Repeat/Confirmation
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	ESTERO, 33928
Address Line 2 :	20950 US 41 SOUTH
Compliance Status :	System Inactive
RTC Date :	1990-11-30
Enforcement Action Description :	State Violation/Reminder Notice
Admin Name :	ESTERO RIVER TRAILER PARK
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8024154
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	ESTERO, 33928
Address Line 2 :	20950 US 41 SOUTH
Compliance Status :	System Inactive
RTC Date :	1990-11-30
Enforcement Action Description :	N/R
Admin Name :	ESTERO RIVER TRAILER PARK

Map Id: E51
Direction: N
Distance: 0.248 mi., 1310 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : FL5360083 | ESTERO RIVER TRAILER PARK-PLANT ID = 01 SOURCE ID = 00
20950 US 41 SOUTH
ESTERO, FL 33928

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1675193
EPA ID: N/R

PWS ENF ***(cont.)***

Email Address :	N/R
RTC Enforcement ID :	N/R
Violation ID :	8020524
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	ESTERO, 33928
Address Line 2 :	20950 US 41 SOUTH
Compliance Status :	System Inactive
RTC Date :	1990-11-30
Enforcement Action Description :	N/R
Admin Name :	ESTERO RIVER TRAILER PARK
Email Address :	N/R

Map Id: E52
Direction: N
Distance: 0.249 mi., 1314 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAC5384
26.446273, -81.813197
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8314408
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAC5384
Well Type :	Limited Use PWS Well
Well Name :	LEE CORP
Status :	ACTIVE
Well Address :	20241 S TAMIAMI TRL, ESTERO, 33928
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	4
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	288748
Location Method :	DGPS OFFSET = Calculated location using DGPS
Project ID :	SUPER

Map Id: E52
Direction: N
Distance: 0.249 mi., 1314 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAC5384
26.446273, -81.813197
ESTERO, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 8314408
EPA ID: N/R

WELLS - FL ***(cont.)***

Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	288748
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	6.48
GPS Date :	2003-11-21
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.446273
Longitude :	-81.813197
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: B53
Direction: NNE
Distance: 0.254 mi., 1340 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAD5731
26.376247, -81.799416
BONITA SPRINGS, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8444303
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAD5731
Well Type :	Irrigation or other Non-potable well
Well Name :	DEBBIE NORTON
Status :	ACTIVE
Well Address :	25231 TUCK DR, BONITA SPRINGS, 34135
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	140
Length :	N/R
Diameter :	4
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	295538
Location Method :	DGPS OFFSET = Calculated location using DGPS

Map Id: B53
Direction: NNE
Distance: 0.254 mi., 1340 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAD5731
26.376247, -81.799416
BONITA SPRINGS, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 8444303
EPA ID: N/R

WELLS - FL ***(cont.)***

Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	295538
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	NON-POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	7.53
GPS Date :	2002-03-13
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.376247
Longitude :	-81.799416
Comments :	CONNECTED TO CITY WATER.
Last Date in Agency List :	2026-05-09

Map Id: E54
Direction: N
Distance: 0.263 mi., 1387 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : FL5360277 | SUNNY GROVE PARK-SUNNY GROVE PAR
3401 CORALBERRY LANE
ESTERO, FL 33928

Database(s) : [PWS, PWS ENF]

Envirosite ID: 1678434
EPA ID: N/R

PWS

Facility Address :	3401 CORALBERRY LANE, ESTERO, FL 33928
PWS ID :	FL5360277
PWS Type :	Community water system
PWS Name :	SUNNY GROVE PARK
Activity Status :	Inactive
Primary Source :	Ground water
Submission Year :	2025
Submission Year Quarter :	2025Q3
Population Served Count :	195
Service Connections Count :	166
Population Category 2 :	<10,000
Population Category 3 :	<=3300
Population Category 4 :	<10K

Map Id: E54
Direction: N
Distance: 0.263 mi., 1387 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : FL5360277 | SUNNY GROVE PARK-SUNNY GROVE PAR
3401 CORALBERRY LANE
ESTERO, FL 33928

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1678434
EPA ID: N/R

PWS ***(cont.)***

Population Category 5 :	<=500
Population Category 11 :	101-500
Submission Quarter :	3
Submission Status Code :	Y
First Reported Date :	1979-02-10
Last Reported Date :	2025-09-18
Deactivation Date :	1988-05-01
GW or SW :	GW
Is Grant Eligible :	N
Is Outstanding Performer :	N/R
Is School or Daycare :	N/R
Is Source Water Protected :	N/R
Primacy Agency :	Florida
Primacy Type :	State
Org Name :	N/R
EPA Region :	Region 4
Admin Name :	SUNNY GROVE PARK
Owner Type :	Private
Phone Number :	813-992-5218
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	N/R
Fax Number :	N/R
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	P
CDS ID :	N/R
DBPR Schedule Category :	N/R
Outstanding Performer Date :	N/R
Season Begin Date :	N/R
Season End Date :	N/R
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2026-03-05

PWS ENF

Facility Address :	3401 CORALBERRY LANE, ESTERO, FL 33928

Site Details

PWS ID :	FL5360277
PWS Name :	SUNNY GROVE PARK
EPA Region :	Region 4
Primacy Agency :	Florida
PWS Type :	Community water system
Primacy Type :	State
Primary Source :	Ground water
Activity Status :	Inactive
Deactivation Date :	1988-05-01
Owner Type :	Private
Phone Number :	813-992-5218

Map Id: E54
Direction: N
Distance: 0.263 mi., 1387 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : FL5360277 | SUNNY GROVE PARK-SUNNY GROVE PAR
3401 CORALBERRY LANE
ESTERO, FL 33928

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1678434
EPA ID: N/R

PWS ENF ***(cont.)***

Last Date in Agency List : 2026-03-13

Violation Details

RTC Enforcement ID :	N/R
Violation ID :	8026086
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	ESTERO, 33928
Address Line 2 :	3401 CORALBERRY LANE
Compliance Status :	System Inactive
RTC Date :	1988-05-01
Enforcement Action Description :	N/R
Admin Name :	SUNNY GROVE PARK
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8023152
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	ESTERO, 33928
Address Line 2 :	3401 CORALBERRY LANE
Compliance Status :	System Inactive
RTC Date :	1988-05-01
Enforcement Action Description :	N/R
Admin Name :	SUNNY GROVE PARK
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8010566
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated

Map Id: E54
Direction: N
Distance: 0.263 mi., 1387 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : FL5360277 | SUNNY GROVE PARK-SUNNY GROVE PAR
3401 CORALBERRY LANE
ESTERO, FL 33928

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1678434
EPA ID: N/R

PWS ENF ***(cont.)***

Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	ESTERO, 33928
Address Line 2 :	3401 CORALBERRY LANE
Compliance Status :	System Inactive
RTC Date :	1988-05-01
Enforcement Action Description :	N/R
Admin Name :	SUNNY GROVE PARK
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8413177
Submission Year :	2025
Violation First Reported Date :	1984-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	ESTERO, 33928
Address Line 2 :	3401 CORALBERRY LANE
Compliance Status :	System Inactive
RTC Date :	1988-05-01
Enforcement Action Description :	N/R
Admin Name :	SUNNY GROVE PARK
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8011947
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	ESTERO, 33928
Address Line 2 :	3401 CORALBERRY LANE
Compliance Status :	System Inactive
RTC Date :	1988-05-01
Enforcement Action Description :	N/R
Admin Name :	SUNNY GROVE PARK

Map Id: E54
Direction: N
Distance: 0.263 mi., 1387 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : FL5360277 | SUNNY GROVE PARK-SUNNY GROVE PAR
3401 CORALBERRY LANE
ESTERO, FL 33928

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1678434
EPA ID: N/R

PWS ENF ***(cont.)***

Email Address :	N/R
RTC Enforcement ID :	N/R
Violation ID :	8020574
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	ESTERO, 33928
Address Line 2 :	3401 CORALBERRY LANE
Compliance Status :	System Inactive
RTC Date :	1988-05-01
Enforcement Action Description :	N/R
Admin Name :	SUNNY GROVE PARK
Email Address :	N/R

Map Id: E55
Direction: N
Distance: 0.271 mi., 1429 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAC7548
26.445787, -81.813271
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8446647
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAC7548
Well Type :	Limited Use PWS Well
Well Name :	CYPRESS RV
Status :	RETAGGED
Well Address :	20251 S TAMIAMI TRL, ESTERO, 33928
Well County :	FLAGLER
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	4
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	290196
Location Method :	DGPS OFFSET = Calculated location using DGPS
Project ID :	SUPER

Map Id: E55
Direction: N
Distance: 0.271 mi., 1429 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAC7548
26.445787, -81.813271
ESTERO, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 8446647
EPA ID: N/R

WELLS - FL ***(cont.)***

Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	290196
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	4.03
GPS Date :	2003-11-21
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.445787
Longitude :	-81.813271
Comments :	Is now retagged as AAD5800
Last Date in Agency List :	2026-05-09

Map Id: D56
Direction: SE
Distance: 0.275 mi., 1455 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 262057081471101
26.3495, -81.785972
FL

Database(s) : [NWIS]

Envirosite ID: 8507435
EPA ID: N/R

NWIS

Site Identification Number :	262057081471101
Site Type :	Well
Station Name :	L -5806
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R

Map Id: D56
Direction: SE
Distance: 0.275 mi., 1455 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 262057081471101
26.3495, -81.785972
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8507435
EPA ID: N/R

NWIS ***(cont.)***

Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	1999-05-26
Date Site Established or Inventoried:	2000-03-16
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YNNNNNNN
National Aquifer :	Surficial aquifer system
Local Aquifer :	Nonartesian Sand Aquifer
Local Aquifer Type :	N/R
Well Depth :	18
Hole Depth :	N/R
Source of Depth Data :	A
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	2000-04-25
Water-Quality Data End Date :	2000-04-25
Water-Quality Data Count :	1
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.3495
Longitude :	-81.785972
Last Date in Agency List :	2026-02-23

Map Id: D57
Direction: SE
Distance: 0.277 mi., 1462 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 262058081471202
26.3495, -81.786
FL

Database(s) : [NWIS]

Envirosite ID: 8524936
EPA ID: N/R

NWIS

Site Identification Number :	262058081471202
Site Type :	Well
Station Name :	L -5805
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA

Map Id: D57
Direction: SE
Distance: 0.277 mi., 1462 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 262058081471202
26.3495, -81.786
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8524936
EPA ID: N/R

NWIS ***(cont.)***

Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	1999-05-26
Date Site Established or Inventoried:	2000-03-15
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YNNNNNNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Hawthorn Limestone Aquifer
Local Aquifer Type :	N/R
Well Depth :	298
Hole Depth :	N/R
Source of Depth Data :	A
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	2000-03-23
Water-Quality Data End Date :	2000-03-23
Water-Quality Data Count :	1
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.3495
Longitude :	-81.786
Last Date in Agency List :	2026-02-23

Map Id: H58
Direction: N
Distance: 0.279 mi., 1473 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TOWER
26.448722, -81.814917
ESTERO, FL

Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 1646808
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action :	2010-07-13
Action :	Change
FAA Study Number :	2010ASO03427OE
OBS Number :	12-001315
Obstacle Type :	TOWER
City Name :	ESTERO
State Identifier :	FL
Country Identifier :	USA
Type of Lighting :	Red
Verification Status :	Verified
Quantity :	1
Mark Indicator :	Orange or Orange And White Paint
Above Ground Level Height (Feet) :	00484
Above Mean Sea Level Height (Feet) :	00494
Horizontal Accuracy :	+-500'
Vertical Accuracy :	+-50'
Latitude :	26 26 55.40N
Longitude :	081 48 53.70W

Map Id: D59
Direction: SE
Distance: 0.279 mi., 1474 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 262058081471201
26.349444, -81.786
FL

Database(s) : [NWIS]

Envirosite ID: 8491964
EPA ID: N/R

NWIS

Site Identification Number :	262058081471201
Site Type :	Well
Station Name :	L -5804
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	1999-05-24
Date Site Established or Inventoried:	2000-03-15
Drainage Area :	N/R
Contributing Drainage Area :	N/R

Map Id: D59
Direction: SE
Distance: 0.279 mi., 1474 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 262058081471201
26.349444, -81.786
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8491964
EPA ID: N/R

NWIS ***(cont.)***

Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YNNNNNNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Tamiami Formation
Local Aquifer Type :	N/R
Well Depth :	75
Hole Depth :	N/R
Source of Depth Data :	A
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	2000-05-11
Water-Quality Data Count :	2
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.349444
Longitude :	-81.786
Last Date in Agency List :	2026-02-23

Map Id: E60
Direction: N
Distance: 0.291 mi., 1538 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD5800
26.445766, -81.813649
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8446436
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAD5800
Well Type :	Limited Use PWS Well
Well Name :	LEE CORP HOMES
Status :	ACTIVE
Well Address :	20251 S TAMIAMI TRL, ESTERO, 33928
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	Galvanized
Well Depth :	N/R
Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R

Map Id: E60
Direction: N
Distance: 0.291 mi., 1538 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD5800
26.445766, -81.813649
ESTERO, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 8446436
EPA ID: N/R

WELLS - FL ***(cont.)***

Location ID :	295668
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	295668
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	-20.66
GPS Date :	1999-02-17
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.445766
Longitude :	-81.813649
Comments :	Was aac7548 now is aad5800
Last Date in Agency List :	2026-05-09

Map Id: G61
Direction: NE
Distance: 0.303 mi., 1600 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD5734
26.375456, -81.798554
BONITA SPRINGS, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8446224
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAD5734
Well Type :	Irrigation or other Non-potable well
Well Name :	STEPHEN TOZIER
Status :	ACTIVE
Well Address :	25294 CATSKILL DR, BONITA SPRINGS, 34135
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	4
Sanitary Seal :	Yes

Map Id: G61
Direction: NE
Distance: 0.303 mi., 1600 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD5734
26.375456, -81.798554
BONITA SPRINGS, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 8446224
EPA ID: N/R

WELLS - FL ***(cont.)***

Permit Number :	N/R
Location ID :	295544
Location Method :	DGPS OFFSET = Calculated location using DGPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	295544
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	NON-POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	4.31
GPS Date :	2002-03-13
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.375456
Longitude :	-81.798554
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: F62
Direction: ESE
Distance: 0.304 mi., 1604 ft.
Elevation: 6 ft.
Relative: Lower

Site Name : 12-505
26.355451, -81.778875
BONITA SPRINGS, FL

Database(s) : [SINKHOLE - FL]

Envirosite ID: 35373489
EPA ID: N/R

SINKHOLE - FL

Facility Address :	BONITA SPRINGS
County :	LEE
Event Date :	2017-12-06
Date Revised :	2022-09-21
Reference Number :	12-505
True Sinkhole :	Unknown
Accuracy :	PARCEL
Report Source :	Private Citizen
Dimension Size :	Unknown
Subsidence Shape :	Unknown
Feature Length (Feet) :	N/R

Map Id: F62
Direction: ESE
Distance: 0.304 mi., 1604 ft.
Elevation: 6 ft.
Relative: Lower

Site Name : 12-505
26.355451, -81.778875
BONITA SPRINGS, FL

Database(s) : [SINKHOLE - FL] ***(cont.)***

Envirosite ID: 35373489
EPA ID: N/R

SINKHOLE - FL ***(cont.)***

Feature Width (Feet) :	N/R
Feature Depth (Feet) :	N/R
Slope (Degrees) :	N/R
Water Visibility in Feature :	Unknown
Depth to Water Below Land Surface (Feet):	N/R
Limestone Visibility in Feature :	Unknown
Cave or Fracture Visibility in Feature:	Unknown
Feature Subsidence Rate :	Unknown
Structure Damage with the Feature :	Unknown
Repair Status :	Unknown
Drainage Structures Within Close Distance to Feature:	Lake
Soil Type :	N/R
Section/Township/Range :	SEC 26, TWP 47S, RNG 25E
Quarter Section 1 :	SW
Quarter Section 2 :	NE
Latitude :	26.355451
Longitude :	-81.778875
Comments :	Caller reports potential sinkhole in lake behind property. They discovered three separate clusters of bubbles in the lake near their home that they believe could be caused by a sinkhole formation.
Additional Comments :	"The source of the bubbles could be from degassing organics in the bottom of the lake. It's unlikely the bubbles are signs of a forming sinkhole(s), as sinkholes are not a common occurrence in the area."
Access :	N/R
Last Date in Agency List :	2026-04-01

Map Id: E63
Direction: N
Distance: 0.309 mi., 1633 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : 360001901
US HWY 41
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8424811
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	360001901
Well Type :	Limited Use PWS Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	US HWY 41, ESTERO, 33928
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	N/R
Well Depth :	N/R

Map Id: E63
Direction: N
Distance: 0.309 mi., 1633 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : 360001901
US HWY 41
ESTERO, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 8424811
EPA ID: N/R

WELLS - FL ***(cont.)***

Length :	N/R
Diameter :	0
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	456386
Location Method :	MMAP = Manual
Project ID :	ANDREW
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	456386
Water Supply Restoration Program ID :	360001901
Water Supply Restoration Program Action:	UNFILTERED
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	N/R
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.443035
Longitude :	-81.812213
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: 64
Direction: W
Distance: 0.313 mi., 1652 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : 262216081483001
26.371167, -81.808222
FL

Database(s) : [NWIS]

Envirosite ID: 8488570
EPA ID: N/R

NWIS

Site Identification Number :	262216081483001
Site Type :	Well
Station Name :	L -5868
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R

Map Id: 64
Direction: W
Distance: 0.313 mi., 1652 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : 262216081483001
26.371167, -81.808222
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8488570
EPA ID: N/R

NWIS ***(cont.)***

Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYNNNNNN
National Aquifer :	Surficial aquifer system
Local Aquifer :	Nonartesian Sand Aquifer
Local Aquifer Type :	N/R
Well Depth :	21
Hole Depth :	N/R
Source of Depth Data :	S
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	2000-05-05
Water-Quality Data End Date :	2000-05-05
Water-Quality Data Count :	1
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.371167
Longitude :	-81.808222
Last Date in Agency List :	2026-02-23

Map Id: E65
Direction: N
Distance: 0.321 mi., 1694 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAC4008
26.429278, -81.812048
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8313661
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAC4008

Map Id: E65
Direction: N
Distance: 0.321 mi., 1694 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAC4008
26.429278, -81.812048
ESTERO, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 8313661
EPA ID: N/R

WELLS - FL ***(cont.)***

Well Type :	Small (<150,000 gpd) Community PWS Well
Well Name :	COVERED WAGON
Status :	ABANDONED
Well Address :	21450 TAMIAMI TRL S, ESTERO, 33928
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	110
Length :	N/R
Diameter :	4
Sanitary Seal :	Yes
Permit Number :	5360065
Location ID :	288066
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	288066
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	NON-POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	32000
PWS Verify :	0
HAE (Height Above Ellipsoid) :	-19.26
GPS Date :	2000-01-31
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.429278
Longitude :	-81.812048
Comments :	Abandoned per CHD
Last Date in Agency List :	2026-05-09

Map Id: E66
Direction: N
Distance: 0.337 mi., 1780 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAG3702
26.443041, -81.812687
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8328707
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAG3702
Well Type :	Private Well
Well Name :	HAWKINSON, ROBERT
Status :	ACTIVE
Well Address :	20361 POINCIANA AVE, ESTERO, 33928
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	0
Length :	N/R
Diameter :	4
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	319868
Location Method :	GPS = Uncorrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	319868
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	3.51
GPS Date :	2003-02-25
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.443041
Longitude :	-81.812687
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: E67
Direction: N
Distance: 0.339 mi., 1791 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAG3701
26.442875, -81.812664
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8352165
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAG3701
Well Type :	Private Well
Well Name :	TOURANGEAU, ALBERT
Status :	ACTIVE
Well Address :	20371 POINCIANA AVE, ESTERO, 33928
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	4
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	319866
Location Method :	GPS = Uncorrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	319866
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	2.55
GPS Date :	2003-02-25
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.442875
Longitude :	-81.812664
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: E68
Direction: N
Distance: 0.340 mi., 1798 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : ZMILLION OIL INC | AAC4007
20260 S TAMIAMI TRAIL | 20260 S TAMIAMI TRL | 20260 TAMIAMI TRL
ESTERO, FL 33928

Database(s) : [WELLS - FL]

Envirosite ID: 68173777
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAC4007
Well Type :	Irrigation or other Non-potable well
Well Name :	SQUARE K
Status :	INACTIVE
Well Address :	20260 S TAMIAMI TRL, ESTERO, 33928
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	4
Sanitary Seal :	Yes
Permit Number :	5364087
Location ID :	288064
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	288064
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	NON-POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	10000
PWS Verify :	0
HAE (Height Above Ellipsoid) :	1.66
GPS Date :	2003-11-21
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.444927
Longitude :	-81.813743
Comments :	On city water as of 1 year ago. Well equipment has been dismantled, although well is still present.
Last Date in Agency List :	2026-05-09

Map Id: E69
Direction: N
Distance: 0.342 mi., 1808 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAG3706
26.443237, -81.812877
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8357516
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAG3706
Well Type :	Private Well
Well Name :	RETHERFOR, MARGIE
Status :	ACTIVE
Well Address :	20350 TRAILSIDE DR, ESTERO, 33928
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	Galvanized
Well Depth :	50
Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	319876
Location Method :	GPS = Uncorrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	319876
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	3.28
GPS Date :	2003-02-25
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.443237
Longitude :	-81.812877
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: E70
Direction: N
Distance: 0.346 mi., 1824 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAD4489
26.443283, -81.812956
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8458659
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAD4489
Well Type :	Private Well
Well Name :	REATHERFORD
Status :	ACTIVE
Well Address :	20350 TRAILSIDE DR, ESTERO, 33928
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	Galvanized
Well Depth :	770
Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	294484
Location Method :	DGPS OFFSET = Calculated location using DGPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	294484
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	-21.78
GPS Date :	2000-03-20
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.443283
Longitude :	-81.812956
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: E71
Direction: N
Distance: 0.349 mi., 1845 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAD4488
26.443064, -81.812911
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8452275
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAD4488
Well Type :	Private Well
Well Name :	KNUTSON
Status :	ACTIVE
Well Address :	20361 POINCIANA AVE, ESTERO, 33928
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	90
Length :	N/R
Diameter :	4
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	294482
Location Method :	DGPS OFFSET = Calculated location using DGPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	294482
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	-21.56
GPS Date :	2000-03-20
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.443064
Longitude :	-81.812911
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: E72
Direction: N
Distance: 0.353 mi., 1865 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAG3705
20399 POINCIANA AVE | 20399 POINCIANNA DR
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 68173783
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAG3705
Well Type :	Private Well
Well Name :	STEWART, JOHN
Status :	ACTIVE
Well Address :	20399 POINCIANA AVE, ESTERO, 33928
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	Galvanized
Well Depth :	716
Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	319874
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	319874
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	1.49
GPS Date :	2003-02-25
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.442459
Longitude :	-81.812919
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: E73
Direction: N
Distance: 0.356 mi., 1879 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAG3704
26.442756, -81.812904
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8347791
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAG3704
Well Type :	Private Well
Well Name :	FONES, KATHLEEN
Status :	ACTIVE
Well Address :	20381 POINCIANA AVE, ESTERO, 33928
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	0
Length :	N/R
Diameter :	4
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	319872
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	319872
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	1
GPS Date :	2003-02-25
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.442756
Longitude :	-81.812904
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: I74
Direction: NNW
Distance: 0.375 mi., 1980 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : 262352081483800
26.398137, -81.810364
FL

Database(s) : [NWIS]

Envirosite ID: 8492045
EPA ID: N/R

NWIS

Site Identification Number :	262352081483800
Site Type :	Ditch
Station Name :	DRAINAGE DITCH NEAR ESTERO FL
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	N/R
Data-Other GW Files :	NNNNNNNN
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	N/R
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	N/R
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	N/R
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	N/R
Water-Quality Data Count :	N/R
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	N/R
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	N/R
Latitude :	26.398137
Longitude :	-81.810364
Last Date in Agency List :	2026-02-23

Map Id: E75
Direction: N
Distance: 0.378 mi., 1994 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAG3700
26.44411, -81.814133
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8416138
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAG3700
Well Type :	Limited Use PWS Well
Well Name :	FERNADEZ
Status :	ACTIVE
Well Address :	20280 TRAILSIDE DR, ESTERO, 33928
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	4
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	319864
Location Method :	DGPS OFFSET = Calculated location using DGPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	319864
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	-1.54
GPS Date :	2003-11-21
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.44411
Longitude :	-81.814133
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: E76
Direction: N
Distance: 0.378 mi., 1996 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAC5389
26.445788, -81.815322
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8314990
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAC5389
Well Type :	Limited Use PWS Well
Well Name :	ESTERO SOD AND LANDSCAPE
Status :	ACTIVE
Well Address :	20190 TAMIAMI TRL S, ESTERO, 33928
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	150
Length :	N/R
Diameter :	4
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	288752
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	288752
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	-19.08
GPS Date :	2000-03-20
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.445788
Longitude :	-81.815322
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: J77
Direction: N
Distance: 0.381 mi., 2010 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : 262625081480201
26.440636, -81.800363
FL

Database(s) : [NWIS]

Envirosite ID: 8521108
EPA ID: N/R

NWIS

Site Identification Number :	262625081480201
Site Type :	Well
Station Name :	L -5608
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	NESWS27 T46S R25E T
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	16
Method Altitude Determined :	N/R
Altitude Accuracy :	2
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYNNNNNN
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	828
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	N/R
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	N/R
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	N/R
Water-Quality Data Count :	N/R
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	N/R
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	N/R
Latitude :	26.440636
Longitude :	-81.800363
Last Date in Agency List :	2026-02-23

Map Id: H78
Direction: N
Distance: 0.383 mi., 2020 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAD4485
26.446048, -81.815594
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8437132
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAD4485
Well Type :	Limited Use PWS Well
Well Name :	J & C AUTO
Status :	ACTIVE
Well Address :	20170 S TAMIAMI TRL, ESTERO, 33928
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	4
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	294476
Location Method :	DGPS OFFSET = Calculated location using DGPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	294476
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	6.84
GPS Date :	2003-11-21
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.446048
Longitude :	-81.815594
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: E79
Direction: N
Distance: 0.394 mi., 2078 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAD4334
26.44359, -81.814069
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8443603
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAD4334
Well Type :	Limited Use PWS Well
Well Name :	FIRST BABTIST OF ESTERO
Status :	ABANDONED
Well Address :	20300 TRAILSIDE DR, ESTERO, 33928
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	Galvanized
Well Depth :	0
Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	294342
Location Method :	DGPS OFFSET = Calculated location using DGPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	294342
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	NON-POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	-17.83
GPS Date :	1999-04-20
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.44359
Longitude :	-81.814069
Comments :	Well is gone and the residence is now on city water.
Last Date in Agency List :	2026-05-09

Map Id: E80
Direction: N
Distance: 0.408 mi., 2155 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAG3703
26.442508, -81.813705
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8416141
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAG3703
Well Type :	Private Well
Well Name :	MURPHY, VICTOR
Status :	ACTIVE
Well Address :	3531 WESTWOOD DR, ESTERO, 33928
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	Galvanized
Well Depth :	N/R
Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	319870
Location Method :	GPS = Uncorrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	319870
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	2.77
GPS Date :	2003-02-25
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.442508
Longitude :	-81.813705
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: J81
Direction: N
Distance: 0.410 mi., 2166 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : 262635081480101
26.443414, -81.800085
FL

Database(s) : [NWIS]

Envirosite ID: 31326088
EPA ID: N/R

NWIS

Site Identification Number :	262635081480101
Site Type :	Well
Station Name :	L -5655
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	16.00
Method Altitude Determined :	N/R
Altitude Accuracy :	.1
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	NNNNNNNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Sandstone Aquifer
Local Aquifer Type :	Confined single aquifer
Well Depth :	80
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	N/R
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	N/R
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	N/R
Water-Quality Data Count :	N/R
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	N/R
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	N/R
Latitude :	26.443414
Longitude :	-81.800085
Last Date in Agency List :	2026-02-23

Map Id: K82
Direction: NNW
Distance: 0.416 mi., 2195 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : 262428081484100
26.408137, -81.811197
FL

Database(s) : [NWIS]

Envirosite ID: 8492073
EPA ID: N/R

NWIS

Site Identification Number :	262428081484100
Site Type :	Stream
Station Name :	HALFWAY CREEK NEAR ESTERO FL
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	N/R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	N/R
Data-Other GW Files :	NNNNNNNN
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	N/R
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	N/R
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	N/R
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	N/R
Water-Quality Data Count :	N/R
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	N/R
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	N/R
Latitude :	26.408137
Longitude :	-81.811197
Last Date in Agency List :	2026-02-23

Map Id: E83
Direction: N
Distance: 0.416 mi., 2198 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : AAD4495
26.444497, -81.815145
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8455452
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAD4495
Well Type :	Limited Use PWS Well
Well Name :	GROEL
Status :	INACTIVE
Well Address :	20240 NORTHWEST DR, ESTERO, 33928
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	4
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	294492
Location Method :	DGPS OFFSET = Calculated location using DGPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	294492
Water Supply Restoration Program ID :	370019301
Water Supply Restoration Program Action:	UNFILTERED
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	26.14
GPS Date :	2003-11-21
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.444497
Longitude :	-81.815145
Comments :	Nobody living at this residence at the current time. Well is still present, but could not sample.
Last Date in Agency List :	2026-05-09

Map Id: D84
Direction: SE
Distance: 0.420 mi., 2218 ft.
Elevation: 8 ft.
Relative: Lower

Site Name : 262032081462400
26.342584, -81.773141
FL

Database(s) : [NWIS]

Envirosite ID: 8491940
EPA ID: N/R

NWIS

Site Identification Number :	262032081462400
Site Type :	Stream
Station Name :	IMPERIAL RIVER NEAR BONITA SPRINGS FL
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	N/R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	N/R
Data-Other GW Files :	NNNNNNNN
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	N/R
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1939-12-16
Water-Quality Data End Date :	1939-12-16
Water-Quality Data Count :	1
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.342584
Longitude :	-81.773141
Last Date in Agency List :	2026-02-23

Map Id: E85
Direction: N
Distance: 0.430 mi., 2269 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAD4493
26.445391, -81.816032
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8443970
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAD4493
Well Type :	Limited Use PWS Well
Well Name :	LAND
Status :	ACTIVE
Well Address :	20160 TRAILSIDE DR, ESTERO, 33928
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	4
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	294488
Location Method :	DGPS OFFSET = Calculated location using DGPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	294488
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	3.43
GPS Date :	2003-11-21
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.445391
Longitude :	-81.816032
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: E86
Direction: N
Distance: 0.432 mi., 2282 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : AAK7772
26.444273, -81.815288
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8354251
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAK7772
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	20241 NORTHWEST DR, ESTERO, 33928
Well County :	LEE
Well Owner Name :	JEFFERY AND SHARON LEASURE
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	0
Length :	0
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	986516
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	PETE HAENGGI
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	986516
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	OWNER
Other Well ID :	N/R
Software :	Well_Solo_v2
Streetside :	No
Agency :	DOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	10.17
GPS Date :	2009-06-12
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.444273
Longitude :	-81.815288
Comments :	Well is buried.
Last Date in Agency List :	2026-05-09

Map Id: B87
Direction: NNW
Distance: 0.433 mi., 2285 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : TOWER
26.386944, -81.811111
ESTERO, FL

Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 1646788
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action :	2004-09-26
Action :	Change
FAA Study Number :	1987ASO01159OE
OBS Number :	12-002654
Obstacle Type :	TOWER
City Name :	ESTERO
State Identifier :	FL
Country Identifier :	USA
Type of Lighting :	Red
Verification Status :	Verified
Quantity :	1
Mark Indicator :	Marked
Above Ground Level Height (Feet) :	00265
Above Mean Sea Level Height (Feet) :	00282
Horizontal Accuracy :	+-100'
Vertical Accuracy :	+-50'
Latitude :	26 23 13.00N
Longitude :	081 48 40.00W

Map Id: K88
Direction: NNW
Distance: 0.456 mi., 2409 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : FL5360084 | ESTERO WOODS VILLAGE-2 WELLS
22700 TAMIAMI TRAIL, S.
ESTERO, FL 33928

Database(s) : [PWS, PWS ENF]

Envirosite ID: 1769155
EPA ID: N/R

PWS

Facility Address :	22700 TAMIAMI TRAIL, S., ESTERO, FL 33928
PWS ID :	FL5360084
PWS Type :	Community water system
PWS Name :	ESTERO WOODS VILLAGE
Activity Status :	Inactive
Primary Source :	Ground water
Submission Year :	2025
Submission Year Quarter :	2025Q3
Population Served Count :	300
Service Connections Count :	148
Population Category 2 :	<10,000
Population Category 3 :	<=3300
Population Category 4 :	<10K
Population Category 5 :	<=500
Population Category 11 :	101-500
Submission Quarter :	3
Submission Status Code :	Y
First Reported Date :	1979-02-10
Last Reported Date :	2025-09-18
Deactivation Date :	1988-06-30
GW or SW :	GW

Map Id: K88
Direction: NNW
Distance: 0.456 mi., 2409 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : FL5360084 | ESTERO WOODS VILLAGE-2 WELLS
22700 TAMIAMI TRAIL, S.
ESTERO, FL 33928

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1769155
EPA ID: N/R

PWS ***(cont.)***

Is Grant Eligible :	N
Is Outstanding Performer :	N/R
Is School or Daycare :	N/R
Is Source Water Protected :	N/R
Primacy Agency :	Florida
Primacy Type :	State
Org Name :	N/R
EPA Region :	Region 4
Admin Name :	ESTERO WOODS VILLAGE
Owner Type :	Private
Phone Number :	813-992-1141
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	N/R
Fax Number :	N/R
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	P
CDS ID :	N/R
DBPR Schedule Category :	N/R
Outstanding Performer Date :	N/R
Season Begin Date :	N/R
Season End Date :	N/R
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2026-03-05

PWS ENF

Facility Address :	22700 TAMIAMI TRAIL, S., ESTERO, FL 33928

Site Details

PWS ID :	FL5360084
PWS Name :	ESTERO WOODS VILLAGE
EPA Region :	Region 4
Primacy Agency :	Florida
PWS Type :	Community water system
Primacy Type :	State
Primary Source :	Ground water
Activity Status :	Inactive
Deactivation Date :	1988-06-30
Owner Type :	Private
Phone Number :	813-992-1141
Last Date in Agency List :	2026-03-13

Violation Details

RTC Enforcement ID :	N/R
Violation ID :	8702613
Submission Year :	2025

Map Id: K88
Direction: NNW
Distance: 0.456 mi., 2409 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : FL5360084 | ESTERO WOODS VILLAGE-2 WELLS
22700 TAMIAMI TRAIL, S.
ESTERO, FL 33928

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1769155
EPA ID: N/R

PWS ENF ***(cont.)***

Violation First Reported Date :	1987-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Maximum Contaminant Level Violation, Average
Is Health Based :	Y
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	2
Address Line 1 :	ESTERO, 33928
Address Line 2 :	22700 TAMIAMI TRAIL, S.
Compliance Status :	System Inactive
RTC Date :	1988-06-30
Enforcement Action Description :	N/R
Admin Name :	ESTERO WOODS VILLAGE
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8119179
Submission Year :	2025
Violation First Reported Date :	1981-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	ESTERO, 33928
Address Line 2 :	22700 TAMIAMI TRAIL, S.
Compliance Status :	System Inactive
RTC Date :	1988-06-30
Enforcement Action Description :	State Unresolved
Admin Name :	ESTERO WOODS VILLAGE
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8023132
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	ESTERO, 33928
Address Line 2 :	22700 TAMIAMI TRAIL, S.

Map Id: K88
Direction: NNW
Distance: 0.456 mi., 2409 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : FL5360084 | ESTERO WOODS VILLAGE-2 WELLS
22700 TAMIAMI TRAIL, S.
ESTERO, FL 33928

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1769155
EPA ID: N/R

PWS ENF ***(cont.)***

Compliance Status :	System Inactive
RTC Date :	1988-06-30
Enforcement Action Description :	N/R
Admin Name :	ESTERO WOODS VILLAGE
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8010546
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	ESTERO, 33928
Address Line 2 :	22700 TAMIAMI TRAIL, S.
Compliance Status :	System Inactive
RTC Date :	1988-06-30
Enforcement Action Description :	N/R
Admin Name :	ESTERO WOODS VILLAGE
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8020525
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	ESTERO, 33928
Address Line 2 :	22700 TAMIAMI TRAIL, S.
Compliance Status :	System Inactive
RTC Date :	1988-06-30
Enforcement Action Description :	N/R
Admin Name :	ESTERO WOODS VILLAGE
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8011927
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)

Map Id: K88
Direction: NNW
Distance: 0.456 mi., 2409 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : FL5360084 | ESTERO WOODS VILLAGE-2 WELLS
22700 TAMIAMI TRAIL, S.
ESTERO, FL 33928

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1769155
EPA ID: N/R

PWS ENF ***(cont.)***

Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	ESTERO, 33928
Address Line 2 :	22700 TAMIAMI TRAIL, S.
Compliance Status :	System Inactive
RTC Date :	1988-06-30
Enforcement Action Description :	N/R
Admin Name :	ESTERO WOODS VILLAGE
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8026040
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	ESTERO, 33928
Address Line 2 :	22700 TAMIAMI TRAIL, S.
Compliance Status :	System Inactive
RTC Date :	1988-06-30
Enforcement Action Description :	N/R
Admin Name :	ESTERO WOODS VILLAGE
Email Address :	N/R

Map Id: B89
Direction: NW
Distance: 0.459 mi., 2424 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : PELICAN LANDING COMMUNITY CENT | FL5364192 | PELICAN LANDING BEACH PARK-PELICAN LANDING BEACH PARK
24501 WALDEN CENTER DR
BONITA SPRINGS, FL 34134

Database(s) : [PWS, PWS ENF]

Envirosite ID: 1765731
EPA ID: N/R

PWS

Facility Address :	24501 WALDEN CENTER DR, BONITA SPRINGS, FL 34134

Map Id: B89
Direction: NW
Distance: 0.459 mi., 2424 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : PELICAN LANDING COMMUNITY CENT | FL5364192 | PELICAN LANDING BEACH PARK-PELICAN LANDING BEACH PARK
24501 WALDEN CENTER DR
BONITA SPRINGS, FL 34134

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1765731
EPA ID: N/R

PWS ***(cont.)***

PWS ID :	FL5364192
PWS Type :	Transient non-community system
PWS Name :	PELICAN LANDING BEACH PARK
Activity Status :	Active
Primary Source :	Ground water
Submission Year :	2025
Submission Year Quarter :	2025Q3
Population Served Count :	600
Service Connections Count :	2
Population Category 2 :	<10,000
Population Category 3 :	<=3300
Population Category 4 :	<10K
Population Category 5 :	501-3,300
Population Category 11 :	501-1,000
Submission Quarter :	3
Submission Status Code :	Y
First Reported Date :	2024-11-14
Last Reported Date :	2025-09-18
Deactivation Date :	N/R
GW or SW :	GW
Is Grant Eligible :	N
Is Outstanding Performer :	N/R
Is School or Daycare :	N/R
Is Source Water Protected :	N/R
Primacy Agency :	Florida
Primacy Type :	State
Org Name :	ELLEN DENNIS
EPA Region :	Region 4
Admin Name :	ELLEN DENNIS
Owner Type :	Private
Phone Number :	239-947-5977
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	N/R
Fax Number :	N/R
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	P
CDS ID :	N/R
DBPR Schedule Category :	N/R
Outstanding Performer Date :	N/R
Season Begin Date :	01-01
Season End Date :	12-31
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2026-03-05

PWS ENF

Facility Address :	24501 WALDEN CENTER DR, BONITA SPRINGS, FL 34134

Map Id: B89
Direction: NW
Distance: 0.459 mi., 2424 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : PELICAN LANDING COMMUNITY CENT | FL5364192 | PELICAN LANDING BEACH PARK-PELICAN LANDING BEACH PARK
24501 WALDEN CENTER DR
BONITA SPRINGS, FL 34134

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1765731
EPA ID: N/R

PWS ENF ***(cont.)***

Site Details

PWS ID :	FL5364192
PWS Name :	PELICAN LANDING BEACH PARK
EPA Region :	Region 4
Primacy Agency :	Florida
PWS Type :	Transient non-community system
Primacy Type :	State
Primary Source :	Ground water
Activity Status :	Active
Deactivation Date :	N/R
Owner Type :	Private
Phone Number :	239-947-5977
Last Date in Agency List :	2026-03-13

Violation Details

RTC Enforcement ID :	N/R
Violation ID :	20250024007
Submission Year :	2025
Violation First Reported Date :	2025-09-18
Contaminant Name :	Revised Total Coliform Rule
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Revised Total Coliform Rule
Violation Type :	Monitoring, Routine (RTCR)
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	24501 WALDEN CENTER DR, BONITA SPRINGS, 34134
Address Line 2 :	N/R
Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	N/R
Admin Name :	ELLEN DENNIS
Email Address :	N/R

Map Id: E90
Direction: N
Distance: 0.476 mi., 2515 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : 262637081485803
26.443969, -81.815919
FL

Database(s) : [NWIS]

Envirosite ID: 8488085
EPA ID: N/R

NWIS

Site Identification Number :	262637081485803
Site Type :	Well
Station Name :	L -2074

Map Id: E90
Direction: N
Distance: 0.476 mi., 2515 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : 262637081485803
26.443969, -81.815919
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8488085
EPA ID: N/R

NWIS ***(cont.)***

Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	N/R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	NNNNNNNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Sandstone Aquifer
Local Aquifer Type :	Confined single aquifer
Well Depth :	N/R
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	N/R
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	N/R
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	N/R
Water-Quality Data Count :	N/R
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	N/R
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	N/R
Latitude :	26.443969
Longitude :	-81.815919
Last Date in Agency List :	2026-02-23

Map Id: E91
Direction: N
Distance: 0.482 mi., 2545 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAK7774
26.444581, -81.81646
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8356444
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAK7774
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	20200 PARK AVE, ESTERO, 33928
Well County :	LEE
Well Owner Name :	ROBERT WOLF
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	0
Length :	0
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	986512
Location Method :	GPS = Uncorrected GPS
Project ID :	SUPER
Insp Name :	PETE HAENGGI
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	986512
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	OWNER
Other Well ID :	N/R
Software :	Well_Solo_v2
Streetside :	No
Agency :	DOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	9.37
GPS Date :	2009-06-12
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.444581
Longitude :	-81.81646
Comments :	Well is buried.
Last Date in Agency List :	2026-05-09

Map Id: E92
Direction: NNW
Distance: 0.487 mi., 2569 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : 262552081485701
26.431747, -81.814808
FL

Database(s) : [NWIS]

Envirosite ID: 8488934
EPA ID: N/R

NWIS

Site Identification Number :	262552081485701
Site Type :	Well
Station Name :	L - 741
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	NENWS33 T46S R25E T
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	15.26
Method Altitude Determined :	Interpolated from topographic map.
Altitude Accuracy :	5.
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	Alluvial terrace
Flags for the Type of Data Collected:	NNNANNNNNNNNNNNNNNNNNNNNNNNO
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYNYNYNN
National Aquifer :	Surficial aquifer system
Local Aquifer :	Sandstone Aquifer
Local Aquifer Type :	N/R
Well Depth :	119
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1975-10-29
Water-Quality Data End Date :	1998-10-05
Water-Quality Data Count :	281
Field Water-Level Measurements Begin Date:	1975-10-29
Field Water-level Measurements End Date:	1998-10-05
Field Water-Level Measurements Count:	280
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.431747
Longitude :	-81.814808
Last Date in Agency List :	2026-02-23

Map Id: E93
Direction: NNW
Distance: 0.494 mi., 2607 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : 262552081485702
26.431222, -81.814917
FL

Database(s) : [NWIS]

Envirosite ID: 8488033
EPA ID: N/R

NWIS

Site Identification Number :	262552081485702
Site Type :	Well
Station Name :	L -2295
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	SWNENWS33 T46S R25E T
Name of Location Map :	ESTERO
Scale of Location Map :	24000
Altitude of Gage/Land Surface :	15.71
Method Altitude Determined :	Level or other surveyed method.
Altitude Accuracy :	.1
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNANNNNNNNNNNNNNNNNNNNNNNNNO
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYNYNYNN
National Aquifer :	Surficial aquifer system
Local Aquifer :	Limestone Aquifer
Local Aquifer Type :	N/R
Well Depth :	610
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	2080-00200
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	2010-02-22
Water-Quality Data Count :	394
Field Water-Level Measurements Begin Date:	1976-10-01
Field Water-level Measurements End Date:	2025-03-26
Field Water-Level Measurements Count:	522
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.431222
Longitude :	-81.814917
Last Date in Agency List :	2026-02-23

Map Id: E94
Direction: N
Distance: 0.495 mi., 2614 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAK7773
26.443977, -81.816283
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8383166
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAK7773
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	20230 PARK AVE, ESTERO, 33928
Well County :	LEE
Well Owner Name :	JAMES BERNARD
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	0
Length :	0
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	986514
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	PETE HAENGGI
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	986514
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	OWNER
Other Well ID :	N/R
Software :	Well_Solo_v2
Streetside :	No
Agency :	DOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	10.27
GPS Date :	2009-06-12
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.443977
Longitude :	-81.816283
Comments :	Well is buried.
Last Date in Agency List :	2026-05-09

Map Id: E95
Direction: NNW
Distance: 0.499 mi., 2633 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : 262552081485703
26.431389, -81.815
FL

Database(s) : [NWIS]

Envirosite ID: 8507719
EPA ID: N/R

NWIS

Site Identification Number :	262552081485703
Site Type :	Well
Station Name :	L -2308
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	NENWS33 T46S R25E T
Name of Location Map :	ESTERO
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	15.49
Method Altitude Determined :	Level or other surveyed method.
Altitude Accuracy :	.1
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	Flat surface
Flags for the Type of Data Collected:	NNNANNNNNNNNNNNNNNNNNNNNNNNNO
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYNYNYNN
National Aquifer :	Surficial aquifer system
Local Aquifer :	Nonartesian Sand Aquifer
Local Aquifer Type :	N/R
Well Depth :	13.5
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	2080-00200
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1912-11-30
Water-Quality Data End Date :	2004-09-22
Water-Quality Data Count :	344
Field Water-Level Measurements Begin Date:	1912-11-30
Field Water-level Measurements End Date:	2004-09-22
Field Water-Level Measurements Count:	343
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.431389
Longitude :	-81.815
Last Date in Agency List :	2026-02-23

Map Id: 96
Direction: SSE
Distance: 0.511 mi., 2700 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : 262054081472601
26.348695, -81.790364
FL

Database(s) : [NWIS]

Envirosite ID: 8507421
EPA ID: N/R

NWIS

Site Identification Number :	262054081472601
Site Type :	Well
Station Name :	L - 508
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	8.00
Method Altitude Determined :	N/R
Altitude Accuracy :	.1
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	NNNNNNNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Sandstone Aquifer
Local Aquifer Type :	Confined single aquifer
Well Depth :	90
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	N/R
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	N/R
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	N/R
Water-Quality Data Count :	N/R
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	N/R
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	N/R
Latitude :	26.348695
Longitude :	-81.790364
Last Date in Agency List :	2026-02-23

Map Id: K97
Direction: NNW
Distance: 0.515 mi., 2719 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : 262441081484701 | 262441081484702
26.411748, -81.812864
FL

Database(s) : [NWIS]

Envirosite ID: 8474283
EPA ID: N/R

NWIS

Site Identification Number :	262441081484702
Site Type :	Well
Station Name :	L -2607
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	N/R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	17.00
Method Altitude Determined :	N/R
Altitude Accuracy :	.1
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	NNNNNNNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Sandstone Aquifer
Local Aquifer Type :	Confined single aquifer
Well Depth :	130
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	N/R
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	N/R
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	N/R
Water-Quality Data Count :	N/R
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	N/R
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	N/R
Latitude :	26.411748
Longitude :	-81.812864
Last Date in Agency List :	2026-02-23

Site Identification Number :	262441081484701
Site Type :	Well
Station Name :	L -2606
Agency :	U.S. Geological Survey

Map Id: K97
Direction: NNW
Distance: 0.515 mi., 2719 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : 262441081484701 | 262441081484702
26.411748, -81.812864
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8474283
EPA ID: N/R

NWIS ***(cont.)***

District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	N/R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	17.00
Method Altitude Determined :	N/R
Altitude Accuracy :	.1
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	NNNNNNNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Sandstone Aquifer
Local Aquifer Type :	Confined single aquifer
Well Depth :	130
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	N/R
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	N/R
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	N/R
Water-Quality Data Count :	N/R
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	N/R
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	N/R
Latitude :	26.411748
Longitude :	-81.812864
Last Date in Agency List :	2026-02-23

Map Id: E98
Direction: N
Distance: 0.528 mi., 2788 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : AAD4498
26.442989, -81.816216
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8439786
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAD4498
Well Type :	Limited Use PWS Well
Well Name :	N/R
Status :	INACTIVE
Well Address :	20290 PARK DR, ESTERO, 33928
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	Galvanized
Well Depth :	120
Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	294496
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	294496
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	-13.33
GPS Date :	2000-03-20
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.442989
Longitude :	-81.816216
Comments :	Nobody living at this residence at the current time. Well is still present, but could not sample.
Last Date in Agency List :	2026-05-09

Map Id: L99
Direction: SSE
Distance: 0.572 mi., 3019 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : 262002081472901
26.333917, -81.791361
FL

Database(s) : [NWIS]

Envirosite ID: 8487501
EPA ID: N/R

NWIS

Site Identification Number :	262002081472901
Site Type :	Well
Station Name :	L -5848
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYNNNNNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Tamiami Formation
Local Aquifer Type :	N/R
Well Depth :	80
Hole Depth :	N/R
Source of Depth Data :	O
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	2000-04-26
Water-Quality Data End Date :	2000-04-26
Water-Quality Data Count :	1
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.333917
Longitude :	-81.791361
Last Date in Agency List :	2026-02-23

Map Id: F100
Direction: ESE
Distance: 0.580 mi., 3063 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : AAR2936
26.36228, -81.780287
Bonita springs, FL

Database(s) : [WELLS - FL]

Envirosite ID: 9483927
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2936
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	10451 Binky LN, Bonita springs, 34135
Well County :	LEE
Well Owner Name :	Gustavo
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1155082
Location Method :	DPHO = Digital Aerial Photos
Project ID :	WC
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1155082
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	yes
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-04-17
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.36228
Longitude :	-81.780287
Comments :	No permission to sample street side point
Last Date in Agency List :	2026-05-09

Map Id: J101
Direction: N
Distance: 0.587 mi., 3099 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : AAD4497
26.44207, -81.79704
ESTERO, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8443915
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAD4497
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	9531 BROADWAY ST, ESTERO, 33928
Well County :	LEE
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	N/R
Well Depth :	N/R
Length :	N/R
Diameter :	0
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	456526
Location Method :	ADDR = Geocoded by address or parcel
Project ID :	ANDREW
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	456526
Water Supply Restoration Program ID :	360007701
Water Supply Restoration Program Action:	UNFILTERED
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	N/R
Large PWS Well :	0
Datum :	WS1984
Latitude :	26.44207
Longitude :	-81.79704
Comments :	SAMPLE #1
Last Date in Agency List :	2026-05-09

Map Id: F102
Direction: ESE
Distance: 0.590 mi., 3115 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAR2937
26.362415, -81.780219
Bonita. Springs, FL

Database(s) : [WELLS - FL]

Envirosite ID: 9483928
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2937
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	10500 Binky LN, Bonita. Springs, 34135
Well County :	LEE
Well Owner Name :	Duanne
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1155081
Location Method :	DPHO = Digital Aerial Photos
Project ID :	WC
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1155081
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	yes
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-04-17
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.362415
Longitude :	-81.780219
Comments :	No permission to sample street side poin
Last Date in Agency List :	2026-05-09

Map Id: F103
Direction: ESE
Distance: 0.614 mi., 3244 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : AAR2938
26.362598, -81.779855
Bonita springs, FL

Database(s) : [WELLS - FL]

Envirosite ID: 9483929
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2938
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	25751 Corzine LN, Bonita springs, 34135
Well County :	LEE
Well Owner Name :	Alfonso
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1155033
Location Method :	GPS (VERIFIED)
Project ID :	WC
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1155033
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	no
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-04-17
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.362598
Longitude :	-81.779855
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: A104
Direction: S
Distance: 0.617 mi., 3258 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : OH2864812
9860 WHITE SANDS PL
BONITA SPRINGS, FL 34135

Database(s) : [PWS, PWS ENF]

Envirosite ID: 1680104
EPA ID: N/R

PWS

Facility Address :	9860 WHITE SANDS PL, BONITA SPRINGS, FL 34135

PWS ID :	OH2864812
PWS Type :	Non-Transient non-community system
PWS Name :	DISTTECH CORPORATE OFFICE PWS
Activity Status :	Inactive
Primary Source :	Ground water
Submission Year :	2025
Submission Year Quarter :	2025Q3
Population Served Count :	40
Service Connections Count :	1
Population Category 2 :	<10,000
Population Category 3 :	<=3300
Population Category 4 :	<10K
Population Category 5 :	<=500
Population Category 11 :	<=100
Submission Quarter :	3
Submission Status Code :	Y
First Reported Date :	1996-06-04
Last Reported Date :	2012-02-29
Deactivation Date :	2011-01-01
GW or SW :	GW
Is Grant Eligible :	N
Is Outstanding Performer :	N/R
Is School or Daycare :	N/R
Is Source Water Protected :	N
Primacy Agency :	Ohio
Primacy Type :	State
Org Name :	MANFREDI, RICHARD J
EPA Region :	Region 5
Admin Name :	MANFREDI, RICHARD J
Owner Type :	Private
Phone Number :	239-253-9191
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	N/R
Fax Number :	N/R
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	P
CDS ID :	N/R
DBPR Schedule Category :	N/R
Outstanding Performer Date :	N/R
Season Begin Date :	01-01
Season End Date :	12-31
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2026-03-05

PWS ENF

Facility Address :	9860 WHITE SANDS PL, BONITA SPRINGS, FL 34135

Map Id: A104
Direction: S
Distance: 0.617 mi., 3258 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : OH2864812
9860 WHITE SANDS PL
BONITA SPRINGS, FL 34135

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1680104
EPA ID: N/R

PWS ENF ***(cont.)***

Site Details

PWS ID :	OH2864812
PWS Name :	DISTTECH CORPORATE OFFICE PWS
EPA Region :	Region 5
Primacy Agency :	Ohio
PWS Type :	Non-Transient non-community system
Primacy Type :	State
Primary Source :	Ground water
Activity Status :	Inactive
Deactivation Date :	2011-01-01
Owner Type :	Private
Phone Number :	239-253-9191
Last Date in Agency List :	2026-03-13

Violation Details

RTC Enforcement ID :	1012001
Violation ID :	8217401
Submission Year :	2025
Violation First Reported Date :	2001-06-14
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Monitoring, Routine Major (TCR)
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	9860 WHITE SANDS PL, BONITA SPRINGS, 34135
Address Line 2 :	N/R
Compliance Status :	Returned to Compliance
RTC Date :	2007-04-19
Enforcement Action Description :	State Compliance achieved
Admin Name :	MANFREDI, RICHARD J
Email Address :	N/R

RTC Enforcement ID :	2080602
Violation ID :	4813402
Submission Year :	2025
Violation First Reported Date :	2002-09-04
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Maximum Contaminant Level Violation, Monthly (TCR)
Is Health Based :	Y
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	2
Address Line 1 :	9860 WHITE SANDS PL, BONITA SPRINGS, 34135
Address Line 2 :	N/R
Compliance Status :	Returned to Compliance
RTC Date :	2007-04-19
Enforcement Action Description :	State Compliance achieved

Map Id: A104
Direction: S
Distance: 0.617 mi., 3258 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : OH2864812
9860 WHITE SANDS PL
BONITA SPRINGS, FL 34135

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1680104
EPA ID: N/R

PWS ENF ***(cont.)***

Admin Name :	MANFREDI, RICHARD J
Email Address :	N/R

RTC Enforcement ID :	8082206
Violation ID :	8077906
Submission Year :	2025
Violation First Reported Date :	2006-02-28
Contaminant Name :	Lead and Copper Rule
Rule Family :	Lead and Copper Rule
Rule Group :	Chemicals
Rule Name :	Lead and Copper Rule
Violation Type :	Follow-up Or Routine LCR Tap M/R
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	9860 WHITE SANDS PL, BONITA SPRINGS, 34135
Address Line 2 :	N/R
Compliance Status :	Returned to Compliance
RTC Date :	2006-08-22
Enforcement Action Description :	State Compliance achieved
Admin Name :	MANFREDI, RICHARD J
Email Address :	N/R

RTC Enforcement ID :	8120203
Violation ID :	5462902
Submission Year :	2025
Violation First Reported Date :	2003-03-15
Contaminant Name :	Atrazine
Rule Family :	Synthetic Organic Chemicals
Rule Group :	Chemicals
Rule Name :	Synthetic Organic Chemicals
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	9860 WHITE SANDS PL, BONITA SPRINGS, 34135
Address Line 2 :	N/R
Compliance Status :	Returned to Compliance
RTC Date :	2002-12-02
Enforcement Action Description :	State Public Notification received
Admin Name :	MANFREDI, RICHARD J
Email Address :	N/R

RTC Enforcement ID :	8120203
Violation ID :	5462802
Submission Year :	2025
Violation First Reported Date :	2003-03-15
Contaminant Name :	Simazine
Rule Family :	Synthetic Organic Chemicals
Rule Group :	Chemicals
Rule Name :	Synthetic Organic Chemicals
Violation Type :	Monitoring, Regular

Map Id: A104
Direction: S
Distance: 0.617 mi., 3258 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : OH2864812
9860 WHITE SANDS PL
BONITA SPRINGS, FL 34135

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1680104
EPA ID: N/R

PWS ENF ***(cont.)***

Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	9860 WHITE SANDS PL, BONITA SPRINGS, 34135
Address Line 2 :	N/R
Compliance Status :	Returned to Compliance
RTC Date :	2002-12-02
Enforcement Action Description :	State Public Notification received
Admin Name :	MANFREDI, RICHARD J
Email Address :	N/R

RTC Enforcement ID :	8120203
Violation ID :	5462702
Submission Year :	2025
Violation First Reported Date :	2003-03-15
Contaminant Name :	LASSO
Rule Family :	Synthetic Organic Chemicals
Rule Group :	Chemicals
Rule Name :	Synthetic Organic Chemicals
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	9860 WHITE SANDS PL, BONITA SPRINGS, 34135
Address Line 2 :	N/R
Compliance Status :	Returned to Compliance
RTC Date :	2002-12-02
Enforcement Action Description :	State Public Notification received
Admin Name :	MANFREDI, RICHARD J
Email Address :	N/R

Map Id: E105
Direction: NNW
Distance: 0.625 mi., 3297 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : 262551081490201
26.431192, -81.817031
FL

Database(s) : [NWIS]

Envirosite ID: 8488191
EPA ID: N/R

NWIS

Site Identification Number :	262551081490201
Site Type :	Well
Station Name :	L - 607
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	NWSWNES33 T46S R25E T

Map Id: E105
Direction: NNW
Distance: 0.625 mi., 3297 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : 262551081490201
26.431192, -81.817031
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8488191
EPA ID: N/R

NWIS ***(cont.)***

Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	13.00
Method Altitude Determined :	Interpolated from topographic map.
Altitude Accuracy :	5.
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	Valley flat
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	1967-01-01
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYNYNNNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Hawthorn Limestone Aquifer
Local Aquifer Type :	N/R
Well Depth :	235
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	N/R
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	N/R
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	N/R
Water-Quality Data Count :	N/R
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	N/R
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	N/R
Latitude :	26.431192
Longitude :	-81.817031
Last Date in Agency List :	2026-02-23

Map Id: I106
Direction: NNW
Distance: 0.633 mi., 3341 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : 262351081485401
26.398137, -81.814531
FL

Database(s) : [NWIS]

Envirosite ID: 8484901
EPA ID: N/R

NWIS

Site Identification Number :	262351081485401
Site Type :	Well
Station Name :	L -5730
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	NESWS09 T47S R25E T
Name of Location Map :	ESTERO
Scale of Location Map :	24000
Altitude of Gage/Land Surface :	16.2
Method Altitude Determined :	Level or other surveyed method.
Altitude Accuracy :	.1
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	Flat surface
Flags for the Type of Data Collected:	ININNNNNNNNNNNNNNNNNNNNNNNNNI
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	1983-04-01
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYNYNYNN
National Aquifer :	Surficial aquifer system
Local Aquifer :	Nonartesian Sand Aquifer
Local Aquifer Type :	Unconfined single aquifer
Well Depth :	40
Hole Depth :	40
Source of Depth Data :	D
Project Number :	2080-00200
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1987-10-29
Water-Quality Data End Date :	2010-02-22
Water-Quality Data Count :	271
Field Water-Level Measurements Begin Date:	1987-10-29
Field Water-level Measurements End Date:	2018-08-15
Field Water-Level Measurements Count:	324
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.398137
Longitude :	-81.814531
Last Date in Agency List :	2026-02-23

Map Id: M107
Direction: SSW
Distance: 0.650 mi., 3431 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : 262138081482901 | 262138081482902 | 262138081482903
26.360694, -81.808083
FL

Database(s) : [NWIS]

Envirosite ID: 8473806
EPA ID: N/R

NWIS

Site Identification Number :	262138081482902
Site Type :	Well
Station Name :	L -5824
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	2000-02-15
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYNNNNNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Tamiami Formation
Local Aquifer Type :	N/R
Well Depth :	100
Hole Depth :	N/R
Source of Depth Data :	S
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	2000-04-04
Water-Quality Data End Date :	2000-04-04
Water-Quality Data Count :	1
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.360694
Longitude :	-81.808083
Last Date in Agency List :	2026-02-23

Site Identification Number :	262138081482903
Site Type :	Well
Station Name :	L -5825

Map Id: M107
Direction: SSW
Distance: 0.650 mi., 3431 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : 262138081482901 | 262138081482902 | 262138081482903
26.360694, -81.808083
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8473806
EPA ID: N/R

NWIS ***(cont.)***

Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	2000-02-15
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYNNNNNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Hawthorn Limestone Aquifer
Local Aquifer Type :	N/R
Well Depth :	220
Hole Depth :	N/R
Source of Depth Data :	S
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	2000-03-20
Water-Quality Data End Date :	2000-03-20
Water-Quality Data Count :	1
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.360694
Longitude :	-81.808083
Last Date in Agency List :	2026-02-23

Site Identification Number :	262138081482901
Site Type :	Well
Station Name :	L -5823
Agency :	U.S. Geological Survey
District :	N/R
State :	FL

Map Id: M107
Direction: SSW
Distance: 0.650 mi., 3431 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : 262138081482901 | 262138081482902 | 262138081482903
26.360694, -81.808083
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8473806
EPA ID: N/R

NWIS ***(cont.)***

County :	Lee County
Country :	USA
Land Net Location :	N/R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYNNNNNN
National Aquifer :	Surficial aquifer system
Local Aquifer :	Nonartesian Sand Aquifer
Local Aquifer Type :	N/R
Well Depth :	23
Hole Depth :	N/R
Source of Depth Data :	S
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	2000-04-04
Water-Quality Data End Date :	2000-04-04
Water-Quality Data Count :	1
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.360694
Longitude :	-81.808083
Last Date in Agency List :	2026-02-23

Map Id: J108
Direction: N
Distance: 0.654 mi., 3454 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : 262612081474601
26.437025, -81.795919
FL

Database(s) : [NWIS]

Envirosite ID: 8476663
EPA ID: N/R

NWIS

Site Identification Number :	262612081474601
Site Type :	Well
Station Name :	L - 458
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S27 T46S R25E T
Name of Location Map :	ESTERO
Scale of Location Map :	24000
Altitude of Gage/Land Surface :	10.00
Method Altitude Determined :	Interpolated from topographic map.
Altitude Accuracy :	5.
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	Alluvial terrace
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNO
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYYYNYNN
National Aquifer :	Floridan aquifer system
Local Aquifer :	Floridan Aquifer System
Local Aquifer Type :	N/R
Well Depth :	842
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	459831200
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1946-04-08
Water-Quality Data End Date :	1973-03-12
Water-Quality Data Count :	3
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.437025
Longitude :	-81.795919
Last Date in Agency List :	2026-02-23

Map Id: J109
Direction: N
Distance: 0.657 mi., 3467 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : 02291580
26.442944, -81.795972
FL

Database(s) : [NWIS]

Envirosite ID: 8523947
EPA ID: N/R

NWIS

Site Identification Number :	02291580
Site Type :	Stream
Station Name :	NORTH BRANCH ESTERO RIVER AT ESTERO, FL
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	SWSWNES27 T46S R25E T
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	ANANNNNNNNNNNNNNNNNNNNNNNNNNA
Flags for Instruments at Site :	YNNNYNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	1987-02-03
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	N/R
Data-Other GW Files :	NNNNNNNN
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	N/R
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	2080-00100
Real-Time Data Flag :	1
Peak-Streamflow Data Begin Date :	1997-09-29
Peak-Streamflow Data End Date :	2024-08-06
Peak-Streamflow Data Count :	22
Water-Quality Data Begin Date :	1988-08-11
Water-Quality Data End Date :	1991-01-07
Water-Quality Data Count :	11
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	1987-03-12
Site-Visit Data End Date :	2025-11-26
Site-Visit Data Count :	275
Latitude :	26.442944
Longitude :	-81.795972
Last Date in Agency List :	2026-02-23

Map Id: J110
Direction: N
Distance: 0.657 mi., 3468 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : 262631081474601
26.442303, -81.795919
FL

Database(s) : [NWIS]

Envirosite ID: 8492653
EPA ID: N/R

NWIS

Site Identification Number :	262631081474601
Site Type :	Well
Station Name :	L -5660
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	15.00
Method Altitude Determined :	N/R
Altitude Accuracy :	.1
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	NNNNNNNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Sandstone Aquifer
Local Aquifer Type :	Confined single aquifer
Well Depth :	80
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	N/R
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	N/R
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	N/R
Water-Quality Data Count :	N/R
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	N/R
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	N/R
Latitude :	26.442303
Longitude :	-81.795919
Last Date in Agency List :	2026-02-23

Map Id: I111
Direction: NNW
Distance: 0.664 mi., 3506 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : 262351081485402
26.39775, -81.815028
FL

Database(s) : [NWIS]

Envirosite ID: 8474257
EPA ID: N/R

NWIS

Site Identification Number :	262351081485402
Site Type :	Well
Station Name :	L -5731
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	NWNESWS09 T47S R25E T
Name of Location Map :	ESTERO
Scale of Location Map :	24000
Altitude of Gage/Land Surface :	15.67
Method Altitude Determined :	Level or other surveyed method.
Altitude Accuracy :	.01
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	Flat surface
Flags for the Type of Data Collected:	ANANNNNNNNNNNNNNNNNNNNNNNNNNO
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	1983-04-01
Date Site Established or Inventoried:	1987-11-30
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYNYNYNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Sandstone Aquifer
Local Aquifer Type :	Confined single aquifer
Well Depth :	120
Hole Depth :	120
Source of Depth Data :	D
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1987-01-30
Water-Quality Data End Date :	2000-04-26
Water-Quality Data Count :	125
Field Water-Level Measurements Begin Date:	1987-01-30
Field Water-level Measurements End Date:	1994-11-22
Field Water-Level Measurements Count:	123
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.39775
Longitude :	-81.815028
Last Date in Agency List :	2026-02-23

Map Id: J112
Direction: N
Distance: 0.671 mi., 3543 ft.
Elevation: 7 ft.
Relative: Lower

Site Name : 262610081474501
26.436469, -81.795641
FL

Database(s) : [NWIS]

Envirosite ID: 8480304
EPA ID: N/R

NWIS

Site Identification Number :	262610081474501
Site Type :	Well
Station Name :	WELL 1MI W OF ESTERO FL
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	NNNNNNNN
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	N/R
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1934-07-17
Water-Quality Data End Date :	1934-07-17
Water-Quality Data Count :	1
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.436469
Longitude :	-81.795641
Last Date in Agency List :	2026-02-23

Map Id: N113
Direction: SSE
Distance: 0.719 mi., 3795 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : TOWER
26.325278, -81.772222
BONITA SPRINGS, FL

Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 1645680
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action :	2006-04-23
Action :	Change
FAA Study Number :	2006ASO00434OE
OBS Number :	12-003100
Obstacle Type :	TOWER
City Name :	BONITA SPRINGS
State Identifier :	FL
Country Identifier :	USA
Type of Lighting :	Medium Intensity White Strobe & Red
Verification Status :	Verified
Quantity :	1
Mark Indicator :	None
Above Ground Level Height (Feet) :	00305
Above Mean Sea Level Height (Feet) :	00317
Horizontal Accuracy :	+-500'
Vertical Accuracy :	+-50'
Latitude :	26 19 31.00N
Longitude :	081 46 20.00W

Map Id: N114
Direction: SSE
Distance: 0.725 mi., 3830 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : FARMER MIKES PRODUCE, INC.-FARMER MIKES PRODUCE, INC. | FL5364188
10956 ENTERPRISE AVENUE
BONITA SPRINGS, FL 34135

Database(s) : [PWS]

Envirosite ID: 62454023
EPA ID: N/R

PWS

Facility Address :	10956 ENTERPRISE AVENUE, BONITA SPRINGS, FL 34135
PWS ID :	FL5364188
PWS Type :	Transient non-community system
PWS Name :	FARMER MIKES PRODUCE, INC.
Activity Status :	Active
Primary Source :	Ground water
Submission Year :	2025
Submission Year Quarter :	2025Q3
Population Served Count :	200
Service Connections Count :	1
Population Category 2 :	<10,000
Population Category 3 :	<=3300
Population Category 4 :	<10K
Population Category 5 :	<=500
Population Category 11 :	101-500
Submission Quarter :	3
Submission Status Code :	Y
First Reported Date :	2024-11-14
Last Reported Date :	2025-09-18
Deactivation Date :	N/R
GW or SW :	GW

Map Id: N114
Direction: SSE
Distance: 0.725 mi., 3830 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : FARMER MIKES PRODUCE, INC.-FARMER MIKES PRODUCE, INC. | FL5364188
10956 ENTERPRISE AVENUE
BONITA SPRINGS, FL 34135

Database(s) : [PWS] ***(cont.)***

Envirosite ID: 62454023
EPA ID: N/R

PWS ***(cont.)***

Is Grant Eligible :	N
Is Outstanding Performer :	N/R
Is School or Daycare :	N/R
Is Source Water Protected :	N/R
Primacy Agency :	Florida
Primacy Type :	State
Org Name :	HARLAN HASKINS
EPA Region :	Region 4
Admin Name :	MABEL LAGO
Owner Type :	Private
Phone Number :	239-293-9816
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	N/R
Fax Number :	N/R
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	P
CDS ID :	N/R
DBPR Schedule Category :	N/R
Outstanding Performer Date :	N/R
Season Begin Date :	01-01
Season End Date :	12-31
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2026-03-05

Map Id: E115
Direction: NNW
Distance: 0.726 mi., 3833 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : 262558081490801
26.433136, -81.818697
FL

Database(s) : [NWIS]

Envirosite ID: 8485069
EPA ID: N/R

NWIS

Site Identification Number :	262558081490801
Site Type :	Well
Station Name :	L -6401
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	NWNWS33 T46S R25E T
Name of Location Map :	ESTERO
Scale of Location Map :	24000
Altitude of Gage/Land Surface :	11

Map Id: E115
Direction: NNW
Distance: 0.726 mi., 3833 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : 262558081490801
26.433136, -81.818697
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8485069
EPA ID: N/R

NWIS ***(cont.)***

Method Altitude Determined :	N/R
Altitude Accuracy :	2
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Minimal data.
Data-Other GW Files :	YYNNNNNN
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	822
Hole Depth :	822
Source of Depth Data :	A
Project Number :	N/R
Real-Time Data Flag :	N/R
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	N/R
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	N/R
Water-Quality Data Count :	N/R
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	N/R
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	N/R
Latitude :	26.433136
Longitude :	-81.818697
Last Date in Agency List :	2026-02-23

Map Id: J116
Direction: N
Distance: 0.783 mi., 4135 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : 02291597
26.42875, -81.793444
FL

Database(s) : [NWIS]

Envirosite ID: 8460151
EPA ID: N/R

NWIS

Site Identification Number :	02291597
Site Type :	Stream
Station Name :	SOUTH BRANCH ESTERO RIVER AT ESTERO, FL

Map Id: J116
Direction: N
Distance: 0.783 mi., 4135 ft.
Elevation: 10 ft.
Relative: Lower

Site Name : 02291597
26.42875, -81.793444
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8460151
EPA ID: N/R

NWIS ***(cont.)***

Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	NWS34 T46S R25E T
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	ANANNNNNNNNNNNNNNNNNNNNNNNNNA
Flags for Instruments at Site :	YNNNYNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	1987-02-03
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	N/R
Data-Other GW Files :	NNNNNNNN
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	N/R
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	2080-00100
Real-Time Data Flag :	1
Peak-Streamflow Data Begin Date :	2010-04-18
Peak-Streamflow Data End Date :	2024-08-06
Peak-Streamflow Data Count :	15
Water-Quality Data Begin Date :	1988-08-11
Water-Quality Data End Date :	1991-01-07
Water-Quality Data Count :	14
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	1987-03-12
Site-Visit Data End Date :	2025-11-26
Site-Visit Data Count :	350
Latitude :	26.42875
Longitude :	-81.793444
Last Date in Agency List :	2026-02-23

Map Id: F117
Direction: E
Distance: 0.806 mi., 4256 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAR2939
26.366453, -81.780017
Bonita springs, FL

Database(s) : [WELLS - FL]

Envirosite ID: 9483931
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2939
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	25581 Corzine LN, Bonita springs, 34135
Well County :	LEE
Well Owner Name :	Burnett
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1155032
Location Method :	GPS (VERIFIED)
Project ID :	WC
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1155032
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	no
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-04-17
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.366453
Longitude :	-81.780017
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: F118
Direction: E
Distance: 0.817 mi., 4316 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : AAR2951
26.368215, -81.781915
Bonita springs, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8839371
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2951
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	10351 Tigress LN, Bonita springs, 34135
Well County :	LEE
Well Owner Name :	Michael Lamendola
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	4
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1155069
Location Method :	DPHO = Digital Aerial Photos
Project ID :	WC
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1155069
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	yes
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-04-18
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.368215
Longitude :	-81.781915
Comments :	No permission to sample street side poin
Last Date in Agency List :	2026-05-09

Map Id: F119
Direction: E
Distance: 0.829 mi., 4378 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAR2955
26.367767, -81.78107
Bonita. Springs, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8839380
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2955
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	10400 Tigress LN, Bonita. Springs, 34135
Well County :	LEE
Well Owner Name :	Thomas Hubbell
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1155083
Location Method :	GPS (VERIFIED)
Project ID :	WC
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1155083
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	no
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-04-18
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.367767
Longitude :	-81.78107
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: F120
Direction: E
Distance: 0.843 mi., 4450 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAR2949
26.36778, -81.78076
Bonita springs, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8839366
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2949
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	10450 Tigress LN, Bonita springs, 34135
Well County :	LEE
Well Owner Name :	Joe Rubin
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1155036
Location Method :	GPS (VERIFIED)
Project ID :	WC
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1155036
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	no
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-04-18
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.36778
Longitude :	-81.78076
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: F121
Direction: E
Distance: 0.845 mi., 4459 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAR2940
26.367383, -81.780228
Bonita springs, FL

Database(s) : [WELLS - FL]

Envirosite ID: 9483932
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2940
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	25491 Corzine LN, Bonita springs, 34135
Well County :	LEE
Well Owner Name :	Mullin
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1155078
Location Method :	DPHO = Digital Aerial Photos
Project ID :	WC
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1155078
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	yes
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-04-17
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.367383
Longitude :	-81.780228
Comments :	No permission to sample street side poin
Last Date in Agency List :	2026-05-09

Map Id: C122
Direction: S
Distance: 0.848 mi., 4479 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : FL5114097 | COMMUNITY CHURCH OF CHRIST-PLANT ID = 01 SOURCE ID = 00
15300 TAMIAMI TRAIL N.
NAPLES, FL 33963

Database(s) : [PWS, PWS ENF]

Envirosite ID: 1680248
EPA ID: N/R

PWS

Facility Address :	15300 TAMIAMI TRAIL N., NAPLES, FL 33963
PWS ID :	FL5114097
PWS Type :	Transient non-community system
PWS Name :	COMMUNITY CHURCH OF CHRIST
Activity Status :	Inactive
Primary Source :	Ground water
Submission Year :	2025
Submission Year Quarter :	2025Q3
Population Served Count :	500
Service Connections Count :	1
Population Category 2 :	<10,000
Population Category 3 :	<=3300
Population Category 4 :	<10K
Population Category 5 :	<=500
Population Category 11 :	101-500
Submission Quarter :	3
Submission Status Code :	Y
First Reported Date :	1990-09-21
Last Reported Date :	2025-09-18
Deactivation Date :	1992-08-14
GW or SW :	GW
Is Grant Eligible :	N
Is Outstanding Performer :	N/R
Is School or Daycare :	N/R
Is Source Water Protected :	N/R
Primacy Agency :	Florida
Primacy Type :	State
Org Name :	N/R
EPA Region :	Region 4
Admin Name :	COMMUNITY CHURCH OF CHRIST
Owner Type :	Private
Phone Number :	N/R
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	N/R
Fax Number :	N/R
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	P
CDS ID :	N/R
DBPR Schedule Category :	N/R
Outstanding Performer Date :	N/R
Season Begin Date :	01-01
Season End Date :	12-31
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2026-03-05

PWS ENF

Facility Address :	15300 TAMIAMI TRAIL N., NAPLES, FL 33963

Map Id: C122
Direction: S
Distance: 0.848 mi., 4479 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : FL5114097 | COMMUNITY CHURCH OF CHRIST-PLANT ID = 01 SOURCE ID = 00
15300 TAMIAMI TRAIL N.
NAPLES, FL 33963

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1680248
EPA ID: N/R

PWS ENF ***(cont.)***

Site Details

PWS ID :	FL5114097
PWS Name :	COMMUNITY CHURCH OF CHRIST
EPA Region :	Region 4
Primacy Agency :	Florida
PWS Type :	Transient non-community system
Primacy Type :	State
Primary Source :	Ground water
Activity Status :	Inactive
Deactivation Date :	1992-08-14
Owner Type :	Private
Phone Number :	N/R
Last Date in Agency List :	2026-03-13

Violation Details

RTC Enforcement ID :	N/R
Violation ID :	92V0002
Submission Year :	2025
Violation First Reported Date :	1992-12-03
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Monitoring, Routine Major (TCR)
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	NAPLES, 33963
Address Line 2 :	15300 TAMIAMI TRAIL N.
Compliance Status :	System Inactive
RTC Date :	1992-08-14
Enforcement Action Description :	State Violation/Reminder Notice
Admin Name :	COMMUNITY CHURCH OF CHRIST
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	91V0003
Submission Year :	2025
Violation First Reported Date :	1991-08-16
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	NAPLES, 33963
Address Line 2 :	15300 TAMIAMI TRAIL N.
Compliance Status :	System Inactive
RTC Date :	1992-08-14

Map Id: C122
Direction: S
Distance: 0.848 mi., 4479 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : FL5114097 | COMMUNITY CHURCH OF CHRIST-PLANT ID = 01 SOURCE ID = 00
15300 TAMIAMI TRAIL N.
NAPLES, FL 33963

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1680248
EPA ID: N/R

PWS ENF ***(cont.)***

Enforcement Action Description :	State Violation/Reminder Notice
Admin Name :	COMMUNITY CHURCH OF CHRIST
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	91V0004
Submission Year :	2025
Violation First Reported Date :	1991-11-26
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Monitoring, Routine Minor (TCR)
Is Health Based :	N
Is Major Violation :	N
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	NAPLES, 33963
Address Line 2 :	15300 TAMIAMI TRAIL N.
Compliance Status :	System Inactive
RTC Date :	1992-08-14
Enforcement Action Description :	State Violation/Reminder Notice
Admin Name :	COMMUNITY CHURCH OF CHRIST
Email Address :	N/R

Site Details

PWS ID :	FL5114097
PWS Name :	COMMUNITY CHURCH OF CHRIST
EPA Region :	Region 4
Primacy Agency :	Florida
PWS Type :	Transient non-community system
Primacy Type :	State
Primary Source :	Ground water
Activity Status :	Inactive
Deactivation Date :	1992-08-14
Owner Type :	Private
Phone Number :	N/R
Last Date in Agency List :	2021-09-28

Violation Details

RTC Enforcement ID :	N/R
Violation ID :	91V0004
Submission Year :	2021
Violation First Reported Date :	1991-11-26
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Monitoring, Routine Minor (TCR)
Is Health Based :	N
Is Major Violation :	N

Map Id: C122
Direction: S
Distance: 0.848 mi., 4479 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : FL5114097 | COMMUNITY CHURCH OF CHRIST-PLANT ID = 01 SOURCE ID = 00
15300 TAMIAMI TRAIL N.
NAPLES, FL 33963

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 1680248
EPA ID: N/R

PWS ENF ***(cont.)***

Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	NAPLES, 33963
Address Line 2 :	15300 TAMIAMI TRAIL N.
Compliance Status :	System Inactive
RTC Date :	1992-08-14
Enforcement Action Description :	State Violation/Reminder Notice
Admin Name :	COMMUNITY CHURCH OF CHRIST
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	92V0002
Submission Year :	2021
Violation First Reported Date :	1992-12-03
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Monitoring, Routine Major (TCR)
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	NAPLES, 33963
Address Line 2 :	15300 TAMIAMI TRAIL N.
Compliance Status :	System Inactive
RTC Date :	1992-08-14
Enforcement Action Description :	State Violation/Reminder Notice
Admin Name :	COMMUNITY CHURCH OF CHRIST
Email Address :	N/R

Map Id: F123
Direction: E
Distance: 0.848 mi., 4480 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : AAR2950
26.368206, -81.781151
Bonita springs, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8839369
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2950
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	10401 Tigress LN, Bonita springs, 34135
Well County :	LEE
Well Owner Name :	Teresa Bubin
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC

Map Id: F123
Direction: E
Distance: 0.848 mi., 4480 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : AAR2950
26.368206, -81.781151
Bonita springs, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 8839369
EPA ID: N/R

WELLS - FL ***(cont.)***

Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1155070
Location Method :	DPHO = Digital Aerial Photos
Project ID :	WC
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1155070
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	yes
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-04-18
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.368206
Longitude :	-81.781151
Comments :	No permission to sample street side poin
Last Date in Agency List :	2026-05-09

Map Id: F124
Direction: E
Distance: 0.870 mi., 4593 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAR2952
26.369173, -81.781836
Bonita springs, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8839373
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2952
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	10351 Jef Nik LN, Bonita springs, 34135
Well County :	LEE
Well Owner Name :	David Maclean
Phone :	N/R
Phone Extension :	N/R

Map Id: F124
Direction: E
Distance: 0.870 mi., 4593 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAR2952
26.369173, -81.781836
Bonita springs, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 8839373
EPA ID: N/R

WELLS - FL ***(cont.)***

Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1155068
Location Method :	DPHO = Digital Aerial Photos
Project ID :	WC
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1155068
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	yes
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-04-18
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.369173
Longitude :	-81.781836
Comments :	No permission to sample street side poin
Last Date in Agency List :	2026-05-09

Map Id: J125
Direction: N
Distance: 0.871 mi., 4597 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : AAR2983
26.432576, -81.792467
Estero, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8884501
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2983
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	21156 See see ST, Estero, 33928
Well County :	LEE
Well Owner Name :	Malaria
Phone :	N/R

Map Id: J125
Direction: N
Distance: 0.871 mi., 4597 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : AAR2983
26.432576, -81.792467
Estero, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 8884501
EPA ID: N/R

WELLS - FL ***(cont.)***

Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1158633
Location Method :	GPS (VERIFIED)
Project ID :	SUPER
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1158633
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	no
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-09-05
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.432576
Longitude :	-81.792467
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: M126
Direction: S
Distance: 0.873 mi., 4608 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : 262112081481701
26.353278, -81.804806
FL

Database(s) : [NWIS]

Envirosite ID: 8476549
EPA ID: N/R

NWIS

Site Identification Number :	262112081481701
Site Type :	Well
Station Name :	L -5828
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County

Map Id: M126
Direction: S
Distance: 0.873 mi., 4608 ft.
Elevation: 11 ft.
Relative: Lower

Site Name : 262112081481701
26.353278, -81.804806
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8476549
EPA ID: N/R

NWIS ***(cont.)***

Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	2000-02-15
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYNNNNNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Hawthorn Limestone Aquifer
Local Aquifer Type :	N/R
Well Depth :	271
Hole Depth :	N/R
Source of Depth Data :	S
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	2000-03-21
Water-Quality Data End Date :	2000-03-21
Water-Quality Data Count :	1
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.353278
Longitude :	-81.804806
Last Date in Agency List :	2026-02-23

Map Id: J127
Direction: N
Distance: 0.876 mi., 4625 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : AAR2980
26.433587, -81.792387
Estero, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8884495
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2980
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	21084 See See, Estero, 33928
Well County :	LEE
Well Owner Name :	Amundsen
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1158634
Location Method :	GPS (VERIFIED)
Project ID :	SUPER
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1158634
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	no
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-09-05
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.433587
Longitude :	-81.792387
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: J128
Direction: N
Distance: 0.877 mi., 4631 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : AAR2984
26.432422, -81.792363
Estero, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8884503
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2984
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	21180 See see, Estero, 33928
Well County :	LEE
Well Owner Name :	Volgat
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1158632
Location Method :	GPS (VERIFIED)
Project ID :	SUPER
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1158632
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	no
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-09-05
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.432422
Longitude :	-81.792363
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: F129
Direction: E
Distance: 0.899 mi., 4746 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAR2941
26.368155, -81.779868
Bonita springs, FL

Database(s) : [WELLS - FL]

Envirosite ID: 9483933
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2941
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	25411 Corzine LN, Bonita springs, 34135
Well County :	LEE
Well Owner Name :	Cole Schultz
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1155031
Location Method :	GPS (VERIFIED)
Project ID :	WC
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1155031
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	no
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-04-17
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.368155
Longitude :	-81.779868
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: L130
Direction: S
Distance: 0.906 mi., 4783 ft.
Elevation: 15 ft.
Relative: Higher

Site Name : HOLZINGER, DR. JEFF | 7-ELEVEN NO. 38285-7-ELEVEN NO. 38285 WTP | FL5364180
9200 BONITA BEACH ROAD, SUITE 105 | 9200 BONITA BEACH ROAD SUITE # 112
BONITA SPRINGS, FL 34135

Database(s) : [PWS]

Envirosite ID: 40391432
EPA ID: N/R

PWS

Facility Address :	9200 BONITA BEACH ROAD, SUITE 105, BONITA SPRINGS, FL 34135
PWS ID :	FL5364180
PWS Type :	Transient non-community system
PWS Name :	7-ELEVEN NO. 38285
Activity Status :	Active
Primary Source :	Ground water
Submission Year :	2021
Submission Year Quarter :	2021Q1
Population Served Count :	26
Service Connections Count :	1
Population Category 2 :	<10,000
Population Category 3 :	<=3300
Population Category 4 :	<10K
Population Category 5 :	<=500
Population Category 11 :	<=100
Submission Quarter :	1
Submission Status Code :	Y
First Reported Date :	2020-11-17
Last Reported Date :	2021-02-16
Deactivation Date :	N/R
GW or SW :	Groundwater
Is Grant Eligible :	Y
Is Outstanding Performer :	N/R
Is School or Daycare :	N
Is Source Water Protected :	N/R
Primacy Agency :	Florida
Primacy Type :	State
Org Name :	SNOWLICK MOUNTAIN RANCH, LLC
EPA Region :	Region 4
Admin Name :	SNOWLICK MOUNTAIN RANCH, LLC
Owner Type :	Private
Phone Number :	999-999-9999
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	N/R
Fax Number :	N/R
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	Y
CDS ID :	N/R
DBPR Schedule Category :	N/R
Outstanding Performer Date :	N/R
Season Begin Date :	01-01
Season End Date :	12-31
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2021-07-02

Map Id: F131
Direction: E
Distance: 0.907 mi., 4791 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAR2947
26.370527, -81.782617
Bonita springs, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8839362
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2947
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	10301 West side LN, Bonita springs, 34135
Well County :	LEE
Well Owner Name :	Motes
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1155037
Location Method :	GPS (VERIFIED)
Project ID :	WC
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1155037
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	no
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-04-17
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.370527
Longitude :	-81.782617
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: J132
Direction: N
Distance: 0.914 mi., 4825 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAR2979
26.434029, -81.791733
Estero, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8884493
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2979
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	21059 See see ST, Estero, 33928
Well County :	LEE
Well Owner Name :	Mcnulty
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1158635
Location Method :	DPHO = Digital Aerial Photos
Project ID :	SUPER
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1158635
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	yes
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-09-05
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.434029
Longitude :	-81.791733
Comments :	No permission to sample
Last Date in Agency List :	2026-05-09

Map Id: F133
Direction: E
Distance: 0.914 mi., 4828 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAR2945
26.369827, -81.781573
Bonita springs, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8839358
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2945
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	10350 West side LN, Bonita springs, 34135
Well County :	LEE
Well Owner Name :	Trinity Melton
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1155072
Location Method :	GPS (VERIFIED)
Project ID :	WC
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1155072
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	no
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-04-17
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.369827
Longitude :	-81.781573
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: J134
Direction: N
Distance: 0.917 mi., 4842 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAR2981
26.433688, -81.791709
Estero, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8884497
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2981
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	21083 See See ST, Estero, 33928
Well County :	LEE
Well Owner Name :	Hilly brook
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1158640
Location Method :	DPHO = Digital Aerial Photos
Project ID :	SUPER
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1158640
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	yes
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-09-05
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.433688
Longitude :	-81.791709
Comments :	No permission to sample street side poin
Last Date in Agency List :	2026-05-09

Map Id: J135
Direction: N
Distance: 0.917 mi., 4844 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : AAR2985
26.432307, -81.791711
Estero, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8884505
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2985
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	21179 See see ST, Estero, 33928
Well County :	LEE
Well Owner Name :	Amundsen
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1158631
Location Method :	DPHO = Digital Aerial Photos
Project ID :	SUPER
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1158631
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	yes
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-09-05
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.432307
Longitude :	-81.791711
Comments :	No permission to sample
Last Date in Agency List :	2026-05-09

Map Id: J136
Direction: N
Distance: 0.918 mi., 4845 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : AAR2986
26.431905, -81.791684
Estero, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8884507
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2986
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	21204 See see ST, Estero, 33928
Well County :	LEE
Well Owner Name :	Popowicz
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1158630
Location Method :	DPHO = Digital Aerial Photos
Project ID :	SUPER
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1158630
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	yes
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-09-05
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.431905
Longitude :	-81.791684
Comments :	No permission to sample
Last Date in Agency List :	2026-05-09

Map Id: J137
Direction: N
Distance: 0.919 mi., 4851 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAR2982
26.432986, -81.791694
Estero, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8884499
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2982
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	21131 See See ST, Estero, 33928
Well County :	LEE
Well Owner Name :	Hilly brook
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1158639
Location Method :	DPHO = Digital Aerial Photos
Project ID :	SUPER
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1158639
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	yes
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-09-05
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.432986
Longitude :	-81.791694
Comments :	No permission to sample street side poin
Last Date in Agency List :	2026-05-09

Map Id: F138
Direction: E
Distance: 0.919 mi., 4854 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAR2948
26.369846, -81.78148
Bonita springs, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8839364
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2948
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	10400 West side LN, Bonita springs, 34135
Well County :	LEE
Well Owner Name :	Wendling
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1155071
Location Method :	GPS (VERIFIED)
Project ID :	WC
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1155071
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	no
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-04-17
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.369846
Longitude :	-81.78148
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: F139
Direction: E
Distance: 0.919 mi., 4854 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAR2953
26.369876, -81.781517
Bonita springs, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8839375
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2953
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	10401 Jef Nik LN, Bonita springs, 34135
Well County :	LEE
Well Owner Name :	Rodd
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1155067
Location Method :	GPS (VERIFIED)
Project ID :	WC
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1155067
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	no
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-04-18
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.369876
Longitude :	-81.781517
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: F140
Direction: E
Distance: 0.932 mi., 4923 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAR2954
26.369348, -81.780541
Bonita springs, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8839378
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2954
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	10451 Jef Nik LN, Bonita springs, 34135
Well County :	LEE
Well Owner Name :	Michael Fuchs
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1155066
Location Method :	DPHO = Digital Aerial Photos
Project ID :	WC
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1155066
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	yes
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-04-18
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.369348
Longitude :	-81.780541
Comments :	No permission to sample street side poin
Last Date in Agency List :	2026-05-09

Map Id: 141
Direction: S
Distance: 0.935 mi., 4935 ft.
Elevation: 6 ft.
Relative: Lower

Site Name : 261650081473500
26.280919, -81.792865
FL

Database(s) : [NWIS]

Envirosite ID: 8504842
EPA ID: N/R

NWIS

Site Identification Number :	261650081473500
Site Type :	Stream
Station Name :	COCOHATCHEERIVERSOUTHOFBONITA SPRINGS FLA
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	N/R
Data-Other GW Files :	NNNNNNNN
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	N/R
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	N/R
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	N/R
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	N/R
Water-Quality Data Count :	N/R
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	N/R
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	N/R
Latitude :	26.280919
Longitude :	-81.792865
Last Date in Agency List :	2026-02-23

Map Id: 142
Direction: NNE
Distance: 0.940 mi., 4961 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : FL5114136 | FL5114137 | FL5114131
9990 COCONUT ROAD SUITE 102 | 9990 COCOUNUT ROAD SUITE 200
BONITA SPRINGS, FL 34135

Database(s) : [PWS]

Envirosite ID: 1735448
EPA ID: N/R

PWS

Facility Address :	9990 COCONUT ROAD SUITE 102, BONITA SPRINGS, FL 34135
PWS ID :	FL5114137
PWS Type :	Transient non-community system
PWS Name :	BONITA BAY GOLF CLUB REST SHELTER 2
Activity Status :	Active
Primary Source :	Ground water
Submission Year :	2016
Submission Year Quarter :	2016Q2
Population Served Count :	200
Service Connections Count :	1
Population Category 2 :	<10,000
Population Category 3 :	<=3300
Population Category 4 :	<10K
Population Category 5 :	<=500
Population Category 11 :	101-500
Submission Quarter :	2
Submission Status Code :	Y
First Reported Date :	1998-12-03
Last Reported Date :	2016-05-18
Deactivation Date :	N/R
GW or SW :	Groundwater
Is Grant Eligible :	Y
Is Outstanding Performer :	N/R
Is School or Daycare :	N
Is Source Water Protected :	N/R
Primacy Agency :	Florida
Primacy Type :	State
Org Name :	DENNIS CAFARO
EPA Region :	Region 4
Admin Name :	DENNIS CAFARO
Owner Type :	Private
Phone Number :	239-495-5805
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	N/R
Fax Number :	N/R
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	Y
CDS ID :	N/R
DBPR Schedule Category :	N/R
Outstanding Performer Date :	N/R
Season Begin Date :	01-01
Season End Date :	12-31
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2016-09-05
PWS ID :	FL5114136
PWS Type :	Transient non-community system

Map Id: 142
Direction: NNE
Distance: 0.940 mi., 4961 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : FL5114136 | FL5114137 | FL5114131
9990 COCONUT ROAD SUITE 102 | 9990 COCOUNUT ROAD SUITE 200
BONITA SPRINGS, FL 34135

Database(s) : [PWS] ***(cont.)***

Envirosite ID: 1735448
EPA ID: N/R

PWS ***(cont.)***

PWS Name :	BONITA BAY EAST GOLF CLUB REST SHELTER 1
Activity Status :	Active
Primary Source :	Ground water
Submission Year :	2016
Submission Year Quarter :	2016Q2
Population Served Count :	200
Service Connections Count :	1
Population Category 2 :	<10,000
Population Category 3 :	<=3300
Population Category 4 :	<10K
Population Category 5 :	<=500
Population Category 11 :	101-500
Submission Quarter :	2
Submission Status Code :	Y
First Reported Date :	1998-12-03
Last Reported Date :	2016-05-18
Deactivation Date :	N/R
GW or SW :	Groundwater
Is Grant Eligible :	Y
Is Outstanding Performer :	N/R
Is School or Daycare :	N
Is Source Water Protected :	N/R
Primacy Agency :	Florida
Primacy Type :	State
Org Name :	DENNIS CAFARO
EPA Region :	Region 4
Admin Name :	DENNIS CAFARO
Owner Type :	Private
Phone Number :	239-495-5805
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	N/R
Fax Number :	N/R
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	Y
CDS ID :	N/R
DBPR Schedule Category :	N/R
Outstanding Performer Date :	N/R
Season Begin Date :	01-01
Season End Date :	12-31
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2016-09-05
Facility Address :	9990 COCONUT ROAD, SUITE 102, BONITA SPRINGS, FL 34135
PWS ID :	FL5114131
PWS Type :	Transient non-community system
PWS Name :	BONITA BAY EASTGOLF CLUB - MAINTENANCE
Activity Status :	Active

Map Id: 142
Direction: NNE
Distance: 0.940 mi., 4961 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : FL5114136 | FL5114137 | FL5114131
9990 COCONUT ROAD SUITE 102 | 9990 COCOUNUT ROAD SUITE 200
BONITA SPRINGS, FL 34135

Database(s) : [PWS] ***(cont.)***

Envirosite ID: 1735448
EPA ID: N/R

PWS ***(cont.)***

Primary Source :	Ground water
Submission Year :	2016
Submission Year Quarter :	2016Q2
Population Served Count :	210
Service Connections Count :	3
Population Category 2 :	<10,000
Population Category 3 :	<=3300
Population Category 4 :	<10K
Population Category 5 :	<=500
Population Category 11 :	101-500
Submission Quarter :	2
Submission Status Code :	Y
First Reported Date :	1998-02-28
Last Reported Date :	2016-05-18
Deactivation Date :	N/R
GW or SW :	Groundwater
Is Grant Eligible :	Y
Is Outstanding Performer :	N/R
Is School or Daycare :	N
Is Source Water Protected :	N/R
Primacy Agency :	Florida
Primacy Type :	State
Org Name :	DENNIS CAFARO
EPA Region :	Region 4
Admin Name :	DENNIS CAFARO
Owner Type :	Private
Phone Number :	239-495-5805
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	N/R
Fax Number :	N/R
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	Y
CDS ID :	N/R
DBPR Schedule Category :	N/R
Outstanding Performer Date :	N/R
Season Begin Date :	01-01
Season End Date :	12-31
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2016-09-05

Map Id: K143
Direction: NNW
Distance: 0.944 mi., 4985 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FL5360025 | Bonita Springs Utilities
22190 FAIRMOUNT CT
ESTERO, FL 33928

Database(s) : [PWS, PWS ENF]

Envirosite ID: 56091604
EPA ID: N/R

PWS

Facility Address :	22190 FAIRMOUNT CT, ESTERO, FL 33928
PWS ID :	FL5360025
PWS Type :	Community water system
PWS Name :	BONITA SPRINGS UTILITIES
Activity Status :	Active
Primary Source :	Ground water
Submission Year :	2025
Submission Year Quarter :	2025Q1
Population Served Count :	75,858
Service Connections Count :	30343
Population Category 2 :	10,000+
Population Category 3 :	>50,000
Population Category 4 :	50K-99,999
Population Category 5 :	10,001-100,000
Population Category 11 :	50,001-100,000
Submission Quarter :	1
Submission Status Code :	Y
First Reported Date :	1979-02-10
Last Reported Date :	2025-02-18
Deactivation Date :	N/R
GW or SW :	Groundwater
Is Grant Eligible :	Y
Is Outstanding Performer :	N/R
Is School or Daycare :	N
Is Source Water Protected :	N/R
Primacy Agency :	Florida
Primacy Type :	State
Org Name :	BONITA SPRINGS UTILITIES INC
EPA Region :	Region 4
Admin Name :	BRIAN FARRAR - PRESIDENT
Owner Type :	Local government
Phone Number :	239-390-4811
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	N/R
Fax Number :	N/R
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	Y
CDS ID :	N/R
DBPR Schedule Category :	System serving 50K to 99,999 people OR belonging to a CDS in which the largest system serves 50K to
Outstanding Performer Date :	N/R
Season Begin Date :	N/R
Season End Date :	N/R
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2025-11-07

Map Id: K143
Direction: NNW
Distance: 0.944 mi., 4985 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FL5360025 | Bonita Springs Utilities
22190 FAIRMOUNT CT
ESTERO, FL 33928

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 56091604
EPA ID: N/R

PWS ENF

Facility Address : 22190 FAIRMOUNT CT, ESTERO, FL 33928

Site Details

PWS ID :	FL5360025
PWS Name :	BONITA SPRINGS UTILITIES
EPA Region :	Region 4
Primacy Agency :	Florida
PWS Type :	Community water system
Primacy Type :	State
Primary Source :	Ground water
Activity Status :	Active
Deactivation Date :	N/R
Owner Type :	Local government
Phone Number :	239-390-4811
Last Date in Agency List :	2025-11-21

Violation Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

RTC Enforcement ID :	N/R
Violation ID :	8023126
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	22190 FAIRMOUNT CT, ESTERO, 33928
Address Line 2 :	N/R
Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	N/R
Admin Name :	BRIAN FARRAR - PRESIDENT
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8020513
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular

Map Id: K143
Direction: NNW
Distance: 0.944 mi., 4985 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FL5360025 | Bonita Springs Utilities
22190 FAIRMOUNT CT
ESTERO, FL 33928

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 56091604
EPA ID: N/R

PWS ENF ***(cont.)***

Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	22190 FAIRMOUNT CT, ESTERO, 33928
Address Line 2 :	N/R
Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	N/R
Admin Name :	BRIAN FARRAR - PRESIDENT
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	20120000716
Submission Year :	2025
Violation First Reported Date :	2012-05-22
Contaminant Name :	Asbestos
Rule Family :	Inorganic Chemicals
Rule Group :	Chemicals
Rule Name :	Inorganic Chemicals
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	22190 FAIRMOUNT CT, ESTERO, 33928
Address Line 2 :	N/R
Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	State Public Notification received
Admin Name :	BRIAN FARRAR - PRESIDENT
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	95V0001
Submission Year :	2025
Violation First Reported Date :	1996-01-17
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Maximum Contaminant Level Violation, Monthly (TCR)
Is Health Based :	Y
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	2
Address Line 1 :	22190 FAIRMOUNT CT, ESTERO, 33928
Address Line 2 :	N/R
Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	State Public Notification received
Admin Name :	BRIAN FARRAR - PRESIDENT
Email Address :	N/R

Map Id: K143
Direction: NNW
Distance: 0.944 mi., 4985 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FL5360025 | Bonita Springs Utilities
22190 FAIRMOUNT CT
ESTERO, FL 33928

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 56091604
EPA ID: N/R

PWS ENF ***(cont.)***

RTC Enforcement ID :	N/R
Violation ID :	20200010305
Submission Year :	2025
Violation First Reported Date :	2020-11-17
Contaminant Name :	Lead and Copper Rule
Rule Family :	Lead and Copper Rule
Rule Group :	Chemicals
Rule Name :	Lead and Copper Rule
Violation Type :	Follow-up Or Routine LCR Tap M/R
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	22190 FAIRMOUNT CT, ESTERO, 33928
Address Line 2 :	N/R
Compliance Status :	Open
RTC Date :	N/R
Enforcement Action Description :	N/R
Admin Name :	BRIAN FARRAR - PRESIDENT
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8214894
Submission Year :	2025
Violation First Reported Date :	1982-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Maximum Contaminant Level Violation, Average
Is Health Based :	Y
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	2
Address Line 1 :	22190 FAIRMOUNT CT, ESTERO, 33928
Address Line 2 :	N/R
Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	N/R
Admin Name :	BRIAN FARRAR - PRESIDENT
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	96V0001
Submission Year :	2025
Violation First Reported Date :	1996-04-13
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Maximum Contaminant Level Violation, Monthly (TCR)
Is Health Based :	Y
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	2

Map Id: K143
Direction: NNW
Distance: 0.944 mi., 4985 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FL5360025 | Bonita Springs Utilities
22190 FAIRMOUNT CT
ESTERO, FL 33928

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 56091604
EPA ID: N/R

PWS ENF ***(cont.)***

Address Line 1 :	22190 FAIRMOUNT CT, ESTERO, 33928
Address Line 2 :	N/R
Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	N/R
Admin Name :	BRIAN FARRAR - PRESIDENT
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8214893
Submission Year :	2025
Violation First Reported Date :	1982-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Check/Repeat/Confirmation
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	22190 FAIRMOUNT CT, ESTERO, 33928
Address Line 2 :	N/R
Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	N/R
Admin Name :	BRIAN FARRAR - PRESIDENT
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8011921
Submission Year :	2025
Violation First Reported Date :	1980-09-30
Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	22190 FAIRMOUNT CT, ESTERO, 33928
Address Line 2 :	N/R
Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	N/R
Admin Name :	BRIAN FARRAR - PRESIDENT
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8220152
Submission Year :	2025
Violation First Reported Date :	1982-09-30

Map Id: K143
Direction: NNW
Distance: 0.944 mi., 4985 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : FL5360025 | Bonita Springs Utilities
22190 FAIRMOUNT CT
ESTERO, FL 33928

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 56091604
EPA ID: N/R

PWS ENF ***(cont.)***

Contaminant Name :	Coliform (Pre-TCR)
Rule Family :	Not Federally Regulated
Rule Group :	Not Federally Regulated
Rule Name :	Not Federally Regulated
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	22190 FAIRMOUNT CT, ESTERO, 33928
Address Line 2 :	N/R
Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	N/R
Admin Name :	BRIAN FARRAR - PRESIDENT
Email Address :	N/R

Map Id: N144
Direction: SE
Distance: 0.950 mi., 5014 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : 261951081455801
26.331195, -81.765919
FL

Database(s) : [NWIS]

Envirosite ID: 8479851
EPA ID: N/R

NWIS

Site Identification Number :	261951081455801
Site Type :	Well
Station Name :	L - 806
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	SWSWNES36 T47S R25E T
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	12.00
Method Altitude Determined :	Interpolated from topographic map.
Altitude Accuracy :	5.
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	Alluvial terrace
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNO
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYYNNYNN

Map Id: N144
Direction: SE
Distance: 0.950 mi., 5014 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : 261951081455801
26.331195, -81.765919
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8479851
EPA ID: N/R

NWIS ***(cont.)***

National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	33
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1974-03-19
Water-Quality Data End Date :	1976-10-28
Water-Quality Data Count :	15
Field Water-Level Measurements Begin Date:	1975-10-29
Field Water-level Measurements End Date:	1976-10-28
Field Water-Level Measurements Count:	13
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.331195
Longitude :	-81.765919
Last Date in Agency List :	2026-02-23

Map Id: F145
Direction: E
Distance: 0.951 mi., 5023 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAR2946
26.370792, -81.781883
Bonita springs, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8839360
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2946
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	10351 West side LN, Bonita springs, 34135
Well County :	LEE
Well Owner Name :	Dunnoway
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1155038
Location Method :	GPS (VERIFIED)

Map Id: F145
Direction: E
Distance: 0.951 mi., 5023 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : AAR2946
26.370792, -81.781883
Bonita springs, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 8839360
EPA ID: N/R

WELLS - FL ***(cont.)***

Project ID :	WC
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1155038
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	no
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-04-17
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.370792
Longitude :	-81.781883
Comments :	N/R
Last Date in Agency List :	2026-05-09

Map Id: O146
Direction: NNE
Distance: 0.953 mi., 5033 ft.
Elevation: 21 ft.
Relative: Higher

Site Name : 262513081472001
26.42025, -81.789
FL

Database(s) : [NWIS]

Envirosite ID: 8474287
EPA ID: N/R

NWIS

Site Identification Number :	262513081472001
Site Type :	Well
Station Name :	L -5669R
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	NENENES03 T47S R25E T
Name of Location Map :	ESTERO
Scale of Location Map :	24000
Altitude of Gage/Land Surface :	15.76
Method Altitude Determined :	Level or other surveyed method.
Altitude Accuracy :	.1
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp

Map Id: O146
Direction: NNE
Distance: 0.953 mi., 5033 ft.
Elevation: 21 ft.
Relative: Higher

Site Name : 262513081472001
26.42025, -81.789
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8474287
EPA ID: N/R

NWIS ***(cont.)***

Drainage Basin :	N/R
Topographic Setting :	Flat surface
Flags for the Type of Data Collected:	NANNNNNNNNNNNNNNNNNNNNNNNNNNNO
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	200103
Date Site Established or Inventoried:	2001-09-19
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	Y Y
National Aquifer :	Surficial aquifer system
Local Aquifer :	Nonartesian Sand Aquifer
Local Aquifer Type :	Unconfined single aquifer
Well Depth :	33
Hole Depth :	35
Source of Depth Data :	Z
Project Number :	2080-00200
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	2001-05-25
Water-Quality Data End Date :	2010-02-22
Water-Quality Data Count :	103
Field Water-Level Measurements Begin Date:	2001-05-25
Field Water-level Measurements End Date:	2013-01-03
Field Water-Level Measurements Count:	119
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.42025
Longitude :	-81.789
Last Date in Agency List :	2026-02-23

Map Id: 147
Direction: N
Distance: 0.954 mi., 5035 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : POLE
26.45075, -81.79325
FORT MYERS, FL

Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 1702795
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action :	2018-01-26
Action :	Add
FAA Study Number :	2016ASO13133OE
OBS Number :	12-109798
Obstacle Type :	POLE
City Name :	FORT MYERS
State Identifier :	FL

Map Id: 147
Direction: N
Distance: 0.954 mi., 5035 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : POLE
26.45075, -81.79325
FORT MYERS, FL

Database(s) : [DIGITAL OBSTACLE] ***(cont.)***

Envirosite ID: 1702795
EPA ID: N/R

DIGITAL OBSTACLE ***(cont.)***

Country Identifier :	USA
Type of Lighting :	None
Verification Status :	Unverified
Quantity :	1
Mark Indicator :	None
Above Ground Level Height (Feet) :	00149
Above Mean Sea Level Height (Feet) :	00164
Horizontal Accuracy :	+-250'
Vertical Accuracy :	+-50'
Latitude :	26 27 02.70N
Longitude :	081 47 35.70W

Map Id: O148
Direction: NNE
Distance: 0.956 mi., 5048 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : 262513081472002
26.420547, -81.788989
FL

Database(s) : [NWIS]

Envirosite ID: 8509197
EPA ID: N/R

NWIS

Site Identification Number :	262513081472002
Site Type :	Well
Station Name :	L -5668R
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	S T R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	15.7
Method Altitude Determined :	Level or other surveyed method.
Altitude Accuracy :	.1
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	Flat surface
Flags for the Type of Data Collected:	NNNINNNNNNNNNNNNNNNNNNNNNNNNI
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	200103
Date Site Established or Inventoried:	2001-09-19
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	Y Y
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Sandstone Aquifer
Local Aquifer Type :	Confined single aquifer
Well Depth :	155
Hole Depth :	N/R

Map Id: O148
Direction: NNE
Distance: 0.956 mi., 5048 ft.
Elevation: 16 ft.
Relative: Higher

Site Name : 262513081472002
26.420547, -81.788989
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8509197
EPA ID: N/R

NWIS ***(cont.)***

Source of Depth Data :	Z
Project Number :	2080-00200
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	2001-10-22
Water-Quality Data End Date :	2022-04-15
Water-Quality Data Count :	40
Field Water-Level Measurements Begin Date:	2009-10-28
Field Water-level Measurements End Date:	2022-04-15
Field Water-Level Measurements Count:	39
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.420547
Longitude :	-81.788989
Last Date in Agency List :	2026-02-23

Map Id: P149
Direction: NE
Distance: 0.958 mi., 5058 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : 262258081471802
26.382889, -81.788167
FL

Database(s) : [NWIS]

Envirosite ID: 8487879
EPA ID: N/R

NWIS

Site Identification Number :	262258081471802
Site Type :	Well
Station Name :	L -5747
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	NENESES15 T47S R25E T
Name of Location Map :	ESTERO
Scale of Location Map :	24000
Altitude of Gage/Land Surface :	13.9
Method Altitude Determined :	Level or other surveyed method.
Altitude Accuracy :	.1
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	Flat surface
Flags for the Type of Data Collected:	ININNNNNNNNNNNNNNNNNNNNNNNNNI
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	1987-06-04
Date Site Established or Inventoried:	1987-06-11

Map Id: P149
Direction: NE
Distance: 0.958 mi., 5058 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : 262258081471802
26.382889, -81.788167
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8487879
EPA ID: N/R

NWIS ***(cont.)***

Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYNYNYNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Tamiami Formation
Local Aquifer Type :	Confined single aquifer
Well Depth :	105
Hole Depth :	105
Source of Depth Data :	D
Project Number :	2080-00200
Real-Time Data Flag :	1
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1987-07-01
Water-Quality Data End Date :	2014-10-22
Water-Quality Data Count :	408
Field Water-Level Measurements Begin Date:	1987-07-01
Field Water-level Measurements End Date:	2015-01-20
Field Water-Level Measurements Count:	213
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.382889
Longitude :	-81.788167
Last Date in Agency List :	2026-02-23

Map Id: P150
Direction: NE
Distance: 0.958 mi., 5061 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : 262258081471801
26.383333, -81.788167
FL

Database(s) : [NWIS]

Envirosite ID: 8484860
EPA ID: N/R

NWIS

Site Identification Number :	262258081471801
Site Type :	Well
Station Name :	L -5746
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	NENESES15 T47S R25E T
Name of Location Map :	ESTERO
Scale of Location Map :	24000
Altitude of Gage/Land Surface :	13.89
Method Altitude Determined :	Level or other surveyed method.

Map Id: P150
Direction: NE
Distance: 0.958 mi., 5061 ft.
Elevation: 14 ft.
Relative: Higher

Site Name : 262258081471801
26.383333, -81.788167
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8484860
EPA ID: N/R

NWIS ***(cont.)***

Altitude Accuracy :	.1
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	Flat surface
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNO
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	1987-06-11
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYNYNYNN
National Aquifer :	Surficial aquifer system
Local Aquifer :	Nonartesian Sand Aquifer
Local Aquifer Type :	Unconfined single aquifer
Well Depth :	15
Hole Depth :	15
Source of Depth Data :	D
Project Number :	2080-00200
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1987-07-01
Water-Quality Data End Date :	2004-09-20
Water-Quality Data Count :	189
Field Water-Level Measurements Begin Date:	1987-07-01
Field Water-level Measurements End Date:	2004-09-20
Field Water-Level Measurements Count:	188
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.383333
Longitude :	-81.788167
Last Date in Agency List :	2026-02-23

Map Id: 151
Direction: S
Distance: 0.979 mi., 5171 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : 261859081481901
26.31625, -81.804972
FL

Database(s) : [NWIS]

Envirosite ID: 8487190
EPA ID: N/R

NWIS

Site Identification Number :	261859081481901
Site Type :	Well
Station Name :	L -5726
Agency :	U.S. Geological Survey

Map Id: 151
Direction: S
Distance: 0.979 mi., 5171 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : 261859081481901
26.31625, -81.804972
FL

Database(s) : [NWIS] ***(cont.)***

Envirosite ID: 8487190
EPA ID: N/R

NWIS ***(cont.)***

District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	SESES04 T48S R25E T
Name of Location Map :	BONITA SPRINGS
Scale of Location Map :	24000
Altitude of Gage/Land Surface :	11.20
Method Altitude Determined :	Level or other surveyed method.
Altitude Accuracy :	.1
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NANANNNNNNNNNNNNNNNNNNNNNNNO
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYNNNYNN
National Aquifer :	Surficial aquifer system
Local Aquifer :	Nonartesian Sand Aquifer
Local Aquifer Type :	N/R
Well Depth :	32
Hole Depth :	N/R
Source of Depth Data :	O
Project Number :	2080-00200
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1986-04-02
Water-Quality Data End Date :	2004-09-20
Water-Quality Data Count :	246
Field Water-Level Measurements Begin Date:	1986-04-24
Field Water-level Measurements End Date:	2004-09-20
Field Water-Level Measurements Count:	242
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.31625
Longitude :	-81.804972
Last Date in Agency List :	2026-02-23

Map Id: F152
Direction: E
Distance: 0.982 mi., 5183 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : AAR2943
26.370562, -81.780863
Bonita springs, FL

Database(s) : [WELLS - FL]

Envirosite ID: 9483935
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAR2943
Well Type :	Private Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	10451 West side DR, Bonita springs, 34135
Well County :	LEE
Well Owner Name :	Flora
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	N/R
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	1155075
Location Method :	DPHO = Digital Aerial Photos
Project ID :	WC
Insp Name :	Eric Lindner
Insp CHD :	LEE
Request Number :	N/R
Property ID :	N/R
GPS ID :	1155075
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	Well_Survey123
Streetside :	yes
Agency :	FDOH
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	N/R
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	2019-04-17
Large PWS Well :	N/R
Datum :	N/R
Latitude :	26.370562
Longitude :	-81.780863
Comments :	No permission to sample street side poin
Last Date in Agency List :	2026-05-09

Map Id: O153
Direction: NNE
Distance: 0.994 mi., 5246 ft.
Elevation: 17 ft.
Relative: Higher

Site Name : 262513081471802
26.420389, -81.788361
FL

Database(s) : [NWIS]

Envirosite ID: 8488932
EPA ID: N/R

NWIS

Site Identification Number :	262513081471802
Site Type :	Well
Station Name :	L -5668
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Lee County
Country :	USA
Land Net Location :	NWNWS02 T46S R25E T
Name of Location Map :	ESTERO QUAD (24)
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	15.62
Method Altitude Determined :	Level or other surveyed method.
Altitude Accuracy :	.01
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Big Cypress Swamp
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNINNNNNNNNNNNNNNNNNNNNNNNO
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YYNNNYNN
National Aquifer :	Intermediate aquifer system
Local Aquifer :	Sandstone Aquifer
Local Aquifer Type :	Confined single aquifer
Well Depth :	155
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	2080-00200
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1982-11-25
Water-Quality Data End Date :	2001-04-05
Water-Quality Data Count :	158
Field Water-Level Measurements Begin Date:	1983-04-20
Field Water-level Measurements End Date:	1996-08-23
Field Water-Level Measurements Count:	147
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	26.420389
Longitude :	-81.788361
Last Date in Agency List :	2026-02-23

RADON DATA:

STATE SOURCE: fl

Radon Test Results:

Zip:	Database Source:	No. of Samples:	Average pCi/L:	Max pCi/L:
34135	Mandatory Non-Residential Database	1	1.6	1.6
34135	Mandatory Residential Database	5597	3.99	137

FEDERAL AREA RADON INFORMATION FOR: 34135

NUMBER OF SAMPLE SITES: No Available Data

FEDERAL EPA RADON ZONE FOR LEE COUNTY: Zone = 3

Note: Zone 1 indoor average level > 4 pCI/L

: Zone 2 indoor average level > = 2 pCI/L and <= 4 pCI/L

: Zone 3 indoor average < 2 pCI/L

EPICENTERS
National Geographical Data Center
National Geographical Data Center
303-497-6826
List of recent and historic earthquakes and information.

DIGITAL OBSTACLE
Obstacles of interest to aviation users
Federal Aviation Administration
855-379-6518
The Digital Obstacle File describes all known obstacles of interest to aviation users in the U.S. with limited coverage of the Pacific the Caribbean Canada and Mexico. The obstacles are assigned unique numerical identifiers; accuracy codes and listed in order of ascending latitude within each state or area by FAA Region.

AIRPORT FACILITIES
Airport landing facilities
Federal Aviation Administration
(866) 835-5322
Airport landing facilities

SINKHOLE - FL
Sinkholes
Florida Department of Environmental Protection
850-617-0316
Sinkhole types, development and distribution based on GIS published map

NWIS
National Water Information Systems
United States Geological Society
(703) 648-5953
Information on all water resources for the United States. This database contains all current and historical data for the nation.

PWS
Public Water Supply
Environmental Protection Agency
(800) 426-4791
Safe drinking water information Systems

PWS ENF
Public Water Supply locations with Enforcement Violations
Environmental Protection Agency
(800) 426-4791
Safe drinking water information Systems with enforcememnt violations

HIST PWS ENF
Historical Public Water Supply locations with Enforcement Violations
Environmental Protection Agency
(800) 426-4791
List of Safe Drinking Water Information Systems (SDWIS) with enforcement violations that are no longer in current agency list.

WELLS - FL
Water Well Locations
Florida Department of Health
850-245-4444
Registered Water well locations

WELLS SW - FL
SWWMD Water Wells
Southwest Florida Water Management District
(352) 796-7211
Water well permits for SW Water Management District

WELLS SR - FL
SRWMD Water Wells
Suwannee River Water Management District
(386) 362-1001
Water well permits for Suwannee River Water Management District

WELLS SJ - FL
SJWMD Water Wells
St. Johns River Water Management District
(904) 730-6270
Water well permits for St. Johns River Water Management District

WELLS NW - FL
NWWMD Water Wells
Northwest Florida Water Management District
(850) 539-5999
Water well permits for NW Water Management District

OIL & GAS WELLS - FL
Permitted oil & gas wells
Florida Department of Environmental Protection
850-245-2118
Listing of permitted oil and gas wells

RADON
National Radon Database
U.S. Environmental Protection Agency
215-814-2469
A study of the EPA/State Residential Radon Survey and the National Residential Radon Survey.

RADON EPA
RADON EPA
U.S. Environmental Protection Agency
215-814-2469
EPA list of Radon zones

RADON - FL
Radon test results
Florida Department of Health
(850) 245-4444
Radon test results by zip code

BASINS
Better Assessment Science Integrating point & Non-point Sources
U.S. Environmental Protection Agency
855-246-3642
Integrated geographical information system national watershed data and environmental assessment known as Better Assessment Science Integrating point & Non-point Sources

FLOOD Q3
Flood data
Environmental Protection Agency
(202) 566-1667
Q3 Flood Data

FLOOD DFIRM
National Flood Hazard Layer Database
Federal Emergency Management Agency
The National Flood Hazard Layer Database (NFHL) is a computer database that contains the flood hazard map information from FEMAs Flood Map Modernization program. These map data are from Digital Flood Insurance Rate Map (DFIRM) databases and Letters of Map Revision.

HYDROLOGIC UNIT
Hydrologic Unit Maps
USGS
The United States Geological Survey created a hierarchical system of hydrologic units originally called regions, sub-regions, accounting units, and cataloging units. Each unit was assigned a unique Hydrologic Unit Code (HUC). As first implemented the system had 21 regions, 221 subregions, 378 accounting units, and 2,264 cataloging units. Over time the system was changed and expanded. As of 2010 there are six levels in the hierarchy, represented by hydrologic unit codes from 2 to 12 digits long, called regions, subregions, basins, subbasins, watersheds, and subwatersheds. The table below describes the system's hydrologic unit levels and their characteristics, along with example names and codes.

WETLANDS NWI
National Wetland Inventory
U.S. Fish and Wildlife Service
(703) 358-2171
Wetland Inventory for the United States

WETLANDS - FL
Wetlands
U.S. Fish and Wildlife Service
Wetlands Inventory

SSURGO
Detailed Soil Data Map
Natural Resources Conservation Service: U.S. Department of Agriculture
(202) 690-4985
Detailed Soil Data Map

STATSGO & MUI
General Soil Data Map
Natural Resources Conservation Service: U.S. Department of Agriculture
(202) 690-4985
General Soil Data Map

USGS GEOLOGIC AGE
USGS Digital Data Series DDS
Natural Resources Conservation Service: U.S. Department of Agriculture
(202) 690-4985
USGS Digital Data Series DDS: Geologic Age and Rock Stratigraphic Unit

Database Search Findings

Database Search Findings			
Site Name	Address	Databases	Direction/Distance (Miles)
Thompson Gas	10350 Bonita Beach Rd Se	ALT FUELING	SSE / 0.012
AAI4568 | North Collier Collision inc.	16210 Old US 41 S | 16210...	DEDB - FL, ECHO, FRS, MANIFEST EPA, RCRA SQQG	SSE / 0.013
Bonavilla Bonita Auto Sales	Industrial Street	RAATS, RCRA SQG, SQG – FL, SQG - FL	SSE / 0.014
AAI4567	16300 Old US 41 Hwy	DEDB - FL	SSE / 0.016
WSFP Studios	28950 Old US 41	EPA UST, UST - FL	SSE / 0.023
Perfectly Painted of Collier County	1076 Business Lane # 6&7	ECHO, FRS, RCRA VSQG	S / 0.026
Teds Sheds Inc	10311 Bonita Beach Rd	ECHO, FRS, RCRA NONGEN	SSE / 0.027
Affordable Carts LLC	12500 Old 41	ECHO, FRS, RCRA VSQG	SSE / 0.029
Corkscrew Energy LLC | Sunshine #16 | Chevron	8800 Corkscrew Rd	ALT FUELING, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 – FL, GWIF – FL, LUST – FL, UST - FL	N / 0.030
Spanish Wells Country Club	Po Box 2288	ECHO, FRS, RCRA VSQG	SSE / 0.030
Bonita Springs Fire Control & Rescue | Old US 41 | Bonita Springs Fire & Control	27490 Old 41 Rd | 27490 Old US HWY 41 Rd	AST - FL, CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 – FL, FRS, GWIF – FL, ICIS, INACTIVE PCS, LAST – FL, LUST – FL, NPDES – FL, PCS FACILITY, UST - FL	SE / 0.032
East Trail Batch Plant | Cemex Construction Materials, LP | Cemex - East Trail Ready Mix	15555 US 41	AFS, AIRS - FL, T 2 - FL	SSE / 0.034
Yacht Sign	25150 Bernwood Dr Ste 3	MANIFEST EPA	ESE / 0.034
Moog Inc | Naples MOOG Industrial Group | MOOG Techtron Corp	1400 Rail Head Blvd	BRS, DOCKET, ECHO, EJ HAZ WASTE, FRS, ICIS, INACTIVE PCS, LQG – FL, MANIFEST EPA, NPDES – FL, PCS FACILITY, RCR LQG, RCRA NONGEN, SQG – FL, STORMWATER.	S / 0.035
Bonita Auto Center Inc	26950 Old 41 Rd	ECHO, FRS, RCRA VSQG	SE / 0.035
Cope | Kwik Pick Conv Store	27010 Old US 41	AST - FL, DWM CONTAM - FL, ECHO, EPA LUST...	SE / 0.036
South Florida Excavation, Inc. | South Florida Excavation, Inc Crusher #2	1455 Rail Head Blvd Ste 3	AIRS - FL, ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SWRCY – FL,	SSE / 0.037

Database Search Findings			
Site Name	Address	Databases	Direction/Distance (Miles)
Bonita Springs Utilities, Inc. - WWRF | Bonita Springs Utilities WWTP.	8890 Ten-Eight St	NPDES - FL, T 2 - FL	NNW / 0.037
Service Painting of Florida Inc | EPA	1447 Rail Head Blvd | 1447 Rail Head Blvd UNIT 8	ECHO, ERNS, FRS, RCRA NONGEN, SPILLS - FL	SSE / 0.039
Abandoned Lawhons General St | Texaco Filling Stations...	27306 & 27308 Old 41 Rd	EPA UST, UST - FL	SE / 0.039
Former Gulfstream Lumber Co | AAC5500 | HD Supply #WB6600	16000 Old US Hwy 41	CS - FL, DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FRS. GWIF -FL, LUST – FL, UST - FL	SSE / 0.039
Leisure Furniture & Vinyl Service	16990 Old Hwy 41 & Box 1	CERCLIS NFRAP, ECHO, FRS, RCRA VSQG, RESP PARTY, - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL	SSE / 0.042
Bonita Repair Service	27715 Industrial St	EPA UST, UST - FL	SSE / 0.044
Reliable Disposal & Recycling In...	1401 Rail Head Blvd Ste B	SWRCY - FL	S / 0.045
Executive Dry Cleaning | Classic Cleaners | Classic Cleaners of Pelican Landing Inc	9201 Brookwood Court #...	AFS, AIRS - FL, DRYCLEANERS - FL, ECHO, FRS, RCRA VSQG, SQG – FL, T 2 - FL	N / 0.049
Shaw Development | Bernwood	25190 Bernwood Dr	ECHO, FRS, NPDES - FL, RCRA VSQG, T 2 - FL	SE / 0.050
Publix Super Market # 614	21301 S Tamiami Trail Ste 2...	AST - FL, ECHO, FA 3 - FL, FRS, MANIFEST EP, RCRA VSQG.	N / 0.052
Palmer Cablevision of SW Fl Inc | Comcast	26790 Old 41 Rd | 26790 O...	DWM CONTAM - FL, EPA LUST, EPA UST, GWIF – FL, LUST – FL, UST - FL	SE / 0.052
Caliber Collision | Caliber Collision - Bonita Springs #2027	24901 Old 41 Rd	ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES – FL, PCS FACILITY	NNW / 0.054
Etura Corp | Etura, Inc. (Dba Marble Fantasy) | Responsible Party	26340 Old 41 Rd	AIRS - FL, EJ TOXIC RELEASE, RCRA NONGEN, SPILSS - FL	SE / 0.054
Bamboo Mobile Village	27131 Old 41 Rd	EPA UST, UST - FL	SE / 0.055
Bonita Auto Sales Inc	26750 Old 41 Road	CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF – FL, ICIS, INACTIVE PCS, LUST – FL, UST – FL.	SE / 0.058
T+K Farms	Spring Creek Drive	ECHO, FRS, RCRA NONGEN	SE / 0.060

Database Search Findings			
Site Name	Address	Databases	Direction/Distance (Miles)
Resource Conservation Systems – Spring Road	9300 Spring Run Rd	T 2 - FL	N / 0.061
Scottish Ventures LLC	26740 Old US-41	SWRCY - FL	SE / 0.065
N R	20960 Sandy Lane Estero	SPILLS - FL	N / 0.067
AAC4009	24020 Production Circle	DEDB - FL	N / 0.068
Goodcat LLC | Florida Water Products - Naples | Sherwin-Williams #702691	1485 Rail Head Blvd	BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG, RCRA VSQG, T2 – FL, PFAS INDUSTRY	SSE / 0.069
Bonita Pit	26.33676, -81.78155	MINES USGS	SSE / 0.069
A&S Transportation, Inc. | DEP District Office | Moore Donald	27885 N. Industrial Street	SPILLS - FL	SSE / 0.069
AAC7514 | AAE1583A	27421 Old US Hwy 41 Road	DEDB - FL	SE / 0.070
Speedway #6568 | Hess Station #09458 | Rebel #840	27001 Old US 41 SE	DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 – FL, FRS, GWIF – FL, HIST UST – FL, LUST – FL, RCRA NONGEN, UST - FL	SE / 0.070
Bensons Grocery Store	27301 Old 41 Rd	UST - FL	SE / 0.070
Signal Stop | VIP One Price Dry Cleaners, A Touch of Class Dry Cleaners	25091 Bernwood Dr	DRYCLEANERS - FL, ECHO, FRS, ICIS, INACTIVE PCS, RCRA NONGEN, SPILLS - FL.	NNE / 0.071
Goodcat LLC | Goodcat Labs	1440 Rail Head Blvd Unit 5	BRS, ECHO, EJ HAZ WASTE, FRS, LQG - FL, MANIFEST EPA, RCRA LQG	SSE / 0.072
Preferred Materials Inc | Preferred Materials Inc - Bonita Springs | Preferred Materials Inc - Bonita Springs Block Plant	25091 Old 41 Rd	AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTAM – FL, ECHO, EJ TXIC RELEASE, EPA LUTS, EPA UST, FA 3 – FL, FRS, GWIF – FL, HIST PCS ENF, ICIS, INACTIVE OCS, LAST – FL, LUST – FL, NPDES – FL, PCS FACILITY, RCRA NONGE<. T 2 – FL, TRIS< UST - FL.	N / 0.073
Target Store # 2317 | CVS Pharmacy #17384	8040 Mediterranean Dr	AST - FL, BRS, ECHO, FA 3 - FL, FRS, LQG – FL MANIFEST EPA, RCRA SQG, RCRA VSQG, SQG – FL, T 2 – FL.	N / 0.077

Database Search Findings			
Site Name	Address	Databases	Direction/Distance (Miles)
7-Eleven Store # 32597	26975 Old 41 Road	DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 – FL, FRS, GWIF -FL, ICIS, INACTIVE PCS, LUST – FL, NPDES – FL, PCS FACILITY, UST – FL, WASTEWATER - FL	SE / 0.077
EHC Inc	1360 Rail Head Blvd	ECHO, FRS, RCRA VSQG	S / 0.077
Strongs Engine Machine Shop Inc | Bonita Muffler Service	26330 Old 41 # D	ECHO, FRS, RAATS, RCRA NONGEN, RCRA VSQG, SQG – FL, ...	SE / 0.080
Auto Tran Inc | Millennium Marble Corp	1466 Rail Head Blvd	ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL	SSE / 0.082
Earth Supplied Products LLC | Perfectly Painted	1060 Collier Center Way	PFAS INDUSTRY, ECHO, FRS, MANIFEST EPA, RCRA NONGEN, RCRA SQG, SSTS.	S / 0.083
Bonita Rent All & Sales Co	26891 Old 41 Rd	EPA UST, UST - FL	SE / 0.086
Affordable Auto & Tire Service	1161 Sun Century Rd	ECHO, FRS, RCRA VSQG	S / 0.087
Lee County Sheriff Dept-Substation	10520 Reynolds St	EPA UST, UST - FL	SE / 0.090
Phoenix Construction	Strike Lane @ Red Robin Drive	SPILLS - FL	N / 0.094
Bonita Springs Utilities WWTP | BSU Water Reclamation Facility | Bonita Springs Util-West Wtr Reclam Fac	25051 S Tamiami Trail	AST - FL, ECHO, FA 3 - FL, FRS, HIST AST - FL, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES – FL, PCS FACILITY, RMP, SPILLS – FL, STORMWATER	NNW / 0.0.96
Responsible Party	27665 Old US 41	SPILLS - FL	SE / 0.096
Estero Entertainment District | PMI	9000 Williams Rd	ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SPILLS _ FL	N / 0.097
FPL Imperial Substation	8812 Strike Lane	ECHO, FRS, RCRA NONGEN, RCRA VSQG	NNW / 0.097
Constance & James Harris | Gluri Investments, Inc. | Lextech Auto	27683 Old Hwy 41	AST - FL, DWM CONTAM - FL, EPA LUST, EPA UST, GWIF – FL, LAST – FL, LUST – FL, SWRCY – FL,, UST - FL	SE / 0.101
Coastland Auto	24073 Production Circle	MANIFEST EPA	NNW / 0.103
Corders Landscape Supply of Naples Inc.	24119 Production Circle	ECHO, FRS, RCRA NONGEN	N / 0.103
Causeway Lumber Co | Mikes Auto Repair | Old 41 Veterinary Emergency Clinic Inc	28280 Old US 41	AST - FL, DRYCLEANERS - FL, ECHO, EPA UST, FA 3 – FL, FRS, RCRA VSQG, UST - FL	SSE / 0.103

Database Search Findings			
Site Name	Address	Databases	Direction/Distance (Miles)
Lextech Automotive Inc	1153 Sun Century Rd	ECHO, FRS, RCRA VSQG	S / 0.104
Railhead	1490 Rail Head Blvd.	T 2 - FL	SSE / 0.104
AAD4350	24051 Production Circle	DEDB - FL	NNW / 0.106
AAG3724	24033 Production Circle	DEDB - FL	NNW / 0.106
Imperial 41 | City of Bonita Springs – Bamboo Site	10580 Goodwin St	FRS, NPDES - FL, SWF LF - FL	SE / 0.106
Artisans Guild	1450 Railhead Blvd	MANIFEST EPA	SSE / 0.107
E2 Companies	8901 Quality Road	T 2 - FL	NNW / 0.109
The Sherwin-Williams Co #2249	26751 Old 41 Rd	ECHO, FRS, RCRA NONGEN	SE / 0.109
Lee Health Coconut Point-Bonita - Health Care Driveway Interco | Lee Health Village at Coconut Point | Lee Health Coconut Point	23450 Via Coconut Point	AST - FL, ECHO, FA 3 - FL, FRS, ICIS, INACTIVE PCS, MANIFEST EPA< NPDES – FL, PCS FACILITY, T2 - FL	N / 0.110
Summit Broadband Inc.	24017 Production Circle	AST - FL, FA 3 - FL	NNW / 0.110
AAC5355	26671 Old Us Hwy 41 Rd	DEDB - FL	SE / 0.113
Cemex - Wiggins Pass Rm, Block and Paver | Cemex LLC - Wiggins Pass | Krehling Plant 1 North	1425 Wiggins Pass Rd E	AFS, AIRS - FL, AST - FL, CS - FL, DWM CONTA.M – FL, ECHO, EJ TOXIC RELEASE. EPA LUST, EPA UST, ERNS, FA 3 – FL, FRS, GWIF – FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST – FL, LUST – FL, NPDES – FL, PCS ENF, PCS FACILITY, RCRA VSQG, T 2 – FL, TRIS, UST – FL, WASTEWATER - FL	S / 0.113
Etura Corp	26.355771, -81.783456	PFAS INDUSTRY	SE / 0.114
Pool Shop	27745 Old Us Hwy 41 Rd	ECHO, FRS, RAATS, RCRA SQG, SQG - FL	SSE / 0.119
Forestry Resources Inc - Bonita	25211 Old 41 Rd	ECHO, FRS, RCRA NONGEN, SWRCY - FL	NNE / 0.120
Griffith Paving	10461 Southland Dr	AST - FL, ECHO, FA 3 - FL, FRS, RCRA NONGEN	SSE / 0.121
Matchs Auto Body	1330 Rail Head Blvd	MANIFEST EPA	S / 0.121
Dennis Ard	1141 Sun Century Rd	ECHO, FRS, RCRA NONGEN	S / 0.122
Artisans Guild Custom Cabinetry	1510 Rail Head Blvd	ECHO, FRS, MANIFEST EPA, RCRA SQG, SQG - FL	SSE / 0.132
Apple Inc. # R185	23151 Fashion Drive	MANIFEST EPA	N / 0.132

Database Search Findings			
Site Name	Address	Databases	Direction/Distance (Miles)
Naples Auto Inc	25241 Bernwood Dr, Unit #...	ECHO, FRS, RCRA VSQG	ESE / 0.135
Hol 30509	23131 Fashion Drive	MANIFEST EPA	N / 0.138
Estero Fl Groves RLS Co	20720 Highland Ave	T 2 - FL	N / 0.138
B & L Fix It	10382 Southland Dr	ECHO, FRS, RAATS, RCRA NONGEN, SQG - FL	SSE / 0.140
Tisch Coin Laundry | AAG3717 | TDLC Inc	10450 W Terry St	AFS, AIRS - FL, CORRACTS, CORRECTIVE ACTIONS 2020, CS – FL, DEDB – FL, DOCKET, EHCO, FA HWF, FRS, RCRA NONGEN, RCRA TSDF, SHWS ERIC – FL, TSD – FL	SSE / 0.140
Naples Tomato Growers | FL5110348 | FL5114116	15000 Old 41 N	DWM CONTAM - FL, EPA LUST, EPA UST, FRS, GWIF – FL, LUST – FL, RCRA NONGEN, T 2 – FL, UST – FL, WASTEWATER - FL	S / 0.142
Hole In One Fairways LLC | Circle K #7312 | La Fiesta	10530 Rosemary Dr	CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA – UST, FA 3- FL, FRS, GWIF – FL, ICIS, INACTIVE PCS, LUST – FL, RCRA VSQG, UST - FL	SE / 0.142
Spring Run Golf Course Maintenance	9350 Spring Run Blvd	AST - FL, FA 3 - FL	N / 0.143
OTT Welding | AAG3723	24241 Production Circle	DEDB - FL, ECHO, FRS, HIST PCS ENF, ICIS, INACTIVE PCS, NPDES – FL, PCS FACILITY, STORWATER	NNW / 0.143
Nordstrom Inc 7767 | BB&B # 1048	8020 Mediterranean Dr | 8...	ECHO, FRS, MANIFEST EPA, RCRA VSQG	N / 0.144
FPL Co #Nab-545-Bonita Ct | FPL Bonita Springs Service Center.	26191 Old 41 Rd	DWM CONTAM - FL, EPA LUST, EPA UST, LUST – FL, RCRA VSQG, UST – FL,	SE / 0.145
Mediaone Facility (Aka Colony, Palmer: See 93835 & 222576	27820 Old 41 Rd	RESP PARTY - FL, SHWS ERIC - FL	SSE / 0.148
AAG3722	24263 Production Circle | 24...	DEDB - FL	NNW / 0.152
AAG3725	24349 Production Circle	DEDB - FL	NNW / 0.154
Ulta Beauty	8054 Mediterranean Drive	MANIFEST EPA	N / 0.155

Database Search Findings			
Site Name	Address	Databases	Direction/Distance (Miles)
Circle K #2709767 | Shell Station	10460 Bonita Bch Rd SE & Old 41	CS - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 – FL, FRS, GWIF – FL, HMIRS (DOT), LUST – FL, RCRA NONGEN, UST - FL	SSE / 0.156
Modern Recycling Inc of Florida	24297 Production Cr	AST - FL, FA 3 - FL	NNW / 0.156
Moog Inc	26.312488, -81.786684	PFAS INDUSTRY	SSE / 0.157
March Performance Inc	26.315607, -81.791356	PFAS INDUSTRY	SSE / 0.159
Basewide - Bonita Spring Radio Ax 5	26.353333, -81.78	FUDS, SHWS ERIC - FL	SE / 0.161
Production Tire | AAD4348	24367 Production Circle	DEDB - FL, ECHO, FRS, RCRA NONGEN	NNW / 0.161
Coastal Construction Prod Inc	1320 Rail Head Blvd Ste 8	ECHO, FRS, RCRA VSQG	S / 0.162
Rick Johnson Auto & Tire	10100 Bonita Beach Rd SE	ECHO, FRS, RCRA VSQG	SSE / 0.163
American Equipment	15200 Old US 41 N	DWM CONTAM - FL, EPA LUST, EPA UST, LUST – FL, UST - FL	S / 0.169
Traceys Radiator	Route 2 Box 1038	RAATS, RCRA NONGEN, SQG - FL	N / 0.171
O'Reilly - Bonita Springs # 6505	26501 Old 41 Rd	ECHO, FRS, ICIS, INACTIVE PCS, NPDES - FL, PCS ENF, PCS FACILITY, RCRA VSQG	SE / 0.171
Coconut Car Wash	8800 Commons Way	ECHO, FRS, RCRA NONGEN, WASTEWATER - FL	N / 0.171
Michaels	8018 Mediterranean Drive	MANIFEST EPA	N / 0.174
AAC5388	8661 Corkscrew Rd	DEDB - FL	N / 0.182
Coastal Landscape Supply of Bonita Springs	24226 Production Circle	RCRA VSQG, SWRCY - FL	NNW / 0.186
Sally Beauty #10698	8016 Mediterranean Dr, St...	MANIFEST EPA	N / 0.189
M L Car Audio Inc	10060 Bonita Beach Rd Se	ECHO, FRS, RCRA NONGEN	SSE / 0.192
Sarlo Power Mowers Inc	24242 Production Circle	ECHO, FRS, RCRA VSQG	NNW / 0.192
Site Food Mart #108	24651 S Tamiami Trail	GWIF - FL	NNW / 0.197
Modern Recycling Inc. Of Florida	24296 Production Circle	SWRCY - FL	NNW / 0.200

Database Search Findings			
Site Name	Address	Databases	Direction/Distance (Miles)
Circle K #7462	24931 S Tamiami Tr | 2493...	CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 – FL, GWIF – FL, LUST – FL, UST - FL	NNW / 0.207
AAK7782	24266 Production Circle	DEDB - FL	NNW / 0.211
AAC5354	24260 Production Circle	DEDB - FL	NNW / 0.214
Mayfield Cornors Co LLC | Koreshan Gas Co	21481 S Tamiami Trail	DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 – FL, LUST – FL, UST - FL ...	N / 0.215
7-Eleven Food Store #34151	24651 Old 41st Rd	DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 – FL, LUST – FL, UST - FL	NNW / 0.217
Lee County - Naples Dog Track Site	28191 Old 41 Rd.	SWF LF - FL	SSE / 0.218
Coconut Point Ford	23106 Fashion Dr	ALT FUELING	N / 0.222
Gulf Shutter Systems Inc	24430 Production Circle	ECHO, FRS, RCRA NONGEN	NNW / 0.223
Estero Bay Preserve State Park | State Park - Koreshan	US 41 And Corkscrew Rd	AST - FL, ECHO, FRS, RCRA VSQG	N / 0.235
Florida Cancer Specialists New Treatment Facility | Florida Cancer Specialists & Research Institute	8440 Murano Del Lago Dr	ECHO, FRS, ICIS, INACTIVE PCS, MANIFEST EPA., NPDES – FL, PCS FACILITY, RCRA VSQG	NNW / 0.238
Bonita Springs Utilities WWTP | BSU Water Reclamation Facility	26.375034, -81.807777	PFAS INDUSTRY	NW / 0.242
AAD5735	9275 Strike Lane N	DEDB - FL	NNE / 0.252
AAD5731	25231 Tuck Dr	DEDB - FL	NNE / 0.252
AAC5384 | Estero City-Fire Dept	20241 S Tamiami Trail	AST - FL, DEDB - FL	N / 0.255
AAC4008 | Covered Wagon Trailer | Mason E. Tony	21450 S Tamiami Trail Unit 140	DEDB - FL, ECHO, FRS, RCRA NONGEN, SPILLS FL	N / 0.270
Lee County School Bd-Spring Creek ES	25571 US Hwy 41	AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 – FL, LAST – FL, LUST – FL, UST - FL	WNW / 0.272
Lake San Marino RV Resort	1000 Wiggins Pass Road	RESP PARTY - FL, SHWS ERIC - FL	S / 0.284
Lee Corp Homes | AAC7548	20251 S Tamiami Trail	DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, GWIF – FL, LUST – FL, UST - FL.	N / 0.285
360001901	US HWY 41	DEDB - FL	N / 0.309
AAD5734	25294 Catskill Dr	DEDB - FL	NE / 0.312

Database Search Findings			
Site Name	Address	Databases	Direction/Distance (Miles)
7-Eleven Store #34838 | Exxonmobile Oil Corp #12581	24530 S Tamiami Trail	CS - FL, DWM CONTAM - FL, ECHO, EPA UST, FA 3 – FL, FRS, LUST – FL, RCRA VSQG, UST - FL	NNW / 0.312
Lee County School Bd-Bonita Springs MS	10141 W Terry St	AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, LAST – FL, LUST – FL, UST - FL	SE / 0.334
Trailside Drive | AAD4489 | AAG3706	20350 Trailside Dr	DEDB - FL, ECHO, FRS, ICIS, INACTIVE PCS, NPDES – FL	N / 0.335
Auto Credit of Lee County | Congo River Golf Development	24270 S Tamiami Trail	DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, ICIS, INACTIVE PCS, LUST – FL, NPDES – FL, UST - FL	NNW / 0.339
Zmillion Oil Inc | AAC4007	20260 S Tamiami Trail	DEDB - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 – FL, LUST – FL, UST - FL	N / 0.340
AAG3702 | AAD4488	20361 Poinciana Ave	DEDB - FL	N / 0.342
AAG3701	20371 Poinciana Ave	DEDB - FL	N / 0.345
AAG3704	20381 Poinciana Ave	DEDB - FL	N / 0.347
AAG3705	20399 Poinciana Ave | 203...	DEDB - FL	N / 0.353
AAC5389 | Greenway Landscape Supply	20190 S Tamiami Trl | 201...	DEDB - FL, SWF LF - FL, SWRCY - FL	N / 0.364
Coconut Rd Tract	Us 41	AST - FL, DWM CONTAM - FL, EPA LUST, LAST – FL, LUST - FL.	NNW / 0.371
AAG3700	20280 Trailside Dr	DEDB - FL	N / 0.376
AAD4485 | Marco Property | Buesing's Service & Repair	20170 S Tamiami Trail	DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FRS, GWIF – FL, LUST – FL, RAATS, RCRA NONGEN, SQG – FL, UST - FL	N / 0.390
AAG3703	3531 Westwood Dr	DEDB - FL	N / 0.411
AAK7772	20241 Northwest Dr	DEDB - FL	N / 0.420
AAD4493	20160 Trailside Dr	DEDB - FL	N / 0.424
Coastal Landscape Supply of Bonita	24300 S Tamiami Trail	SWRCY - FL	NNW / 0.431
AAD4495	20240 Northwest Dr	DEDB - FL	N / 0.451
Manley Farms	SE Corner of US 41 & Immokalee Road	AST - FL, DWM CONTAM - FL, EPA LUST, LAST – FL, LUST - FL	S / 0.453

Database Search Findings			
Site Name	Address	Databases	Direction/Distance (Miles)
Naples-Ft Myers Kennel Club | BER | City of Plant City Police Dept.	10601 Bonita Beach Rd	AST - FL, CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 – FL, LAST – FL, LUST – FL, SPILLS- FL, UST – FL	SSE / 0.464
Woodfield Coconut | Lee County – Lyden Drive	23281 Lyden Dr.	ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SWF/LF - FL	NNW / 0.470
AAK7774	20200 Park Ave	DEDB - FL	N / 0.484
Circle K #7356	13550 Tamiami Trail N	CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 – FL, GWIF – FL, LUST – FL, UST - FL	S / 0.592
Germain Lincoln | Germain Toyota	13315 Tamiami Trail N	ECHO, FRS, HIST PCS ENF, HIST PCS FACILITY, ICIS, INACTIVE PCS, MANIFEST EPA, NPDES – FL, PCS FACILITY, RCRA VSQG, SHWS ERIC - FL	S / 0.633
Hickory Corp Of Bonita | Air Clim, Inc.	11100 Bonita Bch Rd	AIRS MIAMI-DADE COUNTY - FL, CS - FL, LUST – FL, UST – FL, ...	SE / 0.786
Auto Credit of Lee County	24280 Tamiami Trail	CS - FL, DWM CONTAM - FL, LUST - FL, UST - FL	S / 0.916
Bentley Village Site Work Only | VI at Bentley Village	850 Retreat Dr	ECHO, FRS, ICIS, NPDES - FL, PCS FACILITY, SHWS - FL	S / 0.924
Former Bonita Springs Country Club Maintenance Facility	23950 Cockleshell Dr	SHWS ERIC - FL	ENE / 0.996

Key:

AFS = Air Facility System.
AIRS – FL = Listing of Florida facilities with air permits.
ALT FUELING = Alternative Fueling Stations by fuel type.
AST = Florida database of Aboveground Storage Tanks.
BRS = Reporting of hazardous waste generation and management from large quantity generators.
CERCLIS NFRAP = Comprehensive Environmental Response, Compensation, and Liability Information System sites with No Further Remedial Action Planned.
CORRACTS = List of facilities where Resource Conservation and Recovery Act Corrective Action Program used to investigate and remediate hazardous releases.
CORRECTIVE ACTIONS 2020 = In 2009, the USEPA created the 2020 Corrective Action Baseline list of contaminated or potentially contaminated sites with a cleanup goal to complete 95% by the year 2020. The names on the list indicate the facility owners who may or may not have caused the contamination.
CS – FL = All cleanup sites in the state of Florida.
DEDB-FL = Drinking water wells in Florida contaminated with ethylene dibromide.
DOCKET = All Civil Enforcement Actions from the DOCKET and the Integrated Compliance Information System databases.
DRYCLEANERS – FL = Florida drycleaner facility listing.
DWM CONTAM – FL = Listing of known contaminated sites (primarily petroleum and drycleaning) in

Database Search Findings			
Site Name	Address	Databases	Direction/Distance (Miles)

Florida.

DWM = Division of Waste Management.
ECHO = Enforcement & Compliance History Information.
EJ HAZ WASTE = Hazardous waste facilities from Environmental Justice.
EJ TOXIC RELEASE Toxic release inventory from Environmental Justice.
EPA LUST = USEPA Leaking Underground Storage Tank facility finder database.
EPA UST = USEPA Underground Storage Tank facility finder database.
ERNS = Emergency Response Notification System.
FA 3 – FL = Financial Assurance and Insurance Information for Florida Tank Facilities.
FA HWF = Hazardous Waste Facilities with Financial Assurance.
FRS = Facility Registry Systems.
FUDS = Formerly Used Defense Sites that require cleanup.
GWIF – FL = Groundwater Information/Groundwater Inspection Facility; Florida sites that are inspected and monitored.
HAZ WASTE = Hazardous Waste Information Listing, Leon County.
HIST AST – FL = Historical inventory of aboveground storage tanks in Florida; tanks no longer in current agency list.
HIST PCS ENF = Historical Permit Compliance System and Enforcement databases; facilities permitted to discharge wastewater (Federal equivalent to National Pollutant Discharge Elimination System) that are no longer in current agency list.
HMIRS (DOT) = Hazardous Material spills reported by the Department of Transportation.
ICIS = Integrated Compliance Information System.
INACTIVE PCS = Inactive permitted facilities to discharge wastewater.
LAST – FL = Florida database of Leaking Aboveground Storage Tanks.
LQG – FL = Florida database of permitted large quantity hazardous waste generators.
LUST = Florida database of Leaking Underground Storage Tanks.
MANIFEST EPA = Hazardous Waste Electronic Manifest System (e-Manifest).
MINES USGS = All active mines and mineral plants in 2003.
NPDES – FL = Listing of facilities with wastewater and National Pollutant Discharge Elimination System permits.
PCS ENF = Permit Compliance System Enforcement.
PCS FACILITY = Permitted facilities to discharge wastewater (Federal equivalent to National Pollutant Discharge Elimination System).
PCS = Permit Compliance System.
PFAS INDUSTRY = List of Industries potentially handling polyfluoroalkyl substances.
RAATS = RCRA Administrative Action Tracking System.
RCRA LQG = Resource Conservation and Recovery Act listing of licensed large quantity generators.
RCRA NONGEN / NLR = Resource Conservation and Recovery Act listing of licensed non-generators.
RCRA SQG = Resource Conservation and Recovery Act listing of licensed small quantity generators.
RCRA TSDF = Resource Conservation and Recovery Act hazardous waste transportation storage disposal and treatment facilities.
RCRA VSQG = Resource Conservation and Recovery Act listing of licensed very small quantity generators.
RESP PARTY – FL = Responsible party waste cleanups.
RMP = Risk Management Plan.
SEMS_8R_ARCHIVED SITES = Archived site is one at which USEPA has determined that assessment has been completed and no further remedial action is planned under the Superfund program at this time.
SHWS ERIC – FL = Environmental Restoration Integrated Cleanup (ERIC) contains these datasets: Superfund National Priorities List (NPL) Sites, CERCLA Site Screening Program, State Funded Cleanup Program, State-owned Lands Cleanup Program, Site Rehabilitation Program, Hazardous Waste Cleanup Program, Petroleum Restoration Program, Department of Defense, Formerly Used Defense Site, Drycleaning Solvent Cleanup Program, Responsible Party Cleanup, Site Investigation Section, Brownfield Site Rehabilitation, Hillsborough EPC Brownfields.

Database Search Findings			
Site Name	Address	Databases	Direction/Distance (Miles)

SPILLS – FL = Listing of chemical spills and incidents in Florida referred to the emergency response unit.
SQG – FL = Florida-permitted small quantity hazardous waste generators.
SSTS = Section Seven Tracking System.
STORMWATER = Permitted storm water sites.
SWF LF – FL = Florida database of solid waste facilities and landfills.
SWRCY – FL = Florida-permitted recycling centers.
T 2 – FL = Tier II Facilities.
TRIS = Toxics Release Inventory System.
TSD – FL = Treatment storage and disposal facilities in Florida.
UST = Florida database of Underground Storage Tanks.
WASTEWATER = Listing of permitted wastewater facilities.

Appendix D

Envirosite Historical Topographic Map Report

ENVIROSITE

Historical Topographic Map Report

BERT Rail-Trail
8888 Bernwood Pkwy
Bonita Springs, Florida 34135

Order Number: 119475
Report Generated: 07/01/2026

Project Name:
Project Number:

© 2026 Envirosite Inc. | All Rights Reserved | (866) 211-2028 | www.envirositecorp.com

Envirosite's Historical Topographic Map Report is designed to assist in evaluating a subject property resulting from past activities. Envirosite's Historical Topographic Map Report includes a search of USGS historical topographic maps, dating back to the early 1900s.

TOPOGRAPHIC MAPS FOUND:

	Map Name:	Year:	Revision Year:	Scale:
1.	Bonita Springs	1958	1987	1 : 24000
2.	Bonita Springs	1958	N/R	1 : 24000
3.	Bonita Springs	1958	1972	1 : 24000
4.	Estero	1958	1987	1 : 24000
5.	Estero	1958	N/R	1 : 24000
6.	Estero	1958	1972	1 : 24000
7.	Estero	2012	N/R	1 : 24000
8.	Bonita_Springs	2012	N/R	1 : 24000
9.	Bonita_Springs	2015	N/R	1 : 24000
10.	Estero	2015	N/R	1 : 24000
11.	Bonita_Springs	2018	N/R	1 : 24000
12.	Estero	2018	N/R	1 : 24000
13.	Bonita_Springs	2021	N/R	1 : 24000
14.	Estero	2021	N/R	1 : 24000
15.	Bonita_Springs	2024	N/R	1 : 24000
16.	Estero	2024	N/R	1 : 24000
17.	Bonita_Springs	2025	N/R	1 : 24000
18.	Estero	2025	N/R	1 : 24000

The USGS 7.5 minute series includes scales 1:24,000 / 1:25,000 / 1:31,680. The USGS 15 minute series includes scales 1:48,000 / 1:62,500 / 1:63,360. The USGS 30x60 minute series scale is 1:100,000.

Disclaimer - Copyright and Trademark Notice

All information contained in this report are based on data available from various public, government and other sources and are based upon the best data available from those sources. The information available in this report may be available from other sources and is not exclusive or the exclusive property of Envirosite Corporation.

NO WARRANTY EXPRESSED OR IMPLIED, IS MADE IN CONNECTION WITH THIS REPORT, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ALL RISK IS ASSUMED BY USER AND Envirosite assumes no liability for faulty or inaccurate information. The Reports may utilize a variety of public and other sources reasonably available to Envirosite. Envirosite cannot, and does not assure, warrant, guarantee or assume any liability for the correctness, comprehensiveness, timeliness or completeness of any of such information, nor is the information in any Report to be construed as legal advice with respect to environmental risks associated with any property. Envirosite shall not be liable to anyone for any claims, causes of action, suits, damages, losses, costs and expenses (including, without limitation, attorneys' fees and costs) arising out of or caused by this report regardless of the acts, errors or omissions, or negligence of Envirosite. Any damages shall be limited to the purchase price of the report.


Purchaser of the report accepts the report "As Is". The report is intended only to provide information only and should not be considered as providing any legal advice, prediction, forecast, or fact as to the environmental risk for any specific property. Reports are proprietary to Envirosite, and contain copyrighted material and trademarks of Envirosite. All other trademarks used herein are the property of their respective owners. All rights of Envirosite as to the Reports are reserved.

SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita Springs	MAP YEAR:	1958	REVISION YEAR:	1987
SCALE:	1 : 24000	Part	1		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita Springs	MAP YEAR:	1958	REVISION YEAR:	1987
SCALE:	1 : 24000	Part	2		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita Springs	MAP YEAR:	1958	REVISION YEAR:	1987
SCALE:	1 : 24000	Part	3		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita Springs	MAP YEAR:	1958	REVISION YEAR:	1987
SCALE:	1 : 24000	Part	4		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita Springs	MAP YEAR:	1958	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	1		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita Springs	MAP YEAR:	1958	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	2		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita Springs	MAP YEAR:	1958	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	3		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita Springs	MAP YEAR:	1958	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	4		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita Springs	MAP YEAR:	1958	REVISION YEAR:	1972
SCALE:	1 : 24000	Part	1		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita Springs	MAP YEAR:	1958	REVISION YEAR:	1972
SCALE:	1 : 24000	Part	2		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita Springs	MAP YEAR:	1958	REVISION YEAR:	1972
SCALE:	1 : 24000	Part	3		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita Springs	MAP YEAR:	1958	REVISION YEAR:	1972
SCALE:	1 : 24000	Part	4		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	1958	REVISION YEAR:	1987
SCALE:	1 : 24000	Part	1		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	1958	REVISION YEAR:	1987
SCALE:	1 : 24000	Part	2		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	1958	REVISION YEAR:	1987
SCALE:	1 : 24000	Part	3		



Flowing Wells
Flowing Well
Flowing Well
Flowing Well
Flowing Well
Flowing Well
Flowing Wells
Flowing Wells
Flowing Well
Flowing Well
Flowing Well
Flowing Well
Flowing Well

SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	1958	REVISION YEAR:	1987
SCALE:	1 : 24000	Part	4		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	1958	REVISION YEAR:	1987
SCALE:	1 : 24000	Part	5		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	1958	REVISION YEAR:	1987
SCALE:	1 : 24000	Part	6		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	1958	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	1		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	1958	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	2		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	1958	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	3		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	1958	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	4		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	1958	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	5		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	1958	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	6		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	1958	REVISION YEAR:	1972
SCALE:	1 : 24000	Part	1		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	1958	REVISION YEAR:	1972
SCALE:	1 : 24000	Part	2		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME: Estero
MAP YEAR: 1958
REVISION YEAR: 1972

SCALE: 1 : 24000
Part 3




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	1958	REVISION YEAR:	1972
SCALE:	1 : 24000	Part	4		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	1958	REVISION YEAR:	1972
SCALE:	1 : 24000	Part	5		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	1958	REVISION YEAR:	1972
SCALE:	1 : 24000	Part	6		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME: Estero MAP YEAR: 2012 REVISION YEAR: N/R

SCALE: 1 : 24000 Part 1




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	2012	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	2		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	2012	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	3		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	2012	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	4		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME: Estero MAP YEAR: 2012 REVISION YEAR: N/R

SCALE: 1 : 24000 Part 5




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	2012	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	6		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2012	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	1		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2012	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	2		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2012	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	3		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2012	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	4		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2015	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	1		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2015	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	2		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2015	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	3		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2015	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	4		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME: Estero MAP YEAR: 2015 REVISION YEAR: N/R

SCALE: 1 : 24000 Part 1




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME: Estero MAP YEAR: 2015 REVISION YEAR: N/R

SCALE: 1 : 24000 Part 2




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	2015	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	3		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	2015	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	4		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME: Estero MAP YEAR: 2015 REVISION YEAR: N/R

SCALE: 1 : 24000 Part 5




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME: Estero MAP YEAR: 2015 REVISION YEAR: N/R

SCALE: 1 : 24000 Part 6




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2018	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	1		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2018	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	2		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2018	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	3		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2018	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	4		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME: Estero MAP YEAR: 2018 REVISION YEAR: N/R

SCALE: 1 : 24000 Part 1




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME: Estero MAP YEAR: 2018 REVISION YEAR: N/R

SCALE: 1 : 24000 Part 2




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	2018	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	3		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	2018	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	4		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME: Estero MAP YEAR: 2018 REVISION YEAR: N/R

SCALE: 1 : 24000 Part 5




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME: Estero MAP YEAR: 2018 REVISION YEAR: N/R

SCALE: 1 : 24000 Part 6




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2021	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	1		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2021	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	2		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2021	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	3		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2021	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	4		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME: Estero MAP YEAR: 2021 REVISION YEAR: N/R

SCALE: 1 : 24000 Part 1




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME: Estero MAP YEAR: 2021 REVISION YEAR: N/R

SCALE: 1 : 24000 Part 2




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	2021	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	3		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	2021	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	4		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	2021	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	5		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	2021	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	6		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2024	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	1		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2024	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	2		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2024	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	3		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2024	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	4		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME: Estero MAP YEAR: 2024 REVISION YEAR: N/R

SCALE: 1 : 24000 Part 1




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME: Estero MAP YEAR: 2024 REVISION YEAR: N/R

SCALE: 1 : 24000 Part 2




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME: Estero MAP YEAR: 2024 REVISION YEAR: N/R

SCALE: 1 : 24000 Part 3


ESTERO
Our Lady of Light Catholic Church Memorial Garden Cem
Koreshan Cem - 2
Koreshan Unity Cem
Johnson Cem
ESTERO PKWY
CORKSCREW RD
WILLIAMS RD
Estero River
Hidden Pines Preserve
Hidden Pines Preserve
Hidden Pines Preserve


SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME: Estero MAP YEAR: 2024 REVISION YEAR: N/R

SCALE: 1 : 24000 Part 4




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	2024	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	5		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME: Estero MAP YEAR: 2024 REVISION YEAR: N/R

SCALE: 1 : 24000 Part 6




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2025	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	1		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2025	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	2		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2025	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	3		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Bonita_Springs	MAP YEAR:	2025	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	4		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME: Estero MAP YEAR: 2025 REVISION YEAR: N/R

SCALE: 1 : 24000 Part 1




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME: Estero MAP YEAR: 2025 REVISION YEAR: N/R

SCALE: 1 : 24000 Part 2




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME: Estero
MAP YEAR: 2025
REVISION YEAR: N/R

SCALE: 1 : 24000
Part 3


ESTERO
Our Lady of Light Catholic Church Memorial Garden Cem
Koreshan Cem - 2
Koreshan Unity Cem
Johnson Cem
Estero River
Halfway Creek
S. Tamiami Trail Corridor
ESTERO PKWY
CORKSCREW RD
WILLIAMS RD
CHARTWELL-BREEZE DR
VIA LUNGOMARE CIR
VIA RAPALLO DR
COCONUT RD
BONITA BILL ST
SPRING RUN BLVD
PELICAN COLONY BLVD
THREE OAKS PKWY
COUNTRY BARN DR
ROOKERY DR
CASCADES ISLE BLVD
BROADWAY AVE W
HIGHLANDS AVE
SANDY LN
TANGLEWOOD LN
COUNTER CREEK DR
ESTERO RIVER CIR
CYPRESS CIR
ARCOS AVE
RIVER RANCH RD
COLONIAL WALK S
COLONIAL WALK N
SPRINGLAKE CIR
SANCTUARY DR
WOODLANDS BLVD
LONGLEAF TRAIL
WINDHAM RUN
BERNWICK RUN
PORTRUSH RUN
SHERIDAN RUN
STONEYBROOK GOLF BLVD
MIROMAR OUTLET DR
BEN HILL GRIFFIN PKWY
TIDEWATER KEY BLVD
OTTER KEY LN
TUSCANY PARK DR
PORTO ROMANO CIR
MARINO LAKE CIR
ASTONIA WAY
LA BIANCO ST
COUNTRY OAKS DR
VILLA ROSA LOOP
TESORO WAY
CASADES DR
SAVANNAH WAY
VINTAGE TRACE
FRONT X CIR
INUTHATCH LN
ELWOOD RD
PINE RD
BEAULIEU CT
HARBOR CIR
COCONUT LN
WOLFELL TRL
BRICK ENDRIDGE DR
CARRIAGE CT
LUETTICH LN
SHERRILL LN
IAN CT
TRAILSIDE DR
PEPPERWOOD CIR
ORANGE TREE LN
CASTLEMAIN AVE
FOXBOROUGH CIR
SPRINGWOOD LOOP
ROOKERY CIR
ESTERO GARDENS CIR
SARACENO DR
SEADALE CT
BUTTERMERE CT
BURNSIDE PL
CALCE CT
MARKWARD
CORKSCREW RD
NEWBRIDGE
BRAXFIELD
LAKE RUN
HAMPTON
PINE TREE LN
CHARING CROSS CIR
PARK PL
RIVERSIDE DR
HAITIAN BLVD
PINEHURST GREENS DR
ISLAND SOUND CIR
PELICAN SOUND DR
LAUNG LOOP
SOUND WAY
RIVERBROOKE RUN
NATURES COVE CT
RED LAUREL LN
MASTERS CIR
SOUTHERN HILLS DR
BACCARAT LN
SEASHORE CIR
GABRIBALDI CIR
GALLOWAY FORD
ISLAND CT
FOUNTAIN LAKES BLVD
SHOPKEEPERS WAY
FOREST RIDGE DR
MARSH LANDING BLVD
COCONUT SHORES DR
COCONUT POINT RESORT
OAK CIR
ELDORADO BLVD
W ELDORADO AVE
E ELDORADO AVE
VIA VENETO BLVD
MERANO CT
TUSCANY CT
ADDISON PLACE CT
PEPPERMILL CT
N COMMONS DR
WALDEN CENTER DR
VIA VILLAGIO
MEDITERRANEAN DR
FAIRHOW DR
LYDEN DR
ROSEDALE DR
HOLLOW PINE DR
OAKWILDE BLVD
KNOLLVIEW BLVD
LAKEBEND PRESERVE CT
GLENVIEW LN
GLEN LAKES DR
AUTUMN
WHISPERING RIDGE DR
ORCHID RIDGE LN
COLEBERRY DR
GINGER POINTE CT
IDLE WAY
FOREBERRY LN
CANDY KNOLL DR
SANDYCREEK TER
MAGNOLIA BEND
FOXTAIL CREEK
COPPER LEAF BLVD
WISTERIA POINTE DR
EDDYSTONE RD
HALFMOON SHOAL RD
CROOKED RIVER RD
AMALFI COAST RD
CREEK BRANCH LN
COSTA DEL SOL DR
RESERVE ESTATES DR
CHERRYWOOD CIR
CHERRYWOOD LN
CHERRYWOOD CT
CHERRYWOOD DR
CHERRYWOOD PL
CHERRYWOOD WAY
CHERRYWOOD TER
CHERRYWOOD CIR
CHERRYWOOD LOOP
CHERRYWOOD RUN
CHERRYWOOD BLVD
CHERRYWOOD AVE
CHERRYWOOD PKWY
CHERRYWOOD HWY
CHERRYWOOD ST
CHERRYWOOD RD


SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME: Estero MAP YEAR: 2025 REVISION YEAR: N/R

SCALE: 1 : 24000 Part 4



ESTERO
Our Lady of Light Catholic Church Memorial Garden Cem
Koreshan Unity Cem
Johnson Cem
Estero River
Tamiami Trail Corridor Trl
Coconut Trl
ESTERO PKWY
CORKSCREW RD
WILLIAMS RD
COCONUT RD
BONITA BILL ST
CHARTWELL-BREEZE DR
COLONIAL WALK S
COLONIAL WALK N
COUNTRY BARN DR
ESTERO RIVER CIR
ARCOS AVE
THREE OAKS PKWY
RIVER RANCH RD
CASCADES ISLE BLVD
BROADWAY AVE W
BROADWAY AVE E
VIA RAPALLO DR
VIA LUNGOMARE CIR
SHOPKEEPERS WAY
FOREST RIDGE DR
MEDITERRANEAN DR
HOLLOW PINE DR
OAKWILDE BLVD
GINGER POINTE CT
MAGNOLIA BEND
KNOLLVIEW BLVD
LAKEBEND PRESERVE CT
GLEN LAKES DR
AUTUMN BREEZE DR
WHISPERING RIDGE DR
COPPERLEAF BLVD
WISTERIA POINTE DR
HALIMOON SHOAL RD
EDDYSTONE RD
CROOKED RIVER RD
AMALFI COAST RD
SPRING RUN BLVD
CREEK BRANCH LN
COSTA DEL SOL DR
SEASHORE CIR
SETTO RIDGE DR
RESERVE ESTATES DR
SANCTUARY DR
DOGLEG TRAIL RD
CRESCENT WOODLANDS BLVD
WINDHAM RUN
PORTRUSH RUN
BERWICK RUN
SHERBOURN RUN
STONEBROOK GOLF BLVD
BRIDHAM RUN LOOP
BELHAVEN WAY
BRAXFIELD LOOP
WILDCAT RUN DR
WATER OAK DR
COUNTRY CLUB DR
GRANDE OAKS BLVD
MARKWARD RING
MIROMAR OUTLET DR
BEN HILL GRIFFIN PKWY
TIDEWATER KEY BLVD
TAVERNIER DR
OTTER KEY LN
PORTO ROMANO DR
MARINO LAKE CIR
LA BIANCO ST
ASTONIA WAY
TUSCANY PARK DR
ROOKERY DR
COUNTRY CREEK DR
CASTLEMAINE AVE
TANGLEWOOD LN
HIGHLANDS AVE
SANDY LN
FOXWORTH CT
CROWNE CT
SPRINGS LOOP
TRAILSIDE DR
PEPPERWOOD LOOP
TREE LN
ORANGE
WOLFEL TRL
BRICKRIDGE DR
IAN CT
TAHITIAN BLVD
PINEHURST GREENS DR
PELICAN SOUND DR
SOUND WAY
LANSING LOOP
SOUTHERN HILLS DR
BACCARAT LN
MASTER CIR
FOUNTAIN LAKES BLVD
ISLAND WAY
GALLOWAY FORD
VIA GARIBALDI CIR
SPRINGLAKE CIR
ROSEDALE DR
FASHION DR
LYDEN DR
WALDEN CENTER DR
PEPPERMILL CT
N COMMONS DR
PELICAN COLONY BLVD
WALDEN CENTER AVE
NASH LANDING BLVD
COCONUT SHORES DR
OAK CIR
OAK DR
SANDY KNOLL DR
FOREBERY LN
FOREBERY DR
CORBERRY DR
ORCHID RIDGE LN
GLENVIEW LN
IDLE LN
FOSTAIL CREEK
SANDCREEK TER
SYCAMORE CIR
THREE OAKS PKWY
AMALFI COAST RD
CROOKED RIVER RD
HALIMOON SHOAL RD
EDDYSTONE RD
COPPERLEAF BLVD
WISTERIA POINTE DR
WHISPERING RIDGE DR
AUTUMN BREEZE DR
GLEN LAKES DR
LAKEBEND PRESERVE CT
KNOLLVIEW BLVD
SHOPKEEPERS WAY
FOREST RIDGE DR
MEDITERRANEAN DR
HOLLOW PINE DR
OAKWILDE BLVD
GINGER POINTE CT
MAGNOLIA BEND
COCONUT RD
WILLIAMS RD
SEASHORE CIR
SETTO RIDGE DR
CHARTWELL-BREEZ

SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	2025	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	5		




SUBJECT NAME: BERT Rail-Trail
ADDRESS: 8888 Bernwood Pkwy, Bonita Springs, Florida, 34135
LAT/LONG: 26.370759 / -81.802379

PREPARED FOR: S&S Environmental Consultants, LLC
ORDER #: 119475
REPORT DATE: 07/01/2026

SUBJECT QUAD:

MAP NAME:	Estero	MAP YEAR:	2025	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	6		



Appendix E

National Resource Conservation Service Custom Soil Resource Report for Lee and Collier County, Florida – Bonita Estero Rail Trail

United States Department of Agriculture


NRCS

Natural Resources Conservation Service

A product of the National Cooperative Soil Survey, a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local participants

Custom Soil Resource Report for Lee County, Florida

Estero



July 10, 2026

Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (https://offices.sc.egov.usda.gov/locator/app?agency=nrcs) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2_053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface.....2
How Soil Surveys Are Made.....5
Soil Map.....8
Soil Map.....9
Legend.....10
Map Unit Legend.....11
Map Unit Descriptions.....12
Lee County, Florida.....14
36—Immokalee sand-Urban land complex, 0 to 2 percent slopes.....14
49—Felda fine sand, frequently ponded, 0 to 1 percent slopes.....17
51—Floridana sand, frequently ponded, 0 to 2 percent slopes.....20
64—Brynwood fine sand, wet-Urban land complex, 0 to 2 percent slopes.....22
73—Pineda fine sand, frequently ponded, 0 to 1 percent slopes.....25
102—Cypress Lake fine sand-Urban land complex, 0 to 2 percent slopes.....27
119—Malabar fine sand-Urban land complex, 0 to 2 percent slopes.....30
129—Pineda fine sand-Urban land complex, 0 to 2 percent slopes.....33
130—Pineda fine sand, ponded-Urban land complex, 0 to 1 percent slopes.....36
131—Pompano fine sand-Urban land compex, 0 to 2 percent slopes.....39
132—Pompano fine sand, ponded-Urban land complex, 0 to 1 percent slopes.....42
136—Valkaria fine sand-Urban land complex, 0 to 2 percent slopes.....45
141—Cocoa fine sand-Urban land complex, 0 to 2 percent slopes.....48
146—Brynwood fine sand, slough-Urban land complex, 0 to 1 percent slopes.....50
References.....53

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.


After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.

Custom Soil Resource Report
Soil Map



Map Scale: 1:37,800 if printed on A portrait (8.5" x 11") sheet.

N

Meters: 0 500 1000 2000 3000

Feet: 0 1500 3000 6000 9000

Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 17N WGS84

MAP LEGEND

Area of Interest (AOI)
- Area of Interest (AOI)

Soils
- Soil Map Unit Polygons
- Soil Map Unit Lines
- Soil Map Unit Points

Special Point Features
- Blowout
- Borrow Pit
- Clay Spot
- Closed Depression
- Gravel Pit
- Gravelly Spot
- Landfill
- Lava Flow
- Marsh or swamp
- Mine or Quarry
- Miscellaneous Water
- Perennial Water
- Rock Outcrop
- Saline Spot
- Sandy Spot
- Severely Eroded Spot
- Sinkhole
- Slide or Slip
- Sodic Spot
- Spoil Area
- Stony Spot
- Very Stony Spot
- Wet Spot
- Other
- Special Line Features

Water Features
- Streams and Canals

Transportation
- Rails
- Interstate Highways
- US Routes
- Major Roads
- Local Roads

Background
- Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lee County, Florida
Survey Area Data: Version 23, Aug 29, 2025

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Nov 14, 2021—Nov 23, 2021

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
36	Immokalee sand-Urban land complex, 0 to 2 percent slopes	17.7	26.5%
49	Felda fine sand, frequently ponded, 0 to 1 percent slopes	0.6	0.9%
51	Floridana sand, frequently ponded, 0 to 2 percent slopes	0.5	0.7%
64	Brynwood fine sand, wet-Urban land complex, 0 to 2 percent slopes	5.0	7.4%
73	Pineda fine sand, frequently ponded, 0 to 1 percent slopes	0.0	0.0%
102	Cypress Lake fine sand-Urban land complex, 0 to 2 percent slopes	2.8	4.3%
119	Malabar fine sand-Urban land complex, 0 to 2 percent slopes	3.3	5.0%
129	Pineda fine sand-Urban land complex, 0 to 2 percent slopes	8.2	12.3%
130	Pineda fine sand, ponded-Urban land complex, 0 to 1 percent slopes	0.5	0.8%
131	Pompano fine sand-Urban land compex, 0 to 2 percent slopes	3.0	4.5%
132	Pompano fine sand, ponded-Urban land complex, 0 to 1 percent slopes	1.8	2.7%
136	Valkaria fine sand-Urban land complex, 0 to 2 percent slopes	11.1	16.7%
141	Cocoa fine sand-Urban land complex, 0 to 2 percent slopes	10.6	16.0%
146	Brynwood fine sand, slough-Urban land complex, 0 to 1 percent slopes	1.4	2.2%
Totals for Area of Interest		**66.5**	**100.0%**

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas

shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Lee County, Florida

36—Immokalee sand-Urban land complex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2x9c1
Landscape: Coastal plains
Elevation: 0 to 150 feet
Mean annual precipitation: 42 to 68 inches
Mean annual air temperature: 70 to 77 degrees F
Frost-free period: 355 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Immokalee and similar soils: 43 percent
Urban land: 35 percent
Minor components: 22 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Immokalee

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Sandy marine deposits

Typical profile

A - 0 to 9 inches: sand
E - 9 to 36 inches: sand
Bh - 36 to 55 inches: sand
C - 55 to 80 inches: sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Poorly drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.57 to 1.98 in/hr)
Depth to water table: About 6 to 18 inches
Frequency of flooding: None
Frequency of ponding: None
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Very low (about 3.0 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4w
Hydrologic Soil Group: B/D
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks

Forage suitability group: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Basinger

Percent of map unit: 5 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Oldsmar

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Talf
Down-slope shape: Convex
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Pomello

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Ridges on marine terraces, Knolls on marine terraces
Landform position (two-dimensional): Summit, backslope
Landform position (three-dimensional): Interfluve, side slope, riser

Down-slope shape: Convex
Across-slope shape: Linear
Ecological site: F155XY150FL - Sandy Flatwoods and Hammocks on Rises and Knolls of Mesic Uplands
Other vegetative classification: Sand Pine Scrub (R155XY001FL), Sandy soils on rises and knolls of mesic uplands (G155XB131FL)
Hydric soil rating: No

Brynwood

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Immokalee

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Anthropogenic features: Fills
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Satellite

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY150FL - Sandy Flatwoods and Hammocks on Rises and Knolls of Mesic Uplands
Other vegetative classification: Sand Pine Scrub (R155XY001FL), Sandy soils on rises and knolls of mesic uplands (G155XB131FL)
Hydric soil rating: No

Felda

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps

Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Jenada

Percent of map unit: 1 percent
Landscape: Coastal plains
Landform: Low broad flats on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Hydric soil rating: Yes

49—Felda fine sand, frequently ponded, 0 to 1 percent slopes

Map Unit Setting

National map unit symbol: 2tzxb
Landscape: Coastal plains
Elevation: 0 to 150 feet
Mean annual precipitation: 46 to 63 inches
Mean annual air temperature: 68 to 77 degrees F
Frost-free period: 335 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Felda and similar soils: 85 percent
Minor components: 15 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Felda

Setting

Landscape: Coastal plains
Landform: Depressions on marine terraces, Flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Concave, linear
Parent material: Sandy and loamy marine deposits

Typical profile

A - 0 to 7 inches: fine sand
Eg - 7 to 24 inches: fine sand
Btg - 24 to 36 inches: fine sandy loam
Cg - 36 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 1 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Very poorly drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 6.00 in/hr)
Depth to water table: About 0 inches
Frequency of flooding: None
Frequency of ponding: Frequent
Calcium carbonate, maximum content: 2 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 5.4 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7w
Hydrologic Soil Group: A/D
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Forage suitability group: Sandy over loamy soils on stream terraces, flood plains, or in depressions (G155XB245FL)
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy over loamy soils on stream terraces, flood plains, or in depressions (G155XB245FL)
Hydric soil rating: Yes

Minor Components

Floridana

Percent of map unit: 5 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave
Across-slope shape: Concave
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy over loamy soils on stream terraces, flood plains, or in depressions (G155XB245FL)
Hydric soil rating: Yes

Basinger

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave, linear
Across-slope shape: Concave, linear
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)

Hydric soil rating: Yes

Winder

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave, linear
Across-slope shape: Concave, linear
Ecological site: R155XY090FL - Loamy and Clayey Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Loamy and clayey soils on stream terraces, flood plains, or in depressions (G155XB345FL)
Hydric soil rating: Yes

Eaton

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Dip, talf
Down-slope shape: Concave, linear
Across-slope shape: Concave, linear
Ecological site: F154XA012FL - Wet Rich Forests And Woodlands
Other vegetative classification: Freshwater Marshes and Ponds (R154XY010FL), Loamy and clayey soils on stream terraces, flood plains, or in depressions (G154XB345FL)
Hydric soil rating: Yes

Myakka

Percent of map unit: 1 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Kaliga

Percent of map unit: 1 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave, linear
Across-slope shape: Concave, linear
Ecological site: R155XY100FL - Organic Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Organic soils in depressions and on flood plains (G155XB645FL)
Hydric soil rating: Yes

Sanibel

Percent of map unit: 1 percent
Landscape: Coastal plains

Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave, linear
Across-slope shape: Concave
Ecological site: R155XY100FL - Organic Freshwater Isolated Marshes and Swamps
Other vegetative classification: Organic soils in depressions and on flood plains (G155XB645FL)
Hydric soil rating: Yes

51—Floridana sand, frequently ponded, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2sm56
Landscape: Coastal plains
Elevation: 0 to 140 feet
Mean annual precipitation: 46 to 58 inches
Mean annual air temperature: 68 to 77 degrees F
Frost-free period: 350 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Floridana and similar soils: 85 percent
Minor components: 15 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Floridana

Setting

Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave
Across-slope shape: Concave, linear
Parent material: Sandy and loamy marine deposits

Typical profile

A - 0 to 21 inches: sand
Eg - 21 to 25 inches: sand
Btg - 25 to 60 inches: sandy clay loam
BCg - 60 to 80 inches: sandy clay loam

Properties and qualities

Slope: 0 to 1 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Very poorly drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): Moderately low to moderately high (0.06 to 0.20 in/hr)
Depth to water table: About 0 inches

Frequency of flooding: None
Frequency of ponding: Frequent
Calcium carbonate, maximum content: 10 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Moderate (about 8.3 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7w
Hydrologic Soil Group: C/D
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Forage suitability group: Sandy over loamy soils on stream terraces, flood plains, or in depressions (G155XB245FL)
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy over loamy soils on stream terraces, flood plains, or in depressions (G155XB245FL)
Hydric soil rating: Yes

Minor Components

Winder

Percent of map unit: 7 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave
Across-slope shape: Linear, concave
Ecological site: R155XY090FL - Loamy and Clayey Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Loamy and clayey soils on stream terraces, flood plains, or in depressions (G155XB345FL)
Hydric soil rating: Yes

Felda

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Depressions on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy over loamy soils on stream terraces, flood plains, or in depressions (G155XB245FL)
Hydric soil rating: Yes

Tomoka

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave, linear

Across-slope shape: Concave, linear
Ecological site: R155XY100FL - Organic Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Organic soils in depressions and on flood plains (G156BC645FL)
Hydric soil rating: Yes

Anclote

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave
Across-slope shape: Concave, linear
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Hydric soil rating: Yes

64—Brynwood fine sand, wet-Urban land complex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2zlfd
Landscape: Coastal plains
Elevation: 0 to 80 feet
Mean annual precipitation: 42 to 70 inches
Mean annual air temperature: 70 to 79 degrees F
Frost-free period: 360 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Brynwood and similar soils: 45 percent
Urban land: 33 percent
Minor components: 22 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Brynwood

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Sandy marine deposits over limestone

Typical profile

A - 0 to 2 inches: fine sand

Eg - 2 to 7 inches: fine sand
Bw - 7 to 12 inches: fine sand
2R - 12 to 22 inches: bedrock

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: 2 to 20 inches to lithic bedrock
Drainage class: Poorly drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 5.95 in/hr)
Depth to water table: About 3 to 18 inches
Frequency of flooding: None
Frequency of ponding: None
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Very low (about 0.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4w
Hydrologic Soil Group: B/D
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Cypress lake

Percent of map unit: 5 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks

Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Jenada

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear
Across-slope shape: Concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: Forage suitability group not assigned (G156AC999FL)
Hydric soil rating: Yes

Dania

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Marshes on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave
Across-slope shape: Concave
Ecological site: R155XY100FL - Organic Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R156AY010FL), Organic soils in depressions and on flood plains (G156AC645FL)
Hydric soil rating: Yes

Basinger

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Brynwood

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Anthropogenic features: Fills
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Pompano

Percent of map unit: 2 percent

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear
Across-slope shape: Concave, linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Wabasso

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Clewiston

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Low broad flats on marine terraces, Depressions on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY100FL - Organic Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Organic soils in depressions and on flood plains (G155XB645FL)
Hydric soil rating: Yes

73—Pineda fine sand, frequently ponded, 0 to 1 percent slopes

Map Unit Setting

National map unit symbol: 2svz7
Landscape: Coastal plains
Elevation: 0 to 90 feet
Mean annual precipitation: 46 to 60 inches
Mean annual air temperature: 70 to 77 degrees F
Frost-free period: 355 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Pineda and similar soils: 90 percent
Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Pineda

Setting

Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave
Across-slope shape: Concave
Parent material: Sandy and loamy marine deposits

Typical profile

A - 0 to 3 inches: fine sand
E - 3 to 12 inches: fine sand
Bw - 12 to 31 inches: fine sand
Btg/E - 31 to 39 inches: fine sandy loam
Btg - 39 to 55 inches: fine sandy loam
Cg - 55 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 1 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Very poorly drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): High (1.98 to 5.95 in/hr)
Depth to water table: About 0 inches
Frequency of flooding: None
Frequency of ponding: Frequent
Calcium carbonate, maximum content: 4 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 6.0 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7w
Hydrologic Soil Group: A/D
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Forage suitability group: Sandy over loamy soils on stream terraces, flood plains, or in depressions (G155XB245FL)
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy over loamy soils on stream terraces, flood plains, or in depressions (G155XB245FL)
Hydric soil rating: Yes

Minor Components

Malabar

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave

Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Valkaria

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Drainageways on flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Floridana

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave, linear
Across-slope shape: Concave, linear
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy over loamy soils on stream terraces, flood plains, or in depressions (G155XB245FL)
Hydric soil rating: Yes

Cypress lake

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Convex, linear
Across-slope shape: Linear, concave
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

102—Cypress Lake fine sand-Urban land complex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2zldz
Landscape: Coastal plains
Elevation: 0 to 70 feet

Mean annual precipitation: 42 to 56 inches
Mean annual air temperature: 68 to 77 degrees F
Frost-free period: 350 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Cypress lake and similar soils: 42 percent
Urban land: 36 percent
Minor components: 22 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Cypress Lake

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Linear
Across-slope shape: Linear, concave
Parent material: Sandy and loamy marine deposits over limestone

Typical profile

A - 0 to 3 inches: fine sand
E - 3 to 14 inches: fine sand
E/B - 14 to 25 inches: fine sand
Btg - 25 to 30 inches: fine sandy loam
2R - 30 to 40 inches: bedrock

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: 8 to 40 inches to lithic bedrock
Drainage class: Poorly drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 2.00 in/hr)
Depth to water table: About 3 to 18 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 4 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Very low (about 2.6 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 3w
Hydrologic Soil Group: A/D
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Forage suitability group: Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Brynwood

Percent of map unit: 8 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Wabasso

Percent of map unit: 6 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Pineda

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Ft. drum

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Convex
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Cypress lake

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces, Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Anthropogenic features: Fills
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: No

119—Malabar fine sand-Urban land complex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2x9cd
Landscape: Coastal plains
Elevation: 10 to 130 feet
Mean annual precipitation: 42 to 63 inches
Mean annual air temperature: 70 to 77 degrees F
Frost-free period: 355 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Malabar and similar soils: 45 percent
Urban land: 38 percent
Minor components: 17 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Malabar

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, dip

Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Parent material: Sandy and loamy marine deposits

Typical profile

A - 0 to 5 inches: fine sand
E - 5 to 17 inches: fine sand
Bw - 17 to 42 inches: fine sand
Btg - 42 to 59 inches: fine sandy loam
Cg - 59 to 80 inches: loamy fine sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Poorly drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): High (2.00 to 6.00 in/hr)
Depth to water table: About 3 to 18 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 5.3 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4w
Hydrologic Soil Group: A/D
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Valkaria

Percent of map unit: 5 percent
Landscape: Coastal plains
Landform: Drainageways on flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Oldsmar

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Talf
Down-slope shape: Convex, linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Pineda

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Malabar

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Anthropogenic features: Fills
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Basinger

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip

Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

129—Pineda fine sand-Urban land complex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2x9cj
Landscape: Coastal plains
Elevation: 0 to 130 feet
Mean annual precipitation: 38 to 63 inches
Mean annual air temperature: 68 to 77 degrees F
Frost-free period: 350 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Pineda and similar soils: 40 percent
Urban land: 33 percent
Minor components: 27 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Pineda

Setting

Landscape: Coastal plains
Landform: Drainageways on marine terraces, Flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Linear, concave
Parent material: Sandy and loamy marine deposits

Typical profile

A - 0 to 1 inches: fine sand
E - 1 to 5 inches: fine sand
Bw - 5 to 36 inches: fine sand
Btg/E - 36 to 54 inches: fine sandy loam
Cg - 54 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Poorly drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): High (1.98 to 5.95 in/hr)

Depth to water table: About 6 to 18 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 15 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 5.7 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 3w
Hydrologic Soil Group: A/D
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Forage suitability group: Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: No

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Pineda, wet

Percent of map unit: 10 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces, Flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Concave, linear
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Felda

Percent of map unit: 6 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces, Flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear

Across-slope shape: Concave, linear
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Wabasso

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Convex, linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Pineda

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Anthropogenic features: Fills
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: No

Valkaria

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Drainageways on flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Cypress lake

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flats on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear, convex
Across-slope shape: Linear
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Brynwood

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

130—Pineda fine sand, ponded-Urban land complex, 0 to 1 percent slopes

Map Unit Setting

National map unit symbol: 2x9ck
Landscape: Coastal plains
Elevation: 0 to 90 feet
Mean annual precipitation: 46 to 60 inches
Mean annual air temperature: 70 to 77 degrees F
Frost-free period: 355 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Pineda and similar soils: 48 percent
Urban land: 40 percent
Minor components: 12 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Pineda

Setting

Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave
Across-slope shape: Concave
Parent material: Sandy and loamy marine deposits

Typical profile

A - 0 to 3 inches: fine sand
E - 3 to 12 inches: fine sand
Bw - 12 to 31 inches: fine sand
Btg/E - 31 to 39 inches: fine sandy loam
Btg - 39 to 55 inches: fine sandy loam
Cg - 55 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 1 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Very poorly drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): High (1.98 to 5.95 in/hr)
Depth to water table: About 0 inches
Frequency of flooding: None
Frequency of ponding: Frequent
Calcium carbonate, maximum content: 4 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 6.0 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7w
Hydrologic Soil Group: A/D
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Forage suitability group: Sandy over loamy soils on stream terraces, flood plains, or in depressions (G155XB245FL)
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy over loamy soils on stream terraces, flood plains, or in depressions (G155XB245FL)
Hydric soil rating: Yes

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Malabar

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave

Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Valkaria

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Drainageways on flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Floridana

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave
Across-slope shape: Concave
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy over loamy soils on stream terraces, flood plains, or in depressions (G155XB245FL)
Hydric soil rating: Yes

Pineda

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Anthropogenic features: Fills
Down-slope shape: Concave, linear
Across-slope shape: Concave, linear
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy over loamy soils on stream terraces, flood plains, or in depressions (G155XB245FL)
Hydric soil rating: No

Cypress lake

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Convex, linear
Across-slope shape: Linear, concave
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks

Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

131—Pompano fine sand-Urban land compex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2x9c9
Landscape: Coastal plains
Elevation: 0 to 100 feet
Mean annual precipitation: 44 to 65 inches
Mean annual air temperature: 70 to 77 degrees F
Frost-free period: 355 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Pompano and similar soils: 42 percent
Urban land: 36 percent
Minor components: 22 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Pompano

Setting

Landscape: Coastal plains
Landform: Flats on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear
Across-slope shape: Linear, concave
Parent material: Sandy marine deposits

Typical profile

A - 0 to 4 inches: fine sand
C - 4 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Poorly drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): High to very high (6.00 to 20.00 in/hr)
Depth to water table: About 3 to 18 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 2 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 4.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4w
Hydrologic Soil Group: A/D
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Forage suitability group: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Valkaria

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Drainageways on flats on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Malabar

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Drainageways on flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps

Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Anclote

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave, convex
Across-slope shape: Concave, linear
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Hydric soil rating: Yes

Myakka

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Drainageways on flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Immokalee

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Riviera

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces, Flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Concave, linear
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Pompano

Percent of map unit: 2 percent

Landscape: Coastal plains
Landform: Flats on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Anthropogenic features: Fills
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

132—Pompano fine sand, ponded-Urban land complex, 0 to 1 percent slopes

Map Unit Setting

National map unit symbol: 2x9f6
Landscape: Coastal plains
Elevation: 10 to 90 feet
Mean annual precipitation: 44 to 64 inches
Mean annual air temperature: 70 to 77 degrees F
Frost-free period: 355 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Pompano and similar soils: 48 percent
Urban land: 40 percent
Minor components: 12 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Pompano

Setting

Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave
Across-slope shape: Concave
Parent material: Sandy marine deposits

Typical profile

A - 0 to 12 inches: fine sand
C - 12 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 1 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Very poorly drained
Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): High to very high (5.95 to 19.98 in/hr)
Depth to water table: About 0 inches
Frequency of flooding: None
Frequency of ponding: Frequent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 4.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7w
Hydrologic Soil Group: A/D
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Forage suitability group: Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Hydric soil rating: Yes

Description of Urban Land

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Hydric soil rating: Unranked

Minor Components

Basinger

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Pompano

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Anthropogenic features: Fills
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps

Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Hydric soil rating: No

Malabar

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Myakka

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave, linear
Across-slope shape: Concave, linear
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Hydric soil rating: Yes

Anclote

Percent of map unit: 1 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Convex, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Hydric soil rating: Yes

Placid

Percent of map unit: 1 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces, Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave
Across-slope shape: Concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps

Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Hydric soil rating: Yes

Adamsville

Percent of map unit: 1 percent
Landscape: Coastal plains
Landform: Rises on marine terraces, Knolls on marine terraces
Landform position (three-dimensional): Tread, rise
Down-slope shape: Convex
Across-slope shape: Linear
Ecological site: F155XY150FL - Sandy Flatwoods and Hammocks on Rises and Knolls of Mesic Uplands
Other vegetative classification: Upland Hardwood Hammock (R155XY008FL), Sandy soils on rises and knolls of mesic uplands (G155XB131FL)
Hydric soil rating: No

136—Valkaria fine sand-Urban land complex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2x9c7
Landscape: Coastal plains
Elevation: 0 to 110 feet
Mean annual precipitation: 44 to 61 inches
Mean annual air temperature: 70 to 77 degrees F
Frost-free period: 355 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Valkaria and similar soils: 45 percent
Urban land: 38 percent
Minor components: 17 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Valkaria

Setting

Landscape: Coastal plains
Landform: Drainageways on flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Linear, concave
Parent material: Sandy marine deposits

Typical profile

A - 0 to 5 inches: fine sand
E - 5 to 16 inches: fine sand
Bw - 16 to 51 inches: fine sand

C - 51 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Poorly drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): High to very high (6.00 to 20.00 in/hr)
Depth to water table: About 3 to 18 inches
Frequency of flooding: None
Frequency of ponding: None
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 4.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4w
Hydrologic Soil Group: A/D
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Malabar

Percent of map unit: 5 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces, Flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)

Hydric soil rating: Yes

Myakka

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Drainageways on flatwoods on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Pineda

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces, Flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Concave, linear
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Valkaria

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Anthropogenic features: Fills
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Satellite

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces, Rises on marine terraces
Landform position (three-dimensional): Tread, talf, rise
Down-slope shape: Linear, convex
Across-slope shape: Linear
Ecological site: F155XY150FL - Sandy Flatwoods and Hammocks on Rises and Knolls of Mesic Uplands
Other vegetative classification: Sand Pine Scrub (R155XY001FL), Sandy soils on rises and knolls of mesic uplands (G155XB131FL)
Hydric soil rating: No

141—Cocoa fine sand-Urban land complex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2x9dh
Landscape: Coastal plains
Elevation: 0 to 20 feet
Mean annual precipitation: 45 to 54 inches
Mean annual air temperature: 70 to 77 degrees F
Frost-free period: 360 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Cocoa and similar soils: 45 percent
Urban land: 40 percent
Minor components: 15 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Cocoa

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces, Rises on marine terraces
Landform position (three-dimensional): Tread, rise
Down-slope shape: Convex
Across-slope shape: Linear
Parent material: Sandy marine deposits over limestone

Typical profile

A - 0 to 3 inches: fine sand
E - 3 to 13 inches: fine sand
Bw - 13 to 27 inches: fine sand
Bt - 27 to 31 inches: fine sand
2R - 31 to 41 inches: bedrock

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: 20 to 40 inches to lithic bedrock
Drainage class: Moderately well drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): High to very high (1.98 to 19.98 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Very low (about 2.5 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 3s
Hydrologic Soil Group: A
Ecological site: F155XY160FL - Sandy over Loamy Flatwoods and Hammocks on Rises and Knolls of Mesic Uplands
Forage suitability group: Shallow or moderately deep, sandy or loamy soils on rises and ridges of mesic uplands (G155XB521FL)
Other vegetative classification: Longleaf Pine-Turkey Oak Hills (R155XY002FL), Shallow or moderately deep, sandy or loamy soils on rises and ridges of mesic uplands (G155XB521FL)
Hydric soil rating: No

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: F155XY160FL - Sandy over Loamy Flatwoods and Hammocks on Rises and Knolls of Mesic Uplands
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Cypress lake

Percent of map unit: 8 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Convex, linear
Across-slope shape: Linear, concave
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Brynwood

Percent of map unit: 7 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)

Hydric soil rating: Yes

146—Brynwood fine sand, slough-Urban land complex, 0 to 1 percent slopes

Map Unit Setting

National map unit symbol: 2zlf8
Landscape: Coastal plains
Elevation: 0 to 40 feet
Mean annual precipitation: 45 to 70 inches
Mean annual air temperature: 70 to 79 degrees F
Frost-free period: 360 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Brynwood, slough, and similar soils: 45 percent
Urban land: 41 percent
Minor components: 14 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Brynwood, Slough

Setting

Landscape: Coastal plains
Landform: Flatwoods on drainageways, Flatwoods on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear
Across-slope shape: Concave, linear
Parent material: Sandy marine deposits over limestone

Typical profile

A - 0 to 2 inches: fine sand
Eg - 2 to 7 inches: fine sand
Bw - 7 to 12 inches: fine sand
2R - 12 to 22 inches: bedrock

Properties and qualities

Slope: 0 to 1 percent
Depth to restrictive feature: 2 to 20 inches to lithic bedrock
Drainage class: Poorly drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 5.95 in/hr)
Depth to water table: About 0 inches
Frequency of flooding: None
Frequency of ponding: Frequent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Very low (about 0.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4w
Hydrologic Soil Group: B/D
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Cypress lake

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear
Across-slope shape: Concave, linear
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Pineda

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces, Flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Concave, linear
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Pompano

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear
Across-slope shape: Concave, linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Brynwood

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Anthropogenic features: Fills
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

References

American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.

American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.

Federal Register. July 13, 1994. Changes in hydric soils of the United States.

Federal Register. September 18, 2002. Hydric soils of the United States.

Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.

National Research Council. 1995. Wetlands: Characteristics and boundaries.

Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_054262

Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053577

Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053580

Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.

United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.

United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2_053374

United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelprdb1043084

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf

United States Department of Agriculture


NRCS

Natural Resources Conservation Service

A product of the National Cooperative Soil Survey, a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local participants

Custom Soil Resource Report for Collier County Area, Florida, and Lee County, Florida

Bonita Springs



July 10, 2026

Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (https://offices.sc.egov.usda.gov/locator/app?agency=nrcs) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2_053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface.....2
How Soil Surveys Are Made.....5
Soil Map.....8
Soil Map.....9
Legend.....10
Map Unit Legend.....12
Map Unit Descriptions.....13
Collier County Area, Florida.....15
118—Immokalee-Oldsmar, limestone substratum-Urban land complex, 0 to 2 percent slopes.....15
Lee County, Florida.....19
7—Matlacha gravelly fine sand-Urban land complex, 0 to 2 percent slopes.....19
36—Immokalee sand-Urban land complex, 0 to 2 percent slopes.....21
64—Brynwood fine sand, wet-Urban land complex, 0 to 2 percent slopes.....24
100—Waters of the Gulf of America.....27
102—Cypress Lake fine sand-Urban land complex, 0 to 2 percent slopes.....28
105—Copeland fine sandy loam, ponded-Urban land complex, 0 to 1 percent slopes.....30
111—Felda fine sand, ponded-Urban land complex, 0 to 1 percent slopes.....33
116—Isles fine sand, ponded-Urban land complex, 0 to 1 percent slopes.....36
119—Malabar fine sand-Urban land complex, 0 to 2 percent slopes.....39
123—Myakka fine sand-Urban land complex, 0 to 2 percent slopes.....42
124—Myakka fine sand, ponded-Urban land complex, 0 to 1 percent slopes.....45
127—Orsino fine sand-Urban land complex, 0 to 5 percent slopes.....48
129—Pineda fine sand-Urban land complex, 0 to 2 percent slopes.....51
131—Pompano fine sand-Urban land compex, 0 to 2 percent slopes.....54
132—Pompano fine sand, ponded-Urban land complex, 0 to 1 percent slopes.....57
134—Satellite fine sand-Urban land complex, 0 to 2 percent slopes.....60
136—Valkaria fine sand-Urban land complex, 0 to 2 percent slopes.....63
141—Cocoa fine sand-Urban land complex, 0 to 2 percent slopes.....65
References.....68

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.


After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.

Custom Soil Resource Report
Soil Map



MAP LEGEND

Area of Interest (AOI)
- Area of Interest (AOI)

Soils
- Soil Map Unit Polygons
- Soil Map Unit Lines
- Soil Map Unit Points

Special Point Features
- Blowout
- Borrow Pit
- Clay Spot
- Closed Depression
- Gravel Pit
- Gravelly Spot
- Landfill
- Lava Flow
- Marsh or swamp
- Mine or Quarry
- Miscellaneous Water
- Perennial Water
- Rock Outcrop
- Saline Spot
- Sandy Spot
- Severely Eroded Spot
- Sinkhole
- Slide or Slip
- Sodic Spot
- Spoil Area
- Stony Spot
- Very Stony Spot
- Wet Spot
- Other
- Special Line Features

Water Features
- Streams and Canals

Transportation
- Rails
- Interstate Highways
- US Routes
- Major Roads
- Local Roads

Background
- Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at scales ranging from 1:20,000 to 1:24,000.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Collier County Area, Florida
Survey Area Data: Version 19, Aug 29, 2025

Soil Survey Area: Lee County, Florida
Survey Area Data: Version 23, Aug 29, 2025

Your area of interest (AOI) includes more than one soil survey area. These survey areas may have been mapped at different scales, with a different land use in mind, at different times, or at different levels of detail. This may result in map unit symbols, soil properties, and interpretations that do not completely agree across soil survey area boundaries.

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Nov 14, 2021—Nov 23, 2021

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background

MAP LEGEND

MAP INFORMATION

imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
118	Immokalee-Oldsmar, limestone substratum-Urban land complex, 0 to 2 percent slopes	0.1	0.1%
Subtotals for Soil Survey Area		**0.1**	**0.1%**
Totals for Area of Interest		**87.1**	**100.0%**

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
7	Matlacha gravelly fine sand-Urban land complex, 0 to 2 percent slopes	4.2	4.9%
36	Immokalee sand-Urban land complex, 0 to 2 percent slopes	15.5	17.8%
64	Brynwood fine sand, wet-Urban land complex, 0 to 2 percent slopes	19.5	22.4%
100	Waters of the Gulf of America	0.2	0.3%
102	Cypress Lake fine sand-Urban land complex, 0 to 2 percent slopes	7.5	8.6%
105	Copeland fine sandy loam, ponded-Urban land complex, 0 to 1 percent slopes	0.9	1.1%
111	Felda fine sand, ponded-Urban land complex, 0 to 1 percent slopes	1.3	1.5%
116	Isles fine sand, ponded-Urban land complex, 0 to 1 percent slopes	0.8	0.9%
119	Malabar fine sand-Urban land complex, 0 to 2 percent slopes	4.3	4.9%
123	Myakka fine sand-Urban land complex, 0 to 2 percent slopes	3.3	3.8%
124	Myakka fine sand, ponded-Urban land complex, 0 to 1 percent slopes	0.8	0.9%
127	Orsino fine sand-Urban land complex, 0 to 5 percent slopes	3.2	3.6%
129	Pineda fine sand-Urban land complex, 0 to 2 percent slopes	8.8	10.1%

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
131	Pompano fine sand-Urban land compex, 0 to 2 percent slopes	0.6	0.6%
132	Pompano fine sand, ponded-Urban land complex, 0 to 1 percent slopes	1.0	1.2%
134	Satellite fine sand-Urban land complex, 0 to 2 percent slopes	2.9	3.3%
136	Valkaria fine sand-Urban land complex, 0 to 2 percent slopes	11.9	13.7%
141	Cocoa fine sand-Urban land complex, 0 to 2 percent slopes	0.3	0.3%
Subtotals for Soil Survey Area		**86.9**	**99.9%**
Totals for Area of Interest		**87.1**	**100.0%**

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it

was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Collier County Area, Florida

118—Immokalee-Oldsmar, limestone substratum-Urban land complex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2y0j8
Landscape: Coastal plains
Elevation: 0 to 50 feet
Mean annual precipitation: 45 to 64 inches
Mean annual air temperature: 70 to 77 degrees F
Frost-free period: 360 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Immokalee and similar soils: 32 percent
Oldsmar, limestone substratum, and similar soils: 28 percent
Urban land: 25 percent
Minor components: 15 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Immokalee

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Sandy marine deposits

Typical profile

A - 0 to 6 inches: fine sand
E - 6 to 35 inches: fine sand
Bh - 35 to 54 inches: fine sand
BC - 54 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Poorly drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.57 to 1.98 in/hr)
Depth to water table: About 6 to 18 inches
Frequency of flooding: None
Frequency of ponding: None
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 5.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4w
Hydrologic Soil Group: B/D

Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Description of Oldsmar, Limestone Substratum

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Sandy and loamy marine deposits over limestone

Typical profile

A - 0 to 8 inches: fine sand
E - 8 to 34 inches: fine sand
Bh - 34 to 49 inches: fine sand
Btg - 49 to 60 inches: sandy clay loam
2R - 60 to 70 inches: bedrock

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: 40 to 79 inches to lithic bedrock
Drainage class: Poorly drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): Moderately low to moderately high (0.06 to 0.20 in/hr)
Depth to water table: About 6 to 18 inches
Frequency of flooding: None
Frequency of ponding: None
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Moderate (about 6.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4w
Hydrologic Soil Group: A/D
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear

Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Basinger

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Holopaw

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Convex, linear
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Pineda, limestone substratum

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Immokalee

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Anthropogenic features: Fills

Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Oldsmar, limestone substratum

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Anthropogenic features: Fills
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Lee County, Florida

7—Matlacha gravelly fine sand-Urban land complex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2x9dc
Landscape: Coastal plains
Elevation: 0 to 30 feet
Mean annual precipitation: 45 to 54 inches
Mean annual air temperature: 70 to 77 degrees F
Frost-free period: 360 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Matlacha and similar soils: 48 percent
Urban land: 42 percent
Minor components: 10 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Matlacha

Setting

Landscape: Coastal plains
Landform: Flats on marine terraces
Landform position (three-dimensional): Tread, talf
Anthropogenic Feature: Fills
Down-slope shape: Convex, linear
Across-slope shape: Linear
Parent material: Sandy mine spoil or earthy fill over sandy marine deposits

Typical profile

^C - 0 to 35 inches: gravelly fine sand
2Ab - 35 to 40 inches: fine sand
2Eb - 40 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Somewhat poorly drained
Runoff class: Very low
Capacity of the most limiting layer to transmit water (Ksat): High (1.98 to 5.95 in/hr)
Depth to water table: About 18 to 42 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 4 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 4.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 6s
Hydrologic Soil Group: B

Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: No

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Caloosa

Percent of map unit: 5 percent
Landscape: Coastal plains
Landform: Marine terraces
Landform position (three-dimensional): Tread, rise
Anthropogenic features: Dredge spoil banks
Down-slope shape: Linear, convex
Across-slope shape: Linear, convex
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: No

St. augustine

Percent of map unit: 5 percent
Landscape: Coastal plains
Landform: Marine terraces
Landform position (three-dimensional): Tread, rise
Anthropogenic features: Fills
Down-slope shape: Linear
Across-slope shape: Convex
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: No

36—Immokalee sand-Urban land complex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2x9c1
Landscape: Coastal plains
Elevation: 0 to 150 feet
Mean annual precipitation: 42 to 68 inches
Mean annual air temperature: 70 to 77 degrees F
Frost-free period: 355 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Immokalee and similar soils: 43 percent
Urban land: 35 percent
Minor components: 22 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Immokalee

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Sandy marine deposits

Typical profile

A - 0 to 9 inches: sand
E - 9 to 36 inches: sand
Bh - 36 to 55 inches: sand
C - 55 to 80 inches: sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Poorly drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.57 to 1.98 in/hr)
Depth to water table: About 6 to 18 inches
Frequency of flooding: None
Frequency of ponding: None
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Very low (about 3.0 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 4w
Hydrologic Soil Group: B/D
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Basinger

Percent of map unit: 5 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Oldsmar

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Talf
Down-slope shape: Convex
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Pomello

Percent of map unit: 4 percent
Landscape: Coastal plains

Landform: Ridges on marine terraces, Knolls on marine terraces
Landform position (two-dimensional): Summit, backslope
Landform position (three-dimensional): Interfluve, side slope, riser
Down-slope shape: Convex
Across-slope shape: Linear
Ecological site: F155XY150FL - Sandy Flatwoods and Hammocks on Rises and Knolls of Mesic Uplands
Other vegetative classification: Sand Pine Scrub (R155XY001FL), Sandy soils on rises and knolls of mesic uplands (G155XB131FL)
Hydric soil rating: No

Brynwood

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Immokalee

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Anthropogenic features: Fills
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Satellite

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY150FL - Sandy Flatwoods and Hammocks on Rises and Knolls of Mesic Uplands
Other vegetative classification: Sand Pine Scrub (R155XY001FL), Sandy soils on rises and knolls of mesic uplands (G155XB131FL)
Hydric soil rating: No

Felda

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear

Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Jenada

Percent of map unit: 1 percent
Landscape: Coastal plains
Landform: Low broad flats on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Hydric soil rating: Yes

64—Brynwood fine sand, wet-Urban land complex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2zlfd
Landscape: Coastal plains
Elevation: 0 to 80 feet
Mean annual precipitation: 42 to 70 inches
Mean annual air temperature: 70 to 79 degrees F
Frost-free period: 360 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Brynwood and similar soils: 45 percent
Urban land: 33 percent
Minor components: 22 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Brynwood

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Sandy marine deposits over limestone

Typical profile

A - 0 to 2 inches: fine sand
Eg - 2 to 7 inches: fine sand

Bw - 7 to 12 inches: fine sand
2R - 12 to 22 inches: bedrock

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: 2 to 20 inches to lithic bedrock
Drainage class: Poorly drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 5.95 in/hr)
Depth to water table: About 3 to 18 inches
Frequency of flooding: None
Frequency of ponding: None
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Very low (about 0.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4w
Hydrologic Soil Group: B/D
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Cypress lake

Percent of map unit: 5 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks

Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Jenada

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear
Across-slope shape: Concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: Forage suitability group not assigned (G156AC999FL)
Hydric soil rating: Yes

Dania

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Marshes on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave
Across-slope shape: Concave
Ecological site: R155XY100FL - Organic Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R156AY010FL), Organic soils in depressions and on flood plains (G156AC645FL)
Hydric soil rating: Yes

Basinger

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Brynwood

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Anthropogenic features: Fills
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Pompano

Percent of map unit: 2 percent

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear
Across-slope shape: Concave, linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Wabasso

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Clewiston

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Low broad flats on marine terraces, Depressions on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY100FL - Organic Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Organic soils in depressions and on flood plains (G155XB645FL)
Hydric soil rating: Yes

100—Waters of the Gulf of America

Map Unit Composition

Water of the gulf of america: 100 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Water Of The Gulf Of America

Interpretive groups

Land capability classification (irrigated): None specified
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

102—Cypress Lake fine sand-Urban land complex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2zldz
Landscape: Coastal plains
Elevation: 0 to 70 feet
Mean annual precipitation: 42 to 56 inches
Mean annual air temperature: 68 to 77 degrees F
Frost-free period: 350 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Cypress lake and similar soils: 42 percent
Urban land: 36 percent
Minor components: 22 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Cypress Lake

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Linear
Across-slope shape: Linear, concave
Parent material: Sandy and loamy marine deposits over limestone

Typical profile

A - 0 to 3 inches: fine sand
E - 3 to 14 inches: fine sand
E/B - 14 to 25 inches: fine sand
Btg - 25 to 30 inches: fine sandy loam
2R - 30 to 40 inches: bedrock

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: 8 to 40 inches to lithic bedrock
Drainage class: Poorly drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 2.00 in/hr)
Depth to water table: About 3 to 18 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 4 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Very low (about 2.6 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 3w

Hydrologic Soil Group: A/D
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Forage suitability group: Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Brynwood

Percent of map unit: 8 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Wabasso

Percent of map unit: 6 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Pineda

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, talf, dip

Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Ft. drum

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Convex
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Cypress lake

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces, Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Anthropogenic features: Fills
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: No

105—Copeland fine sandy loam, ponded-Urban land complex, 0 to 1 percent slopes

Map Unit Setting

National map unit symbol: 2x9dk
Landscape: Coastal plains
Elevation: 0 to 70 feet
Mean annual precipitation: 45 to 54 inches
Mean annual air temperature: 70 to 77 degrees F
Frost-free period: 360 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Copeland and similar soils: 48 percent
Urban land: 40 percent
Minor components: 12 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Copeland

Setting

Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave
Across-slope shape: Concave
Parent material: Sandy and loamy marine deposits over limestone

Typical profile

A1 - 0 to 8 inches: fine sandy loam
A2 - 8 to 20 inches: fine sandy loam
Btkg - 20 to 28 inches: sandy clay loam
2R - 28 to 38 inches: bedrock

Properties and qualities

Slope: 0 to 1 percent
Depth to restrictive feature: 20 to 40 inches to lithic bedrock
Drainage class: Very poorly drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): Moderately low to moderately high (0.06 to 0.20 in/hr)
Depth to water table: About 0 inches
Frequency of flooding: None
Frequency of ponding: Frequent
Calcium carbonate, maximum content: 40 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 3.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7w
Hydrologic Soil Group: D
Ecological site: R155XY090FL - Loamy and Clayey Freshwater Isolated Marshes and Swamps
Forage suitability group: Loamy and clayey soils on stream terraces, flood plains, or in depressions (G155XB345FL)
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Loamy and clayey soils on stream terraces, flood plains, or in depressions (G155XB345FL)
Hydric soil rating: Yes

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: R155XY090FL - Loamy and Clayey Freshwater Isolated Marshes and Swamps
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Felda

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces, Flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Concave, linear
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy over loamy soils on stream terraces, flood plains, or in depressions (G155XB245FL)
Hydric soil rating: Yes

Anclote

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave, convex
Across-slope shape: Concave, linear
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Hydric soil rating: Yes

Pompano

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear
Across-slope shape: Concave, linear
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Copeland

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, talf, dip

Anthropogenic features: Fills
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY090FL - Loamy and Clayey Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Loamy and clayey soils on stream terraces, flood plains, or in depressions (G155XB345FL)
Hydric soil rating: No

111—Felda fine sand, ponded-Urban land complex, 0 to 1 percent slopes

Map Unit Setting

National map unit symbol: 2x9dv
Landscape: Coastal plains
Elevation: 0 to 150 feet
Mean annual precipitation: 46 to 63 inches
Mean annual air temperature: 68 to 77 degrees F
Frost-free period: 350 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Felda and similar soils: 45 percent
Urban land: 38 percent
Minor components: 17 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Felda

Setting

Landscape: Coastal plains
Landform: Depressions on marine terraces, Flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Concave, linear
Parent material: Sandy and loamy marine deposits

Typical profile

A - 0 to 7 inches: fine sand
Eg - 7 to 24 inches: fine sand
Btg - 24 to 36 inches: fine sandy loam
Cg - 36 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 1 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Very poorly drained
Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 6.00 in/hr)
Depth to water table: About 0 inches
Frequency of flooding: None
Frequency of ponding: Frequent
Calcium carbonate, maximum content: 2 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 5.4 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7w
Hydrologic Soil Group: A/D
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Forage suitability group: Sandy over loamy soils on stream terraces, flood plains, or in depressions (G155XB245FL)
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy over loamy soils on stream terraces, flood plains, or in depressions (G155XB245FL)
Hydric soil rating: Yes

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Floridana

Percent of map unit: 5 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave
Across-slope shape: Concave
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy over loamy soils on stream terraces, flood plains, or in depressions (G155XB245FL)

Hydric soil rating: Yes

Basinger

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Felda

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Depressions on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Anthropogenic features: Fills
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy over loamy soils on stream terraces, flood plains, or in depressions (G155XB245FL)
Hydric soil rating: No

Eaton

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Dip, talf
Down-slope shape: Concave, linear
Across-slope shape: Concave, linear
Ecological site: F154XA012FL - Wet Rich Forests And Woodlands
Other vegetative classification: Freshwater Marshes and Ponds (R154XY010FL), Loamy and clayey soils on stream terraces, flood plains, or in depressions (G154XB345FL)
Hydric soil rating: Yes

Winder

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY090FL - Loamy and Clayey Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Loamy and clayey soils on stream terraces, flood plains, or in depressions (G155XB345FL)
Hydric soil rating: Yes

Sanibel

Percent of map unit: 1 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave, linear
Across-slope shape: Concave
Ecological site: R155XY100FL - Organic Freshwater Isolated Marshes and Swamps
Other vegetative classification: Organic soils in depressions and on flood plains (G155XB645FL)
Hydric soil rating: Yes

Myakka

Percent of map unit: 1 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Kaliga

Percent of map unit: 1 percent
Landscape: Coastal plains
Landform: Depressions on flatwoods on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Concave, linear
Across-slope shape: Concave, linear
Ecological site: R155XY100FL - Organic Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Organic soils in depressions and on flood plains (G155XB645FL)
Hydric soil rating: Yes

116—Isles fine sand, ponded-Urban land complex, 0 to 1 percent slopes

Map Unit Setting

National map unit symbol: 2x9cw
Landscape: Coastal plains
Elevation: 0 to 10 feet
Mean annual precipitation: 45 to 55 inches
Mean annual air temperature: 70 to 77 degrees F
Frost-free period: 360 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Isles and similar soils: 43 percent
Urban land: 35 percent
Minor components: 22 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Isles

Setting

Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear
Across-slope shape: Linear, concave
Parent material: Loamy marine deposits over limestone

Typical profile

A - 0 to 5 inches: fine sand
E - 5 to 21 inches: fine sand
Btg - 21 to 47 inches: fine sandy loam
2R - 47 to 57 inches: bedrock

Properties and qualities

Slope: 0 to 1 percent
Depth to restrictive feature: 22 to 60 inches to lithic bedrock
Drainage class: Very poorly drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.57 to 1.98 in/hr)
Depth to water table: About 0 inches
Frequency of flooding: None
Frequency of ponding: Frequent
Maximum salinity: Nonsaline to slightly saline (0.0 to 4.0 mmhos/cm)
Sodium adsorption ratio, maximum: 12.0
Available water supply, 0 to 60 inches: Low (about 5.3 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 8w
Hydrologic Soil Group: B/D
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Salt Marsh (R155XY009FL), Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Yes

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Malabar

Percent of map unit: 5 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Pineda

Percent of map unit: 5 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces, Flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Concave, linear
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Felda

Percent of map unit: 5 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Depressions on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy over loamy soils on stream terraces, flood plains, or in depressions (G155XB245FL)
Hydric soil rating: Yes

Pompano

Percent of map unit: 5 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces
Landform position (three-dimensional): Tread, dip

Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Isles

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Anthropogenic features: Fills
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Salt Marsh (R155XY009FL), Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: No

119—Malabar fine sand-Urban land complex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2x9cd
Landscape: Coastal plains
Elevation: 10 to 130 feet
Mean annual precipitation: 42 to 63 inches
Mean annual air temperature: 70 to 77 degrees F
Frost-free period: 355 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Malabar and similar soils: 45 percent
Urban land: 38 percent
Minor components: 17 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Malabar

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Parent material: Sandy and loamy marine deposits

Typical profile

A - 0 to 5 inches: fine sand
E - 5 to 17 inches: fine sand
Bw - 17 to 42 inches: fine sand
Btg - 42 to 59 inches: fine sandy loam
Cg - 59 to 80 inches: loamy fine sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Poorly drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): High (2.00 to 6.00 in/hr)
Depth to water table: About 3 to 18 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 5.3 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4w
Hydrologic Soil Group: A/D
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Valkaria

Percent of map unit: 5 percent
Landscape: Coastal plains

Landform: Drainageways on flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Oldsmar

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Talf
Down-slope shape: Convex, linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Pineda

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Malabar

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Anthropogenic features: Fills
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Basinger

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps

Other vegetative classification: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

123—Myakka fine sand-Urban land complex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2x9ch
Landscape: Coastal plains
Elevation: 0 to 130 feet
Mean annual precipitation: 42 to 61 inches
Mean annual air temperature: 68 to 77 degrees F
Frost-free period: 350 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Myakka and similar soils: 45 percent
Urban land: 38 percent
Minor components: 17 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Myakka

Setting

Landscape: Coastal plains
Landform: Drainageways on flatwoods on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Linear, concave
Parent material: Sandy marine deposits

Typical profile

A - 0 to 6 inches: fine sand
E - 6 to 20 inches: fine sand
Bh - 20 to 36 inches: fine sand
C - 36 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Poorly drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.57 to 5.95 in/hr)
Depth to water table: About 6 to 18 inches
Frequency of flooding: None
Frequency of ponding: None
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0

Available water supply, 0 to 60 inches: Low (about 5.7 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4w
Hydrologic Soil Group: A/D
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Basinger

Percent of map unit: 5 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Wabasso

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Convex, linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Cassia

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Rises on marine terraces, Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Convex
Across-slope shape: Linear
Ecological site: F155XY150FL - Sandy Flatwoods and Hammocks on Rises and Knolls of Mesic Uplands
Other vegetative classification: Sand Pine Scrub (R155XY001FL), Sandy soils on rises and knolls of mesic uplands (G155XB131FL)
Hydric soil rating: No

Myakka

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Anthropogenic features: Fills
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Immokalee

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Satellite

Percent of map unit: 1 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces, Rises on marine terraces
Landform position (three-dimensional): Tread, talf, rise
Down-slope shape: Linear, convex
Across-slope shape: Linear
Ecological site: F155XY150FL - Sandy Flatwoods and Hammocks on Rises and Knolls of Mesic Uplands
Other vegetative classification: Sand Pine Scrub (R155XY001FL), Sandy soils on rises and knolls of mesic uplands (G155XB131FL)
Hydric soil rating: No

124—Myakka fine sand, ponded-Urban land complex, 0 to 1 percent slopes

Map Unit Setting

National map unit symbol: 2x9f1
Landscape: Coastal plains
Elevation: 0 to 140 feet
Mean annual precipitation: 42 to 61 inches
Mean annual air temperature: 70 to 77 degrees F
Frost-free period: 355 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Myakka and similar soils: 45 percent
Urban land: 38 percent
Minor components: 17 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Myakka

Setting

Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave, linear
Across-slope shape: Concave, linear
Parent material: Sandy marine deposits

Typical profile

A - 0 to 5 inches: fine sand
E - 5 to 25 inches: fine sand
Bh - 25 to 39 inches: fine sand
C - 39 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 1 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Very poorly drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.57 to 5.95 in/hr)
Depth to water table: About 0 inches
Frequency of flooding: None
Frequency of ponding: Frequent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 5.6 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7w
Hydrologic Soil Group: A/D
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Forage suitability group: Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Hydric soil rating: Yes

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Pompano

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear
Across-slope shape: Concave, linear
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Immokalee

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks

Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Placid

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave
Across-slope shape: Concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Hydric soil rating: Yes

St. johns

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Depressions on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Linear
Across-slope shape: Concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Myakka

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Anthropogenic features: Fills
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Hydric soil rating: No

Samsula

Percent of map unit: 1 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave
Across-slope shape: Concave
Ecological site: R155XY100FL - Organic Freshwater Isolated Marshes and Swamps

Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Organic soils in depressions and on flood plains (G155XB645FL)
Hydric soil rating: Yes

Floridana

Percent of map unit: 1 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy over loamy soils on stream terraces, flood plains, or in depressions (G155XB245FL)
Hydric soil rating: Yes

127—Orsino fine sand-Urban land complex, 0 to 5 percent slopes

Map Unit Setting

National map unit symbol: 2x9dp
Landscape: Coastal plains
Elevation: 0 to 130 feet
Mean annual precipitation: 44 to 63 inches
Mean annual air temperature: 66 to 77 degrees F
Frost-free period: 335 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Orsino and similar soils: 45 percent
Urban land: 40 percent
Minor components: 15 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Orsino

Setting

Landscape: Coastal plains
Landform: Knolls on marine terraces, Ridges on marine terraces
Landform position (two-dimensional): Summit
Landform position (three-dimensional): Interfluve, tread
Down-slope shape: Convex
Across-slope shape: Linear
Parent material: Sandy marine deposits and/or eolian deposits

Typical profile

A - 0 to 2 inches: fine sand
E - 2 to 23 inches: fine sand

Bw and Bh/E - 23 to 43 inches: fine sand
Bw - 43 to 62 inches: fine sand
C - 62 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 5 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Moderately well drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): Very high (19.98 to 50.02 in/hr)
Depth to water table: About 42 to 60 inches
Frequency of flooding: None
Frequency of ponding: None
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 4.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 6s
Hydrologic Soil Group: A
Ecological site: R155XY180FL - Sandy Scrub on Rises, Ridges, and Knolls of Mesic Uplands
Forage suitability group: Sandy soils on rises, knolls, and ridges of mesic uplands (G155XB121FL)
Other vegetative classification: Sand Pine Scrub (R155XY001FL), Sandy soils on rises, knolls, and ridges of mesic uplands (G155XB121FL)
Hydric soil rating: No

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: R155XY180FL - Sandy Scrub on Rises, Ridges, and Knolls of Mesic Uplands
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Cassia

Percent of map unit: 5 percent
Landscape: Coastal plains
Landform: Rises on marine terraces, Knolls on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Convex

Across-slope shape: Linear
Ecological site: F155XY150FL - Sandy Flatwoods and Hammocks on Rises and Knolls of Mesic Uplands
Other vegetative classification: Sand Pine Scrub (R155XY001FL), Sandy soils on rises and knolls of mesic uplands (G155XB131FL)
Hydric soil rating: No

Tavares

Percent of map unit: 5 percent
Landscape: Coastal plains
Landform: Ridges on marine terraces, Knolls on marine terraces, Hills on marine terraces, Flatwoods on marine terraces
Landform position (two-dimensional): Summit
Landform position (three-dimensional): Interfluve, side slope, tread, rise
Down-slope shape: Linear, convex
Across-slope shape: Convex, linear
Ecological site: R155XY180FL - Sandy Scrub on Rises, Ridges, and Knolls of Mesic Uplands
Other vegetative classification: Sand Pine Scrub (R155XY001FL), Longleaf Pine-Turkey Oak Hills (R155XY002FL), Sandy soils on rises, knolls, and ridges of mesic uplands (G155XB121FL)
Hydric soil rating: No

Daytona

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Rises on marine terraces, Knolls on marine terraces
Landform position (two-dimensional): Summit
Landform position (three-dimensional): Interfluve, tread, rise
Down-slope shape: Convex
Across-slope shape: Linear
Ecological site: R155XY180FL - Sandy Scrub on Rises, Ridges, and Knolls of Mesic Uplands
Other vegetative classification: Sandy soils on rises, knolls, and ridges of mesic uplands (G155XB121FL), Sand Pine Scrub (R155XY001FL)
Hydric soil rating: No

Immokalee

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

129—Pineda fine sand-Urban land complex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2x9cj
Landscape: Coastal plains
Elevation: 0 to 130 feet
Mean annual precipitation: 38 to 63 inches
Mean annual air temperature: 68 to 77 degrees F
Frost-free period: 350 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Pineda and similar soils: 40 percent
Urban land: 33 percent
Minor components: 27 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Pineda

Setting

Landscape: Coastal plains
Landform: Drainageways on marine terraces, Flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Linear, concave
Parent material: Sandy and loamy marine deposits

Typical profile

A - 0 to 1 inches: fine sand
E - 1 to 5 inches: fine sand
Bw - 5 to 36 inches: fine sand
Btg/E - 36 to 54 inches: fine sandy loam
Cg - 54 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Poorly drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): High (1.98 to 5.95 in/hr)
Depth to water table: About 6 to 18 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 15 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 5.7 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 3w
Hydrologic Soil Group: A/D
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Forage suitability group: Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: No

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Pineda, wet

Percent of map unit: 10 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces, Flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Concave, linear
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Felda

Percent of map unit: 6 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces, Flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Concave, linear
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Wabasso

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Convex, linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Pineda

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Anthropogenic features: Fills
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: No

Valkaria

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Drainageways on flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Cypress lake

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flats on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear, convex
Across-slope shape: Linear
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Brynwood

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear

Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

131—Pompano fine sand-Urban land compex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2x9c9
Landscape: Coastal plains
Elevation: 0 to 100 feet
Mean annual precipitation: 44 to 65 inches
Mean annual air temperature: 70 to 77 degrees F
Frost-free period: 355 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Pompano and similar soils: 42 percent
Urban land: 36 percent
Minor components: 22 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Pompano

Setting

Landscape: Coastal plains
Landform: Flats on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear
Across-slope shape: Linear, concave
Parent material: Sandy marine deposits

Typical profile

A - 0 to 4 inches: fine sand
C - 4 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Poorly drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): High to very high (6.00 to 20.00 in/hr)
Depth to water table: About 3 to 18 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 2 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0

Available water supply, 0 to 60 inches: Low (about 4.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4w
Hydrologic Soil Group: A/D
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Forage suitability group: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Valkaria

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Drainageways on flats on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Malabar

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Drainageways on flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps

Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Anclote

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave, convex
Across-slope shape: Concave, linear
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Hydric soil rating: Yes

Myakka

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Drainageways on flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Immokalee

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Riviera

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces, Flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Concave, linear
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Pompano

Percent of map unit: 2 percent

Landscape: Coastal plains
Landform: Flats on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Anthropogenic features: Fills
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

132—Pompano fine sand, ponded-Urban land complex, 0 to 1 percent slopes

Map Unit Setting

National map unit symbol: 2x9f6
Landscape: Coastal plains
Elevation: 10 to 90 feet
Mean annual precipitation: 44 to 64 inches
Mean annual air temperature: 70 to 77 degrees F
Frost-free period: 355 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Pompano and similar soils: 48 percent
Urban land: 40 percent
Minor components: 12 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Pompano

Setting

Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave
Across-slope shape: Concave
Parent material: Sandy marine deposits

Typical profile

A - 0 to 12 inches: fine sand
C - 12 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 1 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Very poorly drained
Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): High to very high (5.95 to 19.98 in/hr)
Depth to water table: About 0 inches
Frequency of flooding: None
Frequency of ponding: Frequent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 4.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7w
Hydrologic Soil Group: A/D
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Forage suitability group: Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Hydric soil rating: Yes

Description of Urban Land

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Hydric soil rating: Unranked

Minor Components

Basinger

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Pompano

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Anthropogenic features: Fills
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps

Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Hydric soil rating: No

Malabar

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Myakka

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave, linear
Across-slope shape: Concave, linear
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Hydric soil rating: Yes

Anclote

Percent of map unit: 1 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Convex, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Hydric soil rating: Yes

Placid

Percent of map unit: 1 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces, Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave
Across-slope shape: Concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps

Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Hydric soil rating: Yes

Adamsville

Percent of map unit: 1 percent
Landscape: Coastal plains
Landform: Rises on marine terraces, Knolls on marine terraces
Landform position (three-dimensional): Tread, rise
Down-slope shape: Convex
Across-slope shape: Linear
Ecological site: F155XY150FL - Sandy Flatwoods and Hammocks on Rises and Knolls of Mesic Uplands
Other vegetative classification: Upland Hardwood Hammock (R155XY008FL), Sandy soils on rises and knolls of mesic uplands (G155XB131FL)
Hydric soil rating: No

134—Satellite fine sand-Urban land complex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2x9cl
Landscape: Coastal plains
Elevation: 0 to 80 feet
Mean annual precipitation: 45 to 61 inches
Mean annual air temperature: 68 to 77 degrees F
Frost-free period: 350 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Satellite and similar soils: 47 percent
Urban land: 40 percent
Minor components: 13 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Satellite

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces, Rises on marine terraces
Landform position (three-dimensional): Tread, talf, rise
Down-slope shape: Linear, convex
Across-slope shape: Linear
Parent material: Sandy marine deposits

Typical profile

A - 0 to 3 inches: fine sand
C1 - 3 to 65 inches: fine sand
C2 - 65 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Somewhat poorly drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): Very high (20.00 to 50.02 in/hr)
Depth to water table: About 18 to 42 inches
Frequency of flooding: None
Frequency of ponding: None
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 4.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 6s
Hydrologic Soil Group: A
Ecological site: R155XY180FL - Sandy Scrub on Rises, Ridges, and Knolls of Mesic Uplands
Forage suitability group: Sandy soils on rises and knolls of mesic uplands (G155XB131FL)
Other vegetative classification: Sand Pine Scrub (R155XY001FL), Sandy soils on rises and knolls of mesic uplands (G155XB131FL)
Hydric soil rating: No

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: R155XY180FL - Sandy Scrub on Rises, Ridges, and Knolls of Mesic Uplands
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Archbold

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Knolls on marine terraces, Ridges on marine terraces
Landform position (two-dimensional): Summit, backslope
Landform position (three-dimensional): Interfluve, side slope, tread
Down-slope shape: Convex
Across-slope shape: Linear

Ecological site: R155XY180FL - Sandy Scrub on Rises, Ridges, and Knolls of Mesic Uplands
Other vegetative classification: Sand Pine Scrub (R155XY001FL), Sandy soils on rises, knolls, and ridges of mesic uplands (G155XB121FL)
Hydric soil rating: No

Daytona

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Rises on marine terraces, Knolls on marine terraces
Landform position (two-dimensional): Summit
Landform position (three-dimensional): Interfluve, tread, rise
Down-slope shape: Convex
Across-slope shape: Linear
Ecological site: R155XY180FL - Sandy Scrub on Rises, Ridges, and Knolls of Mesic Uplands
Other vegetative classification: Sand Pine Scrub (R155XY001FL), Sandy soils on rises, knolls, and ridges of mesic uplands (G155XB121FL)
Hydric soil rating: No

Basinger

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Myakka

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Drainageways on flatwoods on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Oldsmar

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Talf
Down-slope shape: Convex, linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

136—Valkaria fine sand-Urban land complex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2x9c7
Landscape: Coastal plains
Elevation: 0 to 110 feet
Mean annual precipitation: 44 to 61 inches
Mean annual air temperature: 70 to 77 degrees F
Frost-free period: 355 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Valkaria and similar soils: 45 percent
Urban land: 38 percent
Minor components: 17 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Valkaria

Setting

Landscape: Coastal plains
Landform: Drainageways on flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Linear, concave
Parent material: Sandy marine deposits

Typical profile

A - 0 to 5 inches: fine sand
E - 5 to 16 inches: fine sand
Bw - 16 to 51 inches: fine sand
C - 51 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Poorly drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): High to very high (6.00 to 20.00 in/hr)
Depth to water table: About 3 to 18 inches
Frequency of flooding: None
Frequency of ponding: None
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 4.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 4w
Hydrologic Soil Group: A/D
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Malabar

Percent of map unit: 5 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces, Flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Myakka

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Drainageways on flatwoods on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Pineda

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces, Flats on marine terraces

Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Concave, linear
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Valkaria

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Anthropogenic features: Fills
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Satellite

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces, Rises on marine terraces
Landform position (three-dimensional): Tread, talf, rise
Down-slope shape: Linear, convex
Across-slope shape: Linear
Ecological site: F155XY150FL - Sandy Flatwoods and Hammocks on Rises and Knolls of Mesic Uplands
Other vegetative classification: Sand Pine Scrub (R155XY001FL), Sandy soils on rises and knolls of mesic uplands (G155XB131FL)
Hydric soil rating: No

141—Cocoa fine sand-Urban land complex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2x9dh
Landscape: Coastal plains
Elevation: 0 to 20 feet
Mean annual precipitation: 45 to 54 inches
Mean annual air temperature: 70 to 77 degrees F
Frost-free period: 360 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Cocoa and similar soils: 45 percent
Urban land: 40 percent
Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Cocoa

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces, Rises on marine terraces
Landform position (three-dimensional): Tread, rise
Down-slope shape: Convex
Across-slope shape: Linear
Parent material: Sandy marine deposits over limestone

Typical profile

A - 0 to 3 inches: fine sand
E - 3 to 13 inches: fine sand
Bw - 13 to 27 inches: fine sand
Bt - 27 to 31 inches: fine sand
2R - 31 to 41 inches: bedrock

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: 20 to 40 inches to lithic bedrock
Drainage class: Moderately well drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): High to very high (1.98 to 19.98 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Very low (about 2.5 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 3s
Hydrologic Soil Group: A
Ecological site: F155XY160FL - Sandy over Loamy Flatwoods and Hammocks on Rises and Knolls of Mesic Uplands
Forage suitability group: Shallow or moderately deep, sandy or loamy soils on rises and ridges of mesic uplands (G155XB521FL)
Other vegetative classification: Longleaf Pine-Turkey Oak Hills (R155XY002FL), Shallow or moderately deep, sandy or loamy soils on rises and ridges of mesic uplands (G155XB521FL)
Hydric soil rating: No

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: F155XY160FL - Sandy over Loamy Flatwoods and Hammocks on Rises and Knolls of Mesic Uplands
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Cypress lake

Percent of map unit: 8 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Convex, linear
Across-slope shape: Linear, concave
Ecological site: F155XY130FL - Sandy over Loamy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Brynwood

Percent of map unit: 7 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

References

American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.

American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.

Federal Register. July 13, 1994. Changes in hydric soils of the United States.

Federal Register. September 18, 2002. Hydric soils of the United States.

Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.

National Research Council. 1995. Wetlands: Characteristics and boundaries.

Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_054262

Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053577

Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053580

Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.

United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.

United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2_053374

United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelprdb1043084

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf

United States Department of Agriculture


NRCS

Natural Resources Conservation Service

A product of the National Cooperative Soil Survey, a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local participants

Custom Soil Resource Report for Collier County Area, Florida

Collier County



July 10, 2026

Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (https://offices.sc.egov.usda.gov/locator/app?agency=nrcs) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2_053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface.....2
How Soil Surveys Are Made.....5
Soil Map.....8
Soil Map.....9
Legend.....10
Map Unit Legend.....11
Map Unit Descriptions.....11
Collier County Area, Florida.....13
39—Satellite fine sand, 0 to 2 percent slopes.....13
101—Basinger fine sand-Urban land complex, 0 to 2 percent slopes.....15
115—Holopaw-Basinger-Urban land complex, 0 to 2 perent slopes.....18
117—Immokalee fine sand-Urban land complex, 0 to 2 percent slopes.....22
118—Immokalee-Oldsmar, limestone substratum-Urban land complex, 0 to 2 percent slopes.....25
133—Satellite fine sand-Urban land complex, 0 to 2 percent slopes.....29
References.....32

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.


After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.

Custom Soil Resource Report
Soil Map



Map Scale: 1:14,200 if printed on A portrait (8.5" x 11") sheet.

N

Meters: 0 200 400 800 1200

Feet: 0 500 1000 2000 3000

Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 17N WGS84

MAP LEGEND

Area of Interest (AOI)
- Area of Interest (AOI)

Soils
- Soil Map Unit Polygons
- Soil Map Unit Lines
- Soil Map Unit Points

Special Point Features
- Blowout
- Borrow Pit
- Clay Spot
- Closed Depression
- Gravel Pit
- Gravelly Spot
- Landfill
- Lava Flow
- Marsh or swamp
- Mine or Quarry
- Miscellaneous Water
- Perennial Water
- Rock Outcrop
- Saline Spot
- Sandy Spot
- Severely Eroded Spot
- Sinkhole
- Slide or Slip
- Sodic Spot
- Spoil Area
- Stony Spot
- Very Stony Spot
- Wet Spot
- Other
- Special Line Features

Water Features
- Streams and Canals

Transportation
- Rails
- Interstate Highways
- US Routes
- Major Roads
- Local Roads

Background
- Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:24,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Collier County Area, Florida
Survey Area Data: Version 19, Aug 29, 2025

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Nov 14, 2021—Nov 23, 2021

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
39	Satellite fine sand, 0 to 2 percent slopes	1.5	6.1%
101	Basinger fine sand-Urban land complex, 0 to 2 percent slopes	4.1	16.9%
115	Holopaw-Basinger-Urban land complex, 0 to 2 perent slopes	2.5	10.1%
117	Immokalee fine sand-Urban land complex, 0 to 2 percent slopes	7.2	29.4%
118	Immokalee-Oldsmar, limestone substratum-Urban land complex, 0 to 2 percent slopes	0.7	2.8%
133	Satellite fine sand-Urban land complex, 0 to 2 percent slopes	8.4	34.6%
Totals for Area of Interest		**24.3**	**100.0%**

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a

given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Collier County Area, Florida

39—Satellite fine sand, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2svzd
Landscape: Coastal plains
Elevation: 0 to 80 feet
Mean annual precipitation: 46 to 60 inches
Mean annual air temperature: 68 to 77 degrees F
Frost-free period: 350 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Satellite and similar soils: 85 percent
Minor components: 15 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Satellite

Setting

Landscape: Coastal plains
Landform: Rises on marine terraces, Flatwoods on marine terraces, Knolls on marine terraces
Landform position (three-dimensional): Tread, rise, talf
Down-slope shape: Convex, linear
Across-slope shape: Linear
Parent material: Sandy marine deposits

Typical profile

A - 0 to 3 inches: fine sand
C1 - 3 to 65 inches: fine sand
C2 - 65 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Somewhat poorly drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): Very high (20.00 to 50.02 in/hr)
Depth to water table: About 18 to 42 inches
Frequency of flooding: None
Frequency of ponding: None
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 4.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 6s
Hydrologic Soil Group: A
Ecological site: R155XY180FL - Sandy Scrub on Rises, Ridges, and Knolls of Mesic Uplands

Forage suitability group: Sandy soils on rises and knolls of mesic uplands (G155XB131FL)
Other vegetative classification: Sand Pine Scrub (R155XY001FL), Sandy soils on rises and knolls of mesic uplands (G155XB131FL)
Hydric soil rating: No

Minor Components

Archbold
Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Knolls on marine terraces, Ridges on marine terraces
Landform position (two-dimensional): Summit, backslope
Landform position (three-dimensional): Interfluve, side slope, tread
Down-slope shape: Convex
Across-slope shape: Linear
Ecological site: R155XY180FL - Sandy Scrub on Rises, Ridges, and Knolls of Mesic Uplands
Other vegetative classification: Sand Pine Scrub (R155XY001FL), Sandy soils on rises, knolls, and ridges of mesic uplands (G155XB121FL)
Hydric soil rating: No

Pompano
Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Flats on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear
Across-slope shape: Concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Myakka
Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Daytona
Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Rises on marine terraces, Knolls on marine terraces
Landform position (two-dimensional): Summit
Landform position (three-dimensional): Interfluve, tread, rise
Down-slope shape: Convex
Across-slope shape: Linear

Ecological site: R155XY180FL - Sandy Scrub on Rises, Ridges, and Knolls of Mesic Uplands
Other vegetative classification: Sand Pine Scrub (R155XY001FL), Sandy soils on rises, knolls, and ridges of mesic uplands (G155XB121FL)
Hydric soil rating: No

Basinger

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Oldsmar

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

101—Basinger fine sand-Urban land complex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2x9fl
Landscape: Coastal plains
Elevation: 0 to 30 feet
Mean annual precipitation: 42 to 68 inches
Mean annual air temperature: 68 to 77 degrees F
Frost-free period: 350 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Basinger and similar soils: 42 percent
Urban land: 36 percent
Minor components: 22 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Basinger

Setting

Landscape: Coastal plains
Landform: Flats on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, convex
Across-slope shape: Linear, concave
Parent material: Sandy marine deposits

Typical profile

Ag - 0 to 2 inches: fine sand
Eg - 2 to 18 inches: fine sand
Bh/E - 18 to 36 inches: fine sand
Cg - 36 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Poorly drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): High to very high (5.95 to 19.98 in/hr)
Depth to water table: About 3 to 18 inches
Frequency of flooding: None
Frequency of ponding: None
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 5.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4w
Hydrologic Soil Group: A/D
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Forage suitability group not assigned (G155XB999FL)

Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Myakka
Percent of map unit: 5 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces, Flatwoods on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Immokalee
Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Placid
Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave
Across-slope shape: Concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Hydric soil rating: Yes

Matlacha
Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Flats on marine terraces
Landform position (three-dimensional): Tread, talf
Anthropogenic features: Fills
Down-slope shape: Convex, linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: No

Jenada

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Low broad flats on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Hydric soil rating: Yes

Basinger

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, convex
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Felda

Percent of map unit: 1 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces, Flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Concave, linear
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

115—Holopaw-Basinger-Urban land complex, 0 to 2 perent slopes

Map Unit Setting

National map unit symbol: 2y0j7
Landscape: Coastal plains
Elevation: 0 to 40 feet
Mean annual precipitation: 45 to 64 inches
Mean annual air temperature: 70 to 77 degrees F
Frost-free period: 360 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Holopaw and similar soils: 32 percent
Basinger and similar soils: 28 percent
Urban land: 25 percent
Minor components: 15 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Holopaw

Setting

Landscape: Coastal plains
Landform: Flats on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Convex, linear
Across-slope shape: Linear, concave
Parent material: Sandy and loamy marine deposits

Typical profile

A - 0 to 6 inches: fine sand
Eg - 6 to 42 inches: fine sand
Btg - 42 to 60 inches: fine sandy loam
Cg - 60 to 80 inches: loamy sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Poorly drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): High (2.00 to 6.00 in/hr)
Depth to water table: About 0 inches
Frequency of flooding: None
Frequency of ponding: Frequent
Calcium carbonate, maximum content: 5 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 5.7 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4w
Hydrologic Soil Group: A/D
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Forage suitability group: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Description of Basinger

Setting

Landscape: Coastal plains
Landform: Flats on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, dip

Down-slope shape: Linear, convex
Across-slope shape: Linear, concave
Parent material: Sandy marine deposits

Typical profile

Ag - 0 to 2 inches: fine sand
Eg - 2 to 18 inches: fine sand
Bh/E - 18 to 36 inches: fine sand
Cg - 36 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Poorly drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): High to very high (5.95 to 19.98 in/hr)
Depth to water table: About 0 inches
Frequency of flooding: None
Frequency of ponding: Frequent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 5.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4w
Hydrologic Soil Group: A/D
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Forage suitability group: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Oldsmar

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Talf
Down-slope shape: Convex, linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Myakka

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces, Flatwoods on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Brynwood

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Pineda, limestone substratum

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces, Flats on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Concave, linear
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Basinger

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Drainageways on marine terraces, Flats on marine terraces
Landform position (three-dimensional): Tread, dip

Down-slope shape: Convex, linear
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Holopaw

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Anthropogenic features: Fills
Down-slope shape: Convex, linear
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

117—Immokalee fine sand-Urban land complex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2x9fx
Landscape: Coastal plains
Elevation: 0 to 130 feet
Mean annual precipitation: 44 to 56 inches
Mean annual air temperature: 70 to 77 degrees F
Frost-free period: 350 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Immokalee and similar soils: 45 percent
Urban land: 40 percent
Minor components: 15 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Immokalee

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear

Parent material: Sandy marine deposits

Typical profile

A - 0 to 6 inches: fine sand
E - 6 to 35 inches: fine sand
Bh - 35 to 54 inches: fine sand
BC - 54 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Poorly drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.57 to 1.98 in/hr)
Depth to water table: About 6 to 18 inches
Frequency of flooding: None
Frequency of ponding: None
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 5.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4w
Hydrologic Soil Group: B/D
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Basinger

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces

Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Pomello

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Knolls on marine terraces, Ridges on marine terraces
Landform position (two-dimensional): Summit, backslope
Landform position (three-dimensional): Interfluve, side slope, riser
Down-slope shape: Convex, linear
Across-slope shape: Linear
Ecological site: F155XY150FL - Sandy Flatwoods and Hammocks on Rises and Knolls of Mesic Uplands
Other vegetative classification: Sand Pine Scrub (R155XY001FL), Sandy soils on rises and knolls of mesic uplands (G155XB131FL)
Hydric soil rating: No

Wabasso

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Convex, linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Placid

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave
Across-slope shape: Concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL), Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Hydric soil rating: Yes

Immokalee

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Anthropogenic features: Fills
Down-slope shape: Linear

Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Jenada

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Low broad flats on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy soils on stream terraces, flood plains, or in depressions (G155XB145FL)
Hydric soil rating: Yes

118—Immokalee-Oldsmar, limestone substratum-Urban land complex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2y0j8
Landscape: Coastal plains
Elevation: 0 to 50 feet
Mean annual precipitation: 45 to 64 inches
Mean annual air temperature: 70 to 77 degrees F
Frost-free period: 360 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Immokalee and similar soils: 32 percent
Oldsmar, limestone substratum, and similar soils: 28 percent
Urban land: 25 percent
Minor components: 15 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Immokalee

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Sandy marine deposits

Typical profile

A - 0 to 6 inches: fine sand
E - 6 to 35 inches: fine sand
Bh - 35 to 54 inches: fine sand
BC - 54 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Poorly drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.57 to 1.98 in/hr)
Depth to water table: About 6 to 18 inches
Frequency of flooding: None
Frequency of ponding: None
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 5.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4w
Hydrologic Soil Group: B/D
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Description of Oldsmar, Limestone Substratum

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Sandy and loamy marine deposits over limestone

Typical profile

A - 0 to 8 inches: fine sand
E - 8 to 34 inches: fine sand
Bh - 34 to 49 inches: fine sand
Btg - 49 to 60 inches: sandy clay loam
2R - 60 to 70 inches: bedrock

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: 40 to 79 inches to lithic bedrock
Drainage class: Poorly drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): Moderately low to moderately high (0.06 to 0.20 in/hr)
Depth to water table: About 6 to 18 inches

Frequency of flooding: None
Frequency of ponding: None
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Moderate (about 6.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4w
Hydrologic Soil Group: A/D
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Basinger

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Holopaw

Percent of map unit: 4 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Convex, linear
Across-slope shape: Linear, concave

Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Pineda, limestone substratum

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Flats on marine terraces, Drainageways on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: R155XY080FL - Sandy over Loamy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Slough (R155XY011FL), Sandy over loamy soils on flats of hydric or mesic lowlands (G155XB241FL)
Hydric soil rating: Yes

Immokalee

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Anthropogenic features: Fills
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Oldsmar, limestone substratum

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talf
Anthropogenic features: Fills
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

133—Satellite fine sand-Urban land complex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2x9cl
Landscape: Coastal plains
Elevation: 0 to 80 feet
Mean annual precipitation: 45 to 61 inches
Mean annual air temperature: 68 to 77 degrees F
Frost-free period: 350 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Satellite and similar soils: 47 percent
Urban land: 40 percent
Minor components: 13 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Satellite

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces, Rises on marine terraces
Landform position (three-dimensional): Tread, talf, rise
Down-slope shape: Linear, convex
Across-slope shape: Linear
Parent material: Sandy marine deposits

Typical profile

A - 0 to 3 inches: fine sand
C1 - 3 to 65 inches: fine sand
C2 - 65 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Somewhat poorly drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): Very high (20.00 to 50.02 in/hr)
Depth to water table: About 18 to 42 inches
Frequency of flooding: None
Frequency of ponding: None
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 4.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 6s
Hydrologic Soil Group: A
Ecological site: R155XY180FL - Sandy Scrub on Rises, Ridges, and Knolls of Mesic Uplands
Forage suitability group: Sandy soils on rises and knolls of mesic uplands (G155XB131FL)
Other vegetative classification: Sand Pine Scrub (R155XY001FL), Sandy soils on rises and knolls of mesic uplands (G155XB131FL)
Hydric soil rating: No

Description of Urban Land

Setting

Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: No parent material

Interpretive groups

Land capability classification (irrigated): None specified
Ecological site: R155XY180FL - Sandy Scrub on Rises, Ridges, and Knolls of Mesic Uplands
Forage suitability group: Forage suitability group not assigned (G155XB999FL)
Other vegetative classification: Forage suitability group not assigned (G155XB999FL)
Hydric soil rating: Unranked

Minor Components

Basinger

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Ecological site: R155XY070FL - Sandy Freshwater Isolated Marshes and Swamps
Other vegetative classification: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: Yes

Daytona

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Rises on marine terraces, Knolls on marine terraces
Landform position (two-dimensional): Summit
Landform position (three-dimensional): Interfluve, tread, rise
Down-slope shape: Convex
Across-slope shape: Linear
Ecological site: R155XY180FL - Sandy Scrub on Rises, Ridges, and Knolls of Mesic Uplands

Other vegetative classification: Sand Pine Scrub (R155XY001FL), Sandy soils on rises, knolls, and ridges of mesic uplands (G155XB121FL)
Hydric soil rating: No

Archbold

Percent of map unit: 3 percent
Landscape: Coastal plains
Landform: Knolls on marine terraces, Ridges on marine terraces
Landform position (two-dimensional): Summit, backslope
Landform position (three-dimensional): Interfluve, side slope, tread
Down-slope shape: Convex
Across-slope shape: Linear
Ecological site: R155XY180FL - Sandy Scrub on Rises, Ridges, and Knolls of Mesic Uplands
Other vegetative classification: Sand Pine Scrub (R155XY001FL), Sandy soils on rises, knolls, and ridges of mesic uplands (G155XB121FL)
Hydric soil rating: No

Myakka

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Drainageways on flatwoods on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Linear, concave
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

Oldsmar

Percent of map unit: 2 percent
Landscape: Coastal plains
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Talf
Down-slope shape: Convex, linear
Across-slope shape: Linear
Ecological site: F155XY120FL - Sandy Flatwoods and Hammocks
Other vegetative classification: South Florida Flatwoods (R155XY003FL), Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Hydric soil rating: No

References

American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.

American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.

Federal Register. July 13, 1994. Changes in hydric soils of the United States.

Federal Register. September 18, 2002. Hydric soils of the United States.

Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.

National Research Council. 1995. Wetlands: Characteristics and boundaries.

Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_054262

Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053577

Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053580

Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.

United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.

United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2_053374

United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelprdb1043084


United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf

Appendix F

Federal Emergency Management Agency Maps



FLOOD HAZARD INFORMATION

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

THE INFORMATION DEPICTED ON THIS MAP AND SUPPORTING DOCUMENTATION ARE ALSO AVAILABLE IN DIGITAL FORMAT AT

HTTPS://MSC.FEMA.GOV

SPECIAL FLOOD HAZARD AREAS

- Without Base Flood Elevation (BFE) Zone A, V, A99
- With BFE or Depth Zone AE, AO, AH, VE, AR
- Regulatory Floodway

OTHER AREAS OF FLOOD HAZARD

- 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
- Future Conditions 1% Annual Chance Flood Hazard Zone X
- Area with Reduced Flood Risk due to Levee See Notes. Zone X
- Area with Flood Risk due to Levee Zone D

OTHER AREAS

- NO SCREEN Area of Minimal Flood Hazard Zone X
- Area of Undetermined Flood Hazard Zone D

GENERAL STRUCTURES

- Channel, Culvert, or Storm Sewer
- Levee, Dike, or Floodwall
- 18.2 / 17.5 Cross Sections with 1% Annual Chance Water Surface Elevation

NOTES TO USERS

For information and questions about this Flood Insurance Rate Map (FIRM), available products associated with this FIRM, including historic versions, the current map date for each FIRM panel, how to order products, or the National Flood Insurance Program (NFIP) in general, please call the FEMA Map Information eXchange at 1-877-FEMA-MAP (1-877-336-2627) or visit the FEMA Flood Map Service Center website at https://msc.fema.gov. Available products may include previously issued Letters of Map Change, a Flood Insurance Study Report, and/or digital versions of this map. Many of these products can be ordered or obtained directly from this website.

Communities annexing land on adjacent FIRM panels must obtain a current copy of the adjacent panel as well as the current FIRM index. These may be ordered directly from the Flood Map Service Center at the number listed above.

For community and countywide map dates refer to the Flood Insurance Study Report for this jurisdiction.

To determine if flood insurance is available in this community, contact your insurance agent or call the National Flood Insurance Program at 1-800-638-6620.

Base map information shown on this FIRM was provided in digital format by the Collier County GIS Services, United States Bureau of Land Management and Federal Emergency Management Agency. Ortho imagery was produced by the National Agricultural Imagery Program in 2017 and has a 1 meter ground sample distance.

SCALE

Map Projection: State Plane Transverse Mercator, Florida East Zone 0901; North American Datum 1983; Western Hemisphere; Vertical Datum: NAVD 88


N

1 inch = 500 feet 1:6,000

0 250 500 750 1,000 2,000 feet

0 125 250 500 meters

PANEL LOCATOR



National Flood Insurance Program

NATIONAL FLOOD INSURANCE PROGRAM


FLOOD INSURANCE RATE MAP

COLLIER COUNTY, FLORIDA

and Incorporated Areas

PANEL 183 of 1225

Panel Contains:			
COMMUNITY	NUMBER	PANEL	SUFFIX
COLLIER COUNTY	120067	0183	F



FLOOD HAZARD INFORMATION

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

THE INFORMATION DEPICTED ON THIS MAP AND SUPPORTING DOCUMENTATION ARE ALSO AVAILABLE IN DIGITAL FORMAT AT

HTTPS://MSC.FEMA.GOV

SPECIAL FLOOD HAZARD AREAS

- Without Base Flood Elevation (BFE) — Zone A, A99
- With BFE or Depth — Zone AE, AO, AH, VE, AR
- Regulatory Floodway

OTHER AREAS OF FLOOD HAZARD

- 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile — Zone X
- Future Conditions 1% Annual Chance Flood Hazard — Zone X
- Area with Reduced Flood Risk due to Levee See Notes. — Zone X
- Area with Flood Risk due to Levee — Zone D

OTHER AREAS

- NO SCREEN — Area of Minimal Flood Hazard — Zone X
- Area of Undetermined Flood Hazard — Zone D

GENERAL STRUCTURES

- Channel, Culvert, or Storm Sewer
- Levee, Dike, or Floodwall
- 18.2 / 17.5 — Cross Sections with 1% Annual Chance Water Surface Elevation

NOTES TO USERS

For information and questions about this Flood Insurance Rate Map (FIRM), available products associated with this FIRM, including historic versions, the current map date for each FIRM panel, how to order products, or the National Flood Insurance Program (NFIP) in general, please call the FEMA Map Information eXchange at 1-877-FEMA-MAP (1-877-336-2627) or visit the FEMA Flood Map Service Center website at https://msc.fema.gov. Available products may include previously issued Letters of Map Change, a Flood Insurance Study Report, and/or digital versions of this map. Many of these products can be ordered or obtained directly from this website.

Communities annexing land on adjacent FIRM panels must obtain a current copy of the adjacent panel as well as the current FIRM index. These may be ordered directly from the Flood Map Service Center at the number listed above.

For community and countywide map dates refer to the Flood Insurance Study Report for this jurisdiction.

To determine if flood insurance is available in this community, contact your insurance agent or call the National Flood Insurance Program at 1-800-638-6620.

Base map information shown on this FIRM was provided in digital format by the Collier County GIS Services, United States Bureau of Land Management and Federal Emergency Management Agency. Ortho imagery was produced by the National Agricultural Imagery Program in 2017 and has a 1 meter ground sample distance.

LIMIT OF MODERATE WAVE ACTION: Zone AE has been divided by a Limit of Moderate Wave Action (LiMWA). The LiMWA represents the approximate landward limit of the 1.5-foot breaking wave. The effects of wave hazards between Zone VE and the LiMWA (or between the shoreline and the LiMWA for areas where Zone VE is not identified) will be similar to, but less severe than, those in the Zone VE.

Limit of Moderate Wave Action (LiMWA)

SCALE

N


Map Projection:
State Plane Transverse Mercator, Florida East Zone 3901; North American Datum 1983; Western Hemisphere; Vertical Datum: NAVD 88

1 inch = 500 feet — 1:6,000

0 250 500 750 1,000 2,000 feet

0 125 250 500 meters

PANEL LOCATOR



FEMA

National Flood Insurance Program

NATIONAL FLOOD INSURANCE PROGRAM


FLOOD INSURANCE RATE MAP

COLLIER COUNTY, FLORIDA and Incorporated Areas

PANEL 191 OF 1225

Panel Contains:

COMMUNITY	NUMBER	PANEL	SUFFIX
COLLIER COUNTY	120067	0191	F



FLOOD HAZARD INFORMATION

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

THE INFORMATION DEPICTED ON THIS MAP AND SUPPORTING DOCUMENTATION ARE ALSO AVAILABLE IN DIGITAL FORMAT AT

HTTPS://MSC.FEMA.GOV

SPECIAL FLOOD HAZARD AREAS	Without Base Flood Elevation (BFE) Zone A, V, A99 With BFE or Depth Zone AE, AO, AH, VE, AR Regulatory Floodway
	0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X Future Conditions 1% Annual Chance Flood Hazard Zone X Area with Reduced Flood Risk due to Levee See Notes. Zone X
OTHER AREAS OF FLOOD HAZARD	Area with Flood Risk due to Levee Zone D
OTHER AREAS	NO SCREEN Area of Minimal Flood Hazard Zone X Area of Undetermined Flood Hazard Zone D
GENERAL STRUCTURES	Channel, Culvert, or Storm Sewer Levee, Dike, or Floodwall
	18.2 E 17.5 Cross Sections with 1% Annual Chance Water Surface Elevation

NOTES TO USERS

For information and questions about this Flood Insurance Rate Map (FIRM), available products associated with this FIRM, including historic versions, the current map date for each FIRM panel, how to order products, or the National Flood Insurance Program (NFIP) in general, please call the FEMA Map Information eXchange at 1-877-FEMA-MAP (1-877-336-2627) or visit the FEMA Flood Map Service Center website at http://msc.fema.gov. Available products may include previously issued Letters of Map Change, a Flood Insurance Study Report, and/or digital versions of this map. Many of these products can be ordered or obtained directly from this website.

Communities annexing land on adjacent FIRM panels must obtain a current copy of the adjacent panel as well as the current FIRM index. These may be ordered directly from the Flood Map Service Center at the number listed above.

For community and countywide map dates refer to the Flood Insurance Study Report for this jurisdiction.

To determine if flood insurance is available in this community, contact your insurance agent or call the National Flood Insurance Program at 1-800-638-6620.

Base map information shown on this FIRM was provided by Lee County, dated 2008 and 2016; the Florida Department of Transportation, dated 2017 and 2016; the U.S. Department of Agriculture, dated 2016; and the U.S. Department of Transportation, dated 2017.

SCALE

Map Projections:
State Plane Transverse Mercator, Florida West Zone 0902; North American Datum 1983; Western Hemisphere; Vertical Datum: NAVD 88

N

1 inch = 500 feet 1:6,000

0 250 500 750 1,000 2,000 feet

0 125 250 500 meters

PANEL LOCATOR



FEMA

National Flood Insurance Program

NATIONAL FLOOD INSURANCE PROGRAM


FLOOD INSURANCE RATE MAP


LEE COUNTY, FLORIDA and Incorporated Areas

PANEL 583 OF 685

Panel Contains:

COMMUNITY	NUMBER	PANEL	SUFFIX
ESTERO, VILLAGE OF	120260	0583	G
LEE COUNTY	125124	0583	G


Estero River
KUNESHAN PARK
KORESHAN PARK
COVERED WAGON MHP
PELICAN SOUND DR
760000 FT
T. 46 S.
T. 47 S.
ATLANTIC GULF BLVD
755000 FT
0.2%-ANNUAL-CHANCE FLOOD DISCHARGE CONTAINED IN STRUCTURE
26°24'22.5"
81°48'45"
81°46'52.5"
ZONE AE
ZONE AH
ZONE AH (EL 14.5)
ZONE AH (EL 14)
ZONE AH (EL 15)
ZONE AH (EL 15.5)
ZONE AE (EL 14.5)
ZONE AE (EL 15)
ZONE AH (EL 15.5)
ZONE AH (EL 15.5)
ZONE AH (EL 15)
ZONE AH (EL 15.5)
ZONE AH (EL 15)
ZONE AH (EL 15)
ZONE AH (EL 15



FLOOD HAZARD INFORMATION

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

THE INFORMATION DEPICTED ON THIS MAP AND SUPPORTING DOCUMENTATION ARE ALSO AVAILABLE IN DIGITAL FORMAT AT

HTTPS://MSC.FEMA.GOV

SPECIAL FLOOD HAZARD AREAS	Without Base Flood Elevation (BFE) Zone A, V, A99	With BFE or Depth Zone AE, AO, AH, VE, AR
	Regulatory Floodway	
OTHER AREAS OF FLOOD HAZARD	0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X	
	Future Conditions 1% Annual Chance Flood Hazard Zone X	
	Area with Reduced Flood Risk due to Levee See Notes. Zone X	
	Area with Flood Risk due to Levee Zone D	
OTHER AREAS	NO SCREEN Area of Minimal Flood Hazard Zone X	
	Area of Undetermined Flood Hazard Zone D	
GENERAL STRUCTURES	Channel, Culvert, or Storm Sewer	
	Levee, Dike, or Floodwall	
	E 18.2 / 17.5 Cross Sections with 1% Annual Chance Water Surface Elevation	

NOTES TO USERS

For information and questions about this Flood Insurance Rate Map (FIRM), available products associated with this FIRM, including historic versions, the current map date for each FIRM panel, how to order products, or the National Flood Insurance Program (NFIP) in general, please call the FEMA Map Information eXchange at 1-877-FEMA-MAP (1-877-336-2627) or visit the FEMA Flood Map Service Center website at https://msc.fema.gov. Available products may include previously issued Letters of Map Change, a Flood Insurance Study Report, and/or digital versions of this map. Many of these products can be ordered or obtained directly from the website.

Communities annexing land on adjacent FIRM panels must obtain a current copy of the adjacent panel as well as the current FIRM Index. These may be ordered directly from the Flood Map Service Center at the number listed above.

For community and countywide map dates refer to the Flood Insurance Study Report for this jurisdiction.

To determine if flood insurance is available in this community, contact your insurance agent or call the National Flood Insurance Program at 1-800-638-6620.

Base map information shown on this FIRM was provided by Lee County, dated 2008 and 2018; the Florida Department of Transportation, dated 2017 and 2018; the U.S. Department of Agriculture, dated 2018; and the U.S. Department of Transportation, dated 2017.

SCALE

Map Projection:
State Plane Transverse Mercator, Florida West Zone 0902; North American Datum 1983; Western Hemisphere; Vertical Datum: NAVD 88

N

1 inch = 500 feet 1:6,000

0 250 500 750 1,000 2,000 feet

0 125 250 500 meters

PANEL LOCATOR



FEMA

National Flood Insurance Program

NATIONAL FLOOD INSURANCE PROGRAM


FLOOD INSURANCE RATE MAP

LEE COUNTY, FLORIDA
and Incorporated Areas

PANEL **593** OF 685

Panel Contains:

COMMUNITY	NUMBER	PANEL	SUFFIX
BONITA SPRINGS, CITY OF	120680	0593	H
ESTERO, VILLAGE OF	120260	0593	H



FLOOD HAZARD INFORMATION

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

THE INFORMATION DEPICTED ON THIS MAP AND SUPPORTING DOCUMENTATION ARE ALSO AVAILABLE IN DIGITAL FORMAT AT

HTTPS://MSC.FEMA.GOV

SPECIAL FLOOD HAZARD AREAS	Without Base Flood Elevation (BFE) Zone A, V, A99 With BFE or Depth Zone AE, AO, AH, VE, AR Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD	0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X Future Conditions 1% Annual Chance Flood Hazard Zone X Area with Reduced Flood Risk due to Levee See Notes. Zone X Area with Flood Risk due to Levee Zone D
OTHER AREAS	NO SCREEN Area of Minimal Flood Hazard Zone X Area of Undetermined Flood Hazard Zone D
GENERAL STRUCTURES	Channel, Culvert, or Storm Sewer Levee, Dike, or Floodwall
	19.2 / E / 17.5 Cross Sections with 1% Annual Chance Water Surface Elevation

NOTES TO USERS

For information and questions about this Flood Insurance Rate Map (FIRM), available products associated with this FIRM, including historic versions, the current map date for each FIRM panel, how to order products, or the National Flood Insurance Program (NFIP) in general, please call the FEMA Map Information eXchange at 1-877-FEMA-MAP (1-877-336-2627) or visit the FEMA Flood Map Service Center website at https://msc.fema.gov. Available products may include previously issued Letters of Map Change, a Flood Insurance Study Report, and/or digital versions of this map. Many of these products can be ordered or obtained directly from the website.

Communities annexing land on adjacent FIRM panels must obtain a current copy of the adjacent panel as well as the current FIRM index. These may be ordered directly from the Flood Map Service Center at the number listed above.

For community and countywide map dates refer to the Flood Insurance Study Report for this jurisdiction.

To determine if flood insurance is available in this community, contact your insurance agent or call the National Flood Insurance Program at 1-800-638-6620.

Base map information shown on this FIRM was provided by Lee County, dated 2009 and 2018; the Florida Department of Transportation, dated 2012 and 2016; the U.S. Department of Agriculture, dated 2016; and the U.S. Department of Transportation, dated 2017.

SCALE

N

Map Projection: State Plane Transverse Mercator, Florida West Zone 0902, North American Datum 1983, Western Hemisphere Vertical Datum: NAVD 88

1 inch = 500 feet 1:6,000

0 250 500 750 1,000 2,000 feet

0 125 250 500 meters

PANEL LOCATOR



FEMA

National Flood Insurance Program

NATIONAL FLOOD INSURANCE PROGRAM


FLOOD INSURANCE RATE MAP

LEE COUNTY, FLORIDA
and Incorporated Areas

PANEL 656 OF 685

Panel Contains

COMMUNITY	NUMBER	PANEL	SUFFIX
BONITA SPRINGS, CITY OF	120680	0656	G



FLOOD HAZARD INFORMATION

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

THE INFORMATION DEPICTED ON THIS MAP AND SUPPORTING DOCUMENTATION ARE ALSO AVAILABLE IN DIGITAL FORMAT AT

HTTPS://MSC.FEMA.GOV

SPECIAL FLOOD HAZARD AREAS	Without Base Flood Elevation (BFE) Zone A, A99 With BFE or Depth Zone AE, AO, AH, VE, AR Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD	0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X Future Conditions 1% Annual Chance Flood Hazard Zone X Area with Reduced Flood Risk due to Levee See Notes. Zone X Area with Flood Risk due to Levee Zone D
OTHER AREAS	NO SCREEN Area of Minimal Flood Hazard Zone X Area of Undetermined Flood Hazard Zone D
GENERAL STRUCTURES	Channel, Culvert, or Storm Sewer Levee, Dike, or Floodwall
	19.2 E 17.5 Cross Sections with 1% Annual Chance Water Surface Elevation

NOTES TO USERS

For information and questions about this Flood Insurance Rate Map (FIRM), available products associated with this FIRM, including historic versions, the current map date for each FIRM panel, how to order products, or the National Flood Insurance Program (NFIP) in general, please call the FEMA Map Information eXchange at 1-877-FEMA-MAP (1-877-336-2627) or visit the FEMA Flood Map Service Center website at https://msc.fema.gov. Available products may include previously issued Letters of Map Change, a Flood Insurance Study Report, and/or digital versions of this map. Many of these products can be ordered or obtained directly from the website.

Communities annexing land on adjacent FIRM panels must obtain a current copy of the adjacent panel as well as the current FIRM index. These may be ordered directly from the Flood Map Service Center at the number listed above.

For community and countywide map dates refer to the Flood Insurance Study Report for this jurisdiction.

To determine if flood insurance is available in this community, contact your insurance agent or call the National Flood Insurance Program at 1-800-638-6620.

Base map information shown on this FIRM was provided by Lee County, dated 2009 and 2018; the Florida Department of Transportation, dated 2017 and 2018; the U.S. Department of Agriculture, dated 2018; and the U.S. Department of Transportation, dated 2017.

SCALE

N

Map Projection:
State Plane Transverse Mercator, Florida West Zone 0902, North American Datum 1983, Western Hemisphere Vertical Datum: NAVD 88

1 inch = 500 feet 1:6,000

0 250 500 750 1,000 2,000 feet

0 125 250 500 meters

PANEL LOCATOR



FEMA

National Flood Insurance Program

NATIONAL FLOOD INSURANCE PROGRAM

FLOOD INSURANCE RATE MAP

LEE COUNTY, FLORIDA
and Incorporated Areas

PANEL 657 OF 685

Panel Contains

COMMUNITY	NUMBER	PANEL	SUFFIX
BONITA SPRINGS, CITY OF	120680	0657	G



FLOOD HAZARD INFORMATION

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

THE INFORMATION DEPICTED ON THIS MAP AND SUPPORTING DOCUMENTATION ARE ALSO AVAILABLE IN DIGITAL FORMAT AT

HTTPS://MSC.FEMA.GOV

SPECIAL FLOOD HAZARD AREAS	Without Base Flood Elevation (BFE) Zone A, V, A99
	With BFE or Depth Zone AE, AO, AH, VE, AR
	Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD	0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
	Future Conditions 1% Annual Chance Flood Hazard Zone X
	Area with Reduced Flood Risk due to Levee See Notes. Zone X
	Area with Flood Risk due to Levee Zone D
OTHER AREAS	NO SCREEN Area of Minimal Flood Hazard Zone X
	Area of Undetermined Flood Hazard Zone D
GENERAL STRUCTURES	Channel, Culvert, or Storm Sewer
	Levee, Dike, or Floodwall
	E 18.2 / 17.5 Cross Sections with 1% Annual Chance Water Surface Elevation

NOTES TO USERS

For information and questions about this Flood Insurance Rate Map (FIRM), available products associated with this FIRM, including historic versions, the current map date for each FIRM panel, how to order products, or the National Flood Insurance Program (NFIP) in general, please call the FEMA Map Information eXchange at 1-877-FEMA-MAP (1-877-336-2627) or visit the FEMA Flood Map Service Center website at https://msc.fema.gov. Available products may include previously issued Letters of Map Change, a Flood Insurance Study Report, and/or digital versions of this map. Many of these products can be ordered or obtained directly from the website.

Communities annexing land on adjacent FIRM panels must obtain a current copy of the adjacent panel as well as the current FIRM Index. These may be ordered directly from the Flood Map Service Center at the number listed above.

For community and countywide map dates refer to the Flood Insurance Study Report for this jurisdiction.

To determine if flood insurance is available in this community, contact your insurance agent or call the National Flood Insurance Program at 1-800-638-6620.

Base map information shown on this FIRM was provided by Lee County, dated 2009 and 2018; the Florida Department of Transportation, dated 2012 and 2018; the U.S. Department of Agriculture, dated 2018; and the U.S. Department of Transportation, dated 2017.

SCALE

Map Projection: State Plane Transverse Mercator, Florida West Zone 0902, North American Datum 1983, Western Hemisphere Vertical Datum: NAVD 88


N

1 inch = 500 feet 1:6,000

0 250 500 750 1,000 2,000 feet

0 125 250 500 meters

PANEL LOCATOR



FEMA

National Flood Insurance Program

NATIONAL FLOOD INSURANCE PROGRAM

FLOOD INSURANCE RATE MAP

LEE COUNTY, FLORIDA
and Incorporated Areas

PANEL 658 OF 685

Panel Contains

COMMUNITY	NUMBER	PANEL	SUFFIX
BONITA SPRINGS, CITY OF	120680	0658	G



FLOOD HAZARD INFORMATION

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

THE INFORMATION DEPICTED ON THIS MAP AND SUPPORTING DOCUMENTATION ARE ALSO AVAILABLE IN DIGITAL FORMAT AT

HTTPS://MSC.FEMA.GOV

SPECIAL FLOOD HAZARD AREAS

- Without Base Flood Elevation (BFE) Zone A, V, A99
- With BFE or Depth Zone AE, AO, AH, VE, AR
- Regulatory Floodway

OTHER AREAS OF FLOOD HAZARD

- 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
- Future Conditions 1% Annual Chance Flood Hazard Zone X
- Area with Reduced Flood Risk due to Levee See Notes. Zone X
- Area with Flood Risk due to Levee Zone D

OTHER AREAS

- NO SCREEN — Area of Minimal Flood Hazard Zone X
- Area of Undetermined Flood Hazard Zone D

GENERAL STRUCTURES

- Channel, Culvert, or Storm Sewer
- Levee, Dike, or Floodwall
- E 18.2 / 17.5 — Cross Sections with 1% Annual Chance Water Surface Elevation

NOTES TO USERS

For information and questions about this Flood Insurance Rate Map (FIRM), available products associated with this FIRM, including historic versions, the current map date for each FIRM panel, how to order products, or the National Flood Insurance Program (NFIP) in general, please call the FEMA Map Information eXchange at 1-877-FEMA-MAP (1-877-336-2627) or visit the FEMA Flood Map Service Center website at https://msc.fema.gov. Available products may include previously issued Letters of Map Change, a Flood Insurance Study Report, and/or digital versions of this map. Many of these products can be ordered or obtained directly from the website.

Communities annexing land on adjacent FIRM panels must obtain a current copy of the adjacent panel as well as the current FIRM index. These may be ordered directly from the Flood Map Service Center at the number listed above.

For community and countywide map dates refer to the Flood Insurance Study Report for this jurisdiction.

To determine if flood insurance is available in this community, contact your insurance agent or call the National Flood Insurance Program at 1-800-638-6620.

Base map information shown on this FIRM was provided by Lee County, dated 2009 and 2018; the Florida Department of Transportation, dated 2012 and 2016; the U.S. Department of Agriculture, dated 2016; and the U.S. Department of Transportation, dated 2017.

SCALE

N

Map Projection: State Plane Transverse Mercator, Florida West Zone 0902, North American Datum 1983, Western Hemisphere Vertical Datum: NAVD 88

1 inch = 500 feet 1:6,000

0 250 500 750 1,000 2,000 feet

0 125 250 500 meters

PANEL LOCATOR



FEMA

National Flood Insurance Program

NATIONAL FLOOD INSURANCE PROGRAM

FLOOD INSURANCE RATE MAP

LEE COUNTY, FLORIDA and Incorporated Areas

PANEL 659 OF 685

Panel Contains

COMMUNITY	NUMBER	PANEL	SUFFIX
BONITA SPRINGS, CITY OF	120680	0659	G

Appendix G

Envirosite Environmental Liens and Activity/Use Limitations Report

ENVIROSITE

Environmental Lien Report
Back to 1980

BERT Rail-Trail
8888 Bernwood Pkwy
Bonita Springs, Florida, 34135

Order Number: 119475
Report Generated: 07/20/2026

Project Name:
Project Number:

Prepared for Envirosite Corporation By :

Land Titles Inquiries, Inc.

© 2026 Envirosite Inc. | All Rights Reserved | (866) 211-2028 | www.envirositecorp.com

Land Title Inquiries, Inc.

8349 Lorraine Dr.

Strongsville, OH 44149

Phone (440) 846-LAND Email: landtitleinq@aol.com

Order No. 26-744L

Subject Property Address: Tax Parcel Nos. 284625E2U19492522 284625E3U19562448, 334625E2U19562388, 334625E3U19642308 034725E1U19782168, 104725E1U19792047, 104725E4U19801966 154725B1000010000, 224725B4000010000, 274725B2000030000 264725B1000010000. 354725B1000010010. 354725B4000010000 024825B1000130000, 034825B3000040000, Bonita Springs, FL.

Current Owner of Record: Seminole Gulf Railway LP

Environmental Lien/AUL Report prepared exclusively for:

Envirosite Corporation

Envirosite Order No. 119475 Effective Date: July 3, 2026

Land Title Inquiries

Order No. 26-744L

ENVIRONMENTAL LIEN/AUL SEARCH

We have done a search of Lee County Recorders Records for "Environmental Liens" only on the subject property as identified as Tax Parcel Nos. 284625E2U19492522 284625E3U19562448, 334625E2U19562388, 334625E3U19642308 034725E1U19782168, 104725E1U19792047, 104725E4U19801966 154725B1000010000, 224725B4000010000, 274725B2000030000 264725B1000010000. 354725B1000010010. 354725B4000010000 024825B1000130000, 034825B3000040000, Bonita Springs, FL. and find the following:

None found

We have done a search of Lee County Recorders Records for Activity & Use Limitations "AUL's" only on the subject property as identified as Tax Parcel Nos. 284625E2U19492522, 284625E3U19562448, 334625E2U19562388, 334625E3U19642308, 034725E1U19782168, 104725E1U19792047, 104725E4U19801966, 154725B1000010000, 224725B4000010000, 274725B2000030000, 264725B1000010000. 354725B1000010010. 354725B4000010000, 024825B1000130000, 034825B3000040000, Bonita Springs, FL. and find the following:

Land Use Restrictions as recited in Quit Claim Deed recorded 11/2/2018 in OR Book 5568 Page 941.

Land Use Restrictions as recited in Confirmatory Quit Claim Deed recorded 6/26/2019 in OR Book 5645 Page 3121.

Note: Records were searched back to 1980 in compliance with ASTM E1527-21.

Selection of prior owners and/or taxpayers since 1980:

CSX Transportation Inc., Atlantic Land & Improvement Co.

Land Title Inquiries, Inc.

8349 Lorraine Dr.
Strongsville, OH 44149
Phone (440) 846-LAND Email: landtitleinq@aol.com

Order No. 26-744LA

Subject Property Address: Tax Parcel No. 00145681504, Bonita Springs, FL.

Current Owner of Record: Seminole Gulf Railway LP

Environmental Lien/AUL Report prepared exclusively for:

Envirosite Corporation

Envirosite Order No. 119475 Effective Date: July 3, 2026

Land Title Inquiries

Order No. 26-744LA

ENVIRONMENTAL LIEN/AUL SEARCH

We have done a search of Collier County Recorders Records for "Environmental Liens" only on the subject property as identified as Tax Parcel No. 00145681504, Bonita Springs, FL. and find the following:

None found

We have done a search of Collier County Recorders Records for Activity & Use Limitations "AUL's" only on the subject property as identified as Tax Parcel No. 00145681504, Bonita Springs, FL. and find the following:

Land Use Restrictions as recited in Quit Claim Deed recorded 11/2/2018 in OR Book 5568 Page 941.

Land Use Restrictions as recited in Confirmatory Quit Claim Deed recorded 6/26/2019 in OR Book 5645 Page 3121.

Note: Records were searched back to 1980 in compliance with ASTM E1527-21.

Selection of prior owners and/or taxpayers since 1980:

CSX Transportation Inc., Atlantic Land & Improvement Co.

Appendix H

Questionnaires

PROPERTY OWNER/AGENT
ENVIRONMENTAL SITE ASSESSMENT QUESTIONNAIRE

INSTRUCTIONS: Please complete to the best of your knowledge and return either by email or us mail:

S&S Environmental Consultants LLC
249 Pinewood Drive
Tallahassee, FL 32303
Phone: (850) 544 3437

Attn: Richard Stephens (richards@ssecmail.com)

GENERAL INFORMATION

Property Name:	BERT
Address:	**Lee County Parcels**
	284625E2U19492522
	284625E3U19562448
	334625E2U19562388
	334625E3U19642308
	034725E1U19782168
	104725E1U19792047
	104725E4U19801966
	154725B1000010000
	224725B4000010000
	274725B2000030000
	264725B1000010000
	354725B1000010010
	354725B4000010000
	024825B1000130000
	034825B3000040000
	Collier County Parcel
	00145681504
City, State, Zip:	Lee and Collier Counties, Florida

PROPERTY INFORMATION

Property Size (in acres):	_____	# of Buildings:	**__None_____**
Gross Building Square Footage:	**___None_____**	# of Tenant Spaces:	**__None_____**
Net Rentable Square Footage:	**___None_____**	# of Parking Spaces:	**__None_____**
Date of Construction:	**_1920s construction of RR_**	# of ADA Parking Spaces:	**___None_____**

The questionnaire information was completed by:

Signature: _____

Name: ___Robert H. Fay_____

Title: ___Executive Vice President, Seminole Gulf Railway, LP_____

Date: ___07/07/2026_____

ENVIRONMENTAL INFORMATION

PREVIOUS REPORTS, DOCUMENTS AND OWNERS

1. Are you aware if a previous Environmental Assessment has ever been performed on the subject property? If yes, are you aware of the recommendations made in the report or please provide a copy of the report?
   ☐ Yes X No ☐ Do not Know

2. Do you have any other environmentally associated documents, such as compliance audits, environmental permits (such as an NPDES permit, boiler permit, wastewater permit), registrations (such as for a underground storage tank) or material safety data sheets? If yes, please provide a copy of the document(s)
   ☐ Yes X No ☐ Do not Know

3. Can you provide contact information (name and phone number) of the previous owner of the property? If yes, please provide below.
   ☐ Yes X No ☐ Do not Know

HISTORICAL & PRESENT USAGE/SITE CONDITIONS – SUBJECT AND ADJOINING PROPERTIES

1. Are you aware of the prior use of the subject property, i.e., any previous development, undeveloped? If so, please describe

ndeveloped land and then a railroad

2. Has fill dirt ever been brought onto the subject property that originated from a contaminated site or from an unknown source?

☐Yes X No ☐Do not Know

3. Are there currently or have there ever been any pits, ponds or lagoons on the subject property utilized in connection with waste treatment or waste disposal?

☐Yes X No ☐Do not Know

4. Are you currently aware of or have there ever been any hazardous substances, petroleum products, tires, car or industrial batteries, pesticides or other chemicals or waste materials that have been dumped, buried or burned on the subject property?

☐Yes X No ☐Do not Know

5. Have any of the adjoining properties ever been used for industrial purposes? (including but not limited to a gas station, dry cleaner, auto repair facility, landfill, waste treatment, printing facility etc)? If yes, please describe

☐Yes X No ☐Do not Know

6. Are any of the adjoining properties currently being used for industrial purposes? If yes, please describe

X Yes ☐No ☐Do not Know

Concrete batch plant at the end of the line.

7. Do you have any specialized knowledge or experience related to the property or nearby properties? For example, are you involved in the same line of business as the current or former occupants of the property or an adjoining property so that you would have specialized knowledge of the chemicals and processes used by this type of business?

X Yes ☐No ☐Do not Know

Historic and current of the property was and is a railroad.

8. If the subject property is served by a private well or non-public water system, is there evidence or do you have prior knowledge that contaminants have been identified in the well or system that exceed guidelines applicable to the water system or that the well has been designated as contaminated by any government environmental/health agency? If an on-site well is present, please attach a copy of the most recent water quality testing report.

☐Yes X No ☐Do not Know

AAI and REGULATORY QUESTIONS

In order to qualify for one of the Landowner Liability Protections offered by the Small Business Liability Relief and Brownfields Revitalization Act of 2001, you must provide the following information (if available). Failure to provide this information could result in a determination that "all appropriate inquiry" is not complete.

1. Are you aware of any past or current existence of hazardous substances, specific chemicals, or petroleum products on the subject property or any facility located on the property?

☐Yes X No ☐Do not Know

2. Are you aware of any past or current spills or other chemical releases that have taken place at the property?

☐Yes X No ☐Do not Know

3. Do you know of any clean ups (with respect to hazardous substances, specific chemicals, or petroleum products) that have occurred at the property?
☐Yes X No ☐Do not Know

4. Are you aware, based on your knowledge of the property, if there are any obvious indicators that point to the presence or likely presence of contamination at the property?
☐Yes X No ☐Do not Know

5. Do you have any knowledge of filed or recorded environmental cleanup liens under federals, state or local law or governmental notification relating to past or recurrent violations of environmental laws with respect to the subject property or any facility located on the property?
☐Yes X No ☐Do not Know

6. Are there any potential or pending lawsuits or administrative actions concerning a release or threatened release of hazardous substances or petroleum product involving the subject property or any facility located on the property?
☐Yes ☐No ☐Do not Know

7. Are you aware of any areas of activity or use limitations (AULs) such as engineering controls, land use restrictions or institutional controls that are in place at the property and/or have been recorded or filed in a registry under federal, state or tribal law?
X Yes ☐No ☐Do not Know

Deed restrictions on future use.

8. (Answer this question only if this is an acquisition) Does the purchase price being paid for this property reasonably reflect the fair market value of the property? If there is a difference, have you considered or determined whether the lower price is because contamination is known or believed to be present at the property?
☐Yes ☐No X Do not Know

STORAGE TANKS AND DRAINS

1. Are there currently or are you aware if there have ever previously been any registered or unregistered storage tanks, aboveground or underground, located on the subject property? If so, please attach copies of documentation such as tank closure/removal reports, tank tightness tests or registration/regulatory information
☐Yes X No ☐Do not Know

2. Are there currently or are you aware if there have ever previously been any vent pipes, fill pipes, or access ways indicating a fill pipe protruding from the ground on the property or adjacent to any structure located on the subject property?
☐Yes X No ☐Do not Know

3. Are there currently or are you aware if there have ever previously been any current evidence of leaks, spills, or staining by substances other than water, or foul odors, associated with any flooring, drains, walls, ceilings, or exposed grounds on the subject property?
☐Yes X No ☐Do not Know

TRANSFORMERS AND HYDRAULIC EQUIPMENT

1. Are there are any transformers, capacitors, and/or hydraulic equipment on the subject property?
☐Yes X No ☐Do not Know

2. If yes, are there any records indicating the presence or absence of PCBs in this equipment. If so, please attach copies of this documentation.
☐Yes ☐No ☐Do not Know

3. Are the transformers owned by the subject property or by the local utility? If owned by the utility, please note the name of the utility.
☐Yes X No ☐Do not Know

ASBESTOS CONTAINING MATERIALS

1. Has the subject property ever been tested for the presence of asbestos containing materials (ACM)?
☐Yes X No ☐Do not Know

2. If yes, are you aware if asbestos containing materials were identified? If so, please note what asbestos containing materials were identified and their locations or please attach a copy of the test results?
☐Yes ☐No ☐Do not Know

3. Is there an Asbestos Operations and Maintenance Program in place at the subject property?
☐Yes X No ☐Do not Know

RADON

1. Has the subject property ever been tested for the presence of radon?
☐Yes X No ☐Do not Know

2. If yes, do you have the results of the testing? Please attach.
☐Yes ☐No ☐Do not Know

LEAD BASED PAINT

1. Has the subject property ever been tested for the presence of lead based paint (LBP)?
☐Yes X No ☐Do not Know
No structures on property.

2. If yes, are you aware if lead based paint was identified? If so, please note where it was identified or please attach a copy of the test results?
☐Yes ☐No ☐Do not Know

3. Is there a Lead Based Paint Operations and Maintenance Program in place at the subject property?
☐Yes X No ☐Do not Know

4. If the property was constructed prior to 1979, do you provide Lead Based Paint Notification to the tenants? If yes, please attach a copy of the notification.
☐Yes X No ☐Do not Know

No structures on property.

MOLD

1. Is there any evidence of mold and/or mildew on the subject property? If yes, please provide information as to the location, extent and the cause of the mold/mildew. Please note what actions are currently or have formerly been taken to address this concern.
☐Yes X No ☐Do not Know

No structures on property.

2. Is there a Mold and Moisture Minimization Program in place at the subject property?
☐Yes X No ☐Do not Know

No structures on property.

AGRICULTURAL

1. Has the subject property ever been used for agricultural purposes?
☐Yes X No ☐Do not Know

2. Have pesticides and/or herbicides been stored, mixed, or used on the subject property? If yes, please provide a list of pesticides and/or herbicides stored, mixed, or used at the subject property, and the location(s).
☐Yes X No ☐Do not Know

COMMENTS/ADDITIONAL INFORMATION (If necessary, please provide any additional relevant environmental information that has not been discussed above.)

The property was undeveloped land that became a railroad constructed in the 1920s and it has been a railroad since. No known structures (buildings) existed (or exist today) on the property.

S&S ENVIRONMENTAL CONSULTANTS, LLC

ASTM E1527-21 USER QUESTIONNAIRE

When the "user" (the party for whom the assessment is being prepared) of the Phase I is required to help the environmental professional identify recognized environmental conditions at the property, a "User Questionnaire" is completed by the user to help gather information that may identify recognized environmental conditions at the property.

On the second page of this form is a list of documentation. The E1527-21 Standard requires that the User ensure that S&S Environmental Consultants LLC is made aware that any of these materials exist for a site, and if so, that these documents be provided for S&S's review. Please indicate whether any of these documents are available and ensure that S&S will either receive copies or be provided an opportunity to review the relevant materials.

We appreciate your assistance. If you have any questions, feel free to contact us.

Completed by:

Signature:  _____

Name: Steve Sarkozy_____

Title: Village Manager _____

Company: Village of Estero _____

Relationship to site (i.e. lender, purchaser, owner): __Purchaser _____

Date: __07/09/2026_____

1. Are you aware of any environmental liens against the property that are filed or recorded under federal, tribal, state or local law? If yes, please explain

☐Yes ☒No ☐Do not Know

_____

_____

_____

2. Are you aware of any Activity and Use Limitations (AULs), such as engineering controls, land use restrictions or institutional controls that are in place at the site and/or have been filed or recorded in a registry under federal, tribal, state or local law? If yes, please explain

☐Yes ☒No ☐Do not Know

_____

3. As the user of this ESA do you have any specialized knowledge or experience related to the property or nearby properties? For example, are you involved in the same line of business as the current or former occupants of the property or an adjoining property so that you would have specialized knowledge of the chemicals and processes used by this type of business? If yes, please explain

☐ Yes ☒ No ☐ Do not Know

4. Does the purchase price/loan amount for this property reasonably reflect the fair market value of the property? If you conclude that there is a difference, have you considered whether the lower purchase price is because contamination is known or believed to be present at the property? If yes, please explain

☐ Yes ☒ No ☐ Do not Know

.

5. Are you aware of commonly known or reasonably ascertainable information about the property that would help the environmental professional to identify conditions indicative of releases or threatened releases? For example, as user,

   a. Do you know the past uses of the property?

NO

   b. Do you know of specific chemicals that are present or once were present at the property?

NO

   c. Do you know of spills or other chemical releases that have taken place at the property?

NO

d. Do you know of any environmental cleanups that have taken place at the property?

NO

6. As the user of this ESA, based on your knowledge and experience related to the property are there any obvious indicators that point to the presence or likely presence of contamination at the property? If yes, please explain

☐Yes ☐No ☒Do not Know

As part of this study, which of the following are you providing?

1.	Previous environmental site assessment reports	☐Yes	☒No
2.	Environmental compliance audit reports	☐Yes	☒No
3.	Environmental permits (including but not limited to solid waste disposal permits, hazardous waste disposal permits, wastewater permits, NPDES permits, underground injection permits)	☐Yes	☒No
4.	Registrations for underground and aboveground storage tanks	☐Yes	☒No
5.	Registrations for underground injection systems	☐Yes	☒No
6.	Material safety data sheets	☐Yes	☒No
7.	Community Right-to-Know plan	☐Yes	☒No
8.	Safety plans; preparedness and prevention plans; spill prevention, countermeasure, and control plans; etc	☐Yes	☒No
9.	Reports regarding hydrogeologic conditions on the property or surrounding area	☐Yes	☒No
10.	Notices or other correspondence from any government agency relating to past or current violations of environmental laws with respect to the property or relating to environmental liens encumbering the property	☐Yes	☒No
11.	Hazardous waste generator notices or reports	☐Yes	☒No
12.	Geotechnical studies	☐Yes	☒No
13.	Risk assessments	☐Yes	☒No
14.	Recorded Activity and Use Limitations (AULs).	☐Yes	☒No

Please contact me if you have any questions regarding these ASTM requirements via email at richards@ssecmail.com or phone at (850) 544-3437

Please return the completed document to Richard Stephens via email at richards@ssecmail.com.

S&S ENVIRONMENTAL CONSULTANTS, LLC

ASTM E1527-21 USER QUESTIONNAIRE

When the "user" (the party for whom the assessment is being prepared) of the Phase I is required to help the environmental professional identify recognized environmental conditions at the property, a "User Questionnaire" is completed by the user to help gather information that may identify recognized environmental conditions at the property.

On the second page of this form is a list of documentation. The E1527-21 Standard requires that the User ensure that S&S Environmental Consultants LLC is made aware that any of these materials exist for a site, and if so, that these documents be provided for S&S's review. Please indicate whether any of these documents are available and ensure that S&S will either receive copies or be provided an opportunity to review the relevant materials.

We appreciate your assistance. If you have any questions, feel free to contact us.

Completed by:

Signature: Matt Feeney

Name: MATT FEENEY

Title: ASSISTANT CITY MANAGER

Company: CITY OF BONITA SPRINGS

Relationship to site (i.e. lender, purchaser, owner): UNDER CONTRACT WITH TRUST FOR PUBLIC LAND TO PURCHASE

Date: 7/17/25

1. Are you aware of any environmental liens against the property that are filed or recorded under federal, tribal, state or local law? If yes, please explain

☐ Yes ☐ No ☒ Do not Know

2. Are you aware of any Activity and Use Limitations (AULs), such as engineering controls, land use restrictions or institutional controls that are in place at the site and/or have been filed or recorded in a registry under federal, tribal, state or local law? If yes, please explain

☐ Yes ☐ No ☒ Do not Know

3. As the user of this ESA do you have any specialized knowledge or experience related to the property or nearby properties? For example, are you involved in the same line of business as the current or former occupants of the property or an adjoining property so that you would have specialized knowledge of the chemicals and processes used by this type of business? If yes, please explain

☐ Yes ☐ No ☒ Do not Know

4. Does the purchase price/loan amount for this property reasonably reflect the fair market value of the property? If you conclude that there is a difference, have you considered whether the lower purchase price is because contamination is known or believed to be present at the property? If yes, please explain

☐ Yes ☐ No ☒ Do not Know

5. Are you aware of commonly known or reasonably ascertainable information about the property that would help the environmental professional to identify conditions indicative of releases or threatened releases? For example, as user,
   a. Do you know the past uses of the property?

RAIL ROAD CEASED OPERATION IN APPROXIMATELY 2008

   b. Do you know of specific chemicals that are present or once were present at the property?

NO

   c. Do you know of spills or other chemical releases that have taken place at the property?

NO

d. Do you know of any environmental cleanups that have taken place at the property?

No

6. As the user of this ESA, based on your knowledge and experience related to the property are there any obvious indicators that point to the presence or likely presence of contamination at the property? If yes, please explain

☐ Yes ☐ No ☒ Do not Know

As part of this study, which of the following are you providing?

1.	Previous environmental site assessment reports	☐ Yes	☒ No
2.	Environmental compliance audit reports	☐ Yes	☒ No
3.	Environmental permits (including but not limited to solid waste disposal permits, hazardous waste disposal permits, wastewater permits, NPDES permits, underground injection permits)	☐ Yes	☒ No
4.	Registrations for underground and aboveground storage tanks	☐ Yes	☒ No
5.	Registrations for underground injection systems	☐ Yes	☒ No
6.	Material safety data sheets	☐ Yes	☒ No
7.	Community Right-to-Know plan	☐ Yes	☒ No
8.	Safety plans; preparedness and prevention plans; spill prevention, countermeasure, and control plans; etc	☐ Yes	☒ No
9.	Reports regarding hydrogeologic conditions on the property or surrounding area	☐ Yes	☒ No
10.	Notices or other correspondence from any government agency relating to past or current violations of environmental laws with respect to the property or relating to environmental liens encumbering the property	☐ Yes	☒ No
11.	Hazardous waste generator notices or reports	☐ Yes	☒ No
12.	Geotechnical studies	☐ Yes	☒ No

13. Risk assessments ☐ Yes ☒ No

14. Recorded Activity and Use Limitations (AULs). ☐ Yes ☒ No

Please contact me if you have any questions regarding these ASTM requirements via email at richards@ssecmail.com or phone at (850) 544-3437

Please return the completed document to Richard Stephens via email at richards@ssecmail.com.

S&S ENVIRONMENTAL CONSULTANTS, LLC

ASTM E1527-21 USER QUESTIONNAIRE

When the "user" (the party for whom the assessment is being prepared) of the Phase I is required to help the environmental professional identify recognized environmental conditions at the property, a "User Questionnaire" is completed by the user to help gather information that may identify recognized environmental conditions at the property.

On the second page of this form is a list of documentation. The E1527-21 Standard requires that the User ensure that S&S Environmental Consultants LLC is made aware that any of these materials exist for a site, and if so, that these documents be provided for S&S's review. Please indicate whether any of these documents are available and ensure that S&S will either receive copies or be provided an opportunity to review the relevant materials.

We appreciate your assistance. If you have any questions, feel free to contact us.

Completed by:

Signature:	_____
Name:	Jennifer A. Belpedio
Title:	Manager, Real Property Management
Company:	Collier County
Relationship to site (i.e. lender, purchaser, owner):	Company is contract purchaser
Date:	7/9/26

1. Are you aware of any environmental liens against the property that are filed or recorded under federal, tribal, state or local law? If yes, please explain.

☐ Yes ☑ No ☐ Do not Know

Based on the title commitment provided to Collier County by The Trust for Public Land, Commitment No. 12942653, Revision No. 1, with a commitment date of February 12, 2026, no environmental liens were identified. Collier County can provide a copy of the title commitment upon request.

2. Are you aware of any Activity and Use Limitations (AULs), such as engineering controls, land use restrictions or institutional controls that are in place at the site and/or have been filed or recorded in a registry under federal, tribal, state or local law? If yes, please explain

☐ Yes ☑ No ☐ Do not Know

Collier County is not aware of any Activity and Use Limitations, engineering controls, land use restrictions, or institutional controls affecting the property. The title commitment provided by The Trust for Public Land did not identify any

recorded AULs. Collier County can provide a copy of the title commitment upon request.

3. As the user of this ESA do you have any specialized knowledge or experience related to the property or nearby properties? For example, are you involved in the same line of business as the current or former occupants of the property or an adjoining property so that you would have specialized knowledge of the chemicals and processes used by this type of business? If yes, please explain.

☐ Yes ☑ No ☐ Do not Know

Collier County's knowledge is limited to its role as a contract purchaser of the property.

4. Does the purchase price/loan amount for this property reasonably reflect the fair market value of the property? If you conclude that there is a difference, have you considered whether the lower purchase price is because contamination is known or believed to be present at the property? If yes, please explain

☐ Yes ☐ No ☑ Do not Know

Collier County is currently in the due diligence period, and appraisals are being procured and reviewed. The Purchase and Sale Agreement requires the purchase price to be supported by appraisals in accordance with Collier County Ordinance No. 07-28, and if it is not, the County may terminate the Agreement without penalty.

At this time, Collier County is not aware that any negotiated purchase price adjustment is attributable to known or suspected environmental contamination.

5. Are you aware of commonly known or reasonably ascertainable information about the property that would help the environmental professional to identify conditions indicative of releases or threatened releases? For example, as user,

   a. Do you know the past uses of the property?

Yes, railroad corridor/railroad industrial operations.

   b. Do you know of specific chemicals that are present or once were present at the property?

Do not Know.

   c. Do you know of spills or other chemical releases that have taken place at the property?

Do not know.

   d. Do you know of any environmental cleanups that have taken place at the property?

Do not know.

6. As the user of this ESA, based on your knowledge and experience related to the property are there any obvious indicators that point to the presence or likely presence of contamination at the property? If yes, please explain

☐ Yes ☑ No ☐ Do not Know

Based on Collier County's current knowledge as contract purchaser, the County is not aware of any obvious indicators that point to the presence or likely presence of contamination at the property. Environmental conditions remain subject to evaluation through the Phase I Environmental Site Assessment and any additional investigation deemed necessary.

As part of this study, which of the following are you providing?

1.	Previous environmental site assessment reports	☐ Yes	☑ No
2.	Environmental compliance audit reports	☐ Yes	☑ No
3.	Environmental permits (including but not limited to solid waste disposal permits, hazardous waste disposal permits, wastewater permits, NPDES permits, underground injection permits)	☐ Yes	☑ No
4.	Registrations for underground and aboveground storage tanks	☐ Yes	☑ No
5.	Registrations for underground injection systems	☐ Yes	☑ No
6.	Material safety data sheets	☐ Yes	☑ No
7.	Community Right-to-Know plan	☐ Yes	☑ No
8.	Safety plans; preparedness and prevention plans; spill prevention, countermeasure, and control plans; etc	☐ Yes	☑ No
9.	Reports regarding hydrogeologic conditions on the property or surrounding area	☐ Yes	☑ No
10.	Notices or other correspondence from any government agency relating to past or current violations of environmental laws with respect to the property or relating to environmental liens encumbering the property	☐ Yes	☑ No
11.	Hazardous waste generator notices or reports	☐ Yes	☑ No
12.	Geotechnical studies	☐ Yes	☑ No
13.	Risk assessments	☐ Yes	☑ No
14.	Recorded Activity and Use Limitations (AULs).	☐ Yes	☑ No

Please contact me if you have any questions regarding these ASTM requirements via email at richards@ssecmail.com or phone at (850) 544-3437

Please return the completed document to Richard Stephens via email at richards@ssecmail.com.

S&S ENVIRONMENTAL CONSULTANTS, LLC

ASTM E1527-21 USER QUESTIONNAIRE

When the "user" (the party for whom the assessment is being prepared) of the Phase I is required to help the environmental professional identify recognized environmental conditions at the property, a "User Questionnaire" is completed by the user to help gather information that may identify recognized environmental conditions at the property.

On the second page of this form is a list of documentation. The E1527-21 Standard requires that the User ensure that S&S Environmental Consultants LLC is made aware that any of these materials exist for a site, and if so, that these documents be provided for S&S's review. Please indicate whether any of these documents are available and ensure that S&S will either receive copies or be provided an opportunity to review the relevant materials.

We appreciate your assistance. If you have any questions, feel free to contact us.

Completed by:

Signature:	
Name:	Douglas Hattaway
Title:	Southeast Region Conservation Director
Company:	Trust for Public Land
Relationship to site (i.e. lender, purchaser, owner):	Purchaser
Date:	July 9, 2026

1. Are you aware of any environmental liens against the property that are filed or recorded under federal, tribal, state or local law? If yes, please explain

☐ Yes X No ☐ Do not Know

2. Are you aware of any Activity and Use Limitations (AULs), such as engineering controls, land use restrictions or institutional controls that are in place at the site and/or have been filed or recorded in a registry under federal, tribal, state or local law? If yes, please explain

X Yes ☐ No ☐ Do not Know

I am aware of a publicly-recorded deed of title to Seminole Gulf Railway, LP that includes deed

restrictive language pertaining to land uses. However, I am unaware the deed restrictive language was recorded due to any federal, tribal, state or local law.

3. As the user of this ESA do you have any specialized knowledge or experience related to the property or nearby properties? For example, are you involved in the same line of business as the current or former occupants of the property or an adjoining property so that you would have specialized knowledge of the chemicals and processes used by this type of business? If yes, please explain

☐ Yes X No ☐ Do not Know

4. Does the purchase price/loan amount for this property reasonably reflect the fair market value of the property? If you conclude that there is a difference, have you considered whether the lower purchase price is because contamination is known or believed to be present at the property? If yes, please explain

X Yes ☐ No ☐ Do not Know

5. Are you aware of commonly known or reasonably ascertainable information about the property that would help the environmental professional to identify conditions indicative of releases or threatened releases? For example, as user,

   a. Do you know the past uses of the property? **YES**

The property was historically used as a rail corridor with freight (and possibly passenger) railroad service.

   b. Do you know of specific chemicals that are present or once were present at the property?

No.

   c. Do you know of spills or other chemical releases that have taken place at the property?

No.

d. Do you know of any environmental cleanups that have taken place at the property?

No.

6. As the user of this ESA, based on your knowledge and experience related to the property are there any obvious indicators that point to the presence or likely presence of contamination at the property? If yes, please explain

☐ Yes ☐ No X Do not Know

As part of this study, which of the following are you providing?

1.	Previous environmental site assessment reports	☐ Yes	X No
2.	Environmental compliance audit reports	☐ Yes	X No
3.	Environmental permits (including but not limited to solid waste disposal permits, hazardous waste disposal permits, wastewater permits, NPDES permits, underground injection permits)	☐ Yes	X No
4.	Registrations for underground and aboveground storage tanks	☐ Yes	X No
5.	Registrations for underground injection systems	☐ Yes	X No
6.	Material safety data sheets	☐ Yes	X No
7.	Community Right-to-Know plan	☐ Yes	X No
8.	Safety plans; preparedness and prevention plans; spill prevention, countermeasure, and control plans; etc	☐ Yes	X No
9.	Reports regarding hydrogeologic conditions on the property or surrounding area	☐ Yes	X No
10.	Notices or other correspondence from any government agency relating to past or current violations of environmental laws with respect to the property or relating to environmental liens encumbering the property	☐ Yes	X No
11.	Hazardous waste generator notices or reports	☐ Yes	X No
12.	Geotechnical studies	☐ Yes	X No
13.	Risk assessments	☐ Yes	X No
14.	Recorded Activity and Use Limitations (AULs).	☐ Yes	X No

Please contact me if you have any questions regarding these ASTM requirements via email at richards@ssecmail.com or phone at (850) 544-3437

Please return the completed document to Richard Stephens via email at richards@ssecmail.com.

Appendix I

Envirosite Historical Aerial Photographs Report

ENVIROSITE

Historical Aerial Photo Report

BERT Rail-Trail
8888 Bernwood Pkwy
Bonita Springs, Florida, 34135

OrderNumber: 119475
Report Generated: 07/04/2026

Project Name:
Project Number:

©2025 Envirosite Inc. | All rights reserved | 866-211-2028 | www.envirositecorp.com

Historical Aerial Photo Report 2026

Envirosite's Historical Aerial Photo Report is designed to assist in evaluating a subject property resulting from past activities. Envirosite's Historical Aerial Photo Report includes a search of available historical aerial photographs, dating back to the 1930s, or earliest available photographs.

ENVIROSITE SEARCHED SOURCES

SUBJECT PROPERTY:

BERT Rail-Trail
8888 Bernwood Pkwy
Bonita Springs, Florida, 34135

YEAR:	***SCALE:***	***SOURCE:***
1944	1" = 1,500'	USDA
1950	1" = 1,500'	USGS
1958	1" = 1,500'	USDA
1969	1" = 1,500'	USGS
1971	1" = 1,500'	USGS
1978	1" = 1,500'	USGS
1980	1" = 1,500'	USDA
1984	1" = 1,500'	NHAP
1995	1" = 1,500'	NAPP
1999	1" = 1,500'	DOQ
2007	1" = 1,500'	NAIP
2010	1" = 1,500'	NAIP
2015	1" = 1,500'	NAIP
2019	1" = 1,500'	NAIP
2023	1" = 1,500'	NAIP

Disclaimer - Copyright and Trademark Notice

All information contained in this report are based on data available from various public, government and other sources and are based upon the best data available from those sources. The information available in this report may be available from other sources and is not exclusive or the exclusive property of Envirosite Corporation.

NO WARRANTY EXPRESSED OR IMPLIED, IS MADE IN CONNECTION WITH THIS REPORT, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ALL RISK IS ASSUMED BY USER AND Envirosite assumes no liability for faulty or inaccurate information. The Reports may utilize a variety of public and other sources reasonably available to Envirosite. Envirosite cannot, and does not assure, warrant, guarantee or assume any liability for the correctness, comprehensiveness, timeliness or completeness of any of such information, nor is the information in any Report to be construed as legal advice with respect to environmental risks associated with any property. Envirosite shall not be liable to anyone for any claims, causes of action, suits, damages, losses, costs and expenses (including, without limitation, attorneys' fees and costs) arising out of or caused by this report regardless of the acts, errors or omissions, or negligence of Envirosite. Any damages shall be limited to the purchase price of the report.

Purchaser of the report accepts the report "As Is". The report is intended only to provide information only and should not be considered as providing any legal advice, prediction, forecast, or fact as to the environmental risk for any specific property. Reports are proprietary to Envirosite, and contain copyrighted material and trademarks of Envirosite. All other trademarks used herein are the property of their respective owners. All rights of Envirosite as to the Reports are reserved.

Historical Aerial Photo Grid




FLIGHT YEAR:
1944

Photo 1
Subject Cannot Be Centered

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
1944

Photo 2
Subject Cannot Be Centered

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
1944

Photo 3

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
1944

Photo 4
Subject Cannot Be Centered

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
1950

Photo 1

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
1950

Photo 2

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
1950

Photo 3

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
1950

Photo 4

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
1958

Photo 1

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
1958

Photo 2

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
1958

Photo 3

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
1958

Photo 4
Subject Cannot Be Centered

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
1969

Photo 1
Cloud Cover on Photo

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
1969

Photo 2
Cloud Cover on Photo

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
1969

Photo 3
Cloud Cover on Photo

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
1969

Photo 4
Cloud Cover on Photo

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
1971

Photo 1

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
1971

Photo 2

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
1971

Photo 3

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
1971

Photo 4

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
1978

Photo 1

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
1978

Photo 2

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
1978

Photo 3

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
1978

Photo 4

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
1980

Photo 1
Subject Cannot Be Centered

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
1980

Photo 2
Subject Cannot Be Centered

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
1980

Photo 3

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
1980

Photo 4

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
1984

Photo 1

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
1984

Photo 2

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
1984

Photo 3

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
1984

Photo 4

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
1995

Photo 1
Subject Cannot Be Centered

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
1995

Photo 2
Subject Cannot Be Centered

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
1995

Photo 3

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
1995

Photo 4

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
1999

Photo 1

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
1999

Photo 2

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
1999

Photo 3

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
1999

Photo 4

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
2007

Photo 1

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
2007

Photo 2

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
2007

Photo 3

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
2007

Photo 4

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
2010

Photo 1

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
2010

Photo 2

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
2010

Photo 3

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
2010

Photo 4

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
2015

Photo 1

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
2015

Photo 2

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
2015

Photo 3

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
2015

Photo 4

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
2019

Photo 1

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
2019

Photo 2

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
2019

Photo 3

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
2019

Photo 4

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
2023

Photo 1

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
2023

Photo 2

N
W E
S

Scale: 1" = 1,500'




FLIGHT YEAR:
2023

Photo 3

N
W E
S

Scale: 1" = 1,500'



FLIGHT YEAR:
2023

Photo 4

N
W E
S

Scale: 1" = 1,500'



Appendix J

Envirosite Historical Fire Insurance Maps Report

ENVIROSITE

Historical Fire Insurance Maps Report

BERT Rail-Trail
8888 Bernwood Pkwy
Bonita Springs, Florida, 34135

Order Number: 119475
Report Generated: 07/02/2026

Project Name:
Project Number:

Prepared for Envirosite Corporation By :

Historical Information Gatherers

©2026 Envirosite Inc. | All rights reserved | 866-211-2028 | www.envirositecorp.com

HIG Research Summary

Site Location
BERT Rail-Trail
8888 Bernwood Pkwy
Bonita Springs, FL

Requested by
Envirosite Corporation
56 Broome Corporate Parkway
Conklin, NY

HIG Project #
2098984
Client Project #
119475
Date Created
07/02/2026

This Research Summary identifies the products and services provided by Historical Information Gatherers, Inc. (HIG) for the above referenced site location. All products are provided as PDFs unless otherwise noted.

FIM+ Maps

The HIG Historical Map Collection and the United States Library of Congress Map Collection were searched for fire insurance maps (FIMs), real estate atlases and similar maps for the site location and adjoining properties. No FIMs or similar maps were identified for the site location and/or adjoining properties.

Disclaimer & Limitation of Liability

This Research Summary and the related documents and images provided by Historical Information Gatherers (hereafter referred to as the "Site Specific HIG Data") contain information obtained from a variety of public and private sources. Additional information for the site and surrounding properties may exist. Accordingly, there can be no guaranty or warranty that the information provided is complete for its particular intended purpose. No warranty expressed or implied, is made whatsoever in connection with the Site Specific HIG Data. Historical Information Gatherers specifically disclaims the making of any such warranties, including without limitation, merchantability or fitness for a particular purpose. Historical Information Gatherers, its officers, employees and independent contractors cannot be held liable to anyone for any loss or damage, whether arising out of errors or omissions, negligence, accident or any other cause, resulting directly or indirectly from any information provided or any information not provided in the Site Specific HIG Data. Any liability on the part of Historical Information Gatherers is strictly limited to a refund equal to the amount paid for the Site Specific HIG Data.

HIG Copyright Notice

This Research Summary and the selection, arrangement and compilation of Site Specific HIG Data are the property of Historical Information Gatherers. © Copyright 2026 by Historical Information Gatherers, Inc. All rights reserved. The person or entity that ordered and paid for the Site Specific HIG Data is granted a personal, non-assignable, limited license to reproduce the Site Specific HIG Data solely for purposes of providing supporting documentation for reports produced for the site location which is noted on page one of this Research Summary. Any other reproduction or other use of the Site Specific HIG Data in any media or format, in whole or in part, is expressly prohibited without prior written permission from Historical Information Gatherers, and the person or entity that ordered and paid for the Site Specific HIG Data assumes all liability for the making of any such reproductions.

Licensing Agreement

The licensing agreement between Historical Information Gatherers and infoGroup provides that Historical Information Gatherers may create photocopies or reproductions of portions of Polk City Directories, Hill-Donnelley Criss-Cross Directories and other directories under infoGroup copyright. The licensing agreement also permits the person or entity that ordered and paid for the Site Specific HIG Data to include photocopies or reproductions of portions of Polk City Directories, Hill-Donnelley Criss-Cross Directories and other directories under infoGroup copyright as supporting documents for reports produced for the site which is the subject of the Site Specific HIG Data.

Fire Insurance Maps No Coverage Statement

Site Location
BERT Rail-Trail
8888 Bernwood Pkwy
Bonita Springs, FL

Requested by
Envirosite Corporation
56 Broome Corporate Parkway
Conklin, NY

HIG Project #
2098984
Client Project #
119475
Date Created
07/02/2026

FIM+ Maps

The HIG Historical Map Collection and the United States Library of Congress Map Collection were searched for fire insurance maps (FIMs), real estate atlases and similar maps for the site location and adjoining properties. No FIMs or similar maps were identified for the site location and/or adjoining properties.

Appendix K

Photographic Log



Image 1: Railroad Ties (RRT-2)
Estero (Lat/long 26.43205618 / -81.80677382)



Image 2: Railroad Ties (RRT-1)
Bonita Springs (Lat/long 26.35145624 / -81.7819328)



Image 3: Homeless Encampment # 3
Estero (Lat/long 26.32808817 / -81.78359183)



Image 4: Homeless Encampment # 1
Bonito Springs (Lat/long 26.3178242 / -81.78763887)



Image 5: Homeless Encampment # 2
Collier County (Lat/long 26.31626818 / -81.78823482)



Image 6: Trash # 1
Collier County (Lat/long 26.30473409 / -81.79154412)



Image 7: Trash # 2
Bonita Springs (Lat/long 26.31721525 / -81.78779586)



Image 8: Pallets
Collier County (Lat/long 26.31612619 / -81.7882888)



Image 9: Trash near Homeless Encampment # 2
Collier County (Lat/long 26.31626818 / -81.78823482)



Image 10: Culvert
Collier County (Lat/long 26.313125 / -81.789302)



Image 11: Gopher Tortoise Burrow
Collier County



Image 12: Gopher Tortoise Burrow
Central Bonita Springs



Image 13: Tisch Laundry
10450 West Terry Street, Bonita Springs



Image 14: Monitoring Well @ Tisch Laundry
10450 West Terry Street, Bonita Springs

Appendix L

Qualified Environmental Professional Resume

Richard A. Stephens

249 Pinewood Drive, Tallahassee, Florida 32393
Cell: (850) 544-3437
Work E-Mail: richards@ssecmail.com

Professional Overview:

I have 36 years of experience working in both the public and private sectors, which has provided diverse project and site experience. As a contract and project manager, I oversee or assist in marketing and client development, client negotiation, site file and background reviews, scope and work plan development, field investigations, and report generation.

Primary Areas of expertise include, but are not limited to:

- Contract and Project Management
- Due Diligence
- Solar Site Development/Site Feasibility Analysis
- National Environmental Policy Act (NEPA)
- Environmental Site Assessments
- Stormwater Management
- Laboratory Oversight

Due Diligence:

I have 27 years' experience as an environmental professional managing due diligence project for a variety of clients in the private and government sector. Examples of the clients, projects and protocols include:

Phase I Environmental Site Assessment (ESA) for the Southland Plantation, Decatur County, Georgia. Under contract with a private buyer and their legal counsel, I was the Qualified Environmental Professional (QEP) for the Phase I ESA of the 5,742.1-acre hunting plantation. The hunting plantation was formerly the International Paper Experimental Forest. The Phase I ESA focused on the historical research areas associated with the experimental forest as well as the active plantation operational areas. The Phase I ESA was completed using ASTM E2247-16 (*Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process for Forestland or Rural Property*) and was conducted to inform the client(s) of any RECs or HRECs associated with the subject property as the parties considered the purchase of the subject property for continued use as a private hunting plantation.

In addition to the Phase I ESA, I managed the wetland delineation of approximately 400-acres being evaluated for the development for additional recreational areas or a small onsite air strip for private planes.

Phase I ESA for the Former Agricola Mine (aka Silver City Mine, Ft. Meade, Polk County, Florida. Under contract with Hed Home LLC and Stearns Weaver (legal counsel), I was the for the Phase I ESA of the 1,781.65-acre restored phosphate mine. The subject property was currently being used for pasture for cattle farming, but the subject property did include a 52-acre closed phosphogypsum stack currently under long term monitoring, and 441.72 acres under a conservation easement with the Florida Department of Environmental Protection (FDEP). The Phase I ESA was completed using ASTM E2247-16 and was conducted to inform the client(s) of any RECs or HRECs associated with the subject property as Hed Home LLC considered the purchase of the subject property.

Phase I ESA for the Former Badcock Furniture Warehouse, Mulberry, Polk County, Florida. Under contract with 5th & Phos, LLC (Hed Home LLC) and Clark, Campbell,

ENVIRONMENTAL CONSULTANTS, LLC

Education

B.S., (1987) Major –Zoology; Minor – Chemistry and Plant Science, University of Wales

P.G.C.E - Education (1989: MS Equivalent) Biology and Science, University of Wales

Professional affiliations

Florida Association of Environmental Professionals, Tallahassee Chapter (Current)

Florida Brownfields Association (Past)

Leon County Water Resources Committee (Past)

Professional development

USEPA Region 4 SOP training

NEPA (Shipley Group)

Project Manager Bootcamp (PSMJ Resources, Inc.)

Small Business Executive Program (FSU College of Business – Jim Moran Institute for Global Entrepreneurship)

Additional Training

OSHA 40-hour Hazwoper

OSHA 8-hour Refresher (2025)

ECSI Wilderness First Aid and CPR/AED (2023)

AHA CPR/AED (2023)

PADI Open Water

NAUI Research Reef Diver

NAUI Enriched Air NITROX

Lancaster, Workman & Airth, P.A (Legal Counsel) I was the QEP for the Phase I ESA of the 0.91-acre property with 8,820 square foot (ft^2) warehouse formerly used by Badcock Furniture as their facilities maintenance warehouse. The Phase I ESA was conducted in conformance with ASTM E1527-21 (*Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process*) to inform the client(s) of any RECs or HRECs associated with the subject property as the parties considered the purchase of the subject property.

Phase I ESA for the Former Henry's Radiator Shop, Tallahassee, Leon County, Florida. Under contract with the City of Tallahassee Brownfields Program (City) and Hold the Mayo LLC, I was the QEP for the Phase I ESA of the 0.41-acre property with a 2,960 ft^2 building. Henry's Radiator Shop, an automotive repair shop, operated on the subject property for more than 70 years. The Phase I ESA was conducted in conformance with ASTM E1527-21 to inform the City and Hold the Mayo LLC of any RECs or HRECs associated with the subject property as Hold the Mayo evaluates the redevelopment of the property as a restaurant and bar.

Phase I ESA for the Wyndham Garden Tallahassee Capitol, Tallahassee, Leon County, Florida. Under contract with the HotelMax, I was the QEP for the Phase I ESA of the 3.26-acre property with a 75,003 ft^2/147 room hotel. The Phase I ESA was conducted in conformance with ASTM E1527-21 to inform the HotelMax of any RECs or HRECs associated with the subject property for the continued use as a hotel.

Phase I ESA for the Clear Creek - Rosasco Project, Santa Rosa County, Florida. Under contract with The Trust for Public Land (TPL), I was the QEP for the completion of approximately 429 acres, comprised of forty-two (42) contiguous parcels. The subject property was predominantly undeveloped timberland containing a lake and stream and was located within proximity to the Blackwater State Forest and Naval Air Station (NAS) Whiting Field. The Phase I ESA was completed using ASTM E2247-16 and was conducted to inform TPL and Santa Rosa County of any RECs or HRECs associated with the subject property as the parties considered the purchase of the subject property. S&S did not identify any RECs or HRECs associated with the historical use of the subject property. However, S&S did identify numerous mineral rights that could result in future issues for establishment of the conservation easements.

Phase I ESA for the Monroe 24 Project, Santa Rosa County, Florida. Under contract with TPL, I was the QEP for the completion of the Phase I ESA of approximately 756 acres of historical timberland in Santa Rosa County, Florida. The Phase I ESA was completed to support future conservation goals and possible incorporation into the Blackwater State Forest or Blackwater State Park. Other stakeholders in the project included the FDEP.

Phase I ESA for the East Bay River Preserve, Santa Rosa County, Florida. Under contract with TPL, I was the QEP for the completion of the Phase I ESA of approximately 537 acres. East Bay River Preserve included three (3) individual tracts of land (Tract 1 – Northeast Tract; Tract 2 – Northwest Tract; and Tract 3 – Central Tract) comprised of all or portions of six (6) parcels in Santa Rosa County, Florida. Phase I ESA was completed using ASTM E2247-16 to inform TPL, Santa Rosa County and Florida Fish and Wildlife Commission (FWC) of any recognized environmental concerns (RECs) associated with the purchase of the subject property.

Phase I ESA for the Cola River Land and Timber, Liberty County, Florida. Under contract with The Nature Conservancy (TNC) I was the QEP for the completion of the Phase I ESA of approximately 758 acres of historical timberland in Liberty County, Florida. The subject property was comprised of two adjacent parcels. The Phase I ESA was completed to support the acquisition of the subject property for conservation and potential incorporation

into the adjacent Torreya State Park. The Phase I ESA was completed using ASTM E2247-16.

Phase I ESAs for Multiple Properties, Washington County, Florida. Under contract with the Northwest Florida Water Management District (NWFWMD) I was the QEP for the completion of twelve (12) Phase I ESAs in Washington County, Florida. The Phase I ESAs were completed on subject properties ranging in size from approximately 2.5 to 40 acres. The Phase I ESAs were completed to support the acquisition of the undeveloped rural properties for incorporation into the Econfina Creek Water Management Area for the primary long-term purpose of preserving and conserving the water resources of Econfina Creek and associated springs.

Phase I ESA for the Grayton Forest Business Center Parcel in Walton County, Florida. Under contract with the NWFWMD I was the QEP for the completion of the Phase I ESA of approximately 6.83 acres of Choctawhatchee Bay front property in Walton County, Florida The Phase I ESA was completed to support the acquisition of the parcel for the primary purpose of preserving and conserving the water resources of the Lower Choctawhatchee River and Bay.

Phase I ESA for the Piplack Tract in Wakulla County, Florida. Under contract with the NWFWMD I was the QEP for the completion of the Phase I ESA of approximately 10.66 acres in Wakulla County, Florida. The Phase I ESA was completed to support the acquisition of the parcel for the primary purpose of preserving and conserving springs.

Phase I Environmental Site Assessments (ESAs) for Proposed Solar Sites in Gadsden, Wakulla, Liberty, and Leon Counties, Florida. Under contract with Origis Energy, I was the qualified environmental professional (QEP) for the development of four Phase I ESAs to support the proposed development of four photovoltaic (PV) solar facilities in the Talquin Electric Cooperative service area. The Phase I ESAs were conducted in conformance with American Society for Testing and Materials (ASTM) E1527-13: Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process.

Phase I ESAs for the Proposed High Springs Solar Site in Alachua County, Florida. Under contract with Normandeau and Associates, I was the environmental professional for the Phase I ESA for proposed 74.9 megawatt (MW) alternating current (AC) PV solar site which was comprised of the 715-acre main footprint and the 2.6-mile right of way (ROW). The Phase I ESA was conducted in accordance with ASTM E2247-16 Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process for Forestland or Rural Property, with consideration of applicable updates from ASTM E1527-13.

Phase I ESAs for the Proposed Greenville Solar Site in Greenville, Butler County, Alabama. Under contract with hep Peak Clean Energy, I was the environmental professional for the four Phase I ESAs for the proposed 80 MW PV solar site. Two of these Phase I ESAs were conducted to support parcel acquisition and two for the proposed lease of lands for the main development area and the right of way (ROW). Over the period of service, the project footprint changed to a final footprint of 672 development acres and an approximately 1.7-mile ROW. The Phase I ESAs were conducted in accordance with ASTM E2247-16.

Phase I ESAs for the Proposed Pineview Solar Site in Wilcox County, Georgia. Under contract with hep Peak Clean Energy, I was the environmental professional for the two Phase I ESAs and one Phase I ESA update for the proposed 80 MW PV solar site. Over the period of service, the project footprint changed to a final footprint of 703 development acres and an approximately 1.1-mile ROW. The Phase I ESA was conducted in accordance with ASTM E2247-16.

Phase I ESA for the Proposed Tallahassee II Solar Facility, Tallahassee International Airport, Tallahassee, Florida. Under contract with Origis Energy, I was the environmental professional for the Phase I ESA for the Tallahassee II solar facility. The proposed 40 MW AC PV solar facility was constructed on approximately 300 acres on the west side of the Tallahassee International Airport. The Phase I ESA was conducted in conformance with ASTM E1527-13.

Small Business Administration (SBA) Lender and Development Company Loan Programs Under contract with Florida First Capital Finance Corporation (FFCFC), the lending institutions and the borrowers, I conducted due diligence projects in accordance with the SBA Lender and Development Company Loan Programs (SOP) 50 10 5(J) and SOP 50 10 6, SOP 50 10 7. I completed approximately fifty (50) due diligence projects which were either a Phase I ESA or Records Search with Risk Assessment (RSRA) reports depending upon the subject properties history and the presence of an environmentally sensitive North American Industry Classification System (NAICS) code for the property.

TC Federal Bank/Small Business Administration (SBA) Lender and Development Company Loan Programs. Under contract with TC Federal Bank, I was the environmental professional for ten (10) Phase I ESAs and two (2) RSRAs in accordance with SBA *Lender and Development Company Loan Programs (SOP) 50 10 5(J).* The Phase I ESAs and RSRAs were conducted in conformance with ASTM E1527-13 and the SBA SOP.

Phase I ESAs for Affordable Housing Solutions for Florida Under contract with Affordable Housing Solutions for Florida, Inc (AHSF), a non-profit developer, owner and service provider of affordable housing, I was the QEP for six (6) Phase I ESAs for affordable housing developments in Wakulla, Liberty, Gulf, Lake, and Madison Counties. The Phase I ESAs were conducted in accordance with ASTM E1527-13 or 21. Based on the funding and grant cycles, several of the Phase I ESAs required updates, completed in accordance with the continued viability section of the ASTM guidance. Each of these projects included vacant or residential properties with a range of potential recognized environmental conditions (RECs) or historically recognized environmental conditions (HRECs) associated with the current and/or historical operations.

For the proposed Greyes Place townhome development in Wakulla County, S&S identified a historical property with potential asbestos concerns. S&S oversaw an asbestos survey for the building prior to the proposed demolition for the development.

Phase I ESAs for the Marion County School Board, Marion County, Florida Under contract with Normandeau Associates Inc., I conducted two (2) Phase I ESAs on behalf of the Marion County (FL) School Board. Marion County School Board intended to acquire the 20 acre subject property, a portion of the larger 1,000 acre Winding Oaks Farms, for a future elementary school to serve the future residential and commercial development of approximately 750 acres of the farm. The second Phase I ESA was for a small parcel adjacent to Anthony Elementary School. The parcel was a former gas station and the School Board wanted to expand the school grounds to utilize the outparcel. Both Phase I ESAs were conducted in conformance with ASTM E1527-13.

Phase I ESA for the Proposed Development of Student Housing at the Villa Sienna Site in Tallahassee, Florida. On behalf of Haven Campus Communities, I conducted a Phase I ESA of an approximately 4.7-acre subject property, which was comprised of seven (7) smaller properties. The Phase I ESA was conducted in conformance with ASTM E1527-13. The Phase I ESA revealed the presence of an underground storage tank containing heating oil, no longer used as the properties were serviced by City of Tallahassee utilities. The Phase I recommended a limited scope soil assessment to assess the potential impacts of the heating oil tank.

Florida Department of Environmental Protection (FDEP) Brownfields Redevelopment Program. For over 18-years, I have served as a project manager or program manager responsible for providing overall direction and quality assurance (QA) for Brownfields projects conducted for FDEP under a cooperative agreement with EPA Region 4. Under this contract, I have managed numerous Phase I Targeted Brownfields Assessments (TBAs) on a wide variety of properties and with numerous recognized environmental conditions (RECs). As Brownfield sites, the majority of the properties required a Phase II TBA. The Phase I TBAs were conducted in accordance with the appropriate updated ASTM E1527 standard.

Confidential Solar Development, Georgia. On behalf of a confidential client, I was the environmental professional for the Phase I ESA on an approximately 1,000-acre property in South Georgia. The Phase I was conducted in accordance with ASTM E2247-08, the Phase I ESA process for Forestland or Rural Property.

Driscoll Foundation Property, Jim Wells County, Texas. For the Southwest Division of the Naval Facilities Engineering Command, I managed the completion of an environmental condition of property (ECP) inspection and report for this 690-acre site, which was currently being used as farmland. The ECP was conducted in accordance with Department of the Navy (DON) Environmental Policy Memorandum 06 06: Streamlined Environmental Procedures Applicable to Non-BRAC Real Estate Actions; as well as ASTM E1527-05 and ASTM E2247-08.

Federal Law Enforcement Training Center (FLETC), Artesia, New Mexico. For the Kansas City District of the United States Army Corps of Engineers, I was a member of a multidisciplinary team supporting facility expansion and property acquisitions. I served as the task manager for three (3) Phase I Environmental Baseline Surveys (EBS), which were completed in accordance with ASTM standards. Based on the findings of the Phase I, one site required a limited scope Phase II ESA.

USPS Facilities, Florida, Georgia, and Mississippi. For the United States Postal Service (USPS), I managed Phase I ESAs at sites in Youngstown and Crawfordville, Florida; Valdosta, Georgia; and Picayune, Mississippi. Based on the findings of the Phase I ESA, the Crawfordville property required a wetland delineation, a non-scope item identified during the site reconnaissance. The Phase I TBAs were conducted in accordance with the appropriate updated ASTM standard.

Solar Site Development/Site Feasibility Analysis:

I have more than 14 years' experience working in the renewable energy field. I work directly with project developers and Engineering, Procurement, Construction (EPC) contractors in evaluating potential sites for the development of utility scale solar facilities. Over the past few years, I have worked with numerous clients and sites, primarily in the southeast. Examples of the clients, projects and protocols include:

Proposed Solar Site in Alachua County, Florida. Under contract with Moreni Energy, I am the environmental lead for the proposed 5.0 MW AC PV solar facility in the City of Alachua, Alachua County, Florida. I am the environmental lead for the natural resource, site surveying, cultural resource, Phase I ESA and NEPA Environmental Assessment (EA) tasks.

Proposed Solar Site in Leon County, Florida. Under contract with Origis Energy, I conducted a Critical Issues Analysis (CIA) on a 40-acre parcel in eastern Leon County, Florida. The goal of the CIA was to evaluate multiple resources for the proposed development of a 3.0 MW AC PV solar facility on the southern section of the property. After completion of the CIA, I was the environmental lead for the natural resource, site surveying, cultural resource, Phase I ESA and permitting tasks for the solar site in the Talquin Electric Cooperative Service area.

Proposed Pineview Solar Site, Wilcox County, Alabama. Under contract initially with hep Peak Clean Energy and later Linea Energy (new owner), I was the environmental lead for the proposed development of an 80 MW AC PV solar facility. I conducted or managed the CIA, Phase I ESA, natural resource, and Gopher Tortoise relocation tasks for the solar facility.

Proposed Greenville Solar Site, Greenville, Butler County, Alabama. Under contract with hep Peak Clean Energy, I conducted a CIA on approximately 1,300 acres in Butler County, Alabama. The goal of the CIA was to evaluate multiple resources for the proposed development of an 80 MW AC PV solar facility.

Proposed Solar Sites in Gadsden, Wakulla, and Liberty Counties, Florida. Under contract with Origis Energy, I was the environmental lead for the natural resource, site surveying, cultural resource, Phase I ESA and permitting tasks for three (3) proposed solar sites in the Talquin Electric Cooperative Service area.

Permitting Reports for five (5) potential Solar Sites in southern Alabama. To support the client response to the 2018 Alabama Power Request for Proposal (RFP), I completed permitting reports for each of the five (5) project sites located in five separate counties to summarize the potential need and cost of the Federal, State and Local permits.

Resource Summary Report for the Proposed Solar Project Sites in Clay County and Houston County, Georgia. To support the project acquisition and potential development of 10 MW and 65 MW solar facilities in Clay and Houston Counties, I completed a limited scope resource and permit review for the project sites to assist the client with potential permitting strategies.

Project Acquisition Support/ Data Room Review for a proposed solar facility in Clay County, Georgia. To support the acquisition of a proposed 80 MW solar facility in Georgia, I reviewed the available resource reports (wetlands, biological, cultural resources etc.) and the project permits to identify any potential data gaps and permitting constraints. Additionally, I recommended the next steps for development as well as identify any permits not previously obtained or identified.

Proposed Solar Projects, Florida. For National Solar Power Partners (NSPP), I was the contract manager and project manager for the desktop critical issues analysis (CIA) reports and draft permitting matrix for the proposed 36-acre JEA-Imeson site in Duval County, the 213-acre Liberty 1 site in Liberty County, and the 739-acre Atwater site in Gadsden County, Florida. Additionally, for the JEA-Imeson Project, I was the QEP for the Phase I ESA conducted in accordance with ASTM E1527-13, and I was the contract manager for the completion of the wetland delineation and threatened and endangered species surveys conducted at the site.

Proposed Solar Projects, Mitchell County, Georgia. For a confidential solar developer, I was the project manager for the CIA reports for the 252-acre Flint site and 133-acre Hickory site. As part of the site evaluation, I completed the site visits at both project sites and evaluated multiple resources for potential concerns for future development as a PV solar facility.

Proposed Solar Projects, Georgia, Florida, Alabama, Mississippi, South Carolina, and Tennessee. For a confidential solar developer, I was the contract manager for CIA reports and draft permitting matrices for more than thirty-five potential solar PV sites. I served as the project manager for preliminary site surveys for wetlands and threatened and endangered (T/E) species for several of the sites.

P**hase I Environmental Site Assessment (ESA) and CIAs for Solar Development, Georgia**. On behalf of a confidential solar developer, I was the QEP for a Phase I ESA on an

approximately 1,000-acre property in Georgia. The Phase I was conducted in accordance with ASTM E2247-08, the Phase I ESA process for forestland or rural property. Additionally, I was the project manager for the completion of CIAs for two (2) potential solar sites in Georgia.

Proposed Solar Projects, South Carolina and Virginia. On behalf of a confidential developer, I was the project manager for a CIA report and draft permitting matrix for two (2) proposed PV solar facilities in South Carolina and eight (8) proposed facilities in Virginia. As part of the CIA task, I was the project manager preliminary surveys for wetlands and T/E species at three (3) of the Virginia Sites.

Proposed Solar Projects, Florida. For a confidential solar developer, I was the project manager for the desktop abbreviated CIA reports and draft permitting matrix for the proposed Barcola Site in Polk County and the Holopaw East site in Osceola County. The abbreviated CIAs focused on water resources only, including floodplains, wetlands, and surface waterways.

Proposed Solar Project, Alabama. For a confidential solar developer/utility company, I completed a comprehensive CIA report for a proposed 80 MW development on 1,600 acres of agricultural land in northeast Alabama. As part of the CIA task, I completed preliminary surveys for wetlands and T/E species.

NEPA:

I am also well versed in the National Environmental Procedure Act (NEPA). Over the past 20 years, I have managed or have participated as a resource specialist on numerous environmental assessments (EA) and environmental impact statements (EIS). These NEPA tasks have ranged in size and scope, and have varied by client, including tasks for numerous federal agencies such as the U.S. Navy, U.S. Army, and U.S. Air Force. Examples of the clients and projects include:

Alachua Solar, City of Alachua, Alachua County, Florida. Under contract with Moreni Energy, I was the Project Manager and resource specialist for the third-party EA addressing the construction and operation of a 7.0-megawatt (MW) direct current (DC)/5.0-MW alternating current (AC) photovoltaic (PV) solar power facility in the City of Alachua. Alachua Solar was seeking financing from the United States Department of Agriculture (USDA) Rural Utilities Service (RUS) which required the completion of the EA.

Army Air Force Exchange Service [now referred to as the EXCHANGE]. I was either the Project Manager or resource specialist for the Army and Air Force Exchange Service (AAFES).NEPA projects. I managed the identification of permit requirements and development of five (5) EAs for the construction of new shoppettes with food service and gas facilities at Kirtland Air Force Base (AFB), New Mexico; Fort Sill, Oklahoma; Fort Hood, Texas; and two (2) EAs at Joint Base Andrews –Naval Air Facility in Maryland. In addition, I managed the preparation of the application for the construction and operation air permit for the fueling system at the Kirtland AFB shoppette. Additionally, I served as the assistant Project Manager and resource lead for the EA for the consolidation of AAFES facilities at Hanscom AFB in Massachusetts, and Fort Hamilton in New York.

Naval Outlying Field (NOLF) Holley, Navarre, Florida. Under contract with the Atlantic Division of the Naval Facilities Engineering Command (NAVFAC Atlantic), I was the Project Manager for the EA for the proposed construction and operation of a 40 MW PV system at NOLF Holley. Beyond the scope of the EA, additional tasks conducted in support of the EA were Gopher Tortoise surveys and relocation, wetland delineations and a Phase I cultural resource survey.

Southwest Transmission Line, Tallahassee, Florida. Program Manager for the preparation of a third-party EIS addressing the construction of a 230-kV Southwest Transmission Line to upgrade the power supply to the City of Tallahassee to meet applicable 10-year North American Electric Reliability Corporation planning standards. Most of the 8-mile transmission line was proposed to traverse the Apalachicola National Forest, requiring a Special Use Permit (SUP) from the USDA Forest Service.

Federal Law Enforcement Training Center (FLETC), Artesia, New Mexico. For the Kansas City District of the United States Army Corps of Engineers, I was a member of the multidisciplinary team supporting the NEPA program at this facility. I conducted site research, coordinated public notices, and participated in the development of four (4) EAs.

Environmental Site Assessment:

I have 31 years' experience conducting environmental site assessments for a variety of private, State and Federal clients. I am extremely proficient with a wide range of traditional and innovative assessment methodologies, SOPs, State and Federal regulations, laboratory methods and procedures, and data assessment and validation protocols. Examples of my site assessment experience include:

Statewide BWC Consolidated Contract, Florida. I have over 18 years of experience working as a Contract Manager and Project Manager to support the engineering and geological services program supporting FDEPs Bureau of Waste Cleanup (BWC), including the Hazardous Waste Cleanup, Drycleaning, Site Investigation, State-Owned Lands, CERCLA Site Screening, and Brownfield Sections.

- **CERCLA Site Screening.** Under FDEPs cooperative agreement with EPA Region 4, I have managed numerous tasks and projects, including Preliminary Assessments (PA), Site Inspections (SI), combined PA/SIs, Expanded SIs (ESI), and Hazard Ranking Score (HRS) Summary reports.

- **Brownfields Program.** Under FDEPs cooperative agreement with EPA Region 4, I have managed numerous TBAs and Site-Specific Activities (SSA). Scopes of work have included site assessment activities, limited scope source removals, and tank removals. Upon completion of tasked activities, several of these sites received Site Rehabilitation Cleanup Orders (SRCOs).

- **Hazardous Waste Cleanup.** On behalf of the FDEP BWC, I have managed several State funded hazardous waste cleanup sites, including the off-site soil investigation for the former Wingate Road Landfill site in Fort Lauderdale. I led the collection of soil samples from an approximately 10-block area affected by former landfill activities. Upon completion of the soil sampling, I oversaw the removal of dioxin contaminated soil from approximately 20 residential properties**.**

- **Drycleaning Program.** On behalf of FDEP, I have managed site assessments at active and inactive drycleaning facilities. Most recently, I have managed the site assessments at the Swift Cleaners site in Jacksonville, and the Former Handicraft Cleaners and Ponte Vedra Cleaners sites in Pointe Vedra. At each of these sites, I used innovative field screening technologies to reduce the analytical and field costs.

- **Site Investigation Section.** On behalf of FDEP, I have managed area wide investigations to find unknown contamination sources. The projects included area wide site history surveys, site reconnaissance, scope development, field investigation and development of the Site Investigation Report (SIR).

- **State-Owned Lands.** In support of the FDEP-managed state-owned lands program, I was a Project Manager for the investigation of sites on state-owned lands, primarily

including state parks and correctional institutions. I conducted site reconnaissance-level surveys involving interviews, site walkovers, and the production of the site reconnaissance reports identifying potential areas of concern at sites. Upon review, I developed the scope of work for any required field investigation, oversaw the field work, and developed the SIR.

Petroleum Section Team 6, Florida. As a member of Team 6 that provided program administration assistance to FDEP's Bureau of Petroleum Storage Systems, I was responsible for site management and coordination in accordance with state laws, FDEP rules and guidance, and preapproval program SOPs. As required, my responsibilities included reviewing proposals, preparing work orders, negotiating scopes of work with the designated preapproval contractors, and reviewing reports to verify the completeness of tasked activities in accordance with program SOPs and related guidance. I reviewed invoices and change orders, performed site visits and site inspections, and entered site-specific data into FDEP tracking system.

In addition to my Team 6 site manager responsibilities, I reviewed limited contamination assessment reports and site rehabilitation funding allocation applications for non-program discharges on behalf of FDEP. I provided detailed reviews of site history and files, developed draft cost-share agreements, conducted cost-share negotiations with environmental contractors and responsible parties, and developed final cost share agreements

Statewide Hazardous Sites Response Program, Georgia. For the Georgia Department of Natural Resources, I managed the ambient air sampling project at the Corner Shopping Center site in Marietta. The project included development of the work plan and site-specific health and safety plan, followed by ambient air sampling to evaluate exposure to chlorinated solvent vapors from an adjacent drycleaning site. Under the same program, I was field task manager for ambient air sampling at the Cachet Cleaners site in Duluth.

Naval Air Station (NAS) Whiting Field, Florida. To support the remedial investigation/feasibility study and CERCLA field investigations at Whiting Field, I was the field operations lead for the base wide groundwater sampling, responsible for all on-site technical decisions, team (including subcontractor) and equipment scheduling, and the preparation of Installation Restoration Program reports.

Naval Station Mayport, Florida. As project chemist/data management lead for the RCRA RFI and facility assessment (RFA) program, I oversaw analytical program operations to ensure compliance with analytical and regulatory protocol, coordinated the subcontracted analytical laboratory and data validators, reviewed data validation reports, and developed/maintained the analytical database.

Stormwater Management:

I have extensive experience in stormwater management and NPDES projects. For approximately 15 years, I was Contract Manager for several multi-year contracts for the City of Tallahassee. Under these contracts, I managed numerous projects for the City's Stormwater Management Division. Examples of stormwater projects include:

Municipal Separate Storm Sewer System, Tallahassee, Florida. Under a multitask contract with the City of Tallahassee, I managed the stormwater sampling program and dry-weather monitoring for the City's National Pollution Discharge Elimination System (NPDES) for the Municipal Separate Storm Sewer System (MS4) permit. I was responsible for the setup, maintenance, and operation of five (5) automated stormwater samplers, as well as for the monitoring of five dry-weather samplers set up at selected storm pipes throughout the city. In addition, I managed stormwater sampling projects at Florida State University Football Stadium; John Knox Road, Lake Ella, Lake Elberta, and Weems Pond stormwater

management facilities; and high-risk industrial facilities. At the John Knox Road location, I also oversaw the removal of nuisance plants and installation of preferred wetland plants.

Tallahassee Regional Airport, Florida. I managed several stormwater pollution prevention plan (SWPPP) projects for Tallahassee Regional Airport. The projects included annual inspections of tenant facilities and provision of annual tenant training to ensure that best management practices were being followed in accordance with the approved SWPPP. Additionally, I updated the airport's SWPPP to comply with the new Multi-Sector General Permit.

Airport Properties, Dade County, Florida. For the Miami-Dade Aviation Department, I was project chemist for the stormwater program at Miami International Airport (MIA). I reviewed and interpreted analytical data to support the renewal of stormwater permits issued by the South Florida Water Management District (SFWMD) and presented the collected data in three MIA annual reports to SFWMD.

Little River Pipeline, Florida. For Southern Natural Gas Company, I was an environmental inspector during the construction and turbidity monitoring program for the gas pipeline lowering project. He oversaw construction activities to ensure compliance with the State of Florida turbidity variance permit, as well as to ensure that construction through a delineated wetland complied with best management practices; provided liaison between Southern Natural and FDEP; and compiled data for the final turbidity monitoring report.

Employment History:

S&S Environmental Consultants, LLC. 2018 – Present
Partner and Principal Scientist

Ecology and Environment Inc. 1998 – 2003 and 2005 – 2017
Environmental Scientist, Contract/Project Manager and Solar Sector Lead

Severn Trent Laboratories, Inc. (now TestAmerica) 2003-2004.
Project Manager, Client Services

ABB Environmental Services, Inc. 1994-1998.
Project chemist/scientist, Comprehensive Long-Term Environmental Action, Navy (CLEAN) program

Savannah Laboratories and Environmental Services, Inc. (now TestAmerica). 1989 – 1994
Volatile Organics Analyst and Volatile Organics Department Manager.

Personnel Interests and Other Activities

Boy Scouts of America, Suwannee River Area Council – Scoutmaster and Associate Crew Advisor

USA Swimming – Non-Athlete member and certified Deck Referee, Starter, and Stroke and Turn judge

USA Triathlon member and Gulf Winds Track Club Member